

VÝKONOVÉ TABUĽKY – CHLADENIE

8HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V252W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	22.79	2.11	26.62	2.62	30.67	3.14	31.50	3.41	32.05	3.67	32.55	3.68	33.42	3.71
	12	22.79	2.14	26.62	2.67	30.67	3.20	31.22	3.47	31.77	3.74	32.26	3.75	33.12	3.78
	14	22.79	2.18	26.62	2.72	30.67	3.26	30.94	3.53	31.49	3.80	31.68	3.82	32.83	3.85
	16	22.79	2.22	26.62	2.77	30.40	3.32	30.67	3.59	30.92	3.87	31.40	3.89	32.53	3.92
	18	22.79	2.26	26.62	2.81	29.86	3.38	30.12	3.65	30.64	3.94	31.11	3.95	32.23	3.99
	19	22.79	2.30	26.62	2.86	29.59	3.43	29.84	3.72	30.36	4.01	30.82	4.02	31.94	4.06
	21	22.79	2.47	26.62	3.07	29.32	3.67	29.56	3.99	30.08	4.30	30.53	4.32	31.64	4.36
	23	22.79	2.64	26.62	3.29	29.05	3.94	29.29	4.27	29.80	4.60	30.24	4.62	31.35	4.66
	25	22.79	2.82	26.62	3.52	28.77	4.22	29.01	4.57	29.52	4.93	29.96	4.94	31.05	4.99
	27	22.79	3.02	26.62	3.76	28.50	4.50	28.73	4.89	29.24	5.27	29.67	5.29	30.46	5.34
	29	22.79	3.23	26.41	4.02	28.23	4.81	28.46	5.22	28.96	5.62	29.38	5.64	30.46	5.69
	31	22.79	3.44	26.33	4.29	27.96	5.13	28.18	5.56	28.68	6.00	29.09	6.02	30.16	6.08
	33	22.79	3.66	26.33	4.56	27.69	5.46	27.91	5.93	28.39	6.39	28.80	6.41	29.87	6.47
	35	22.79	3.90	26.07	4.85	27.15	5.81	27.63	6.31	28.11	6.80	28.46	6.82	29.57	6.88
	37	22.79	4.15	26.07	5.17	26.80	6.19	27.35	6.70	27.55	7.23	28.18	7.25	28.98	7.33
	39	22.79	4.16	25.70	5.19	26.60	6.21	27.08	6.73	27.27	7.26	27.91	7.29	28.69	7.36
	41	22.79	4.18	25.14	5.21	26.25	6.24	26.80	6.76	26.99	7.30	27.63	7.32	28.39	7.39
	43	22.93	4.20	24.59	5.24	25.79	6.27	26.25	6.80	26.71	7.33	27.36	7.35	28.09	7.43
	46	22.10	4.22	23.76	5.26	24.87	6.30	25.42	6.83	25.97	7.37	26.52	7.39	27.35	7.45
	48	21.55	4.24	22.93	5.29	24.04	6.33	24.59	6.86	25.14	7.40	25.70	7.42	26.52	7.49
120%	50	21.00	4.26	22.10	5.31	23.21	6.36	23.76	6.89	24.31	7.43	24.87	7.45	25.70	7.52
	10	21.40	2.08	25.49	2.59	29.40	3.11	30.44	3.38	31.53	3.63	31.96	3.64	32.97	3.68
	12	21.40	2.12	25.49	2.64	29.40	3.17	30.44	3.44	31.25	3.70	31.67	3.71	32.68	3.75
	14	21.40	2.16	25.49	2.69	29.40	3.23	30.44	3.49	30.97	3.77	31.39	3.78	32.39	3.82
	16	21.40	2.20	25.49	2.74	29.40	3.28	30.44	3.56	30.70	3.84	31.11	3.85	32.09	3.89
	18	21.40	2.24	25.49	2.79	29.40	3.34	30.17	3.62	30.42	3.90	30.83	3.92	31.80	3.95
	19	21.40	2.28	25.49	2.84	29.08	3.40	29.90	3.68	30.14	3.97	30.54	3.98	31.51	4.02
	21	21.40	2.45	25.49	3.04	28.81	3.64	29.35	3.95	29.59	4.26	30.26	4.27	31.22	4.32
	23	21.40	2.61	25.49	3.26	28.27	3.90	29.08	4.23	29.31	4.56	29.98	4.57	30.93	4.62
	25	21.40	2.80	25.49	3.48	27.99	4.18	28.54	4.52	29.04	4.88	29.69	4.89	30.64	4.94
	27	21.40	2.99	25.49	3.72	27.45	4.46	28.27	4.84	28.76	5.22	29.41	5.24	30.34	5.29
	29	21.40	3.20	25.49	3.98	27.18	4.76	27.99	5.17	28.48	5.57	29.13	5.58	30.05	5.64
	31	21.40	3.41	25.49	4.25	26.91	5.08	27.72	5.51	28.21	5.94	28.85	5.96	29.76	6.02
	33	21.40	3.62	25.49	4.52	26.64	5.42	27.45	5.87	27.93	6.33	28.56	6.35	29.47	6.41
	35	21.40	3.86	25.28	4.81	26.36	5.76	27.18	6.25	27.66	6.73	28.28	6.75	29.18	6.82
	37	21.40	4.11	25.01	5.12	26.09	6.13	26.64	6.64	27.10	7.16	27.99	7.18	28.59	7.25
	39	21.40	4.12	24.73	5.14	25.82	6.15	26.36	6.67	26.83	7.19	27.72	7.22	28.30	7.29
	41	21.40	4.14	24.21	5.16	25.55	6.18	26.09	6.70	26.55	7.23	27.45	7.25	28.01	7.32
	43	21.40	4.16	23.96	5.19	25.28	6.21	25.82	6.73	26.36	7.26	27.18	7.28	27.72	7.35
	46	20.93	4.18	23.37	5.21	24.46	6.24	25.01	6.76	25.55	7.29	26.36	7.32	26.91	7.39
110%	48	20.38	4.20	22.83	5.23	23.65	6.27	24.19	6.79	24.73	7.33	25.55	7.35	26.09	7.42
	50	19.84	4.22	22.29	5.26	22.83	6.30	23.37	6.82	23.92	7.36	24.73	7.38	25.28	7.45
	10	19.58	2.06	23.19	2.57	26.26	3.08	28.60	3.34	30.73	3.60	31.43	3.61	32.42	3.64
	12	19.58	2.10	23.19	2.62	26.26	3.14	28.60	3.41	30.46	3.66	31.15	3.67	32.14	3.71
	14	19.58	2.14	23.19	2.66	26.26	3.20	28.60	3.47	30.19	3.73	30.87	3.74	31.85	3.78
	16	19.58	2.18	23.19	2.71	26.26	3.25	28.60	3.52	29.92	3.80	30.59	3.81	31.56	3.85
	18	19.58	2.22	23.19	2.76	26.26	3.31	28.60	3.58	29.65	3.87	30.32	3.88	31.28	3.92
	19	19.58	2.26	23.19	2.81	26.26	3.37	28.60	3.65	29.37	3.93	30.04	3.94	30.99	3.98
	21	19.58	2.42	23.19	3.01	26.26	3.60	28.60	3.91	29.10	4.22	29.76	4.23	30.70	4.27
	23	19.58	2.59	23.19	3.23	26.26	3.86	28.33	4.19	28.83	4.51	29.48	4.53	30.42	4.57
	25	19.58	2.77	23.19	3.46	26.26	4.14	28.07	4.48	28.56	4.83	29.20	4.85	30.13	4.89
	27	19.58	2.96	23.19	3.69	26.26	4.42	27.80	4.79	28.29	5.17	28.92	5.18	29.84	5.24
	29	19.58	3.16	23.19	3.94	26.26	4.72	27.53	5.12	28.01	5.51	28.65	5.53	29.56	5.58
	31	19.58	3.38	23.19	4.20	26.26	5.03	27.26	5.45	27.74	5.88	28.37	5.90	29.27	5.96
	33	19.58	3.59	23.19	4.47	25.93	5.36	27.00	5.81	27.47	6.27	28.09	6.29	28.98	6.35
	35	19.58	3.82	23.19	4.76	25.66	5.70	26.73	6.19	27.20	6.66	27.81	6.68	28.69	6.75
	37	19.58	4.07	23.19	5.07	25.39	6.07	26.20	6.57	26.65	7.09	27.26	7.11	28.12	7.18
	39	19.58	4.08	23.19	5.09	25.13	6.09	25.93	6.60	26.38	7.12	26.98	7.14	27.83	7.21
	41	19.58	4.10	23.19	5.11	24.86	6.12	25.66	6.63	26.11	7.16	26.70	7.18	27.55	7.25
	43	19.58	4.12	23.19	5.13	24.59	6.15	25.39	6.66	25.84	7.19	26.42	7.21	27.26	7.28
	46	18.98	4.14	22.72	5.16	23.79	6.18	24.59	6.69	25.13	7.22	25.66	7.24	26.20	7.32
	48	18.44	4.16	22.19	5.18	22.99	6.21	23.79	6.73	24.32	7.26	24.86	7.28	25.39	7.35
	50	17.91	4.18	21.65	5.21	22.19	6.23	22.99	6.76	23.52	7.29	24.06	7.31	24.59	7.38

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V252W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	17.45	1.93	20.6	2.40	23.75	2.87	25.2	3.12	27.44	3.36	29.37	3.37	30.54	3.41
	12	17.45	1.96	20.6	2.45	23.75	2.93	25.2	3.18	27.44	3.43	29.37	3.44	30.27	3.47
	14	17.45	2.00	20.6	2.48	23.75	2.98	25.2	3.23	27.44	3.48	29.1	3.49	30	3.52
	16	17.45	2.03	20.6	2.53	23.75	3.03	25.2	3.29	27.44	3.54	28.84	3.55	29.73	3.59
	18	17.45	2.07	20.6	2.57	23.75	3.09	25.2	3.35	27.44	3.61	28.58	3.62	29.46	3.65
	19	17.45	2.11	20.6	2.62	23.75	3.14	25.2	3.41	27.44	3.67	28.32	3.68	29.19	3.72
	21	17.45	2.26	20.6	2.81	23.75	3.37	25.2	3.65	27.44	3.94	28.06	3.95	28.91	3.99
	23	17.45	2.42	20.6	3.01	23.75	3.60	25.2	3.91	27.44	4.22	27.79	4.23	28.64	4.27
	25	17.45	2.58	20.6	3.22	23.75	3.86	25.2	4.19	27.44	4.51	27.53	4.52	28.37	4.56
	27	17.45	2.76	20.6	3.45	23.75	4.13	25.2	4.47	27.18	4.82	27.27	4.84	28.1	4.88
	29	17.45	2.95	20.6	3.67	23.75	4.41	25.2	4.77	26.92	5.15	27.01	5.17	27.83	5.22
	31	17.45	3.15	20.6	3.92	23.75	4.69	25.2	5.09	26.67	5.49	26.75	5.50	27.56	5.56
	33	17.45	3.36	20.6	4.18	23.75	5.00	25.2	5.43	26.41	5.85	26.48	5.87	27.29	5.92
	35	17.45	3.56	20.6	4.45	23.75	5.33	25.2	5.79	26.03	6.22	26.22	6.24	27.02	6.31
	37	17.45	3.79	20.6	4.72	23.75	5.66	25.2	6.00	25.64	6.61	25.96	6.63	26.48	6.70
	39	17.45	3.81	20.6	4.75	23.75	5.68	25.2	6.18	25.45	6.64	25.7	6.66	26.21	6.73
	41	17.45	3.83	20.6	4.77	23.44	5.71	24.95	6.35	25.2	6.67	25.45	6.69	25.94	6.76
	43	17.45	3.84	20.6	4.79	23.18	5.73	24.7	6.58	24.95	6.70	25.2	6.73	25.67	6.79
	46	17.45	3.86	20.19	4.81	22.43	5.76	24.44	6.82	24.7	6.74	24.95	6.76	25.45	6.82
	48	17.45	3.88	19.98	4.83	21.67	5.79	23.69	6.87	24.44	6.77	24.19	6.79	24.7	6.86
	50	17.14	3.90	19.78	4.86	20.92	5.82	22.93	7.04	23.69	6.80	23.44	6.82	23.94	6.89
90%	10	15.71	1.66	18.54	2.08	21.38	2.48	22.68	2.69	23.98	2.90	27.19	2.91	27.75	2.94
	12	15.71	1.69	18.54	2.11	21.38	2.53	22.68	2.74	23.98	2.96	27.19	2.97	27.75	3.00
	14	15.71	1.72	18.54	2.15	21.38	2.57	22.68	2.79	23.98	3.01	27.19	3.02	27.75	3.05
	16	15.71	1.76	18.54	2.19	21.38	2.62	22.68	2.84	23.98	3.07	27.19	3.08	27.75	3.11
	18	15.71	1.79	18.54	2.23	21.38	2.67	22.68	2.89	23.98	3.12	27.19	3.13	27.44	3.16
	19	15.71	1.82	18.54	2.27	21.38	2.71	22.68	2.94	23.98	3.18	26.99	3.19	27.22	3.22
	21	15.71	1.95	18.54	2.43	21.38	2.91	22.68	3.16	23.98	3.41	26.76	3.42	26.99	3.45
	23	15.71	2.09	18.54	2.60	21.38	3.12	22.68	3.38	23.98	3.64	26.54	3.65	26.76	3.69
	25	15.71	2.24	18.54	2.78	21.38	3.34	22.68	3.61	23.98	3.90	26.31	3.91	26.54	3.95
	27	15.71	2.39	18.54	2.98	21.38	3.56	22.68	3.87	23.98	4.17	26.08	4.18	26.31	4.22
	29	15.71	2.55	18.54	3.18	21.38	3.81	22.68	4.13	23.98	4.46	25.86	4.46	26.08	4.50
	31	15.71	2.72	18.54	3.39	21.38	4.06	22.68	4.41	23.98	4.74	25.63	4.76	25.86	4.81
	33	15.71	2.90	18.54	3.61	21.38	4.33	22.68	4.69	23.98	5.06	25.4	5.07	25.63	5.12
	35	15.71	3.08	18.54	3.84	21.38	4.60	22.68	4.99	23.98	5.38	25.17	5.40	25.4	5.45
	37	15.71	3.28	18.54	4.09	21.38	4.89	22.68	5.31	23.98	5.72	24.95	5.74	25.17	5.79
	39	15.71	3.30	18.54	4.11	21.38	4.91	22.68	5.33	23.81	5.74	24.72	5.76	24.95	5.82
	41	15.71	3.31	18.54	4.12	21.38	4.94	22.68	5.36	23.59	5.77	24.49	5.79	24.72	5.84
	43	15.71	3.33	18.54	4.14	21.38	4.96	22.45	5.38	23.36	5.80	24.27	5.81	24.49	5.87
	46	15.71	3.34	18.54	4.16	20.64	4.98	21.77	5.41	22.68	5.82	23.59	5.84	23.81	5.90
	48	15.71	3.36	18.54	4.18	19.96	5.01	21.09	5.43	22	5.85	22.91	5.87	23.13	5.93
	50	15.71	3.37	18.14	4.20	19.28	5.03	20.41	5.45	21.32	5.88	22.23	5.90	22.45	5.95
80%	10	13.96	1.43	16.48	1.77	19	2.12	20.16	2.30	21.32	2.48	21.78	2.48	22.25	2.51
	12	13.96	1.45	16.48	1.80	19	2.16	20.16	2.35	21.32	2.52	21.78	2.53	22.25	2.56
	14	13.96	1.48	16.48	1.84	19	2.20	20.16	2.39	21.32	2.57	21.78	2.58	22.25	2.60
	16	13.96	1.50	16.48	1.87	19	2.24	20.16	2.43	21.32	2.62	21.78	2.62	22.25	2.65
	18	13.96	1.52	16.48	1.90	19	2.28	20.16	2.48	21.32	2.66	21.78	2.67	22.25	2.70
	19	13.96	1.55	16.48	1.94	19	2.32	20.16	2.51	21.32	2.71	21.78	2.72	22.25	2.74
	21	13.96	1.66	16.48	2.08	19	2.48	20.16	2.69	21.32	2.91	21.78	2.91	22.25	2.94
	23	13.96	1.78	16.48	2.23	19	2.66	20.16	2.89	21.32	3.11	21.78	3.12	22.25	3.15
	25	13.96	1.91	16.48	2.38	19	2.85	20.16	3.09	21.32	3.33	21.78	3.35	22.25	3.38
	27	13.96	2.04	16.48	2.54	19	3.05	20.16	3.31	21.32	3.56	21.78	3.57	22.25	3.60
	29	13.96	2.18	16.48	2.71	19	3.25	20.16	3.52	21.32	3.80	21.78	3.81	22.25	3.85
	31	13.96	2.33	16.48	2.90	19	3.47	20.16	3.76	21.32	4.06	21.78	4.07	22.25	4.11
	33	13.96	2.48	16.48	3.09	19	3.69	20.16	4.01	21.32	4.32	21.78	4.34	22.25	4.38
	35	13.96	2.63	16.48	3.28	19	3.93	20.16	4.27	21.32	4.59	21.78	4.61	22.25	4.65
	37	13.96	2.80	16.48	3.49	19	4.18	20.16	4.53	21.32	4.89	21.78	4.90	21.97	4.95
	39	13.96	2.81	16.48	3.50	19	4.20	20.16	4.55	21.32	4.91	21.57	4.92	21.77	4.97
	41	13.96	2.82	16.48	3.52	19	4.22	20.16	4.57	21.17	4.93	21.37	4.95	21.57	4.99
	43	13.96	2.84	16.48	3.53	19	4.24	20.16	4.59	20.97	4.95	21.17	4.97	21.37	5.02
	46	13.96	2.85	16.53	3.55	18.95	4.26	19.56	4.61	20.36	4.98	20.56	4.99	20.36	5.04
	48	13.96	2.86	16.53	3.57	18.35	4.28	18.95	4.63	19.76	5.00	19.96	5.01	19.76	5.06
	50	13.96	2.88	16.53	3.58	17.74	4.30	18.35	4.66	19.15	5.02	19.35	5.04	19.15	5.09

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V252W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	12.22	1.20	14.42	1.49	16.63	1.79	17.64	1.94	18.65	2.09	19.06	2.10	19.47	2.12
	12	12.22	1.22	14.42	1.52	16.63	1.82	17.64	1.97	18.65	2.13	19.06	2.14	19.47	2.16
	14	12.22	1.24	14.42	1.54	16.63	1.85	17.64	2.01	18.65	2.17	19.06	2.18	19.47	2.20
	16	12.22	1.27	14.42	1.57	16.63	1.89	17.64	2.05	18.65	2.21	19.06	2.21	19.47	2.24
	18	12.22	1.29	14.42	1.60	16.63	1.92	17.64	2.08	18.65	2.25	19.06	2.25	19.47	2.28
	19	12.22	1.31	14.42	1.63	16.63	1.95	17.64	2.12	18.65	2.29	19.06	2.29	19.47	2.32
	21	12.22	1.41	14.42	1.75	16.63	2.09	17.64	2.27	18.65	2.45	19.06	2.46	19.47	2.48
	23	12.22	1.50	14.42	1.87	16.63	2.24	17.64	2.44	18.65	2.62	19.06	2.63	19.47	2.65
	25	12.22	1.60	14.42	2.00	16.63	2.40	17.64	2.60	18.65	2.80	19.06	2.81	19.47	2.84
	27	12.22	1.72	14.42	2.14	16.63	2.56	17.64	2.78	18.65	3.00	19.06	3.01	19.47	3.04
	29	12.22	1.83	14.42	2.29	16.63	2.74	17.64	2.97	18.65	3.20	19.06	3.21	19.47	3.25
	31	12.22	1.96	14.42	2.44	16.63	2.92	17.64	3.17	18.65	3.42	19.06	3.43	19.47	3.46
	33	12.22	2.09	14.42	2.59	16.63	3.11	17.64	3.38	18.65	3.63	19.06	3.64	19.47	3.68
	35	12.22	2.22	14.42	2.76	16.63	3.31	17.64	3.59	18.65	3.87	19.06	3.88	19.47	3.92
	37	12.22	2.36	14.42	2.94	16.63	3.52	17.64	3.82	18.65	4.12	19.06	4.13	19.47	4.17
	39	12.22	2.37	14.42	2.95	16.63	3.53	17.64	3.83	18.65	4.13	19.06	4.15	19.47	4.19
	41	12.22	2.38	14.42	2.97	16.63	3.55	17.64	3.85	18.65	4.15	19.06	4.17	19.47	4.21
	43	12.22	2.40	14.42	2.98	16.63	3.56	17.64	3.87	18.65	4.17	19.06	4.19	19.47	4.23
	46	12.22	2.41	14.42	2.99	16.63	3.58	17.64	3.89	18.35	4.19	18.7	4.21	19.05	4.25
	48	12.22	2.42	14.42	3.01	16.63	3.60	17.29	3.90	17.99	4.21	18.35	4.23	18.7	4.27
	50	12.22	2.43	14.42	3.02	16.23	3.61	16.93	3.92	17.64	4.23	17.99	4.24	18.35	4.29
60%	10	10.47	0.99	12.36	1.24	14.25	1.48	15.12	1.60	15.99	1.73	16.34	1.73	16.68	1.75
	12	10.47	1.01	12.36	1.26	14.25	1.50	15.12	1.63	15.99	1.76	16.34	1.76	16.68	1.78
	14	10.47	1.03	12.36	1.28	14.25	1.53	15.12	1.66	15.99	1.79	16.34	1.80	16.68	1.81
	16	10.47	1.05	12.36	1.31	14.25	1.56	15.12	1.69	15.99	1.82	16.34	1.83	16.68	1.85
	18	10.47	1.07	12.36	1.33	14.25	1.58	15.12	1.72	15.99	1.86	16.34	1.86	16.68	1.88
	19	10.47	1.08	12.36	1.35	14.25	1.61	15.12	1.75	15.99	1.89	16.34	1.89	16.68	1.91
	21	10.47	1.16	12.36	1.45	14.25	1.73	15.12	1.88	15.99	2.03	16.34	2.03	16.68	2.05
	23	10.47	1.25	12.36	1.55	14.25	1.85	15.12	2.01	15.99	2.17	16.34	2.18	16.68	2.20
	25	10.47	1.33	12.36	1.66	14.25	1.99	15.12	2.16	15.99	2.33	16.34	2.33	16.68	2.36
	27	10.47	1.43	12.36	1.77	14.25	2.12	15.12	2.31	15.99	2.48	16.34	2.48	16.68	2.51
	29	10.47	1.51	12.36	1.89	14.25	2.27	15.12	2.46	15.99	2.65	16.34	2.65	16.68	2.68
	31	10.47	1.62	12.36	2.02	14.25	2.42	15.12	2.62	15.99	2.82	16.34	2.83	16.68	2.86
	33	10.47	1.72	12.36	2.15	14.25	2.57	15.12	2.79	15.99	3.01	16.34	3.02	16.68	3.05
	35	10.47	1.83	12.36	2.29	14.25	2.74	15.12	2.97	15.99	3.20	16.34	3.21	16.68	3.25
	37	10.47	1.95	12.36	2.44	14.25	2.91	15.12	3.16	15.99	3.41	16.34	3.42	16.68	3.45
	39	10.47	1.96	12.36	2.45	14.25	2.93	15.12	3.18	15.99	3.43	16.34	3.44	16.68	3.47
	41	10.47	1.97	12.36	2.46	14.25	2.94	15.12	3.19	15.99	3.44	16.34	3.45	16.68	3.48
	43	10.47	1.98	12.36	2.47	14.25	2.95	15.12	3.20	15.99	3.46	16.34	3.47	16.68	3.49
	46	10.47	1.99	12.36	2.48	14.25	2.97	15.12	3.22	15.99	3.47	16.34	3.47	16.68	3.51
	48	10.47	2.00	12.36	2.48	14.25	2.98	15.12	3.23	15.72	3.48	16.03	3.49	16.33	3.52
	50	10.47	2.01	12.36	2.50	14.25	2.99	14.82	3.25	15.42	3.50	15.72	3.51	16.03	3.54
50%	10	8.73	0.80	10.3	1.00	11.88	1.20	12.6	1.30	13.32	1.41	13.61	1.41	13.9	1.42
	12	8.73	0.82	10.3	1.02	11.88	1.22	12.6	1.33	13.32	1.43	13.61	1.44	13.9	1.45
	14	8.73	0.83	10.3	1.04	11.88	1.25	12.6	1.35	13.32	1.46	13.61	1.46	13.9	1.48
	16	8.73	0.85	10.3	1.06	11.88	1.27	12.6	1.38	13.32	1.48	13.61	1.49	13.9	1.49
	18	8.73	0.86	10.3	1.08	11.88	1.29	12.6	1.40	13.32	1.50	13.61	1.50	13.9	1.52
	19	8.73	0.88	10.3	1.09	11.88	1.31	12.6	1.42	13.32	1.53	13.61	1.53	13.9	1.55
	21	8.73	0.94	10.3	1.17	11.88	1.41	12.6	1.52	13.32	1.64	13.61	1.64	13.9	1.66
	23	8.73	1.01	10.3	1.26	11.88	1.50	12.6	1.63	13.32	1.76	13.61	1.76	13.9	1.78
	25	8.73	1.08	10.3	1.35	11.88	1.61	12.6	1.74	13.32	1.88	13.61	1.89	13.9	1.90
	27	8.73	1.15	10.3	1.44	11.88	1.72	12.6	1.86	13.32	2.01	13.61	2.02	13.9	2.04
	29	8.73	1.23	10.3	1.53	11.88	1.83	12.6	1.99	13.32	2.15	13.61	2.16	13.9	2.18
	31	8.73	1.32	10.3	1.63	11.88	1.96	12.6	2.13	13.32	2.29	13.61	2.30	13.9	2.32
	33	8.73	1.40	10.3	1.74	11.88	2.09	12.6	2.27	13.32	2.44	13.61	2.45	13.9	2.48
	35	8.73	1.49	10.3	1.85	11.88	2.22	12.6	2.41	13.32	2.59	13.61	2.60	13.9	2.62
	37	8.73	1.58	10.3	1.97	11.88	2.36	12.6	2.56	13.32	2.76	13.61	2.77	13.9	2.79
	39	8.73	1.58	10.3	1.98	11.88	2.37	12.6	2.57	13.32	2.77	13.61	2.78	13.9	2.81
	41	8.73	1.59	10.3	1.99	11.88	2.39	12.6	2.58	13.32	2.78	13.61	2.79	13.9	2.82
	43	8.73	1.60	10.3	2.00	11.88	2.40	12.6	2.59	13.32	2.80	13.61	2.80	13.9	2.83
	46	8.73	1.61	10.3	2.01	11.88	2.41	12.6	2.60	13.32	2.81	13.61	2.82	13.9	2.84
	48	8.73	1.61	10.3	2.02	11.88	2.42	12.6	2.62	13.36	2.82	13.48	2.83	13.73	2.86
	50	8.73	1.62	10.3	2.03	11.88	2.43	12.6	2.63	13.23	2.83	13.36	2.84	13.61	2.87

10HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V280W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	25.32	2.54	29.58	3.16	34.08	3.78	35	4.10	35.61	4.41	36.17	4.43	37.13	4.47
	12	25.32	2.58	29.58	3.22	34.08	3.85	34.69	4.18	35.3	4.50	35.84	4.52	36.8	4.56
	14	25.32	2.63	29.58	3.27	34.08	3.92	34.38	4.25	34.99	4.58	35.2	4.59	36.48	4.64
	16	25.32	2.68	29.58	3.33	33.78	3.99	34.08	4.33	34.36	4.66	34.89	4.68	36.14	4.73
	18	25.32	2.73	29.58	3.40	33.18	4.06	33.47	4.40	34.04	4.74	34.57	4.76	35.81	4.80
	19	25.32	2.77	29.58	3.45	32.88	4.13	33.16	4.48	33.73	4.83	34.24	4.84	35.49	4.89
	21	25.32	2.97	29.58	3.70	32.58	4.42	32.84	4.80	33.42	5.17	33.92	5.19	35.16	5.24
	23	25.32	3.18	29.58	3.96	32.28	4.74	32.54	5.14	33.11	5.55	33.6	5.56	34.83	5.62
	25	25.32	3.40	29.58	4.23	31.97	5.07	32.23	5.51	32.8	5.94	33.29	5.95	34.5	6.02
	27	25.32	3.64	29.58	4.53	31.67	5.43	31.92	5.89	32.49	6.35	32.97	6.37	33.84	6.42
	29	25.32	3.89	29.34	4.84	31.37	5.80	31.62	6.28	32.18	6.77	32.64	6.79	33.84	6.86
	31	25.32	4.14	29.26	5.16	31.07	6.18	31.31	6.71	31.87	7.22	32.32	7.24	33.51	7.32
	33	25.32	4.40	29.26	5.50	30.77	6.58	31.01	7.14	31.54	7.70	32	7.71	33.19	7.79
	35	25.32	4.69	28.97	5.85	30.17	7.00	30.7	7.59	31.23	8.19	31.62	8.21	32.86	8.29
	37	25.32	4.99	28.97	6.22	29.78	7.44	30.39	8.07	30.61	8.72	31.31	8.73	32.2	8.82
	39	25.32	5.01	28.56	6.24	29.56	7.48	30.09	8.11	30.3	8.75	31.01	8.77	31.88	8.86
	41	25.32	5.03	27.93	6.27	29.17	7.51	29.78	8.15	29.99	8.79	30.7	8.82	31.54	8.90
	43	25.48	5.06	27.32	6.30	28.66	7.55	29.17	8.19	29.68	8.83	30.4	8.86	31.21	8.94
	46	24.56	5.07	26.4	6.34	27.63	7.58	28.24	8.22	28.86	8.87	29.47	8.89	30.39	8.98
	48	23.94	5.10	25.48	6.37	26.71	7.61	27.32	8.26	27.93	8.91	28.56	8.94	29.47	9.03
	50	23.33	5.12	24.56	6.39	25.79	7.65	26.4	8.30	27.01	8.95	27.63	8.98	28.56	9.06
120%	10	23.78	2.51	28.32	3.13	32.67	3.74	33.82	4.06	35.03	4.38	35.51	4.39	36.63	4.43
	12	23.78	2.56	28.32	3.19	32.67	3.81	33.82	4.13	34.72	4.45	35.19	4.47	36.31	4.52
	14	23.78	2.60	28.32	3.24	32.67	3.89	33.82	4.21	34.41	4.54	34.88	4.56	35.99	4.59
	16	23.78	2.65	28.32	3.30	32.67	3.95	33.82	4.28	34.11	4.62	34.57	4.63	35.66	4.68
	18	23.78	2.70	28.32	3.36	32.67	4.02	33.52	4.36	33.8	4.70	34.26	4.72	35.33	4.76
	19	23.78	2.74	28.32	3.41	32.31	4.09	33.22	4.43	33.49	4.78	33.93	4.79	35.01	4.84
	21	23.78	2.94	28.32	3.66	32.01	4.39	32.61	4.75	32.88	5.12	33.62	5.14	34.69	5.19
	23	23.78	3.15	28.32	3.92	31.41	4.70	32.31	5.09	32.57	5.50	33.31	5.52	34.37	5.56
	25	23.78	3.37	28.32	4.20	31.1	5.03	31.71	5.46	32.27	5.88	32.99	5.89	34.04	5.95
	27	23.78	3.60	28.32	4.49	30.5	5.38	31.41	5.83	31.96	6.28	32.68	6.30	33.71	6.37
	29	23.78	3.85	28.32	4.79	30.2	5.74	31.1	6.22	31.64	6.71	32.37	6.73	33.39	6.79
	31	23.78	4.10	28.32	5.10	29.9	6.12	30.8	6.64	31.34	7.15	32.06	7.18	33.07	7.24
	33	23.78	4.37	28.32	5.45	29.6	6.52	30.5	7.06	31.03	7.62	31.73	7.64	32.74	7.71
	35	23.78	4.64	28.09	5.79	29.29	6.93	30.2	7.52	30.73	8.10	31.42	8.13	32.42	8.21
	37	23.78	4.94	27.79	6.16	28.99	7.38	29.6	8.00	30.11	8.62	31.1	8.65	31.77	8.73
	39	23.78	4.96	27.48	6.19	28.69	7.40	29.29	8.03	29.81	8.66	30.8	8.68	31.44	8.77
	41	23.78	4.98	26.9	6.22	28.39	7.44	28.99	8.06	29.5	8.71	30.5	8.73	31.12	8.82
	43	23.78	5.01	26.62	6.24	28.09	7.47	28.69	8.10	29.29	8.74	30.2	8.77	30.8	8.86
	46	23.26	5.03	25.97	6.27	27.18	7.51	27.79	8.14	28.39	8.78	29.29	8.81	29.9	8.89
	48	22.64	5.06	25.37	6.30	26.28	7.55	26.88	8.18	27.48	8.83	28.39	8.86	28.99	8.94
	50	22.04	5.07	24.77	6.33	25.37	7.57	25.97	8.21	26.58	8.87	27.48	8.89	28.09	8.98
110%	10	21.76	2.49	25.77	3.09	29.18	3.71	31.78	4.02	34.14	4.33	34.92	4.35	36.02	4.39
	12	21.76	2.54	25.77	3.15	29.18	3.77	31.78	4.09	33.84	4.41	34.61	4.42	35.71	4.47
	14	21.76	2.58	25.77	3.22	29.18	3.85	31.78	4.17	33.54	4.49	34.3	4.51	35.39	4.55
	16	21.76	2.62	25.77	3.27	29.18	3.91	31.78	4.24	33.24	4.57	33.99	4.58	35.07	4.63
	18	21.76	2.67	25.77	3.33	29.18	3.98	31.78	4.32	32.94	4.65	33.69	4.67	34.76	4.72
	19	21.76	2.72	25.77	3.39	29.18	4.05	31.78	4.39	32.63	4.73	33.38	4.74	34.43	4.79
	21	21.76	2.91	25.77	3.63	29.18	4.34	31.78	4.71	32.33	5.07	33.07	5.09	34.11	5.14
	23	21.76	3.12	25.77	3.89	29.18	4.65	31.48	5.05	32.03	5.44	32.76	5.46	33.8	5.51
	25	21.76	3.34	25.77	4.16	29.18	4.97	31.19	5.40	31.73	5.82	32.44	5.84	33.48	5.89
	27	21.76	3.57	25.77	4.44	29.18	5.33	30.89	5.77	31.43	6.22	32.13	6.24	33.16	6.30
	29	21.76	3.81	25.77	4.74	29.18	5.69	30.59	6.17	31.12	6.64	31.83	6.67	32.84	6.72
	31	21.76	4.06	25.77	5.06	29.18	6.06	30.29	6.57	30.82	7.08	31.52	7.10	32.52	7.18
	33	21.76	4.32	25.77	5.40	28.81	6.45	30	7.00	30.52	7.55	31.21	7.56	32.2	7.64
	35	21.76	4.60	25.77	5.73	28.51	6.87	29.7	7.44	30.22	8.03	30.9	8.05	31.88	8.13
	37	21.76	4.89	25.77	6.10	28.21	7.30	29.11	7.92	29.61	8.54	30.29	8.56	31.24	8.64
	39	21.76	4.91	25.77	6.13	27.92	7.34	28.81	7.95	29.31	8.57	29.98	8.60	30.92	8.68
	41	21.76	4.93	25.77	6.16	27.62	7.37	28.51	7.99	29.01	8.61	29.67	8.64	30.61	8.73
	43	21.76	4.96	25.77	6.19	27.32	7.40	28.21	8.03	28.71	8.65	29.36	8.68	30.29	8.77
	46	21.09	4.98	25.24	6.22	26.43	7.43	27.32	8.06	27.92	8.70	28.51	8.72	29.11	8.81
	48	20.49	5.00	24.66	6.24	25.54	7.47	26.43	8.10	27.02	8.74	27.62	8.76	28.21	8.85
	50	19.9	5.03	24.06	6.27	24.66	7.51	25.54	8.14	26.13	8.78	26.73	8.81	27.32	8.89

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V280W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	19.39	2.32	22.89	2.90	26.39	3.46	28	3.75	30.49	4.05	32.63	4.06	33.93	4.09
	12	19.39	2.37	22.89	2.94	26.39	3.53	28	3.82	30.49	4.12	32.63	4.13	33.63	4.17
	14	19.39	2.41	22.89	3.00	26.39	3.58	28	3.90	30.49	4.20	32.33	4.21	33.33	4.24
	16	19.39	2.45	22.89	3.06	26.39	3.65	28	3.96	30.49	4.27	32.04	4.28	33.03	4.32
	18	19.39	2.49	22.89	3.10	26.39	3.72	28	4.03	30.49	4.35	31.76	4.36	32.73	4.39
	19	19.39	2.54	22.89	3.16	26.39	3.78	28	4.10	30.49	4.41	31.47	4.43	32.43	4.47
	21	19.39	2.72	22.89	3.39	26.39	4.06	28	4.39	30.49	4.73	31.18	4.75	32.12	4.80
	23	19.39	2.91	22.89	3.62	26.39	4.34	28	4.71	30.49	5.07	30.88	5.08	31.82	5.14
	25	19.39	3.11	22.89	3.88	26.39	4.64	28	5.04	30.49	5.43	30.59	5.45	31.52	5.51
	27	19.39	3.33	22.89	4.15	26.39	4.96	28	5.40	30.2	5.81	30.3	5.83	31.22	5.89
	29	19.39	3.56	22.89	4.42	26.39	5.31	28	5.75	29.91	6.21	30.01	6.22	30.92	6.28
	31	19.39	3.79	22.89	4.72	26.39	5.66	28	6.14	29.63	6.61	29.72	6.63	30.62	6.70
	33	19.39	4.04	22.89	5.03	26.39	6.03	28	6.54	29.34	7.05	29.42	7.06	30.32	7.13
	35	19.39	4.29	22.89	5.36	26.39	6.41	28	6.95	28.92	7.49	29.13	7.52	30.02	7.58
	37	19.39	4.56	22.89	5.70	26.39	6.82	28	7.22	28.49	7.97	28.84	7.99	29.42	8.07
	39	19.39	4.58	22.89	5.73	26.39	6.85	28	7.43	28.28	8.00	28.56	8.03	29.12	8.10
	41	19.39	4.60	22.89	5.74	26.04	6.88	27.72	7.65	28	8.04	28.28	8.06	28.82	8.14
	43	19.39	4.63	22.89	5.77	25.76	6.91	27.44	7.86	27.72	8.07	28	8.10	28.52	8.18
	46	19.39	4.65	22.43	5.80	24.92	6.94	27.16	7.93	27.44	8.11	27.72	8.14	28.28	8.21
	48	19.39	4.67	22.2	5.83	24.08	6.97	26.32	8.27	27.16	8.15	26.88	8.18	27.44	8.25
90%	50	19.04	4.69	21.98	5.86	23.24	7.01	25.48	8.48	26.32	8.19	26.04	8.21	26.6	8.29
	10	17.46	2.01	20.6	2.50	23.76	2.99	25.2	3.24	26.64	3.50	30.21	3.51	30.83	3.55
	12	17.46	2.05	20.6	2.55	23.76	3.05	25.2	3.30	26.64	3.57	30.21	3.57	30.83	3.61
	14	17.46	2.08	20.6	2.59	23.76	3.10	25.2	3.37	26.64	3.63	30.21	3.64	30.83	3.67
	16	17.46	2.12	20.6	2.64	23.76	3.16	25.2	3.42	26.64	3.69	30.21	3.71	30.83	3.73
	18	17.46	2.16	20.6	2.69	23.76	3.22	25.2	3.49	26.64	3.75	30.21	3.76	30.49	3.80
	19	17.46	2.20	20.6	2.74	23.76	3.27	25.2	3.55	26.64	3.82	29.99	3.83	30.24	3.87
	21	17.46	2.35	20.6	2.92	23.76	3.51	25.2	3.80	26.64	4.09	29.73	4.11	29.99	4.15
	23	17.46	2.52	20.6	3.13	23.76	3.75	25.2	4.06	26.64	4.39	29.49	4.39	29.73	4.44
	25	17.46	2.70	20.6	3.36	23.76	4.02	25.2	4.36	26.64	4.70	29.23	4.71	29.49	4.75
	27	17.46	2.88	20.6	3.58	23.76	4.29	25.2	4.65	26.64	5.02	28.98	5.03	29.23	5.08
	29	17.46	3.07	20.6	3.83	23.76	4.58	25.2	4.97	26.64	5.37	28.73	5.39	28.98	5.43
	31	17.46	3.28	20.6	4.08	23.76	4.89	25.2	5.31	26.64	5.72	28.48	5.73	28.73	5.79
	33	17.46	3.49	20.6	4.35	23.76	5.22	25.2	5.65	26.64	6.09	28.22	6.11	28.48	6.17
	35	17.46	3.72	20.6	4.62	23.76	5.55	25.2	6.01	26.64	6.48	27.97	6.50	28.22	6.56
	37	17.46	3.95	20.6	4.91	23.76	5.89	25.2	6.39	26.64	6.89	27.72	6.91	27.97	6.98
	39	17.46	3.96	20.6	4.94	23.76	5.92	25.2	6.42	26.46	6.92	27.47	6.94	27.72	7.01
	41	17.46	3.98	20.6	4.96	23.76	5.95	25.2	6.45	26.21	6.95	27.21	6.97	27.47	7.04
	43	17.46	4.00	20.6	4.98	23.76	5.98	24.94	6.48	25.96	6.98	26.97	7.01	27.21	7.07
	46	17.46	4.02	20.6	5.01	22.93	6.00	24.19	6.51	25.2	7.02	26.21	7.04	26.46	7.10
	48	17.46	4.04	20.6	5.03	22.18	6.03	23.43	6.54	24.44	7.05	25.46	7.07	25.7	7.14
	50	17.46	4.06	20.16	5.06	21.42	6.06	22.68	6.57	23.69	7.08	24.7	7.10	24.94	7.17
80%	10	15.51	1.71	18.31	2.14	21.11	2.56	22.4	2.77	23.69	2.99	24.2	3.00	24.72	3.03
	12	15.51	1.75	18.31	2.18	21.11	2.60	22.4	2.83	23.69	3.05	24.2	3.06	24.72	3.08
	14	15.51	1.78	18.31	2.22	21.11	2.65	22.4	2.88	23.69	3.10	24.2	3.11	24.72	3.14
	16	15.51	1.81	18.31	2.25	21.11	2.70	22.4	2.92	23.69	3.16	24.2	3.17	24.72	3.20
	18	15.51	1.85	18.31	2.29	21.11	2.74	22.4	2.98	23.69	3.21	24.2	3.22	24.72	3.25
	19	15.51	1.88	18.31	2.34	21.11	2.79	22.4	3.03	23.69	3.26	24.2	3.27	24.72	3.31
	21	15.51	2.01	18.31	2.50	21.11	3.00	22.4	3.24	23.69	3.50	24.2	3.51	24.72	3.55
	23	15.51	2.15	18.31	2.68	21.11	3.21	22.4	3.48	23.69	3.74	24.2	3.76	24.72	3.79
	25	15.51	2.30	18.31	2.87	21.11	3.43	22.4	3.73	23.69	4.01	24.2	4.02	24.72	4.06
	27	15.51	2.46	18.31	3.07	21.11	3.67	22.4	3.98	23.69	4.28	24.2	4.30	24.72	4.34
	29	15.51	2.63	18.31	3.27	21.11	3.91	22.4	4.24	23.69	4.57	24.2	4.59	24.72	4.63
	31	15.51	2.80	18.31	3.49	21.11	4.18	22.4	4.53	23.69	4.88	24.2	4.89	24.72	4.94
	33	15.51	2.98	18.31	3.72	21.11	4.44	22.4	4.82	23.69	5.20	24.2	5.23	24.72	5.27
	35	15.51	3.17	18.31	3.95	21.11	4.73	22.4	5.13	23.69	5.54	24.2	5.56	24.72	5.61
	37	15.51	3.38	18.31	4.21	21.11	5.03	22.4	5.46	23.69	5.89	24.2	5.90	24.41	5.96
	39	15.51	3.39	18.31	4.22	21.11	5.06	22.4	5.49	23.69	5.91	23.97	5.93	24.19	5.99
	41	15.51	3.40	18.31	4.23	21.11	5.07	22.4	5.51	23.52	5.94	23.74	5.96	23.97	6.02
	43	15.51	3.42	18.31	4.26	21.11	5.09	22.4	5.54	23.3	5.97	23.52	5.99	23.74	6.05
	46	15.51	3.43	18.37	4.28	21.06	5.12	21.73	5.56	22.62	6.00	22.84	6.02	22.62	6.07
	48	15.51	3.45	18.37	4.30	20.39	5.14	21.06	5.59	21.96	6.03	22.18	6.05	21.96	6.10
	50	15.51	3.47	18.37	4.32	19.71	5.17	20.39	5.61	21.28	6.06	21.5	6.06	21.28	6.13

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V280W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	10	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
		13.58	1.44	16.02	1.80	18.48	2.16	19.6	2.34	20.72	2.52	21.18	2.53	21.63	2.55
		13.58	1.46	16.02	1.84	18.48	2.20	19.6	2.38	20.72	2.57	21.18	2.57	21.63	2.59
		13.58	1.49	16.02	1.87	18.48	2.24	19.6	2.42	20.72	2.61	21.18	2.62	21.63	2.64
		13.58	1.52	16.02	1.91	18.48	2.27	19.6	2.47	20.72	2.66	21.18	2.67	21.63	2.69
		13.58	1.55	16.02	1.93	18.48	2.31	19.6	2.51	20.72	2.71	21.18	2.72	21.63	2.74
		13.58	1.57	16.02	1.97	18.48	2.36	19.6	2.56	20.72	2.75	21.18	2.76	21.63	2.78
		13.58	1.69	16.02	2.11	18.48	2.53	19.6	2.74	20.72	2.95	21.18	2.96	21.63	2.99
		13.58	1.81	16.02	2.25	18.48	2.71	19.6	2.93	20.72	3.16	21.18	3.17	21.63	3.20
		13.58	1.94	16.02	2.41	18.48	2.90	19.6	3.13	20.72	3.38	21.18	3.39	21.63	3.42
		13.58	2.08	16.02	2.58	18.48	3.09	19.6	3.35	20.72	3.61	21.18	3.62	21.63	3.66
		13.58	2.22	16.02	2.75	18.48	3.30	19.6	3.57	20.72	3.86	21.18	3.87	21.63	3.90
		13.58	2.36	16.02	2.94	18.48	3.52	19.6	3.81	20.72	4.11	21.18	4.12	21.63	4.16
		13.58	2.52	16.02	3.13	18.48	3.74	19.6	4.06	20.72	4.38	21.18	4.39	21.63	4.43
		13.58	2.67	16.02	3.33	18.48	3.98	19.6	4.32	20.72	4.66	21.18	4.67	21.63	4.72
		13.58	2.84	16.02	3.54	18.48	4.23	19.6	4.59	20.72	4.95	21.18	4.97	21.63	5.02
		13.58	2.86	16.02	3.56	18.48	4.25	19.6	4.61	20.72	4.97	21.18	4.99	21.63	5.04
		13.58	2.87	16.02	3.57	18.48	4.27	19.6	4.63	20.72	5.00	21.18	5.01	21.63	5.06
		13.58	2.88	16.02	3.58	18.48	4.29	19.6	4.66	20.72	5.02	21.18	5.04	21.63	5.08
60%	10	13.58	2.90	16.02	3.60	18.48	4.31	19.6	4.68	20.39	5.05	20.78	5.06	21.17	5.10
		13.58	2.91	16.02	3.62	18.48	4.33	19.21	4.70	19.99	5.06	20.39	5.08	20.78	5.13
		13.58	2.92	16.02	3.64	18.03	4.36	18.81	4.73	19.6	5.09	19.99	5.10	20.39	5.15
		11.63	1.19	13.73	1.48	15.83	1.78	16.8	1.93	17.77	2.08	18.16	2.09	18.53	2.11
		11.63	1.22	13.73	1.51	15.83	1.82	16.8	1.97	17.77	2.12	18.16	2.13	18.53	2.15
		11.63	1.24	13.73	1.54	15.83	1.85	16.8	2.01	17.77	2.16	18.16	2.17	18.53	2.19
		11.63	1.25	13.73	1.57	15.83	1.89	16.8	2.05	17.77	2.20	18.16	2.21	18.53	2.23
		11.63	1.28	13.73	1.59	15.83	1.91	16.8	2.08	17.77	2.24	18.16	2.24	18.53	2.27
		11.63	1.30	13.73	1.62	15.83	1.95	16.8	2.11	17.77	2.28	18.16	2.28	18.53	2.31
		11.63	1.40	13.73	1.75	15.83	2.09	16.8	2.26	17.77	2.44	18.16	2.45	18.53	2.47
		11.63	1.49	13.73	1.87	15.83	2.24	16.8	2.42	17.77	2.61	18.16	2.62	18.53	2.65
		11.63	1.59	13.73	2.00	15.83	2.40	16.8	2.59	17.77	2.80	18.16	2.81	18.53	2.83
		11.63	1.71	13.73	2.14	15.83	2.56	16.8	2.77	17.77	2.99	18.16	3.00	18.53	3.03
		11.63	1.83	13.73	2.28	15.83	2.74	16.8	2.96	17.77	3.19	18.16	3.20	18.53	3.24
		11.63	1.95	13.73	2.43	15.83	2.91	16.8	3.16	17.77	3.40	18.16	3.41	18.53	3.45
		11.63	2.08	13.73	2.59	15.83	3.10	16.8	3.37	17.77	3.62	18.16	3.64	18.53	3.67
		11.63	2.22	13.73	2.75	15.83	3.30	16.8	3.57	17.77	3.86	18.16	3.87	18.53	3.90
		11.63	2.36	13.73	2.93	15.83	3.51	16.8	3.80	17.77	4.10	18.16	4.11	18.53	4.15
		11.63	2.37	13.73	2.94	15.83	3.53	16.8	3.82	17.77	4.12	18.16	4.13	18.53	4.17
		11.63	2.38	13.73	2.96	15.83	3.54	16.8	3.84	17.77	4.14	18.16	4.15	18.53	4.19
50%	10	11.63	2.39	13.73	2.97	15.83	3.56	16.8	3.86	17.77	4.16	18.16	4.17	18.53	4.21
		11.63	2.40	13.73	2.98	15.83	3.57	16.8	3.88	17.77	4.18	18.16	4.19	18.53	4.23
		11.63	2.41	13.73	3.00	15.83	3.58	16.8	3.90	17.47	4.20	17.81	4.21	18.14	4.24
		11.63	2.42	13.73	3.01	15.83	3.60	16.47	3.90	17.13	4.22	17.47	4.23	17.81	4.26
		9.7	0.96	11.44	1.20	13.2	1.44	14	1.57	14.8	1.68	15.12	1.69	15.44	1.71
		9.7	0.98	11.44	1.23	13.2	1.46	14	1.59	14.8	1.72	15.12	1.72	15.44	1.75
		9.7	1.00	11.44	1.24	13.2	1.49	14	1.62	14.8	1.75	15.12	1.76	15.44	1.77
		9.7	1.02	11.44	1.27	13.2	1.52	14	1.65	14.8	1.78	15.12	1.79	15.44	1.81
		9.7	1.04	11.44	1.29	13.2	1.55	14	1.68	14.8	1.82	15.12	1.82	15.44	1.84
		9.7	1.06	11.44	1.31	13.2	1.57	14	1.71	14.8	1.85	15.12	1.86	15.44	1.87
		9.7	1.13	11.44	1.41	13.2	1.69	14	1.84	14.8	1.98	15.12	1.99	15.44	2.01
		9.7	1.21	11.44	1.51	13.2	1.81	14	1.97	14.8	2.12	15.12	2.13	15.44	2.15
		9.7	1.29	11.44	1.61	13.2	1.94	14	2.10	14.8	2.27	15.12	2.27	15.44	2.30
		9.7	1.39	11.44	1.73	13.2	2.08	14	2.25	14.8	2.42	15.12	2.43	15.44	2.45
		9.7	1.48	11.44	1.85	13.2	2.22	14	2.41	14.8	2.58	15.12	2.59	15.44	2.62
		9.7	1.57	11.44	1.97	13.2	2.36	14	2.56	14.8	2.76	15.12	2.76	15.44	2.79
		9.7	1.68	11.44	2.10	13.2	2.52	14	2.73	14.8	2.94	15.12	2.95	15.44	2.98
		9.7	1.79	11.44	2.24	13.2	2.68	14	2.90	14.8	3.12	15.12	3.13	15.44	3.17
		9.7	1.91	11.44	2.38	13.2	2.85	14	3.08	14.8	3.32	15.12	3.33	15.44	3.37
		9.7	1.91	11.44	2.39	13.2	2.86	14	3.09	14.8	3.34	15.12	3.35	15.44	3.38
		9.7	1.92	11.44	2.40	13.2	2.87	14	3.11	14.8	3.36	15.12	3.37	15.44	3.40
		9.7	1.93	11.44	2.41	13.2	2.89	14	3.12	14.8	3.37	15.12	3.38	15.44	3.41
		9.7	1.94	11.44	2.42	13.2	2.90	14	3.14	14.8	3.39	15.12	3.40	15.44	3.42
		9.7	1.95	11.44	2.43	13.2	2.91	14	3.15	14.84	3.40	14.98	3.41	15.26	3.44
		9.7	1.96	11.44	2.44	13.2	2.92	14	3.17	14.7	3.41	14.84	3.42	15.12	3.46

12HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V335W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	10	30.30	3.08	35.39	3.85	40.77	4.61	41.88	5.00	42.61	5.38	43.27	5.40	44.43	5.45
	12	30.30	3.14	35.39	3.92	40.77	4.69	41.50	5.09	42.23	5.48	42.89	5.50	44.03	5.56
	14	30.30	3.20	35.39	3.99	40.77	4.77	41.13	5.18	41.86	5.59	42.11	5.60	43.64	5.66
	16	30.30	3.26	35.39	4.06	40.41	4.86	40.77	5.28	41.10	5.68	41.74	5.70	43.24	5.75
	18	30.30	3.32	35.39	4.13	39.69	4.95	40.04	5.36	40.73	5.78	41.36	5.80	42.85	5.86
	19	30.30	3.38	35.39	4.20	39.34	5.03	39.67	5.46	40.36	5.89	40.97	5.90	42.46	5.96
	21	30.30	3.62	35.39	4.50	38.98	5.39	39.30	5.85	39.99	6.31	40.59	6.32	42.06	6.39
	23	30.30	3.87	35.39	4.83	38.62	5.78	38.94	6.27	39.62	6.76	40.20	6.78	41.68	6.84
	25	30.30	4.14	35.39	5.16	38.25	6.18	38.56	6.70	39.24	7.23	39.83	7.26	41.28	7.32
	27	30.30	4.43	35.39	5.52	37.89	6.61	38.19	7.17	38.87	7.73	39.44	7.75	40.49	7.83
	29	30.30	4.73	35.11	5.90	37.53	7.06	37.83	7.65	38.50	8.25	39.06	8.27	40.49	8.36
	31	30.30	5.04	35.00	6.29	37.17	7.53	37.46	8.17	38.13	8.80	38.67	8.83	40.09	8.91
	33	30.30	5.37	35.00	6.69	36.81	8.02	37.10	8.69	37.74	9.37	38.29	9.40	39.71	9.50
	35	30.30	5.71	34.66	7.12	36.09	8.53	36.73	9.25	37.37	9.97	37.83	10.00	39.31	10.10
	37	30.30	6.08	34.66	7.58	35.63	9.07	36.36	9.84	36.62	10.60	37.46	10.64	38.53	10.74
	39	30.30	6.11	34.16	7.60	35.36	9.11	36.00	9.88	36.25	10.65	37.10	10.69	38.14	10.79
	41	30.30	6.13	33.42	7.64	34.90	9.15	35.63	9.92	35.88	10.70	36.73	10.73	37.74	10.83
	43	30.48	6.16	32.69	7.68	34.28	9.20	34.90	9.97	35.51	10.75	36.37	10.79	37.34	10.88
	46	29.38	6.19	31.59	7.71	33.06	9.23	33.79	10.02	34.52	10.80	35.25	10.83	36.36	10.94
	48	28.65	6.22	30.48	7.75	31.96	9.28	32.69	10.07	33.42	10.85	34.16	10.88	35.25	10.99
	50	27.92	6.25	29.38	7.79	30.85	9.32	31.59	10.11	32.32	10.90	33.06	10.93	34.16	11.04
120%	10	28.45	3.06	33.89	3.81	39.08	4.56	40.47	4.95	41.91	5.34	42.49	5.34	43.83	5.40
	12	28.45	3.11	33.89	3.88	39.08	4.65	40.47	5.03	41.54	5.43	42.10	5.45	43.44	5.50
	14	28.45	3.17	33.89	3.95	39.08	4.73	40.47	5.13	41.17	5.53	41.73	5.55	43.06	5.60
	16	28.45	3.23	33.89	4.03	39.08	4.81	40.47	5.22	40.81	5.63	41.36	5.65	42.66	5.70
	18	28.45	3.29	33.89	4.09	39.08	4.90	40.11	5.32	40.44	5.73	40.98	5.74	42.27	5.80
	19	28.45	3.34	33.89	4.16	38.66	4.99	39.75	5.40	40.07	5.83	40.60	5.85	41.89	5.90
	21	28.45	3.58	33.89	4.46	38.30	5.34	39.02	5.79	39.34	6.25	40.23	6.27	41.50	6.32
	23	28.45	3.83	33.89	4.78	37.58	5.72	38.66	6.21	38.96	6.69	39.85	6.71	41.12	6.78
	25	28.45	4.10	33.89	5.11	37.21	6.12	37.94	6.64	38.60	7.16	39.47	7.18	40.73	7.26
	27	28.45	4.38	33.89	5.47	36.49	6.55	37.58	7.10	38.23	7.65	39.10	7.67	40.33	7.75
	29	28.45	4.69	33.89	5.84	36.13	6.99	37.21	7.59	37.86	8.18	38.72	8.20	39.95	8.27
	31	28.45	5.00	33.89	6.23	35.77	7.46	36.85	8.09	37.50	8.72	38.35	8.74	39.56	8.83
	33	28.45	5.33	33.89	6.63	35.41	7.94	36.49	8.61	37.13	9.28	37.97	9.31	39.18	9.40
	35	28.45	5.66	33.61	7.05	35.04	8.45	36.13	9.16	36.77	9.87	37.59	9.90	38.79	10.00
	37	28.45	6.02	33.25	7.51	34.68	8.98	35.41	9.75	36.03	10.51	37.21	10.53	38.01	10.64
	39	28.45	6.05	32.88	7.54	34.32	9.02	35.04	9.79	35.67	10.55	36.85	10.58	37.62	10.69
	41	28.45	6.07	32.18	7.57	33.97	9.06	34.68	9.83	35.29	10.59	36.49	10.63	37.24	10.73
	43	28.45	6.10	31.85	7.60	33.61	9.11	34.32	9.87	35.04	10.65	36.13	10.68	36.85	10.79
	46	27.82	6.13	31.07	7.64	32.52	9.15	33.25	9.92	33.97	10.70	35.04	10.73	35.77	10.83
	48	27.09	6.16	30.35	7.67	31.44	9.19	32.16	9.97	32.88	10.75	33.97	10.78	34.68	10.88
	50	26.37	6.19	29.63	7.71	30.35	9.23	31.07	10.01	31.80	10.80	32.88	10.83	33.61	10.93
110%	10	26.03	3.03	30.83	3.77	34.91	4.52	38.02	4.90	40.85	5.28	41.78	5.30	43.10	5.34
	12	26.03	3.08	30.83	3.84	34.91	4.60	38.02	4.99	40.49	5.38	41.41	5.39	42.73	5.45
	14	26.03	3.14	30.83	3.91	34.91	4.69	38.02	5.08	40.13	5.48	41.04	5.49	42.34	5.55
	16	26.03	3.19	30.83	3.99	34.91	4.77	38.02	5.17	39.77	5.58	40.67	5.59	41.95	5.65
	18	26.03	3.25	30.83	4.05	34.91	4.85	38.02	5.26	39.42	5.67	40.31	5.69	41.58	5.74
	19	26.03	3.31	30.83	4.12	34.91	4.94	38.02	5.35	39.04	5.77	39.93	5.79	41.20	5.85
	21	26.03	3.55	30.83	4.42	34.91	5.29	38.02	5.74	38.68	6.19	39.56	6.21	40.81	6.27
	23	26.03	3.80	30.83	4.73	34.91	5.66	37.66	6.15	38.33	6.63	39.19	6.64	40.44	6.71
	25	26.03	4.06	30.83	5.06	34.91	6.06	37.32	6.58	37.97	7.09	38.82	7.11	40.05	7.18
	27	26.03	4.35	30.83	5.41	34.91	6.48	36.96	7.03	37.61	7.58	38.45	7.60	39.67	7.67
	29	26.03	4.64	30.83	5.78	34.91	6.93	36.60	7.51	37.24	8.09	38.09	8.12	39.30	8.20
	31	26.03	4.95	30.83	6.17	34.91	7.38	36.24	8.00	36.88	8.63	37.71	8.66	38.91	8.74
	33	26.03	5.27	30.83	6.57	34.47	7.87	35.89	8.53	36.52	9.20	37.34	9.22	38.53	9.31
	35	26.03	5.61	30.83	6.98	34.11	8.36	35.53	9.07	36.16	9.78	36.97	9.81	38.14	9.90
	37	26.03	5.97	30.83	7.43	33.75	8.89	34.83	9.65	35.43	10.40	36.24	10.44	37.38	10.53
	39	26.03	5.98	30.83	7.46	33.41	8.93	34.47	9.69	35.07	10.45	35.87	10.48	37.00	10.58
	41	26.03	6.01	30.83	7.50	33.05	8.97	34.11	9.74	34.71	10.50	35.49	10.52	36.62	10.63
	43	26.03	6.04	30.83	7.53	32.69	9.02	33.75	9.78	34.35	10.54	35.12	10.57	36.24	10.68
	46	25.23	6.07	30.20	7.57	31.63	9.06	32.69	9.83	33.41	10.59	34.11	10.62	34.83	10.73
	48	24.51	6.10	29.50	7.60	30.56	9.10	31.63	9.87	32.33	10.64	33.05	10.67	33.75	10.78
	50	23.81	6.13	28.78	7.63	29.50	9.15	30.56	9.91	31.27	10.69	31.98	10.72	32.69	10.83

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V335W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	23.20	2.82	27.38	3.52	31.57	4.22	33.50	4.57	36.48	4.93	39.04	4.95	40.60	5.00
	12	23.20	2.88	27.38	3.59	31.57	4.30	33.50	4.66	36.48	5.02	39.04	5.03	40.24	5.08
	14	23.20	2.93	27.38	3.65	31.57	4.37	33.50	4.74	36.48	5.11	38.68	5.13	39.88	5.18
	16	23.20	2.99	27.38	3.72	31.57	4.45	33.50	4.83	36.48	5.20	38.34	5.22	39.52	5.27
	18	23.20	3.04	27.38	3.78	31.57	4.53	33.50	4.91	36.48	5.30	37.99	5.32	39.16	5.36
	19	23.20	3.08	27.38	3.85	31.57	4.61	33.50	5.00	36.48	5.38	37.65	5.40	38.80	5.45
	21	23.20	3.31	27.38	4.12	31.57	4.94	33.50	5.35	36.48	5.77	37.30	5.79	38.43	5.85
	23	23.20	3.55	27.38	4.41	31.57	5.29	33.50	5.73	36.48	6.19	36.94	6.21	38.07	6.27
	25	23.20	3.79	27.38	4.72	31.57	5.66	33.50	6.14	36.48	6.62	36.60	6.63	37.71	6.70
	27	23.20	4.05	27.38	5.05	31.57	6.05	33.50	6.57	36.13	7.07	36.25	7.10	37.36	7.17
	29	23.20	4.33	27.38	5.39	31.57	6.46	33.50	7.00	35.79	7.56	35.91	7.58	37.00	7.65
	31	23.20	4.62	27.38	5.75	31.57	6.89	33.50	7.47	35.45	8.06	35.56	8.08	36.64	8.16
	33	23.20	4.92	27.38	6.13	31.57	7.34	33.50	7.96	35.11	8.58	35.20	8.60	36.28	8.69
	35	23.20	5.24	27.38	6.52	31.57	7.81	33.50	8.48	34.60	9.13	34.86	9.16	35.92	9.24
	37	23.20	5.57	27.38	6.94	31.57	8.30	33.50	8.81	34.08	9.71	34.51	9.74	35.20	9.84
	39	23.20	5.59	27.38	6.96	31.57	8.34	33.50	9.06	33.83	9.75	34.16	9.78	34.84	9.87
	41	23.20	5.62	27.38	6.99	31.16	8.38	33.17	9.31	33.50	9.80	33.83	9.83	34.48	9.92
	43	23.20	5.65	27.38	7.03	30.81	8.42	32.84	9.56	33.17	9.84	33.50	9.87	34.12	9.96
	46	23.20	5.66	26.84	7.06	29.82	8.46	32.49	9.73	32.84	9.88	33.17	9.91	33.83	10.01
	48	23.20	5.69	26.56	7.09	28.81	8.50	31.49	10.08	32.49	9.93	32.16	9.96	33.42	10.06
	50	22.79	5.72	26.29	7.13	27.81	8.54	30.48	10.33	31.49	9.98	31.16	10.01	31.83	10.11
90%	10	20.88	2.44	24.65	3.05	28.42	3.65	30.15	3.96	31.88	4.26	36.15	4.28	36.89	4.32
	12	20.88	2.49	24.65	3.10	28.42	3.72	30.15	4.03	31.88	4.34	36.15	4.36	36.89	4.39
	14	20.88	2.53	24.65	3.15	28.42	3.78	30.15	4.10	31.88	4.42	36.15	4.43	36.89	4.47
	16	20.88	2.58	24.65	3.21	28.42	3.85	30.15	4.17	31.88	4.50	36.15	4.51	36.89	4.56
	18	20.88	2.63	24.65	3.27	28.42	3.92	30.15	4.25	31.88	4.58	36.15	4.59	36.48	4.64
	19	20.88	2.67	24.65	3.33	28.42	3.99	30.15	4.32	31.88	4.66	35.88	4.67	36.19	4.71
	21	20.88	2.86	24.65	3.57	28.42	4.27	30.15	4.63	31.88	5.00	35.57	5.01	35.88	5.05
	23	20.88	3.07	24.65	3.82	28.42	4.57	30.15	4.96	31.88	5.34	35.28	5.36	35.57	5.41
	25	20.88	3.28	24.65	4.08	28.42	4.89	30.15	5.31	31.88	5.72	34.98	5.74	35.28	5.79
	27	20.88	3.50	24.65	4.37	28.42	5.23	30.15	5.67	31.88	6.12	34.67	6.13	34.98	6.20
	29	20.88	3.74	24.65	4.67	28.42	5.59	30.15	6.06	31.88	6.53	34.38	6.55	34.67	6.62
	31	20.88	4.00	24.65	4.98	28.42	5.96	30.15	6.46	31.88	6.96	34.07	6.98	34.38	7.05
	33	20.88	4.25	24.65	5.30	28.42	6.34	30.15	6.88	31.88	7.42	33.77	7.44	34.07	7.52
	35	20.88	4.52	24.65	5.64	28.42	6.75	30.15	7.32	31.88	7.90	33.46	7.92	33.77	7.99
	37	20.88	4.81	24.65	5.99	28.42	7.18	30.15	7.79	31.88	8.39	33.17	8.42	33.46	8.50
	39	20.88	4.83	24.65	6.02	28.42	7.21	30.15	7.82	31.65	8.43	32.86	8.46	33.17	8.54
	41	20.88	4.85	24.65	6.05	28.42	7.25	30.15	7.86	31.36	8.47	32.56	8.50	32.86	8.57
	43	20.88	4.88	24.65	6.07	28.42	7.28	29.84	7.90	31.05	8.51	32.26	8.54	32.56	8.61
	46	20.88	4.90	24.65	6.10	27.44	7.31	28.94	7.92	30.15	8.55	31.36	8.57	31.65	8.65
	48	20.88	4.92	24.65	6.13	26.53	7.34	28.04	7.96	29.25	8.58	30.46	8.61	30.75	8.70
	50	20.88	4.95	24.11	6.16	25.63	7.38	27.13	8.00	28.34	8.62	29.55	8.65	29.84	8.74
80%	10	18.56	2.09	21.91	2.60	25.26	3.11	26.80	3.38	28.34	3.64	28.95	3.65	29.58	3.69
	12	18.56	2.12	21.91	2.65	25.26	3.17	26.80	3.44	28.34	3.71	28.95	3.72	29.58	3.75
	14	18.56	2.16	21.91	2.70	25.26	3.23	26.80	3.50	28.34	3.77	28.95	3.78	29.58	3.82
	16	18.56	2.20	21.91	2.75	25.26	3.29	26.80	3.56	28.34	3.84	28.95	3.85	29.58	3.89
	18	18.56	2.24	21.91	2.79	25.26	3.35	26.80	3.63	28.34	3.91	28.95	3.92	29.58	3.96
	19	18.56	2.28	21.91	2.84	25.26	3.40	26.80	3.69	28.34	3.98	28.95	3.99	29.58	4.03
	21	18.56	2.44	21.91	3.05	25.26	3.65	26.80	3.96	28.34	4.27	28.95	4.28	29.58	4.32
	23	18.56	2.62	21.91	3.26	25.26	3.91	26.80	4.24	28.34	4.57	28.95	4.58	29.58	4.63
	25	18.56	2.80	21.91	3.49	25.26	4.18	26.80	4.53	28.34	4.89	28.95	4.90	29.58	4.95
	27	18.56	3.00	21.91	3.73	25.26	4.47	26.80	4.85	28.34	5.23	28.95	5.24	29.58	5.29
	29	18.56	3.20	21.91	3.99	25.26	4.77	26.80	5.17	28.34	5.58	28.95	5.60	29.58	5.65
	31	18.56	3.41	21.91	4.25	25.26	5.09	26.80	5.52	28.34	5.95	28.95	5.97	29.58	6.02
	33	18.56	3.63	21.91	4.53	25.26	5.42	26.80	5.88	28.34	6.33	28.95	6.35	29.58	6.42
	35	18.56	3.86	21.91	4.81	25.26	5.76	26.80	6.26	28.34	6.74	28.95	6.76	29.58	6.83
	37	18.56	4.11	21.91	5.12	25.26	6.13	26.80	6.65	28.34	7.17	28.95	7.19	29.21	7.27
	39	18.56	4.13	21.91	5.14	25.26	6.16	26.80	6.68	28.34	7.20	28.67	7.23	28.94	7.29
	41	18.56	4.14	21.91	5.17	25.26	6.19	26.80	6.71	28.14	7.24	28.41	7.26	28.67	7.32
	43	18.56	4.16	21.91	5.19	25.26	6.22	26.80	6.74	27.88	7.27	28.14	7.28	28.41	7.36
	46	18.56	4.18	21.97	5.22	25.19	6.25	26.00	6.77	27.07	7.30	27.33	7.32	27.07	7.39
	48	18.56	4.20	21.97	5.24	24.39	6.28	25.19	6.80	26.27	7.33	26.53	7.35	26.27	7.43
	50	18.56	4.22	21.97	5.27	23.58	6.31	24.39	6.84	25.46	7.37	25.72	7.39	25.46	7.46

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V335W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	16.24	1.76	19.17	2.19	22.11	2.62	23.45	2.84	24.79	3.07	25.34	3.07	25.88	3.10
	12	16.24	1.79	19.17	2.23	22.11	2.67	23.45	2.90	24.79	3.12	25.34	3.13	25.88	3.16
	14	16.24	1.82	19.17	2.27	22.11	2.72	23.45	2.95	24.79	3.18	25.34	3.19	25.88	3.22
	16	16.24	1.85	19.17	2.31	22.11	2.76	23.45	3.00	24.79	3.24	25.34	3.25	25.88	3.28
	18	16.24	1.89	19.17	2.35	22.11	2.81	23.45	3.06	24.79	3.29	25.34	3.30	25.88	3.34
	19	16.24	1.92	19.17	2.40	22.11	2.86	23.45	3.10	24.79	3.35	25.34	3.36	25.88	3.40
	21	16.24	2.06	19.17	2.56	22.11	3.07	23.45	3.33	24.79	3.59	25.34	3.60	25.88	3.64
	23	16.24	2.20	19.17	2.75	22.11	3.29	23.45	3.57	24.79	3.84	25.34	3.86	25.88	3.90
	25	16.24	2.36	19.17	2.94	22.11	3.52	23.45	3.82	24.79	4.11	25.34	4.13	25.88	4.17
	27	16.24	2.52	19.17	3.14	22.11	3.76	23.45	4.08	24.79	4.40	25.34	4.41	25.88	4.45
	29	16.24	2.70	19.17	3.36	22.11	4.02	23.45	4.36	24.79	4.69	25.34	4.71	25.88	4.75
	31	16.24	2.87	19.17	3.58	22.11	4.29	23.45	4.65	24.79	5.01	25.34	5.02	25.88	5.07
	33	16.24	3.06	19.17	3.81	22.11	4.56	23.45	4.95	24.79	5.34	25.34	5.35	25.88	5.40
	35	16.24	3.25	19.17	4.05	22.11	4.86	23.45	5.27	24.79	5.67	25.34	5.69	25.88	5.75
	37	16.24	3.46	19.17	4.32	22.11	5.16	23.45	5.60	24.79	6.03	25.34	6.05	25.88	6.11
	39	16.24	3.47	19.17	4.34	22.11	5.19	23.45	5.63	24.79	6.06	25.34	6.08	25.88	6.14
	41	16.24	3.49	19.17	4.36	22.11	5.21	23.45	5.66	24.79	6.09	25.34	6.11	25.88	6.17
	43	16.24	3.51	19.17	4.37	22.11	5.24	23.45	5.67	24.79	6.12	25.34	6.14	25.88	6.20
	46	16.24	3.52	19.17	4.39	22.11	5.26	23.45	5.70	24.39	6.15	24.86	6.17	25.32	6.23
	48	16.24	3.54	19.17	4.41	22.11	5.29	22.98	5.73	23.92	6.18	24.39	6.20	24.86	6.26
	50	16.24	3.56	19.17	4.43	21.58	5.31	22.51	5.75	23.45	6.21	23.92	6.23	24.39	6.29
60%	10	13.92	1.46	16.43	1.81	18.94	2.17	20.10	2.36	21.26	2.54	21.72	2.54	22.17	2.57
	12	13.92	1.48	16.43	1.84	18.94	2.21	20.10	2.40	21.26	2.58	21.72	2.59	22.17	2.62
	14	13.92	1.51	16.43	1.88	18.94	2.25	20.10	2.44	21.26	2.63	21.72	2.64	22.17	2.67
	16	13.92	1.53	16.43	1.91	18.94	2.29	20.10	2.48	21.26	2.68	21.72	2.69	22.17	2.72
	18	13.92	1.56	16.43	1.95	18.94	2.33	20.10	2.53	21.26	2.73	21.72	2.74	22.17	2.76
	19	13.92	1.59	16.43	1.98	18.94	2.37	20.10	2.57	21.26	2.77	21.72	2.78	22.17	2.80
	21	13.92	1.71	16.43	2.12	18.94	2.54	20.10	2.75	21.26	2.97	21.72	2.98	22.17	3.01
	23	13.92	1.82	16.43	2.27	18.94	2.73	20.10	2.95	21.26	3.18	21.72	3.19	22.17	3.22
	25	13.92	1.95	16.43	2.43	18.94	2.91	20.10	3.16	21.26	3.40	21.72	3.41	22.17	3.45
	27	13.92	2.09	16.43	2.60	18.94	3.11	20.10	3.38	21.26	3.64	21.72	3.66	22.17	3.69
	29	13.92	2.23	16.43	2.77	18.94	3.33	20.10	3.61	21.26	3.89	21.72	3.90	22.17	3.94
	31	13.92	2.38	16.43	2.96	18.94	3.55	20.10	3.85	21.26	4.14	21.72	4.16	22.17	4.20
	33	13.92	2.53	16.43	3.15	18.94	3.77	20.10	4.09	21.26	4.41	21.72	4.43	22.17	4.47
	35	13.92	2.70	16.43	3.36	18.94	4.02	20.10	4.36	21.26	4.69	21.72	4.71	22.17	4.76
	37	13.92	2.86	16.43	3.57	18.94	4.28	20.10	4.64	21.26	5.00	21.72	5.01	22.17	5.06
	39	13.92	2.88	16.43	3.59	18.94	4.30	20.10	4.66	21.26	5.01	21.72	5.03	22.17	5.08
	41	13.92	2.89	16.43	3.60	18.94	4.32	20.10	4.68	21.26	5.04	21.72	5.05	22.17	5.10
	43	13.92	2.90	16.43	3.62	18.94	4.34	20.10	4.69	21.26	5.06	21.72	5.08	22.17	5.13
	46	13.92	2.92	16.43	3.64	18.94	4.36	20.10	4.72	21.26	5.09	21.72	5.10	22.17	5.15
	48	13.92	2.93	16.43	3.65	18.94	4.37	20.10	4.74	20.90	5.11	21.31	5.13	21.71	5.18
	50	13.92	2.95	16.43	3.67	18.94	4.39	19.70	4.76	20.50	5.13	20.90	5.15	21.31	5.20
50%	10	11.61	1.17	13.69	1.46	15.79	1.76	16.75	1.91	17.71	2.06	18.09	2.07	18.48	2.09
	12	11.61	1.20	13.69	1.49	15.79	1.79	16.75	1.94	17.71	2.10	18.09	2.10	18.48	2.12
	14	11.61	1.22	13.69	1.52	15.79	1.82	16.75	1.98	17.71	2.13	18.09	2.13	18.48	2.16
	16	11.61	1.24	13.69	1.55	15.79	1.85	16.75	2.02	17.71	2.17	18.09	2.17	18.48	2.20
	18	11.61	1.26	13.69	1.58	15.79	1.89	16.75	2.05	17.71	2.21	18.09	2.21	18.48	2.24
	19	11.61	1.29	13.69	1.60	15.79	1.92	16.75	2.09	17.71	2.25	18.09	2.25	18.48	2.28
	21	11.61	1.38	13.69	1.72	15.79	2.06	16.75	2.23	17.71	2.41	18.09	2.42	18.48	2.43
	23	11.61	1.47	13.69	1.84	15.79	2.20	16.75	2.40	17.71	2.58	18.09	2.59	18.48	2.61
	25	11.61	1.58	13.69	1.97	15.79	2.36	16.75	2.56	17.71	2.76	18.09	2.76	18.48	2.79
	27	11.61	1.69	13.69	2.10	15.79	2.52	16.75	2.74	17.71	2.95	18.09	2.96	18.48	2.99
	29	11.61	1.80	13.69	2.25	15.79	2.70	16.75	2.92	17.71	3.15	18.09	3.16	18.48	3.19
	31	11.61	1.93	13.69	2.40	15.79	2.87	16.75	3.11	17.71	3.36	18.09	3.37	18.48	3.40
	33	11.61	2.05	13.69	2.55	15.79	3.07	16.75	3.32	17.71	3.58	18.09	3.59	18.48	3.63
	35	11.61	2.18	13.69	2.72	15.79	3.26	16.75	3.53	17.71	3.80	18.09	3.82	18.48	3.85
	37	11.61	2.32	13.69	2.89	15.79	3.46	16.75	3.75	17.71	4.04	18.09	4.06	18.48	4.10
	39	11.61	2.33	13.69	2.90	15.79	3.48	16.75	3.77	17.71	4.06	18.09	4.07	18.48	4.12
	41	11.61	2.34	13.69	2.92	15.79	3.49	16.75	3.79	17.71	4.08	18.09	4.09	18.48	4.13
	43	11.61	2.36	13.69	2.93	15.79	3.51	16.75	3.80	17.71	4.10	18.09	4.11	18.48	4.15
	46	11.61	2.37	13.69	2.95	15.79	3.53	16.75	3.82	17.71	4.12	18.09	4.13	18.48	4.17
	48	11.61	2.38	13.69	2.96	15.79	3.54	16.75	3.84	17.76	4.14	17.92	4.15	18.25	4.19
	50	11.61	2.39	13.69	2.97	15.79	3.56	16.75	3.86	17.59	4.16	17.76	4.17	18.09	4.21

14HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V400W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	36.17	4.06	42.25	5.04	48.68	6.05	50	6.56	50.87	7.07	51.67	7.09	53.05	7.16
	12	36.17	4.13	42.25	5.14	48.68	6.16	49.56	6.68	50.43	7.21	51.21	7.23	52.57	7.29
	14	36.17	4.20	42.25	5.23	48.68	6.28	49.11	6.81	49.98	7.34	50.29	7.35	52.11	7.43
	16	36.17	4.28	42.25	5.34	48.25	6.39	48.68	6.92	49.08	7.46	49.84	7.49	51.63	7.55
	18	36.17	4.36	42.25	5.43	47.4	6.50	47.81	7.04	48.63	7.59	49.38	7.62	51.16	7.69
	19	36.17	4.43	42.25	5.52	46.97	6.60	47.37	7.16	48.19	7.73	48.92	7.75	50.7	7.82
	21	36.17	4.75	42.25	5.91	46.54	7.08	46.92	7.68	47.75	8.28	48.46	8.30	50.22	8.40
	23	36.17	5.09	42.25	6.34	46.11	7.58	46.49	8.23	47.3	8.87	48	8.90	49.76	8.98
	25	36.17	5.44	42.25	6.79	45.67	8.11	46.05	8.81	46.86	9.49	47.56	9.52	49.29	9.62
	27	36.17	5.82	42.25	7.25	45.24	8.68	45.6	9.42	46.41	10.15	47.1	10.18	48.35	10.28
	29	36.17	6.21	41.92	7.74	44.81	9.26	45.17	10.06	45.97	10.83	46.63	10.87	48.35	10.98
	31	36.17	6.62	41.79	8.26	44.38	9.88	44.73	10.72	45.52	11.56	46.17	11.59	47.87	11.70
	33	36.17	7.05	41.79	8.79	43.95	10.53	44.3	11.42	45.06	12.30	45.71	12.34	47.41	12.47
	35	36.17	7.51	41.38	9.35	43.1	11.20	43.86	12.15	44.62	13.10	45.17	13.14	46.94	13.25
	37	36.17	7.98	41.38	9.95	42.54	11.91	43.41	12.92	43.73	13.92	44.73	13.97	46	14.10
	39	36.17	8.02	40.79	9.98	42.22	11.97	42.98	12.97	43.29	13.99	44.3	14.03	45.54	14.17
	41	36.17	8.06	39.9	10.04	41.67	12.01	42.54	13.03	42.84	14.05	43.86	14.10	45.06	14.22
	43	36.4	8.08	39.03	10.09	40.94	12.07	41.67	13.10	42.4	14.11	43.43	14.16	44.59	14.30
	46	35.08	8.13	37.71	10.13	39.48	12.13	40.35	13.15	41.22	14.18	42.1	14.22	43.41	14.36
	48	34.21	8.17	36.4	10.18	38.16	12.19	39.03	13.22	39.9	14.25	40.79	14.30	42.1	14.42
50	33.33	8.20	35.08	10.22	36.84	12.24	37.71	13.27	38.59	14.31	39.48	14.36	40.79	14.50	
120%	10	33.97	4.01	40.46	5.00	46.67	5.98	48.32	6.50	50.05	7.01	50.73	7.02	52.33	7.09
	12	33.97	4.08	40.46	5.10	46.67	6.10	48.32	6.61	49.6	7.13	50.27	7.15	51.87	7.23
	14	33.97	4.17	40.46	5.19	46.67	6.21	48.32	6.74	49.16	7.26	49.83	7.28	51.41	7.35
	16	33.97	4.24	40.46	5.28	46.67	6.32	48.32	6.86	48.73	7.39	49.38	7.42	50.94	7.49
	18	33.97	4.31	40.46	5.37	46.67	6.43	47.89	6.98	48.29	7.52	48.94	7.55	50.48	7.62
	19	33.97	4.39	40.46	5.46	46.16	6.55	47.46	7.10	47.84	7.66	48.48	7.68	50.02	7.75
	21	33.97	4.70	40.46	5.86	45.73	7.02	46.59	7.61	46.97	8.20	48.03	8.23	49.56	8.30
	23	33.97	5.03	40.46	6.28	44.87	7.52	46.16	8.16	46.52	8.78	47.59	8.81	49.1	8.90
	25	33.97	5.39	40.46	6.72	44.43	8.04	45.3	8.72	46.1	9.40	47.13	9.43	48.63	9.52
	27	33.97	5.75	40.46	7.18	43.57	8.60	44.87	9.33	45.65	10.06	46.68	10.09	48.16	10.18
	29	33.97	6.15	40.46	7.67	43.14	9.18	44.43	9.95	45.21	10.73	46.24	10.77	47.7	10.87
	31	33.97	6.56	40.46	8.18	42.71	9.79	44	10.61	44.78	11.45	45.79	11.48	47.24	11.59
	33	33.97	6.99	40.46	8.71	42.29	10.42	43.57	11.31	44.33	12.20	45.33	12.23	46.78	12.34
	35	33.97	7.44	40.13	9.26	41.84	11.09	43.14	12.03	43.9	12.97	44.89	13.01	46.32	13.14
	37	33.97	7.91	39.7	9.86	41.41	11.79	42.29	12.79	43.02	13.79	44.43	13.84	45.38	13.97
	39	33.97	7.95	39.25	9.89	40.98	11.85	41.84	12.85	42.59	13.86	44	13.89	44.92	14.03
	41	33.97	7.97	38.43	9.94	40.56	11.90	41.41	12.91	42.14	13.91	43.57	13.96	44.46	14.10
	43	33.97	8.01	38.03	9.98	40.13	11.96	40.98	12.97	41.84	13.98	43.14	14.02	44	14.16
	46	33.22	8.05	37.1	10.04	38.83	12.01	39.7	13.03	40.56	14.05	41.84	14.09	42.71	14.22
	48	32.35	8.08	36.24	10.08	37.54	12.07	38.4	13.09	39.25	14.11	40.56	14.15	41.41	14.30
50	31.49	8.13	35.38	10.12	36.24	12.13	37.1	13.15	37.97	14.17	39.25	14.21	40.13	14.36	
110%	10	31.08	3.97	36.81	4.95	41.68	5.93	45.4	6.43	48.78	6.93	49.89	6.96	51.46	7.02
	12	31.08	4.05	36.81	5.04	41.68	6.05	45.4	6.55	48.35	7.06	49.44	7.08	51.02	7.15
	14	31.08	4.13	36.81	5.14	41.68	6.15	45.4	6.67	47.92	7.20	49	7.22	50.56	7.28
	16	31.08	4.20	36.81	5.23	41.68	6.27	45.4	6.80	47.49	7.32	48.56	7.34	50.1	7.42
	18	31.08	4.27	36.81	5.33	41.68	6.37	45.4	6.91	47.06	7.45	48.13	7.47	49.65	7.55
	19	31.08	4.34	36.81	5.41	41.68	6.49	45.4	7.03	46.62	7.57	47.68	7.60	49.19	7.67
	21	31.08	4.66	36.81	5.81	41.68	6.95	45.4	7.54	46.19	8.13	47.24	8.15	48.73	8.23
	23	31.08	4.99	36.81	6.21	41.68	7.45	44.97	8.07	45.76	8.71	46.79	8.72	48.29	8.81
	25	31.08	5.34	36.81	6.65	41.68	7.97	44.56	8.64	45.33	9.32	46.35	9.35	47.83	9.43
	27	31.08	5.70	36.81	7.11	41.68	8.51	44.13	9.23	44.9	9.95	45.9	9.98	47.37	10.09
	29	31.08	6.09	36.81	7.59	41.68	9.09	43.7	9.86	44.46	10.62	45.48	10.66	46.92	10.77
	31	31.08	6.50	36.81	8.09	41.68	9.69	43.27	10.51	44.03	11.34	45.03	11.36	46.46	11.48
	33	31.08	6.91	36.81	8.62	41.16	10.32	42.86	11.20	43.6	12.07	44.59	12.10	46	12.22
	35	31.08	7.36	36.81	9.17	40.73	10.99	42.43	11.92	43.17	12.84	44.14	12.88	45.54	13.01
	37	31.08	7.83	36.81	9.77	40.3	11.68	41.59	12.67	42.3	13.66	43.27	13.70	44.63	13.84
	39	31.08	7.86	36.81	9.80	39.89	11.74	41.16	12.72	41.87	13.71	42.83	13.77	44.17	13.89
	41	31.08	7.90	36.81	9.85	39.46	11.78	40.73	12.78	41.44	13.79	42.38	13.82	43.73	13.96
	43	31.08	7.94	36.81	9.89	39.03	11.84	40.3	12.84	41.02	13.85	41.94	13.89	43.27	14.02
	46	30.13	7.97	36.06	9.93	37.76	11.90	39.03	12.91	39.89	13.90	40.73	13.95	41.59	14.09
	48	29.27	8.01	35.22	9.98	36.49	11.95	37.76	12.96	38.6	13.97	39.46	14.02	40.3	14.15
50	28.43	8.05	34.37	10.03	35.22	12.00	36.49	13.02	37.33	14.04	38.19	14.09	39.03	14.21	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V400W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	27.7	3.71	32.7	4.62	37.7	5.55	40	6.01	43.56	6.48	46.62	6.50	48.48	6.56
	12	27.7	3.78	32.7	4.70	37.7	5.64	40	6.12	43.56	6.60	46.62	6.61	48.05	6.68
	14	27.7	3.85	32.7	4.80	37.7	5.74	40	6.22	43.56	6.71	46.19	6.73	47.62	6.80
	16	27.7	3.92	32.7	4.89	37.7	5.85	40	6.34	43.56	6.83	45.78	6.85	47.19	6.91
	18	27.7	3.98	32.7	4.97	37.7	5.95	40	6.45	43.56	6.96	45.37	6.98	46.76	7.04
	19	27.7	4.06	32.7	5.05	37.7	6.05	40	6.56	43.56	7.07	44.95	7.09	46.33	7.16
	21	27.7	4.34	32.7	5.42	37.7	6.49	40	7.03	43.56	7.58	44.54	7.60	45.89	7.68
	23	27.7	4.66	32.7	5.80	37.7	6.95	40	7.54	43.56	8.13	44.11	8.15	45.46	8.22
	25	27.7	4.98	32.7	6.20	37.7	7.44	40	8.06	43.56	8.69	43.7	8.71	45.03	8.80
	27	27.7	5.33	32.7	6.63	37.7	7.95	40	8.62	43.14	9.28	43.29	9.32	44.6	9.41
	29	27.7	5.68	32.7	7.08	37.7	8.49	40	9.20	42.73	9.92	42.87	9.95	44.17	10.05
	31	27.7	6.07	32.7	7.55	37.7	9.04	40	9.82	42.33	10.58	42.46	10.61	43.75	10.72
	33	27.7	6.46	32.7	8.05	37.7	9.64	40	10.45	41.92	11.27	42.03	11.30	43.32	11.42
	35	27.7	6.87	32.7	8.56	37.7	10.26	40	11.05	41.32	11.99	41.62	12.02	42.89	12.14
	37	27.7	7.31	32.7	9.11	37.7	10.90	40	11.56	40.7	12.74	41.21	12.79	42.03	12.92
	39	27.7	7.34	32.7	9.14	37.7	10.95	40	11.90	40.4	12.80	40.79	12.84	41.6	12.97
	41	27.7	7.37	32.7	9.19	37.21	11.00	39.6	12.23	40	12.86	40.4	12.90	41.17	13.03
	43	27.7	7.40	32.7	9.23	36.79	11.05	39.21	12.68	39.6	12.93	40	12.96	40.75	13.09
	46	27.7	7.45	32.05	9.27	35.6	11.10	38.79	13.15	39.21	12.98	39.6	13.02	40.4	13.15
	48	27.7	7.48	31.71	9.32	34.4	11.15	37.6	13.23	38.79	13.04	38.4	13.08	39.21	13.21
	50	27.21	7.51	31.4	9.36	33.21	11.21	36.4	13.57	37.6	13.11	37.21	13.15	38	13.26
90%	10	24.94	3.22	29.43	4.00	33.94	4.79	36	5.19	38.06	5.60	43.16	5.62	44.05	5.66
	12	24.94	3.27	29.43	4.06	33.94	4.88	36	5.28	38.06	5.70	43.16	5.72	44.05	5.77
	14	24.94	3.33	29.43	4.15	33.94	4.96	36	5.38	38.06	5.81	43.16	5.82	44.05	5.87
	16	24.94	3.38	29.43	4.22	33.94	5.05	36	5.48	38.06	5.91	43.16	5.92	44.05	5.97
	18	24.94	3.45	29.43	4.29	33.94	5.14	36	5.58	38.06	6.01	43.16	6.03	43.56	6.09
	19	24.94	3.51	29.43	4.38	33.94	5.23	36	5.67	38.06	6.11	42.84	6.13	43.21	6.19
	21	24.94	3.75	29.43	4.69	33.94	5.61	36	6.08	38.06	6.56	42.48	6.58	42.84	6.63
	23	24.94	4.02	29.43	5.01	33.94	6.01	36	6.51	38.06	7.02	42.13	7.04	42.48	7.11
	25	24.94	4.30	29.43	5.37	33.94	6.42	36	6.97	38.06	7.52	41.76	7.54	42.13	7.61
	27	24.94	4.60	29.43	5.74	33.94	6.87	36	7.45	38.06	8.03	41.4	8.06	41.76	8.14
	29	24.94	4.91	29.43	6.12	33.94	7.34	36	7.96	38.06	8.57	41.05	8.61	41.4	8.69
	31	24.94	5.24	29.43	6.53	33.94	7.82	36	8.49	38.06	9.14	40.68	9.17	41.05	9.26
	33	24.94	5.59	29.43	6.96	33.94	8.33	36	9.03	38.06	9.74	40.32	9.77	40.68	9.87
	35	24.94	5.94	29.43	7.40	33.94	8.87	36	9.61	38.06	10.36	39.95	10.40	40.32	10.50
	37	24.94	6.32	29.43	7.86	33.94	9.43	36	10.22	38.06	11.03	39.6	11.05	39.95	11.16
	39	24.94	6.35	29.43	7.91	33.94	9.46	36	10.27	37.79	11.07	39.24	11.10	39.6	11.22
	41	24.94	6.38	29.43	7.95	33.94	9.51	36	10.31	37.44	11.12	38.87	11.15	39.24	11.26
	43	24.94	6.40	29.43	7.98	33.94	9.56	35.63	10.36	37.08	11.16	38.52	11.21	38.87	11.31
	46	24.94	6.43	29.43	8.01	32.76	9.60	34.56	10.40	36	11.23	37.44	11.25	37.79	11.36
	48	24.94	6.46	29.43	8.05	31.68	9.65	33.48	10.45	34.92	11.27	36.37	11.31	36.71	11.42
	50	24.94	6.50	28.79	8.08	30.6	9.68	32.4	10.51	33.84	11.33	35.29	11.35	35.63	11.47
80%	10	22.16	2.74	26.16	3.42	30.16	4.08	32	4.44	33.84	4.78	34.57	4.79	35.32	4.84
	12	22.16	2.80	26.16	3.48	30.16	4.17	32	4.51	33.84	4.87	34.57	4.89	35.32	4.93
	14	22.16	2.84	26.16	3.54	30.16	4.24	32	4.60	33.84	4.96	34.57	4.97	35.32	5.01
	16	22.16	2.89	26.16	3.60	30.16	4.31	32	4.68	33.84	5.04	34.57	5.07	35.32	5.12
	18	22.16	2.95	26.16	3.67	30.16	4.39	32	4.76	33.84	5.13	34.57	5.15	35.32	5.20
	19	22.16	3.00	26.16	3.74	30.16	4.47	32	4.85	33.84	5.23	34.57	5.23	35.32	5.30
	21	22.16	3.22	26.16	4.00	30.16	4.79	32	5.19	33.84	5.60	34.57	5.62	35.32	5.67
	23	22.16	3.44	26.16	4.28	30.16	5.13	32	5.56	33.84	5.99	34.57	6.02	35.32	6.07
	25	22.16	3.68	26.16	4.58	30.16	5.49	32	5.95	33.84	6.41	34.57	6.43	35.32	6.50
	27	22.16	3.94	26.16	4.91	30.16	5.86	32	6.37	33.84	6.86	34.57	6.88	35.32	6.95
	29	22.16	4.20	26.16	5.23	30.16	6.27	32	6.80	33.84	7.33	34.57	7.34	35.32	7.43
	31	22.16	4.48	26.16	5.58	30.16	6.68	32	7.24	33.84	7.81	34.57	7.83	35.32	7.91
	33	22.16	4.77	26.16	5.94	30.16	7.12	32	7.72	33.84	8.31	34.57	8.34	35.32	8.43
	35	22.16	5.08	26.16	6.32	30.16	7.57	32	8.21	33.84	8.85	34.57	8.88	35.32	8.96
	37	22.16	5.40	26.16	6.73	30.16	8.05	32	8.73	33.84	9.42	34.57	9.45	34.87	9.54
	39	22.16	5.42	26.16	6.76	30.16	8.08	32	8.77	33.84	9.45	34.24	9.48	34.56	9.58
	41	22.16	5.44	26.16	6.79	30.16	8.13	32	8.81	33.6	9.49	33.92	9.52	34.24	9.62
	43	22.16	5.47	26.16	6.81	30.16	8.17	32	8.85	33.29	9.55	33.6	9.57	33.92	9.66
	46	22.16	5.49	26.24	6.84	30.08	8.20	31.05	8.90	32.32	9.59	32.63	9.62	32.32	9.71
	48	22.16	5.52	26.24	6.88	29.13	8.24	30.08	8.93	31.37	9.63	31.68	9.66	31.37	9.75
	50	22.16	5.55	26.24	6.91	28.16	8.28	29.13	8.97	30.4	9.67	30.71	9.70	30.4	9.80

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V400W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	10	19.4	2.31	22.89	2.88	26.4	3.44	28	3.74	29.6	4.03	30.25	4.04	30.9	4.07
	12	19.4	2.35	22.89	2.92	26.4	3.51	28	3.80	29.6	4.09	30.25	4.11	30.9	4.16
	14	19.4	2.39	22.89	2.99	26.4	3.57	28	3.86	29.6	4.17	30.25	4.19	30.9	4.23
	16	19.4	2.43	22.89	3.03	26.4	3.63	28	3.95	29.6	4.25	30.25	4.26	30.9	4.30
	18	19.4	2.49	22.89	3.09	26.4	3.70	28	4.01	29.6	4.32	30.25	4.33	30.9	4.39
	19	19.4	2.52	22.89	3.14	26.4	3.76	28	4.07	29.6	4.40	30.25	4.41	30.9	4.46
	21	19.4	2.69	22.89	3.36	26.4	4.03	28	4.38	29.6	4.71	30.25	4.73	30.9	4.77
	23	19.4	2.90	22.89	3.61	26.4	4.31	28	4.69	29.6	5.04	30.25	5.07	30.9	5.12
	25	19.4	3.10	22.89	3.85	26.4	4.62	28	5.01	29.6	5.41	30.25	5.42	30.9	5.47
	27	19.4	3.31	22.89	4.13	26.4	4.94	28	5.36	29.6	5.78	30.25	5.80	30.9	5.86
	29	19.4	3.54	22.89	4.41	26.4	5.27	28	5.72	29.6	6.17	30.25	6.18	30.9	6.25
	31	19.4	3.77	22.89	4.70	26.4	5.63	28	6.10	29.6	6.58	30.25	6.60	30.9	6.66
	33	19.4	4.02	22.89	5.01	26.4	5.99	28	6.50	29.6	7.01	30.25	7.03	30.9	7.10
	35	19.4	4.28	22.89	5.33	26.4	6.38	28	6.91	29.6	7.45	30.25	7.48	30.9	7.55
	37	19.4	4.54	22.89	5.66	26.4	6.78	28	7.35	29.6	7.93	30.25	7.96	30.9	8.03
	39	19.4	4.56	22.89	5.68	26.4	6.81	28	7.38	29.6	7.97	30.25	7.98	30.9	8.07
	41	19.4	4.58	22.89	5.71	26.4	6.84	28	7.43	29.6	8.00	30.25	8.02	30.9	8.09
	43	19.4	4.61	22.89	5.74	26.4	6.87	28	7.45	29.6	8.03	30.25	8.06	30.9	8.14
	46	19.4	4.63	22.89	5.77	26.4	6.90	28	7.49	29.13	8.07	29.68	8.09	30.24	8.18
	48	19.4	4.65	22.89	5.80	26.4	6.93	27.44	7.53	28.56	8.10	29.13	8.14	29.68	8.21
	50	19.4	4.67	22.89	5.82	25.76	6.97	26.87	7.55	28	8.15	28.56	8.18	29.13	8.25
60%	10	16.62	1.91	19.62	2.38	22.62	2.85	24	3.09	25.38	3.33	25.94	3.34	26.48	3.37
	12	16.62	1.95	19.62	2.42	22.62	2.90	24	3.14	25.38	3.39	25.94	3.40	26.48	3.44
	14	16.62	1.97	19.62	2.48	22.62	2.96	24	3.21	25.38	3.46	25.94	3.47	26.48	3.50
	16	16.62	2.02	19.62	2.51	22.62	3.01	24	3.26	25.38	3.52	25.94	3.53	26.48	3.56
	18	16.62	2.06	19.62	2.56	22.62	3.06	24	3.32	25.38	3.58	25.94	3.59	26.48	3.62
	19	16.62	2.09	19.62	2.60	22.62	3.11	24	3.37	25.38	3.64	25.94	3.64	26.48	3.69
	21	16.62	2.24	19.62	2.79	22.62	3.33	24	3.62	25.38	3.91	25.94	3.92	26.48	3.96
	23	16.62	2.39	19.62	2.99	22.62	3.57	24	3.87	25.38	4.18	25.94	4.19	26.48	4.23
	25	16.62	2.57	19.62	3.20	22.62	3.83	24	4.16	25.38	4.48	25.94	4.49	26.48	4.53
	27	16.62	2.74	19.62	3.42	22.62	4.08	24	4.44	25.38	4.78	25.94	4.80	26.48	4.85
	29	16.62	2.92	19.62	3.64	22.62	4.37	24	4.73	25.38	5.11	25.94	5.12	26.48	5.17
	31	16.62	3.11	19.62	3.89	22.62	4.66	24	5.04	25.38	5.44	25.94	5.46	26.48	5.51
	33	16.62	3.33	19.62	4.15	22.62	4.96	24	5.38	25.38	5.80	25.94	5.82	26.48	5.87
	35	16.62	3.54	19.62	4.41	22.62	5.27	24	5.72	25.38	6.17	25.94	6.18	26.48	6.25
	37	16.62	3.76	19.62	4.69	22.62	5.62	24	6.08	25.38	6.56	25.94	6.59	26.48	6.64
	39	16.62	3.78	19.62	4.70	22.62	5.64	24	6.11	25.38	6.59	25.94	6.61	26.48	6.67
	41	16.62	3.79	19.62	4.73	22.62	5.66	24	6.14	25.38	6.62	25.94	6.64	26.48	6.71
	43	16.62	3.81	19.62	4.75	22.62	5.69	24	6.17	25.38	6.65	25.94	6.67	26.48	6.74
	46	16.62	3.83	19.62	4.77	22.62	5.71	24	6.19	25.38	6.68	25.94	6.71	26.48	6.77
	48	16.62	3.85	19.62	4.79	22.62	5.74	24	6.22	24.95	6.71	25.44	6.73	25.92	6.80
	50	16.62	3.86	19.62	4.81	22.62	5.77	23.52	6.26	24.48	6.75	24.95	6.77	25.44	6.83
50%	10	13.86	1.55	16.35	1.93	18.86	2.31	20	2.50	21.14	2.69	21.6	2.70	22.06	2.74
	12	13.86	1.58	16.35	1.96	18.86	2.35	20	2.55	21.14	2.75	21.6	2.76	22.06	2.79
	14	13.86	1.61	16.35	1.99	18.86	2.39	20	2.59	21.14	2.80	21.6	2.80	22.06	2.83
	16	13.86	1.64	16.35	2.04	18.86	2.43	20	2.64	21.14	2.85	21.6	2.86	22.06	2.89
	18	13.86	1.66	16.35	2.07	18.86	2.49	20	2.69	21.14	2.90	21.6	2.90	22.06	2.93
	19	13.86	1.69	16.35	2.11	18.86	2.52	20	2.74	21.14	2.95	21.6	2.96	22.06	2.99
	21	13.86	1.82	16.35	2.27	18.86	2.70	20	2.93	21.14	3.16	21.6	3.17	22.06	3.21
	23	13.86	1.94	16.35	2.42	18.86	2.90	20	3.14	21.14	3.38	21.6	3.39	22.06	3.44
	25	13.86	2.08	16.35	2.59	18.86	3.10	20	3.36	21.14	3.62	21.6	3.63	22.06	3.67
	27	13.86	2.22	16.35	2.77	18.86	3.32	20	3.59	21.14	3.87	21.6	3.89	22.06	3.93
	29	13.86	2.38	16.35	2.96	18.86	3.54	20	3.84	21.14	4.14	21.6	4.16	22.06	4.19
	31	13.86	2.53	16.35	3.15	18.86	3.77	20	4.09	21.14	4.41	21.6	4.43	22.06	4.47
	33	13.86	2.69	16.35	3.35	18.86	4.02	20	4.37	21.14	4.70	21.6	4.71	22.06	4.76
	35	13.86	2.87	16.35	3.57	18.86	4.28	20	4.64	21.14	5.00	21.6	5.01	22.06	5.07
	37	13.86	3.05	16.35	3.80	18.86	4.54	20	4.93	21.14	5.32	21.6	5.34	22.06	5.39
	39	13.86	3.06	16.35	3.81	18.86	4.57	20	4.95	21.14	5.34	21.6	5.36	22.06	5.41
	41	13.86	3.08	16.35	3.83	18.86	4.60	20	4.98	21.14	5.36	21.6	5.38	22.06	5.44
	43	13.86	3.09	16.35	3.85	18.86	4.61	20	5.00	21.14	5.39	21.6	5.41	22.06	5.45
	46	13.86	3.11	16.35	3.86	18.86	4.63	20	5.01	21.14	5.42	21.6	5.43	22.06	5.48
	48	13.86	3.11	16.35	3.89	18.86	4.65	20	5.04	21.21	5.44	21.4	5.45	21.79	5.51
	50	13.86	3.13	16.35	3.91	18.86	4.68	20	5.07	21	5.46	21.21	5.48	21.6	5.54

16HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V450W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	40.7	4.80	47.54	5.97	54.77	7.17	56.25	7.77	57.23	8.38	58.13	8.41	59.68	8.48	
	12	40.7	4.89	47.54	6.09	54.77	7.30	55.75	7.91	56.73	8.53	57.61	8.55	59.14	8.64	
	14	40.7	4.98	47.54	6.20	54.77	7.42	55.25	8.06	56.23	8.69	56.57	8.71	58.63	8.79	
	16	40.7	5.07	47.54	6.31	54.29	7.56	54.77	8.20	55.21	8.84	56.07	8.86	58.09	8.96	
	18	40.7	5.16	47.54	6.42	53.32	7.69	53.79	8.35	54.71	8.99	55.55	9.02	57.55	9.11	
	19	40.7	5.25	47.54	6.53	52.84	7.83	53.29	8.49	54.21	9.15	55.04	9.18	57.04	9.27	
	21	40.7	5.63	47.54	7.01	52.36	8.39	52.79	9.09	53.71	9.81	54.52	9.84	56.5	9.94	
	23	40.7	6.03	47.54	7.51	51.88	8.98	52.3	9.75	53.21	10.51	54	10.53	55.98	10.64	
	25	40.7	6.44	47.54	8.03	51.38	9.62	51.8	10.43	52.71	11.24	53.5	11.28	55.45	11.39	
	27	40.7	6.89	47.54	8.58	50.89	10.28	51.3	11.15	52.21	12.02	52.98	12.05	54.39	12.18	
	29	40.7	7.36	47.16	9.17	50.41	10.98	50.82	11.91	51.71	12.84	52.46	12.87	54.39	12.99	
	31	40.7	7.85	47.02	9.77	49.93	11.70	50.32	12.69	51.21	13.69	51.95	13.73	53.86	13.86	
	33	40.7	8.36	47.02	10.42	49.45	12.47	49.84	13.52	50.7	14.58	51.43	14.62	53.34	14.76	
	35	40.7	8.88	46.55	11.08	48.48	13.26	49.34	14.38	50.2	15.51	50.82	15.55	52.8	15.71	
	37	40.7	9.45	46.55	11.78	47.86	14.10	48.84	15.30	49.2	16.49	50.32	16.55	51.75	16.70	
	39	40.7	9.49	45.89	11.83	47.5	14.16	48.36	15.37	48.7	16.57	49.84	16.62	51.23	16.77	
	41	40.7	9.54	44.89	11.89	46.88	14.23	47.86	15.44	48.2	16.64	49.34	16.69	50.7	16.86	
	43	40.95	9.59	43.91	11.94	46.05	14.30	46.88	15.51	47.7	16.72	48.86	16.77	50.16	16.93	
	46	39.46	9.63	42.43	11.99	44.41	14.36	45.39	15.57	46.38	16.79	47.36	16.85	48.84	17.00	
	48	38.48	9.67	40.95	12.05	42.93	14.43	43.91	15.66	44.89	16.88	45.89	16.92	47.36	17.09	
	50	37.5	9.72	39.46	12.10	41.45	14.50	42.43	15.73	43.41	16.95	44.41	17.00	45.89	17.17	
120%	10	38.21	4.75	45.52	5.92	52.5	7.09	54.36	7.69	56.3	8.29	57.07	8.31	58.88	8.41	
	12	38.21	4.85	45.52	6.04	52.5	7.23	54.36	7.84	55.8	8.45	56.55	8.47	58.36	8.55	
	14	38.21	4.93	45.52	6.14	52.5	7.35	54.36	7.97	55.3	8.60	56.05	8.64	57.84	8.71	
	16	38.21	5.02	45.52	6.25	52.5	7.49	54.36	8.12	54.82	8.75	55.55	8.78	57.3	8.86	
	18	38.21	5.10	45.52	6.37	52.5	7.62	53.88	8.26	54.32	8.90	55.05	8.94	56.79	9.02	
	19	38.21	5.19	45.52	6.47	51.93	7.74	53.39	8.41	53.82	9.06	54.54	9.08	56.27	9.18	
	21	38.21	5.57	45.52	6.94	51.45	8.30	52.41	9.01	52.84	9.71	54.04	9.75	55.75	9.84	
	23	38.21	5.96	45.52	7.43	50.48	8.89	51.93	9.65	52.34	10.41	53.54	10.44	55.23	10.53	
	25	38.21	6.39	45.52	7.96	49.98	9.53	50.96	10.32	51.86	11.13	53.02	11.17	54.71	11.28	
	27	38.21	6.82	45.52	8.50	49.02	10.19	50.48	11.04	51.36	11.90	52.52	11.94	54.18	12.05	
	29	38.21	7.29	45.52	9.08	48.54	10.87	49.98	11.78	50.86	12.70	52.02	12.76	53.66	12.87	
	31	38.21	7.77	45.52	9.68	48.05	11.60	49.5	12.57	50.38	13.55	51.52	13.59	53.14	13.73	
	33	38.21	8.28	45.52	10.31	47.57	12.34	49.02	13.40	49.88	14.43	51	14.49	52.63	14.62	
	35	38.21	8.80	45.14	10.98	47.07	13.14	48.54	14.25	49.39	15.36	50.5	15.41	52.11	15.55	
	37	38.21	9.36	44.66	11.67	46.59	13.98	47.57	15.15	48.39	16.33	49.98	16.39	51.05	16.55	
	39	38.21	9.41	44.16	11.72	46.11	14.03	47.07	15.21	47.91	16.41	49.5	16.45	50.54	16.62	
	41	38.21	9.44	43.23	11.76	45.63	14.10	46.59	15.29	47.41	16.47	49.02	16.54	50.02	16.69	
	43	38.21	9.49	42.79	11.82	45.14	14.16	46.11	15.36	47.07	16.56	48.54	16.61	49.5	16.77	
	46	37.38	9.54	41.73	11.88	43.68	14.23	44.66	15.44	45.63	16.64	47.07	16.68	48.05	16.85	
	48	36.39	9.58	40.77	11.94	42.23	14.30	43.2	15.50	44.16	16.71	45.63	16.76	46.59	16.92	
	50	35.43	9.63	39.8	11.99	40.77	14.35	41.73	15.57	42.71	16.78	44.16	16.84	45.14	17.00	
110%	10	34.96	4.71	41.41	5.86	46.89	7.02	51.07	7.62	54.88	8.21	56.13	8.24	57.89	8.31	
	12	34.96	4.79	41.41	5.97	46.89	7.15	51.07	7.76	54.39	8.37	55.63	8.40	57.39	8.47	
	14	34.96	4.88	41.41	6.08	46.89	7.29	51.07	7.90	53.91	8.52	55.13	8.54	56.88	8.64	
	16	34.96	4.97	41.41	6.19	46.89	7.41	51.07	8.05	53.43	8.67	54.63	8.70	56.36	8.78	
	18	34.96	5.06	41.41	6.30	46.89	7.54	51.07	8.19	52.95	8.82	54.14	8.85	55.86	8.94	
	19	34.96	5.15	41.41	6.41	46.89	7.67	51.07	8.32	52.45	8.98	53.64	9.00	55.34	9.08	
	21	34.96	5.52	41.41	6.86	46.89	8.22	51.07	8.93	51.96	9.62	53.14	9.65	54.82	9.74	
	23	34.96	5.91	41.41	7.36	46.89	8.81	50.59	9.56	51.48	10.31	52.64	10.33	54.32	10.44	
	25	34.96	6.32	41.41	7.87	46.89	9.42	50.13	10.23	51	11.03	52.14	11.06	53.8	11.17	
	27	34.96	6.75	41.41	8.42	46.89	10.08	49.64	10.93	50.52	11.78	51.64	11.82	53.29	11.94	
	29	34.96	7.22	41.41	8.99	46.89	10.76	49.16	11.67	50.02	12.58	51.16	12.63	52.79	12.75	
	31	34.96	7.69	41.41	9.59	46.89	11.48	48.68	12.45	49.54	13.43	50.66	13.46	52.27	13.59	
	33	34.96	8.19	41.41	10.21	46.3	12.23	48.21	13.26	49.05	14.30	50.16	14.34	51.75	14.47	
	35	34.96	8.72	41.41	10.87	45.82	13.00	47.73	14.10	48.57	15.21	49.66	15.25	51.23	15.41	
	37	34.96	9.28	41.41	11.56	45.34	13.83	46.79	15.00	47.59	16.18	48.68	16.22	50.21	16.38	
	39	34.96	9.31	41.41	11.61	44.88	13.90	46.3	15.08	47.11	16.25	48.18	16.30	49.7	16.45	
	41	34.96	9.36	41.41	11.65	44.39	13.96	45.82	15.14	46.63	16.33	47.68	16.37	49.2	16.54	
	43	34.96	9.40	41.41	11.71	43.91	14.02	45.34	15.21	46.14	16.40	47.18	16.44	48.68	16.61	
	46	33.89	9.44	40.57	11.76	42.48	14.09	43.91	15.28	44.88	16.47	45.82	16.53	46.79	16.68	
	48	32.93	9.48	39.63	11.82	41.05	14.15	42.48	15.34	43.43	16.56	44.39	16.60	45.34	16.76	
	50	31.98	9.53	38.66	11.87	39.63	14.22	41.05	15.43	42	16.63	42.96	16.67	43.91	16.84	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V450W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	31.16	4.40	36.79	5.48	42.41	6.55	45	7.11	49	7.66	52.45	7.69	54.54	7.77
	12	31.16	4.47	36.79	5.58	42.41	6.68	45	7.25	49	7.81	52.45	7.84	54.05	7.91
	14	31.16	4.56	36.79	5.67	42.41	6.80	45	7.37	49	7.95	51.96	7.97	53.57	8.06
	16	31.16	4.64	36.79	5.78	42.41	6.93	45	7.51	49	8.09	51.5	8.12	53.09	8.19
	18	31.16	4.72	36.79	5.88	42.41	7.04	45	7.63	49	8.23	51.04	8.26	52.61	8.34
	19	31.16	4.80	36.79	5.97	42.41	7.17	45	7.77	49	8.38	50.57	8.41	52.13	8.48
	21	31.16	5.15	36.79	6.41	42.41	7.68	45	8.32	49	8.98	50.11	9.01	51.63	9.09
	23	31.16	5.52	36.79	6.86	42.41	8.22	45	8.93	49	9.62	49.63	9.64	51.14	9.74
	25	31.16	5.90	36.79	7.35	42.41	8.80	45	9.55	49	10.29	49.16	10.32	50.66	10.43
	27	31.16	6.31	36.79	7.86	42.41	9.41	45	10.20	48.54	11.00	48.7	11.04	50.18	11.14
	29	31.16	6.74	36.79	8.40	42.41	10.05	45	10.89	48.07	11.75	48.23	11.78	49.7	11.90
	31	31.16	7.19	36.79	8.96	42.41	10.72	45	11.63	47.63	12.53	47.77	12.56	49.21	12.68
	33	31.16	7.64	36.79	9.53	42.41	11.42	45	12.38	47.16	13.35	47.29	13.39	48.73	13.52
	35	31.16	8.14	36.79	10.14	42.41	12.15	45	13.16	46.48	14.20	46.82	14.24	48.25	14.38
	37	31.16	8.66	36.79	10.78	42.41	12.91	45	13.70	45.79	15.11	46.36	15.15	47.29	15.29
	39	31.16	8.70	36.79	10.83	42.41	12.97	45	14.09	45.45	15.17	45.89	15.21	46.8	15.36
	41	31.16	8.74	36.79	10.87	41.86	13.03	44.55	14.49	45	15.23	45.45	15.28	46.32	15.43
	43	31.16	8.77	36.79	10.93	41.39	13.10	44.11	15.01	44.55	15.30	45	15.34	45.84	15.50
	46	31.16	8.81	36.05	10.98	40.05	13.15	43.64	15.56	44.11	15.38	44.55	15.43	45.45	15.57
	48	31.16	8.86	35.68	11.03	38.7	13.21	42.3	15.67	43.64	15.44	43.2	15.49	44.11	15.64
	50	30.61	8.89	35.32	11.09	37.36	13.27	40.95	16.07	42.3	15.52	41.86	15.56	42.75	15.72
90%	10	28.05	3.80	33.11	4.74	38.18	5.66	40.5	6.15	42.82	6.64	48.55	6.65	49.55	6.71
	12	28.05	3.86	33.11	4.82	38.18	5.77	40.5	6.26	42.82	6.74	48.55	6.77	49.55	6.84
	14	28.05	3.94	33.11	4.91	38.18	5.87	40.5	6.38	42.82	6.86	48.55	6.90	49.55	6.97
	16	28.05	4.01	33.11	4.99	38.18	5.98	40.5	6.49	42.82	6.99	48.55	7.02	49.55	7.08
	18	28.05	4.08	33.11	5.08	38.18	6.09	40.5	6.61	42.82	7.11	48.55	7.14	49	7.21
	19	28.05	4.15	33.11	5.18	38.18	6.19	40.5	6.72	42.82	7.24	48.2	7.27	48.61	7.33
	21	28.05	4.45	33.11	5.54	38.18	6.64	40.5	7.20	42.82	7.76	47.79	7.79	48.2	7.86
	23	28.05	4.76	33.11	5.94	38.18	7.11	40.5	7.71	42.82	8.31	47.39	8.34	47.79	8.42
	25	28.05	5.09	33.11	6.36	38.18	7.61	40.5	8.25	42.82	8.89	46.98	8.93	47.39	9.01
	27	28.05	5.46	33.11	6.79	38.18	8.14	40.5	8.82	42.82	9.52	46.57	9.54	46.98	9.64
	29	28.05	5.83	33.11	7.26	38.18	8.69	40.5	9.42	42.82	10.16	46.18	10.19	46.57	10.29
	31	28.05	6.20	33.11	7.74	38.18	9.27	40.5	10.04	42.82	10.83	45.77	10.87	46.18	10.98
	33	28.05	6.62	33.11	8.24	38.18	9.87	40.5	10.71	42.82	11.53	45.36	11.57	45.77	11.68
	35	28.05	7.04	33.11	8.76	38.18	10.50	40.5	11.39	42.82	12.27	44.95	12.31	45.36	12.42
	37	28.05	7.49	33.11	9.32	38.18	11.16	40.5	12.10	42.82	13.06	44.55	13.10	44.95	13.21
	39	28.05	7.52	33.11	9.36	38.18	11.20	40.5	12.17	42.52	13.11	44.14	13.15	44.55	13.27
	41	28.05	7.55	33.11	9.41	38.18	11.27	40.5	12.21	42.13	13.17	43.73	13.21	44.14	13.34
	43	28.05	7.59	33.11	9.44	38.18	11.32	40.09	12.27	41.71	13.22	43.34	13.27	43.73	13.40
	46	28.05	7.62	33.11	9.49	36.86	11.37	38.88	12.32	40.5	13.29	42.13	13.33	42.52	13.46
	48	28.05	7.65	33.11	9.54	35.64	11.42	37.66	12.38	39.29	13.35	40.91	13.40	41.3	13.52
	50	28.05	7.69	32.39	9.58	34.43	11.47	36.45	12.44	38.07	13.42	39.7	13.45	40.09	13.58
80%	10	24.93	3.25	29.43	4.05	33.93	4.85	36	5.25	38.07	5.66	38.89	5.67	39.73	5.74
	12	24.93	3.30	29.43	4.12	33.93	4.94	36	5.35	38.07	5.77	38.89	5.78	39.73	5.84
	14	24.93	3.37	29.43	4.19	33.93	5.02	36	5.45	38.07	5.87	38.89	5.89	39.73	5.95
	16	24.93	3.43	29.43	4.28	33.93	5.10	36	5.54	38.07	5.97	38.89	5.99	39.73	6.06
	18	24.93	3.49	29.43	4.34	33.93	5.20	36	5.63	38.07	6.08	38.89	6.10	39.73	6.16
	19	24.93	3.54	29.43	4.41	33.93	5.29	36	5.74	38.07	6.18	38.89	6.20	39.73	6.26
	21	24.93	3.80	29.43	4.74	33.93	5.67	36	6.15	38.07	6.64	38.89	6.65	39.73	6.72
	23	24.93	4.07	29.43	5.07	33.93	6.08	36	6.59	38.07	7.10	38.89	7.12	39.73	7.19
	25	24.93	4.36	29.43	5.43	33.93	6.50	36	7.05	38.07	7.60	38.89	7.63	39.73	7.69
	27	24.93	4.66	29.43	5.81	33.93	6.95	36	7.53	38.07	8.13	38.89	8.15	39.73	8.23
	29	24.93	4.97	29.43	6.19	33.93	7.41	36	8.05	38.07	8.68	38.89	8.70	39.73	8.78
	31	24.93	5.30	29.43	6.61	33.93	7.91	36	8.58	38.07	9.25	38.89	9.28	39.73	9.37
	33	24.93	5.64	29.43	7.04	33.93	8.43	36	9.14	38.07	9.86	38.89	9.88	39.73	9.97
	35	24.93	6.01	29.43	7.49	33.93	8.97	36	9.72	38.07	10.49	38.89	10.52	39.73	10.62
	37	24.93	6.40	29.43	7.97	33.93	9.54	36	10.34	38.07	11.15	38.89	11.18	39.23	11.30
	39	24.93	6.42	29.43	7.99	33.93	9.58	36	10.39	38.07	11.20	38.52	11.23	38.88	11.34
	41	24.93	6.45	29.43	8.03	33.93	9.62	36	10.43	37.8	11.24	38.16	11.29	38.52	11.39
	43	24.93	6.48	29.43	8.08	33.93	9.66	36	10.49	37.45	11.31	37.8	11.33	38.16	11.44
	46	24.93	6.51	29.52	8.11	33.84	9.71	34.93	10.53	36.36	11.35	36.71	11.39	36.36	11.50
	48	24.93	6.53	29.52	8.15	32.77	9.75	33.84	10.58	35.29	11.41	35.64	11.44	35.29	11.54
	50	24.93	6.56	29.52	8.19	31.68	9.79	32.77	10.63	34.2	11.45	34.55	11.49	34.2	11.61

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V450W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	21.82	2.73	25.75	3.40	29.7	4.07	31.5	4.42	33.3	4.76	34.04	4.78	34.77	4.84	
	12	21.82	2.79	25.75	3.47	29.7	4.15	31.5	4.50	33.3	4.85	34.04	4.87	34.77	4.92	
	14	21.82	2.84	25.75	3.53	29.7	4.22	31.5	4.59	33.3	4.95	34.04	4.96	34.77	5.00	
	16	21.82	2.88	25.75	3.59	29.7	4.30	31.5	4.67	33.3	5.03	34.04	5.05	34.77	5.09	
	18	21.82	2.94	25.75	3.65	29.7	4.38	31.5	4.74	33.3	5.11	34.04	5.14	34.77	5.19	
	19	21.82	2.98	25.75	3.73	29.7	4.45	31.5	4.84	33.3	5.21	34.04	5.22	34.77	5.28	
	21	21.82	3.20	25.75	3.99	29.7	4.77	31.5	5.19	33.3	5.58	34.04	5.60	34.77	5.65	
	23	21.82	3.43	25.75	4.28	29.7	5.11	31.5	5.55	33.3	5.97	34.04	5.99	34.77	6.06	
	25	21.82	3.67	25.75	4.58	29.7	5.48	31.5	5.94	33.3	6.41	34.04	6.42	34.77	6.48	
	27	21.82	3.92	25.75	4.89	29.7	5.85	31.5	6.35	33.3	6.84	34.04	6.85	34.77	6.93	
	29	21.82	4.18	25.75	5.22	29.7	6.24	31.5	6.77	33.3	7.30	34.04	7.32	34.77	7.40	
	31	21.82	4.46	25.75	5.56	29.7	6.66	31.5	7.23	33.3	7.79	34.04	7.82	34.77	7.89	
	33	21.82	4.75	25.75	5.93	29.7	7.09	31.5	7.70	33.3	8.30	34.04	8.32	34.77	8.41	
	35	21.82	5.06	25.75	6.31	29.7	7.55	31.5	8.19	33.3	8.83	34.04	8.86	34.77	8.95	
	37	21.82	5.38	25.75	6.71	29.7	8.03	31.5	8.71	33.3	9.39	34.04	9.42	34.77	9.52	
	39	21.82	5.40	25.75	6.74	29.7	8.07	31.5	8.75	33.3	9.42	34.04	9.45	34.77	9.55	
	41	21.82	5.43	25.75	6.76	29.7	8.10	31.5	8.78	33.3	9.47	34.04	9.51	34.77	9.60	
	43	21.82	5.46	25.75	6.79	29.7	8.14	31.5	8.83	33.3	9.52	34.04	9.55	34.77	9.64	
	46	21.82	5.49	25.75	6.83	29.7	8.18	31.5	8.86	32.77	9.56	33.39	9.59	34.02	9.68	
	48	21.82	5.51	25.75	6.85	29.7	8.21	30.88	8.90	32.13	9.61	32.77	9.64	33.39	9.73	
	50	21.82	5.53	25.75	6.89	28.98	8.25	30.23	8.96	31.5	9.64	32.13	9.68	32.77	9.76	
60%	10	18.7	2.27	22.07	2.82	25.45	3.38	27	3.65	28.55	3.94	29.18	3.96	29.79	4.00	
	12	18.7	2.30	22.07	2.87	25.45	3.44	27	3.73	28.55	4.02	29.18	4.03	29.79	4.07	
	14	18.7	2.35	22.07	2.92	25.45	3.50	27	3.80	28.55	4.09	29.18	4.10	29.79	4.14	
	16	18.7	2.39	22.07	2.97	25.45	3.56	27	3.86	28.55	4.17	29.18	4.18	29.79	4.21	
	18	18.7	2.42	22.07	3.03	25.45	3.62	27	3.93	28.55	4.23	29.18	4.26	29.79	4.29	
	19	18.7	2.47	22.07	3.08	25.45	3.69	27	4.00	28.55	4.31	29.18	4.32	29.79	4.37	
	21	18.7	2.65	22.07	3.29	25.45	3.96	27	4.29	28.55	4.63	29.18	4.63	29.79	4.68	
	23	18.7	2.85	22.07	3.53	25.45	4.23	27	4.60	28.55	4.96	29.18	4.96	29.79	5.01	
	25	18.7	3.04	22.07	3.78	25.45	4.52	27	4.92	28.55	5.29	29.18	5.31	29.79	5.36	
	27	18.7	3.25	22.07	4.05	25.45	4.85	27	5.25	28.55	5.66	29.18	5.68	29.79	5.74	
	29	18.7	3.47	22.07	4.32	25.45	5.18	27	5.61	28.55	6.05	29.18	6.07	29.79	6.12	
	31	18.7	3.70	22.07	4.61	25.45	5.52	27	5.97	28.55	6.45	29.18	6.47	29.79	6.52	
	33	18.7	3.94	22.07	4.91	25.45	5.87	27	6.38	28.55	6.86	29.18	6.89	29.79	6.96	
	35	18.7	4.18	22.07	5.22	25.45	6.25	27	6.77	28.55	7.30	29.18	7.33	29.79	7.40	
	37	18.7	4.45	22.07	5.55	25.45	6.65	27	7.21	28.55	7.77	29.18	7.80	29.79	7.87	
	39	18.7	4.47	22.07	5.57	25.45	6.68	27	7.24	28.55	7.81	29.18	7.83	29.79	7.90	
	41	18.7	4.49	22.07	5.60	25.45	6.71	27	7.28	28.55	7.85	29.18	7.86	29.79	7.94	
	43	18.7	4.51	22.07	5.63	25.45	6.74	27	7.30	28.55	7.87	29.18	7.90	29.79	7.97	
	46	18.7	4.54	22.07	5.65	25.45	6.76	27	7.34	28.55	7.91	29.18	7.94	29.79	8.01	
	48	18.7	4.56	22.07	5.67	25.45	6.80	27	7.37	28.07	7.95	28.63	7.97	29.16	8.06	
	50	18.7	4.58	22.07	5.71	25.45	6.83	26.46	7.41	27.54	7.98	28.07	8.01	28.63	8.09	
50%	10	15.59	1.83	18.39	2.29	21.21	2.73	22.5	2.96	23.79	3.19	24.3	3.20	24.82	3.24	
	12	15.59	1.86	18.39	2.32	21.21	2.79	22.5	3.02	23.79	3.26	24.3	3.27	24.82	3.29	
	14	15.59	1.91	18.39	2.37	21.21	2.84	22.5	3.08	23.79	3.31	24.3	3.32	24.82	3.35	
	16	15.59	1.94	18.39	2.40	21.21	2.89	22.5	3.13	23.79	3.38	24.3	3.39	24.82	3.42	
	18	15.59	1.97	18.39	2.45	21.21	2.94	22.5	3.18	23.79	3.43	24.3	3.45	24.82	3.48	
	19	15.59	2.00	18.39	2.50	21.21	2.98	22.5	3.24	23.79	3.50	24.3	3.51	24.82	3.53	
	21	15.59	2.15	18.39	2.67	21.21	3.20	22.5	3.48	23.79	3.74	24.3	3.75	24.82	3.79	
	23	15.59	2.30	18.39	2.86	21.21	3.43	22.5	3.73	23.79	4.01	24.3	4.03	24.82	4.07	
	25	15.59	2.46	18.39	3.06	21.21	3.67	22.5	3.98	23.79	4.29	24.3	4.30	24.82	4.35	
	27	15.59	2.63	18.39	3.28	21.21	3.92	22.5	4.26	23.79	4.59	24.3	4.61	24.82	4.64	
	29	15.59	2.81	18.39	3.50	21.21	4.18	22.5	4.55	23.79	4.90	24.3	4.92	24.82	4.96	
	31	15.59	2.99	18.39	3.74	21.21	4.47	22.5	4.85	23.79	5.22	24.3	5.24	24.82	5.29	
	33	15.59	3.19	18.39	3.98	21.21	4.75	22.5	5.17	23.79	5.56	24.3	5.58	24.82	5.63	
	35	15.59	3.40	18.39	4.22	21.21	5.06	22.5	5.50	23.79	5.92	24.3	5.94	24.82	5.99	
	37	15.59	3.61	18.39	4.50	21.21	5.38	22.5	5.84	23.79	6.30	24.3	6.32	24.82	6.38	
	39	15.59	3.62	18.39	4.51	21.21	5.40	22.5	5.86	23.79	6.32	24.3	6.34	24.82	6.41	
	41	15.59	3.63	18.39	4.54	21.21	5.43	22.5	5.89	23.79	6.35	24.3	6.38	24.82	6.43	
	43	15.59	3.65	18.39	4.56	21.21	5.46	22.5	5.92	23.79	6.39	24.3	6.41	24.82	6.46	
	46	15.59	3.68	18.39	4.58	21.21	5.49	22.5	5.95	23.79	6.41	24.3	6.43	24.82	6.49	
	48	15.59	3.70	18.39	4.61	21.21	5.51	22.5	5.97	23.86	6.44	24.07	6.46	24.52	6.52	
	50	15.59	3.72	18.39	4.63	21.21	5.53	22.5	6.01	23.63	6.47	23.86	6.49	24.3	6.55	

18HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V500W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	41.80	6.51	49.11	8.33	58.38	9.14	62.49	8.57	63.59	9.67	64.46	9.76	66.43	9.86
	12	41.80	6.69	49.11	8.56	58.38	9.40	61.95	8.73	63.03	9.94	63.89	10.04	65.84	10.14
	14	41.80	6.89	49.11	8.81	58.38	9.67	61.40	8.89	62.47	10.23	62.74	10.33	65.25	10.43
	16	41.80	7.12	49.11	9.11	57.87	10.00	60.30	9.05	61.36	10.58	62.17	10.69	64.66	10.79
	18	41.80	7.30	49.11	9.33	56.83	10.25	59.75	9.21	60.80	10.84	61.60	10.94	64.08	11.05
	19	41.80	7.68	49.11	9.83	56.32	10.79	59.21	9.36	60.24	11.41	61.03	11.53	63.49	11.64
	21	41.80	7.94	49.11	10.16	55.80	11.16	58.66	10.04	59.68	11.80	60.46	11.92	62.90	12.03
	23	41.80	8.32	49.11	10.65	55.28	11.69	58.11	10.75	59.13	12.36	59.89	12.48	62.31	12.60
	25	41.80	8.60	49.11	11.01	54.77	12.08	57.56	11.51	58.57	12.78	59.32	12.90	61.73	13.03
	27	41.80	9.04	49.11	11.57	54.25	12.70	57.01	12.30	58.01	13.43	58.75	13.57	61.14	13.70
	29	41.80	9.37	48.73	11.99	53.73	13.16	56.46	13.13	57.45	13.92	58.18	14.05	60.55	14.19
	31	41.80	9.85	48.59	12.61	53.22	13.84	55.92	14.01	56.89	14.64	57.61	14.78	59.96	14.93
	33	41.80	10.25	48.59	13.12	52.70	14.40	55.37	14.92	56.34	15.23	57.04	15.38	59.37	15.53
	35	41.80	10.79	48.10	13.81	51.67	15.16	54.82	15.87	55.78	16.03	57.04	16.19	58.79	16.35
	37	41.80	11.37	48.10	14.55	51.67	15.97	53.72	16.56	54.66	16.65	55.33	16.73	56.43	16.82
	39	41.80	11.97	48.10	15.31	51.15	16.81	53.34	17.14	54.11	17.23	54.76	17.45	55.26	17.57
	41	41.80	12.57	47.62	16.09	50.63	17.66	53.18	17.84	53.55	17.96	54.19	18.13	54.67	18.28
	43	41.38	13.17	47.14	16.85	50.12	18.49	52.63	18.73	52.99	18.92	53.62	19.07	54.38	19.16
	46	41.38	13.87	47.14	17.75	50.12	19.48	51.57	19.55	51.93	19.65	52.01	19.71	52.20	19.71
	48	41.38	14.60	46.67	18.68	49.62	20.51	51.21	20.23	51.40	20.34	51.47	20.56	51.11	20.60
120%	50	41.38	15.34	46.20	19.63	49.12	21.54	51.05	21.05	50.87	21.19	50.94	21.36	50.57	21.42
	10	39.50	6.16	45.70	7.58	55.40	9.05	60.40	8.49	62.55	9.57	63.41	9.67	65.35	9.76
	12	39.50	6.34	45.70	7.80	55.40	9.31	60.40	8.65	62.00	9.84	62.84	9.94	64.77	10.04
	14	39.50	6.52	45.70	8.02	55.40	9.58	60.40	8.80	61.46	10.13	62.28	10.23	64.19	10.33
	16	39.50	6.74	45.70	8.30	55.40	9.91	60.40	8.96	60.91	10.48	61.72	10.58	63.61	10.69
	18	39.50	6.91	45.70	8.50	55.40	10.15	60.40	9.12	60.36	10.73	61.16	10.84	63.03	10.95
	19	39.50	7.28	45.70	8.95	55.40	10.69	59.86	9.27	59.81	11.30	60.60	11.42	62.46	11.53
	21	39.50	7.52	45.70	9.26	55.40	11.05	59.32	9.94	58.71	11.69	60.04	11.80	61.88	11.92
	23	39.50	7.88	45.70	9.70	54.38	11.57	58.78	10.65	58.16	12.24	59.48	12.36	61.30	12.48
	25	39.50	8.14	45.70	10.02	53.88	11.97	58.24	11.40	57.61	12.65	58.92	12.78	60.72	12.90
	27	39.50	8.56	45.70	10.54	53.37	12.58	57.70	12.18	57.07	13.31	58.36	13.44	60.14	13.57
	29	39.50	8.87	45.70	10.92	52.86	13.03	56.62	13.01	56.52	13.78	57.79	13.92	59.56	14.05
	31	39.50	9.33	45.70	11.48	51.84	13.71	55.01	13.87	55.97	14.50	57.23	14.64	58.99	14.78
	33	39.50	9.71	45.70	11.95	51.33	14.26	54.47	14.78	55.42	15.08	56.67	15.23	58.41	15.38
	35	39.50	10.22	45.70	12.58	50.83	15.01	53.93	15.72	54.87	15.88	56.11	16.03	57.83	16.19
	37	39.50	10.77	45.70	13.25	50.32	15.82	52.85	16.41	53.77	16.49	54.43	16.57	55.52	16.65
	39	39.50	11.33	45.70	13.95	49.81	16.65	52.47	16.98	53.23	17.07	53.87	17.29	54.36	17.41
	41	39.50	11.90	43.42	14.65	49.30	17.49	52.31	17.67	52.68	17.78	53.31	17.96	53.78	18.10
	43	39.50	12.47	42.96	15.34	48.79	18.32	51.77	18.55	52.13	18.74	52.74	18.89	53.49	18.98
	46	39.50	13.13	42.96	16.17	48.31	19.30	50.73	19.36	51.09	19.46	51.16	19.52	51.35	19.52
	48	39.50	13.82	42.96	17.02	47.82	20.31	50.37	20.03	50.56	20.14	50.64	20.36	50.28	20.40
110%	50	39.50	14.52	40.81	17.87	47.33	21.34	50.22	20.85	50.04	20.98	50.11	21.16	49.75	21.22
	10	36.73	6.01	43.36	7.40	49.99	8.83	56.75	9.25	60.98	9.34	62.36	9.43	64.27	9.52
	12	36.73	6.18	43.36	7.61	49.99	9.08	56.75	9.51	60.44	9.60	61.80	9.70	63.70	9.79
	14	36.73	6.36	43.36	7.83	49.99	9.34	56.75	9.78	59.90	9.88	61.25	9.98	63.13	10.08
	16	36.73	6.58	43.36	8.10	49.99	9.67	56.75	10.12	59.36	10.22	60.70	10.32	62.56	10.42
	18	36.73	6.74	43.36	8.29	49.99	9.90	56.75	10.37	58.82	10.47	60.15	10.57	61.99	10.68
	19	36.73	7.10	43.36	8.73	49.99	10.43	56.75	10.92	58.28	11.03	59.60	11.14	61.42	11.25
	21	36.73	7.34	43.36	9.03	49.99	10.78	56.75	11.29	57.74	11.40	59.05	11.51	60.85	11.63
	23	36.73	7.69	43.36	9.46	49.99	11.29	56.22	11.82	57.20	11.94	58.49	12.06	60.28	12.18
	25	36.73	7.94	43.36	9.78	49.99	11.67	55.69	12.22	56.66	12.34	57.94	12.47	59.72	12.59
	27	36.73	8.35	43.36	10.28	49.99	12.27	55.16	12.85	56.12	12.98	57.39	13.11	59.15	13.24
	29	36.73	8.65	43.36	10.65	49.99	12.71	54.63	13.31	55.58	13.44	56.84	13.58	58.58	13.71
	31	36.73	9.10	43.36	11.20	49.99	13.37	54.10	14.00	55.04	14.14	56.29	14.28	58.01	14.42
	33	36.73	9.47	43.36	11.65	49.99	13.91	53.57	14.57	54.50	14.71	55.73	14.86	57.44	15.01
	35	36.73	9.97	43.36	12.27	49.99	14.64	53.04	15.33	53.96	15.49	55.18	15.64	56.87	15.80
	37	36.73	10.50	43.36	12.93	49.99	15.43	51.97	16.00	52.88	16.09	53.53	16.17	54.60	16.25
	39	36.73	11.05	43.36	13.61	48.49	16.24	51.60	16.56	52.34	16.65	52.98	16.86	53.46	16.98
	41	36.73	11.61	43.36	14.29	47.99	17.06	51.44	17.24	51.80	17.35	52.42	17.52	52.89	17.66
	43	36.73	12.16	43.36	14.97	47.49	17.87	50.91	18.10	51.26	18.28	51.87	18.43	52.61	18.51
	46	36.73	12.81	43.36	15.77	47.49	18.82	49.90	18.88	50.24	18.98	50.32	19.04	50.50	19.04
	48	36.73	13.49	43.36	16.60	46.06	19.81	49.54	19.54	49.73	19.65	49.80	19.86	49.45	19.90
	50	36.73	14.17	43.36	17.44	45.59	20.81	49.39	20.34	49.21	20.47	49.28	20.64	48.92	20.70

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V500W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	34.63	4.99	40.88	6.31	47.13	7.93	50.00	8.76	54.44	8.85	58.27	8.94	60.59	9.02	
	12	34.63	5.13	40.88	6.49	47.13	8.15	50.00	9.01	54.44	9.10	58.27	9.19	60.05	9.28	
	14	34.63	5.28	40.88	6.67	47.13	8.39	50.00	9.27	54.44	9.36	57.75	9.46	59.52	9.55	
	16	34.63	5.47	40.88	6.90	47.13	8.68	50.00	9.59	54.44	9.69	57.23	9.78	58.98	9.88	
	18	34.63	5.60	40.88	7.07	47.13	8.89	50.00	9.82	54.44	9.92	56.71	10.02	58.44	10.12	
	19	34.63	5.90	40.88	7.45	47.13	9.36	50.00	10.35	54.44	10.45	56.19	10.55	57.91	10.66	
	21	34.63	6.10	40.88	7.70	47.13	9.68	50.00	10.69	54.44	10.80	55.67	10.91	57.37	11.01	
	23	34.63	6.39	40.88	8.07	47.13	10.14	50.00	11.20	54.44	11.31	55.15	11.43	56.83	11.54	
	25	34.63	6.60	40.88	8.34	47.13	10.48	50.00	11.58	53.93	11.70	54.63	11.81	56.30	11.93	
	27	34.63	6.94	40.88	8.77	47.13	11.02	50.00	12.18	53.42	12.30	54.11	12.42	55.76	12.54	
	29	34.63	7.19	40.88	9.08	47.13	11.41	50.00	12.61	52.91	12.74	53.59	12.86	55.23	12.99	
	31	34.63	7.56	40.88	9.55	47.13	12.01	50.00	13.27	52.40	13.40	53.07	13.53	54.69	13.66	
	33	34.63	7.87	40.88	9.94	47.13	12.49	50.00	13.80	51.38	13.94	52.55	14.08	54.15	14.22	
	35	34.63	8.28	40.88	10.46	47.13	13.15	50.00	14.53	50.88	14.68	52.03	14.82	53.62	14.97	
	37	34.63	8.73	40.88	11.02	47.13	13.85	49.00	15.16	49.86	15.24	50.46	15.32	51.47	15.39	
	39	34.63	9.18	40.88	11.60	47.13	14.58	48.65	15.69	49.35	15.78	49.94	15.98	50.40	16.09	
	41	34.63	9.65	40.88	12.19	47.13	15.32	48.50	16.33	48.84	16.44	49.42	16.60	49.86	16.73	
	43	34.63	10.10	40.88	12.76	47.13	16.04	48.00	17.15	48.33	17.32	48.90	17.46	49.60	17.54	
	46	34.63	10.65	40.88	13.45	47.13	16.90	47.04	17.89	47.36	17.99	47.44	18.05	47.61	18.04	
	48	34.63	11.21	40.88	14.15	47.13	17.79	46.70	18.52	46.88	18.62	46.95	18.82	46.62	18.86	
	50	34.63	11.77	40.88	14.87	47.13	18.69	46.56	19.27	46.40	19.39	46.46	19.55	46.12	19.61	
90%	10	31.16	4.41	36.79	5.44	42.41	6.68	45.00	7.36	48.04	8.02	53.95	8.53	55.06	8.75	
	12	31.16	4.54	36.79	5.60	42.41	6.87	45.00	7.56	48.04	8.24	53.95	8.77	55.06	9.00	
	14	31.16	4.67	36.79	5.76	42.41	7.07	45.00	7.78	48.04	8.48	53.95	9.03	55.06	9.26	
	16	31.16	4.83	36.79	5.96	42.41	7.31	45.00	8.05	48.04	8.78	53.95	9.34	55.06	9.58	
	18	31.16	4.95	36.79	6.10	42.41	7.49	45.00	8.25	48.04	8.99	53.95	9.57	54.54	9.81	
	19	31.16	5.21	36.79	6.43	42.41	7.89	45.00	8.68	48.04	9.47	53.95	10.07	54.03	10.34	
	21	31.16	5.39	36.79	6.64	42.41	8.15	45.00	8.98	48.04	9.79	53.95	10.41	53.52	10.68	
	23	31.16	5.64	36.79	6.96	42.41	8.54	45.00	9.40	48.04	10.25	53.95	10.91	53.00	11.19	
	25	31.16	5.83	36.79	7.19	42.41	8.83	45.00	9.72	48.04	10.60	53.45	11.28	52.49	11.57	
	27	31.16	6.13	36.79	7.56	42.41	9.28	45.00	10.22	48.04	11.14	52.94	11.86	52.49	12.16	
	29	31.16	6.35	36.79	7.83	42.41	9.61	45.00	10.59	48.04	11.54	52.44	12.28	52.49	12.60	
	31	31.16	6.68	36.79	8.24	42.41	10.11	45.00	11.14	48.04	12.14	51.94	12.92	51.97	13.25	
	33	31.16	6.95	36.79	8.58	42.41	10.52	45.00	11.59	48.04	12.63	50.93	13.44	51.97	13.79	
	35	31.16	7.32	36.79	9.03	42.41	11.08	45.00	12.20	48.04	13.30	50.42	14.15	51.46	14.52	
	37	31.16	7.71	36.79	9.51	42.41	11.67	45.00	12.85	48.04	14.01	49.41	14.91	50.43	15.29	
	39	31.16	8.12	36.79	10.01	42.41	12.28	45.00	13.53	48.04	14.74	48.91	15.69	49.91	16.10	
	41	31.16	8.53	36.79	10.52	42.41	12.90	45.00	14.21	48.04	15.49	48.41	16.48	49.40	16.91	
	43	31.16	8.93	36.79	11.01	42.41	13.51	45.00	14.88	48.04	16.22	48.41	17.26	49.40	17.71	
	46	31.16	9.41	36.79	11.60	42.41	14.24	45.00	15.68	48.04	17.09	47.44	18.19	48.41	18.66	
	48	31.16	9.90	36.79	12.21	42.41	14.99	45.00	16.50	48.04	17.99	46.95	19.14	47.92	19.64	
	50	31.16	10.40	36.79	12.83	42.41	15.74	45.00	17.34	48.04	18.90	46.47	20.11	47.42	20.63	
80%	10	27.70	3.92	32.70	4.40	37.70	5.52	40.00	6.03	42.70	6.64	45.62	7.77	49.34	8.29	
	12	27.70	4.03	32.70	4.53	37.70	5.67	40.00	6.20	42.70	6.82	45.62	7.99	49.34	8.53	
	14	27.70	4.15	32.70	4.66	37.70	5.84	40.00	6.38	42.70	7.02	45.62	8.22	49.34	8.78	
	16	27.70	4.29	32.70	4.82	37.70	6.04	40.00	6.60	42.70	7.26	45.62	8.50	49.34	9.08	
	18	27.70	4.40	32.70	4.94	37.70	6.19	40.00	6.76	42.70	7.44	45.62	8.71	49.34	9.30	
	19	27.70	4.63	32.70	5.20	37.70	6.52	40.00	7.12	42.70	7.83	45.62	9.17	49.34	9.79	
	21	27.70	4.79	32.70	5.37	37.70	6.74	40.00	7.36	42.70	8.10	45.62	9.48	49.34	10.12	
	23	27.70	5.01	32.70	5.63	37.70	7.06	40.00	7.71	42.70	8.48	45.62	9.93	49.34	10.60	
	25	27.70	5.18	32.70	5.82	37.70	7.29	40.00	7.97	42.70	8.77	45.62	10.27	49.34	10.96	
	27	27.70	5.45	32.70	6.12	37.70	7.67	40.00	8.38	42.70	9.22	45.62	10.80	49.34	11.53	
	29	27.70	5.64	32.70	6.34	37.70	7.94	40.00	8.68	42.70	9.55	45.62	11.18	49.34	11.94	
	31	27.70	5.94	32.70	6.67	37.70	8.36	40.00	9.13	42.70	10.05	45.62	11.76	49.34	12.56	
	33	27.70	6.18	32.70	6.94	37.70	8.70	40.00	9.50	42.70	10.45	45.62	12.24	49.34	13.07	
	35	27.70	6.50	32.70	7.30	37.70	9.15	40.00	10.00	42.70	11.00	45.62	12.88	49.34	13.75	
	37	27.70	6.85	32.70	7.69	37.70	9.64	40.00	10.54	42.70	11.59	44.71	13.57	48.35	14.49	
	39	27.70	7.21	32.70	8.10	37.70	10.15	40.00	11.09	42.70	12.20	44.25	14.29	47.86	15.25	
	41	27.70	7.57	32.70	8.51	37.70	10.66	40.00	11.65	42.70	12.82	43.80	15.01	47.37	16.02	
	43	27.70	7.93	32.70	8.91	37.70	11.17	40.00	12.20	42.70	13.42	43.80	15.72	47.37	16.78	
	46	27.70	8.36	32.70	9.39	37.70	11.77	40.00	12.86	42.70	14.14	42.92	16.56	46.42	17.68	
	48	27.70	8.80	32.70	9.88	37.70	12.38	40.00	13.53	42.70	14.89	42.48	17.43	45.95	18.61	
	50	27.70	9.24	32.70	10.38	37.70	13.01	40.00	14.22	42.70	15.64	42.04	18.31	45.47	19.55	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V500W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	24.24	3.52	28.61	4.19	32.99	5.11	35.00	5.59	37.36	6.03	39.92	6.81	43.17	7.37
	12	24.24	3.55	28.61	4.23	32.99	5.16	35.00	5.64	37.36	6.09	39.92	6.88	43.17	7.45
	14	24.24	3.54	28.61	4.22	32.99	5.15	35.00	5.63	37.36	6.08	39.92	6.86	43.17	7.43
	16	24.24	3.65	28.61	4.35	32.99	5.31	35.00	5.80	37.36	6.26	39.92	7.08	43.17	7.66
	18	24.24	3.68	28.61	4.39	32.99	5.35	35.00	5.85	37.36	6.32	39.92	7.13	43.17	7.72
	19	24.24	3.81	28.61	4.54	32.99	5.54	35.00	6.05	37.36	6.54	39.92	7.39	43.17	7.99
	21	24.24	3.88	28.61	4.62	32.99	5.64	35.00	6.17	37.36	6.66	39.92	7.52	43.17	8.14
	23	24.24	4.01	28.61	4.77	32.99	5.82	35.00	6.36	37.36	6.87	39.92	7.76	43.17	8.40
	25	24.24	4.09	28.61	4.87	32.99	5.94	35.00	6.49	37.36	7.01	39.92	7.92	43.17	8.57
	27	24.24	4.24	28.61	5.05	32.99	6.17	35.00	6.74	37.36	7.28	39.92	8.22	43.17	8.89
	29	24.24	4.40	28.61	5.23	32.99	6.38	35.00	6.98	37.36	7.53	39.92	8.51	43.17	9.21
	31	24.24	4.62	28.61	5.50	32.99	6.71	35.00	7.33	37.36	7.92	39.92	8.95	43.17	9.68
	33	24.24	4.81	28.61	5.72	32.99	6.98	35.00	7.63	37.36	8.24	39.92	9.31	43.17	10.07
	35	24.24	5.01	28.61	5.96	32.99	7.27	35.00	7.95	37.36	8.58	39.92	9.69	43.17	10.49
	37	24.24	5.27	28.61	6.28	32.99	7.66	35.00	8.37	37.36	9.04	39.12	10.21	42.31	11.05
	39	24.24	5.55	28.61	6.61	32.99	8.06	35.00	8.81	37.36	9.52	38.72	10.75	41.88	11.63
	41	24.24	5.83	28.61	6.94	32.99	8.47	35.00	9.26	37.36	10.00	38.32	11.29	41.45	12.22
	43	24.24	6.11	28.61	7.27	32.99	8.87	35.00	9.69	37.36	10.47	38.32	11.83	41.45	12.80
	46	24.24	6.43	28.61	7.66	32.99	9.35	35.00	10.21	37.36	11.03	37.55	12.46	40.62	13.48
	48	24.24	6.77	28.61	8.06	32.99	9.84	35.00	10.75	37.36	11.61	37.17	13.12	40.20	14.19
50	24.24	7.11	28.61	8.47	32.99	10.33	35.00	11.29	37.36	12.20	36.79	13.78	39.79	14.91	
60%	10	20.78	2.84	24.53	3.26	28.28	3.89	30.00	4.24	32.03	4.74	34.22	5.46	37.01	5.93
	12	20.78	2.87	24.53	3.29	28.28	3.93	30.00	4.28	32.03	4.79	34.22	5.52	37.01	5.99
	14	20.78	2.86	24.53	3.28	28.28	3.92	30.00	4.27	32.03	4.78	34.22	5.50	37.01	5.97
	16	20.78	2.95	24.53	3.39	28.28	4.04	30.00	4.40	32.03	4.93	34.22	5.67	37.01	6.16
	18	20.78	2.97	24.53	3.41	28.28	4.07	30.00	4.43	32.03	4.97	34.22	5.72	37.01	6.21
	19	20.78	3.08	24.53	3.54	28.28	4.21	30.00	4.59	32.03	5.14	34.22	5.92	37.01	6.43
	21	20.78	3.13	24.53	3.60	28.28	4.29	30.00	4.68	32.03	5.24	34.22	6.03	37.01	6.55
	23	20.78	3.23	24.53	3.72	28.28	4.43	30.00	4.83	32.03	5.41	34.22	6.23	37.01	6.76
	25	20.78	3.30	24.53	3.79	28.28	4.52	30.00	4.92	32.03	5.51	34.22	6.35	37.01	6.89
	27	20.78	3.42	24.53	3.93	28.28	4.69	30.00	5.11	32.03	5.72	34.22	6.59	37.01	7.15
	29	20.78	3.54	24.53	4.07	28.28	4.86	30.00	5.29	32.03	5.93	34.22	6.82	37.01	7.41
	31	20.78	3.73	24.53	4.28	28.28	5.11	30.00	5.56	32.03	6.23	34.22	7.17	37.01	7.79
	33	20.78	3.88	24.53	4.45	28.28	5.31	30.00	5.78	32.03	6.48	34.22	7.46	37.01	8.10
	35	20.78	4.04	24.53	4.64	28.28	5.53	30.00	6.03	32.03	6.75	34.22	7.77	37.01	8.44
	37	20.78	4.25	24.53	4.89	28.28	5.83	30.00	6.35	32.03	7.11	33.53	8.19	36.26	8.89
	39	20.78	4.48	24.53	5.15	28.28	6.13	30.00	6.68	32.03	7.48	33.19	8.62	35.89	9.36
	41	20.78	4.70	24.53	5.41	28.28	6.44	30.00	7.02	32.03	7.86	32.85	9.06	35.52	9.83
	43	20.78	4.93	24.53	5.66	28.28	6.75	30.00	7.35	32.03	8.23	32.85	9.48	35.52	10.29
	46	20.78	5.19	24.53	5.96	28.28	7.11	30.00	7.75	32.03	8.67	32.19	9.99	34.81	10.84
	48	20.78	5.46	24.53	6.28	28.28	7.48	30.00	8.15	32.03	9.13	31.86	10.52	34.46	11.41
50	20.78	5.74	24.53	6.59	28.28	7.86	30.00	8.56	32.03	9.59	31.53	11.05	34.10	11.99	
50%	10	17.31	2.24	20.44	2.48	23.56	2.75	25.00	2.98	26.69	3.46	28.51	3.91	30.84	4.38
	12	17.31	2.26	20.44	2.50	23.56	2.78	25.00	3.01	26.69	3.49	28.51	3.95	30.84	4.43
	14	17.31	2.25	20.44	2.49	23.56	2.77	25.00	3.00	26.69	3.48	28.51	3.94	30.84	4.42
	16	17.31	2.32	20.44	2.57	23.56	2.86	25.00	3.10	26.69	3.59	28.51	4.06	30.84	4.55
	18	17.31	2.34	20.44	2.59	23.56	2.88	25.00	3.12	26.69	3.62	28.51	4.09	30.84	4.59
	19	17.31	2.42	20.44	2.68	23.56	2.98	25.00	3.23	26.69	3.75	28.51	4.24	30.84	4.75
	21	17.31	2.47	20.44	2.73	23.56	3.04	25.00	3.29	26.69	3.82	28.51	4.31	30.84	4.84
	23	17.31	2.55	20.44	2.82	23.56	3.13	25.00	3.40	26.69	3.94	28.51	4.45	30.84	5.00
	25	17.31	2.60	20.44	2.88	23.56	3.20	25.00	3.47	26.69	4.02	28.51	4.54	30.84	5.10
	27	17.31	2.70	20.44	2.99	23.56	3.32	25.00	3.60	26.69	4.17	28.51	4.71	30.84	5.29
	29	17.31	2.79	20.44	3.09	23.56	3.43	25.00	3.73	26.69	4.32	28.51	4.88	30.84	5.48
	31	17.31	2.94	20.44	3.25	23.56	3.61	25.00	3.92	26.69	4.54	28.51	5.13	30.84	5.76
	33	17.31	3.05	20.44	3.38	23.56	3.76	25.00	4.07	26.69	4.72	28.51	5.34	30.84	5.99
	35	17.31	3.18	20.44	3.52	23.56	3.91	25.00	4.24	26.69	4.92	28.51	5.56	30.84	6.24
	37	17.31	3.35	20.44	3.71	23.56	4.12	25.00	4.47	26.69	5.19	27.94	5.86	30.22	6.57
	39	17.31	3.53	20.44	3.91	23.56	4.34	25.00	4.71	26.69	5.46	27.66	6.16	29.91	6.92
	41	17.31	3.71	20.44	4.10	23.56	4.56	25.00	4.94	26.69	5.73	27.37	6.48	29.60	7.27
	43	17.31	3.88	20.44	4.30	23.56	4.77	25.00	5.18	26.69	6.00	27.37	6.78	29.60	7.61
	46	17.31	4.09	20.44	4.53	23.56	5.03	25.00	5.45	26.69	6.33	26.82	7.14	29.01	8.02
	48	17.31	4.31	20.44	4.76	23.56	5.29	25.00	5.74	26.69	6.66	26.55	7.52	28.72	8.44
50	17.31	4.52	20.44	5.01	23.56	5.56	25.00	6.03	26.69	7.00	26.28	7.90	28.42	8.86	

20HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V560W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	46.82	7.77	55.01	9.94	65.39	10.91	69.99	10.23	71.22	11.54	72.19	11.65	74.40	11.76	
	12	46.82	7.99	55.01	10.22	65.39	11.22	69.38	10.42	70.59	11.86	71.55	11.98	73.74	12.10	
	14	46.82	8.22	55.01	10.51	65.39	11.54	68.77	10.61	69.97	12.21	70.27	12.33	73.08	12.45	
	16	46.82	8.50	55.01	10.88	64.81	11.94	67.54	10.80	68.72	12.63	69.63	12.75	72.42	12.88	
	18	46.82	8.71	55.01	11.14	63.65	12.23	66.92	10.99	68.10	12.93	69.00	13.06	71.77	13.19	
	19	46.82	9.17	55.01	11.73	63.08	12.88	66.31	11.18	67.47	13.62	68.36	13.76	71.11	13.89	
	21	46.82	9.48	55.01	12.13	62.50	13.31	65.70	11.98	66.85	14.08	67.72	14.22	70.45	14.36	
	23	46.82	9.93	55.01	12.71	61.92	13.95	65.08	12.83	66.22	14.75	67.08	14.90	69.79	15.04	
	25	46.82	10.27	55.01	13.13	61.34	14.42	64.47	13.73	65.60	15.25	66.44	15.40	69.13	15.55	
	27	46.82	10.79	55.01	13.81	60.76	15.16	63.85	14.68	64.97	16.03	65.80	16.19	68.47	16.35	
	29	46.82	11.18	54.58	14.30	60.18	15.70	63.24	15.67	64.35	16.61	65.16	16.77	67.82	16.94	
	31	46.82	11.76	54.42	15.05	59.60	16.52	62.63	16.72	63.72	17.47	64.52	17.64	67.16	17.81	
	33	46.82	12.24	54.42	15.66	59.03	17.19	62.01	17.81	63.10	18.18	63.89	18.36	66.50	18.53	
	35	46.82	12.88	53.88	16.48	57.87	18.09	61.40	18.94	62.47	19.13	63.89	19.32	65.84	19.51	
	37	46.82	13.57	53.88	17.36	57.87	19.06	60.17	19.77	61.22	19.87	61.97	19.97	63.21	20.07	
	39	46.82	14.28	53.88	18.28	57.29	20.06	59.74	20.46	60.60	20.57	61.33	20.83	61.89	20.97	
	41	46.82	15.01	53.34	19.20	56.71	21.07	59.56	21.29	59.97	21.43	60.69	21.64	61.23	21.81	
	43	46.35	15.71	52.80	20.11	56.13	22.07	58.94	22.35	59.35	22.58	60.05	22.76	60.90	22.87	
	46	46.35	16.56	52.80	21.18	56.13	23.25	57.76	23.33	58.16	23.45	58.25	23.52	58.47	23.52	
	48	46.35	17.43	52.27	22.30	55.57	24.48	57.35	24.14	57.57	24.27	57.65	24.54	57.25	24.58	
	50	46.35	18.31	51.74	23.42	55.01	25.71	57.17	25.12	56.98	25.28	57.05	25.49	56.64	25.56	
120%	10	44.24	7.35	51.19	9.05	62.05	10.80	67.65	10.13	70.06	11.43	71.01	11.54	73.19	11.65	
	12	44.24	7.56	51.19	9.31	62.05	11.11	67.65	10.32	69.45	11.75	70.39	11.86	72.54	11.98	
	14	44.24	7.78	51.19	9.58	62.05	11.43	67.65	10.51	68.83	12.09	69.76	12.21	71.89	12.33	
	16	44.24	8.05	51.19	9.91	62.05	11.82	67.65	10.69	68.22	12.51	69.13	12.63	71.25	12.75	
	18	44.24	8.24	51.19	10.15	62.05	12.11	67.65	10.88	67.60	12.81	68.50	12.94	70.60	13.06	
	19	44.24	8.68	51.19	10.69	62.05	12.76	67.04	11.07	66.99	13.49	67.87	13.62	69.95	13.76	
	21	44.24	8.97	51.19	11.05	62.05	13.19	66.44	11.87	65.76	13.95	67.24	14.08	69.30	14.22	
	23	44.24	9.40	51.19	11.57	60.91	13.81	65.83	12.71	65.14	14.61	66.62	14.75	68.65	14.90	
	25	44.24	9.72	51.19	11.96	60.34	14.28	65.23	13.60	64.53	15.10	65.99	15.25	68.01	15.40	
	27	44.24	10.22	51.19	12.58	59.77	15.01	64.63	14.54	63.91	15.88	65.36	16.04	67.36	16.19	
	29	44.24	10.58	51.19	13.03	59.20	15.55	63.62	15.52	63.30	16.45	64.73	16.61	66.71	16.77	
	31	44.24	11.13	51.19	13.70	58.06	16.36	61.61	16.56	62.68	17.30	64.10	17.47	66.06	17.64	
	33	44.24	11.58	51.19	14.26	57.50	17.02	61.00	17.63	62.07	18.00	63.47	18.18	65.42	18.36	
	35	44.24	12.19	51.19	15.01	56.93	17.92	60.40	18.76	61.46	18.95	62.84	19.14	64.77	19.32	
	37	44.24	12.85	51.19	15.81	56.36	18.88	59.19	19.58	60.23	19.68	60.96	19.78	62.18	19.88	
	39	44.24	13.52	51.19	16.64	55.79	19.87	58.77	20.26	59.61	20.37	60.33	20.63	60.88	20.77	
	41	44.24	14.21	48.63	17.48	55.22	20.87	58.59	21.09	59.00	21.22	59.70	21.43	60.23	21.60	
	43	44.24	14.88	48.12	18.31	54.65	21.86	57.98	22.14	58.38	22.36	59.07	22.54	59.91	22.65	
	46	44.24	15.67	48.12	19.29	54.10	23.03	56.82	23.10	57.22	23.22	57.30	23.30	57.51	23.29	
	48	44.24	16.50	48.12	20.31	53.56	24.24	56.42	23.91	56.63	24.04	56.71	24.30	56.32	24.34	
	50	44.24	17.33	45.71	21.33	53.01	25.46	56.24	24.88	56.05	25.04	56.12	25.25	55.72	25.32	
110%	10	41.13	7.17	48.56	8.83	55.98	10.54	63.56	11.04	68.30	11.15	69.84	11.26	71.98	11.37	
	12	41.13	7.38	48.56	9.08	55.98	10.84	63.56	11.35	67.69	11.46	69.22	11.57	71.34	11.69	
	14	41.13	7.59	48.56	9.34	55.98	11.15	63.56	11.68	67.09	11.79	68.60	11.91	70.70	12.03	
	16	41.13	7.85	48.56	9.66	55.98	11.53	63.56	12.08	66.48	12.20	67.99	12.32	70.07	12.44	
	18	41.13	8.04	48.56	9.90	55.98	11.81	63.56	12.37	65.88	12.49	67.37	12.62	69.43	12.74	
	19	41.13	8.47	48.56	10.42	55.98	12.44	63.56	13.03	65.27	13.16	66.75	13.29	68.79	13.42	
	21	41.13	8.76	48.56	10.78	55.98	12.86	63.56	13.47	64.67	13.60	66.13	13.74	68.16	13.87	
	23	41.13	9.17	48.56	11.29	55.98	13.47	62.96	14.11	64.07	14.25	65.51	14.39	67.52	14.53	
	25	41.13	9.48	48.56	11.67	55.98	13.93	62.37	14.59	63.46	14.73	64.90	14.88	66.88	15.02	
	27	41.13	9.97	48.56	12.27	55.98	14.65	61.78	15.34	62.86	15.49	64.28	15.64	66.24	15.80	
	29	41.13	10.33	48.56	12.71	55.98	15.17	61.18	15.88	62.25	16.04	63.66	16.20	65.61	16.36	
	31	41.13	10.86	48.56	13.37	55.98	15.96	60.59	16.71	61.65	16.88	63.04	17.04	64.97	17.21	
	33	41.13	11.30	48.56	13.91	55.98	16.60	59.99	17.39	61.04	17.56	62.42	17.73	64.33	17.91	
	35	41.13	11.90	48.56	14.64	55.98	17.48	59.40	18.30	60.44	18.48	61.80	18.67	63.70	18.85	
	37	41.13	12.53	48.56	15.43	55.98	18.41	58.21	19.10	59.23	19.20	59.95	19.29	61.15	19.39	
	39	41.13	13.19	48.56	16.24	54.30	19.38	57.80	19.76	58.63	19.87	59.33	20.12	59.87	20.26	
	41	41.13	13.86	48.56	17.06	53.74	20.36	57.62	20.57	58.02	20.70	58.71	20.91	59.24	21.07	
	43	41.13	14.51	48.56	17.86	53.18	21.32	57.02	21.59	57.42	21.81	58.10	21.99	58.92	22.09	
	46	41.13	15.29	48.56	18.82	53.18	22.46	55.88	22.54	56.27	22.65	56.35	22.73	56.56	22.72	
	48	41.13	16.09	48.56	19.81	51.59	23.65	55.48	23.32	55.69	23.45	55.77	23.70	55.38	23.75	
	50	41.13	16.91	48.56	20.81	51.06	24.84	55.31	24.27	55.12	24.43	55.19	24.63	54.80	24.70	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V560W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	38.78	5.96	45.78	7.53	52.78	9.46	56.00	10.46	60.97	10.56	65.26	10.67	67.86	10.77	
	12	38.78	6.13	45.78	7.74	52.78	9.73	56.00	10.75	60.97	10.86	65.26	10.97	67.26	11.07	
	14	38.78	6.31	45.78	7.97	52.78	10.01	56.00	11.06	60.97	11.17	64.68	11.28	66.66	11.39	
	16	38.78	6.52	45.78	8.24	52.78	10.36	56.00	11.44	60.97	11.56	64.09	11.67	66.06	11.79	
	18	38.78	6.68	45.78	8.44	52.78	10.61	56.00	11.72	60.97	11.84	63.51	11.96	65.46	12.07	
	19	38.78	7.04	45.78	8.89	52.78	11.17	56.00	12.35	60.97	12.47	62.93	12.59	64.86	12.72	
	21	38.78	7.27	45.78	9.19	52.78	11.55	56.00	12.76	60.97	12.89	62.35	13.02	64.26	13.15	
	23	38.78	7.62	45.78	9.63	52.78	12.10	56.00	13.37	60.97	13.50	61.76	13.64	63.65	13.77	
	25	38.78	7.88	45.78	9.95	52.78	12.51	56.00	13.82	60.40	13.96	61.18	14.10	63.05	14.23	
	27	38.78	8.28	45.78	10.46	52.78	13.15	56.00	14.53	59.83	14.68	60.60	14.82	62.45	14.97	
	29	38.78	8.58	45.78	10.84	52.78	13.62	56.00	15.05	59.26	15.20	60.02	15.35	61.85	15.50	
	31	38.78	9.02	45.78	11.40	52.78	14.33	56.00	15.83	58.69	15.99	59.43	16.15	61.25	16.31	
	33	38.78	9.39	45.78	11.86	52.78	14.91	56.00	16.47	57.55	16.64	58.85	16.80	60.65	16.97	
	35	38.78	9.88	45.78	12.48	52.78	15.69	56.00	17.34	56.98	17.51	58.27	17.69	60.05	17.86	
	37	38.78	10.41	45.78	13.15	52.78	16.53	54.88	18.10	55.84	18.19	56.52	18.28	57.65	18.37	
	39	38.78	10.96	45.78	13.85	52.78	17.40	54.49	18.73	55.27	18.83	55.94	19.07	56.45	19.20	
	41	38.78	11.51	45.78	14.54	52.78	18.28	54.32	19.49	54.70	19.62	55.35	19.81	55.85	19.97	
	43	38.78	12.06	45.78	15.23	52.78	19.15	53.76	20.46	54.13	20.67	54.77	20.84	55.55	20.93	
	46	38.78	12.70	45.78	16.05	52.78	20.17	52.68	21.35	53.05	21.46	53.13	21.54	53.33	21.53	
	48	38.78	13.37	45.78	16.89	52.78	21.23	52.31	22.10	52.51	22.22	52.58	22.46	52.21	22.50	
	50	38.78	14.05	45.78	17.74	52.78	22.30	52.15	23.00	51.97	23.15	52.03	23.34	51.66	23.40	
90%	10	34.90	5.27	41.20	6.50	47.50	7.97	50.40	8.78	53.80	9.57	60.43	10.18	61.67	10.45	
	12	34.90	5.42	41.20	6.68	47.50	8.19	50.40	9.03	53.80	9.84	60.43	10.47	61.67	10.74	
	14	34.90	5.57	41.20	6.87	47.50	8.43	50.40	9.29	53.80	10.12	60.43	10.77	61.67	11.05	
	16	34.90	5.76	41.20	7.11	47.50	8.72	50.40	9.61	53.80	10.47	60.43	11.14	61.67	11.43	
	18	34.90	5.90	41.20	7.28	47.50	8.94	50.40	9.84	53.80	10.73	60.43	11.41	61.09	11.71	
	19	34.90	6.22	41.20	7.67	47.50	9.41	50.40	10.36	53.80	11.30	60.43	12.02	60.51	12.33	
	21	34.90	6.43	41.20	7.93	47.50	9.73	50.40	10.71	53.80	11.68	60.43	12.43	59.94	12.75	
	23	34.90	6.73	41.20	8.31	47.50	10.19	50.40	11.22	53.80	12.23	60.43	13.02	59.36	13.36	
	25	34.90	6.96	41.20	8.59	47.50	10.53	50.40	11.60	53.80	12.65	59.86	13.46	58.79	13.81	
	27	34.90	7.32	41.20	9.03	47.50	11.08	50.40	12.20	53.80	13.30	59.30	14.15	58.79	14.52	
	29	34.90	7.58	41.20	9.35	47.50	11.47	50.40	12.64	53.80	13.77	58.73	14.66	58.79	15.04	
	31	34.90	7.97	41.20	9.83	47.50	12.07	50.40	13.29	53.80	14.49	58.17	15.42	58.21	15.82	
	33	34.90	8.30	41.20	10.23	47.50	12.56	50.40	13.83	53.80	15.07	57.04	16.04	58.21	16.46	
	35	34.90	8.73	41.20	10.77	47.50	13.22	50.40	14.56	53.80	15.87	56.47	16.89	57.63	17.32	
	37	34.90	9.20	41.20	11.35	47.50	13.93	50.40	15.34	53.80	16.72	55.34	17.79	56.48	18.25	
	39	34.90	9.69	41.20	11.95	47.50	14.66	50.40	16.14	53.80	17.60	54.78	18.73	55.90	19.21	
	41	34.90	10.18	41.20	12.55	47.50	15.40	50.40	16.96	53.80	18.49	54.21	19.67	55.33	20.18	
	43	34.90	10.66	41.20	13.14	47.50	16.13	50.40	17.76	53.80	19.36	54.21	20.60	55.33	21.13	
	46	34.90	11.23	41.20	13.85	47.50	16.99	50.40	18.71	53.80	20.40	53.13	21.71	54.22	22.27	
	48	34.90	11.82	41.20	14.57	47.50	17.88	50.40	19.70	53.80	21.47	52.59	22.85	53.67	23.44	
	50	34.90	12.41	41.20	15.31	47.50	18.79	50.40	20.69	53.80	22.55	52.05	24.00	53.11	24.62	
80%	10	31.02	4.68	36.62	5.25	42.22	6.59	44.80	7.20	47.82	7.92	51.09	9.27	55.26	9.90	
	12	31.02	4.81	36.62	5.40	42.22	6.77	44.80	7.40	47.82	8.14	51.09	9.53	55.26	10.18	
	14	31.02	4.95	36.62	5.56	42.22	6.97	44.80	7.62	47.82	8.38	51.09	9.81	55.26	10.47	
	16	31.02	5.12	36.62	5.75	42.22	7.21	44.80	7.88	47.82	8.67	51.09	10.15	55.26	10.83	
	18	31.02	5.25	36.62	5.89	42.22	7.38	44.80	8.07	47.82	8.88	51.09	10.39	55.26	11.10	
	19	31.02	5.52	36.62	6.20	42.22	7.78	44.80	8.50	47.82	9.35	51.09	10.95	55.26	11.69	
	21	31.02	5.71	36.62	6.41	42.22	8.04	44.80	8.79	47.82	9.66	51.09	11.32	55.26	12.08	
	23	31.02	5.98	36.62	6.72	42.22	8.42	44.80	9.20	47.82	10.12	51.09	11.85	55.26	12.66	
	25	31.02	6.18	36.62	6.95	42.22	8.71	44.80	9.51	47.82	10.47	51.09	12.25	55.26	13.08	
	27	31.02	6.50	36.62	7.30	42.22	9.15	44.80	10.00	47.82	11.00	51.09	12.88	55.26	13.76	
	29	31.02	6.74	36.62	7.56	42.22	9.48	44.80	10.36	47.82	11.40	51.09	13.35	55.26	14.25	
	31	31.02	7.08	36.62	7.96	42.22	9.97	44.80	10.90	47.82	11.99	51.09	14.04	55.26	14.99	
	33	31.02	7.37	36.62	8.28	42.22	10.38	44.80	11.34	47.82	12.47	51.09	14.61	55.26	15.59	
	35	31.02	7.76	36.62	8.71	42.22	10.92	44.80	11.94	47.82	13.13	51.09	15.38	55.26	16.41	
	37	31.02	8.18	36.62	9.18	42.22	11.51	44.80	12.58	47.82	13.84	50.07	16.20	54.16	17.29	
	39	31.02	8.61	36.62	9.66	42.22	12.11	44.80	13.24	47.82	14.56	49.56	17.05	53.60	18.20	
	41	31.02	9.04	36.62	10.15	42.22	12.73	44.80	13.91	47.82	15.30	49.05	17.91	53.05	19.12	
	43	31.02	9.47	36.62	10.63	42.22	13.33	44.80	14.56	47.82	16.02	49.05	18.76	53.05	20.03	
	46	31.02	9.97	36.62	11.20	42.22	14.04	44.80	15.34	47.82	16.88	48.07	19.76	51.99	21.10	
	48	31.02	10.50	36.62	11.79	42.22	14.78	44.80	16.15	47.82	17.77	47.58	20.80	51.46	22.21	
	50	31.02	11.03	36.62	12.39	42.22	15.52	44.80	16.97	47.82	18.66	-	21.85	50.93	23.33	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V560W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	27.15	4.20	32.05	5.00	36.95	6.10	39.20	6.67	41.85	7.20	44.71	8.13	48.35	8.80
	12	27.15	4.24	32.05	5.05	36.95	6.16	39.20	6.73	41.85	7.27	44.71	8.21	48.35	8.89
	14	27.15	4.23	32.05	5.04	36.95	6.14	39.20	6.71	41.85	7.25	44.71	8.19	48.35	8.86
	16	27.15	4.36	32.05	5.19	36.95	6.33	39.20	6.92	41.85	7.48	44.71	8.45	48.35	9.14
	18	27.15	4.40	32.05	5.23	36.95	6.39	39.20	6.98	41.85	7.54	44.71	8.51	48.35	9.21
	19	27.15	4.55	32.05	5.42	36.95	6.61	39.20	7.23	41.85	7.80	44.71	8.82	48.35	9.54
	21	27.15	4.64	32.05	5.52	36.95	6.73	39.20	7.36	41.85	7.95	44.71	8.98	48.35	9.71
	23	27.15	4.79	32.05	5.70	36.95	6.95	39.20	7.60	41.85	8.20	44.71	9.27	48.35	10.03
	25	27.15	4.88	32.05	5.81	36.95	7.09	39.20	7.75	41.85	8.37	44.71	9.45	48.35	10.23
	27	27.15	5.07	32.05	6.03	36.95	7.36	39.20	8.04	41.85	8.68	44.71	9.81	48.35	10.61
	29	27.15	5.25	32.05	6.24	36.95	7.62	39.20	8.33	41.85	8.99	44.71	10.16	48.35	10.99
	31	27.15	5.51	32.05	6.56	36.95	8.01	39.20	8.75	41.85	9.45	44.71	10.68	48.35	11.55
	33	27.15	5.73	32.05	6.83	36.95	8.33	39.20	9.10	41.85	9.83	44.71	11.11	48.35	12.02
	35	27.15	5.97	32.05	7.11	36.95	8.68	39.20	9.48	41.85	10.24	44.71	11.57	48.35	12.52
	37	27.15	6.29	32.05	7.49	36.95	9.14	39.20	9.99	41.85	10.79	43.81	12.19	47.39	13.19
	39	27.15	6.63	32.05	7.89	36.95	9.62	39.20	10.52	41.85	11.36	43.37	12.83	46.90	13.88
	41	27.15	6.96	32.05	8.29	36.95	10.11	39.20	11.05	41.85	11.93	42.92	13.48	46.42	14.58
	43	27.15	7.29	32.05	8.68	36.95	10.59	39.20	11.57	41.85	12.49	42.92	14.11	46.42	15.27
	46	27.15	7.68	32.05	9.14	36.95	11.15	39.20	12.19	41.85	13.16	42.06	14.87	45.49	16.09
	48	27.15	8.08	32.05	9.62	36.95	11.74	39.20	12.83	41.85	13.86	41.63	15.65	45.03	16.93
50	27.15	8.49	32.05	10.11	36.95	12.33	39.20	13.48	41.85	14.56	41.20	16.44	44.56	17.79	
60%	10	23.27	3.39	27.47	3.89	31.67	4.64	33.60	5.06	35.87	5.66	38.32	6.52	41.45	7.08
	12	23.27	3.42	27.47	3.93	31.67	4.69	33.60	5.11	35.87	5.72	38.32	6.59	41.45	7.15
	14	23.27	3.41	27.47	3.92	31.67	4.67	33.60	5.09	35.87	5.70	38.32	6.57	41.45	7.13
	16	23.27	3.52	27.47	4.04	31.67	4.82	33.60	5.25	35.87	5.88	38.32	6.77	41.45	7.35
	18	23.27	3.55	27.47	4.08	31.67	4.86	33.60	5.29	35.87	5.93	38.32	6.83	41.45	7.41
	19	23.27	3.67	27.47	4.22	31.67	5.03	33.60	5.48	35.87	6.14	38.32	7.07	41.45	7.67
	21	23.27	3.74	27.47	4.30	31.67	5.12	33.60	5.58	35.87	6.25	38.32	7.20	41.45	7.81
	23	23.27	3.86	27.47	4.44	31.67	5.29	33.60	5.76	35.87	6.45	38.32	7.43	41.45	8.06
	25	23.27	3.94	27.47	4.52	31.67	5.39	33.60	5.87	35.87	6.58	38.32	7.58	41.45	8.22
	27	23.27	4.09	27.47	4.70	31.67	5.60	33.60	6.10	35.87	6.83	38.32	7.87	41.45	8.54
	29	23.27	4.23	27.47	4.86	31.67	5.80	33.60	6.31	35.87	7.07	38.32	8.14	41.45	8.84
	31	23.27	4.45	27.47	5.11	31.67	6.09	33.60	6.64	35.87	7.43	38.32	8.56	41.45	9.29
	33	23.27	4.63	27.47	5.32	31.67	6.34	33.60	6.90	35.87	7.73	38.32	8.91	41.45	9.66
	35	23.27	4.82	27.47	5.54	31.67	6.60	33.60	7.19	35.87	8.05	38.32	9.28	41.45	10.07
	37	23.27	5.08	27.47	5.83	31.67	6.96	33.60	7.58	35.87	8.49	37.55	9.77	40.62	10.61
	39	23.27	5.34	27.47	6.14	31.67	7.32	33.60	7.97	35.87	8.93	37.17	10.29	40.20	11.16
	41	23.27	5.61	27.47	6.45	31.67	7.69	33.60	8.38	35.87	9.38	36.79	10.81	39.79	11.73
	43	23.27	5.88	27.47	6.76	31.67	8.05	33.60	8.77	35.87	9.83	36.79	11.32	39.79	12.28
	46	23.27	6.19	27.47	7.12	31.67	8.49	33.60	9.24	35.87	10.35	36.05	11.92	38.99	12.94
	48	23.27	6.52	27.47	7.49	31.67	8.93	33.60	9.73	35.87	10.90	35.68	12.55	38.59	13.62
50	23.27	6.85	27.47	7.87	31.67	9.38	33.60	10.22	35.87	11.45	35.32	13.18	38.20	14.31	
50%	10	19.39	2.67	22.89	2.95	26.39	3.28	28.00	3.56	29.89	4.13	31.93	4.66	34.54	5.23
	12	19.39	2.70	22.89	2.98	26.39	3.31	28.00	3.59	29.89	4.17	31.93	4.71	34.54	5.28
	14	19.39	2.69	22.89	2.98	26.39	3.31	28.00	3.58	29.89	4.16	31.93	4.70	34.54	5.27
	16	19.39	2.77	22.89	3.07	26.39	3.41	28.00	3.70	29.89	4.29	31.93	4.84	34.54	5.43
	18	19.39	2.79	22.89	3.09	26.39	3.44	28.00	3.73	29.89	4.32	31.93	4.88	34.54	5.48
	19	19.39	2.89	22.89	3.20	26.39	3.56	28.00	3.86	29.89	4.48	31.93	5.05	34.54	5.67
	21	19.39	2.95	22.89	3.26	26.39	3.62	28.00	3.93	29.89	4.56	31.93	5.15	34.54	5.78
	23	19.39	3.04	22.89	3.37	26.39	3.74	28.00	4.06	29.89	4.70	31.93	5.31	34.54	5.96
	25	19.39	3.10	22.89	3.43	26.39	3.81	28.00	4.14	29.89	4.80	31.93	5.42	34.54	6.08
	27	19.39	3.22	22.89	3.56	26.39	3.96	28.00	4.29	29.89	4.98	31.93	5.62	34.54	6.31
	29	19.39	3.33	22.89	3.69	26.39	4.10	28.00	4.45	29.89	5.16	31.93	5.82	34.54	6.53
	31	19.39	3.51	22.89	3.88	26.39	4.31	28.00	4.67	29.89	5.42	31.93	6.12	34.54	6.87
	33	19.39	3.65	22.89	4.03	26.39	4.48	28.00	4.86	29.89	5.64	31.93	6.37	34.54	7.15
	35	19.39	3.80	22.89	4.20	26.39	4.67	28.00	5.06	29.89	5.87	31.93	6.63	34.54	7.44
	37	19.39	4.00	22.89	4.43	26.39	4.92	28.00	5.33	29.89	6.19	31.30	6.99	33.85	7.84
	39	19.39	4.21	22.89	4.66	26.39	5.18	28.00	5.62	29.89	6.51	30.98	7.36	33.50	8.25
	41	19.39	4.42	22.89	4.90	26.39	5.44	28.00	5.90	29.89	6.84	30.66	7.73	33.16	8.67
	43	19.39	4.63	22.89	5.13	26.39	5.70	28.00	6.18	29.89	7.17	30.66	8.09	33.16	9.08
	46	19.39	4.88	22.89	5.40	26.39	6.00	28.00	6.51	29.89	7.55	30.04	8.53	32.49	9.57
	48	19.39	5.14	22.89	5.69	26.39	6.32	28.00	6.85	29.89	7.95	29.74	8.97	32.16	10.07
50	19.39	5.40	22.89	5.97	26.39	6.64	28.00	7.20	29.89	8.35	29.43	9.43	31.83	10.58	

22HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V615W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	51.41	8.56	60.41	10.95	71.81	12.02	76.87	11.27	78.21	12.71	79.28	12.83	81.71	12.96
	12	51.41	8.80	60.41	11.25	71.81	12.35	76.19	11.48	77.53	13.07	78.58	13.19	80.98	13.32
	14	51.41	9.05	60.41	11.58	71.81	12.71	75.52	11.68	76.84	13.44	77.18	13.58	80.26	13.71
	16	51.41	9.36	60.41	11.98	71.18	13.15	74.17	11.89	75.47	13.91	76.47	14.05	79.54	14.18
	18	51.41	9.59	60.41	12.27	69.91	13.47	73.50	12.10	74.78	14.25	75.77	14.39	78.81	14.53
	19	51.41	10.10	60.41	12.92	69.27	14.19	72.82	12.31	74.10	15.00	75.07	15.15	78.09	15.30
	21	51.41	10.44	60.41	13.36	68.64	14.67	72.15	13.20	73.41	15.51	74.37	15.66	77.37	15.82
	23	51.41	10.94	60.41	14.00	68.00	15.36	71.47	14.14	72.73	16.25	73.67	16.41	76.65	16.57
	25	51.41	11.31	60.41	14.47	67.36	15.88	70.80	15.13	72.04	16.80	72.97	16.96	75.92	17.13
	27	51.41	11.89	60.41	15.21	66.73	16.70	70.13	16.17	71.35	17.66	72.26	17.83	75.20	18.01
	29	51.41	12.32	59.94	15.76	66.09	17.30	69.45	17.27	70.67	18.29	71.56	18.47	74.48	18.65
	31	51.41	12.95	59.76	16.57	65.46	18.19	68.78	18.41	69.98	19.24	70.86	19.43	73.75	19.82
	33	51.41	13.48	59.76	17.24	64.82	18.93	68.10	19.61	69.29	20.02	70.16	20.22	73.03	20.42
	35	51.41	14.19	59.17	18.15	63.55	19.93	67.43	20.86	68.61	21.07	70.16	21.28	72.31	21.49
	37	51.41	14.95	59.17	19.13	63.55	20.99	66.08	21.77	67.24	21.89	68.05	22.00	69.41	22.11
	39	51.41	15.73	59.17	20.13	62.92	22.10	65.61	22.53	66.55	22.65	67.35	22.94	67.97	23.10
	41	51.41	16.53	58.58	21.15	62.28	23.21	65.41	23.45	65.86	23.60	66.65	23.84	67.25	24.03
	43	50.90	17.31	57.99	22.15	61.64	24.31	64.73	24.62	65.18	24.87	65.95	25.07	66.88	25.19
	46	50.90	18.24	57.99	23.33	61.64	25.61	63.44	25.69	63.87	25.83	63.97	25.91	64.21	25.91
	48	50.90	19.20	57.41	24.56	61.03	26.96	62.98	26.59	63.22	26.73	63.31	27.03	62.87	27.08
	50	50.90	20.17	56.83	25.80	60.41	28.32	62.79	27.67	62.57	27.85	62.65	28.08	62.20	28.16
120%	10	48.59	8.10	56.22	9.97	68.14	11.90	74.29	11.16	76.94	12.59	77.99	12.71	80.38	12.83
	12	48.59	8.33	56.22	10.25	68.14	12.24	74.29	11.37	76.27	12.94	77.30	13.07	79.67	13.20
	14	48.59	8.57	56.22	10.55	68.14	12.59	74.29	11.57	75.59	13.32	76.61	13.45	78.95	13.58
	16	48.59	8.86	56.22	10.91	68.14	13.02	74.29	11.78	74.92	13.77	75.92	13.91	78.24	14.05
	18	48.59	9.08	56.22	11.18	68.14	13.34	74.29	11.99	74.24	14.11	75.23	14.25	77.53	14.39
	19	48.59	9.56	56.22	11.77	68.14	14.05	73.63	12.19	73.57	14.86	74.54	15.01	76.82	15.15
	21	48.59	9.89	56.22	12.17	68.14	14.52	72.96	13.07	72.22	15.36	73.85	15.51	76.11	15.67
	23	48.59	10.36	56.22	12.75	66.89	15.22	72.30	14.00	71.54	16.09	73.16	16.25	75.40	16.41
	25	48.59	10.71	56.22	13.18	66.27	15.73	71.64	14.98	70.87	16.63	72.47	16.80	74.69	16.96
	27	48.59	11.26	56.22	13.85	65.64	16.54	70.97	16.01	70.19	17.49	71.78	17.66	73.98	17.84
	29	48.59	11.66	56.22	14.35	65.02	17.13	69.65	17.10	69.52	18.12	71.09	18.30	73.26	18.47
	31	48.59	12.26	56.22	15.09	63.77	18.02	67.66	18.24	68.84	19.06	70.40	19.24	72.55	19.43
	33	48.59	12.76	56.22	15.70	63.14	18.75	66.99	19.42	68.17	19.83	69.71	20.02	71.84	20.22
	35	48.59	13.43	56.22	16.53	62.52	19.73	66.33	20.66	67.49	20.87	69.02	21.08	71.13	21.28
	37	48.59	14.15	56.22	17.42	61.89	20.79	65.00	21.57	66.14	21.68	66.95	21.79	68.28	21.89
	39	48.59	14.90	56.22	18.33	61.27	21.89	64.54	22.32	65.47	22.44	66.26	22.72	66.86	22.88
	41	48.59	15.65	53.40	19.26	60.64	22.99	64.34	23.23	64.79	23.38	65.57	23.61	66.15	23.80
	43	48.59	16.39	52.84	20.17	60.02	24.08	63.68	24.38	64.12	24.63	64.88	24.83	65.80	24.95
	46	48.59	17.27	52.84	21.25	59.42	25.37	62.40	25.45	62.83	25.58	62.93	25.66	63.16	25.66
	48	48.59	18.17	52.84	22.37	58.82	26.70	61.96	26.33	62.19	26.47	62.28	26.77	61.85	26.82
	50	48.59	19.09	50.20	23.50	58.22	28.05	61.77	27.41	61.55	27.58	61.63	27.81	61.19	27.89
110%	10	45.17	7.90	53.33	9.72	61.48	11.61	69.80	12.16	75.00	12.28	76.70	12.40	79.05	12.52
	12	45.17	8.12	53.33	10.00	61.48	11.94	69.80	12.50	74.34	12.62	76.02	12.75	78.35	12.87
	14	45.17	8.36	53.33	10.29	61.48	12.28	69.80	12.86	73.68	12.99	75.34	13.12	77.65	13.25
	16	45.17	8.65	53.33	10.64	61.48	12.71	69.80	13.30	73.01	13.44	74.66	13.57	76.95	13.70
	18	45.17	8.86	53.33	10.90	61.48	13.01	69.80	13.63	72.35	13.76	73.98	13.90	76.25	14.04
	19	45.17	9.33	53.33	11.48	61.48	13.71	69.80	14.35	71.68	14.50	73.30	14.64	75.55	14.78
	21	45.17	9.64	53.33	11.87	61.48	14.17	69.80	14.84	71.02	14.98	72.63	15.13	74.85	15.28
	23	45.17	10.10	53.33	12.43	61.48	14.84	69.15	15.54	70.36	15.70	71.95	15.85	74.15	16.01
	25	45.17	10.44	53.33	12.85	61.48	15.34	68.49	16.07	69.69	16.23	71.27	16.39	73.45	16.55
	27	45.17	10.98	53.33	13.51	61.48	16.13	67.84	16.89	69.03	17.06	70.59	17.23	72.75	17.40
	29	45.17	11.37	53.33	14.00	61.48	16.71	67.19	17.50	68.37	17.67	69.91	17.85	72.05	18.02
	31	45.17	11.96	53.33	14.72	61.48	17.58	66.54	18.40	67.70	18.59	69.23	18.77	71.35	18.96
	33	45.17	12.45	53.33	15.32	61.48	18.29	65.89	19.15	67.04	19.34	68.55	19.53	70.65	19.72
	35	45.17	13.10	53.33	16.13	61.48	19.25	65.23	20.16	66.37	20.36	67.87	20.56	69.95	20.76
	37	45.17	13.81	53.33	16.99	61.48	20.28	63.93	21.04	65.05	21.15	65.84	21.25	67.15	21.36
	39	45.17	14.53	53.33	17.88	59.64	21.35	63.47	21.77	64.38	21.89	65.16	22.17	65.76	22.32
	41	45.17	15.26	53.33	18.79	59.02	22.43	63.28	22.66	63.72	22.80	64.48	23.03	65.06	23.21
	43	45.17	15.99	53.33	19.67	58.41	23.49	62.62	23.79	63.06	24.02	63.80	24.22	64.71	24.33
	46	45.17	16.84	53.33	20.73	58.41	24.75	61.37	24.82	61.79	24.95	61.89	25.04	62.12	25.03
	48	45.17	17.73	53.33	21.82	56.66	26.05	60.93	25.69	61.16	25.83	61.25	26.11	60.82	26.16
	50	45.17	18.62	53.33	22.92	56.07	27.36	60.75	26.74	60.53	26.91	60.61	27.13	60.18	27.21

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V615W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
100%	10	42.59	6.56	50.28	8.29	57.96	10.42	61.50	11.52	66.96	11.63	71.67	11.75	74.52	11.86	
	12	42.59	6.75	50.28	8.53	57.96	10.72	61.50	11.84	66.96	11.96	71.67	12.08	73.86	12.20	
	14	42.59	6.95	50.28	8.77	57.96	11.03	61.50	12.19	66.96	12.31	71.03	12.43	73.20	12.55	
	16	42.59	7.19	50.28	9.08	57.96	11.41	61.50	12.61	66.96	12.73	70.39	12.86	72.54	12.98	
	18	42.59	7.36	50.28	9.30	57.96	11.68	61.50	12.91	66.96	13.04	69.75	13.17	71.88	13.30	
	19	42.59	7.75	50.28	9.79	57.96	12.31	61.50	13.60	66.96	13.74	69.11	13.87	71.23	14.01	
	21	42.59	8.01	50.28	10.12	57.96	12.72	61.50	14.06	66.96	14.20	68.47	14.34	70.57	14.48	
	23	42.59	8.39	50.28	10.60	57.96	13.33	61.50	14.73	66.96	14.87	67.83	15.02	69.91	15.17	
	25	42.59	8.68	50.28	10.96	57.96	13.78	61.50	15.22	66.33	15.37	67.19	15.53	69.25	15.68	
	27	42.59	9.12	50.28	11.52	57.96	14.49	61.50	16.01	65.71	16.17	66.55	16.33	68.59	16.49	
	29	42.59	9.45	50.28	11.94	57.96	15.00	61.50	16.58	65.08	16.74	65.91	16.91	67.93	17.08	
	31	42.59	9.94	50.28	12.56	57.96	15.78	61.50	17.44	64.45	17.61	65.27	17.79	67.27	17.96	
	33	42.59	10.34	50.28	13.06	57.96	16.42	61.50	18.15	63.20	18.33	64.63	18.51	66.61	18.69	
	35	42.59	10.89	50.28	13.75	57.96	17.29	61.50	19.10	62.58	19.29	63.99	19.48	65.95	19.67	
	37	42.59	11.47	50.28	14.49	57.96	18.21	60.27	19.93	61.32	20.04	62.07	20.14	63.31	20.24	
	39	42.59	12.07	50.28	15.25	57.96	19.17	59.84	20.63	60.70	20.74	61.43	21.00	61.99	21.15	
	41	42.59	12.68	50.28	16.02	57.96	20.14	59.66	21.47	60.07	21.61	60.79	21.82	61.33	21.99	
	43	42.59	13.28	50.28	16.78	57.96	21.09	59.04	22.54	59.45	22.76	60.15	22.95	61.00	23.06	
	46	42.59	13.99	50.28	17.68	57.96	22.22	57.86	23.52	58.26	23.64	58.35	23.72	58.56	23.72	
	48	42.59	14.73	50.28	18.61	57.96	23.39	57.45	24.34	57.66	24.47	57.75	24.74	57.34	24.79	
90%	10	42.59	15.47	50.28	19.55	57.96	24.57	57.27	25.33	57.07	25.49	57.14	25.70	56.73	25.78	
	12	38.33	5.80	45.25	7.15	52.17	8.78	55.35	9.67	59.09	10.54	66.36	11.22	67.72	11.51	
	14	38.33	5.96	45.25	7.36	52.17	9.03	55.35	9.94	59.09	10.84	66.36	11.53	67.72	11.83	
	16	38.33	6.14	45.25	7.57	52.17	9.29	55.35	10.23	59.09	11.15	66.36	11.87	67.72	12.17	
	18	38.33	6.35	45.25	7.83	52.17	9.61	55.35	10.58	59.09	11.54	66.36	12.28	67.72	12.59	
	19	38.33	6.50	45.25	8.02	52.17	9.84	55.35	10.84	59.09	11.81	66.36	12.57	67.09	12.90	
	21	38.33	6.85	45.25	8.45	52.17	10.37	55.35	11.42	59.09	12.44	66.36	13.24	66.46	13.59	
	23	38.33	7.08	45.25	8.73	52.17	10.72	55.35	11.80	59.09	12.86	66.36	13.69	65.82	14.04	
	25	38.33	7.42	45.25	9.15	52.17	11.23	55.35	12.36	59.09	13.48	66.36	14.34	65.19	14.71	
	27	38.33	7.67	45.25	9.46	52.17	11.60	55.35	12.78	59.09	13.93	65.74	14.82	64.56	15.21	
	29	38.33	8.06	45.25	9.94	52.17	12.20	55.35	13.44	59.09	14.65	65.12	15.59	64.56	15.99	
	31	38.33	8.35	45.25	10.30	52.17	12.64	55.35	13.92	59.09	15.17	64.50	16.14	64.56	16.56	
	33	38.33	8.78	45.25	10.83	52.17	13.29	55.35	14.64	59.09	15.96	63.88	16.98	63.93	17.42	
	35	38.33	9.14	45.25	11.27	52.17	13.83	55.35	15.23	59.09	16.60	62.64	17.67	63.93	18.13	
	37	38.33	9.62	45.25	11.87	52.17	14.56	55.35	16.03	59.09	17.48	62.02	18.60	63.29	19.08	
	39	38.33	10.14	45.25	12.50	52.17	15.34	55.35	16.89	59.09	18.41	60.78	19.60	62.03	20.10	
	41	38.33	10.67	45.25	13.16	52.17	16.15	55.35	17.78	59.09	19.38	60.16	20.63	61.39	21.16	
	43	38.33	11.21	45.25	13.82	52.17	16.96	55.35	18.68	59.09	20.36	59.54	21.67	60.76	22.23	
	46	38.33	11.74	45.25	14.48	52.17	17.76	55.35	19.56	59.09	21.32	59.54	22.69	60.76	23.28	
	48	38.33	12.37	45.25	15.25	52.17	18.71	55.35	20.61	59.09	22.47	58.35	23.91	59.55	24.53	
80%	10	34.07	5.15	40.22	5.79	46.37	7.26	49.20	7.93	52.52	8.72	56.11	10.21	60.69	10.90	
	12	34.07	5.30	40.22	5.95	46.37	7.46	49.20	8.15	52.52	8.97	56.11	10.50	60.69	11.21	
	14	34.07	5.45	40.22	6.12	46.37	7.68	49.20	8.39	52.52	9.23	56.11	10.81	60.69	11.54	
	16	34.07	5.64	40.22	6.34	46.37	7.94	49.20	8.68	52.52	9.55	56.11	11.18	60.69	11.93	
	18	34.07	5.78	40.22	6.49	46.37	8.13	49.20	8.89	52.52	9.78	56.11	11.45	60.69	12.22	
	19	34.07	6.09	40.22	6.83	46.37	8.57	49.20	9.36	52.52	10.30	56.11	12.06	60.69	12.87	
	21	34.07	6.29	40.22	7.06	46.37	8.86	49.20	9.68	52.52	10.65	56.11	12.47	60.69	13.31	
	23	34.07	6.59	40.22	7.40	46.37	9.28	49.20	10.14	52.52	11.15	56.11	13.06	60.69	13.94	
	25	34.07	6.81	40.22	7.65	46.37	9.59	49.20	10.48	52.52	11.53	56.11	13.50	60.69	14.41	
	27	34.07	7.16	40.22	8.04	46.37	10.08	49.20	11.02	52.52	12.12	56.11	14.19	60.69	15.15	
	29	34.07	7.42	40.22	8.33	46.37	10.44	49.20	11.41	52.52	12.56	56.11	14.70	60.69	15.69	
	31	34.07	7.80	40.22	8.76	46.37	10.98	49.20	12.01	52.52	13.21	56.11	15.46	60.69	16.51	
	33	34.07	8.12	40.22	9.12	46.37	11.43	49.20	12.49	52.52	13.74	56.11	16.09	60.69	17.18	
	35	34.07	8.55	40.22	9.60	46.37	12.03	49.20	13.15	52.52	14.46	56.11	16.94	60.69	18.08	
	37	34.07	9.01	40.22	10.11	46.37	12.68	49.20	13.85	52.52	15.24	54.99	17.84	59.47	19.05	
	39	34.07	9.48	40.22	10.65	46.37	13.34	49.20	14.58	52.52	16.04	54.43	18.78	58.87	20.05	
	41	34.07	9.96	40.22	11.18	46.37	14.02	49.20	15.32	52.52	16.85	53.87	19.73	58.26	21.06	
	43	34.07	10.43	40.22	11.71	46.37	14.68	49.20	16.04	52.52	17.65	53.87	20.66	58.26	22.06	
	46	34.07	10.99	40.22	12.34	46.37	15.47	49.20	16.90	52.52	18.59	52.79	21.77	57.10	23.24	
	48	34.07	11.56	40.22	12.99	46.37	16.28	49.20	17.79	52.52	19.57	52.25	22.91	56.51	24.46	
	50	34.07	12.15	40.22	13.64	46.37	17.10	49.20	18.69	52.52	20.56	·	24.07	55.93	25.70	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V615W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	29.81	4.63	35.19	5.51	40.57	6.72	43.05	7.34	45.96	7.93	49.10	8.96	53.10	9.69	
	12	29.81	4.67	35.19	5.56	40.57	6.79	43.05	7.42	45.96	8.01	49.10	9.05	53.10	9.79	
	14	29.81	4.66	35.19	5.55	40.57	6.77	43.05	7.39	45.96	7.99	49.10	9.02	53.10	9.76	
	16	29.81	4.80	35.19	5.72	40.57	6.98	43.05	7.62	45.96	8.23	49.10	9.30	53.10	10.06	
	18	29.81	4.84	35.19	5.77	40.57	7.03	43.05	7.69	45.96	8.30	49.10	9.38	53.10	10.15	
	19	29.81	5.01	35.19	5.97	40.57	7.28	43.05	7.96	45.96	8.60	49.10	9.71	53.10	10.51	
	21	29.81	5.11	35.19	6.08	40.57	7.42	43.05	8.11	45.96	8.75	49.10	9.89	53.10	10.70	
	23	29.81	5.27	35.19	6.27	40.57	7.66	43.05	8.37	45.96	9.04	49.10	10.21	53.10	11.04	
	25	29.81	5.38	35.19	6.40	40.57	7.81	43.05	8.53	45.96	9.22	49.10	10.41	53.10	11.26	
	27	29.81	5.58	35.19	6.64	40.57	8.10	43.05	8.86	45.96	9.57	49.10	10.81	53.10	11.69	
	29	29.81	5.78	35.19	6.88	40.57	8.39	43.05	9.17	45.96	9.90	49.10	11.19	53.10	12.11	
	31	29.81	6.07	35.19	7.23	40.57	8.82	43.05	9.64	45.96	10.41	49.10	11.76	53.10	12.73	
	33	29.81	6.32	35.19	7.52	40.57	9.17	43.05	10.03	45.96	10.83	49.10	12.23	53.10	13.24	
	35	29.81	6.58	35.19	7.83	40.57	9.56	43.05	10.44	45.96	11.28	49.10	12.74	53.10	13.79	
	37	29.81	6.93	35.19	8.25	40.57	10.07	43.05	11.00	45.96	11.89	48.12	13.43	52.04	14.53	
	39	29.81	7.30	35.19	8.69	40.57	10.60	43.05	11.58	45.96	12.51	47.63	14.13	51.51	15.29	
	41	29.81	7.67	35.19	9.13	40.57	11.13	43.05	12.17	45.96	13.14	47.13	14.85	50.98	16.06	
	43	29.81	8.03	35.19	9.56	40.57	11.66	43.05	12.74	45.96	13.76	47.13	15.55	50.98	16.82	
	46	29.81	8.46	35.19	10.07	40.57	12.28	43.05	13.43	45.96	14.50	46.19	16.38	49.96	17.72	
	48	29.81	8.90	35.19	10.60	40.57	12.93	43.05	14.13	45.96	15.26	45.72	17.24	49.45	18.65	
50	29.81	9.35	35.19	11.13	40.57	13.58	43.05	14.85	45.96	16.03	45.25	18.11	48.94	19.60		
60%	10	25.55	3.73	30.17	4.29	34.78	5.11	36.90	5.57	39.39	6.24	42.08	7.18	45.52	7.80	
	12	25.55	3.77	30.17	4.33	34.78	5.16	36.90	5.62	39.39	6.30	42.08	7.25	45.52	7.87	
	14	25.55	3.76	30.17	4.32	34.78	5.15	36.90	5.61	39.39	6.28	42.08	7.23	45.52	7.85	
	16	25.55	3.87	30.17	4.45	34.78	5.31	36.90	5.78	39.39	6.48	42.08	7.46	45.52	8.10	
	18	25.55	3.91	30.17	4.49	34.78	5.35	36.90	5.83	39.39	6.53	42.08	7.52	45.52	8.16	
	19	25.55	4.04	30.17	4.65	34.78	5.54	36.90	6.04	39.39	6.76	42.08	7.79	45.52	8.45	
	21	25.55	4.12	30.17	4.73	34.78	5.64	36.90	6.15	39.39	6.88	42.08	7.93	45.52	8.61	
	23	25.55	4.25	30.17	4.89	34.78	5.82	36.90	6.34	39.39	7.11	42.08	8.18	45.52	8.88	
	25	25.55	4.34	30.17	4.98	34.78	5.94	36.90	6.47	39.39	7.25	42.08	8.35	45.52	9.06	
	27	25.55	4.50	30.17	5.17	34.78	6.17	36.90	6.72	39.39	7.52	42.08	8.66	45.52	9.40	
	29	25.55	4.66	30.17	5.35	34.78	6.38	36.90	6.95	39.39	7.79	42.08	8.97	45.52	9.74	
	31	25.55	4.90	30.17	5.63	34.78	6.71	36.90	7.31	39.39	8.19	42.08	9.43	45.52	10.24	
	33	25.55	5.09	30.17	5.86	34.78	6.98	36.90	7.60	39.39	8.52	42.08	9.81	45.52	10.65	
	35	25.55	5.31	30.17	6.10	34.78	7.27	36.90	7.92	39.39	8.87	42.08	10.22	45.52	11.09	
	37	25.55	5.59	30.17	6.43	34.78	7.66	36.90	8.35	39.39	9.35	41.24	10.77	44.61	11.68	
	39	25.55	5.89	30.17	6.76	34.78	8.06	36.90	8.78	39.39	9.84	40.82	11.33	44.15	12.30	
	41	25.55	6.18	30.17	7.11	34.78	8.47	36.90	9.23	39.39	10.34	40.40	11.90	43.70	12.92	
	43	25.55	6.47	30.17	7.44	34.78	8.87	36.90	9.66	39.39	10.82	40.40	12.47	43.70	13.53	
	46	25.55	6.82	30.17	7.84	34.78	9.35	36.90	10.18	39.39	11.40	39.59	13.13	42.82	14.25	
	48	25.55	7.18	30.17	8.25	34.78	9.84	36.90	10.72	39.39	12.00	39.19	13.82	42.38	15.00	
50	25.55	7.54	30.17	8.67	34.78	10.33	36.90	11.26	39.39	12.61	38.79	14.52	41.95	15.76		
50%	10	21.29	2.94	25.14	3.25	28.98	3.61	30.75	3.92	32.83	4.55	35.07	5.14	37.93	5.76	
	12	21.29	2.97	25.14	3.29	28.98	3.65	30.75	3.96	32.83	4.59	35.07	5.19	37.93	5.82	
	14	21.29	2.96	25.14	3.28	28.98	3.64	30.75	3.95	32.83	4.58	35.07	5.17	37.93	5.80	
	16	21.29	3.05	25.14	3.38	28.98	3.75	30.75	4.07	32.83	4.72	35.07	5.33	37.93	5.98	
	18	21.29	3.08	25.14	3.41	28.98	3.78	30.75	4.10	32.83	4.76	35.07	5.38	37.93	6.03	
	19	21.29	3.19	25.14	3.53	28.98	3.92	30.75	4.25	32.83	4.93	35.07	5.57	37.93	6.25	
	21	21.29	3.25	25.14	3.59	28.98	3.99	30.75	4.33	32.83	5.02	35.07	5.67	37.93	6.36	
	23	21.29	3.35	25.14	3.71	28.98	4.12	30.75	4.47	32.83	5.18	35.07	5.85	37.93	6.57	
	25	21.29	3.42	25.14	3.78	28.98	4.20	30.75	4.56	32.83	5.29	35.07	5.97	37.93	6.70	
	27	21.29	3.55	25.14	3.93	28.98	4.36	30.75	4.73	32.83	5.49	35.07	6.20	37.93	6.95	
	29	21.29	3.67	25.14	4.06	28.98	4.51	30.75	4.90	32.83	5.68	35.07	6.41	37.93	7.20	
	31	21.29	3.86	25.14	4.27	28.98	4.75	30.75	5.15	32.83	5.97	35.07	6.74	37.93	7.57	
	33	21.29	4.02	25.14	4.44	28.98	4.94	30.75	5.35	32.83	6.21	35.07	7.01	37.93	7.87	
	35	21.29	4.18	25.14	4.63	28.98	5.14	30.75	5.58	32.83	6.47	35.07	7.31	37.93	8.20	
	37	21.29	4.41	25.14	4.88	28.98	5.42	30.75	5.88	32.83	6.82	34.37	7.70	37.17	8.64	
	39	21.29	4.64	25.14	5.13	28.98	5.70	30.75	6.19	32.83	7.17	34.02	8.10	36.79	9.09	
	41	21.29	4.87	25.14	5.39	28.98	5.99	30.75	6.50	32.83	7.54	33.67	8.51	36.41	9.55	
	43	21.29	5.10	25.14	5.65	28.98	6.27	30.75	6.80	32.83	7.89	33.67	8.91	36.41	10.00	
	46	21.29	5.38	25.14	5.95	28.98	6.61	30.75	7.17	32.83	8.32	32.99	9.39	35.68	10.54	
	48	21.29	5.66	25.14	6.26	28.98	6.96	30.75	7.55	32.83	8.75	32.66	9.89	35.32	11.09	
50	21.29	5.95	25.14	6.58	28.98	7.31	30.75	7.93	32.83	9.20	32.32	10.38	34.96	11.65		

24HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V670W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
130%	10	56.01	7.60		65.81	9.72		78.24	10.67		83.74	10.00		85.21	11.28	
	12	56.01	7.81		65.81	9.99		78.24	10.97		83.01	10.19		84.46	11.60	
	14	56.01	8.04		65.81	10.28		78.24	11.29		82.27	10.38		83.71	11.94	
	16	56.01	8.31		65.81	10.64		77.54	11.68		80.80	10.56		82.22	12.35	
	18	56.01	8.52		65.81	10.90		76.16	11.96		80.07	10.75		81.47	12.65	
	19	56.01	8.97		65.81	11.48		75.47	12.60		79.34	10.93		80.72	13.32	
	21	56.01	9.27		65.81	11.86		74.77	13.02		78.60	11.72		79.98	13.77	
	23	56.01	9.71		65.81	12.43		74.08	13.64		77.87	12.55		79.23	14.43	
	25	56.01	10.04		65.81	12.85		73.39	14.10		77.13	13.43		78.48	14.91	
	27	56.01	10.56		65.81	13.51		72.70	14.83		76.40	14.36		77.73	15.68	
	29	56.01	10.94		65.30	13.99		72.00	15.36		75.66	15.33		76.99	16.24	
	31	56.01	11.50		65.10	14.72		71.31	16.15		74.93	16.35		76.24	17.08	
	33	56.01	11.97		65.10	15.31		70.62	16.81		74.19	17.42		75.49	17.78	
	35	56.01	12.60		64.46	16.12		69.23	17.69		73.46	18.53		74.74	18.71	
	37	56.01	13.27		64.46	16.98		69.23	18.64		71.99	19.33		73.25	19.43	
	39	56.01	13.97		64.46	17.88		68.54	19.62		71.48	20.01		72.50	20.12	
	41	56.01	14.68		63.82	18.78		67.85	20.61		71.26	20.82		71.75	20.96	
	43	55.45	15.37		63.17	19.66		67.16	21.59		70.52	21.86		71.01	22.08	
	46	55.45	16.19		63.17	20.72		67.16	22.74		69.11	22.82		69.59	22.93	
	48	55.45	17.05		62.54	21.81		66.49	23.94		68.62	23.61		68.88	23.74	
	50	55.45	17.91		61.91	22.91		65.81	25.15		68.40	24.57		68.17	24.73	
120%	10	52.93	7.19		61.24	8.85		74.24	10.57		80.93	9.91		83.82	11.18	
	12	52.93	7.39		61.24	9.10		74.24	10.86		80.93	10.09		83.09	11.49	
	14	52.93	7.61		61.24	9.37		74.24	11.18		80.93	10.28		82.35	11.82	
	16	52.93	7.87		61.24	9.69		74.24	11.57		80.93	10.46		81.62	12.23	
	18	52.93	8.06		61.24	9.92		74.24	11.85		80.93	10.64		80.88	12.53	
	19	52.93	8.49		61.24	10.45		74.24	12.48		80.21	10.83		80.14	13.20	
	21	52.93	8.78		61.24	10.80		74.24	12.90		79.49	11.61		78.67	13.64	
	23	52.93	9.20		61.24	11.32		72.88	13.51		78.77	12.43		77.94	14.29	
	25	52.93	9.51		61.24	11.70		72.19	13.97		78.04	13.30		77.20	14.77	
	27	52.93	9.99		61.24	12.30		71.51	14.68		77.32	14.22		76.47	15.53	
	29	52.93	10.35		61.24	12.74		70.83	15.21		75.88	15.18		75.73	16.09	
	31	52.93	10.89		61.24	13.40		69.47	16.00		73.71	16.19		75.00	16.92	
	33	52.93	11.33		61.24	13.95		68.79	16.65		72.99	17.25		74.26	17.61	
	35	52.93	11.93		61.24	14.68		68.11	17.52		72.26	18.35		73.53	18.53	
	37	52.93	12.57		61.24	15.47		67.43	18.46		70.82	19.15		72.06	19.25	
	39	52.93	13.23		61.24	16.28		66.75	19.43		70.31	19.82		71.32	19.92	
	41	52.93	13.89		58.18	17.10		66.06	20.41		70.09	20.62		70.59	20.76	
	43	52.93	14.55		57.57	17.91		65.38	21.38		69.37	21.65		69.85	21.87	
	46	52.93	15.33		57.57	18.87		64.73	22.52		67.98	22.60		68.45	22.71	
	48	52.93	16.14		57.57	19.86		64.08	23.71		67.50	23.38		67.76	23.51	
	50	52.93	16.95		54.69	20.86		63.42	24.91		67.29	24.34		67.06	24.49	
110%	10	49.21	7.02		58.10	8.63		66.98	10.31		76.04	10.79		81.71	10.90	
	12	49.21	7.21		58.10	8.88		66.98	10.60		76.04	11.10		80.99	11.21	
	14	49.21	7.42		58.10	9.14		66.98	10.91		76.04	11.42		80.26	11.53	
	16	49.21	7.68		58.10	9.45		66.98	11.28		76.04	11.81		79.54	11.93	
	18	49.21	7.87		58.10	9.68		66.98	11.56		76.04	12.10		78.82	12.22	
	19	49.21	8.28		58.10	10.20		66.98	12.17		76.04	12.74		78.10	12.87	
	21	49.21	8.56		58.10	10.54		66.98	12.58		76.04	13.17		77.37	13.31	
	23	49.21	8.97		58.10	11.04		66.98	13.18		75.33	13.80		76.65	13.94	
	25	49.21	9.27		58.10	11.41		66.98	13.62		74.62	14.27		75.93	14.41	
	27	49.21	9.75		58.10	12.00		66.98	14.32		73.91	15.00		75.20	15.15	
	29	49.21	10.10		58.10	12.43		66.98	14.84		73.20	15.54		74.48	15.69	
	31	49.21	10.62		58.10	13.07		66.98	15.61		72.49	16.34		73.76	16.51	
	33	49.21	11.05		58.10	13.60		66.98	16.24		71.78	17.00		73.03	17.17	
	35	49.21	11.63		58.10	14.32		66.98	17.09		71.07	17.90		72.31	18.08	
	37	49.21	12.26		58.10	15.09		66.98	18.01		69.65	18.68		70.86	18.78	
	39	49.21	12.90		58.10	15.88		64.97	18.96		69.15	19.33		70.14	19.43	
	41	49.21	13.55		58.10	16.68		64.30	19.91		68.93	20.12		69.42	20.25	
	43	49.21	14.19		58.10	17.47		63.63	20.85		68.22	21.12		68.70	21.33	
	46	49.21	14.96		58.10	18.41		63.63	21.97		66.86	22.04		67.32	22.16	
	48	49.21	15.74		58.10	19.37		61.72	23.13		66.38	22.81		66.63	22.93	
	50	49.21	16.54		58.10	20.35		61.09	24.30		66.18	23.74		65.95	23.89	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V670W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	46.40	5.83	54.77	7.36	63.15	9.26	67.00	10.23	72.94	10.33	78.08	10.43	81.19	10.53
	12	46.40	5.99	54.77	7.57	63.15	9.52	67.00	10.52	72.94	10.62	78.08	10.73	80.47	10.83
	14	46.40	6.17	54.77	7.79	63.15	9.79	67.00	10.82	72.94	10.93	77.38	11.04	79.75	11.15
	16	46.40	6.38	54.77	8.06	63.15	10.13	67.00	11.19	72.94	11.31	76.68	11.42	79.03	11.53
	18	46.40	6.54	54.77	8.25	63.15	10.38	67.00	11.46	72.94	11.58	75.99	11.69	78.31	11.81
	19	46.40	6.88	54.77	8.69	63.15	10.93	67.00	12.08	72.94	12.20	75.29	12.32	77.60	12.44
	21	46.40	7.12	54.77	8.99	63.15	11.30	67.00	12.48	72.94	12.61	74.59	12.73	76.88	12.86
	23	46.40	7.45	54.77	9.41	63.15	11.83	67.00	13.08	72.94	13.21	73.90	13.34	76.16	13.47
	25	46.40	7.70	54.77	9.73	63.15	12.23	67.00	13.52	72.26	13.65	73.20	13.79	75.44	13.92
	27	46.40	8.10	54.77	10.23	63.15	12.86	67.00	14.21	71.58	14.35	72.50	14.50	74.72	14.64
	29	46.40	8.39	54.77	10.60	63.15	13.32	67.00	14.72	70.90	14.87	71.80	15.02	74.00	15.16
	31	46.40	8.83	54.77	11.15	63.15	14.01	67.00	15.48	70.22	15.64	71.11	15.79	73.28	15.95
	33	46.40	9.18	54.77	11.60	63.15	14.58	67.00	16.11	68.85	16.27	70.41	16.43	72.57	16.60
	35	46.40	9.67	54.77	12.21	63.15	15.35	67.00	16.96	68.17	17.13	69.71	17.30	71.85	17.47
	37	46.40	10.19	54.77	12.87	63.15	16.17	65.66	17.70	66.81	17.79	67.62	17.88	68.97	17.97
	39	46.40	10.72	54.77	13.54	63.15	17.02	65.19	18.32	66.13	18.41	66.92	18.65	67.54	18.78
	41	46.40	11.26	54.77	14.23	63.15	17.88	64.99	19.06	65.45	19.19	66.23	19.38	66.82	19.53
	43	46.40	11.79	54.77	14.90	63.15	18.73	64.32	20.01	64.76	20.21	65.53	20.38	66.46	20.47
	46	46.40	12.43	54.77	15.70	63.15	19.73	63.03	20.89	63.47	20.99	63.56	21.06	63.80	21.06
	48	46.40	13.08	54.77	16.52	63.15	20.77	62.58	21.61	62.82	21.73	62.91	21.97	62.47	22.01
	50	46.40	13.74	54.77	17.36	63.15	21.82	62.39	22.49	62.17	22.64	62.25	22.82	61.81	22.89
90%	10	41.76	5.15	49.30	6.35	56.83	7.80	60.30	8.59	64.37	9.36	72.30	9.96	73.78	10.22
	12	41.76	5.30	49.30	6.53	56.83	8.02	60.30	8.83	64.37	9.62	72.30	10.24	73.78	10.50
	14	41.76	5.45	49.30	6.72	56.83	8.25	60.30	9.08	64.37	9.90	72.30	10.54	73.78	10.81
	16	41.76	5.64	49.30	6.95	56.83	8.53	60.30	9.40	64.37	10.24	72.30	10.90	73.78	11.18
	18	41.76	5.77	49.30	7.12	56.83	8.74	60.30	9.62	64.37	10.49	72.30	11.16	73.09	11.45
	19	41.76	6.08	49.30	7.50	56.83	9.20	60.30	10.14	64.37	11.05	72.30	11.76	72.40	12.06
	21	41.76	6.29	49.30	7.75	56.83	9.52	60.30	10.48	64.37	11.42	72.30	12.16	71.71	12.47
	23	41.76	6.59	49.30	8.12	56.83	9.97	60.30	10.98	64.37	11.97	72.30	12.73	71.02	13.06
	25	41.76	6.81	49.30	8.40	56.83	10.30	60.30	11.35	64.37	12.37	71.62	13.16	70.33	13.50
	27	41.76	7.16	49.30	8.83	56.83	10.83	60.30	11.93	64.37	13.01	70.94	13.84	70.33	14.20
	29	41.76	7.42	49.30	9.15	56.83	11.22	60.30	12.36	64.37	13.47	70.27	14.34	70.33	14.71
	31	41.76	7.80	49.30	9.62	56.83	11.80	60.30	13.00	64.37	14.17	69.59	15.08	69.64	15.47
	33	41.76	8.12	49.30	10.01	56.83	12.28	60.30	13.53	64.37	14.74	68.24	15.69	69.64	16.10
	35	41.76	8.54	49.30	10.54	56.83	12.93	60.30	14.24	64.37	15.52	67.57	16.52	68.95	16.94
	37	41.76	9.00	49.30	11.10	56.83	13.62	60.30	15.00	64.37	16.35	66.21	17.40	67.57	17.85
	39	41.76	9.47	49.30	11.68	56.83	14.34	60.30	15.79	64.37	17.21	65.54	18.32	66.88	18.79
	41	41.76	9.95	49.30	12.27	56.83	15.06	60.30	16.59	64.37	18.08	64.86	19.24	66.19	19.74
	43	41.76	10.42	49.30	12.85	56.83	15.77	60.30	17.37	64.37	18.93	64.86	20.15	66.19	20.67
	46	41.76	10.98	49.30	13.54	56.83	16.62	60.30	18.30	64.37	19.95	63.57	21.23	64.87	21.78
	48	41.76	11.56	49.30	14.26	56.83	17.49	60.30	19.26	64.37	21.00	62.92	22.35	64.21	22.92
	50	41.76	12.14	49.30	14.97	56.83	18.37	60.30	20.24	64.37	22.06	62.27	23.47	63.55	24.08
80%	10	37.12	4.58	43.82	5.14	50.52	6.44	53.60	7.04	57.22	7.74	61.13	9.07	66.12	9.68
	12	37.12	4.71	43.82	5.28	50.52	6.62	53.60	7.24	57.22	7.96	61.13	9.32	66.12	9.95
	14	37.12	4.84	43.82	5.44	50.52	6.82	53.60	7.45	57.22	8.19	61.13	9.59	66.12	10.24
	16	37.12	5.01	43.82	5.63	50.52	7.05	53.60	7.71	57.22	8.48	61.13	9.93	66.12	10.60
	18	37.12	5.13	43.82	5.76	50.52	7.22	53.60	7.89	57.22	8.68	61.13	10.17	66.12	10.85
	19	37.12	5.40	43.82	6.07	50.52	7.61	53.60	8.31	57.22	9.14	61.13	10.71	66.12	11.43
	21	37.12	5.59	43.82	6.27	50.52	7.86	53.60	8.59	57.22	9.45	61.13	11.07	66.12	11.82
	23	37.12	5.85	43.82	6.57	50.52	8.24	53.60	9.00	57.22	9.90	61.13	11.59	66.12	12.38
	25	37.12	6.05	43.82	6.79	50.52	8.51	53.60	9.31	57.22	10.24	61.13	11.99	66.12	12.80
	27	37.12	6.36	43.82	7.14	50.52	8.95	53.60	9.78	57.22	10.76	61.13	12.60	66.12	13.45
	29	37.12	6.59	43.82	7.40	50.52	9.27	53.60	10.13	57.22	11.15	61.13	13.05	66.12	13.94
	31	37.12	6.93	43.82	7.78	50.52	9.75	53.60	10.66	57.22	11.73	61.13	13.73	66.12	14.66
	33	37.12	7.21	43.82	8.10	50.52	10.15	53.60	11.09	57.22	12.20	61.13	14.29	66.12	15.25
	35	37.12	7.59	43.82	8.52	50.52	10.68	53.60	11.68	57.22	12.84	61.13	15.04	66.12	16.05
	37	37.12	8.00	43.82	8.98	50.52	11.26	53.60	12.30	57.22	13.53	59.91	15.84	64.79	16.92
	39	37.12	8.42	43.82	9.45	50.52	11.85	53.60	12.95	57.22	14.24	59.30	16.68	64.13	17.80
	41	37.12	8.84	43.82	9.93	50.52	12.45	53.60	13.60	57.22	14.96	58.69	17.52	63.47	18.70
	43	37.12	9.26	43.82	10.40	50.52	13.03	53.60	14.24	57.22	15.67	58.69	18.35	63.47	19.59
	46	37.12	9.76	43.82	10.96	50.52	13.73	53.60	15.01	57.22	16.51	57.51	19.33	62.20	20.64
	48	37.12	10.27	43.82	11.53	50.52	14.45	53.60	15.80	57.22	17.38	56.93	20.35	61.57	21.72
	50	37.12	10.79	43.82	12.11	50.52	15.18	53.60	16.60	57.22	18.25	56.34	21.37	60.93	22.82

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V670W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	32.48	4.11	38.34	4.89	44.20	5.97	46.90	6.52	50.07	7.04	53.49	7.95	57.85	8.61
	12	32.48	4.15	38.34	4.94	44.20	6.03	46.90	6.58	50.07	7.11	53.49	8.03	57.85	8.69
	14	32.48	4.14	38.34	4.92	44.20	6.01	46.90	6.57	50.07	7.09	53.49	8.01	57.85	8.67
	16	32.48	4.27	38.34	5.08	44.20	6.19	46.90	6.77	50.07	7.31	53.49	8.26	57.85	8.94
	18	32.48	4.30	38.34	5.12	44.20	6.25	46.90	6.83	50.07	7.37	53.49	8.33	57.85	9.01
	19	32.48	4.45	38.34	5.30	44.20	6.47	46.90	7.07	50.07	7.63	53.49	8.62	57.85	9.33
	21	32.48	4.53	38.34	5.40	44.20	6.59	46.90	7.20	50.07	7.77	53.49	8.78	57.85	9.50
	23	32.48	4.68	38.34	5.57	44.20	6.80	46.90	7.43	50.07	8.02	53.49	9.06	57.85	9.81
	25	32.48	4.77	38.34	5.68	44.20	6.93	46.90	7.58	50.07	8.18	53.49	9.24	57.85	10.00
	27	32.48	4.95	38.34	5.90	44.20	7.20	46.90	7.86	50.07	8.49	53.49	9.60	57.85	10.38
	29	32.48	5.13	38.34	6.11	44.20	7.45	46.90	8.14	50.07	8.79	53.49	9.93	57.85	10.75
	31	32.48	5.39	38.34	6.42	44.20	7.83	46.90	8.56	50.07	9.25	53.49	10.44	57.85	11.30
	33	32.48	5.61	38.34	6.68	44.20	8.15	46.90	8.90	50.07	9.62	53.49	10.86	57.85	11.75
	35	32.48	5.84	38.34	6.96	44.20	8.49	46.90	9.27	50.07	10.02	53.49	11.31	57.85	12.24
	37	32.48	6.16	38.34	7.33	44.20	8.94	46.90	9.77	50.07	10.55	52.42	11.92	56.69	12.90
	39	32.48	6.48	38.34	7.71	44.20	9.41	46.90	10.29	50.07	11.11	51.88	12.55	56.12	13.58
	41	32.48	6.81	38.34	8.10	44.20	9.89	46.90	10.80	50.07	11.67	51.35	13.18	55.54	14.26
	43	32.48	7.13	38.34	8.49	44.20	10.35	46.90	11.31	50.07	12.22	51.35	13.80	55.54	14.94
	46	32.48	7.51	38.34	8.94	44.20	10.91	46.90	11.92	50.07	12.88	50.32	14.54	54.43	15.74
	48	32.48	7.91	38.34	9.41	44.20	11.48	46.90	12.55	50.07	13.55	49.81	15.31	53.87	16.56
	50	32.48	8.30	38.34	9.89	44.20	12.06	46.90	13.18	50.07	14.24	49.30	16.08	53.32	17.40
60%	10	27.84	3.31	32.86	3.81	37.89	4.54	40.20	4.94	42.91	5.54	45.85	6.38	49.59	6.92
	12	27.84	3.35	32.86	3.85	37.89	4.58	40.20	4.99	42.91	5.59	45.85	6.44	49.59	6.99
	14	27.84	3.34	32.86	3.83	37.89	4.57	40.20	4.98	42.91	5.58	45.85	6.42	49.59	6.97
	16	27.84	3.44	32.86	3.95	37.89	4.71	40.20	5.13	42.91	5.75	45.85	6.62	49.59	7.19
	18	27.84	3.47	32.86	3.99	37.89	4.75	40.20	5.18	42.91	5.80	45.85	6.68	49.59	7.25
	19	27.84	3.59	32.86	4.13	37.89	4.92	40.20	5.36	42.91	6.00	45.85	6.91	49.59	7.50
	21	27.84	3.66	32.86	4.20	37.89	5.01	40.20	5.46	42.91	6.11	45.85	7.04	49.59	7.64
	23	27.84	3.77	32.86	4.34	37.89	5.17	40.20	5.63	42.91	6.31	45.85	7.27	49.59	7.89
	25	27.84	3.85	32.86	4.42	37.89	5.28	40.20	5.75	42.91	6.44	45.85	7.41	49.59	8.04
	27	27.84	4.00	32.86	4.59	37.89	5.48	40.20	5.96	42.91	6.68	45.85	7.69	49.59	8.35
	29	27.84	4.14	32.86	4.75	37.89	5.67	40.20	6.18	42.91	6.92	45.85	7.97	49.59	8.65
	31	27.84	4.35	32.86	5.00	37.89	5.96	40.20	6.49	42.91	7.27	45.85	8.37	49.59	9.09
	33	27.84	4.52	32.86	5.20	37.89	6.20	40.20	6.75	42.91	7.56	45.85	8.71	49.59	9.45
	35	27.84	4.71	32.86	5.42	37.89	6.46	40.20	7.03	42.91	7.88	45.85	9.07	49.59	9.85
	37	27.84	4.96	32.86	5.71	37.89	6.80	40.20	7.41	42.91	8.30	44.93	9.56	48.59	10.37
	39	27.84	5.23	32.86	6.01	37.89	7.16	40.20	7.80	42.91	8.74	44.47	10.06	48.10	10.92
	41	27.84	5.49	32.86	6.31	37.89	7.52	40.20	8.19	42.91	9.18	44.01	10.57	47.60	11.47
	43	27.84	5.75	32.86	6.61	37.89	7.88	40.20	8.58	42.91	9.61	44.01	11.07	47.60	12.01
	46	27.84	6.06	32.86	6.96	37.89	8.30	40.20	9.04	42.91	10.13	43.13	11.66	46.65	12.66
	48	27.84	6.38	32.86	7.33	37.89	8.74	40.20	9.52	42.91	10.66	42.69	12.28	46.18	13.32
	50	27.84	6.70	32.86	7.70	37.89	9.18	40.20	10.00	42.91	11.20	42.25	12.90	45.70	14.00
50%	10	23.20	2.61	27.39	2.89	31.57	3.21	33.50	3.48	35.76	4.04	38.21	4.56	41.32	5.12
	12	23.20	2.64	27.39	2.92	31.57	3.24	33.50	3.52	35.76	4.08	38.21	4.61	41.32	5.17
	14	23.20	2.63	27.39	2.91	31.57	3.23	33.50	3.51	35.76	4.07	38.21	4.59	41.32	5.15
	16	23.20	2.71	27.39	3.00	31.57	3.33	33.50	3.62	35.76	4.19	38.21	4.74	41.32	5.31
	18	23.20	2.73	27.39	3.03	31.57	3.36	33.50	3.64	35.76	4.23	38.21	4.77	41.32	5.36
	19	23.20	2.83	27.39	3.13	31.57	3.48	33.50	3.77	35.76	4.38	38.21	4.94	41.32	5.55
	21	23.20	2.88	27.39	3.19	31.57	3.54	33.50	3.84	35.76	4.46	38.21	5.03	41.32	5.65
	23	23.20	2.98	27.39	3.29	31.57	3.66	33.50	3.97	35.76	4.60	38.21	5.20	41.32	5.83
	25	23.20	3.03	27.39	3.36	31.57	3.73	33.50	4.05	35.76	4.69	38.21	5.30	41.32	5.95
	27	23.20	3.15	27.39	3.49	31.57	3.87	33.50	4.20	35.76	4.87	38.21	5.50	41.32	6.17
	29	23.20	3.26	27.39	3.61	31.57	4.01	33.50	4.35	35.76	5.04	38.21	5.70	41.32	6.39
	31	23.20	3.43	27.39	3.79	31.57	4.21	33.50	4.57	35.76	5.30	38.21	5.99	41.32	6.72
	33	23.20	3.57	27.39	3.95	31.57	4.38	33.50	4.75	35.76	5.51	38.21	6.23	41.32	6.99
	35	23.20	3.71	27.39	4.11	31.57	4.57	33.50	4.95	35.76	5.74	38.21	6.49	41.32	7.28
	37	23.20	3.91	27.39	4.33	31.57	4.81	33.50	5.22	35.76	6.05	37.44	6.84	40.50	7.67
	39	23.20	4.12	27.39	4.56	31.57	5.06	33.50	5.49	35.76	6.37	37.06	7.19	40.08	8.07
	41	23.20	4.33	27.39	4.79	31.57	5.32	33.50	5.77	35.76	6.69	36.68	7.56	39.67	8.48
	43	23.20	4.53	27.39	5.01	31.57	5.57	33.50	6.04	35.76	7.01	36.68	7.91	39.67	8.88
	46	23.20	4.77	27.39	5.28	31.57	5.87	33.50	6.37	35.76	7.38	35.94	8.34	38.88	9.36
	48	23.20	5.03	27.39	5.56	31.57	6.18	33.50	6.70	35.76	7.77	35.58	8.78	38.48	9.85
	50	23.20	5.28	27.39	5.84	31.57	6.49	33.50	7.04	35.76	8.16	35.21	9.22	38.08	10.35

26HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V730W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	66.02	7.34	77.11	9.13	88.85	10.95	91.25	11.88	92.84	12.79	94.29	12.84	96.81	12.95	
	12	66.02	7.47	77.11	9.31	88.85	11.14	90.44	12.09	92.03	13.02	93.45	13.08	95.94	13.20	
	14	66.02	7.61	77.11	9.48	88.85	11.36	89.63	12.31	91.22	13.27	91.77	13.30	95.1	13.43	
	16	66.02	7.74	77.11	9.64	88.06	11.55	88.85	12.53	89.57	13.51	90.96	13.55	94.23	13.68	
	18	66.02	7.87	77.11	9.82	86.5	11.75	87.25	12.76	88.76	13.74	90.12	13.78	93.36	13.92	
	19	66.02	8.02	77.11	9.99	85.72	11.96	86.44	12.97	87.95	13.99	89.28	14.02	92.52	14.15	
	21	66.02	8.60	77.11	10.71	84.93	12.81	85.63	13.89	87.14	14.98	88.44	15.02	91.66	15.17	
	23	66.02	9.21	77.11	11.47	84.15	13.73	84.85	14.90	86.33	16.04	87.6	16.10	90.82	16.26	
	25	66.02	9.85	77.11	12.27	83.34	14.69	84.04	15.93	85.51	17.18	86.79	17.22	89.95	17.41	
	27	66.02	10.53	77.11	13.12	82.56	15.71	83.23	17.04	84.7	18.37	85.95	18.42	88.24	18.59	
	29	66.02	11.25	76.51	14.02	81.78	16.77	82.44	18.19	83.89	19.61	85.11	19.67	88.24	19.85	
	31	66.02	11.99	76.27	14.94	81	17.88	81.63	19.40	83.08	20.92	84.27	20.97	87.37	21.19	
	33	66.02	12.76	76.27	15.90	80.21	19.05	80.85	20.66	82.24	22.28	83.43	22.33	86.53	22.56	
	35	66.02	13.58	75.52	16.92	78.65	20.26	80.04	21.97	81.43	23.69	82.44	23.77	85.66	24.00	
	37	66.02	14.45	75.52	18.01	77.63	21.55	79.23	23.38	79.81	25.21	81.63	25.27	83.95	25.52	
	39	66.02	14.51	74.45	18.07	77.06	21.65	78.45	23.48	79	25.32	80.85	25.38	83.11	25.63	
	41	66.02	14.57	72.83	18.16	76.04	21.74	77.63	23.58	78.19	25.42	80.04	25.51	82.24	25.75	
	43	66.42	14.64	71.23	18.24	74.71	21.84	76.04	23.69	77.37	25.55	79.26	25.62	81.37	25.86	
	46	64.02	14.70	68.83	18.33	72.04	21.94	73.64	23.81	75.23	25.66	76.82	25.73	79.23	25.98	
	48	62.43	14.78	66.42	18.42	69.64	22.05	71.23	23.92	72.83	25.78	74.45	25.85	76.82	26.11	
50	60.83	14.85	64.02	18.50	67.24	22.15	68.83	24.03	70.42	25.90	72.04	25.98	74.45	26.22		
120%	10	61.99	7.26	73.84	9.05	85.17	10.84	88.18	11.75	91.34	12.67	92.58	12.71	95.51	12.84	
	12	61.99	7.39	73.84	9.23	85.17	11.04	88.18	11.97	90.53	12.90	91.74	12.94	94.67	13.08	
	14	61.99	7.53	73.84	9.38	85.17	11.24	88.18	12.18	89.71	13.14	90.93	13.19	93.83	13.30	
	16	61.99	7.67	73.84	9.55	85.17	11.44	88.18	12.40	88.93	13.38	90.12	13.41	92.96	13.55	
	18	61.99	7.80	73.84	9.73	85.17	11.63	87.4	12.63	88.12	13.61	89.31	13.65	92.12	13.78	
	19	61.99	7.94	73.84	9.88	84.24	11.85	86.62	12.84	87.31	13.84	88.47	13.88	91.28	14.02	
	21	61.99	8.51	73.84	10.60	83.46	12.70	85.02	13.76	85.72	14.84	87.66	14.90	90.44	15.02	
	23	61.99	9.11	73.84	11.37	81.89	13.60	84.24	14.75	84.91	15.90	86.85	15.95	89.6	16.10	
	25	61.99	9.75	73.84	12.15	81.08	14.55	82.68	15.78	84.12	17.01	86.01	17.06	88.76	17.22	
	27	61.99	10.42	73.84	12.99	79.52	15.55	81.89	16.86	83.31	18.17	85.2	18.24	87.89	18.42	
	29	61.99	11.13	73.84	13.87	78.74	16.61	81.08	18.01	82.5	19.41	84.38	19.49	87.05	19.67	
	31	61.99	11.88	73.84	14.79	77.95	17.71	80.3	19.21	81.72	20.70	83.57	20.78	86.21	20.97	
	33	61.99	12.65	73.84	15.76	77.17	18.86	79.52	20.46	80.91	22.07	82.73	22.13	85.37	22.33	
	35	61.99	13.44	73.23	16.76	76.36	20.07	78.74	21.77	80.13	23.46	81.92	23.54	84.53	23.77	
	37	61.99	14.30	72.45	17.83	75.58	21.35	77.17	23.15	78.5	24.95	81.08	25.05	82.82	25.27	
	39	61.99	14.38	71.64	17.91	74.8	21.43	76.36	23.24	77.72	25.08	80.3	25.14	81.98	25.38	
	41	61.99	14.43	70.13	17.98	74.01	21.54	75.58	23.36	76.91	25.18	79.52	25.26	81.14	25.51	
	43	61.99	14.51	69.41	18.06	73.23	21.64	74.8	23.46	76.36	25.30	78.74	25.37	80.3	25.62	
	46	60.63	14.57	67.7	18.15	70.86	21.74	72.45	23.57	74.01	25.41	76.36	25.49	77.95	25.73	
	48	59.04	14.64	66.13	18.24	68.51	21.84	70.07	23.68	71.64	25.54	74.01	25.61	75.58	25.85	
50	57.47	14.70	64.57	18.32	66.13	21.93	67.7	23.80	69.29	25.65	71.64	25.72	73.23	25.98		
110%	10	56.72	7.20	67.18	8.96	76.07	10.73	82.85	11.63	89.02	12.54	91.05	12.59	93.92	12.71	
	12	56.72	7.33	67.18	9.12	76.07	10.93	82.85	11.86	88.24	12.78	90.24	12.82	93.1	12.94	
	14	56.72	7.46	67.18	9.30	76.07	11.13	82.85	12.07	87.46	13.01	89.43	13.06	92.26	13.18	
	16	56.72	7.60	67.18	9.47	76.07	11.33	82.85	12.29	86.67	13.25	88.61	13.28	91.42	13.41	
	18	56.72	7.73	67.18	9.62	76.07	11.52	82.85	12.51	85.89	13.47	87.83	13.52	90.61	13.65	
	19	56.72	7.85	67.18	9.80	76.07	11.72	82.85	12.73	85.08	13.71	87.02	13.75	89.77	13.88	
	21	56.72	8.43	67.18	10.50	76.07	12.56	82.85	13.64	84.3	14.69	86.21	14.75	88.93	14.89	
	23	56.72	9.03	67.18	11.25	76.07	13.46	82.07	14.61	83.52	15.75	85.4	15.79	88.12	15.94	
	25	56.72	9.66	67.18	12.03	76.07	14.40	81.31	15.64	82.73	16.84	84.59	16.89	87.28	17.06	
	27	56.72	10.32	67.18	12.87	76.07	15.40	80.53	16.70	81.95	18.01	83.78	18.06	86.44	18.24	
	29	56.72	11.03	67.18	13.74	76.07	16.44	79.75	17.84	81.14	19.22	82.99	19.30	85.63	19.46	
	31	56.72	11.75	67.18	14.64	76.07	17.54	78.97	19.02	80.36	20.51	82.18	20.56	84.79	20.78	
	33	56.72	12.51	67.18	15.60	75.11	18.68	78.21	20.26	79.58	21.84	81.37	21.91	83.95	22.12	
	35	56.72	13.32	67.18	16.60	74.33	19.87	77.43	21.55	78.79	23.23	80.56	23.31	83.11	23.54	
	37	56.72	14.17	67.18	17.66	73.55	21.13	75.9	22.94	77.2	24.72	78.97	24.80	81.46	25.02	
	39	56.72	14.23	67.18	17.73	72.8	21.24	75.11	23.03	76.42	24.83	78.16	24.90	80.62	25.14	
	41	56.72	14.29	67.18	17.81	72.02	21.32	74.33	23.13	75.64	24.94	77.35	25.01	79.81	25.26	
	43	56.72	14.37	67.18	17.90	71.23	21.43	73.55	23.23	74.85	25.06	76.53	25.13	78.97	25.37	
	46	54.98	14.43	65.82	17.98	68.92	21.52	71.23	23.35	72.8	25.17	74.33	25.24	75.9	25.49	
	48	53.42	14.49	64.28	18.06	66.6	21.63	68.92	23.45	70.45	25.29	72.02	25.35	73.55	25.60	
50	51.88	14.56	62.72	18.14	64.28	21.73	66.6	23.57	68.13	25.40	69.7	25.48	71.23	25.72		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V730W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	50.55	6.72	59.67	8.37	68.8	10.01	73	10.87	79.49	11.71	85.08	11.75	88.47	11.87	
	12	50.55	6.84	59.67	8.52	68.8	10.21	73	11.07	79.49	11.93	85.08	11.97	87.69	12.08	
	14	50.55	6.96	59.67	8.67	68.8	10.38	73	11.26	79.49	12.14	84.3	12.18	86.9	12.30	
	16	50.55	7.10	59.67	8.84	68.8	10.58	73	11.47	79.49	12.37	83.54	12.40	86.12	12.51	
	18	50.55	7.21	59.67	8.99	68.8	10.75	73	11.66	79.49	12.58	82.79	12.63	85.34	12.74	
	19	50.55	7.34	59.67	9.13	68.8	10.95	73	11.88	79.49	12.79	82.04	12.84	84.56	12.95	
	21	50.55	7.85	59.67	9.80	68.8	11.74	73	12.73	79.49	13.72	81.28	13.76	83.75	13.88	
	23	50.55	8.43	59.67	10.50	68.8	12.56	73	13.64	79.49	14.69	80.5	14.73	82.97	14.89	
	25	50.55	9.01	59.67	11.23	68.8	13.44	73	14.59	79.49	15.72	79.75	15.78	82.18	15.92	
	27	50.55	9.64	59.67	12.01	68.8	14.38	73	15.59	78.74	16.80	79	16.86	81.4	17.03	
	29	50.55	10.29	59.67	12.82	68.8	15.36	73	16.65	77.98	17.95	78.24	18.01	80.62	18.17	
	31	50.55	10.98	59.67	13.67	68.8	16.37	73	17.77	77.26	19.14	77.49	19.19	79.84	19.38	
	33	50.55	11.68	59.67	14.56	68.8	17.44	73	18.92	76.51	20.40	76.71	20.45	79.05	20.65	
	35	50.55	12.43	59.67	15.49	68.8	18.55	73	20.11	75.4	21.69	75.95	21.76	78.27	21.96	
	37	50.55	13.23	59.67	16.48	68.8	19.73	73	20.93	74.27	23.07	75.2	23.14	76.71	23.37	
	39	50.55	13.28	59.67	16.55	68.8	19.81	73	21.52	73.72	23.17	74.45	23.24	75.93	23.46	
	41	50.55	13.34	59.67	16.62	67.9	19.91	72.28	22.14	73	23.27	73.72	23.35	75.14	23.57	
	43	50.55	13.40	59.67	16.70	67.15	20.01	71.55	22.87	72.28	23.38	73	23.45	74.36	23.68	
	46	50.55	13.46	58.49	16.78	64.98	20.09	70.8	23.50	71.55	23.49	72.28	23.57	73.72	23.80	
	48	50.55	13.53	57.88	16.85	62.77	20.18	68.63	23.95	70.8	23.59	70.07	23.67	71.55	23.90	
50	49.65	13.59	57.3	16.94	60.6	20.28	66.42	24.55	68.63	23.70	67.9	23.79	69.35	24.01		
90%	10	45.51	5.81	53.71	7.23	61.93	8.65	65.7	9.39	69.47	10.13	78.76	10.16	80.39	10.25	
	12	45.51	5.91	53.71	7.36	61.93	8.82	65.7	9.56	69.47	10.31	78.76	10.35	80.39	10.45	
	14	45.51	6.02	53.71	7.50	61.93	8.98	65.7	9.75	69.47	10.50	78.76	10.54	80.39	10.63	
	16	45.51	6.12	53.71	7.63	61.93	9.14	65.7	9.91	69.47	10.68	78.76	10.73	80.39	10.82	
	18	45.51	6.24	53.71	7.77	61.93	9.31	65.7	10.10	69.47	10.87	78.76	10.90	79.49	11.01	
	19	45.51	6.35	53.71	7.90	61.93	9.47	65.7	10.26	69.47	11.06	78.19	11.10	78.85	11.20	
	21	45.51	6.80	53.71	8.47	61.93	10.15	65.7	11.00	69.47	11.86	77.52	11.90	78.19	12.01	
	23	45.51	7.28	53.71	9.07	61.93	10.87	65.7	11.78	69.47	12.71	76.88	12.74	77.52	12.87	
	25	45.51	7.79	53.71	9.72	61.93	11.63	65.7	12.61	69.47	13.60	76.22	13.64	76.88	13.76	
	27	45.51	8.33	53.71	10.37	61.93	12.43	65.7	13.47	69.47	14.53	75.55	14.57	76.22	14.72	
	29	45.51	8.90	53.71	11.09	61.93	13.27	65.7	14.40	69.47	15.52	74.91	15.56	75.55	15.72	
	31	45.51	9.49	53.71	11.83	61.93	14.15	65.7	15.35	69.47	16.54	74.25	16.60	74.91	16.76	
	33	45.51	10.11	53.71	12.59	61.93	15.07	65.7	16.35	69.47	17.63	73.58	17.67	74.25	17.85	
	35	45.51	10.75	53.71	13.39	61.93	16.03	65.7	17.40	69.47	18.75	72.91	18.80	73.58	18.99	
	37	45.51	11.44	53.71	14.24	61.93	17.05	65.7	18.50	69.47	19.95	72.28	20.01	72.91	20.19	
	39	45.51	11.48	53.71	14.30	61.93	17.13	65.7	18.58	68.97	20.04	71.61	20.09	72.28	20.28	
	41	45.51	11.53	53.71	14.38	61.93	17.21	65.7	18.67	68.34	20.12	70.94	20.18	71.61	20.38	
	43	45.51	11.59	53.71	14.43	61.93	17.28	65.03	18.75	67.67	20.20	70.31	20.28	70.94	20.47	
	46	45.51	11.63	53.71	14.51	59.79	17.37	63.06	18.83	65.7	20.30	68.34	20.37	68.97	20.56	
	48	45.51	11.69	53.71	14.57	57.82	17.44	61.09	18.92	63.73	20.40	66.37	20.47	67	20.66	
50	45.51	11.75	52.55	14.64	55.85	17.53	59.12	19.01	61.76	20.50	64.4	20.55	65.03	20.76		
80%	10	40.44	4.97	47.74	6.18	55.04	7.39	58.4	8.02	61.76	8.65	63.09	8.67	64.45	8.75	
	12	40.44	5.05	47.74	6.30	55.04	7.54	58.4	8.18	61.76	8.82	63.09	8.84	64.45	8.92	
	14	40.44	5.14	47.74	6.41	55.04	7.67	58.4	8.32	61.76	8.98	63.09	9.00	64.45	9.09	
	16	40.44	5.23	47.74	6.52	55.04	7.80	58.4	8.47	61.76	9.13	63.09	9.16	64.45	9.25	
	18	40.44	5.33	47.74	6.62	55.04	7.95	58.4	8.61	61.76	9.29	63.09	9.32	64.45	9.41	
	19	40.44	5.42	47.74	6.75	55.04	8.08	58.4	8.76	61.76	9.45	63.09	9.48	64.45	9.57	
	21	40.44	5.81	47.74	7.23	55.04	8.67	58.4	9.39	61.76	10.13	63.09	10.16	64.45	10.26	
	23	40.44	6.23	47.74	7.74	55.04	9.28	58.4	10.07	61.76	10.85	63.09	10.88	64.45	10.99	
	25	40.44	6.66	47.74	8.29	55.04	9.93	58.4	10.77	61.76	11.61	63.09	11.64	64.45	11.75	
	27	40.44	7.12	47.74	8.87	55.04	10.62	58.4	11.51	61.76	12.41	63.09	12.45	64.45	12.57	
	29	40.44	7.61	47.74	9.47	55.04	11.33	58.4	12.29	61.76	13.26	63.09	13.29	64.45	13.41	
	31	40.44	8.11	47.74	10.10	55.04	12.09	58.4	13.12	61.76	14.13	63.09	14.17	64.45	14.31	
	33	40.44	8.62	47.74	10.75	55.04	12.88	58.4	13.97	61.76	15.05	63.09	15.10	64.45	15.25	
	35	40.44	9.17	47.74	11.44	55.04	13.69	58.4	14.86	61.76	16.02	63.09	16.07	64.45	16.23	
	37	40.44	9.77	47.74	12.17	55.04	14.57	58.4	15.80	61.76	17.04	63.09	17.08	63.64	17.25	
	39	40.44	9.81	47.74	12.22	55.04	14.64	58.4	15.87	61.76	17.11	62.48	17.16	63.06	17.32	
	41	40.44	9.86	47.74	12.27	55.04	14.69	58.4	15.93	61.33	17.18	61.91	17.24	62.48	17.41	
	43	40.44	9.90	47.74	12.34	55.04	14.77	58.4	16.02	60.75	17.27	61.33	17.31	61.91	17.49	
	46	40.44	9.94	47.88	12.39	54.89	14.84	56.66	16.10	58.98	17.35	59.56	17.41	58.98	17.57	
	48	40.44	9.99	47.88	12.45	53.16	14.90	54.89	16.17	57.24	17.43	57.82	17.49	57.24	17.65	
50	40.44	10.03	47.88	12.51	51.39	14.97	53.16	16.24	55.47	17.51	56.05	17.55	55.47	17.73		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V730W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	35.4	4.18	41.77	5.20	48.17	6.23	51.1	6.76	54.03	7.28	55.21	7.31	56.4	7.37
	12	35.4	4.25	41.77	5.30	48.17	6.35	51.1	6.87	54.03	7.41	55.21	7.44	56.4	7.51
	14	35.4	4.33	41.77	5.40	48.17	6.46	51.1	7.00	54.03	7.56	55.21	7.58	56.4	7.64
	16	35.4	4.40	41.77	5.49	48.17	6.57	51.1	7.14	54.03	7.69	55.21	7.72	56.4	7.78
	18	35.4	4.48	41.77	5.59	48.17	6.69	51.1	7.25	54.03	7.82	55.21	7.85	56.4	7.91
	19	35.4	4.57	41.77	5.69	48.17	6.81	51.1	7.38	54.03	7.97	55.21	7.99	56.4	8.06
	21	35.4	4.89	41.77	6.10	48.17	7.30	51.1	7.91	54.03	8.53	55.21	8.56	56.4	8.64
	23	35.4	5.23	41.77	6.52	48.17	7.82	51.1	8.49	54.03	9.13	55.21	9.16	56.4	9.25
	25	35.4	5.60	41.77	6.98	48.17	8.37	51.1	9.07	54.03	9.78	55.21	9.81	56.4	9.90
	27	35.4	5.99	41.77	7.47	48.17	8.95	51.1	9.70	54.03	10.45	55.21	10.49	56.4	10.59
	29	35.4	6.40	41.77	7.98	48.17	9.54	51.1	10.35	54.03	11.16	55.21	11.19	56.4	11.30
	31	35.4	6.82	41.77	8.50	48.17	10.18	51.1	11.04	54.03	11.90	55.21	11.94	56.4	12.05
	33	35.4	7.27	41.77	9.06	48.17	10.84	51.1	11.76	54.03	12.68	55.21	12.73	56.4	12.84
	35	35.4	7.73	41.77	9.64	48.17	11.53	51.1	12.51	54.03	13.50	55.21	13.53	56.4	13.66
	37	35.4	8.22	41.77	10.25	48.17	12.27	51.1	13.30	54.03	14.35	55.21	14.40	56.4	14.53
	39	35.4	8.26	41.77	10.29	48.17	12.32	51.1	13.36	54.03	14.40	55.21	14.45	56.4	14.59
	41	35.4	8.29	41.77	10.34	48.17	12.38	51.1	13.41	54.03	14.48	55.21	14.52	56.4	14.65
	43	35.4	8.33	41.77	10.37	48.17	12.43	51.1	13.50	54.03	14.53	55.21	14.59	56.4	14.72
	46	35.4	8.38	41.77	10.43	48.17	12.49	51.1	13.55	53.16	14.61	54.17	14.64	55.18	14.79
	48	35.4	8.41	41.77	10.49	48.17	12.54	50.09	13.61	52.11	14.67	53.16	14.72	54.17	14.87
50	35.4	8.46	41.77	10.53	47.02	12.61	49.04	13.68	51.1	14.74	52.11	14.79	53.16	14.92	
60%	10	30.33	3.46	35.8	4.30	41.28	5.15	43.8	5.59	46.32	6.02	47.33	6.05	48.32	6.10
	12	30.33	3.52	35.8	4.38	41.28	5.25	43.8	5.69	46.32	6.13	47.33	6.15	48.32	6.23
	14	30.33	3.58	35.8	4.46	41.28	5.34	43.8	5.81	46.32	6.25	47.33	6.27	48.32	6.33
	16	30.33	3.65	35.8	4.55	41.28	5.45	43.8	5.91	46.32	6.36	47.33	6.38	48.32	6.44
	18	30.33	3.71	35.8	4.63	41.28	5.54	43.8	6.00	46.32	6.47	47.33	6.49	48.32	6.56
	19	30.33	3.78	35.8	4.71	41.28	5.63	43.8	6.10	46.32	6.59	47.33	6.60	48.32	6.68
	21	30.33	4.05	35.8	5.04	41.28	6.04	43.8	6.55	46.32	7.07	47.33	7.09	48.32	7.15
	23	30.33	4.33	35.8	5.40	41.28	6.47	43.8	7.01	46.32	7.57	47.33	7.59	48.32	7.66
	25	30.33	4.64	35.8	5.77	41.28	6.92	43.8	7.51	46.32	8.10	47.33	8.12	48.32	8.19
	27	30.33	4.97	35.8	6.18	41.28	7.39	43.8	8.02	46.32	8.65	47.33	8.68	48.32	8.75
	29	30.33	5.29	35.8	6.60	41.28	7.90	43.8	8.57	46.32	9.24	47.33	9.26	48.32	9.36
	31	30.33	5.64	35.8	7.03	41.28	8.43	43.8	9.13	46.32	9.86	47.33	9.88	48.32	9.98
	33	30.33	6.02	35.8	7.50	41.28	8.98	43.8	9.75	46.32	10.50	47.33	10.53	48.32	10.62
	35	30.33	6.40	35.8	7.98	41.28	9.55	43.8	10.35	46.32	11.16	47.33	11.20	48.32	11.30
	37	30.33	6.81	35.8	8.49	41.28	10.16	43.8	11.01	46.32	11.88	47.33	11.91	48.32	12.02
	39	30.33	6.84	35.8	8.51	41.28	10.21	43.8	11.06	46.32	11.93	47.33	11.96	48.32	12.07
	41	30.33	6.86	35.8	8.56	41.28	10.25	43.8	11.12	46.32	11.99	47.33	12.01	48.32	12.13
	43	30.33	6.90	35.8	8.60	41.28	10.29	43.8	11.16	46.32	12.03	47.33	12.07	48.32	12.18
	46	30.33	6.93	35.8	8.63	41.28	10.34	43.8	11.22	46.32	12.09	47.33	12.13	48.32	12.25
	48	30.33	6.96	35.8	8.67	41.28	10.38	43.8	11.26	45.54	12.14	46.44	12.18	47.31	12.30
50	30.33	6.99	35.8	8.71	41.28	10.43	42.93	11.31	44.67	12.21	45.54	12.25	46.44	12.36	
50%	10	25.29	2.80	29.84	3.48	34.41	4.19	36.5	4.54	38.59	4.87	39.43	4.89	40.27	4.96
	12	25.29	2.85	29.84	3.55	34.41	4.25	36.5	4.62	38.59	4.98	39.43	4.99	40.27	5.04
	14	25.29	2.91	29.84	3.61	34.41	4.33	36.5	4.71	38.59	5.07	39.43	5.09	40.27	5.12
	16	25.29	2.96	29.84	3.69	34.41	4.41	36.5	4.78	38.59	5.15	39.43	5.17	40.27	5.22
	18	25.29	3.01	29.84	3.75	34.41	4.48	36.5	4.86	38.59	5.24	39.43	5.26	40.27	5.31
	19	25.29	3.06	29.84	3.81	34.41	4.57	36.5	4.96	38.59	5.34	39.43	5.36	40.27	5.40
	21	25.29	3.29	29.84	4.09	34.41	4.89	36.5	5.31	38.59	5.72	39.43	5.73	40.27	5.80
	23	25.29	3.51	29.84	4.37	34.41	5.23	36.5	5.69	38.59	6.12	39.43	6.15	40.27	6.22
	25	25.29	3.76	29.84	4.69	34.41	5.60	36.5	6.08	38.59	6.56	39.43	6.57	40.27	6.65
	27	25.29	4.02	29.84	5.01	34.41	5.99	36.5	6.50	38.59	7.00	39.43	7.03	40.27	7.10
	29	25.29	4.29	29.84	5.34	34.41	6.40	36.5	6.95	38.59	7.47	39.43	7.51	40.27	7.59
	31	25.29	4.58	29.84	5.70	34.41	6.83	36.5	7.40	38.59	7.99	39.43	8.00	40.27	8.08
	33	25.29	4.87	29.84	6.08	34.41	7.27	36.5	7.88	38.59	8.50	39.43	8.53	40.27	8.61
	35	25.29	5.18	29.84	6.46	34.41	7.73	36.5	8.39	38.59	9.04	39.43	9.07	40.27	9.16
	37	25.29	5.51	29.84	6.87	34.41	8.23	36.5	8.92	38.59	9.61	39.43	9.65	40.27	9.75
	39	25.29	5.54	29.84	6.90	34.41	8.26	36.5	8.96	38.59	9.66	39.43	9.69	40.27	9.78
	41	25.29	5.56	29.84	6.93	34.41	8.29	36.5	9.00	38.59	9.71	39.43	9.75	40.27	9.83
	43	25.29	5.59	29.84	6.96	34.41	8.35	36.5	9.04	38.59	9.75	39.43	9.78	40.27	9.87
	46	25.29	5.61	29.84	6.99	34.41	8.38	36.5	9.09	38.59	9.80	39.43	9.83	40.27	9.91
	48	25.29	5.64	29.84	7.03	34.41	8.41	36.5	9.12	38.7	9.84	39.05	9.87	39.77	9.97
50	25.29	5.67	29.84	7.07	34.41	8.46	36.5	9.17	38.33	9.88	38.7	9.91	39.43	10.01	

28HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V785W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	70.99	7.88	82.92	9.82	95.54	11.76	98.13	12.77	99.84	13.76	101.4	13.81	104.11	13.93	
	12	70.99	8.03	82.92	10.01	95.54	11.99	97.25	13.00	98.97	14.01	100.49	14.05	103.17	14.20	
	14	70.99	8.18	82.92	10.19	95.54	12.20	96.38	13.24	98.09	14.28	98.69	14.31	102.27	14.45	
	16	70.99	8.32	82.92	10.38	94.7	12.42	95.54	13.48	96.32	14.52	97.81	14.57	101.33	14.71	
	18	70.99	8.48	82.92	10.56	93.02	12.64	93.83	13.72	95.45	14.77	96.91	14.82	100.4	14.97	
	19	70.99	8.62	82.92	10.73	92.18	12.86	92.95	13.95	94.57	15.04	96.01	15.07	99.5	15.22	
	21	70.99	9.24	82.92	11.51	91.33	13.78	92.08	14.94	93.7	16.12	95.1	16.16	98.56	16.33	
	23	70.99	9.90	82.92	12.34	90.49	14.77	91.24	16.01	92.83	17.27	94.2	17.32	97.66	17.47	
	25	70.99	10.58	82.92	13.19	89.62	15.80	90.37	17.14	91.96	18.47	93.33	18.53	96.72	18.71	
	27	70.99	11.32	82.92	14.10	88.78	16.88	89.5	18.32	91.08	19.75	92.42	19.80	94.89	20.01	
	29	70.99	12.09	82.27	15.06	87.94	18.04	88.66	19.56	90.21	21.09	91.52	21.15	94.89	21.36	
	31	70.99	12.89	82.02	16.06	87.1	19.23	87.78	20.86	89.34	22.49	90.62	22.56	93.95	22.77	
	33	70.99	13.73	82.02	17.11	86.26	20.49	86.94	22.21	88.44	23.95	89.71	24.02	93.05	24.25	
	35	70.99	14.60	81.21	18.20	84.57	21.79	86.07	23.63	87.56	25.48	88.66	25.56	92.11	25.81	
	37	70.99	15.53	81.21	19.36	83.48	23.17	85.2	25.13	85.82	27.09	87.78	27.19	90.28	27.44	
	39	70.99	15.60	80.06	19.43	82.86	23.27	84.36	25.26	84.95	27.22	86.94	27.31	89.37	27.56	
	41	70.99	15.67	78.31	19.54	81.77	23.38	83.48	25.36	84.08	27.34	86.07	27.42	88.44	27.69	
	43	71.43	15.75	76.6	19.62	80.34	23.49	81.77	25.48	83.2	27.47	85.23	27.55	87.5	27.81	
	46	68.84	15.82	74.01	19.71	77.47	23.60	79.19	25.59	80.9	27.59	82.61	27.68	85.2	27.95	
	48	67.13	15.89	71.43	19.80	74.89	23.71	76.6	25.71	78.31	27.73	80.06	27.81	82.61	28.08	
50	65.42	15.96	68.84	19.89	72.3	23.82	74.01	25.84	75.73	27.85	77.47	27.94	80.06	28.21		
120%	10	66.66	7.81	79.4	9.73	91.58	11.65	94.82	12.64	98.22	13.62	99.56	13.66	102.7	13.81	
	12	66.66	7.96	79.4	9.92	91.58	11.88	94.82	12.87	97.35	13.88	98.65	13.92	101.8	14.05	
	14	66.66	8.10	79.4	10.09	91.58	12.08	94.82	13.11	96.47	14.13	97.78	14.17	100.9	14.31	
	16	66.66	8.25	79.4	10.27	91.58	12.30	94.82	13.34	95.63	14.38	96.91	14.43	99.96	14.57	
	18	66.66	8.39	79.4	10.46	91.58	12.52	93.98	13.57	94.76	14.63	96.04	14.68	99.06	14.82	
	19	66.66	8.53	79.4	10.63	90.59	12.73	93.14	13.81	93.89	14.89	95.13	14.93	98.16	15.07	
	21	66.66	9.15	79.4	11.40	89.75	13.65	91.43	14.80	92.18	15.96	94.26	16.01	97.25	16.16	
	23	66.66	9.80	79.4	12.21	88.06	14.61	90.59	15.86	91.3	17.10	93.39	17.16	96.35	17.32	
	25	66.66	10.49	79.4	13.07	87.19	15.65	88.9	16.97	90.46	18.29	92.49	18.35	95.45	18.53	
	27	66.66	11.20	79.4	13.97	85.51	16.73	88.06	18.14	89.59	19.56	91.61	19.61	94.51	19.80	
	29	66.66	11.97	79.4	14.92	84.67	17.86	87.19	19.37	88.72	20.88	90.74	20.95	93.61	21.15	
	31	66.66	12.77	79.4	15.91	83.83	19.06	86.35	20.66	87.88	22.27	89.87	22.33	92.7	22.56	
	33	66.66	13.60	79.4	16.94	82.99	20.29	85.51	22.01	87	23.72	88.97	23.79	91.8	24.02	
	35	66.66	14.47	78.75	18.02	82.11	21.59	84.67	23.41	86.16	25.23	88.09	25.31	90.9	25.56	
	37	66.66	15.38	77.91	19.18	81.27	22.96	82.99	24.90	84.42	26.84	87.19	26.92	89.06	27.19	
	39	66.66	15.46	77.04	19.26	80.43	23.05	82.11	25.00	83.58	26.96	86.35	27.04	88.16	27.31	
	41	66.66	15.51	75.42	19.33	79.59	23.16	81.27	25.11	82.71	27.06	85.51	27.16	87.25	27.42	
	43	66.66	15.59	74.64	19.42	78.75	23.27	80.43	25.23	82.11	27.21	84.67	27.29	86.35	27.55	
	46	65.2	15.67	72.8	19.53	76.19	23.38	77.91	25.36	79.59	27.34	82.11	27.41	83.83	27.68	
	48	63.49	15.74	71.12	19.61	73.67	23.48	75.35	25.47	77.04	27.46	79.59	27.53	81.27	27.81	
50	61.8	15.82	69.44	19.71	71.12	23.59	72.8	25.58	74.51	27.58	77.04	27.66	78.75	27.94		
110%	10	60.99	7.73	72.24	9.64	81.8	11.54	89.09	12.52	95.73	13.49	97.91	13.54	100.99	13.66	
	12	60.99	7.87	72.24	9.81	81.8	11.75	89.09	12.75	94.89	13.75	97.03	13.79	100.12	13.92	
	14	60.99	8.03	72.24	9.99	81.8	11.97	89.09	12.98	94.04	14.00	96.16	14.03	99.22	14.17	
	16	60.99	8.17	72.24	10.18	81.8	12.19	89.09	13.21	93.2	14.25	95.29	14.29	98.31	14.43	
	18	60.99	8.31	72.24	10.36	81.8	12.39	89.09	13.44	92.36	14.49	94.45	14.54	97.44	14.68	
	19	60.99	8.46	72.24	10.54	81.8	12.61	89.09	13.68	91.49	14.75	93.58	14.79	96.54	14.93	
	21	60.99	9.07	72.24	11.29	81.8	13.51	89.09	14.66	90.65	15.81	92.7	15.86	95.63	16.00	
	23	60.99	9.71	72.24	12.09	81.8	14.47	88.25	15.71	89.81	16.93	91.83	16.98	94.76	17.16	
	25	60.99	10.39	72.24	12.94	81.8	15.49	87.44	16.81	88.97	18.12	90.96	18.17	93.86	18.35	
	27	60.99	11.10	72.24	13.84	81.8	16.56	86.6	17.96	88.13	19.36	90.09	19.42	92.95	19.61	
	29	60.99	11.86	72.24	14.77	81.8	17.69	85.76	19.18	87.25	20.67	89.25	20.75	92.08	20.94	
	31	60.99	12.64	72.24	15.76	81.8	18.86	84.92	20.46	86.41	22.06	88.37	22.12	91.18	22.33	
	33	60.99	13.46	72.24	16.78	80.77	20.10	84.11	21.79	85.57	23.49	87.5	23.57	90.28	23.78	
	35	60.99	14.32	72.24	17.85	79.93	21.36	83.27	23.17	84.73	24.98	86.63	25.06	89.37	25.31	
	37	60.99	15.24	72.24	18.98	79.09	22.72	81.62	24.66	83.02	26.58	84.92	26.66	87.6	26.91	
	39	60.99	15.30	72.24	19.07	78.28	22.83	80.77	24.76	82.18	26.70	84.04	26.77	86.69	27.04	
	41	60.99	15.37	72.24	19.15	77.44	22.93	79.93	24.88	81.33	26.82	83.17	26.90	85.82	27.16	
	43	60.99	15.44	72.24	19.24	76.6	23.04	79.09	24.98	80.49	26.94	82.3	27.02	84.92	27.29	
	46	59.12	15.51	70.77	19.33	74.11	23.15	76.6	25.11	78.28	27.06	79.93	27.14	81.62	27.41	
	48	57.44	15.58	69.12	19.42	71.62	23.25	74.11	25.22	75.76	27.20	77.44	27.27	79.09	27.53	
50	55.79	15.67	67.44	19.51	69.12	23.37	71.62	25.34	73.27	27.32	74.95	27.39	76.6	27.66		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V785W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	54.36	7.22	64.17	9.00	73.98	10.77	78.5	11.68	85.48	12.59	91.49	12.64	95.13	12.77
	12	54.36	7.35	64.17	9.17	73.98	10.98	78.5	11.91	85.48	12.83	91.49	12.87	94.29	12.99
	14	54.36	7.49	64.17	9.32	73.98	11.17	78.5	12.11	85.48	13.06	90.65	13.11	93.45	13.24
	16	54.36	7.63	64.17	9.50	73.98	11.38	78.5	12.34	85.48	13.29	89.84	13.34	92.61	13.46
	18	54.36	7.75	64.17	9.67	73.98	11.57	78.5	12.54	85.48	13.53	89.03	13.57	91.77	13.70
	19	54.36	7.88	64.17	9.82	73.98	11.76	78.5	12.77	85.48	13.76	88.22	13.81	90.93	13.93
	21	54.36	8.46	64.17	10.54	73.98	12.62	78.5	13.68	85.48	14.76	87.41	14.80	90.06	14.94
	23	54.36	9.07	64.17	11.28	73.98	13.51	78.5	14.65	85.48	15.81	86.57	15.85	89.22	16.00
	25	54.36	9.69	64.17	12.07	73.98	14.47	78.5	15.69	85.48	16.90	85.76	16.96	88.37	17.13
	27	54.36	10.37	64.17	12.91	73.98	15.46	78.5	16.77	84.67	18.07	84.95	18.14	87.53	18.31
	29	54.36	11.06	64.17	13.79	73.98	16.51	78.5	17.90	83.86	19.30	84.14	19.36	86.69	19.56
	31	54.36	11.80	64.17	14.71	73.98	17.61	78.5	19.10	83.08	20.59	83.33	20.64	85.85	20.84
	33	54.36	12.56	64.17	15.67	73.98	18.76	78.5	20.34	82.27	21.94	82.49	21.99	85.01	22.21
	35	54.36	13.38	64.17	16.66	73.98	19.95	78.5	21.64	81.09	23.31	81.68	23.40	84.17	23.62
	37	54.36	14.23	64.17	17.72	73.98	21.21	78.5	22.51	79.87	24.81	80.87	24.89	82.49	25.12
	39	54.36	14.29	64.17	17.79	73.98	21.31	78.5	23.15	79.28	24.92	80.06	24.99	81.65	25.23
	41	54.36	14.35	64.17	17.87	73.02	21.41	77.72	23.79	78.5	25.03	79.28	25.11	80.81	25.35
	43	54.36	14.42	64.17	17.96	72.21	21.51	76.94	24.58	77.72	25.13	78.5	25.22	79.96	25.46
	46	54.36	14.47	62.89	18.05	69.87	21.61	76.13	25.29	76.94	25.26	77.72	25.34	79.28	25.58
	48	54.36	14.55	62.24	18.12	67.5	21.70	73.8	25.75	76.13	25.38	75.35	25.45	76.94	25.70
90%	50	53.39	14.61	61.62	18.22	65.17	21.81	71.43	26.40	73.8	25.50	73.02	25.57	74.58	25.83
	10	48.94	6.24	57.75	7.78	66.6	9.31	70.65	10.11	74.7	10.89	84.7	10.93	86.44	11.02
	12	48.94	6.36	57.75	7.92	66.6	9.49	70.65	10.28	74.7	11.08	84.7	11.13	86.44	11.23
	14	48.94	6.47	57.75	8.06	66.6	9.66	70.65	10.48	74.7	11.29	84.7	11.33	86.44	11.44
	16	48.94	6.59	57.75	8.20	66.6	9.83	70.65	10.66	74.7	11.49	84.7	11.53	86.44	11.64
	18	48.94	6.71	57.75	8.35	66.6	10.01	70.65	10.86	74.7	11.69	84.7	11.73	85.48	11.85
	19	48.94	6.82	57.75	8.50	66.6	10.18	70.65	11.03	74.7	11.90	84.08	11.93	84.79	12.05
	21	48.94	7.31	57.75	9.11	66.6	10.91	70.65	11.83	74.7	12.76	83.36	12.80	84.08	12.92
	23	48.94	7.83	57.75	9.76	66.6	11.68	70.65	12.66	74.7	13.66	82.67	13.70	83.36	13.84
	25	48.94	8.37	57.75	10.44	66.6	12.50	70.65	13.56	74.7	14.61	81.96	14.66	82.67	14.80
	27	48.94	8.96	57.75	11.16	66.6	13.37	70.65	14.49	74.7	15.64	81.24	15.67	81.96	15.83
	29	48.94	9.57	57.75	11.92	66.6	14.28	70.65	15.48	74.7	16.69	80.56	16.73	81.24	16.90
	31	48.94	10.20	57.75	12.71	66.6	15.22	70.65	16.50	74.7	17.79	79.84	17.85	80.56	18.02
	33	48.94	10.87	57.75	13.54	66.6	16.21	70.65	17.59	74.7	18.96	79.12	19.01	79.84	19.20
	35	48.94	11.56	57.75	14.40	66.6	17.25	70.65	18.71	74.7	20.17	78.41	20.22	79.12	20.42
	37	48.94	12.30	57.75	15.32	66.6	18.34	70.65	19.89	74.7	21.45	77.72	21.51	78.41	21.71
	39	48.94	12.35	57.75	15.38	66.6	18.41	70.65	19.99	74.17	21.54	77	21.61	77.72	21.81
	41	48.94	12.40	57.75	15.46	66.6	18.52	70.65	20.07	73.48	21.64	76.29	21.70	77	21.92
	43	48.94	12.47	57.75	15.51	66.6	18.59	69.93	20.17	72.77	21.73	75.6	21.81	76.29	22.01
	46	48.94	12.52	57.75	15.59	64.3	18.68	67.82	20.25	70.65	21.83	73.48	21.91	74.17	22.11
	48	48.94	12.57	57.75	15.67	62.18	18.76	65.7	20.34	68.53	21.94	71.37	22.01	72.05	22.22
	50	48.94	12.64	56.51	15.74	60.06	18.85	63.58	20.45	66.41	22.04	69.25	22.11	69.93	22.32
80%	10	43.49	5.33	51.34	6.65	59.19	7.96	62.8	8.62	66.41	9.30	67.85	9.32	69.31	9.42
	12	43.49	5.43	51.34	6.77	59.19	8.11	62.8	8.79	66.41	9.48	67.85	9.50	69.31	9.59
	14	43.49	5.52	51.34	6.89	59.19	8.25	62.8	8.95	66.41	9.65	67.85	9.67	69.31	9.77
	16	43.49	5.63	51.34	7.02	59.19	8.39	62.8	9.10	66.41	9.81	67.85	9.84	69.31	9.95
	18	43.49	5.73	51.34	7.13	59.19	8.55	62.8	9.26	66.41	9.99	67.85	10.02	69.31	10.12
	19	43.49	5.82	51.34	7.26	59.19	8.69	62.8	9.43	66.41	10.16	67.85	10.19	69.31	10.28
	21	43.49	6.24	51.34	7.78	59.19	9.32	62.8	10.11	66.41	10.90	67.85	10.93	69.31	11.03
	23	43.49	6.69	51.34	8.32	59.19	9.98	62.8	10.83	66.41	11.67	67.85	11.70	69.31	11.82
	25	43.49	7.16	51.34	8.92	59.19	10.68	62.8	11.58	66.41	12.49	67.85	12.52	69.31	12.64
	27	43.49	7.66	51.34	9.54	59.19	11.42	62.8	12.38	66.41	13.36	67.85	13.39	69.31	13.52
	29	43.49	8.17	51.34	10.18	59.19	12.19	62.8	13.21	66.41	14.26	67.85	14.30	69.31	14.43
	31	43.49	8.72	51.34	10.86	59.19	13.00	62.8	14.10	66.41	15.20	67.85	15.24	69.31	15.39
	33	43.49	9.27	51.34	11.57	59.19	13.86	62.8	15.02	66.41	16.19	67.85	16.24	69.31	16.40
	35	43.49	9.87	51.34	12.30	59.19	14.73	62.8	15.97	66.41	17.23	67.85	17.28	69.31	17.45
	37	43.49	10.51	51.34	13.09	59.19	15.67	62.8	17.00	66.41	18.32	67.85	18.36	68.44	18.56
	39	43.49	10.56	51.34	13.13	59.19	15.74	62.8	17.06	66.41	18.39	67.19	18.46	67.82	18.64
	41	43.49	10.59	51.34	13.20	59.19	15.81	62.8	17.15	65.95	18.48	66.57	18.54	67.19	18.71
	43	43.49	10.64	51.34	13.27	59.19	15.88	62.8	17.23	65.32	18.57	65.95	18.62	66.57	18.81
	46	43.49	10.69	51.49	13.33	59.03	15.96	60.93	17.31	63.42	18.66	64.05	18.71	63.42	18.89
	48	43.49	10.73	51.49	13.39	57.16	16.03	59.03	17.38	61.55	18.74	62.18	18.80	61.55	18.97
	50	43.49	10.78	51.49	13.45	55.26	16.10	57.16	17.46	59.65	18.82	60.28	18.88	59.65	19.07

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V785W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	38.07	4.48	44.92	5.60	51.8	6.69	54.95	7.27	58.1	7.83	59.37	7.86	60.65	7.94	
	12	38.07	4.58	44.92	5.70	51.8	6.82	54.95	7.40	58.1	7.98	59.37	8.01	60.65	8.08	
	14	38.07	4.66	44.92	5.80	51.8	6.94	54.95	7.54	58.1	8.13	59.37	8.15	60.65	8.22	
	16	38.07	4.73	44.92	5.90	51.8	7.07	54.95	7.67	58.1	8.27	59.37	8.30	60.65	8.37	
	18	38.07	4.83	44.92	6.00	51.8	7.19	54.95	7.80	58.1	8.40	59.37	8.44	60.65	8.52	
	19	38.07	4.90	44.92	6.12	51.8	7.31	54.95	7.94	58.1	8.56	59.37	8.58	60.65	8.67	
	21	38.07	5.26	44.92	6.55	51.8	7.85	54.95	8.51	58.1	9.17	59.37	9.20	60.65	9.29	
	23	38.07	5.63	44.92	7.02	51.8	8.40	54.95	9.12	58.1	9.81	59.37	9.85	60.65	9.96	
	25	38.07	6.03	44.92	7.52	51.8	9.00	54.95	9.76	58.1	10.52	59.37	10.56	60.65	10.65	
	27	38.07	6.44	44.92	8.03	51.8	9.62	54.95	10.43	58.1	11.24	59.37	11.27	60.65	11.38	
	29	38.07	6.88	44.92	8.58	51.8	10.26	54.95	11.13	58.1	12.00	59.37	12.04	60.65	12.15	
	31	38.07	7.33	44.92	9.14	51.8	10.95	54.95	11.88	58.1	12.80	59.37	12.84	60.65	12.97	
	33	38.07	7.81	44.92	9.74	51.8	11.65	54.95	12.65	58.1	13.63	59.37	13.68	60.65	13.81	
	35	38.07	8.31	44.92	10.37	51.8	12.41	54.95	13.45	58.1	14.50	59.37	14.55	60.65	14.70	
	37	38.07	8.84	44.92	11.02	51.8	13.19	54.95	14.31	58.1	15.42	59.37	15.47	60.65	15.62	
	39	38.07	8.88	44.92	11.07	51.8	13.26	54.95	14.37	58.1	15.49	59.37	15.53	60.65	15.69	
	41	38.07	8.92	44.92	11.12	51.8	13.31	54.95	14.44	58.1	15.56	59.37	15.61	60.65	15.77	
	43	38.07	8.97	44.92	11.17	51.8	13.38	54.95	14.50	58.1	15.64	59.37	15.69	60.65	15.83	
	46	38.07	9.01	44.92	11.22	51.8	13.43	54.95	14.57	57.16	15.71	58.25	15.76	59.34	15.91	
	48	38.07	9.05	44.92	11.27	51.8	13.50	53.86	14.63	56.04	15.79	57.16	15.83	58.25	15.98	
50	38.07	9.09	44.92	11.32	50.56	13.56	52.74	14.71	54.95	15.85	56.04	15.91	57.16	16.05		
60%	10	32.61	3.72	38.5	4.63	44.39	5.55	47.1	6.02	49.81	6.48	50.9	6.51	51.96	6.57	
	12	32.61	3.79	38.5	4.72	44.39	5.65	47.1	6.12	49.81	6.60	50.9	6.62	51.96	6.69	
	14	32.61	3.86	38.5	4.80	44.39	5.75	47.1	6.24	49.81	6.72	50.9	6.74	51.96	6.81	
	16	32.61	3.92	38.5	4.88	44.39	5.85	47.1	6.35	49.81	6.84	50.9	6.86	51.96	6.93	
	18	32.61	3.98	38.5	4.98	44.39	5.95	47.1	6.46	49.81	6.96	50.9	6.99	51.96	7.06	
	19	32.61	4.06	38.5	5.06	44.39	6.06	47.1	6.57	49.81	7.09	50.9	7.11	51.96	7.17	
	21	32.61	4.36	38.5	5.42	44.39	6.50	47.1	7.05	49.81	7.59	50.9	7.61	51.96	7.69	
	23	32.61	4.67	38.5	5.80	44.39	6.96	47.1	7.55	49.81	8.14	50.9	8.16	51.96	8.23	
	25	32.61	4.99	38.5	6.22	44.39	7.43	47.1	8.08	49.81	8.70	50.9	8.73	51.96	8.81	
	27	32.61	5.33	38.5	6.65	44.39	7.96	47.1	8.62	49.81	9.30	50.9	9.34	51.96	9.42	
	29	32.61	5.70	38.5	7.10	44.39	8.50	47.1	9.22	49.81	9.94	50.9	9.97	51.96	10.06	
	31	32.61	6.08	38.5	7.57	44.39	9.07	47.1	9.82	49.81	10.59	50.9	10.63	51.96	10.72	
	33	32.61	6.47	38.5	8.06	44.39	9.65	47.1	10.47	49.81	11.28	50.9	11.32	51.96	11.43	
	35	32.61	6.88	38.5	8.58	44.39	10.26	47.1	11.13	49.81	12.00	50.9	12.05	51.96	12.16	
	37	32.61	7.31	38.5	9.12	44.39	10.93	47.1	11.85	49.81	12.77	50.9	12.82	51.96	12.94	
	39	32.61	7.35	38.5	9.16	44.39	10.98	47.1	11.90	49.81	12.82	50.9	12.86	51.96	12.98	
	41	32.61	7.38	38.5	9.20	44.39	11.02	47.1	11.95	49.81	12.89	50.9	12.92	51.96	13.04	
	43	32.61	7.41	38.5	9.24	44.39	11.07	47.1	12.00	49.81	12.94	50.9	12.98	51.96	13.11	
	46	32.61	7.46	38.5	9.29	44.39	11.12	47.1	12.07	49.81	13.00	50.9	13.04	51.96	13.16	
	48	32.61	7.49	38.5	9.32	44.39	11.17	47.1	12.11	48.97	13.06	49.93	13.11	50.87	13.24	
50	32.61	7.53	38.5	9.36	44.39	11.22	46.17	12.17	48.03	13.11	48.97	13.16	49.93	13.29		
50%	10	27.19	3.00	32.09	3.75	37.01	4.49	39.25	4.87	41.49	5.25	42.4	5.27	43.3	5.32	
	12	27.19	3.07	32.09	3.82	37.01	4.58	39.25	4.96	41.49	5.35	42.4	5.37	43.3	5.42	
	14	27.19	3.12	32.09	3.89	37.01	4.66	39.25	5.06	41.49	5.45	42.4	5.46	43.3	5.51	
	16	27.19	3.18	32.09	3.96	37.01	4.74	39.25	5.15	41.49	5.55	42.4	5.56	43.3	5.63	
	18	27.19	3.23	32.09	4.03	37.01	4.83	39.25	5.23	41.49	5.64	42.4	5.66	43.3	5.72	
	19	27.19	3.29	32.09	4.10	37.01	4.90	39.25	5.32	41.49	5.75	42.4	5.76	43.3	5.81	
	21	27.19	3.52	32.09	4.39	37.01	5.26	39.25	5.71	41.49	6.15	42.4	6.17	43.3	6.22	
	23	27.19	3.78	32.09	4.71	37.01	5.63	39.25	6.12	41.49	6.59	42.4	6.62	43.3	6.67	
	25	27.19	4.04	32.09	5.03	37.01	6.03	39.25	6.54	41.49	7.06	42.4	7.07	43.3	7.14	
	27	27.19	4.32	32.09	5.38	37.01	6.44	39.25	6.99	41.49	7.54	42.4	7.57	43.3	7.63	
	29	27.19	4.61	32.09	5.75	37.01	6.88	39.25	7.47	41.49	8.05	42.4	8.08	43.3	8.16	
	31	27.19	4.92	32.09	6.13	37.01	7.34	39.25	7.97	41.49	8.58	42.4	8.61	43.3	8.69	
	33	27.19	5.24	32.09	6.53	37.01	7.82	39.25	8.48	41.49	9.14	42.4	9.17	43.3	9.26	
	35	27.19	5.58	32.09	6.94	37.01	8.32	39.25	9.03	41.49	9.72	42.4	9.76	43.3	9.84	
	37	27.19	5.92	32.09	7.39	37.01	8.84	39.25	9.59	41.49	10.35	42.4	10.39	43.3	10.48	
	39	27.19	5.95	32.09	7.41	37.01	8.89	39.25	9.64	41.49	10.39	42.4	10.42	43.3	10.53	
	41	27.19	5.97	32.09	7.46	37.01	8.92	39.25	9.68	41.49	10.43	42.4	10.47	43.3	10.57	
	43	27.19	6.02	32.09	7.49	37.01	8.97	39.25	9.72	41.49	10.49	42.4	10.52	43.3	10.61	
	46	27.19	6.05	32.09	7.53	37.01	9.02	39.25	9.77	41.49	10.54	42.4	10.57	43.3	10.66	
	48	27.19	6.08	32.09	7.57	37.01	9.05	39.25	9.81	41.62	10.58	41.99	10.61	42.77	10.71	
50	27.19	6.10	32.09	7.59	37.01	9.09	39.25	9.87	41.21	10.63	41.62	10.66	42.4	10.76		

30HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V835W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	69.81	10.31	82.02	13.19	97.50	14.48	104.37	13.58	106.19	15.32	107.64	15.47	110.94	15.62
	12	69.81	10.60	82.02	13.56	97.50	14.89	103.45	13.83	105.26	15.75	106.69	15.90	109.95	16.06
	14	69.81	10.91	82.02	13.96	97.50	15.32	102.54	14.08	104.33	16.20	104.78	16.36	108.97	16.53
	16	69.81	11.29	82.02	14.44	96.64	15.85	100.70	14.33	102.47	16.76	103.83	16.93	107.99	17.09
	18	69.81	11.56	82.02	14.79	94.91	16.23	99.79	14.59	101.54	17.17	102.88	17.34	107.01	17.51
	19	69.81	12.18	82.02	15.58	94.05	17.10	98.87	14.84	100.60	18.08	101.93	18.26	106.03	18.44
	21	69.81	12.59	82.02	16.10	93.19	17.68	97.96	15.91	99.67	18.69	100.97	18.88	105.05	19.06
	23	69.81	13.18	82.02	16.87	92.33	18.52	97.04	17.04	98.74	19.58	100.02	19.78	104.06	19.97
	25	69.81	13.63	82.02	17.44	91.46	19.14	96.13	18.23	97.81	20.24	99.07	20.44	103.08	20.64
	27	69.81	14.33	82.02	18.33	90.60	20.12	95.21	19.49	96.88	21.28	98.11	21.49	102.10	21.71
	29	69.81	14.84	81.38	18.99	89.74	20.85	94.30	20.81	95.95	22.05	97.16	22.26	101.12	22.48
	31	69.81	15.61	81.14	19.97	88.87	21.93	93.38	22.19	95.01	23.19	96.21	23.42	100.14	23.65
	33	69.81	16.24	81.14	20.78	88.01	22.81	92.46	23.64	94.08	24.13	95.26	24.37	99.15	24.61
	35	69.81	17.10	80.33	21.88	86.29	24.02	91.55	25.15	93.15	25.40	95.26	25.65	98.17	25.90
	37	69.81	18.02	80.33	23.05	86.29	25.30	89.72	26.24	91.29	26.38	92.40	26.51	94.25	26.64
	39	69.81	18.96	80.33	24.26	85.42	26.63	89.08	27.16	90.36	27.30	91.45	27.65	92.28	27.84
	41	69.81	19.92	79.53	25.49	84.56	27.98	88.80	28.27	89.43	28.45	90.49	28.73	91.30	28.96
	43	69.11	20.86	78.73	26.69	83.70	29.30	87.89	29.67	88.49	29.97	89.54	30.22	90.81	30.36
	46	69.11	21.98	78.73	28.12	83.70	30.87	86.13	30.97	86.72	31.13	86.86	31.23	87.18	31.22
	48	69.11	23.14	77.94	29.60	82.86	32.49	85.51	32.05	85.84	32.22	85.96	32.57	85.36	32.63
50	69.11	24.30	77.15	31.10	82.02	34.13	85.25	33.35	84.95	33.57	85.06	33.84	84.45	33.94	
120%	10	65.97	9.76	76.32	12.01	92.52	14.34	100.87	13.45	104.46	15.17	105.89	15.32	109.13	15.47
	12	65.97	10.04	76.32	12.35	92.52	14.75	100.87	13.70	103.55	15.60	104.95	15.75	108.16	15.90
	14	65.97	10.33	76.32	12.71	92.52	15.17	100.87	13.95	102.63	16.05	104.01	16.21	107.20	16.37
	16	65.97	10.68	76.32	13.15	92.52	15.70	100.87	14.20	101.71	16.60	103.08	16.77	106.23	16.93
	18	65.97	10.94	76.32	13.47	92.52	16.08	100.87	14.45	100.80	17.00	102.14	17.17	105.27	17.34
	19	65.97	11.53	76.32	14.19	92.52	16.93	99.97	14.69	99.88	17.91	101.20	18.09	104.30	18.26
	21	65.97	11.91	76.32	14.66	92.52	17.51	99.06	15.75	98.05	18.51	100.27	18.70	103.33	18.88
	23	65.97	12.48	76.32	15.36	90.82	18.34	98.16	16.87	97.13	19.39	99.33	19.59	102.37	19.78
	25	65.97	12.90	76.32	15.88	89.97	18.96	97.26	18.06	96.22	20.05	98.39	20.25	101.40	20.45
	27	65.97	13.57	76.32	16.70	89.12	19.93	96.36	19.30	95.30	21.08	97.45	21.29	100.44	21.50
	29	65.97	14.05	76.32	17.29	88.28	20.65	94.56	20.61	94.38	21.83	96.52	22.05	99.47	22.27
	31	65.97	14.78	76.32	18.19	86.58	21.72	91.86	21.98	93.47	22.97	95.58	23.19	98.51	23.42
	33	65.97	15.38	76.32	18.93	85.73	22.60	90.96	23.41	92.55	23.90	94.64	24.13	97.54	24.37
	35	65.97	16.19	76.32	19.92	84.88	23.78	90.06	24.91	91.63	25.15	93.71	25.40	96.57	25.65
	37	65.97	17.06	76.32	20.99	84.03	25.06	88.26	25.99	89.80	26.13	90.90	26.26	92.71	26.39
	39	65.97	17.95	76.32	22.10	83.18	26.38	87.63	26.90	88.89	27.04	89.96	27.38	90.78	27.58
	41	65.97	18.86	72.51	23.21	82.33	27.71	87.36	27.99	87.97	28.17	89.02	28.45	89.81	28.68
	43	65.97	19.75	71.75	24.31	81.49	29.02	86.46	29.39	87.05	29.68	88.08	29.93	89.33	30.06
	46	65.97	20.81	71.75	25.61	80.67	30.57	84.73	30.67	85.31	30.83	85.44	30.93	85.76	30.92
	48	65.97	21.90	71.75	26.96	79.86	32.18	84.12	31.74	84.44	31.91	84.56	32.26	83.97	32.32
50	65.97	23.01	68.16	28.32	79.04	33.81	83.86	33.03	83.57	33.24	83.68	33.52	83.08	33.61	
110%	10	61.33	9.52	72.40	11.72	83.48	13.99	94.77	14.65	101.83	14.80	104.14	14.94	107.32	15.09
	12	61.33	9.79	72.40	12.05	83.48	14.39	94.77	15.06	100.93	15.21	103.21	15.36	106.37	15.51
	14	61.33	10.08	72.40	12.40	83.48	14.80	94.77	15.50	100.03	15.66	102.29	15.81	105.42	15.97
	16	61.33	10.42	72.40	12.83	83.48	15.31	94.77	16.03	99.13	16.20	101.37	16.36	104.47	16.52
	18	61.33	10.68	72.40	13.14	83.48	15.68	94.77	16.42	98.23	16.59	100.45	16.75	103.52	16.92
	19	61.33	11.24	72.40	13.84	83.48	16.52	94.77	17.30	97.33	17.47	99.53	17.64	102.57	17.82
	21	61.33	11.62	72.40	14.31	83.48	17.08	94.77	17.88	96.43	18.06	98.61	18.24	101.62	18.42
	23	61.33	12.18	72.40	14.99	83.48	17.89	93.88	18.73	95.53	18.92	97.68	19.11	100.67	19.29
	25	61.33	12.59	72.40	15.49	83.48	18.49	93.00	19.36	94.62	19.56	96.76	19.75	99.73	19.94
	27	61.33	13.23	72.40	16.29	83.48	19.44	92.11	20.36	93.72	20.56	95.84	20.77	98.78	20.97
	29	61.33	13.71	72.40	16.87	83.48	20.14	91.23	21.09	92.82	21.30	94.92	21.51	97.83	21.72
	31	61.33	14.42	72.40	17.75	83.48	21.18	90.34	22.18	91.92	22.40	94.00	22.63	96.88	22.85
	33	61.33	15.00	72.40	18.46	83.48	22.04	89.45	23.08	91.02	23.31	93.08	23.54	95.93	23.77
	35	61.33	15.79	72.40	19.44	83.48	23.20	88.57	24.30	90.12	24.54	92.16	24.78	94.98	25.02
	37	61.33	16.64	72.40	20.48	83.48	24.45	86.80	25.35	88.32	25.49	89.39	25.61	91.18	25.74
	39	61.33	17.51	72.40	21.55	80.97	25.73	86.18	26.24	87.41	26.38	88.47	26.71	89.28	26.90
	41	61.33	18.40	72.40	22.64	80.14	27.03	85.91	27.31	86.51	27.48	87.55	27.75	88.33	27.98
	43	61.33	19.27	72.40	23.71	79.30	28.31	85.03	28.67	85.61	28.96	86.63	29.19	87.85	29.33
	46	61.33	20.30	72.40	24.98	79.30	29.82	83.33	29.92	83.90	30.07	84.03	30.17	84.34	30.17
	48	61.33	21.37	72.40	26.30	76.92	31.39	82.73	30.96	83.04	31.13	83.16	31.47	82.58	31.53
50	61.33	22.45	72.40	27.62	76.13	32.98	82.47	32.22	82.19	32.43	82.29	32.70	81.70	32.79	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V835W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	57.82	7.91	68.26	9.99	78.70	12.56	83.50	13.88	90.91	14.02	97.31	14.16	101.18	14.30
	12	57.82	8.14	68.26	10.28	78.70	12.92	83.50	14.27	90.91	14.42	97.31	14.56	100.29	14.70
	14	57.82	8.37	68.26	10.57	78.70	13.29	83.50	14.69	90.91	14.83	96.44	14.98	99.39	15.13
	16	57.82	8.66	68.26	10.94	78.70	13.75	83.50	15.19	90.91	15.35	95.57	15.50	98.50	15.65
	18	57.82	8.87	68.26	11.20	78.70	14.08	83.50	15.56	90.91	15.72	94.70	15.87	97.60	16.03
	19	57.82	9.34	68.26	11.80	78.70	14.83	83.50	16.39	90.91	16.55	93.83	16.72	96.70	16.88
	21	57.82	9.66	68.26	12.20	78.70	15.33	83.50	16.94	90.91	17.11	92.96	17.28	95.81	17.45
	23	57.82	10.12	68.26	12.78	78.70	16.06	83.50	17.75	90.91	17.93	92.09	18.10	94.91	18.28
	25	57.82	10.46	68.26	13.21	78.70	16.60	83.50	18.35	90.06	18.53	91.23	18.71	94.02	18.90
	27	57.82	11.00	68.26	13.89	78.70	17.46	83.50	19.29	89.21	19.48	90.36	19.68	93.12	19.87
	29	57.82	11.39	68.26	14.39	78.70	18.08	83.50	19.98	88.36	20.18	89.49	20.38	92.23	20.58
	31	57.82	11.98	68.26	15.13	78.70	19.02	83.50	21.02	87.51	21.23	88.62	21.44	91.33	21.65
	33	57.82	12.47	68.26	15.75	78.70	19.79	83.50	21.87	85.81	22.09	87.75	22.31	90.44	22.53
	35	57.82	13.12	68.26	16.57	78.70	20.83	83.50	23.02	84.96	23.25	86.88	23.48	89.54	23.71
	37	57.82	13.82	68.26	17.46	78.70	21.95	81.83	24.02	83.26	24.15	84.28	24.27	85.96	24.39
	39	57.82	14.55	68.26	18.38	78.70	23.10	81.25	24.86	82.41	24.99	83.41	25.31	84.17	25.49
	41	57.82	15.29	68.26	19.31	78.70	24.27	81.00	25.87	81.56	26.04	82.54	26.30	83.27	26.51
	43	57.82	16.01	68.26	20.22	78.70	25.42	80.16	27.16	80.71	27.44	81.67	27.66	82.83	27.79
	46	57.82	16.87	68.26	21.30	78.70	26.78	78.56	28.35	79.10	28.49	79.22	28.59	79.51	28.58
	48	57.82	17.75	68.26	22.42	78.70	28.19	78.00	29.34	78.29	29.49	78.40	29.82	77.86	29.87
50	57.82	18.65	68.26	23.56	78.70	29.61	77.76	30.53	77.48	30.73	77.59	30.98	77.03	31.07	
90%	10	52.04	6.99	61.44	8.62	70.83	10.58	75.15	11.65	80.22	12.70	90.10	13.52	91.95	13.87
	12	52.04	7.19	61.44	8.87	70.83	10.88	75.15	11.98	80.22	13.06	90.10	13.90	91.95	14.26
	14	52.04	7.40	61.44	9.12	70.83	11.20	75.15	12.33	80.22	13.44	90.10	14.30	91.95	14.67
	16	52.04	7.65	61.44	9.44	70.83	11.58	75.15	12.75	80.22	13.90	90.10	14.80	91.95	15.18
	18	52.04	7.84	61.44	9.67	70.83	11.86	75.15	13.06	80.22	14.24	90.10	15.15	91.09	15.55
	19	52.04	8.26	61.44	10.18	70.83	12.49	75.15	13.76	80.22	15.00	90.10	15.96	90.23	16.37
	21	52.04	8.53	61.44	10.53	70.83	12.91	75.15	14.22	80.22	15.50	90.10	16.50	89.37	16.93
	23	52.04	8.94	61.44	11.03	70.83	13.53	75.15	14.90	80.22	16.24	90.10	17.28	88.51	17.73
	25	52.04	9.24	61.44	11.40	70.83	13.99	75.15	15.40	80.22	16.79	89.26	17.87	87.65	18.33
	27	52.04	9.72	61.44	11.98	70.83	14.70	75.15	16.19	80.22	17.65	88.42	18.79	87.65	19.27
	29	52.04	10.06	61.44	12.41	70.83	15.23	75.15	16.77	80.22	18.28	87.57	19.46	87.65	19.96
	31	52.04	10.59	61.44	13.06	70.83	16.02	75.15	17.64	80.22	19.23	86.73	20.47	86.79	21.00
	33	52.04	11.02	61.44	13.59	70.83	16.67	75.15	18.36	80.22	20.01	85.05	21.30	86.79	21.85
	35	52.04	11.60	61.44	14.30	70.83	17.55	75.15	19.33	80.22	21.06	84.21	22.42	85.93	23.00
	37	52.04	12.22	61.44	15.07	70.83	18.49	75.15	20.36	80.22	22.19	82.52	23.62	84.22	24.23
	39	52.04	12.86	61.44	15.86	70.83	19.46	75.15	21.43	80.22	23.36	81.68	24.86	83.36	25.50
	41	52.04	13.51	61.44	16.66	70.83	20.44	75.15	22.51	80.22	24.54	80.84	26.12	82.50	26.79
	43	52.04	14.15	61.44	17.45	70.83	21.41	75.15	23.58	80.22	25.70	80.84	27.35	82.50	28.06
	46	52.04	14.90	61.44	18.38	70.83	22.56	75.15	24.84	80.22	27.08	79.22	28.82	80.85	29.56
	48	52.04	15.69	61.44	19.35	70.83	23.74	75.15	26.15	80.22	28.50	78.41	30.33	80.02	31.11
50	52.04	16.48	61.44	20.33	70.83	24.94	75.15	27.47	80.22	29.94	77.60	31.86	79.20	32.69	
80%	10	46.26	6.21	54.61	6.98	62.96	8.74	66.80	9.56	71.31	10.51	76.19	12.31	82.40	13.14
	12	46.26	6.39	54.61	7.17	62.96	8.99	66.80	9.83	71.31	10.81	76.19	12.66	82.40	13.51
	14	46.26	6.57	54.61	7.38	62.96	9.25	66.80	10.11	71.31	11.12	76.19	13.02	82.40	13.90
	16	46.26	6.80	54.61	7.64	62.96	9.57	66.80	10.46	71.31	11.51	76.19	13.47	82.40	14.38
	18	46.26	6.96	54.61	7.82	62.96	9.80	66.80	10.71	71.31	11.78	76.19	13.80	82.40	14.73
	19	46.26	7.33	54.61	8.24	62.96	10.32	66.80	11.28	71.31	12.41	76.19	14.53	82.40	15.52
	21	46.26	7.58	54.61	8.51	62.96	10.67	66.80	11.66	71.31	12.83	76.19	15.02	82.40	16.04
	23	46.26	7.94	54.61	8.92	62.96	11.18	66.80	12.22	71.31	13.44	76.19	15.74	82.40	16.80
	25	46.26	8.21	54.61	9.22	62.96	11.56	66.80	12.63	71.31	13.89	76.19	16.27	82.40	17.37
	27	46.26	8.63	54.61	9.69	62.96	12.15	66.80	13.28	71.31	14.61	76.19	17.11	82.40	18.26
	29	46.26	8.94	54.61	10.04	62.96	12.59	66.80	13.76	71.31	15.13	76.19	17.72	82.40	18.91
	31	46.26	9.41	54.61	10.56	62.96	13.24	66.80	14.47	71.31	15.92	76.19	18.64	82.40	19.90
	33	46.26	9.79	54.61	10.99	62.96	13.78	66.80	15.06	71.31	16.56	76.19	19.39	82.40	20.70
	35	46.26	10.30	54.61	11.57	62.96	14.50	66.80	15.85	71.31	17.43	76.19	20.41	82.40	21.79
	37	46.26	10.85	54.61	12.19	62.96	15.28	66.80	16.70	71.31	18.37	74.66	21.51	80.75	22.96
	39	46.26	11.42	54.61	12.83	62.96	16.08	66.80	17.58	71.31	19.33	73.90	22.64	79.93	24.17
	41	46.26	12.00	54.61	13.48	62.96	16.89	66.80	18.46	71.31	20.31	73.14	23.78	79.10	25.39
	43	46.26	12.57	54.61	14.11	62.96	17.69	66.80	19.33	71.31	21.27	73.14	24.90	79.10	26.59
	46	46.26	13.24	54.61	14.87	62.96	18.64	66.80	20.37	71.31	22.41	71.68	26.24	77.52	28.01
	48	46.26	13.94	54.61	15.65	62.96	19.62	66.80	21.44	71.31	23.59	70.94	27.62	76.73	29.48
50	46.26	14.64	54.61	16.44	62.96	20.61	66.80	22.52	71.31	24.78	-	29.01	75.94	30.97	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V835W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	40.48	5.58	47.78	6.64	55.09	8.10	58.45	8.85	62.40	9.56	66.66	10.80	72.10	11.68
	12	40.48	5.63	47.78	6.70	55.09	8.18	58.45	8.94	62.40	9.65	66.66	10.90	72.10	11.80
	14	40.48	5.61	47.78	6.68	55.09	8.16	58.45	8.91	62.40	9.63	66.66	10.87	72.10	11.76
	16	40.48	5.79	47.78	6.89	55.09	8.41	58.45	9.19	62.40	9.92	66.66	11.21	72.10	12.13
	18	40.48	5.84	47.78	6.95	55.09	8.48	58.45	9.27	62.40	10.01	66.66	11.30	72.10	12.23
	19	40.48	6.04	47.78	7.19	55.09	8.78	58.45	9.59	62.40	10.36	66.66	11.70	72.10	12.66
	21	40.48	6.15	47.78	7.33	55.09	8.94	58.45	9.77	62.40	10.55	66.66	11.92	72.10	12.89
	23	40.48	6.35	47.78	7.56	55.09	9.23	58.45	10.08	62.40	10.89	66.66	12.30	72.10	13.31
	25	40.48	6.48	47.78	7.71	55.09	9.41	58.45	10.28	62.40	11.11	66.66	12.55	72.10	13.58
	27	40.48	6.73	47.78	8.01	55.09	9.77	58.45	10.68	62.40	11.53	66.66	13.02	72.10	14.09
	29	40.48	6.96	47.78	8.29	55.09	10.11	58.45	11.05	62.40	11.94	66.66	13.48	72.10	14.59
	31	40.48	7.32	47.78	8.71	55.09	10.63	58.45	11.62	62.40	12.55	66.66	14.18	72.10	15.34
	33	40.48	7.61	47.78	9.06	55.09	11.06	58.45	12.08	62.40	13.05	66.66	14.74	72.10	15.95
	35	40.48	7.93	47.78	9.44	55.09	11.52	58.45	12.59	62.40	13.60	66.66	15.36	72.10	16.62
	37	40.48	8.36	47.78	9.95	55.09	12.14	58.45	13.26	62.40	14.32	65.33	16.18	70.66	17.51
	39	40.48	8.80	47.78	10.47	55.09	12.77	58.45	13.96	62.40	15.08	64.66	17.03	69.94	18.43
	41	40.48	9.24	47.78	11.00	55.09	13.42	58.45	14.67	62.40	15.84	64.00	17.89	69.21	19.36
	43	40.48	9.68	47.78	11.52	55.09	14.05	58.45	15.36	62.40	16.59	64.00	18.74	69.21	20.27
	46	40.48	10.19	47.78	12.14	55.09	14.81	58.45	16.18	62.40	17.48	62.72	19.74	67.83	21.36
	48	40.48	10.73	47.78	12.77	55.09	15.58	58.45	17.03	62.40	18.39	62.08	20.78	67.14	22.48
60%	50	40.48	11.27	47.78	13.42	55.09	16.37	58.45	17.89	62.40	19.32	61.44	21.83	66.45	23.62
	10	34.69	4.50	40.96	5.17	47.22	6.16	50.10	6.71	53.48	7.52	57.14	8.66	61.80	9.40
	12	34.69	4.54	40.96	5.22	47.22	6.22	50.10	6.78	53.48	7.59	57.14	8.74	61.80	9.49
	14	34.69	4.53	40.96	5.20	47.22	6.20	50.10	6.76	53.48	7.57	57.14	8.72	61.80	9.46
	16	34.69	4.67	40.96	5.37	47.22	6.40	50.10	6.97	53.48	7.81	57.14	8.99	61.80	9.76
	18	34.69	4.71	40.96	5.41	47.22	6.45	50.10	7.03	53.48	7.87	57.14	9.06	61.80	9.84
	19	34.69	4.87	40.96	5.60	47.22	6.68	50.10	7.27	53.48	8.15	57.14	9.38	61.80	10.18
	21	34.69	4.96	40.96	5.70	47.22	6.80	50.10	7.41	53.48	8.30	57.14	9.56	61.80	10.37
	23	34.69	5.12	40.96	5.89	47.22	7.02	50.10	7.65	53.48	8.56	57.14	9.86	61.80	10.71
	25	34.69	5.23	40.96	6.01	47.22	7.16	50.10	7.80	53.48	8.74	57.14	10.06	61.80	10.92
	27	34.69	5.42	40.96	6.23	47.22	7.43	50.10	8.10	53.48	9.07	57.14	10.44	61.80	11.33
	29	34.69	5.62	40.96	6.45	47.22	7.69	50.10	8.38	53.48	9.39	57.14	10.81	61.80	11.73
	31	34.69	5.90	40.96	6.78	47.22	8.09	50.10	8.81	53.48	9.87	57.14	11.37	61.80	12.34
	33	34.69	6.14	40.96	7.06	47.22	8.41	50.10	9.16	53.48	10.26	57.14	11.82	61.80	12.83
	35	34.69	6.40	40.96	7.35	47.22	8.76	50.10	9.55	53.48	10.69	57.14	12.31	61.80	13.36
	37	34.69	6.74	40.96	7.74	47.22	9.23	50.10	10.06	53.48	11.27	56.00	12.97	60.56	14.08
	39	34.69	7.09	40.96	8.15	47.22	9.72	50.10	10.59	53.48	11.86	55.42	13.66	59.94	14.82
	41	34.69	7.45	40.96	8.56	47.22	10.21	50.10	11.12	53.48	12.46	54.85	14.35	59.33	15.57
	43	34.69	7.80	40.96	8.97	47.22	10.69	50.10	11.65	53.48	13.04	54.85	15.02	59.33	16.31
	46	34.69	8.22	40.96	9.45	47.22	11.26	50.10	12.27	53.48	13.74	53.76	15.83	58.14	17.18
	48	34.69	8.65	40.96	9.95	47.22	11.86	50.10	12.92	53.48	14.47	53.21	16.66	57.55	18.08
	50	34.69	9.09	40.96	10.45	47.22	12.46	50.10	13.57	53.48	15.20	52.66	17.50	56.95	19.00
50%	10	28.91	3.54	34.13	3.92	39.35	4.36	41.75	4.73	44.57	5.48	47.62	6.19	51.50	6.95
	12	28.91	3.58	34.13	3.96	39.35	4.40	41.75	4.77	44.57	5.54	47.62	6.25	51.50	7.02
	14	28.91	3.57	34.13	3.95	39.35	4.39	41.75	4.76	44.57	5.52	47.62	6.23	51.50	7.00
	16	28.91	3.68	34.13	4.07	39.35	4.52	41.75	4.91	44.57	5.69	47.62	6.43	51.50	7.21
	18	28.91	3.71	34.13	4.11	39.35	4.56	41.75	4.95	44.57	5.74	47.62	6.48	51.50	7.27
	19	28.91	3.84	34.13	4.25	39.35	4.72	41.75	5.12	44.57	5.94	47.62	6.71	51.50	7.53
	21	28.91	3.91	34.13	4.33	39.35	4.81	41.75	5.22	44.57	6.05	47.62	6.83	51.50	7.67
	23	28.91	4.04	34.13	4.47	39.35	4.96	41.75	5.38	44.57	6.25	47.62	7.05	51.50	7.91
	25	28.91	4.12	34.13	4.56	39.35	5.06	41.75	5.49	44.57	6.37	47.62	7.19	51.50	8.07
	27	28.91	4.28	34.13	4.73	39.35	5.26	41.75	5.70	44.57	6.61	47.62	7.47	51.50	8.38
	29	28.91	4.43	34.13	4.90	39.35	5.44	41.75	5.90	44.57	6.85	47.62	7.73	51.50	8.68
	31	28.91	4.65	34.13	5.15	39.35	5.72	41.75	6.20	44.57	7.20	47.62	8.13	51.50	9.12
	33	28.91	4.84	34.13	5.36	39.35	5.95	41.75	6.45	44.57	7.49	47.62	8.45	51.50	9.49
	35	28.91	5.04	34.13	5.58	39.35	6.20	41.75	6.72	44.57	7.80	47.62	8.81	51.50	9.88
	37	28.91	5.31	34.13	5.88	39.35	6.53	41.75	7.08	44.57	8.22	46.66	9.28	50.47	10.41
	39	28.91	5.59	34.13	6.19	39.35	6.87	41.75	7.45	44.57	8.65	46.19	9.77	49.95	10.96
	41	28.91	5.87	34.13	6.50	39.35	7.22	41.75	7.83	44.57	9.08	45.71	10.26	49.44	11.51
	43	28.91	6.15	34.13	6.81	39.35	7.56	41.75	8.20	44.57	9.51	45.71	10.74	49.44	12.05
	46	28.91	6.48	34.13	7.17	39.35	7.97	41.75	8.64	44.57	10.02	44.80	11.32	48.45	12.70
	48	28.91	6.82	34.13	7.55	39.35	8.39	41.75	9.09	44.57	10.55	44.34	11.91	47.96	13.37
	50	28.91	7.17	34.13	7.93	39.35	8.81	41.75	9.55	44.57	11.08	43.88	12.52	47.46	14.04

32HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V900W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	81.39	9.61	95.07	11.96	109.54	14.32	112.5	15.54	114.46	16.75	116.25	16.80	119.36	16.96	
	12	81.39	9.77	95.07	12.19	109.54	14.59	111.5	15.82	113.46	17.05	115.21	17.10	118.29	17.28	
	14	81.39	9.97	95.07	12.41	109.54	14.86	110.5	16.11	112.46	17.37	113.14	17.42	117.25	17.58	
	16	81.39	10.14	95.07	12.62	108.57	15.12	109.54	16.41	110.43	17.67	112.14	17.74	116.18	17.90	
	18	81.39	10.31	95.07	12.85	106.64	15.39	107.57	16.69	109.43	17.98	111.11	18.04	115.11	18.22	
	19	81.39	10.50	95.07	13.08	105.68	15.66	106.57	16.98	108.43	18.31	110.07	18.36	114.07	18.53	
	21	81.39	11.25	95.07	14.02	104.71	16.77	105.57	18.19	107.43	19.61	109.04	19.67	113	19.88	
	23	81.39	12.05	95.07	15.00	103.75	17.96	104.61	19.50	106.43	21.01	108	21.07	111.96	21.28	
	25	81.39	12.88	95.07	16.07	102.75	19.23	103.61	20.86	105.43	22.49	107	22.55	110.89	22.78	
	27	81.39	13.77	95.07	17.17	101.79	20.56	102.61	22.30	104.43	24.04	105.96	24.10	108.79	24.35	
	29	81.39	14.72	94.32	18.34	100.82	21.94	101.64	23.81	103.43	25.68	104.93	25.75	108.79	26.00	
	31	81.39	15.69	94.04	19.56	99.86	23.40	100.64	25.39	102.43	27.38	103.89	27.46	107.71	27.72	
	33	81.39	16.71	94.04	20.82	98.89	24.93	99.68	27.03	101.39	29.16	102.86	29.24	106.68	29.52	
	35	81.39	17.78	93.11	22.15	96.96	26.53	98.68	28.76	100.39	31.02	101.64	31.11	105.61	31.41	
	37	81.39	18.91	93.11	23.58	95.71	28.21	97.68	30.60	98.39	32.99	100.64	33.08	103.5	33.40	
	39	81.39	18.99	91.79	23.67	95	28.33	96.71	30.73	97.39	33.14	99.68	33.24	102.46	33.56	
	41	81.39	19.08	89.79	23.78	93.75	28.46	95.71	30.87	96.39	33.27	98.68	33.38	101.39	33.71	
	43	81.89	19.18	87.82	23.88	92.11	28.59	93.75	31.02	95.39	33.44	97.71	33.54	100.32	33.86	
	46	78.93	19.25	84.86	23.99	88.82	28.72	90.79	31.16	92.75	33.60	94.71	33.69	97.68	34.01	
	48	76.96	19.34	81.89	24.10	85.86	28.86	87.82	31.30	89.79	33.74	91.79	33.84	94.71	34.18	
	50	75	19.44	78.93	24.22	82.89	28.99	84.86	31.46	86.82	33.90	88.82	34.01	91.79	34.33	
120%	10	76.43	9.52	91.04	11.85	105	14.20	108.71	15.39	112.61	16.58	114.14	16.64	117.75	16.80	
	12	76.43	9.68	91.04	12.07	105	14.45	108.71	15.67	111.61	16.90	113.11	16.94	116.71	17.10	
	14	76.43	9.86	91.04	12.28	105	14.70	108.71	15.96	110.61	17.21	112.11	17.26	115.68	17.42	
	16	76.43	10.04	91.04	12.51	105	14.97	108.71	16.24	109.64	17.51	111.11	17.56	114.61	17.74	
	18	76.43	10.21	91.04	12.74	105	15.23	107.75	16.53	108.64	17.81	110.11	17.87	113.57	18.04	
	19	76.43	10.39	91.04	12.94	103.86	15.50	106.79	16.80	107.64	18.11	109.07	18.17	112.54	18.36	
	21	76.43	11.14	91.04	13.87	102.89	16.62	104.82	18.02	105.68	19.42	108.07	19.50	111.5	19.67	
	23	76.43	11.94	91.04	14.88	100.96	17.79	103.86	19.31	104.68	20.80	107.07	20.88	110.46	21.07	
	25	76.43	12.77	91.04	15.91	99.96	19.04	101.93	20.66	103.71	22.26	106.04	22.34	109.43	22.55	
	27	76.43	13.65	91.04	17.00	98.04	20.37	100.96	22.07	102.71	23.79	105.04	23.88	108.36	24.10	
	29	76.43	14.57	91.04	18.15	97.07	21.73	99.96	23.58	101.71	25.41	104.04	25.50	107.32	25.75	
	31	76.43	15.54	91.04	19.36	96.11	23.19	99	25.14	100.75	27.12	103.04	27.19	106.29	27.46	
	33	76.43	16.56	91.04	20.61	95.14	24.68	98.04	26.80	99.75	28.88	102	28.97	105.25	29.24	
	35	76.43	17.60	90.29	21.94	94.14	26.28	97.07	28.49	98.79	30.71	101	30.81	104.21	31.11	
	37	76.43	18.72	89.32	23.35	93.18	27.95	95.14	30.30	96.79	32.67	99.96	32.78	102.11	33.08	
	39	76.43	18.81	88.32	23.44	92.21	28.06	94.14	30.43	95.82	32.82	99	32.92	101.07	33.24	
	41	76.43	18.90	86.46	23.53	91.25	28.19	93.18	30.59	94.82	32.95	98.04	33.06	100.04	33.38	
	43	76.43	18.99	85.57	23.65	90.29	28.33	92.21	30.71	94.14	33.12	97.07	33.22	99	33.54	
	46	74.75	19.08	83.46	23.76	87.36	28.46	89.32	30.87	91.25	33.27	94.14	33.37	96.11	33.69	
	48	72.79	19.15	81.54	23.88	84.46	28.59	86.39	31.00	88.32	33.42	91.25	33.52	93.18	33.84	
	50	70.86	19.25	79.61	23.99	81.54	28.70	83.46	31.16	85.43	33.58	88.32	33.67	90.29	34.01	
110%	10	69.93	9.42	82.82	11.73	93.79	14.04	102.14	15.23	109.75	16.43	112.25	16.48	115.79	16.64	
	12	69.93	9.59	82.82	11.96	93.79	14.31	102.14	15.52	108.79	16.73	111.25	16.78	114.79	16.94	
	14	69.93	9.75	82.82	12.17	93.79	14.57	102.14	15.80	107.82	17.03	110.25	17.09	113.75	17.26	
	16	69.93	9.95	82.82	12.39	93.79	14.84	102.14	16.09	106.86	17.33	109.25	17.39	112.71	17.56	
	18	69.93	10.12	82.82	12.60	93.79	15.09	102.14	16.37	105.89	17.64	108.29	17.70	111.71	17.87	
	19	69.93	10.29	82.82	12.83	93.79	15.34	102.14	16.66	104.89	17.94	107.29	18.01	110.68	18.17	
	21	69.93	11.03	82.82	13.74	93.79	16.44	102.14	17.85	103.93	19.23	106.29	19.31	109.64	19.48	
	23	69.93	11.82	82.82	14.72	93.79	17.62	101.18	19.11	102.96	20.61	105.29	20.68	108.64	20.88	
	25	69.93	12.64	82.82	15.75	93.79	18.85	100.25	20.46	102	22.05	104.29	22.12	107.61	22.34	
	27	69.93	13.51	82.82	16.85	93.79	20.16	99.29	21.87	101.04	23.58	103.29	23.65	106.57	23.88	
	29	69.93	14.43	82.82	17.98	93.79	21.53	98.32	23.35	100.04	25.16	102.32	25.25	105.57	25.48	
	31	69.93	15.39	82.82	19.18	93.79	22.97	97.36	24.90	99.07	26.85	101.32	26.92	104.54	27.19	
	33	69.93	16.39	82.82	20.43	92.61	24.47	96.43	26.53	98.11	28.59	100.32	28.69	103.5	28.95	
	35	69.93	17.44	82.82	21.73	91.64	26.02	95.46	28.21	97.14	30.41	99.32	30.50	102.46	30.81	
	37	69.93	18.55	82.82	23.12	90.68	27.67	93.57	30.02	95.18	32.37	97.36	32.46	100.43	32.76	
	39	69.93	18.63	82.82	23.21	89.75	27.80	92.61	30.15	94.21	32.49	96.36	32.59	99.39	32.92	
	41	69.93	18.72	82.82	23.31	88.79	27.91	91.64	30.28	93.25	32.65	95.36	32.74	98.39	33.06	
	43	69.93	18.79	82.82	23.42	87.82	28.04	90.68	30.41	92.29	32.80	94.36	32.89	97.36	33.22	
	46	67.79	18.90	81.14	23.53	84.96	28.17	87.82	30.57	89.75	32.95	91.64	33.05	93.57	33.37	
	48	65.86	18.97	79.25	23.65	82.11	28.31	84.96	30.70	86.86	33.10	88.79	33.20	90.68	33.52	
	50	63.96	19.06	77.32	23.74	79.25	28.44	82.11	30.84	84	33.26	85.93	33.35	87.82	33.67	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V900W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	62.32	8.79	73.57	10.95	84.82	13.11	90	14.23	98	15.32	104.89	15.39	109.07	15.54	
	12	62.32	8.95	73.57	11.16	84.82	13.36	90	14.50	98	15.61	104.89	15.67	108.11	15.82	
	14	62.32	9.11	73.57	11.35	84.82	13.61	90	14.74	98	15.89	103.93	15.96	107.14	16.11	
	16	62.32	9.29	73.57	11.56	84.82	13.85	90	15.00	98	16.18	103	16.24	106.18	16.39	
	18	62.32	9.43	73.57	11.76	84.82	14.08	90	15.27	98	16.46	102.07	16.53	105.21	16.67	
	19	62.32	9.61	73.57	11.96	84.82	14.32	90	15.54	98	16.75	101.14	16.80	104.25	16.96	
	21	62.32	10.29	73.57	12.83	84.82	15.37	90	16.66	98	17.96	100.21	18.02	103.25	18.19	
	23	62.32	11.03	73.57	13.74	84.82	16.44	90	17.85	98	19.23	99.25	19.29	102.29	19.48	
	25	62.32	11.80	73.57	14.70	84.82	17.60	90	19.10	98	20.57	98.32	20.66	101.32	20.84	
	27	62.32	12.62	73.57	15.71	84.82	18.81	90	20.41	97.07	22.00	97.39	22.07	100.36	22.28	
	29	62.32	13.47	73.57	16.78	84.82	20.11	90	21.80	96.14	23.49	96.46	23.58	99.39	23.79	
	31	62.32	14.36	73.57	17.90	84.82	21.43	90	23.24	95.25	25.05	95.54	25.13	98.43	25.37	
	33	62.32	15.29	73.57	19.06	84.82	22.83	90	24.77	94.32	26.69	94.57	26.78	97.46	27.03	
	35	62.32	16.28	73.57	20.27	84.82	24.29	90	26.32	92.96	28.38	93.64	28.47	96.5	28.76	
	37	62.32	17.32	73.57	21.57	84.82	25.82	90	27.40	91.57	30.20	92.71	30.30	94.57	30.59	
	39	62.32	17.39	73.57	21.66	84.82	25.94	90	28.17	90.89	30.34	91.79	30.43	93.61	30.71	
	41	62.32	17.47	73.57	21.75	83.71	26.05	89.11	28.97	90	30.47	90.89	30.57	92.64	30.84	
	43	62.32	17.55	73.57	21.87	82.79	26.19	88.21	30.04	89.11	30.60	90	30.70	91.68	31.00	
	46	62.32	17.62	72.11	21.96	80.11	26.30	87.29	31.13	88.21	30.75	89.11	30.84	90.89	31.16	
	48	62.32	17.72	71.36	22.05	77.39	26.41	84.61	31.34	87.29	30.89	86.39	30.98	88.21	31.28	
50	61.21	17.79	70.64	22.17	74.71	26.55	81.89	32.14	84.61	31.04	83.71	31.13	85.5	31.43		
90%	10	56.11	7.60	66.21	9.47	76.36	11.33	81	12.30	85.64	13.26	97.11	13.30	99.11	13.42	
	12	56.11	7.73	66.21	9.64	76.36	11.53	81	12.53	85.64	13.49	97.11	13.54	99.11	13.68	
	14	56.11	7.88	66.21	9.82	76.36	11.75	81	12.76	85.64	13.74	97.11	13.79	99.11	13.93	
	16	56.11	8.01	66.21	9.98	76.36	11.98	81	12.98	85.64	13.99	97.11	14.04	99.11	14.17	
	18	56.11	8.17	66.21	10.18	76.36	12.19	81	13.21	85.64	14.23	97.11	14.29	98	14.42	
	19	56.11	8.30	66.21	10.34	76.36	12.39	81	13.43	85.64	14.47	96.39	14.54	97.21	14.66	
	21	56.11	8.90	66.21	11.09	76.36	13.28	81	14.40	85.64	15.52	95.57	15.57	96.39	15.73	
	23	56.11	9.53	66.21	11.88	76.36	14.23	81	15.43	85.64	16.64	94.79	16.67	95.57	16.85	
	25	56.11	10.20	66.21	12.71	76.36	15.21	81	16.50	85.64	17.79	93.96	17.85	94.79	18.02	
	27	56.11	10.91	66.21	13.58	76.36	16.28	81	17.64	85.64	19.02	93.14	19.08	93.96	19.27	
	29	56.11	11.65	66.21	14.52	76.36	17.37	81	18.83	85.64	20.31	92.36	20.37	93.14	20.57	
	31	56.11	12.41	66.21	15.48	76.36	18.53	81	20.09	85.64	21.66	91.54	21.73	92.36	21.94	
	33	56.11	13.22	66.21	16.48	76.36	19.72	81	21.41	85.64	23.08	90.71	23.13	91.54	23.36	
	35	56.11	14.08	66.21	17.53	76.36	21.00	81	22.78	85.64	24.54	89.89	24.61	90.71	24.86	
	37	56.11	14.97	66.21	18.65	76.36	22.32	81	24.22	85.64	26.11	89.11	26.19	89.89	26.43	
	39	56.11	15.02	66.21	18.72	76.36	22.42	81	24.33	85.04	26.23	88.29	26.30	89.11	26.55	
	41	56.11	15.11	66.21	18.81	76.36	22.53	81	24.43	84.25	26.34	87.46	26.41	88.29	26.68	
	43	56.11	15.18	66.21	18.90	76.36	22.62	80.18	24.54	83.43	26.45	86.68	26.55	87.46	26.80	
	46	56.11	15.23	66.21	18.99	73.71	22.74	77.75	24.65	81	26.58	84.25	26.66	85.04	26.92	
	48	56.11	15.31	66.21	19.08	71.29	22.83	75.32	24.77	78.57	26.69	81.82	26.80	82.61	27.03	
50	56.11	15.39	64.79	19.15	68.86	22.94	72.89	24.88	76.14	26.83	79.39	26.91	80.18	27.17		
80%	10	49.86	6.50	58.86	8.09	67.86	9.68	72	10.50	76.14	11.33	77.79	11.35	79.46	11.46	
	12	49.86	6.62	58.86	8.24	67.86	9.87	72	10.71	76.14	11.53	77.79	11.56	79.46	11.67	
	14	49.86	6.73	58.86	8.40	67.86	10.04	72	10.89	76.14	11.75	77.79	11.78	79.46	11.90	
	16	49.86	6.85	58.86	8.54	67.86	10.21	72	11.09	76.14	11.96	77.79	11.99	79.46	12.10	
	18	49.86	6.97	58.86	8.68	67.86	10.41	72	11.28	76.14	12.17	77.79	12.21	79.46	12.32	
	19	49.86	7.08	58.86	8.83	67.86	10.57	72	11.48	76.14	12.37	77.79	12.41	79.46	12.53	
	21	49.86	7.60	58.86	9.47	67.86	11.35	72	12.30	76.14	13.26	77.79	13.30	79.46	13.43	
	23	49.86	8.15	58.86	10.14	67.86	12.15	72	13.17	76.14	14.22	77.79	14.25	79.46	14.38	
	25	49.86	8.72	58.86	10.86	67.86	12.99	72	14.10	76.14	15.20	77.79	15.25	79.46	15.39	
	27	49.86	9.32	58.86	11.62	67.86	13.88	72	15.07	76.14	16.26	77.79	16.30	79.46	16.46	
	29	49.86	9.95	58.86	12.39	67.86	14.84	72	16.09	76.14	17.35	77.79	17.39	79.46	17.56	
	31	49.86	10.61	58.86	13.21	67.86	15.82	72	17.17	76.14	18.49	77.79	18.55	79.46	18.74	
	33	49.86	11.30	58.86	14.08	67.86	16.87	72	18.29	76.14	19.70	77.79	19.77	79.46	19.95	
	35	49.86	12.01	58.86	14.97	67.86	17.92	72	19.44	76.14	20.98	77.79	21.03	79.46	21.24	
	37	49.86	12.79	58.86	15.93	67.86	19.08	72	20.69	76.14	22.30	77.79	22.35	78.46	22.58	
	39	49.86	12.85	58.86	16.00	67.86	19.15	72	20.77	76.14	22.40	77.04	22.47	77.75	22.69	
	41	49.86	12.90	58.86	16.07	67.86	19.23	72	20.86	75.61	22.49	76.32	22.57	77.04	22.78	
	43	49.86	12.96	58.86	16.14	67.86	19.33	72	20.98	74.89	22.60	75.61	22.67	76.32	22.89	
	46	49.86	13.02	59.04	16.21	67.68	19.42	69.86	21.07	72.71	22.70	73.43	22.78	72.71	23.01	
	48	49.86	13.08	59.04	16.30	65.54	19.52	67.68	21.16	70.57	22.81	71.29	22.89	70.57	23.10	
50	49.86	13.13	59.04	16.37	63.36	19.59	65.54	21.26	68.39	22.90	69.11	22.99	68.39	23.21		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V900W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	43.64	5.46	51.5	6.80	59.39	8.15	63	8.85	66.61	9.53	68.07	9.57	69.54	9.66	
	12	43.64	5.57	51.5	6.94	59.39	8.30	63	9.00	66.61	9.70	68.07	9.74	69.54	9.84	
	14	43.64	5.66	51.5	7.07	59.39	8.45	63	9.17	66.61	9.89	68.07	9.91	69.54	10.00	
	16	43.64	5.76	51.5	7.19	59.39	8.60	63	9.34	66.61	10.06	68.07	10.10	69.54	10.20	
	18	43.64	5.87	51.5	7.31	59.39	8.75	63	9.49	66.61	10.23	68.07	10.27	69.54	10.36	
	19	43.64	5.96	51.5	7.44	59.39	8.90	63	9.66	66.61	10.43	68.07	10.44	69.54	10.55	
	21	43.64	6.41	51.5	7.97	59.39	9.55	63	10.36	66.61	11.16	68.07	11.20	69.54	11.32	
	23	43.64	6.85	51.5	8.54	59.39	10.23	63	11.10	66.61	11.96	68.07	11.99	69.54	12.10	
	25	43.64	7.33	51.5	9.15	59.39	10.95	63	11.88	66.61	12.81	68.07	12.85	69.54	12.96	
	27	43.64	7.85	51.5	9.77	59.39	11.71	63	12.69	66.61	13.68	68.07	13.72	69.54	13.85	
	29	43.64	8.38	51.5	10.44	59.39	12.49	63	13.54	66.61	14.61	68.07	14.65	69.54	14.80	
	31	43.64	8.93	51.5	11.12	59.39	13.32	63	14.45	66.61	15.57	68.07	15.63	69.54	15.78	
	33	43.64	9.52	51.5	11.87	59.39	14.20	63	15.41	66.61	16.60	68.07	16.66	69.54	16.80	
	35	43.64	10.12	51.5	12.62	59.39	15.11	63	16.37	66.61	17.66	68.07	17.72	69.54	17.89	
	37	43.64	10.76	51.5	13.42	59.39	16.07	63	17.42	66.61	18.78	68.07	18.83	69.54	19.02	
	39	43.64	10.82	51.5	13.47	59.39	16.12	63	17.49	66.61	18.85	68.07	18.91	69.54	19.10	
	41	43.64	10.86	51.5	13.53	59.39	16.20	63	17.56	66.61	18.95	68.07	19.00	69.54	19.20	
	43	43.64	10.91	51.5	13.58	59.39	16.28	63	17.66	66.61	19.02	68.07	19.10	69.54	19.27	
	46	43.64	10.98	51.5	13.66	59.39	16.35	63	17.74	65.54	19.11	66.79	19.18	68.04	19.36	
	48	43.64	11.01	51.5	13.72	59.39	16.43	61.75	17.81	64.25	19.22	65.54	19.27	66.79	19.46	
	50	43.64	11.07	51.5	13.77	57.96	16.50	60.46	17.90	63	19.29	64.25	19.36	65.54	19.54	
60%	10	37.39	4.52	44.14	5.63	50.89	6.74	54	7.31	57.11	7.88	58.36	7.92	59.57	7.99	
	12	37.39	4.61	44.14	5.74	50.89	6.88	54	7.44	57.11	8.03	58.36	8.06	59.57	8.15	
	14	37.39	4.70	44.14	5.84	50.89	6.99	54	7.60	57.11	8.19	58.36	8.20	59.57	8.28	
	16	37.39	4.77	44.14	5.95	50.89	7.12	54	7.73	57.11	8.34	58.36	8.36	59.57	8.43	
	18	37.39	4.85	44.14	6.07	50.89	7.26	54	7.86	57.11	8.47	58.36	8.51	59.57	8.58	
	19	37.39	4.95	44.14	6.16	50.89	7.37	54	7.99	57.11	8.62	58.36	8.64	59.57	8.74	
	21	37.39	5.30	44.14	6.60	50.89	7.90	54	8.58	57.11	9.25	58.36	9.27	59.57	9.36	
	23	37.39	5.68	44.14	7.07	50.89	8.47	54	9.19	57.11	9.91	58.36	9.93	59.57	10.02	
	25	37.39	6.08	44.14	7.56	50.89	9.06	54	9.84	57.11	10.59	58.36	10.63	59.57	10.73	
	27	37.39	6.50	44.14	8.09	50.89	9.68	54	10.50	57.11	11.33	58.36	11.37	59.57	11.46	
	29	37.39	6.94	44.14	8.64	50.89	10.34	54	11.21	57.11	12.09	58.36	12.12	59.57	12.24	
	31	37.39	7.39	44.14	9.20	50.89	11.03	54	11.96	57.11	12.90	58.36	12.94	59.57	13.06	
	33	37.39	7.88	44.14	9.82	50.89	11.75	54	12.76	57.11	13.74	58.36	13.77	59.57	13.91	
	35	37.39	8.38	44.14	10.44	50.89	12.51	54	13.54	57.11	14.61	58.36	14.66	59.57	14.80	
	37	37.39	8.90	44.14	11.10	50.89	13.30	54	14.42	57.11	15.54	58.36	15.59	59.57	15.75	
	39	37.39	8.95	44.14	11.14	50.89	13.36	54	14.47	57.11	15.61	58.36	15.66	59.57	15.80	
	41	37.39	8.98	44.14	11.20	50.89	13.42	54	14.55	57.11	15.69	58.36	15.73	59.57	15.88	
	43	37.39	9.04	44.14	11.25	50.89	13.47	54	14.61	57.11	15.75	58.36	15.80	59.57	15.96	
	46	37.39	9.08	44.14	11.32	50.89	13.53	54	14.68	57.11	15.82	58.36	15.88	59.57	16.03	
	48	37.39	9.11	44.14	11.35	50.89	13.61	54	14.74	56.14	15.89	57.25	15.96	58.32	16.11	
	50	37.39	9.15	44.14	11.41	50.89	13.66	52.93	14.82	55.07	15.98	56.14	16.03	57.25	16.18	
50%	10	31.18	3.65	36.79	4.57	42.43	5.48	45	5.93	47.57	6.39	48.61	6.41	49.64	6.48	
	12	31.18	3.74	36.79	4.64	42.43	5.57	45	6.05	47.57	6.52	48.61	6.53	49.64	6.60	
	14	31.18	3.81	36.79	4.74	42.43	5.66	45	6.16	47.57	6.64	48.61	6.65	49.64	6.71	
	16	31.18	3.86	36.79	4.81	42.43	5.78	45	6.25	47.57	6.74	48.61	6.76	49.64	6.84	
	18	31.18	3.94	36.79	4.91	42.43	5.87	45	6.37	47.57	6.85	48.61	6.90	49.64	6.96	
	19	31.18	4.00	36.79	4.98	42.43	5.96	45	6.48	47.57	6.99	48.61	7.01	49.64	7.07	
	21	31.18	4.30	36.79	5.34	42.43	6.41	45	6.96	47.57	7.49	48.61	7.51	49.64	7.58	
	23	31.18	4.61	36.79	5.73	42.43	6.85	45	7.44	47.57	8.01	48.61	8.06	49.64	8.13	
	25	31.18	4.93	36.79	6.14	42.43	7.33	45	7.96	47.57	8.58	48.61	8.60	49.64	8.70	
	27	31.18	5.27	36.79	6.55	42.43	7.85	45	8.51	47.57	9.17	48.61	9.20	49.64	9.29	
	29	31.18	5.61	36.79	6.99	42.43	8.38	45	9.09	47.57	9.79	48.61	9.84	49.64	9.93	
	31	31.18	5.98	36.79	7.47	42.43	8.95	45	9.70	47.57	10.44	48.61	10.48	49.64	10.57	
	33	31.18	6.39	36.79	7.96	42.43	9.52	45	10.32	47.57	11.12	48.61	11.16	49.64	11.28	
	35	31.18	6.78	36.79	8.45	42.43	10.12	45	10.99	47.57	11.85	48.61	11.88	49.64	11.99	
	37	31.18	7.22	36.79	9.00	42.43	10.76	45	11.67	47.57	12.60	48.61	12.64	49.64	12.76	
	39	31.18	7.26	36.79	9.04	42.43	10.82	45	11.73	47.57	12.64	48.61	12.67	49.64	12.81	
	41	31.18	7.28	36.79	9.08	42.43	10.86	45	11.78	47.57	12.69	48.61	12.76	49.64	12.87	
	43	31.18	7.31	36.79	9.11	42.43	10.91	45	11.85	47.57	12.77	48.61	12.81	49.64	12.92	
	46	31.18	7.35	36.79	9.15	42.43	10.98	45	11.90	47.57	12.83	48.61	12.87	49.64	12.98	
	48	31.18	7.39	36.79	9.20	42.43	11.01	45	11.96	47.71	12.88	48.14	12.92	49.04	13.06	
	50	31.18	7.42	36.79	9.25	42.43	11.07	45	12.01	47.25	12.94	47.71	12.98	48.61	13.11	

34HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V950W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	79.42	12.40	93.32	15.87	110.93	17.42	118.74	16.33	120.82	18.42	122.47	18.60	126.21	18.79	
	12	79.42	12.75	93.32	16.32	110.93	17.91	117.70	16.64	119.76	18.94	121.38	19.13	125.10	19.32	
	14	79.42	13.12	93.32	16.79	110.93	18.43	116.66	16.94	118.70	19.49	119.21	19.68	123.98	19.88	
	16	79.42	13.58	93.32	17.37	109.95	19.07	114.57	17.24	116.58	20.16	118.13	20.36	122.86	20.56	
	18	79.42	13.90	93.32	17.79	107.99	19.53	113.53	17.54	115.52	20.65	117.05	20.86	121.75	21.06	
	19	79.42	14.65	93.32	18.74	107.00	20.57	112.49	17.85	114.46	21.75	115.96	21.97	120.63	22.18	
	21	79.42	15.14	93.32	19.37	106.02	21.26	111.45	19.13	113.40	22.49	114.88	22.71	119.51	22.93	
	23	79.42	15.86	93.32	20.29	105.04	22.27	110.41	20.49	112.34	23.55	113.80	23.79	118.40	24.02	
	25	79.42	16.39	93.32	20.97	104.06	23.02	109.37	21.93	111.28	24.35	112.71	24.59	117.28	24.83	
	27	79.42	17.24	93.32	22.05	103.08	24.21	108.32	23.44	110.22	25.60	111.63	25.86	116.16	26.11	
	29	79.42	17.85	92.59	22.84	102.10	25.07	107.28	25.03	109.16	26.52	110.54	26.78	115.04	27.04	
	31	79.42	18.78	92.31	24.03	101.11	26.37	106.24	26.69	108.10	27.89	109.46	28.17	113.93	28.45	
	33	79.42	19.54	92.31	25.00	100.13	27.44	105.20	28.43	107.04	29.02	108.38	29.31	112.81	29.60	
	35	79.42	20.57	91.40	26.32	98.17	28.89	104.16	30.25	105.98	30.55	108.38	30.85	111.69	31.16	
	37	79.42	21.67	91.40	27.73	98.17	30.44	102.07	31.57	103.86	31.73	105.13	31.89	107.23	32.05	
	39	79.42	22.81	91.40	29.18	97.19	32.04	101.35	32.67	102.80	32.84	104.04	33.26	104.99	33.49	
	41	79.42	23.96	90.48	30.66	96.21	33.65	101.03	34.00	101.74	34.22	102.96	34.56	103.88	34.83	
	43	78.63	25.09	89.57	32.11	95.22	35.24	99.99	35.69	100.68	36.05	101.87	36.35	103.32	36.51	
	46	78.63	26.44	89.57	33.83	95.22	37.13	97.99	37.25	98.67	37.44	98.82	37.57	99.18	37.56	
	48	78.63	27.83	88.67	35.61	94.27	39.08	97.29	38.55	97.66	38.75	97.80	39.18	97.12	39.25	
	50	78.63	29.23	87.78	37.40	93.32	41.06	96.99	40.12	96.65	40.38	96.78	40.71	96.08	40.82	
120%	10	75.05	11.74	86.84	14.45	105.26	17.25	114.76	16.18	118.85	18.25	120.47	18.43	124.16	18.61	
	12	75.05	12.07	86.84	14.86	105.26	17.74	114.76	16.48	117.81	18.76	119.41	18.95	123.06	19.13	
	14	75.05	12.42	86.84	15.29	105.26	18.25	114.76	16.78	116.77	19.30	118.34	19.50	121.96	19.69	
	16	75.05	12.85	86.84	15.82	105.26	18.88	114.76	17.08	115.72	19.97	117.27	20.17	120.86	20.37	
	18	75.05	13.16	86.84	16.20	105.26	19.34	114.76	17.38	114.68	20.45	116.21	20.66	119.76	20.86	
	19	75.05	13.86	86.84	17.06	105.26	20.37	113.73	17.68	113.64	21.54	115.14	21.76	118.67	21.97	
	21	75.05	14.33	86.84	17.64	105.26	21.06	112.71	18.95	111.55	22.27	114.07	22.49	117.57	22.71	
	23	75.05	15.01	86.84	18.48	103.33	22.06	111.68	20.30	110.51	23.33	113.01	23.56	116.47	23.79	
	25	75.05	15.52	86.84	19.10	102.36	22.80	110.66	21.72	109.47	24.12	111.94	24.35	115.37	24.59	
	27	75.05	16.32	86.84	20.08	101.40	23.97	109.63	23.22	108.43	25.36	110.88	25.61	114.27	25.86	
	29	75.05	16.90	86.84	20.80	100.43	24.83	107.59	24.79	107.38	26.26	109.81	26.52	113.17	26.78	
	31	75.05	17.78	86.84	21.88	98.50	26.12	104.51	26.44	106.34	27.62	108.74	27.90	112.07	28.17	
	33	75.05	18.50	86.84	22.77	97.54	27.18	103.49	28.16	105.30	28.74	107.68	29.03	110.97	29.31	
	35	75.05	19.47	86.84	23.97	96.57	28.61	102.46	29.96	104.26	30.26	106.61	30.56	109.88	30.86	
	37	75.05	20.52	86.84	25.25	95.60	30.14	100.41	31.26	102.17	31.43	103.41	31.58	105.48	31.74	
	39	75.05	21.60	86.84	26.58	94.64	31.73	99.70	32.35	101.13	32.53	102.35	32.94	103.28	33.17	
	41	75.05	22.69	82.49	27.92	93.67	33.33	99.39	33.67	100.09	33.89	101.28	34.22	102.18	34.50	
	43	75.05	23.76	81.63	29.24	92.71	34.90	98.36	35.35	99.04	35.70	100.22	36.00	101.63	36.16	
	46	75.05	25.03	81.63	30.81	91.78	36.77	96.40	36.89	97.06	37.08	97.21	37.21	97.57	37.20	
	48	75.05	26.35	81.63	32.43	90.85	38.71	95.71	38.18	96.07	38.38	96.21	38.80	95.54	38.88	
	50	75.05	27.68	77.55	34.06	89.93	40.66	95.41	39.73	95.08	39.99	95.20	40.32	94.52	40.43	
110%	10	69.78	11.45	82.38	14.10	94.97	16.83	107.82	17.62	115.86	17.80	118.48	17.97	122.10	18.15	
	12	69.78	11.78	82.38	14.50	94.97	17.30	107.82	18.12	114.83	18.30	117.43	18.48	121.02	18.66	
	14	69.78	12.12	82.38	14.92	94.97	17.81	107.82	18.64	113.81	18.83	116.38	19.02	119.94	19.20	
	16	69.78	12.54	82.38	15.43	94.97	18.42	107.82	19.29	112.78	19.48	115.33	19.67	118.86	19.87	
	18	69.78	12.84	82.38	15.80	94.97	18.87	107.82	19.76	111.76	19.95	114.28	20.15	117.78	20.35	
	19	69.78	13.52	82.38	16.65	94.97	19.87	107.82	20.81	110.73	21.02	113.24	21.22	116.70	21.43	
	21	69.78	13.98	82.38	17.21	94.97	20.54	107.82	21.51	109.71	21.72	112.19	21.94	115.62	22.15	
	23	69.78	14.65	82.38	18.03	94.97	21.52	106.81	22.53	108.68	22.76	111.14	22.98	114.54	23.21	
	25	69.78	15.14	82.38	18.63	94.97	22.24	105.80	23.29	107.66	23.52	110.09	23.76	113.46	23.99	
	27	69.78	15.92	82.38	19.59	94.97	23.39	104.80	24.49	106.63	24.73	109.04	24.98	112.38	25.22	
	29	69.78	16.49	82.38	20.29	94.97	24.22	103.79	25.37	105.61	25.62	107.99	25.87	111.30	26.13	
	31	69.78	17.34	82.38	21.35	94.97	25.48	102.78	26.68	104.58	26.95	106.94	27.22	110.22	27.48	
	33	69.78	18.05	82.38	22.21	94.97	26.51	101.77	27.76	103.56	28.04	105.90	28.32	109.14	28.60	
	35	69.78	19.00	82.38	23.38	94.97	27.91	100.77	29.22	102.53	29.52	104.85	29.81	108.06	30.10	
	37	69.78	20.01	82.38	24.63	94.97	29.40	98.75	30.50	100.48	30.66	101.70	30.81	103.73	30.96	
	39	69.78	21.07	82.38	25.93	92.12	30.95	98.05	31.56	99.45	31.73	100.65	32.13	101.57	32.36	
	41	69.78	22.13	82.38	27.24	91.17	32.51	97.74	32.85	98.43	33.06	99.61	33.39	100.49	33.65	
	43	69.78	23.17	82.38	28.52	90.22	34.05	96.74	34.48	97.40	34.83	98.56	35.11	99.95	35.28	
	46	69.78	24.42	82.38	30.05	90.22	35.87	94.80	35.99	95.46	36.17	95.60	36.29	95.95	36.29	
	48	69.78	25.70	82.38	31.63	87.52	37.76	94.12	37.24	94.48	37.44	94.61	37.85	93.96	37.92	
	50	69.78	27.00	82.38	33.23	86.61	39.67	93.83	38.76	93.51	39.01	93.63	39.33	92.96	39.44	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V950W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	65.79	9.52	77.66	12.02	89.54	15.11	95.00	16.70	103.43	16.86	110.71	17.03	115.12	17.20	
	12	65.79	9.79	77.66	12.36	89.54	15.54	95.00	17.17	103.43	17.34	110.71	17.51	114.10	17.68	
	14	65.79	10.07	77.66	12.72	89.54	15.99	95.00	17.67	103.43	17.84	109.72	18.02	113.08	18.20	
	16	65.79	10.42	77.66	13.16	89.54	16.54	95.00	18.28	103.43	18.46	108.73	18.64	112.06	18.82	
	18	65.79	10.67	77.66	13.48	89.54	16.94	95.00	18.72	103.43	18.91	107.74	19.09	111.04	19.28	
	19	65.79	11.24	77.66	14.20	89.54	17.84	95.00	19.72	103.43	19.91	106.76	20.11	110.02	20.31	
	21	65.79	11.62	77.66	14.67	89.54	18.44	95.00	20.38	103.43	20.58	105.77	20.79	109.00	20.99	
	23	65.79	12.17	77.66	15.37	89.54	19.32	95.00	21.35	103.43	21.56	104.78	21.78	107.99	21.99	
	25	65.79	12.58	77.66	15.89	89.54	19.97	95.00	22.07	102.46	22.29	103.79	22.51	106.97	22.73	
	27	65.79	13.23	77.66	16.71	89.54	21.00	95.00	23.20	101.50	23.44	102.80	23.67	105.95	23.90	
	29	65.79	13.70	77.66	17.31	89.54	21.75	95.00	24.03	100.53	24.28	101.81	24.52	104.93	24.76	
	31	65.79	14.41	77.66	18.20	89.54	22.88	95.00	25.28	99.56	25.53	100.82	25.79	103.91	26.04	
	33	65.79	14.99	77.66	18.94	89.54	23.81	95.00	26.31	97.63	26.57	99.84	26.83	102.89	27.09	
	35	65.79	15.78	77.66	19.94	89.54	25.06	95.00	27.69	96.66	27.97	98.85	28.24	101.87	28.52	
	37	65.79	16.63	77.66	21.01	89.54	26.40	93.10	28.90	94.73	29.05	95.88	29.19	97.80	29.34	
	39	65.79	17.50	77.66	22.11	89.54	27.79	92.44	29.91	93.76	30.06	94.89	30.45	95.76	30.66	
	41	65.79	18.39	77.66	23.23	89.54	29.19	92.15	31.12	92.80	31.32	93.91	31.63	94.74	31.89	
	43	65.79	19.26	77.66	24.32	89.54	30.57	91.20	32.67	91.83	33.00	92.92	33.27	94.23	33.43	
	46	65.79	20.29	77.66	25.63	89.54	32.21	89.38	34.10	89.99	34.27	90.13	34.39	90.46	34.38	
	48	65.79	21.35	77.66	26.97	89.54	33.90	88.74	35.29	89.07	35.48	89.20	35.87	88.58	35.93	
50	65.79	22.43	77.66	28.34	89.54	35.62	88.46	36.73	88.16	36.96	88.27	37.26	87.64	37.37		
90%	10	59.21	8.41	69.90	10.37	80.58	12.73	85.50	14.02	91.27	15.28	102.51	16.26	104.61	16.68	
	12	59.21	8.65	69.90	10.67	80.58	13.09	85.50	14.41	91.27	15.71	102.51	16.72	104.61	17.15	
	14	59.21	8.90	69.90	10.97	80.58	13.47	85.50	14.83	91.27	16.17	102.51	17.20	104.61	17.65	
	16	59.21	9.21	69.90	11.35	80.58	13.93	85.50	15.34	91.27	16.72	102.51	17.80	104.61	18.26	
	18	59.21	9.43	69.90	11.63	80.58	14.27	85.50	15.71	91.27	17.13	102.51	18.23	103.64	18.70	
	19	59.21	9.93	69.90	12.25	80.58	15.03	85.50	16.55	91.27	18.04	102.51	19.20	102.66	19.70	
	21	59.21	10.27	69.90	12.66	80.58	15.53	85.50	17.11	91.27	18.65	102.51	19.85	101.68	20.36	
	23	59.21	10.75	69.90	13.26	80.58	16.27	85.50	17.92	91.27	19.54	102.51	20.79	100.70	21.33	
	25	59.21	11.12	69.90	13.71	80.58	16.82	85.50	18.53	91.27	20.19	101.55	21.49	99.72	22.05	
	27	59.21	11.69	69.90	14.42	80.58	17.69	85.50	19.48	91.27	21.23	100.59	22.60	99.72	23.18	
	29	59.21	12.11	69.90	14.93	80.58	18.32	85.50	20.18	91.27	21.99	99.63	23.41	99.72	24.01	
	31	59.21	12.73	69.90	15.71	80.58	19.27	85.50	21.22	91.27	23.13	98.68	24.62	98.75	25.26	
	33	59.21	13.25	69.90	16.34	80.58	20.05	85.50	22.08	91.27	24.07	96.76	25.62	98.75	26.28	
	35	59.21	13.95	69.90	17.20	80.58	21.11	85.50	23.25	91.27	25.34	95.80	26.97	97.77	27.66	
	37	59.21	14.70	69.90	18.12	80.58	22.24	85.50	24.49	91.27	26.70	93.89	28.41	95.81	29.15	
	39	59.21	15.47	69.90	19.08	80.58	23.41	85.50	25.78	91.27	28.10	92.93	29.90	94.84	30.68	
	41	59.21	16.25	69.90	20.04	80.58	24.59	85.50	27.08	91.27	29.52	91.97	31.41	93.86	32.23	
	43	59.21	17.02	69.90	20.99	80.58	25.75	85.50	28.36	91.27	30.91	91.97	32.90	93.86	33.75	
	46	59.21	17.93	69.90	22.11	80.58	27.13	85.50	29.88	91.27	32.57	90.13	34.66	91.98	35.56	
	48	59.21	18.87	69.90	23.27	80.58	28.56	85.50	31.45	91.27	34.28	89.21	36.48	91.04	37.43	
50	59.21	19.82	69.90	24.45	80.58	30.00	85.50	33.04	91.27	36.01	88.29	38.33	90.10	39.32		
80%	10	52.63	7.47	62.13	8.39	71.63	10.52	76.00	11.50	81.13	12.64	86.68	14.81	93.75	15.81	
	12	52.63	7.68	62.13	8.63	71.63	10.81	76.00	11.82	81.13	13.00	86.68	15.22	93.75	16.25	
	14	52.63	7.91	62.13	8.88	71.63	11.13	76.00	12.16	81.13	13.38	86.68	15.67	93.75	16.72	
	16	52.63	8.18	62.13	9.18	71.63	11.51	76.00	12.58	81.13	13.84	86.68	16.21	93.75	17.30	
	18	52.63	8.38	62.13	9.41	71.63	11.79	76.00	12.89	81.13	14.18	86.68	16.60	93.75	17.72	
	19	52.63	8.82	62.13	9.91	71.63	12.42	76.00	13.57	81.13	14.93	86.68	17.48	93.75	18.66	
	21	52.63	9.12	62.13	10.24	71.63	12.84	76.00	14.03	81.13	15.43	86.68	18.07	93.75	19.29	
	23	52.63	9.55	62.13	10.73	71.63	13.45	76.00	14.70	81.13	16.17	86.68	18.93	93.75	20.21	
	25	52.63	9.88	62.13	11.09	71.63	13.90	76.00	15.19	81.13	16.71	86.68	19.57	93.75	20.89	
	27	52.63	10.38	62.13	11.66	71.63	14.62	76.00	15.97	81.13	17.57	86.68	20.58	93.75	21.97	
	29	52.63	10.76	62.13	12.08	71.63	15.14	76.00	16.55	81.13	18.20	86.68	21.31	93.75	22.75	
	31	52.63	11.31	62.13	12.71	71.63	15.93	76.00	17.40	81.13	19.15	86.68	22.42	93.75	23.93	
	33	52.63	11.77	62.13	13.22	71.63	16.57	76.00	18.11	81.13	19.92	86.68	23.33	93.75	24.90	
	35	52.63	12.39	62.13	13.92	71.63	17.44	76.00	19.06	81.13	20.97	86.68	24.55	93.75	26.21	
	37	52.63	13.06	62.13	14.66	71.63	18.38	76.00	20.08	81.13	22.09	84.94	25.87	91.87	27.62	
	39	52.63	13.74	62.13	15.43	71.63	19.34	76.00	21.14	81.13	23.26	84.08	27.23	90.93	29.07	
	41	52.63	14.44	62.13	16.21	71.63	20.32	76.00	22.21	81.13	24.43	83.21	28.60	90.00	30.54	
	43	52.63	15.12	62.13	16.98	71.63	21.28	76.00	23.26	81.13	25.58	83.21	29.96	90.00	31.98	
	46	52.63	15.93	62.13	17.89	71.63	22.42	76.00	24.50	81.13	26.95	81.55	31.56	88.20	33.69	
	48	52.63	16.76	62.13	18.83	71.63	23.60	76.00	25.79	81.13	28.37	80.71	33.22	87.30	35.46	
50	52.63	17.61	62.13	19.78	71.63	24.79	76.00	27.09	81.13	29.80	-	34.90	86.40	37.25		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V950W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	10	46.05	6.71	54.36	7.98	62.68	9.74	66.50	10.65	70.99	11.50	75.84	12.99	82.03	14.05
	12	46.05	6.77	54.36	8.06	62.68	9.84	66.50	10.75	70.99	11.61	75.84	13.12	82.03	14.19
	14	46.05	6.75	54.36	8.04	62.68	9.81	66.50	10.72	70.99	11.58	75.84	13.08	82.03	14.15
	16	46.05	6.96	54.36	8.29	62.68	10.11	66.50	11.05	70.99	11.94	75.84	13.49	82.03	14.59
	18	46.05	7.02	54.36	8.36	62.68	10.20	66.50	11.14	70.99	12.04	75.84	13.60	82.03	14.71
	19	46.05	7.27	54.36	8.65	62.68	10.56	66.50	11.54	70.99	12.46	75.84	14.08	82.03	15.23
	21	46.05	7.40	54.36	8.81	62.68	10.75	66.50	11.75	70.99	12.69	75.84	14.34	82.03	15.51
	23	46.05	7.64	54.36	9.10	62.68	11.10	66.50	12.13	70.99	13.10	75.84	14.80	82.03	16.01
	25	46.05	7.79	54.36	9.28	62.68	11.32	66.50	12.37	70.99	13.36	75.84	15.09	82.03	16.33
	27	46.05	8.09	54.36	9.63	62.68	11.75	66.50	12.84	70.99	13.87	75.84	15.67	82.03	16.95
	29	46.05	8.38	54.36	9.97	62.68	12.16	66.50	13.29	70.99	14.36	75.84	16.22	82.03	17.55
	31	46.05	8.81	54.36	10.48	62.68	12.79	66.50	13.98	70.99	15.09	75.84	17.05	82.03	18.45
	33	46.05	9.16	54.36	10.90	62.68	13.30	66.50	14.54	70.99	15.70	75.84	17.73	82.03	19.19
	35	46.05	9.54	54.36	11.36	62.68	13.86	66.50	15.14	70.99	16.35	75.84	18.47	82.03	19.99
	37	46.05	10.05	54.36	11.97	62.68	14.60	66.50	15.95	70.99	17.23	74.33	19.46	80.39	21.06
	39	46.05	10.58	54.36	12.59	62.68	15.37	66.50	16.79	70.99	18.14	73.57	20.49	79.57	22.17
	41	46.05	11.11	54.36	13.23	62.68	16.14	66.50	17.64	70.99	19.05	72.81	21.52	78.75	23.29
	43	46.05	11.64	54.36	13.86	62.68	16.90	66.50	18.47	70.99	19.95	72.81	22.54	78.75	24.39
	46	46.05	12.26	54.36	14.60	62.68	17.81	66.50	19.46	70.99	21.02	71.35	23.75	77.17	25.69
	48	46.05	12.91	54.36	15.37	62.68	18.75	66.50	20.49	70.99	22.13	70.63	24.99	76.38	27.04
	50	46.05	13.56	54.36	16.14	62.68	19.69	66.50	21.52	70.99	23.24	69.90	26.26	75.60	28.41
60%	10	39.47	5.41	46.60	6.22	53.72	7.41	57.00	8.07	60.85	9.04	65.01	10.41	70.31	11.30
	12	39.47	5.46	46.60	6.28	53.72	7.48	57.00	8.15	60.85	9.13	65.01	10.52	70.31	11.41
	14	39.47	5.45	46.60	6.26	53.72	7.46	57.00	8.13	60.85	9.11	65.01	10.49	70.31	11.38
	16	39.47	5.62	46.60	6.45	53.72	7.70	57.00	8.38	60.85	9.39	65.01	10.81	70.31	11.74
	18	39.47	5.66	46.60	6.51	53.72	7.76	57.00	8.45	60.85	9.47	65.01	10.90	70.31	11.83
	19	39.47	5.86	46.60	6.74	53.72	8.03	57.00	8.75	60.85	9.80	65.01	11.29	70.31	12.25
	21	39.47	5.97	46.60	6.86	53.72	8.18	57.00	8.91	60.85	9.98	65.01	11.49	70.31	12.48
	23	39.47	6.16	46.60	7.08	53.72	8.44	57.00	9.20	60.85	10.30	65.01	11.87	70.31	12.88
	25	39.47	6.29	46.60	7.22	53.72	8.61	57.00	9.38	60.85	10.51	65.01	12.10	70.31	13.13
	27	39.47	6.52	46.60	7.50	53.72	8.94	57.00	9.74	60.85	10.91	65.01	12.56	70.31	13.63
	29	39.47	6.76	46.60	7.76	53.72	9.26	57.00	10.08	60.85	11.29	65.01	13.01	70.31	14.11
	31	39.47	7.10	46.60	8.16	53.72	9.73	57.00	10.60	60.85	11.87	65.01	13.67	70.31	14.84
	33	39.47	7.39	46.60	8.49	53.72	10.12	57.00	11.02	60.85	12.35	65.01	14.22	70.31	15.43
	35	39.47	7.69	46.60	8.84	53.72	10.54	57.00	11.48	60.85	12.86	65.01	14.81	70.31	16.08
	37	39.47	8.11	46.60	9.32	53.72	11.11	57.00	12.10	60.85	13.55	63.71	15.61	68.90	16.94
	39	39.47	8.53	46.60	9.81	53.72	11.69	57.00	12.73	60.85	14.26	63.06	16.43	68.20	17.83
	41	39.47	8.96	46.60	10.30	53.72	12.28	57.00	13.38	60.85	14.98	62.41	17.26	67.50	18.73
	43	39.47	9.39	46.60	10.79	53.72	12.86	57.00	14.01	60.85	15.69	62.41	18.07	67.50	19.61
	46	39.47	9.89	46.60	11.37	53.72	13.55	57.00	14.76	60.85	16.53	61.16	19.04	66.15	20.66
	48	39.47	10.41	46.60	11.96	53.72	14.26	57.00	15.54	60.85	17.40	60.54	20.04	65.47	21.75
	50	39.47	10.93	46.60	12.57	53.72	14.98	57.00	16.32	60.85	18.28	59.91	21.05	64.80	22.85
50%	10	32.89	4.26	38.83	4.72	44.77	5.24	47.50	5.68	50.71	6.59	54.17	7.45	58.59	8.36
	12	32.89	4.31	38.83	4.76	44.77	5.29	47.50	5.74	50.71	6.66	54.17	7.52	58.59	8.44
	14	32.89	4.29	38.83	4.75	44.77	5.28	47.50	5.72	50.71	6.64	54.17	7.50	58.59	8.42
	16	32.89	4.43	38.83	4.90	44.77	5.44	47.50	5.90	50.71	6.85	54.17	7.73	58.59	8.68
	18	32.89	4.46	38.83	4.94	44.77	5.49	47.50	5.95	50.71	6.90	54.17	7.80	58.59	8.75
	19	32.89	4.62	38.83	5.11	44.77	5.68	47.50	6.16	50.71	7.15	54.17	8.07	58.59	9.06
	21	32.89	4.71	38.83	5.21	44.77	5.78	47.50	6.27	50.71	7.28	54.17	8.22	58.59	9.22
	23	32.89	4.86	38.83	5.38	44.77	5.97	47.50	6.48	50.71	7.51	54.17	8.48	58.59	9.52
	25	32.89	4.95	38.83	5.48	44.77	6.09	47.50	6.61	50.71	7.66	54.17	8.65	58.59	9.71
	27	32.89	5.14	38.83	5.69	44.77	6.32	47.50	6.86	50.71	7.95	54.17	8.98	58.59	10.08
	29	32.89	5.32	38.83	5.89	44.77	6.55	47.50	7.10	50.71	8.23	54.17	9.30	58.59	10.44
	31	32.89	5.60	38.83	6.19	44.77	6.88	47.50	7.46	50.71	8.66	54.17	9.78	58.59	10.97
	33	32.89	5.82	38.83	6.44	44.77	7.16	47.50	7.76	50.71	9.00	54.17	10.17	58.59	11.41
	35	32.89	6.06	38.83	6.71	44.77	7.45	47.50	8.09	50.71	9.38	54.17	10.59	58.59	11.89
	37	32.89	6.39	38.83	7.07	44.77	7.85	47.50	8.52	50.71	9.88	53.09	11.16	57.42	12.52
	39	32.89	6.73	38.83	7.44	44.77	8.27	47.50	8.97	50.71	10.40	52.55	11.75	56.83	13.18
	41	32.89	7.06	38.83	7.82	44.77	8.68	47.50	9.42	50.71	10.93	52.01	12.34	56.25	13.85
	43	32.89	7.40	38.83	8.19	44.77	9.09	47.50	9.86	50.71	11.44	52.01	12.92	56.25	14.50
	46	32.89	7.79	38.83	8.63	44.77	9.58	47.50	10.39	50.71	12.06	50.97	13.61	55.12	15.28
	48	32.89	8.20	38.83	9.08	44.77	10.09	47.50	10.94	50.71	12.69	50.45	14.33	54.56	16.08
	50	32.89	8.62	38.83	9.54	44.77	10.60	47.50	11.49	50.71	13.33	49.93	15.05	54.00	16.89

36HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1000W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
130%	10	83.60	13.02		98.23	16.66		116.77	18.29		124.99	17.15		127.18	19.34	
	12	83.60	13.39		98.23	17.13		116.77	18.80		123.89	17.47		126.06	19.89	
	14	83.60	13.78		98.23	17.63		116.77	19.35		122.80	17.78		124.95	20.46	
	16	83.60	14.25		98.23	18.23		115.74	20.02		120.60	18.10		122.71	21.17	
	18	83.60	14.60		98.23	18.68		113.67	20.50		119.51	18.42		121.60	21.68	
	19	83.60	15.38		98.23	19.67		112.64	21.59		118.41	18.74		120.48	22.84	
	21	83.60	15.89		98.23	20.33		111.60	22.32		117.31	20.09		119.37	23.61	
	23	83.60	16.65		98.23	21.30		110.57	23.38		116.22	21.51		118.25	24.73	
	25	83.60	17.21		98.23	22.02		109.54	24.17		115.12	23.02		117.14	25.56	
	27	83.60	18.10		98.23	23.15		108.50	25.41		114.03	24.61		116.02	26.88	
	29	83.60	18.74		97.46	23.98		107.47	26.32		112.93	26.28		114.91	27.84	
	31	83.60	19.72		97.17	25.22		106.44	27.69		111.83	28.02		113.79	29.28	
	33	83.60	20.51		97.17	26.25		105.40	28.81		110.74	29.85		112.67	30.47	
	35	83.60	21.59		96.21	27.63		103.34	30.33		109.64	31.76		111.56	32.07	
	37	83.60	22.75		96.21	29.11		103.34	31.95		107.45	33.14		109.33	33.31	
	39	83.60	23.95		96.21	30.64		102.30	33.63		106.68	34.30		108.21	34.48	
	41	83.60	25.16		95.25	32.19		101.27	35.33		106.35	35.69		107.10	35.92	
	43	82.76	26.34		94.28	33.71		100.24	37.00		105.25	37.47		105.98	37.85	
	46	82.76	27.76		94.28	35.51		100.24	38.98		103.15	39.11		103.86	39.31	
	48	82.76	29.22		93.34	37.38		99.23	41.03		102.41	40.47		102.80	40.69	
	50	82.76	30.69		92.40	39.27		98.23	43.10		102.10	42.12		101.74	42.39	
120%	10	79.00	12.33		91.41	15.17		110.80	18.11		120.80	16.98		125.11	19.15	
	12	79.00	12.67		91.41	15.60		110.80	18.62		120.80	17.30		124.01	19.69	
	14	79.00	13.04		91.41	16.05		110.80	19.16		120.80	17.61		122.91	20.27	
	16	79.00	13.49		91.41	16.61		110.80	19.82		120.80	17.93		121.81	20.97	
	18	79.00	13.82		91.41	17.01		110.80	20.30		120.80	18.24		120.72	21.47	
	19	79.00	14.56		91.41	17.91		110.80	21.39		119.72	18.56		119.62	22.62	
	21	79.00	15.05		91.41	18.52		110.80	22.11		118.64	19.89		117.42	23.38	
	23	79.00	15.76		91.41	19.40		108.77	23.16		117.56	21.31		116.33	24.49	
	25	79.00	16.29		91.41	20.05		107.75	23.94		116.48	22.80		115.23	25.32	
	27	79.00	17.13		91.41	21.08		106.74	25.17		115.40	24.37		114.13	26.62	
	29	79.00	17.74		91.41	21.84		105.72	26.07		113.25	26.03		113.03	27.57	
	31	79.00	18.66		91.41	22.97		103.69	27.42		110.01	27.76		111.94	29.00	
	33	79.00	19.42		91.41	23.90		102.67	28.53		108.93	29.56		110.84	30.18	
	35	79.00	20.44		91.41	25.16		101.65	30.04		107.86	31.45		109.74	31.77	
	37	79.00	21.54		91.41	26.51		100.64	31.65		105.70	32.82		107.55	32.99	
	39	79.00	22.67		91.41	27.90		99.62	33.31		104.94	33.97		106.45	34.15	
	41	79.00	23.82		86.84	29.31		98.60	34.99		104.62	35.35		105.35	35.58	
	43	79.00	24.94		85.92	30.70		97.59	36.64		103.54	37.11		104.26	37.48	
	46	79.00	26.28		85.92	32.34		96.61	38.61		101.47	38.73		102.17	38.93	
	48	79.00	27.66		85.92	34.04		95.64	40.64		100.75	40.08		101.13	40.29	
	50	79.00	29.06		81.63	35.76		94.66	42.69		100.43	41.71		100.09	41.98	
110%	10	73.45	12.03		86.71	14.80		99.97	17.67		113.49	18.50		121.96	18.69	
	12	73.45	12.36		86.71	15.22		99.97	18.17		113.49	19.02		120.88	19.21	
	14	73.45	12.72		86.71	15.66		99.97	18.69		113.49	19.57		119.80	19.77	
	16	73.45	13.16		86.71	16.20		99.97	19.34		113.49	20.25		118.72	20.45	
	18	73.45	13.48		86.71	16.59		99.97	19.81		113.49	20.74		117.64	20.95	
	19	73.45	14.20		86.71	17.48		99.97	20.86		113.49	21.84		116.56	22.06	
	21	73.45	14.68		86.71	18.06		99.97	21.56		113.49	22.58		115.48	22.81	
	23	73.45	15.38		86.71	18.92		99.97	22.59		112.43	23.65		114.40	23.89	
	25	73.45	15.89		86.71	19.56		99.97	23.35		111.37	24.45		113.32	24.70	
	27	73.45	16.71		86.71	20.57		99.97	24.55		110.31	25.71		112.24	25.97	
	29	73.45	17.31		86.71	21.30		99.97	25.43		109.25	26.63		111.16	26.90	
	31	73.45	18.21		86.71	22.41		99.97	26.75		108.19	28.01		110.08	28.29	
	33	73.45	18.95		86.71	23.32		99.97	27.83		107.13	29.15		109.01	29.44	
	35	73.45	19.94		86.71	24.54		99.97	29.30		106.07	30.68		107.93	30.99	
	37	73.45	21.01		86.71	25.86		99.97	30.87		103.95	32.02		105.77	32.18	
	39	73.45	22.12		86.71	27.22		96.97	32.49		103.21	33.13		104.69	33.31	
	41	73.45	23.23		86.71	28.59		95.97	34.13		102.89	34.48		103.61	34.71	
	43	73.45	24.33		86.71	29.94		94.97	35.75		101.83	36.20		102.53	36.56	
	46	73.45	25.63		86.71	31.55		94.97	37.66		99.79	37.78		100.48	37.98	
	48	73.45	26.98		86.71	33.21		92.12	39.64		99.08	39.10		99.45	39.31	
	50	73.45	28.34		86.71	34.88		91.17	41.64		98.77	40.69		98.43	40.95	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1000W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	69.25	9.99	81.75	12.62	94.25	15.86	100.00	17.53	108.87	17.70	116.54	17.88	121.18	18.06	
	12	69.25	10.27	81.75	12.98	94.25	16.31	100.00	18.02	108.87	18.20	116.54	18.38	120.10	18.56	
	14	69.25	10.57	81.75	13.35	94.25	16.78	100.00	18.55	108.87	18.73	115.50	18.92	119.03	19.10	
	16	69.25	10.94	81.75	13.81	94.25	17.36	100.00	19.19	108.87	19.38	114.46	19.57	117.96	19.76	
	18	69.25	11.20	81.75	14.15	94.25	17.78	100.00	19.65	108.87	19.85	113.41	20.04	116.89	20.24	
	19	69.25	11.80	81.75	14.90	94.25	18.73	100.00	20.70	108.87	20.90	112.37	21.11	115.81	21.32	
	21	69.25	12.20	81.75	15.40	94.25	19.36	100.00	21.40	108.87	21.61	111.33	21.82	114.74	22.04	
	23	69.25	12.78	81.75	16.14	94.25	20.28	100.00	22.41	108.87	22.64	110.29	22.86	113.67	23.09	
	25	69.25	13.21	81.75	16.68	94.25	20.97	100.00	23.17	107.86	23.40	109.25	23.63	112.60	23.86	
	27	69.25	13.89	81.75	17.54	94.25	22.05	100.00	24.36	106.84	24.60	108.21	24.85	111.52	25.09	
	29	69.25	14.38	81.75	18.17	94.25	22.84	100.00	25.23	105.82	25.49	107.17	25.74	110.45	25.99	
	31	69.25	15.13	81.75	19.11	94.25	24.02	100.00	26.54	104.80	26.81	106.13	27.07	109.38	27.34	
	33	69.25	15.74	81.75	19.88	94.25	24.99	100.00	27.62	102.77	27.89	105.09	28.17	108.31	28.44	
	35	69.25	16.57	81.75	20.93	94.25	26.31	100.00	29.07	101.75	29.36	104.05	29.65	107.24	29.94	
	37	69.25	17.46	81.75	22.05	94.25	27.72	98.00	30.34	99.72	30.49	100.93	30.65	102.95	30.80	
	39	69.25	18.38	81.75	23.21	94.25	29.18	97.30	31.40	98.70	31.56	99.89	31.96	100.80	32.19	
	41	69.25	19.30	81.75	24.38	94.25	30.65	97.00	32.67	97.68	32.88	98.85	33.21	99.73	33.48	
	43	69.25	20.22	81.75	25.54	94.25	32.10	96.00	34.30	96.66	34.65	97.81	34.93	99.19	35.09	
	46	69.25	21.30	81.75	26.90	94.25	33.82	94.08	35.80	94.73	35.98	94.87	36.10	95.22	36.10	
	48	69.25	22.42	81.75	28.32	94.25	35.59	93.41	37.05	93.76	37.24	93.89	37.65	93.24	37.72	
50	69.25	23.55	81.75	29.75	94.25	37.39	93.12	38.56	92.80	38.80	92.92	39.12	92.25	39.23		
90%	10	62.33	8.83	73.58	10.89	84.83	13.36	90.00	14.72	96.08	16.04	107.90	17.07	110.12	17.51	
	12	62.33	9.08	73.58	11.20	84.83	13.74	90.00	15.13	96.08	16.49	107.90	17.55	110.12	18.01	
	14	62.33	9.34	73.58	11.52	84.83	14.14	90.00	15.57	96.08	16.97	107.90	18.06	110.12	18.53	
	16	62.33	9.66	73.58	11.92	84.83	14.62	90.00	16.11	96.08	17.56	107.90	18.68	110.12	19.17	
	18	62.33	9.90	73.58	12.21	84.83	14.98	90.00	16.50	96.08	17.98	107.90	19.14	109.09	19.63	
	19	62.33	10.43	73.58	12.86	84.83	15.78	90.00	17.38	96.08	18.94	107.90	20.16	108.06	20.68	
	21	62.33	10.78	73.58	13.29	84.83	16.31	90.00	17.96	96.08	19.58	107.90	20.84	107.03	21.37	
	23	62.33	11.29	73.58	13.92	84.83	17.08	90.00	18.82	96.08	20.51	107.90	21.83	106.00	22.39	
	25	62.33	11.67	73.58	14.39	84.83	17.66	90.00	19.45	96.08	21.20	106.90	22.56	104.97	23.15	
	27	62.33	12.27	73.58	15.13	84.83	18.57	90.00	20.45	96.08	22.29	105.89	23.72	104.97	24.34	
	29	62.33	12.71	73.58	15.68	84.83	19.23	90.00	21.18	96.08	23.09	104.88	24.57	104.97	25.21	
	31	62.33	13.37	73.58	16.49	84.83	20.23	90.00	22.28	96.08	24.29	103.87	25.85	103.94	26.51	
	33	62.33	13.91	73.58	17.16	84.83	21.05	90.00	23.18	96.08	25.27	101.85	26.89	103.94	27.59	
	35	62.33	14.64	73.58	18.06	84.83	22.16	90.00	24.40	96.08	26.60	100.85	28.31	102.92	29.04	
	37	62.33	15.43	73.58	19.03	84.83	23.35	90.00	25.71	96.08	28.03	98.83	29.83	100.86	30.60	
	39	62.33	16.24	73.58	20.03	84.83	24.57	90.00	27.06	96.08	29.50	97.82	31.39	99.83	32.21	
	41	62.33	17.06	73.58	21.04	84.83	25.82	90.00	28.43	96.08	30.99	96.81	32.98	98.80	33.83	
	43	62.33	17.86	73.58	22.03	84.83	27.03	90.00	29.77	96.08	32.45	96.81	34.54	98.80	35.43	
	46	62.33	18.82	73.58	23.21	84.83	28.48	90.00	31.37	96.08	34.19	94.87	36.39	96.82	37.33	
	48	62.33	19.81	73.58	24.43	84.83	29.98	90.00	33.02	96.08	35.99	93.91	38.30	95.83	39.29	
50	62.33	20.81	73.58	25.67	84.83	31.49	90.00	34.69	96.08	37.81	92.94	40.24	94.85	41.28		
80%	10	55.40	7.84	65.40	8.81	75.40	11.04	80.00	12.07	85.40	13.27	91.24	15.54	98.68	16.59	
	12	55.40	8.07	65.40	9.06	75.40	11.35	80.00	12.41	85.40	13.65	91.24	15.98	98.68	17.06	
	14	55.40	8.30	65.40	9.32	75.40	11.68	80.00	12.77	85.40	14.05	91.24	16.45	98.68	17.56	
	16	55.40	8.59	65.40	9.64	75.40	12.09	80.00	13.21	85.40	14.53	91.24	17.01	98.68	18.16	
	18	55.40	8.79	65.40	9.88	75.40	12.38	80.00	13.53	85.40	14.88	91.24	17.43	98.68	18.60	
	19	55.40	9.26	65.40	10.40	75.40	13.04	80.00	14.25	85.40	15.67	91.24	18.35	98.68	19.59	
	21	55.40	9.57	65.40	10.75	75.40	13.48	80.00	14.73	85.40	16.20	91.24	18.97	98.68	20.25	
	23	55.40	10.03	65.40	11.26	75.40	14.12	80.00	15.43	85.40	16.97	91.24	19.87	98.68	21.22	
	25	55.40	10.37	65.40	11.64	75.40	14.59	80.00	15.95	85.40	17.55	91.24	20.54	98.68	21.93	
	27	55.40	10.90	65.40	12.24	75.40	15.35	80.00	16.77	85.40	18.45	91.24	21.60	98.68	23.06	
	29	55.40	11.29	65.40	12.68	75.40	15.89	80.00	17.37	85.40	19.11	91.24	22.37	98.68	23.89	
	31	55.40	11.88	65.40	13.34	75.40	16.72	80.00	18.27	85.40	20.10	91.24	23.53	98.68	25.12	
	33	55.40	12.36	65.40	13.88	75.40	17.40	80.00	19.01	85.40	20.91	91.24	24.49	98.68	26.14	
	35	55.40	13.01	65.40	14.61	75.40	18.31	80.00	20.01	85.40	22.01	91.24	25.78	98.68	27.52	
	37	55.40	13.71	65.40	15.39	75.40	19.29	80.00	21.09	85.40	23.19	89.42	27.16	96.71	28.99	
	39	55.40	14.43	65.40	16.20	75.40	20.31	80.00	22.19	85.40	24.41	88.50	28.59	95.72	30.52	
	41	55.40	15.16	65.40	17.02	75.40	21.33	80.00	23.32	85.40	25.65	87.59	30.03	94.73	32.06	
	43	55.40	15.87	65.40	17.82	75.40	22.34	80.00	24.42	85.40	26.86	87.59	31.45	94.73	33.57	
	46	55.40	16.72	65.40	18.78	75.40	23.54	80.00	25.72	85.40	28.30	85.84	33.13	92.84	35.37	
	48	55.40	17.60	65.40	19.77	75.40	24.78	80.00	27.08	85.40	29.79	84.96	34.88	91.89	37.23	
50	55.40	18.49	65.40	20.76	75.40	26.03	80.00	28.44	85.40	31.29	-	36.64	90.94	39.11		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1000W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	48.48	7.04	57.23	8.38	65.98	10.23	70.00	11.18	74.73	12.07	79.84	13.63	86.35	14.75
	12	48.48	7.11	57.23	8.47	65.98	10.33	70.00	11.29	74.73	12.19	79.84	13.77	86.35	14.90
	14	48.48	7.09	57.23	8.44	65.98	10.30	70.00	11.26	74.73	12.16	79.84	13.73	86.35	14.86
	16	48.48	7.31	57.23	8.70	65.98	10.62	70.00	11.60	74.73	12.53	79.84	14.16	86.35	15.32
	18	48.48	7.37	57.23	8.78	65.98	10.71	70.00	11.70	74.73	12.64	79.84	14.27	86.35	15.44
	19	48.48	7.63	57.23	9.09	65.98	11.08	70.00	12.11	74.73	13.08	79.84	14.78	86.35	15.99
	21	48.48	7.77	57.23	9.25	65.98	11.29	70.00	12.34	74.73	13.32	79.84	15.05	86.35	16.28
	23	48.48	8.02	57.23	9.55	65.98	11.65	70.00	12.73	74.73	13.75	79.84	15.53	86.35	16.81
	25	48.48	8.18	57.23	9.74	65.98	11.88	70.00	12.99	74.73	14.03	79.84	15.85	86.35	17.14
	27	48.48	8.49	57.23	10.11	65.98	12.33	70.00	13.48	74.73	14.56	79.84	16.45	86.35	17.79
	29	48.48	8.79	57.23	10.47	65.98	12.77	70.00	13.96	74.73	15.07	79.84	17.03	86.35	18.42
	31	48.48	9.24	57.23	11.00	65.98	13.43	70.00	14.67	74.73	15.85	79.84	17.90	86.35	19.37
	33	48.48	9.61	57.23	11.45	65.98	13.96	70.00	15.26	74.73	16.48	79.84	18.62	86.35	20.14
	35	48.48	10.02	57.23	11.92	65.98	14.55	70.00	15.90	74.73	17.17	79.84	19.39	86.35	20.98
	37	48.48	10.55	57.23	12.56	65.98	15.33	70.00	16.75	74.73	18.09	78.24	20.43	84.62	22.11
	39	48.48	11.11	57.23	13.22	65.98	16.13	70.00	17.63	74.73	19.04	77.44	21.51	83.75	23.27
	41	48.48	11.67	57.23	13.89	65.98	16.95	70.00	18.52	74.73	20.00	76.64	22.59	82.89	24.45
	43	48.48	12.22	57.23	14.55	65.98	17.75	70.00	19.39	74.73	20.95	76.64	23.66	82.89	25.60
	46	48.48	12.87	57.23	15.33	65.98	18.70	70.00	20.43	74.73	22.07	75.11	24.93	81.23	26.97
	48	48.48	13.55	57.23	16.13	65.98	19.68	70.00	21.51	74.73	23.23	74.34	26.24	80.40	28.39
50	48.48	14.23	57.23	16.95	65.98	20.67	70.00	22.59	74.73	24.40	73.58	27.57	79.58	29.82	
60%	10	41.55	5.68	49.05	6.53	56.55	7.78	60.00	8.47	64.05	9.49	68.43	10.93	74.01	11.86
	12	41.55	5.73	49.05	6.59	56.55	7.86	60.00	8.56	64.05	9.59	68.43	11.04	74.01	11.98
	14	41.55	5.72	49.05	6.57	56.55	7.84	60.00	8.54	64.05	9.56	68.43	11.01	74.01	11.95
	16	41.55	5.90	49.05	6.78	56.55	8.08	60.00	8.80	64.05	9.86	68.43	11.35	74.01	12.32
	18	41.55	5.94	49.05	6.83	56.55	8.15	60.00	8.87	64.05	9.94	68.43	11.45	74.01	12.42
	19	41.55	6.15	49.05	7.07	56.55	8.43	60.00	9.19	64.05	10.29	68.43	11.85	74.01	12.86
	21	41.55	6.27	49.05	7.20	56.55	8.59	60.00	9.35	64.05	10.48	68.43	12.07	74.01	13.10
	23	41.55	6.47	49.05	7.44	56.55	8.86	60.00	9.66	64.05	10.82	68.43	12.46	74.01	13.52
	25	41.55	6.60	49.05	7.58	56.55	9.04	60.00	9.85	64.05	11.03	68.43	12.71	74.01	13.79
	27	41.55	6.85	49.05	7.87	56.55	9.38	60.00	10.22	64.05	11.45	68.43	13.19	74.01	14.31
	29	41.55	7.09	49.05	8.15	56.55	9.72	60.00	10.58	64.05	11.85	68.43	13.65	74.01	14.82
	31	41.55	7.46	49.05	8.57	56.55	10.21	60.00	11.13	64.05	12.46	68.43	14.35	74.01	15.58
	33	41.55	7.75	49.05	8.91	56.55	10.62	60.00	11.57	64.05	12.96	68.43	14.93	74.01	16.20
	35	41.55	8.08	49.05	9.28	56.55	11.07	60.00	12.06	64.05	13.50	68.43	15.55	74.01	16.88
	37	41.55	8.51	49.05	9.78	56.55	11.66	60.00	12.70	64.05	14.23	67.06	16.38	72.53	17.78
	39	41.55	8.96	49.05	10.29	56.55	12.27	60.00	13.37	64.05	14.97	66.38	17.25	71.79	18.72
	41	41.55	9.41	49.05	10.81	56.55	12.89	60.00	14.04	64.05	15.73	65.69	18.12	71.05	19.66
	43	41.55	9.85	49.05	11.32	56.55	13.50	60.00	14.71	64.05	16.47	65.69	18.97	71.05	20.59
	46	41.55	10.38	49.05	11.93	56.55	14.23	60.00	15.50	64.05	17.36	64.38	19.99	69.63	21.69
	48	41.55	10.93	49.05	12.56	56.55	14.97	60.00	16.31	64.05	18.27	63.72	21.04	68.92	22.83
50	41.55	11.48	49.05	13.19	56.55	15.73	60.00	17.13	64.05	19.19	63.07	22.10	68.21	23.99	
50%	10	34.63	4.48	40.88	4.95	47.13	5.50	50.00	5.97	53.38	6.92	57.03	7.82	61.68	8.77
	12	34.63	4.52	40.88	5.00	47.13	5.56	50.00	6.03	53.38	6.99	57.03	7.90	61.68	8.86
	14	34.63	4.51	40.88	4.99	47.13	5.54	50.00	6.01	53.38	6.97	57.03	7.87	61.68	8.83
	16	34.63	4.65	40.88	5.14	47.13	5.71	50.00	6.20	53.38	7.19	57.03	8.12	61.68	9.11
	18	34.63	4.69	40.88	5.19	47.13	5.76	50.00	6.25	53.38	7.25	57.03	8.18	61.68	9.18
	19	34.63	4.85	40.88	5.37	47.13	5.96	50.00	6.47	53.38	7.50	57.03	8.47	61.68	9.51
	21	34.63	4.94	40.88	5.47	47.13	6.07	50.00	6.59	53.38	7.64	57.03	8.63	61.68	9.68
	23	34.63	5.10	40.88	5.64	47.13	6.27	50.00	6.80	53.38	7.89	57.03	8.91	61.68	9.99
	25	34.63	5.20	40.88	5.76	47.13	6.39	50.00	6.94	53.38	8.04	57.03	9.08	61.68	10.19
	27	34.63	5.40	40.88	5.97	47.13	6.64	50.00	7.20	53.38	8.35	57.03	9.43	61.68	10.58
	29	34.63	5.59	40.88	6.19	47.13	6.87	50.00	7.45	53.38	8.65	57.03	9.76	61.68	10.96
	31	34.63	5.88	40.88	6.50	47.13	7.22	50.00	7.83	53.38	9.09	57.03	10.26	61.68	11.52
	33	34.63	6.11	40.88	6.76	47.13	7.51	50.00	8.15	53.38	9.45	57.03	10.68	61.68	11.98
	35	34.63	6.37	40.88	7.05	47.13	7.83	50.00	8.49	53.38	9.85	57.03	11.12	61.68	12.48
	37	34.63	6.71	40.88	7.42	47.13	8.25	50.00	8.94	53.38	10.37	55.88	11.72	60.44	13.15
	39	34.63	7.06	40.88	7.81	47.13	8.68	50.00	9.41	53.38	10.92	55.31	12.33	59.82	13.84
	41	34.63	7.42	40.88	8.21	47.13	9.12	50.00	9.89	53.38	11.47	54.74	12.95	59.21	14.54
	43	34.63	7.77	40.88	8.60	47.13	9.55	50.00	10.36	53.38	12.01	54.74	13.57	59.21	15.22
	46	34.63	8.18	40.88	9.06	47.13	10.06	50.00	10.91	53.38	12.66	53.65	14.29	58.02	16.04
	48	34.63	8.61	40.88	9.53	47.13	10.59	50.00	11.48	53.38	13.32	53.10	15.04	57.43	16.88
50	34.63	9.05	40.88	10.01	47.13	11.12	50.00	12.06	53.38	13.99	52.55	15.80	56.84	17.73	

38HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1065W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
130%	10	89.03	14.45		104.61	18.49		124.36	20.29		133.11	19.03		135.44	21.46	
	12	89.03	14.86		104.61	19.01		124.36	20.87		131.95	19.38		134.26	22.07	
	14	89.03	15.29		104.61	19.56		124.36	21.47		130.78	19.73		133.07	22.71	
	16	89.03	15.82		104.61	20.24		123.26	22.21		128.44	20.09		130.69	23.49	
	18	89.03	16.20		104.61	20.73		121.06	22.75		127.28	20.44		129.50	24.06	
	19	89.03	17.06		104.61	21.83		119.96	23.96		126.11	20.79		128.31	25.34	
	21	89.03	17.64		104.61	22.57		118.86	24.77		124.94	22.29		127.13	26.20	
	23	89.03	18.48		104.61	23.64		117.76	25.95		123.77	23.88		125.94	27.44	
	25	89.03	19.10		104.61	24.44		116.66	26.82		122.60	25.55		124.75	28.37	
	27	89.03	20.08		104.61	25.69		115.56	28.20		121.44	27.31		123.56	29.83	
	29	89.03	20.80		103.79	26.61		114.45	29.21		120.27	29.16		122.37	30.89	
	31	89.03	21.88		103.49	27.99		113.35	30.73		119.10	31.10		121.19	32.50	
	33	89.03	22.77		103.49	29.13		112.25	31.97		117.93	33.13		120.00	33.81	
	35	89.03	23.96		102.46	30.66		110.05	33.65		116.77	35.24		118.81	35.59	
	37	89.03	25.25		102.46	32.30		110.05	35.46		114.43	36.78		116.43	36.97	
	39	89.03	26.58		102.46	34.00		108.95	37.32		113.61	38.06		115.25	38.26	
	41	89.03	27.92		101.44	35.72		107.85	39.21		113.26	39.61		114.06	39.86	
	43	88.14	29.24		100.41	37.40		106.75	41.06		112.10	41.58		112.87	42.00	
	46	88.14	30.80		100.41	39.41		106.75	43.26		109.85	43.40		110.61	43.62	
	48	88.14	32.42		99.41	41.48		105.68	45.53		109.07	44.91		109.48	45.15	
120%	50	88.14	34.06		98.41	43.58		104.62	47.83		108.73	46.74		108.35	47.04	
	10	84.14	13.68		97.35	16.84		118.00	20.10		128.65	18.85		133.24	21.26	
	12	84.14	14.07		97.35	17.31		118.00	20.67		128.65	19.20		132.07	21.86	
	14	84.14	14.47		97.35	17.81		118.00	21.27		128.65	19.55		130.90	22.49	
	16	84.14	14.97		97.35	18.43		118.00	22.00		128.65	19.89		129.73	23.27	
	18	84.14	15.34		97.35	18.88		118.00	22.53		128.65	20.24		128.56	23.83	
	19	84.14	16.15		97.35	19.88		118.00	23.73		127.50	20.59		127.39	25.10	
	21	84.14	16.70		97.35	20.55		118.00	24.53		126.35	22.08		125.06	25.94	
	23	84.14	17.49		97.35	21.53		115.84	25.70		125.20	23.65		123.89	27.18	
	25	84.14	18.08		97.35	22.25		114.76	26.57		124.05	25.30		122.72	28.10	
	27	84.14	19.01		97.35	23.40		113.67	27.93		122.91	27.05		121.55	29.54	
	29	84.14	19.69		97.35	24.24		112.59	28.93		120.61	28.88		120.38	30.60	
	31	84.14	20.71		97.35	25.49		110.43	30.43		117.16	30.80		119.21	32.18	
	33	84.14	21.55		97.35	26.53		109.34	31.66		116.01	32.81		118.04	33.49	
	35	84.14	22.69		97.35	27.92		108.26	33.33		114.87	34.90		116.88	35.25	
	37	84.14	23.90		97.35	29.42		107.18	35.12		112.57	36.42		114.54	36.61	
	39	84.14	25.16		97.35	30.97		106.10	36.96		111.76	37.69		113.37	37.89	
	41	84.14	26.43		92.48	32.53		105.01	38.83		111.42	39.23		112.20	39.48	
	43	84.14	27.68		91.51	34.06		103.93	40.66		110.27	41.18		111.03	41.60	
	46	84.14	29.16		91.51	35.89		102.89	42.84		108.07	42.98		108.81	43.20	
	48	84.14	30.69		91.51	37.78		101.85	45.10		107.29	44.48		107.70	44.72	
	50	84.14	32.24		86.93	39.69		100.81	47.37		106.96	46.29		106.59	46.59	
110%	10	78.23	13.34		92.35	16.42		106.47	19.61		120.87	20.53		129.88	20.74	
	12	78.23	13.72		92.35	16.89		106.47	20.16		120.87	21.11		128.73	21.32	
	14	78.23	14.12		92.35	17.38		106.47	20.74		120.87	21.72		127.58	21.94	
	16	78.23	14.61		92.35	17.98		106.47	21.46		120.87	22.47		126.44	22.70	
	18	78.23	14.96		92.35	18.41		106.47	21.98		120.87	23.02		125.29	23.25	
	19	78.23	15.76		92.35	19.39		106.47	23.15		120.87	24.24		124.14	24.48	
	21	78.23	16.29		92.35	20.05		106.47	23.93		120.87	25.06		122.99	25.31	
	23	78.23	17.06		92.35	21.00		106.47	25.07		119.74	26.25		121.84	26.51	
	25	78.23	17.64		92.35	21.71		106.47	25.91		118.61	27.14		120.69	27.41	
	27	78.23	18.55		92.35	22.83		106.47	27.25		117.48	28.53		119.54	28.82	
	29	78.23	19.21		92.35	23.64		106.47	28.22		116.35	29.55		118.39	29.85	
	31	78.23	20.21		92.35	24.87		106.47	29.69		115.22	31.09		117.24	31.40	
	33	78.23	21.02		92.35	25.88		106.47	30.89		114.09	32.34		116.09	32.67	
	35	78.23	22.13		92.35	27.24		106.47	32.52		112.96	34.05		114.94	34.39	
	37	78.23	23.32		92.35	28.70		106.47	34.26		110.71	35.53		112.64	35.72	
	39	78.23	24.54		92.35	30.21		103.28	36.06		109.91	36.77		111.49	36.97	
	41	78.23	25.78		92.35	31.73		102.21	37.88		109.58	38.27		110.34	38.51	
	43	78.23	27.00		92.35	33.23		101.15	39.67		108.45	40.18		109.19	40.58	
	46	78.23	28.45		92.35	35.01		101.15	41.79		106.28	41.93		107.01	42.14	
	48	78.23	29.94		92.35	36.85		98.11	43.99		105.52	43.39		105.92	43.62	
	50	78.23	31.45		92.35	38.71		97.10	46.21		105.19	45.16		104.83	45.45	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1065W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	73.75	11.09	87.06	14.01	100.38	17.60	106.50	19.45	115.95	19.65	124.11	19.84	129.05	20.04	
	12	73.75	11.40	87.06	14.40	100.38	18.10	106.50	20.00	115.95	20.20	124.11	20.40	127.91	20.60	
	14	73.75	11.73	87.06	14.82	100.38	18.63	106.50	20.58	115.95	20.79	123.00	20.99	126.77	21.20	
	16	73.75	12.14	87.06	15.33	100.38	19.27	106.50	21.29	115.95	21.50	121.89	21.72	125.63	21.93	
	18	73.75	12.43	87.06	15.70	100.38	19.74	106.50	21.81	115.95	22.03	120.79	22.24	124.48	22.46	
	19	73.75	13.09	87.06	16.54	100.38	20.79	106.50	22.97	115.95	23.20	119.68	23.43	123.34	23.66	
	21	73.75	13.53	87.06	17.10	100.38	21.49	106.50	23.74	115.95	23.98	118.57	24.22	122.20	24.46	
	23	73.75	14.18	87.06	17.91	100.38	22.51	106.50	24.87	115.95	25.12	117.46	25.37	121.06	25.62	
	25	73.75	14.66	87.06	18.51	100.38	23.27	106.50	25.71	114.87	25.97	116.35	26.23	119.92	26.48	
	27	73.75	15.41	87.06	19.46	100.38	24.47	106.50	27.03	113.78	27.30	115.25	27.57	118.77	27.84	
	29	73.75	15.96	87.06	20.16	100.38	25.34	106.50	28.00	112.70	28.28	114.14	28.56	117.63	28.84	
	31	73.75	16.79	87.06	21.21	100.38	26.66	106.50	29.45	111.61	29.75	113.03	30.04	116.49	30.34	
	33	73.75	17.47	87.06	22.07	100.38	27.74	106.50	30.65	109.45	30.95	111.92	31.26	115.35	31.57	
	35	73.75	18.39	87.06	23.23	100.38	29.20	106.50	32.26	108.36	32.58	110.81	32.91	114.21	33.23	
	37	73.75	19.37	87.06	24.47	100.38	30.76	104.37	33.67	106.20	33.84	107.49	34.01	109.64	34.18	
	39	73.75	20.39	87.06	25.76	100.38	32.38	103.62	34.84	105.11	35.03	106.38	35.47	107.35	35.72	
	41	73.75	21.42	87.06	27.06	100.38	34.01	103.31	36.26	104.03	36.49	105.27	36.85	106.21	37.15	
	43	73.75	22.43	87.06	28.34	100.38	35.62	102.24	38.07	102.95	38.45	104.16	38.76	105.64	38.94	
	46	73.75	23.64	87.06	29.86	100.38	37.53	100.20	39.73	100.89	39.93	101.04	40.06	101.41	40.06	
	48	73.75	24.88	87.06	31.43	100.38	39.50	99.48	41.11	99.86	41.33	100.00	41.79	99.30	41.86	
50	73.75	26.14	87.06	33.01	100.38	41.50	99.17	42.79	98.83	43.06	98.96	43.41	98.25	43.54		
90%	10	66.38	9.80	78.36	12.08	90.34	14.83	95.85	16.33	102.32	17.80	114.92	18.94	117.28	19.43	
	12	66.38	10.07	78.36	12.43	90.34	15.25	95.85	16.79	102.32	18.30	114.92	19.48	117.28	19.98	
	14	66.38	10.37	78.36	12.79	90.34	15.69	95.85	17.28	102.32	18.83	114.92	20.04	117.28	20.56	
	16	66.38	10.72	78.36	13.23	90.34	16.23	95.85	17.87	102.32	19.48	114.92	20.73	117.28	21.27	
	18	66.38	10.98	78.36	13.55	90.34	16.62	95.85	18.31	102.32	19.96	114.92	21.24	116.18	21.79	
	19	66.38	11.57	78.36	14.27	90.34	17.51	95.85	19.28	102.32	21.02	114.92	22.37	115.08	22.95	
	21	66.38	11.96	78.36	14.75	90.34	18.10	95.85	19.93	102.32	21.73	114.92	23.12	113.99	23.72	
	23	66.38	12.53	78.36	15.45	90.34	18.96	95.85	20.88	102.32	22.76	114.92	24.22	112.89	24.85	
	25	66.38	12.95	78.36	15.97	90.34	19.60	95.85	21.58	102.32	23.53	113.84	25.04	111.80	25.69	
	27	66.38	13.62	78.36	16.79	90.34	20.61	95.85	22.69	102.32	24.74	112.77	26.33	111.80	27.01	
	29	66.38	14.10	78.36	17.40	90.34	21.34	95.85	23.51	102.32	25.62	111.70	27.27	111.80	27.97	
	31	66.38	14.84	78.36	18.30	90.34	22.45	95.85	24.73	102.32	26.95	110.62	28.68	110.70	29.42	
	33	66.38	15.44	78.36	19.04	90.34	23.36	95.85	25.73	102.32	28.04	108.47	29.84	110.70	30.62	
	35	66.38	16.25	78.36	20.04	90.34	24.59	95.85	27.08	102.32	29.52	107.40	31.42	109.60	32.23	
	37	66.38	17.12	78.36	21.12	90.34	25.91	95.85	28.53	102.32	31.10	105.25	33.10	107.41	33.96	
	39	66.38	18.02	78.36	22.23	90.34	27.27	95.85	30.03	102.32	32.74	104.18	34.84	106.32	35.74	
	41	66.38	18.93	78.36	23.35	90.34	28.65	95.85	31.55	102.32	34.39	103.10	36.60	105.22	37.55	
	43	66.38	19.82	78.36	24.45	90.34	30.00	95.85	33.04	102.32	36.01	103.10	38.33	105.22	39.32	
	46	66.38	20.89	78.36	25.76	90.34	31.61	95.85	34.81	102.32	37.94	101.04	40.38	103.12	41.43	
	48	66.38	21.99	78.36	27.11	90.34	33.27	95.85	36.64	102.32	39.94	100.01	42.50	102.06	43.60	
50	66.38	23.10	78.36	28.48	90.34	34.95	95.85	38.49	102.32	41.96	98.98	44.65	101.01	45.81		
80%	10	59.00	8.70	69.65	9.78	80.30	12.25	85.20	13.39	90.95	14.73	97.17	17.25	105.09	18.41	
	12	59.00	8.95	69.65	10.05	80.30	12.60	85.20	13.77	90.95	15.15	97.17	17.74	105.09	18.93	
	14	59.00	9.21	69.65	10.34	80.30	12.97	85.20	14.17	90.95	15.59	97.17	18.25	105.09	19.48	
	16	59.00	9.53	69.65	10.70	80.30	13.41	85.20	14.66	90.95	16.12	97.17	18.88	105.09	20.16	
	18	59.00	9.76	69.65	10.96	80.30	13.74	85.20	15.01	90.95	16.51	97.17	19.34	105.09	20.64	
	19	59.00	10.28	69.65	11.54	80.30	14.47	85.20	15.81	90.95	17.39	97.17	20.37	105.09	21.74	
	21	59.00	10.62	69.65	11.93	80.30	14.96	85.20	16.35	90.95	17.98	97.17	21.05	105.09	22.48	
	23	59.00	11.13	69.65	12.50	80.30	15.67	85.20	17.12	90.95	18.84	97.17	22.05	105.09	23.54	
	25	59.00	11.51	69.65	12.92	80.30	16.20	85.20	17.70	90.95	19.47	97.17	22.80	105.09	24.34	
	27	59.00	12.10	69.65	13.59	80.30	17.03	85.20	18.61	90.95	20.47	97.17	23.97	105.09	25.59	
	29	59.00	12.53	69.65	14.07	80.30	17.64	85.20	19.28	90.95	21.21	97.17	24.83	105.09	26.51	
	31	59.00	13.18	69.65	14.80	80.30	18.55	85.20	20.28	90.95	22.30	97.17	26.12	105.09	27.88	
	33	59.00	13.71	69.65	15.40	80.30	19.31	85.20	21.10	90.95	23.21	97.17	27.18	105.09	29.01	
	35	59.00	14.44	69.65	16.21	80.30	20.32	85.20	22.21	90.95	24.43	97.17	28.61	105.09	30.54	
	37	59.00	15.21	69.65	17.08	80.30	21.41	85.20	23.40	90.95	25.74	95.23	30.14	102.99	32.17	
	39	59.00	16.01	69.65	17.98	80.30	22.54	85.20	24.63	90.95	27.09	94.26	31.72	101.94	33.87	
	41	59.00	16.82	69.65	18.89	80.30	23.67	85.20	25.87	90.95	28.46	93.28	33.33	100.89	35.58	
	43	59.00	17.61	69.65	19.78	80.30	24.79	85.20	27.10	90.95	29.81	93.28	34.90	100.89	37.26	
	46	59.00	18.56	69.65	20.84	80.30	26.12	85.20	28.55	90.95	31.40	91.42	36.77	98.87	39.25	
	48	59.00	19.53	69.65	21.94	80.30	27.49	85.20	30.05	90.95	33.05	90.49	38.70	97.86	41.32	
50	59.00	20.52	69.65	23.04	80.30	28.88	85.20	31.57	90.95	34.72	-	40.66	96.85	43.40		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1065W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	51.63	7.81	60.94	9.30	70.26	11.35	74.55	12.40	79.58	13.39	85.02	15.13	91.96	16.37	
	12	51.63	7.89	60.94	9.39	70.26	11.46	74.55	12.53	79.58	13.53	85.02	15.28	91.96	16.53	
	14	51.63	7.87	60.94	9.37	70.26	11.43	74.55	12.49	79.58	13.49	85.02	15.24	91.96	16.49	
	16	51.63	8.11	60.94	9.66	70.26	11.78	74.55	12.88	79.58	13.91	85.02	15.71	91.96	17.00	
	18	51.63	8.18	60.94	9.74	70.26	11.88	74.55	12.98	79.58	14.02	85.02	15.84	91.96	17.14	
	19	51.63	8.47	60.94	10.08	70.26	12.30	74.55	13.44	79.58	14.52	85.02	16.40	91.96	17.74	
	21	51.63	8.62	60.94	10.27	70.26	12.53	74.55	13.69	79.58	14.78	85.02	16.70	91.96	18.07	
	23	51.63	8.90	60.94	10.60	70.26	12.93	74.55	14.13	79.58	15.26	85.02	17.24	91.96	18.65	
	25	51.63	9.08	60.94	10.81	70.26	13.19	74.55	14.41	79.58	15.57	85.02	17.58	91.96	19.03	
	27	51.63	9.42	60.94	11.22	70.26	13.69	74.55	14.96	79.58	16.16	85.02	18.25	91.96	19.75	
	29	51.63	9.76	60.94	11.62	70.26	14.17	74.55	15.49	79.58	16.73	85.02	18.90	91.96	20.45	
	31	51.63	10.26	60.94	12.21	70.26	14.90	74.55	16.28	79.58	17.59	85.02	19.87	91.96	21.49	
	33	51.63	10.67	60.94	12.70	70.26	15.50	74.55	16.94	79.58	18.29	85.02	20.66	91.96	22.36	
	35	51.63	11.11	60.94	13.23	70.26	16.14	74.55	17.64	79.58	19.05	85.02	21.52	91.96	23.29	
	37	51.63	11.71	60.94	13.94	70.26	17.01	74.55	18.59	79.58	20.07	83.32	22.68	90.12	24.53	
	39	51.63	12.33	60.94	14.67	70.26	17.90	74.55	19.56	79.58	21.13	82.47	23.87	89.20	25.82	
	41	51.63	12.95	60.94	15.41	70.26	18.81	74.55	20.55	79.58	22.20	81.62	25.07	88.28	27.13	
	43	51.63	13.56	60.94	16.14	70.26	19.69	74.55	21.52	79.58	23.24	81.62	26.26	88.28	28.41	
46	51.63	14.29	60.94	17.01	70.26	20.75	74.55	22.68	79.58	24.49	79.99	27.66	86.51	29.93		
48	51.63	15.04	60.94	17.90	70.26	21.84	74.55	23.87	79.58	25.78	79.17	29.12	85.63	31.51		
50	51.63	15.80	60.94	18.81	70.26	22.94	74.55	25.07	79.58	27.08	78.36	30.59	84.75	33.10		
60%	10	44.25	6.30	52.24	7.24	60.23	8.63	63.90	9.40	68.21	10.53	72.88	12.13	78.82	13.17	
	12	44.25	6.36	52.24	7.31	60.23	8.72	63.90	9.50	68.21	10.64	72.88	12.25	78.82	13.30	
	14	44.25	6.35	52.24	7.29	60.23	8.70	63.90	9.47	68.21	10.61	72.88	12.22	78.82	13.26	
	16	44.25	6.54	52.24	7.52	60.23	8.97	63.90	9.77	68.21	10.94	72.88	12.60	78.82	13.67	
	18	44.25	6.60	52.24	7.58	60.23	9.04	63.90	9.85	68.21	11.03	72.88	12.70	78.82	13.78	
	19	44.25	6.83	52.24	7.85	60.23	9.36	63.90	10.19	68.21	11.42	72.88	13.15	78.82	14.27	
	21	44.25	6.96	52.24	7.99	60.23	9.53	63.90	10.38	68.21	11.63	72.88	13.39	78.82	14.53	
	23	44.25	7.18	52.24	8.25	60.23	9.84	63.90	10.72	68.21	12.00	72.88	13.82	78.82	15.00	
	25	44.25	7.32	52.24	8.42	60.23	10.03	63.90	10.93	68.21	12.24	72.88	14.10	78.82	15.30	
	27	44.25	7.60	52.24	8.74	60.23	10.41	63.90	11.34	68.21	12.71	72.88	14.63	78.82	15.88	
	29	44.25	7.87	52.24	9.04	60.23	10.78	63.90	11.75	68.21	13.16	72.88	15.15	78.82	16.44	
	31	44.25	8.27	52.24	9.51	60.23	11.34	63.90	12.35	68.21	13.83	72.88	15.93	78.82	17.29	
	33	44.25	8.60	52.24	9.89	60.23	11.79	63.90	12.84	68.21	14.38	72.88	16.57	78.82	17.98	
	35	44.25	8.96	52.24	10.30	60.23	12.28	63.90	13.38	68.21	14.98	72.88	17.26	78.82	18.73	
	37	44.25	9.44	52.24	10.85	60.23	12.94	63.90	14.10	68.21	15.79	71.42	18.18	77.24	19.73	
	39	44.25	9.94	52.24	11.42	60.23	13.62	63.90	14.84	68.21	16.62	70.69	19.14	76.46	20.77	
	41	44.25	10.44	52.24	12.00	60.23	14.31	63.90	15.59	68.21	17.46	69.96	20.11	75.67	21.82	
	43	44.25	10.94	52.24	12.57	60.23	14.98	63.90	16.32	68.21	18.28	69.96	21.05	75.67	22.85	
46	44.25	11.52	52.24	13.24	60.23	15.79	63.90	17.20	68.21	19.26	68.56	22.18	74.15	24.07		
48	44.25	12.13	52.24	13.94	60.23	16.62	63.90	18.10	68.21	20.27	67.86	23.35	73.40	25.34		
50	44.25	12.74	52.24	14.64	60.23	17.46	63.90	19.01	68.21	21.30	67.16	24.53	72.64	26.62		
50%	10	36.88	4.97	43.53	5.50	50.19	6.11	53.25	6.62	56.84	7.68	60.73	8.68	65.68	9.73	
	12	36.88	5.02	43.53	5.55	50.19	6.17	53.25	6.69	56.84	7.76	60.73	8.76	65.68	9.83	
	14	36.88	5.00	43.53	5.54	50.19	6.15	53.25	6.67	56.84	7.74	60.73	8.74	65.68	9.80	
	16	36.88	5.16	43.53	5.71	50.19	6.34	53.25	6.88	56.84	7.98	60.73	9.01	65.68	10.11	
	18	36.88	5.20	43.53	5.75	50.19	6.39	53.25	6.93	56.84	8.04	60.73	9.08	65.68	10.19	
	19	36.88	5.38	43.53	5.96	50.19	6.62	53.25	7.18	56.84	8.33	60.73	9.40	65.68	10.55	
	21	36.88	5.48	43.53	6.07	50.19	6.74	53.25	7.31	56.84	8.48	60.73	9.58	65.68	10.75	
	23	36.88	5.66	43.53	6.26	50.19	6.96	53.25	7.55	56.84	8.75	60.73	9.88	65.68	11.09	
	25	36.88	5.77	43.53	6.39	50.19	7.10	53.25	7.70	56.84	8.93	60.73	10.08	65.68	11.31	
	27	36.88	5.99	43.53	6.63	50.19	7.37	53.25	7.99	56.84	9.27	60.73	10.46	65.68	11.74	
	29	36.88	6.20	43.53	6.86	50.19	7.63	53.25	8.27	56.84	9.59	60.73	10.83	65.68	12.16	
	31	36.88	6.52	43.53	7.22	50.19	8.02	53.25	8.69	56.84	10.09	60.73	11.39	65.68	12.78	
	33	36.88	6.78	43.53	7.51	50.19	8.34	53.25	9.04	56.84	10.49	60.73	11.85	65.68	13.29	
	35	36.88	7.06	43.53	7.82	50.19	8.69	53.25	9.42	56.84	10.93	60.73	12.34	65.68	13.85	
	37	36.88	7.44	43.53	8.24	50.19	9.15	53.25	9.92	56.84	11.51	59.52	13.00	64.37	14.59	
	39	36.88	7.84	43.53	8.67	50.19	9.63	53.25	10.45	56.84	12.12	58.91	13.69	63.71	15.36	
	41	36.88	8.23	43.53	9.11	50.19	10.12	53.25	10.97	56.84	12.73	58.30	14.38	63.06	16.13	
	43	36.88	8.62	43.53	9.54	50.19	10.60	53.25	11.49	56.84	13.33	58.30	15.05	63.06	16.89	
46	36.88	9.08	43.53	10.05	50.19	11.16	53.25	12.11	56.84	14.05	57.14	15.86	61.80	17.80		
48	36.88	9.56	43.53	10.58	50.19	11.75	53.25	12.74	56.84	14.78	56.55	16.70	61.16	18.74		
50	36.88	10.04	43.53	11.11	50.19	12.34	53.25	13.39	56.84	15.53	55.97	17.54	60.53	19.68		

40HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1115W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	93.21	15.06	109.53	19.27	130.20	21.16	139.36	19.84	141.80	22.37	143.74	22.60	148.14	22.82	
	12	93.21	15.49	109.53	19.82	130.20	21.75	138.14	20.21	140.56	23.00	142.46	23.23	146.82	23.46	
	14	93.21	15.94	109.53	20.39	130.20	22.38	136.92	20.57	139.31	23.67	139.92	23.91	145.51	24.14	
	16	93.21	16.49	109.53	21.09	129.05	23.16	134.47	20.94	136.83	24.49	138.65	24.73	144.20	24.97	
	18	93.21	16.89	109.53	21.61	126.74	23.72	133.25	21.31	135.58	25.08	137.38	25.33	142.89	25.58	
	19	93.21	17.79	109.53	22.76	125.59	24.98	132.03	21.68	134.34	26.42	136.10	26.68	141.58	26.94	
	21	93.21	18.39	109.53	23.52	124.44	25.82	130.81	23.24	133.10	27.31	134.83	27.58	140.27	27.85	
	23	93.21	19.26	109.53	24.64	123.28	27.05	129.58	24.89	131.85	28.61	133.56	28.89	138.96	29.17	
	25	93.21	19.91	109.53	25.47	122.13	27.96	128.36	26.63	130.61	29.57	132.29	29.87	137.65	30.16	
	27	93.21	20.93	109.53	26.78	120.98	29.40	127.14	28.47	129.36	31.09	131.02	31.40	136.34	31.71	
	29	93.21	21.68	108.67	27.74	119.83	30.45	125.92	30.40	128.12	32.21	129.74	32.53	135.03	32.84	
	31	93.21	22.81	108.35	29.18	118.68	32.03	124.69	32.42	126.88	33.88	128.47	34.21	133.72	34.55	
	33	93.21	23.73	108.35	30.36	117.52	33.33	123.47	34.53	125.63	35.25	127.20	35.60	132.40	35.95	
	35	93.21	24.98	107.27	31.96	115.22	35.08	122.25	36.74	124.39	37.10	127.20	37.47	131.09	37.84	
	37	93.21	26.32	107.27	33.67	115.22	36.96	119.80	38.34	121.90	38.54	123.38	38.73	125.85	38.92	
	39	93.21	27.70	107.27	35.45	114.07	38.91	118.95	39.68	120.66	39.89	122.11	40.39	123.23	40.68	
	41	93.21	29.10	106.20	37.24	112.91	40.87	118.58	41.29	119.41	41.56	120.84	41.97	121.92	42.30	
	43	92.28	30.48	105.13	38.99	111.76	42.80	117.36	43.35	118.17	43.78	119.57	44.14	121.26	44.35	
	46	92.28	32.11	105.13	41.08	111.76	45.10	115.01	45.24	115.81	45.47	115.98	45.63	116.41	45.62	
	48	92.28	33.80	104.08	43.24	110.65	47.47	114.19	46.82	114.62	47.07	114.78	47.59	113.99	47.67	
	50	92.28	35.51	103.03	45.43	109.53	49.87	113.84	48.73	113.44	49.04	113.59	49.44	112.77	49.58	
120%	10	88.09	14.26	101.92	17.55	123.54	20.95	134.69	19.65	139.49	22.16	141.40	22.38	145.72	22.60	
	12	88.09	14.66	101.92	18.05	123.54	21.54	134.69	20.01	138.27	22.78	140.14	23.01	144.43	23.24	
	14	88.09	15.09	101.92	18.57	123.54	22.17	134.69	20.38	137.05	23.45	138.89	23.68	143.14	23.91	
	16	88.09	15.61	101.92	19.21	123.54	22.93	134.69	20.74	135.82	24.25	137.64	24.49	141.85	24.73	
	18	88.09	15.99	101.92	19.68	123.54	23.49	134.69	21.10	134.60	24.84	136.39	25.09	140.57	25.33	
	19	88.09	16.84	101.92	20.72	123.54	24.74	133.49	21.47	133.38	26.16	135.14	26.42	139.28	26.68	
	21	88.09	17.41	101.92	21.42	123.54	25.57	132.28	23.01	130.93	27.05	133.89	27.31	137.99	27.58	
	23	88.09	18.23	101.92	22.44	121.28	26.79	131.08	24.65	129.70	28.33	132.64	28.61	136.70	28.89	
	25	88.09	18.85	101.92	23.20	120.14	27.69	129.88	26.38	128.48	29.29	131.39	29.58	135.41	29.87	
	27	88.09	19.82	101.92	24.39	119.01	29.12	128.68	28.20	127.26	30.79	130.13	31.10	134.12	31.40	
	29	88.09	20.53	101.92	25.27	117.88	30.16	126.27	30.11	126.03	31.90	128.88	32.21	132.83	32.53	
	31	88.09	21.59	101.92	26.58	115.61	31.72	122.66	32.11	124.81	33.55	127.63	33.88	131.54	34.22	
	33	88.09	22.47	101.92	27.65	114.48	33.01	121.46	34.20	123.59	34.91	126.38	35.26	130.25	35.60	
	35	88.09	23.65	101.92	29.11	113.34	34.75	120.26	36.38	122.36	36.75	125.13	37.11	128.96	37.48	
	37	88.09	24.92	101.92	30.67	112.21	36.61	117.85	37.97	119.92	38.17	121.37	38.36	128.80	38.55	
	39	88.09	26.23	101.92	32.28	111.08	38.53	117.01	39.30	118.69	39.50	120.12	40.01	121.22	40.29	
	41	88.09	27.55	96.82	33.91	109.94	40.48	116.65	40.90	117.47	41.16	118.87	41.57	119.93	41.90	
	43	88.09	28.85	95.80	35.51	108.81	42.39	115.45	42.93	116.24	43.36	117.62	43.72	119.29	43.92	
	46	88.09	30.40	95.80	37.41	107.72	44.66	113.14	44.81	113.92	45.04	114.09	45.19	114.52	45.18	
	48	88.09	32.00	95.80	39.38	106.63	47.01	112.33	46.37	112.76	46.62	112.92	47.13	112.13	47.22	
	50	88.09	33.61	91.01	41.37	105.55	49.39	111.98	48.26	111.59	48.57	111.74	48.96	110.94	49.10	
110%	10	81.90	13.91	96.68	17.12	111.47	20.44	126.55	21.40	135.98	21.62	139.06	21.83	143.31	22.04	
	12	81.90	14.30	96.68	17.60	111.47	21.02	126.55	22.01	134.78	22.23	137.82	22.45	142.04	22.67	
	14	81.90	14.72	96.68	18.12	111.47	21.63	126.55	22.64	133.57	22.87	136.59	23.10	140.78	23.32	
	16	81.90	15.23	96.68	18.74	111.47	22.37	126.55	23.43	132.37	23.66	135.36	23.89	139.51	24.13	
	18	81.90	15.60	96.68	19.19	111.47	22.91	126.55	23.99	131.17	24.23	134.13	24.47	138.24	24.71	
	19	81.90	16.43	96.68	20.22	111.47	24.13	126.55	25.27	129.96	25.52	132.90	25.78	136.97	26.03	
	21	81.90	16.98	96.68	20.90	111.47	24.95	126.55	26.12	128.76	26.38	131.67	26.65	135.70	26.91	
	23	81.90	17.79	96.68	21.89	111.47	26.13	125.36	27.37	127.56	27.64	130.44	27.91	134.43	28.19	
	25	81.90	18.39	96.68	22.63	111.47	27.02	124.18	28.29	126.35	28.57	129.21	28.85	133.17	29.14	
	27	81.90	19.33	96.68	23.79	111.47	28.40	123.00	29.74	125.15	30.04	127.98	30.34	131.90	30.64	
	29	81.90	20.03	96.68	24.65	111.47	29.42	121.82	30.81	123.95	31.12	126.75	31.42	130.63	31.73	
	31	81.90	21.06	96.68	25.92	111.47	30.95	120.63	32.41	122.74	32.73	125.52	33.05	129.36	33.38	
	33	81.90	21.92	96.68	26.97	111.47	32.20	119.45	33.72	121.54	34.06	124.29	34.39	128.09	34.73	
	35	81.90	23.07	96.68	28.39	111.47	33.90	118.27	35.49	120.34	35.85	123.06	36.20	126.82	36.56	
	37	81.90	24.31	96.68	29.92	111.47	35.71	115.90	37.04	117.93	37.23	119.37	37.42	121.75	37.60	
	39	81.90	25.59	96.68	31.49	108.12	37.59	115.07	38.33	116.73	38.54	118.14	39.03	119.22	39.30	
	41	81.90	26.88	96.68	33.08	107.01	39.49	114.72	39.89	115.52	40.15	116.91	40.55	117.95	40.87	
	43	81.90	28.15	96.68	34.64	105.89	41.35	113.54	41.88	114.32	42.30	115.67	42.65	117.31	42.85	
	46	81.90	29.65	96.68	36.50	105.89	43.57	111.27	43.71	112.03	43.93	112.20	44.08	112.62	44.07	
	48	81.90	31.21	96.68	38.42	102.72	45.86	110.47	45.23	110.89	45.47	111.05	45.97	110.27	46.06	
	50	81.90	32.79	96.68	40.36	101.66	48.18	110.13	47.08	109.75	47.38	109.89	47.76	109.10	47.90	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1115W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	77.21	11.56	91.15	14.60	105.09	18.35	111.50	20.28	121.39	20.48	129.94	20.68	135.11	20.89	
	12	77.21	11.88	91.15	15.01	105.09	18.87	111.50	20.85	121.39	21.06	129.94	21.27	133.92	21.48	
	14	77.21	12.23	91.15	15.45	105.09	19.42	111.50	21.46	121.39	21.67	128.78	21.89	132.72	22.10	
	16	77.21	12.65	91.15	15.98	105.09	20.09	111.50	22.20	121.39	22.42	127.62	22.64	131.52	22.86	
	18	77.21	12.96	91.15	16.37	105.09	20.57	111.50	22.73	121.39	22.96	126.46	23.19	130.33	23.42	
	19	77.21	13.65	91.15	17.24	105.09	21.67	111.50	23.94	121.39	24.18	125.30	24.42	129.13	24.66	
	21	77.21	14.11	91.15	17.82	105.09	22.40	111.50	24.75	121.39	25.00	124.14	25.25	127.94	25.49	
	23	77.21	14.78	91.15	18.67	105.09	23.47	111.50	25.93	121.39	26.19	122.98	26.45	126.74	26.71	
	25	77.21	15.28	91.15	19.30	105.09	24.26	111.50	26.80	120.26	27.07	121.82	27.34	125.55	27.61	
	27	77.21	16.06	91.15	20.29	105.09	25.50	111.50	28.18	119.12	28.46	120.66	28.75	124.35	29.03	
	29	77.21	16.64	91.15	21.02	105.09	26.42	111.50	29.19	117.99	29.48	119.50	29.77	123.15	30.07	
	31	77.21	17.50	91.15	22.11	105.09	27.79	111.50	30.70	116.85	31.01	118.34	31.32	121.96	31.63	
	33	77.21	18.21	91.15	23.00	105.09	28.91	111.50	31.95	114.59	32.27	117.18	32.59	120.76	32.91	
	35	77.21	19.17	91.15	24.21	105.09	30.44	111.50	33.63	113.45	33.97	116.02	34.30	119.57	34.64	
	37	77.21	20.20	91.15	25.51	105.09	32.07	109.27	35.10	111.18	35.28	112.54	35.46	114.78	35.63	
	39	77.21	21.26	91.15	26.85	105.09	33.75	108.49	36.32	110.05	36.51	111.38	36.98	112.39	37.24	
	41	77.21	22.33	91.15	28.21	105.09	35.46	108.16	37.80	108.91	38.04	110.21	38.42	111.20	38.73	
	43	77.21	23.39	91.15	29.54	105.09	37.13	107.04	39.68	107.78	40.08	109.05	40.41	110.60	40.60	
	46	77.21	24.64	91.15	31.12	105.09	39.12	104.90	41.41	105.62	41.63	105.78	41.77	106.18	41.76	
	48	77.21	25.94	91.15	32.76	105.09	41.18	104.15	42.86	104.55	43.09	104.69	43.56	103.96	43.64	
	50	77.21	27.25	91.15	34.41	105.09	43.26	103.83	44.60	103.47	44.89	103.60	45.26	102.86	45.39	
90%	10	69.49	10.21	82.04	12.60	94.58	15.46	100.35	17.02	107.12	18.56	120.31	19.75	122.78	20.26	
	12	69.49	10.50	82.04	12.95	94.58	15.89	100.35	17.50	107.12	19.08	120.31	20.30	122.78	20.83	
	14	69.49	10.81	82.04	13.33	94.58	16.36	100.35	18.01	107.12	19.63	120.31	20.89	122.78	21.43	
	16	69.49	11.18	82.04	13.79	94.58	16.92	100.35	18.63	107.12	20.31	120.31	21.61	122.78	22.17	
	18	69.49	11.45	82.04	14.12	94.58	17.33	100.35	19.09	107.12	20.80	120.31	22.14	121.64	22.71	
	19	69.49	12.06	82.04	14.88	94.58	18.25	100.35	20.10	107.12	21.91	120.31	23.32	120.49	23.92	
	21	69.49	12.47	82.04	15.38	94.58	18.87	100.35	20.78	107.12	22.65	120.31	24.10	119.34	24.73	
	23	69.49	13.06	82.04	16.11	94.58	19.76	100.35	21.77	107.12	23.73	120.31	25.25	118.19	25.90	
	25	69.49	13.50	82.04	16.65	94.58	20.43	100.35	22.50	107.12	24.53	119.19	26.10	117.05	26.78	
	27	69.49	14.20	82.04	17.51	94.58	21.48	100.35	23.66	107.12	25.79	118.06	27.44	117.05	28.15	
	29	69.49	14.70	82.04	18.13	94.58	22.25	100.35	24.51	107.12	26.71	116.94	28.43	117.05	29.16	
	31	69.49	15.47	82.04	19.07	94.58	23.40	100.35	25.78	107.12	28.10	115.82	29.90	115.90	30.67	
	33	69.49	16.09	82.04	19.85	94.58	24.35	100.35	26.82	107.12	29.23	113.57	31.11	115.90	31.92	
	35	69.49	16.94	82.04	20.89	94.58	25.64	100.35	28.23	107.12	30.77	112.44	32.75	114.75	33.60	
	37	69.49	17.85	82.04	22.01	94.58	27.01	100.35	29.75	107.12	32.42	110.19	34.50	112.46	35.40	
	39	69.49	18.79	82.04	23.17	94.58	28.43	100.35	31.31	107.12	34.13	109.07	36.32	111.31	37.26	
	41	69.49	19.73	82.04	24.34	94.58	29.86	100.35	32.89	107.12	35.85	107.94	38.15	110.16	39.14	
	43	69.49	20.67	82.04	25.49	94.58	31.27	100.35	34.44	107.12	37.54	107.94	39.95	110.16	40.99	
	46	69.49	21.77	82.04	26.85	94.58	32.95	100.35	36.29	107.12	39.56	105.79	42.10	107.96	43.18	
	48	69.49	22.92	82.04	28.27	94.58	34.68	100.35	38.20	107.12	41.64	104.71	44.31	106.86	45.46	
	50	69.49	24.08	82.04	29.69	94.58	36.44	100.35	40.13	107.12	43.74	103.63	46.55	105.75	47.75	
80%	10	61.77	9.07	72.92	10.19	84.07	12.77	89.20	13.96	95.22	15.36	101.73	17.98	110.03	19.20	
	12	61.77	9.33	72.92	10.48	84.07	13.13	89.20	14.35	95.22	15.79	101.73	18.49	110.03	19.74	
	14	61.77	9.60	72.92	10.78	84.07	13.52	89.20	14.77	95.22	16.25	101.73	19.03	110.03	20.31	
	16	61.77	9.93	72.92	11.15	84.07	13.98	89.20	15.28	95.22	16.81	101.73	19.68	110.03	21.01	
	18	61.77	10.17	72.92	11.43	84.07	14.32	89.20	15.65	95.22	17.22	101.73	20.16	110.03	21.52	
	19	61.77	10.72	72.92	12.03	84.07	15.08	89.20	16.48	95.22	18.13	101.73	21.23	110.03	22.67	
	21	61.77	11.08	72.92	12.44	84.07	15.59	89.20	17.04	95.22	18.74	101.73	21.95	110.03	23.43	
	23	61.77	11.60	72.92	13.03	84.07	16.33	89.20	17.85	95.22	19.64	101.73	22.99	110.03	24.54	
	25	61.77	11.99	72.92	13.47	84.07	16.88	89.20	18.45	95.22	20.30	101.73	23.77	110.03	25.37	
	27	61.77	12.61	72.92	14.16	84.07	17.75	89.20	19.40	95.22	21.34	101.73	24.99	110.03	26.68	
	29	61.77	13.06	72.92	14.67	84.07	18.39	89.20	20.10	95.22	22.11	101.73	25.88	110.03	27.63	
	31	61.77	13.74	72.92	15.43	84.07	19.34	89.20	21.14	95.22	23.25	101.73	27.23	110.03	29.07	
	33	61.77	14.30	72.92	16.06	84.07	20.13	89.20	21.99	95.22	24.19	101.73	28.33	110.03	30.24	
	35	61.77	15.05	72.92	16.90	84.07	21.18	89.20	23.15	95.22	25.47	101.73	29.82	110.03	31.83	
	37	61.77	15.86	72.92	17.81	84.07	22.32	89.20	24.39	95.22	26.83	99.70	31.42	107.83	33.54	
	39	61.77	16.69	72.92	18.74	84.07	23.49	89.20	25.68	95.22	28.24	98.68	33.07	106.73	35.30	
	41	61.77	17.53	72.92	19.69	84.07	24.68	89.20	26.97	95.22	29.67	97.66	34.74	105.63	37.09	
	43	61.77	18.36	72.92	20.62	84.07	25.85	89.20	28.25	95.22	31.07	97.66	36.38	105.63	38.84	
	46	61.77	19.34	72.92	21.72	84.07	27.23	89.20	29.76	95.22	32.74	95.71	38.33	103.51	40.92	
	48	61.77	20.36	72.92	22.87	84.07	28.66	89.20	31.32	95.22	34.46	94.73	40.35	102.46	43.07	
	50	61.77	21.39	72.92	24.02	84.07	30.11	89.20	32.91	95.22	36.20	.	42.38	101.40	45.25	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1115W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	54.05	8.14	63.81	9.70	73.56	11.83	78.05	12.93	83.32	13.96	89.02	15.77	96.27	17.07	
	12	54.05	8.23	63.81	9.79	73.56	11.95	78.05	13.06	83.32	14.10	89.02	15.93	96.27	17.24	
	14	54.05	8.20	63.81	9.77	73.56	11.91	78.05	13.02	83.32	14.06	89.02	15.89	96.27	17.19	
	16	54.05	8.46	63.81	10.07	73.56	12.28	78.05	13.43	83.32	14.50	89.02	16.38	96.27	17.72	
	18	54.05	8.53	63.81	10.15	73.56	12.38	78.05	13.54	83.32	14.62	89.02	16.51	96.27	17.87	
	19	54.05	8.83	63.81	10.51	73.56	12.82	78.05	14.01	83.32	15.13	89.02	17.10	96.27	18.50	
	21	54.05	8.99	63.81	10.70	73.56	13.06	78.05	14.27	83.32	15.41	89.02	17.41	96.27	18.84	
	23	54.05	9.28	63.81	11.05	73.56	13.48	78.05	14.73	83.32	15.91	89.02	17.97	96.27	19.44	
	25	54.05	9.47	63.81	11.27	73.56	13.75	78.05	15.03	83.32	16.23	89.02	18.33	96.27	19.83	
	27	54.05	9.82	63.81	11.70	73.56	14.27	78.05	15.60	83.32	16.84	89.02	19.03	96.27	20.59	
	29	54.05	10.17	63.81	12.11	73.56	14.77	78.05	16.15	83.32	17.44	89.02	19.70	96.27	21.31	
	31	54.05	10.69	63.81	12.73	73.56	15.53	78.05	16.97	83.32	18.33	89.02	20.71	96.27	22.41	
	33	54.05	11.12	63.81	13.24	73.56	16.15	78.05	17.65	83.32	19.07	89.02	21.54	96.27	23.30	
	35	54.05	11.59	63.81	13.79	73.56	16.83	78.05	18.39	83.32	19.86	89.02	22.44	96.27	24.28	
	37	54.05	12.21	63.81	14.53	73.56	17.73	78.05	19.38	83.32	20.93	87.24	23.64	94.35	25.58	
	39	54.05	12.85	63.81	15.30	73.56	18.66	78.05	20.40	83.32	22.03	86.35	24.88	93.39	26.92	
	41	54.05	13.50	63.81	16.07	73.56	19.60	78.05	21.43	83.32	23.14	85.46	26.14	92.42	28.28	
43	54.05	14.13	63.81	16.83	73.56	20.53	78.05	22.44	83.32	24.23	85.46	27.37	92.42	29.62		
46	54.05	14.89	63.81	17.73	73.56	21.63	78.05	23.64	83.32	25.53	83.75	28.84	90.58	31.20		
48	54.05	15.68	63.81	18.66	73.56	22.77	78.05	24.88	83.32	26.87	82.89	30.36	89.65	32.84		
50	54.05	16.47	63.81	19.60	73.56	23.92	78.05	26.14	83.32	28.23	82.04	31.89	88.73	34.50		
60%	10	46.33	6.57	54.69	7.55	63.05	9.00	66.90	9.80	71.42	10.98	76.30	12.65	82.52	13.73	
	12	46.33	6.63	54.69	7.62	63.05	9.09	66.90	9.90	71.42	11.09	76.30	12.77	82.52	13.86	
	14	46.33	6.62	54.69	7.60	63.05	9.06	66.90	9.87	71.42	11.06	76.30	12.74	82.52	13.82	
	16	46.33	6.82	54.69	7.84	63.05	9.35	66.90	10.18	71.42	11.40	76.30	13.13	82.52	14.25	
	18	46.33	6.88	54.69	7.90	63.05	9.42	66.90	10.26	71.42	11.50	76.30	13.24	82.52	14.37	
	19	46.33	7.12	54.69	8.18	63.05	9.76	66.90	10.63	71.42	11.90	76.30	13.71	82.52	14.88	
	21	46.33	7.25	54.69	8.33	63.05	9.93	66.90	10.82	71.42	12.12	76.30	13.96	82.52	15.15	
	23	46.33	7.48	54.69	8.60	63.05	10.26	66.90	11.17	71.42	12.51	76.30	14.41	82.52	15.64	
	25	46.33	7.63	54.69	8.77	63.05	10.46	66.90	11.39	71.42	12.76	76.30	14.70	82.52	15.95	
	27	46.33	7.92	54.69	9.11	63.05	10.86	66.90	11.83	71.42	13.25	76.30	15.26	82.52	16.56	
	29	46.33	8.20	54.69	9.43	63.05	11.24	66.90	12.24	71.42	13.71	76.30	15.80	82.52	17.14	
	31	46.33	8.62	54.69	9.91	63.05	11.82	66.90	12.87	71.42	14.42	76.30	16.61	82.52	18.02	
	33	46.33	8.97	54.69	10.31	63.05	12.29	66.90	13.39	71.42	15.00	76.30	17.27	82.52	18.74	
	35	46.33	9.34	54.69	10.74	63.05	12.80	66.90	13.95	71.42	15.62	76.30	17.99	82.52	19.52	
	37	46.33	9.84	54.69	11.31	63.05	13.49	66.90	14.69	71.42	16.46	74.77	18.96	80.87	20.57	
	39	46.33	10.36	54.69	11.91	63.05	14.20	66.90	15.47	71.42	17.32	74.01	19.95	80.05	21.65	
	41	46.33	10.89	54.69	12.51	63.05	14.92	66.90	16.25	71.42	18.20	73.25	20.96	79.22	22.75	
43	46.33	11.40	54.69	13.10	63.05	15.62	66.90	17.01	71.42	19.06	73.25	21.95	79.22	23.82		
46	46.33	12.01	54.69	13.80	63.05	16.46	66.90	17.93	71.42	20.08	71.78	23.13	77.64	25.10		
48	46.33	12.64	54.69	14.53	63.05	17.32	66.90	18.87	71.42	21.13	71.05	24.34	76.84	26.42		
50	46.33	13.28	54.69	15.26	63.05	18.20	66.90	19.82	71.42	22.20	70.32	25.57	76.05	27.75		
50%	10	38.61	5.18	45.58	5.73	52.54	6.36	55.75	6.90	59.51	8.01	63.58	9.04	68.77	10.15	
	12	38.61	5.23	45.58	5.79	52.54	6.43	55.75	6.97	59.51	8.09	63.58	9.13	68.77	10.25	
	14	38.61	5.21	45.58	5.77	52.54	6.41	55.75	6.95	59.51	8.06	63.58	9.11	68.77	10.22	
	16	38.61	5.38	45.58	5.95	52.54	6.61	55.75	7.17	59.51	8.32	63.58	9.39	68.77	10.54	
	18	38.61	5.42	45.58	6.00	52.54	6.66	55.75	7.23	59.51	8.38	63.58	9.47	68.77	10.62	
	19	38.61	5.61	45.58	6.21	52.54	6.90	55.75	7.48	59.51	8.68	63.58	9.80	68.77	11.00	
	21	38.61	5.72	45.58	6.32	52.54	7.03	55.75	7.62	59.51	8.84	63.58	9.98	68.77	11.20	
	23	38.61	5.90	45.58	6.53	52.54	7.25	55.75	7.87	59.51	9.12	63.58	10.30	68.77	11.56	
	25	38.61	6.02	45.58	6.66	52.54	7.40	55.75	8.02	59.51	9.31	63.58	10.51	68.77	11.79	
	27	38.61	6.25	45.58	6.91	52.54	7.68	55.75	8.33	59.51	9.66	63.58	10.91	68.77	12.24	
	29	38.61	6.47	45.58	7.16	52.54	7.95	55.75	8.62	59.51	10.00	63.58	11.29	68.77	12.67	
	31	38.61	6.80	45.58	7.52	52.54	8.36	55.75	9.06	59.51	10.51	63.58	11.87	68.77	13.32	
	33	38.61	7.07	45.58	7.82	52.54	8.69	55.75	9.43	59.51	10.94	63.58	12.35	68.77	13.86	
	35	38.61	7.36	45.58	8.15	52.54	9.05	55.75	9.82	59.51	11.39	63.58	12.86	68.77	14.44	
	37	38.61	7.76	45.58	8.59	52.54	9.54	55.75	10.35	59.51	12.00	62.31	13.55	67.39	15.21	
	39	38.61	8.17	45.58	9.04	52.54	10.04	55.75	10.89	59.51	12.63	61.68	14.27	66.70	16.01	
	41	38.61	8.58	45.58	9.50	52.54	10.55	55.75	11.44	59.51	13.27	61.04	14.99	66.02	16.82	
43	38.61	8.99	45.58	9.94	52.54	11.05	55.75	11.98	59.51	13.90	61.04	15.69	66.02	17.61		
46	38.61	9.47	45.58	10.48	52.54	11.64	55.75	12.62	59.51	14.64	59.82	16.54	64.70	18.56		
48	38.61	9.96	45.58	11.03	52.54	12.25	55.75	13.29	59.51	15.41	59.21	17.40	64.04	19.53		
50	38.61	10.47	45.58	11.58	52.54	12.87	55.75	13.96	59.51	16.19	58.60	18.28	63.38	20.52		

42HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1175W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	98.23	16.32	115.42	20.88	137.20	22.92	146.86	21.50	149.43	24.24	151.47	24.48	156.11	24.72	
	12	98.23	16.78	115.42	21.47	137.20	23.57	145.57	21.89	148.12	24.93	150.13	25.17	154.73	25.42	
	14	98.23	17.27	115.42	22.10	137.20	24.25	144.29	22.29	146.81	25.65	147.45	25.90	153.34	26.16	
	16	98.23	17.87	115.42	22.86	135.99	25.09	141.71	22.69	144.19	26.54	146.11	26.80	151.96	27.06	
	18	98.23	18.30	115.42	23.41	133.56	25.70	140.42	23.09	142.88	27.18	144.77	27.45	150.58	27.72	
	19	98.23	19.27	115.42	24.66	132.35	27.07	139.13	23.49	141.57	28.63	143.43	28.91	149.20	29.19	
	21	98.23	19.92	115.42	25.49	131.13	27.98	137.84	25.18	140.26	29.59	142.09	29.88	147.82	30.18	
	23	98.23	20.87	115.42	26.70	129.92	29.31	136.56	26.97	138.95	31.00	140.75	31.31	146.44	31.61	
	25	98.23	21.57	115.42	27.60	128.70	30.30	135.27	28.86	137.64	32.04	139.41	32.36	145.06	32.68	
	27	98.23	22.68	115.42	29.02	127.49	31.86	133.98	30.85	136.32	33.69	138.07	34.03	143.67	34.36	
	29	98.23	23.50	114.52	30.06	126.28	33.00	132.69	32.94	135.01	34.90	136.73	35.24	142.29	35.59	
	31	98.23	24.71	114.18	31.62	125.06	34.71	131.40	35.13	133.70	36.71	135.38	37.07	140.91	37.43	
	33	98.23	25.72	114.18	32.90	123.85	36.11	130.12	37.42	132.39	38.19	134.04	38.57	139.53	38.95	
	35	98.23	27.07	113.05	34.63	121.42	38.02	128.83	39.81	131.08	40.21	134.04	40.60	138.15	41.00	
	37	98.23	28.52	113.05	36.49	121.42	40.05	126.25	41.54	128.46	41.76	130.02	41.97	132.62	42.17	
	39	98.23	30.02	113.05	38.41	120.21	42.16	125.35	42.99	127.15	43.22	128.68	43.77	129.86	44.08	
	41	98.23	31.54	111.92	40.35	118.99	44.29	124.96	44.74	125.84	45.03	127.34	45.48	128.48	45.84	
	43	97.25	33.02	110.78	42.25	117.78	46.38	123.67	46.97	124.53	47.44	126.00	47.83	127.79	48.05	
	46	97.25	34.79	110.78	44.52	117.78	48.87	121.20	49.02	122.04	49.27	122.22	49.44	122.68	49.43	
	48	97.25	36.62	109.68	46.86	116.60	51.43	120.33	50.73	120.79	51.00	120.96	51.56	120.12	51.66	
	50	97.25	38.47	108.57	49.22	115.42	54.03	119.96	52.80	119.55	53.14	119.70	53.57	118.84	53.72	
120%	10	92.83	15.45	107.40	19.02	130.19	22.70	141.94	21.29	147.00	24.01	149.00	24.25	153.57	24.49	
	12	92.83	15.89	107.40	19.55	130.19	23.34	141.94	21.68	145.71	24.69	147.69	24.93	152.21	25.18	
	14	92.83	16.35	107.40	20.12	130.19	24.02	141.94	22.08	144.42	25.40	146.37	25.66	150.85	25.91	
	16	92.83	16.91	107.40	20.82	130.19	24.85	141.94	22.47	143.13	26.28	145.05	26.54	149.49	26.80	
	18	92.83	17.32	107.40	21.32	130.19	25.45	141.94	22.87	141.84	26.92	143.73	27.18	148.13	27.45	
	19	92.83	18.25	107.40	22.46	130.19	26.81	140.67	23.26	140.55	28.35	142.41	28.63	146.77	28.91	
	21	92.83	18.86	107.40	23.21	130.19	27.71	139.40	24.94	137.97	29.31	141.09	29.60	145.41	29.89	
	23	92.83	19.76	107.40	24.32	127.80	29.03	138.14	26.71	136.68	30.70	139.77	31.00	144.05	31.31	
	25	92.83	20.42	107.40	25.14	126.61	30.01	136.87	28.58	135.39	31.74	138.46	32.05	142.69	32.36	
	27	92.83	21.47	107.40	26.43	125.41	31.55	135.60	30.55	134.11	33.37	137.14	33.70	141.33	34.03	
	29	92.83	22.24	107.40	27.38	124.22	32.68	133.07	32.62	132.82	34.56	135.82	34.90	139.98	35.25	
	31	92.83	23.40	107.40	28.80	121.83	34.37	129.26	34.79	131.53	36.35	134.50	36.71	138.62	37.07	
	33	92.83	24.34	107.40	29.96	120.64	35.77	128.00	37.06	130.24	37.83	133.18	38.20	137.26	38.58	
	35	92.83	25.63	107.40	31.54	119.44	37.65	126.73	39.42	128.95	39.82	131.86	40.21	135.90	40.61	
	37	92.83	27.00	107.40	33.23	118.25	39.67	124.20	41.14	126.37	41.36	127.91	41.56	130.46	41.77	
	39	92.83	28.42	107.40	34.98	117.05	41.75	123.31	42.58	125.08	42.81	126.59	43.35	127.74	43.65	
	41	92.83	29.85	102.03	36.74	115.86	43.86	122.93	44.31	123.79	44.60	125.27	45.04	126.39	45.40	
	43	92.83	31.26	100.96	38.48	114.66	45.93	121.66	46.52	122.50	46.99	123.95	47.37	125.71	47.59	
	46	92.83	32.94	100.96	40.54	113.52	48.40	119.23	48.55	120.05	48.80	120.23	48.96	120.68	48.95	
	48	92.83	34.67	100.96	42.67	112.37	50.94	118.38	50.24	118.83	50.51	118.99	51.07	118.16	51.16	
	50	92.83	36.42	95.91	44.83	111.23	53.51	118.01	52.29	117.60	52.62	117.75	53.06	116.91	53.21	
110%	10	86.31	15.07	101.89	18.55	117.47	22.15	133.36	23.19	143.30	23.42	146.54	23.65	151.02	23.89	
	12	86.31	15.50	101.89	19.08	117.47	22.77	133.36	23.84	142.03	24.08	145.24	24.32	149.69	24.56	
	14	86.31	15.95	101.89	19.63	117.47	23.43	133.36	24.54	140.76	24.78	143.94	25.03	148.35	25.27	
	16	86.31	16.50	101.89	20.31	117.47	24.24	133.36	25.38	139.49	25.64	142.65	25.89	147.01	26.14	
	18	86.31	16.90	101.89	20.80	117.47	24.83	133.36	26.00	138.23	26.26	141.35	26.52	145.68	26.78	
	19	86.31	17.80	101.89	21.91	117.47	26.15	133.36	27.38	136.96	27.66	140.05	27.93	144.34	28.20	
	21	86.31	18.40	101.89	22.64	117.47	27.03	133.36	28.31	135.69	28.59	138.76	28.87	143.00	29.15	
	23	86.31	19.27	101.89	23.72	117.47	28.32	132.11	29.65	134.42	29.95	137.46	30.24	141.67	30.54	
	25	86.31	19.92	101.89	24.52	117.47	29.27	130.86	30.65	133.15	30.96	136.16	31.26	140.33	31.57	
	27	86.31	20.95	101.89	25.78	117.47	30.78	129.62	32.23	131.89	32.55	134.87	32.87	139.00	33.20	
	29	86.31	21.70	101.89	26.71	117.47	31.88	128.37	33.38	130.62	33.72	133.57	34.05	137.66	34.38	
	31	86.31	22.82	101.89	28.09	117.47	33.53	127.12	35.11	129.35	35.46	132.27	35.82	136.32	36.17	
	33	86.31	23.75	101.89	29.23	117.47	34.89	125.88	36.54	128.08	36.90	130.98	37.27	134.99	37.63	
	35	86.31	25.00	101.89	30.77	117.47	36.73	124.63	38.46	126.81	38.84	129.68	39.23	133.65	39.61	
	37	86.31	26.34	101.89	32.42	117.47	38.70	122.14	40.14	124.28	40.34	125.79	40.55	128.30	40.75	
	39	86.31	27.72	101.89	34.12	113.94	40.73	121.27	41.54	123.01	41.76	124.49	42.29	125.63	42.58	
	41	86.31	29.12	101.89	35.84	112.77	42.79	120.89	43.23	121.74	43.50	123.20	43.94	124.29	44.29	
	43	86.31	30.50	101.89	37.54	111.59	44.81	119.65	45.38	120.47	45.84	121.90	46.21	123.63	46.43	
	46	86.31	32.13	101.89	39.55	111.59	47.21	117.25	47.36	118.06	47.60	118.24	47.76	118.68	47.75	
	48	86.31	33.82	101.89	41.63	108.24	49.69	116.42	49.01	116.86	49.27	117.02	49.81	116.21	49.91	
	50	86.31	35.53	101.89	43.73	107.13	52.20	116.06	51.01	115.65	51.34	115.80	51.76	114.97	51.90	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1175W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	81.37	12.52	96.06	15.82	110.74	19.89	117.50	21.97	127.93	22.19	136.93	22.41	142.38	22.63	
	12	81.37	12.88	96.06	16.27	110.74	20.45	117.50	22.59	127.93	22.82	136.93	23.04	141.12	23.27	
	14	81.37	13.25	96.06	16.74	110.74	21.04	117.50	23.25	127.93	23.48	135.71	23.71	139.86	23.95	
	16	81.37	13.71	96.06	17.32	110.74	21.77	117.50	24.05	127.93	24.29	134.48	24.53	138.60	24.77	
	18	81.37	14.04	96.06	17.74	110.74	22.29	117.50	24.63	127.93	24.88	133.26	25.13	137.34	25.37	
	19	81.37	14.79	96.06	18.68	110.74	23.48	117.50	25.95	127.93	26.20	132.04	26.46	136.08	26.72	
	21	81.37	15.29	96.06	19.31	110.74	24.27	117.50	26.82	127.93	27.09	130.82	27.36	134.82	27.62	
	23	81.37	16.01	96.06	20.23	110.74	25.43	117.50	28.10	127.93	28.38	129.59	28.66	133.56	28.94	
	25	81.37	16.55	96.06	20.91	110.74	26.28	117.50	29.04	126.73	29.33	128.37	29.62	132.30	29.91	
	27	81.37	17.41	96.06	21.99	110.74	27.64	117.50	30.54	125.53	30.84	127.15	31.15	131.04	31.45	
	29	81.37	18.03	96.06	22.77	110.74	28.63	117.50	31.63	124.34	31.95	125.93	32.26	129.78	32.58	
	31	81.37	18.96	96.06	23.95	110.74	30.11	117.50	33.27	123.14	33.60	124.70	33.94	128.52	34.27	
	33	81.37	19.73	96.06	24.92	110.74	31.33	117.50	34.62	120.75	34.96	123.48	35.31	127.26	35.66	
	35	81.37	20.77	96.06	26.24	110.74	32.98	117.50	36.44	119.56	36.80	122.26	37.17	126.00	37.53	
	37	81.37	21.88	96.06	27.64	110.74	34.75	115.15	38.03	117.17	38.23	118.59	38.42	120.96	38.61	
	39	81.37	23.03	96.06	29.10	110.74	36.57	114.33	39.36	115.97	39.56	117.37	40.07	118.44	40.35	
	41	81.37	24.20	96.06	30.57	110.74	38.42	113.98	40.96	114.77	41.22	116.15	41.63	117.18	41.96	
	43	81.37	25.34	96.06	32.01	110.74	40.23	112.80	43.00	113.58	43.43	114.92	43.78	116.55	43.99	
	46	81.37	26.70	96.06	33.72	110.74	42.39	110.54	44.87	111.31	45.11	111.48	45.26	111.89	45.25	
	48	81.37	28.10	96.06	35.50	110.74	44.62	109.75	46.44	110.17	46.69	110.33	47.20	109.56	47.29	
	50	81.37	29.52	96.06	37.29	110.74	46.87	109.42	48.33	109.04	48.64	109.18	49.04	108.39	49.18	
90%	10	73.23	11.07	86.45	13.65	99.67	16.75	105.75	18.45	112.89	20.11	126.79	21.40	129.39	21.95	
	12	73.23	11.38	86.45	14.04	99.67	17.22	105.75	18.97	112.89	20.67	126.79	22.00	129.39	22.57	
	14	73.23	11.71	86.45	14.44	99.67	17.72	105.75	19.52	112.89	21.27	126.79	22.64	129.39	23.23	
	16	73.23	12.11	86.45	14.94	99.67	18.33	105.75	20.19	112.89	22.01	126.79	23.42	129.39	24.03	
	18	73.23	12.41	86.45	15.30	99.67	18.78	105.75	20.68	112.89	22.54	126.79	23.99	128.18	24.61	
	19	73.23	13.07	86.45	16.12	99.67	19.78	105.75	21.78	112.89	23.74	126.79	25.27	126.97	25.92	
	21	73.23	13.51	86.45	16.66	99.67	20.44	105.75	22.52	112.89	24.54	126.79	26.12	125.76	26.79	
	23	73.23	14.15	86.45	17.45	99.67	21.42	105.75	23.59	112.89	25.71	126.79	27.36	124.55	28.07	
	25	73.23	14.63	86.45	18.04	99.67	22.14	105.75	24.38	112.89	26.58	125.60	28.28	123.34	29.01	
	27	73.23	15.38	86.45	18.97	99.67	23.28	105.75	25.64	112.89	27.94	124.42	29.74	123.34	30.51	
	29	73.23	15.93	86.45	19.65	99.67	24.11	105.75	26.55	112.89	28.94	123.23	30.80	123.34	31.60	
	31	73.23	16.76	86.45	20.67	99.67	25.36	105.75	27.93	112.89	30.44	122.05	32.40	122.13	33.24	
	33	73.23	17.44	86.45	21.51	99.67	26.39	105.75	29.06	112.89	31.68	119.68	33.71	122.13	34.58	
	35	73.23	18.35	86.45	22.64	99.67	27.78	105.75	30.59	112.89	33.34	118.49	35.49	120.93	36.40	
	37	73.23	19.34	86.45	23.85	99.67	29.27	105.75	32.23	112.89	35.13	116.12	37.39	118.51	38.35	
	39	73.23	20.36	86.45	25.11	99.67	30.80	105.75	33.93	112.89	36.98	114.94	39.35	117.30	40.37	
	41	73.23	21.38	86.45	26.37	99.67	32.36	105.75	35.64	112.89	38.85	113.75	41.34	116.09	42.41	
	43	73.23	22.39	86.45	27.62	99.67	33.89	105.75	37.32	112.89	40.68	113.75	43.29	116.09	44.41	
	46	73.23	23.59	86.45	29.10	99.67	35.70	105.75	39.32	112.89	42.86	111.48	45.61	113.77	46.79	
	48	73.23	24.83	86.45	30.63	99.67	37.58	105.75	41.39	112.89	45.11	110.34	48.01	112.61	49.25	
	50	73.23	26.09	86.45	32.17	99.67	39.48	105.75	43.48	112.89	47.39	109.20	50.44	111.44	51.74	
80%	10	65.10	9.83	76.85	11.04	88.60	13.84	94.00	15.13	100.35	16.64	107.21	19.48	115.95	20.80	
	12	65.10	10.11	76.85	11.35	88.60	14.23	94.00	15.55	100.35	17.11	107.21	20.03	115.95	21.39	
	14	65.10	10.40	76.85	11.68	88.60	14.65	94.00	16.01	100.35	17.61	107.21	20.62	115.95	22.01	
	16	65.10	10.76	76.85	12.09	88.60	15.15	94.00	16.56	100.35	18.21	107.21	21.33	115.95	22.77	
	18	65.10	11.02	76.85	12.38	88.60	15.52	94.00	16.96	100.35	18.65	107.21	21.84	115.95	23.32	
	19	65.10	11.61	76.85	13.04	88.60	16.34	94.00	17.86	100.35	19.65	107.21	23.01	115.95	24.56	
	21	65.10	12.00	76.85	13.48	88.60	16.89	94.00	18.46	100.35	20.31	107.21	23.78	115.95	25.39	
	23	65.10	12.57	76.85	14.12	88.60	17.70	94.00	19.34	100.35	21.28	107.21	24.91	115.95	26.60	
	25	65.10	13.00	76.85	14.60	88.60	18.29	94.00	19.99	100.35	21.99	107.21	25.75	115.95	27.49	
	27	65.10	13.66	76.85	15.35	88.60	19.24	94.00	21.02	100.35	23.13	107.21	27.08	115.95	28.91	
	29	65.10	14.15	76.85	15.90	88.60	19.92	94.00	21.78	100.35	23.95	107.21	28.05	115.95	29.94	
	31	65.10	14.89	76.85	16.72	88.60	20.96	94.00	22.90	100.35	25.19	107.21	29.50	115.95	31.49	
	33	65.10	15.49	76.85	17.40	88.60	21.81	94.00	23.83	100.35	26.22	107.21	30.70	115.95	32.77	
	35	65.10	16.31	76.85	18.31	88.60	22.95	94.00	25.09	100.35	27.60	107.21	32.31	115.95	34.49	
	37	65.10	17.18	76.85	19.30	88.60	24.19	94.00	26.43	100.35	29.07	105.06	34.04	113.63	36.34	
	39	65.10	18.08	76.85	20.31	88.60	25.46	94.00	27.82	100.35	30.60	103.99	35.83	112.47	38.25	
	41	65.10	19.00	76.85	21.34	88.60	26.74	94.00	29.23	100.35	32.15	102.92	37.64	111.31	40.19	
	43	65.10	19.89	76.85	22.34	88.60	28.00	94.00	30.61	100.35	33.67	102.92	39.42	111.31	42.08	
	46	65.10	20.96	76.85	23.54	88.60	29.51	94.00	32.25	100.35	35.47	100.86	41.53	109.08	44.34	
	48	65.10	22.06	76.85	24.78	88.60	31.06	94.00	33.94	100.35	37.34	99.83	43.72	107.97	46.67	
	50	65.10	23.18	76.85	26.03	88.60	32.63	94.00	35.66	100.35	39.22	.	45.93	106.86	49.03	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1175W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
70%	10	56.96	8.83	67.24	10.51	77.52	12.82	82.25	14.01	87.80	15.13	93.81	17.09	101.46	18.49	
	12	56.96	8.91	67.24	10.61	77.52	12.95	82.25	14.15	87.80	15.28	93.81	17.26	101.46	18.68	
	14	56.96	8.89	67.24	10.58	77.52	12.91	82.25	14.11	87.80	15.24	93.81	17.21	101.46	18.62	
	16	56.96	9.16	67.24	10.91	77.52	13.31	82.25	14.55	87.80	15.71	93.81	17.75	101.46	19.20	
	18	56.96	9.24	67.24	11.00	77.52	13.42	82.25	14.67	87.80	15.84	93.81	17.89	101.46	19.36	
	19	56.96	9.57	67.24	11.39	77.52	13.89	82.25	15.18	87.80	16.40	93.81	18.53	101.46	20.04	
	21	56.96	9.74	67.24	11.60	77.52	14.15	82.25	15.46	87.80	16.70	93.81	18.87	101.46	20.41	
	23	56.96	10.06	67.24	11.97	77.52	14.60	82.25	15.96	87.80	17.24	93.81	19.47	101.46	21.07	
	25	56.96	10.26	67.24	12.21	77.52	14.90	82.25	16.28	87.80	17.58	93.81	19.86	101.46	21.49	
	27	56.96	10.65	67.24	12.67	77.52	15.46	82.25	16.90	87.80	18.25	93.81	20.62	101.46	22.31	
	29	56.96	11.02	67.24	13.12	77.52	16.01	82.25	17.50	87.80	18.90	93.81	21.35	101.46	23.09	
	31	56.96	11.59	67.24	13.79	77.52	16.83	82.25	18.39	87.80	19.86	93.81	22.44	101.46	24.28	
	33	56.96	12.05	67.24	14.35	77.52	17.50	82.25	19.13	87.80	20.66	93.81	23.34	101.46	25.25	
	35	56.96	12.55	67.24	14.95	77.52	18.23	82.25	19.93	87.80	21.52	93.81	24.31	101.46	26.30	
	37	56.96	13.23	67.24	15.75	77.52	19.21	82.25	21.00	87.80	22.67	91.93	25.61	99.43	27.71	
	39	56.96	13.92	67.24	16.57	77.52	20.22	82.25	22.10	87.80	23.87	90.99	26.96	98.41	29.17	
	41	56.96	14.63	67.24	17.41	77.52	21.24	82.25	23.22	87.80	25.07	90.05	28.32	97.40	30.64	
	43	56.96	15.32	67.24	18.23	77.52	22.24	82.25	24.31	87.80	26.26	90.05	29.66	97.40	32.09	
	46	56.96	16.14	67.24	19.21	77.52	23.44	82.25	25.61	87.80	27.66	88.25	31.25	95.45	33.81	
	48	56.96	16.99	67.24	20.22	77.52	24.67	82.25	26.96	87.80	29.12	87.35	32.89	94.48	35.59	
	50	56.96	17.84	67.24	21.24	77.52	25.92	82.25	28.32	87.80	30.59	86.45	34.55	93.50	37.39	
60%	10	48.82	7.12	57.63	8.18	66.45	9.75	70.50	10.62	75.26	11.90	80.41	13.70	86.96	14.87	
	12	48.82	7.19	57.63	8.26	66.45	9.85	70.50	10.73	75.26	12.02	80.41	13.84	86.96	15.02	
	14	48.82	7.17	57.63	8.24	66.45	9.82	70.50	10.70	75.26	11.98	80.41	13.80	86.96	14.98	
	16	48.82	7.39	57.63	8.49	66.45	10.13	70.50	11.03	75.26	12.36	80.41	14.23	86.96	15.44	
	18	48.82	7.45	57.63	8.56	66.45	10.21	70.50	11.12	75.26	12.46	80.41	14.35	86.96	15.57	
	19	48.82	7.72	57.63	8.87	66.45	10.57	70.50	11.52	75.26	12.90	80.41	14.85	86.96	16.12	
	21	48.82	7.86	57.63	9.03	66.45	10.77	70.50	11.73	75.26	13.13	80.41	15.13	86.96	16.42	
	23	48.82	8.11	57.63	9.32	66.45	11.11	70.50	12.10	75.26	13.56	80.41	15.61	86.96	16.95	
	25	48.82	8.27	57.63	9.51	66.45	11.33	70.50	12.35	75.26	13.83	80.41	15.93	86.96	17.28	
	27	48.82	8.59	57.63	9.87	66.45	11.76	70.50	12.81	75.26	14.35	80.41	16.53	86.96	17.94	
	29	48.82	8.89	57.63	10.22	66.45	12.18	70.50	13.27	75.26	14.86	80.41	17.12	86.96	18.58	
	31	48.82	9.35	57.63	10.74	66.45	12.80	70.50	13.95	75.26	15.62	80.41	17.99	86.96	19.53	
	33	48.82	9.72	57.63	11.17	66.45	13.32	70.50	14.51	75.26	16.25	80.41	18.71	86.96	20.31	
	35	48.82	10.12	57.63	11.64	66.45	13.87	70.50	15.11	75.26	16.93	80.41	19.49	86.96	21.16	
	37	48.82	10.67	57.63	12.26	66.45	14.62	70.50	15.92	75.26	17.83	78.80	20.54	85.22	22.29	
	39	48.82	11.23	57.63	12.90	66.45	15.38	70.50	16.76	75.26	18.77	77.99	21.62	84.35	23.46	
	41	48.82	11.80	57.63	13.56	66.45	16.16	70.50	17.61	75.26	19.72	77.19	22.71	83.48	24.65	
	43	48.82	12.35	57.63	14.20	66.45	16.92	70.50	18.44	75.26	20.65	77.19	23.78	83.48	25.81	
	46	48.82	13.01	57.63	14.96	66.45	17.83	70.50	19.42	75.26	21.76	75.65	25.06	81.81	27.19	
	48	48.82	13.70	57.63	15.74	66.45	18.77	70.50	20.45	75.26	22.90	74.87	26.38	80.98	28.62	
	50	48.82	14.39	57.63	16.54	66.45	19.72	70.50	21.48	75.26	24.06	74.10	27.71	80.14	30.07	
50%	10	40.68	5.61	48.03	6.21	55.37	6.90	58.75	7.48	62.72	8.68	67.00	9.80	72.47	11.00	
	12	40.68	5.67	48.03	6.27	55.37	6.97	58.75	7.55	62.72	8.76	67.00	9.90	72.47	11.11	
	14	40.68	5.65	48.03	6.25	55.37	6.95	58.75	7.53	62.72	8.74	67.00	9.87	72.47	11.07	
	16	40.68	5.83	48.03	6.45	55.37	7.16	58.75	7.77	62.72	9.01	67.00	10.18	72.47	11.42	
	18	40.68	5.87	48.03	6.50	55.37	7.22	58.75	7.83	62.72	9.08	67.00	10.26	72.47	11.51	
	19	40.68	6.08	48.03	6.73	55.37	7.48	58.75	8.11	62.72	9.41	67.00	10.62	72.47	11.92	
	21	40.68	6.19	48.03	6.85	55.37	7.61	58.75	8.26	62.72	9.58	67.00	10.82	72.47	12.14	
	23	40.68	6.39	48.03	7.07	55.37	7.86	58.75	8.52	62.72	9.89	67.00	11.17	72.47	12.53	
	25	40.68	6.52	48.03	7.22	55.37	8.02	58.75	8.69	62.72	10.08	67.00	11.39	72.47	12.78	
	27	40.68	6.77	48.03	7.49	55.37	8.32	58.75	9.02	62.72	10.47	67.00	11.82	72.47	13.26	
	29	40.68	7.01	48.03	7.75	55.37	8.61	58.75	9.34	62.72	10.84	67.00	12.24	72.47	13.73	
	31	40.68	7.37	48.03	8.15	55.37	9.06	58.75	9.82	62.72	11.39	67.00	12.87	72.47	14.44	
	33	40.68	7.66	48.03	8.48	55.37	9.42	58.75	10.21	62.72	11.85	67.00	13.38	72.47	15.02	
	35	40.68	7.98	48.03	8.83	55.37	9.81	58.75	10.64	62.72	12.34	67.00	13.94	72.47	15.64	
	37	40.68	8.41	48.03	9.30	55.37	10.34	58.75	11.21	62.72	13.00	65.66	14.69	71.02	16.48	
	39	40.68	8.85	48.03	9.79	55.37	10.88	58.75	11.80	62.72	13.69	64.99	15.46	70.29	17.35	
	41	40.68	9.30	48.03	10.29	55.37	11.43	58.75	12.40	62.72	14.38	64.32	16.24	69.57	18.22	
	43	40.68	9.74	48.03	10.77	55.37	11.97	58.75	12.98	62.72	15.06	64.32	17.01	69.57	19.08	
	46	40.68	10.26	48.03	11.35	55.37	12.61	58.75	13.68	62.72	15.87	63.04	17.92	68.18	20.11	
	48	40.68	10.80	48.03	11.95	55.37	13.27	58.75	14.40	62.72	16.70	62.39	18.86	67.48	21.16	
	50	40.68	11.34	48.03	12.55	55.37	13.94	58.75	15.12	62.72	17.54	61.75	19.81	66.79	22.23	

44HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1230W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
130%	10	102.83	17.11		120.82	21.89		143.63	24.03		153.74	22.53		156.43	25.41	
	12	102.83	17.59		120.82	22.51		143.63	24.71		152.39	22.95		155.06	26.13	
	14	102.83	18.10		120.82	23.16		143.63	25.43		151.04	23.37		153.68	26.89	
	16	102.83	18.73		120.82	23.96		142.36	26.30		148.34	23.79		150.94	27.82	
	18	102.83	19.18		120.82	24.54		139.81	26.94		146.99	24.20		149.57	28.49	
	19	102.83	20.20		120.82	25.85		138.54	28.37		145.65	24.62		148.19	30.01	
	21	102.83	20.88		120.82	26.72		137.27	29.33		144.30	26.39		146.82	31.02	
	23	102.83	21.88		120.82	27.99		136.00	30.73		142.95	28.27		145.45	32.50	
	25	102.83	22.62		120.82	28.93		134.73	31.76		141.60	30.25		144.08	33.59	
	27	102.83	23.78		120.82	30.42		133.46	33.40		140.25	32.34		142.71	35.32	
	29	102.83	24.63		119.88	31.51		132.19	34.59		138.90	34.53		141.33	36.58	
	31	102.83	25.91		119.52	33.15		130.92	36.38		137.55	36.83		139.96	38.48	
	33	102.83	26.96		119.52	34.49		129.64	37.86		136.21	39.23		138.59	40.04	
	35	102.83	28.38		118.34	36.30		127.10	39.85		134.86	41.73		137.22	42.15	
	37	102.83	29.90		118.34	38.25		127.10	41.99		132.16	43.55		134.47	43.77	
	39	102.83	31.47		118.34	40.26		125.83	44.20		131.22	45.07		133.10	45.31	
	41	102.83	33.06		117.15	42.30		124.56	46.43		130.81	46.90		131.73	47.20	
	43	101.80	34.62		115.97	44.29		123.29	48.62		129.46	49.24		130.36	49.73	
	46	101.80	36.47		115.97	46.67		123.29	51.23		126.87	51.39		127.75	51.65	
	48	101.80	38.39		114.81	49.12		122.06	53.92		125.97	53.18		126.45	53.46	
120%	50	101.80	40.33		113.65	51.60		120.82	56.64		125.58	55.35		125.14	55.70	
	10	97.17	16.20		112.43	19.94		136.29	23.80		148.58	22.32		153.88	25.17	
	12	97.17	16.66		112.43	20.50		136.29	24.47		148.58	22.73		152.53	25.88	
	14	97.17	17.14		112.43	21.09		136.29	25.18		148.58	23.14		151.18	26.63	
	16	97.17	17.73		112.43	21.82		136.29	26.05		148.58	23.56		149.83	27.55	
	18	97.17	18.16		112.43	22.35		136.29	26.68		148.58	23.97		148.48	28.22	
	19	97.17	19.13		112.43	23.54		136.29	28.10		147.25	24.38		147.13	29.72	
	21	97.17	19.77		112.43	24.33		136.29	29.05		145.93	26.14		144.43	30.72	
	23	97.17	20.71		112.43	25.49		133.79	30.43		144.60	28.00		143.08	32.18	
	25	97.17	21.41		112.43	26.35		132.54	31.46		143.27	29.96		141.73	33.27	
	27	97.17	22.51		112.43	27.71		131.29	33.07		141.95	32.03		140.38	34.98	
	29	97.17	23.32		112.43	28.70		130.03	34.26		139.29	34.20		139.03	36.23	
	31	97.17	24.53		112.43	30.19		127.53	36.04		135.31	36.47		137.68	38.11	
	33	97.17	25.52		112.43	31.41		126.28	37.50		133.99	38.85		136.33	39.65	
	35	97.17	26.86		112.43	33.06		125.03	39.47		132.66	41.33		134.98	41.74	
	37	97.17	28.30		112.43	34.84		123.78	41.58		130.01	43.13		132.28	43.35	
	39	97.17	29.79		112.43	36.67		122.53	43.77		129.08	44.63		130.93	44.87	
	41	97.17	31.30		106.81	38.52		121.28	45.98		128.68	46.45		129.58	46.75	
	43	97.17	32.77		105.68	40.34		120.03	48.15		127.36	48.77		128.23	49.26	
	46	97.17	34.53		105.68	42.50		118.83	50.73		124.81	50.89		125.67	51.16	
110%	48	97.17	36.35		105.68	44.73		117.63	53.40		123.92	52.67		124.39	52.95	
	50	97.17	38.18		100.40	46.99		116.43	56.10		123.53	54.81		123.10	55.17	
	10	90.35	15.80		106.66	19.45		122.96	23.22		139.60	24.31		150.01	24.55	
	12	90.35	16.25		106.66	20.00		122.96	23.87		139.60	25.00		148.68	25.25	
	14	90.35	16.72		106.66	20.58		122.96	24.56		139.60	25.72		147.35	25.98	
	16	90.35	17.30		106.66	21.29		122.96	25.41		139.60	26.61		146.02	26.87	
	18	90.35	17.71		106.66	21.80		122.96	26.03		139.60	27.25		144.70	27.53	
	19	90.35	18.66		106.66	22.96		122.96	27.41		139.60	28.71		143.37	28.99	
	21	90.35	19.29		106.66	23.74		122.96	28.34		139.60	29.67		142.04	29.97	
	23	90.35	20.20		106.66	24.87		122.96	29.69		138.29	31.08		140.71	31.39	
	25	90.35	20.89		106.66	25.71		122.96	30.69		136.99	32.13		139.39	32.45	
	27	90.35	21.96		106.66	27.03		122.96	32.26		135.68	33.79		138.06	34.12	
	29	90.35	22.75		106.66	28.00		122.96	33.42		134.38	34.99		136.73	35.34	
	31	90.35	23.93		106.66	29.45		122.96	35.15		133.08	36.81		135.40	37.18	
	33	90.35	24.90		106.66	30.64		122.96	36.58		131.77	38.30		134.08	38.68	
	35	90.35	26.21		106.66	32.25		122.96	38.50		130.47	40.32		132.75	40.72	
	37	90.35	27.61		106.66	33.98		122.96	40.57		127.86	42.07		130.09	42.29	
	39	90.35	29.06		106.66	35.77		119.28	42.70		126.94	43.54		128.77	43.77	
	41	90.35	30.53		106.66	37.57		118.05	44.85		126.55	45.32		127.44	45.61	
	43	90.35	31.97		106.66	39.35		116.82	46.97		125.25	47.57		126.11	48.05	
	46	90.35	33.68		106.66	41.46		116.82	49.49		122.74	49.65		123.59	49.90	
	48	90.35	35.46		106.66	43.64		113.31	52.09		121.87	51.38		122.33	51.65	
	50	90.35	37.25		106.66	45.84		112.14	54.72		121.49	53.47		121.07	53.81	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1230W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	85.18	13.13	100.55	16.58	115.93	20.85	123.00	23.03	133.91	23.26	143.34	23.50	149.05	23.73	
	12	85.18	13.50	100.55	17.05	115.93	21.43	123.00	23.68	133.91	23.92	143.34	24.16	147.73	24.39	
	14	85.18	13.89	100.55	17.55	115.93	22.06	123.00	24.37	133.91	24.62	142.06	24.86	146.41	25.10	
	16	85.18	14.37	100.55	18.15	115.93	22.82	123.00	25.21	133.91	25.46	140.78	25.72	145.09	25.97	
	18	85.18	14.72	100.55	18.59	115.93	23.37	123.00	25.82	133.91	26.08	139.50	26.34	143.77	26.60	
	19	85.18	15.50	100.55	19.58	115.93	24.61	123.00	27.20	133.91	27.47	138.22	27.74	142.45	28.01	
	21	85.18	16.03	100.55	20.24	115.93	25.44	123.00	28.12	133.91	28.40	136.94	28.68	141.13	28.96	
	23	85.18	16.79	100.55	21.21	115.93	26.65	123.00	29.45	133.91	29.75	135.66	30.04	139.81	30.34	
	25	85.18	17.35	100.55	21.92	115.93	27.55	123.00	30.45	132.66	30.75	134.38	31.05	138.49	31.36	
	27	85.18	18.25	100.55	23.05	115.93	28.97	123.00	32.01	131.41	32.33	133.10	32.65	137.18	32.97	
	29	85.18	18.90	100.55	23.87	115.93	30.01	123.00	33.16	130.16	33.49	131.82	33.82	135.86	34.15	
	31	85.18	19.88	100.55	25.11	115.93	31.56	123.00	34.88	128.91	35.23	130.54	35.57	134.54	35.92	
	33	85.18	20.69	100.55	26.13	115.93	32.84	123.00	36.29	126.40	36.65	129.26	37.02	133.22	37.38	
	35	85.18	21.77	100.55	27.50	115.93	34.57	123.00	38.20	125.15	38.58	127.98	38.96	131.90	39.35	
	37	85.18	22.94	100.55	28.98	115.93	36.42	120.54	39.87	122.65	40.07	124.14	40.27	126.62	40.47	
	39	85.18	24.15	100.55	30.50	115.93	38.34	119.68	41.26	121.40	41.48	122.86	42.00	123.99	42.30	
	41	85.18	25.37	100.55	32.04	115.93	40.28	119.31	42.94	120.15	43.21	121.58	43.64	122.67	43.99	
	43	85.18	26.56	100.55	33.55	115.93	42.18	118.08	45.08	118.89	45.53	120.30	45.90	122.01	46.11	
	46	85.18	27.99	100.55	35.35	115.93	44.44	115.72	47.04	116.52	47.28	116.69	47.44	117.13	47.43	
	48	85.18	29.46	100.55	37.21	115.93	46.77	114.89	48.68	115.33	48.94	115.49	49.48	114.69	49.57	
	50	85.18	30.95	100.55	39.09	115.93	49.14	114.54	50.67	114.14	50.99	114.29	51.41	113.47	51.55	
90%	10	76.66	11.60	90.50	14.31	104.33	17.56	110.70	19.34	118.17	21.08	132.72	22.43	135.45	23.01	
	12	76.66	11.93	90.50	14.71	104.33	18.05	110.70	19.88	118.17	21.67	132.72	23.06	135.45	23.66	
	14	76.66	12.28	90.50	15.14	104.33	18.58	110.70	20.46	118.17	22.30	132.72	23.73	135.45	24.35	
	16	76.66	12.70	90.50	15.66	104.33	19.22	110.70	21.17	118.17	23.07	132.72	24.55	135.45	25.19	
	18	76.66	13.01	90.50	16.04	104.33	19.68	110.70	21.68	118.17	23.63	132.72	25.15	134.18	25.80	
	19	76.66	13.70	90.50	16.90	104.33	20.73	110.70	22.83	118.17	24.89	132.72	26.49	132.91	27.17	
	21	76.66	14.16	90.50	17.47	104.33	21.43	110.70	23.60	118.17	25.73	132.72	27.38	131.65	28.09	
	23	76.66	14.84	90.50	18.30	104.33	22.45	110.70	24.73	118.17	26.95	132.72	28.68	130.38	29.42	
	25	76.66	15.34	90.50	18.91	104.33	23.21	110.70	25.56	118.17	27.86	131.48	29.65	129.12	30.42	
	27	76.66	16.12	90.50	19.89	104.33	24.40	110.70	26.87	118.17	29.29	130.24	31.17	129.12	31.98	
	29	76.66	16.70	90.50	20.60	104.33	25.27	110.70	27.84	118.17	30.34	129.00	32.29	129.12	33.12	
	31	76.66	17.57	90.50	21.67	104.33	26.59	110.70	29.28	118.17	31.91	127.76	33.96	127.85	34.84	
	33	76.66	18.28	90.50	22.54	104.33	27.66	110.70	30.47	118.17	33.21	125.28	35.34	127.85	36.25	
	35	76.66	19.24	90.50	23.73	104.33	29.12	110.70	32.07	118.17	34.96	124.04	37.20	126.59	38.16	
	37	76.66	20.27	90.50	25.00	104.33	30.68	110.70	33.79	118.17	36.83	121.56	39.19	124.05	40.21	
	39	76.66	21.34	90.50	26.32	104.33	32.29	110.70	35.56	118.17	38.77	120.32	41.25	122.79	42.32	
	41	76.66	22.42	90.50	27.65	104.33	33.92	110.70	37.36	118.17	40.72	119.08	43.34	121.52	44.46	
	43	76.66	23.47	90.50	28.95	104.33	35.52	110.70	39.12	118.17	42.65	119.08	45.38	121.52	46.56	
	46	76.66	24.73	90.50	30.50	104.33	37.43	110.70	41.22	118.17	44.93	116.70	47.82	119.09	49.05	
	48	76.66	26.03	90.50	32.11	104.33	39.40	110.70	43.39	118.17	47.29	115.51	50.33	117.88	51.63	
	50	76.66	27.35	90.50	33.73	104.33	41.39	110.70	45.58	118.17	49.68	114.31	52.87	116.66	54.24	
80%	10	68.14	10.31	80.44	11.58	92.74	14.51	98.40	15.86	105.04	17.44	112.23	20.43	121.38	21.80	
	12	68.14	10.60	80.44	11.90	92.74	14.92	98.40	16.31	105.04	17.94	112.23	21.00	121.38	22.42	
	14	68.14	10.91	80.44	12.25	92.74	15.35	98.40	16.78	105.04	18.46	112.23	21.61	121.38	23.07	
	16	68.14	11.28	80.44	12.67	92.74	15.88	98.40	17.36	105.04	19.09	112.23	22.36	121.38	23.87	
	18	68.14	11.56	80.44	12.98	92.74	16.27	98.40	17.78	105.04	19.56	112.23	22.90	121.38	24.44	
	19	68.14	12.17	80.44	13.67	92.74	17.13	98.40	18.72	105.04	20.60	112.23	24.12	121.38	25.75	
	21	68.14	12.58	80.44	14.13	92.74	17.71	98.40	19.36	105.04	21.29	112.23	24.93	121.38	26.61	
	23	68.14	13.18	80.44	14.80	92.74	18.55	98.40	20.28	105.04	22.30	112.23	26.12	121.38	27.88	
	25	68.14	13.62	80.44	15.30	92.74	19.18	98.40	20.96	105.04	23.06	112.23	27.00	121.38	28.82	
	27	68.14	14.32	80.44	16.09	92.74	20.17	98.40	22.04	105.04	24.24	112.23	28.39	121.38	30.30	
	29	68.14	14.84	80.44	16.66	92.74	20.89	98.40	22.83	105.04	25.11	112.23	29.40	121.38	31.39	
	31	68.14	15.61	80.44	17.53	92.74	21.97	98.40	24.01	105.04	26.41	112.23	30.93	121.38	33.01	
	33	68.14	16.24	80.44	18.24	92.74	22.86	98.40	24.98	105.04	27.48	112.23	32.18	121.38	34.35	
	35	68.14	17.09	80.44	19.20	92.74	24.06	98.40	26.30	105.04	28.93	112.23	33.87	121.38	36.16	
	37	68.14	18.01	80.44	20.23	92.74	25.35	98.40	27.71	105.04	30.48	109.98	35.69	118.95	38.10	
	39	68.14	18.96	80.44	21.29	92.74	26.69	98.40	29.17	105.04	32.08	108.86	37.56	117.74	40.10	
	41	68.14	19.91	80.44	22.37	92.74	28.03	98.40	30.64	105.04	33.70	107.74	39.46	116.52	42.13	
	43	68.14	20.85	80.44	23.42	92.74	29.36	98.40	32.08	105.04	35.29	107.74	41.32	116.52	44.12	
	46	68.14	21.97	80.44	24.68	92.74	30.93	98.40	33.80	105.04	37.18	105.58	43.54	114.19	46.48	
	48	68.14	23.13	80.44	25.97	92.74	32.56	98.40	35.58	105.04	39.14	104.50	45.83	113.03	48.92	
	50	68.14	24.30	80.44	27.29	92.74	34.20	98.40	37.38	105.04	41.12		48.14	111.86	51.40	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1230W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
70%	10	59.62	9.25	70.39	11.01	81.15	13.44	86.10	14.69	91.91	15.86	98.20	17.92	106.20	19.38	
	12	59.62	9.34	70.39	11.12	81.15	13.57	86.10	14.83	91.91	16.02	98.20	18.09	106.20	19.58	
	14	59.62	9.32	70.39	11.09	81.15	13.53	86.10	14.79	91.91	15.97	98.20	18.04	106.20	19.52	
	16	59.62	9.61	70.39	11.44	81.15	13.95	86.10	15.25	91.91	16.47	98.20	18.60	106.20	20.13	
	18	59.62	9.69	70.39	11.53	81.15	14.07	86.10	15.37	91.91	16.60	98.20	18.76	106.20	20.29	
	19	59.62	10.03	70.39	11.94	81.15	14.56	86.10	15.92	91.91	17.19	98.20	19.42	106.20	21.01	
	21	59.62	10.21	70.39	12.16	81.15	14.83	86.10	16.21	91.91	17.51	98.20	19.78	106.20	21.40	
	23	59.62	10.54	70.39	12.55	81.15	15.31	86.10	16.73	91.91	18.07	98.20	20.41	106.20	22.09	
	25	59.62	10.75	70.39	12.80	81.15	15.62	86.10	17.07	91.91	18.43	98.20	20.82	106.20	22.53	
	27	59.62	11.16	70.39	13.29	81.15	16.21	86.10	17.71	91.91	19.13	98.20	21.61	106.20	23.38	
	29	59.62	11.55	70.39	13.76	81.15	16.78	86.10	18.34	91.91	19.81	98.20	22.38	106.20	24.21	
	31	59.62	12.15	70.39	14.46	81.15	17.64	86.10	19.28	91.91	20.82	98.20	23.52	106.20	25.45	
	33	59.62	12.63	70.39	15.04	81.15	18.35	86.10	20.05	91.91	21.66	98.20	24.47	106.20	26.47	
	35	59.62	13.16	70.39	15.67	81.15	19.11	86.10	20.89	91.91	22.56	98.20	25.49	106.20	27.57	
	37	59.62	13.87	70.39	16.51	81.15	20.14	86.10	22.01	91.91	23.77	96.23	26.85	104.08	29.05	
	39	59.62	14.59	70.39	17.37	81.15	21.20	86.10	23.17	91.91	25.02	95.25	28.26	103.02	30.58	
	41	59.62	15.33	70.39	18.25	81.15	22.27	86.10	24.34	91.91	26.28	94.27	29.69	101.96	32.12	
	43	59.62	16.06	70.39	19.11	81.15	23.32	86.10	25.49	91.91	27.52	94.27	31.09	101.96	33.64	
	46	59.62	16.92	70.39	20.14	81.15	24.57	86.10	26.85	91.91	29.00	92.38	32.76	99.92	35.44	
	48	59.62	17.81	70.39	21.20	81.15	25.86	86.10	28.26	91.91	30.52	91.44	34.48	98.90	37.31	
	50	59.62	18.71	70.39	22.27	81.15	27.17	86.10	29.69	91.91	32.07	90.50	36.22	97.88	39.19	
60%	10	51.11	7.46	60.33	8.58	69.56	10.22	73.80	11.14	78.78	12.47	84.17	14.37	91.03	15.59	
	12	51.11	7.54	60.33	8.66	69.56	10.33	73.80	11.25	78.78	12.60	84.17	14.51	91.03	15.75	
	14	51.11	7.51	60.33	8.64	69.56	10.30	73.80	11.22	78.78	12.56	84.17	14.47	91.03	15.70	
	16	51.11	7.75	60.33	8.90	69.56	10.62	73.80	11.56	78.78	12.95	84.17	14.92	91.03	16.19	
	18	51.11	7.81	60.33	8.98	69.56	10.70	73.80	11.66	78.78	13.06	84.17	15.04	91.03	16.32	
	19	51.11	8.09	60.33	9.29	69.56	11.08	73.80	12.07	78.78	13.52	84.17	15.57	91.03	16.90	
	21	51.11	8.24	60.33	9.47	69.56	11.29	73.80	12.29	78.78	13.77	84.17	15.86	91.03	17.21	
	23	51.11	8.50	60.33	9.77	69.56	11.65	73.80	12.69	78.78	14.21	84.17	16.37	91.03	17.76	
	25	51.11	8.67	60.33	9.97	69.56	11.88	73.80	12.94	78.78	14.50	84.17	16.70	91.03	18.12	
	27	51.11	9.00	60.33	10.34	69.56	12.33	73.80	13.43	78.78	15.05	84.17	17.33	91.03	18.81	
	29	51.11	9.32	60.33	10.71	69.56	12.77	73.80	13.91	78.78	15.58	84.17	17.94	91.03	19.47	
	31	51.11	9.80	60.33	11.26	69.56	13.42	73.80	14.62	78.78	16.38	84.17	18.86	91.03	20.47	
	33	51.11	10.19	60.33	11.71	69.56	13.96	73.80	15.21	78.78	17.03	84.17	19.62	91.03	21.29	
	35	51.11	10.61	60.33	12.20	69.56	14.54	73.80	15.84	78.78	17.74	84.17	20.44	91.03	22.18	
	37	51.11	11.18	60.33	12.85	69.56	15.32	73.80	16.69	78.78	18.69	82.49	21.53	89.21	23.37	
	39	51.11	11.77	60.33	13.53	69.56	16.13	73.80	17.57	78.78	19.68	81.64	22.66	88.30	24.60	
	41	51.11	12.37	60.33	14.21	69.56	16.94	73.80	18.46	78.78	20.67	80.80	23.81	87.39	25.84	
	43	51.11	12.95	60.33	14.88	69.56	17.74	73.80	19.33	78.78	21.65	80.80	24.93	87.39	27.06	
	46	51.11	13.64	60.33	15.68	69.56	18.69	73.80	20.36	78.78	22.81	79.19	26.27	85.64	28.51	
	48	51.11	14.36	60.33	16.50	69.56	19.68	73.80	21.43	78.78	24.01	78.38	27.65	84.77	30.01	
	50	51.11	15.09	60.33	17.34	69.56	20.67	73.80	22.52	78.78	25.22	77.57	29.05	83.90	31.52	
50%	10	42.59	5.88	50.28	6.51	57.96	7.23	61.50	7.84	65.65	9.10	70.14	10.27	75.86	11.53	
	12	42.59	5.94	50.28	6.57	57.96	7.30	61.50	7.92	65.65	9.19	70.14	10.37	75.86	11.64	
	14	42.59	5.92	50.28	6.55	57.96	7.28	61.50	7.90	65.65	9.16	70.14	10.35	75.86	11.61	
	16	42.59	6.11	50.28	6.76	57.96	7.51	61.50	8.14	65.65	9.45	70.14	10.67	75.86	11.97	
	18	42.59	6.16	50.28	6.81	57.96	7.57	61.50	8.21	65.65	9.52	70.14	10.75	75.86	12.07	
	19	42.59	6.37	50.28	7.05	57.96	7.84	61.50	8.50	65.65	9.86	70.14	11.13	75.86	12.49	
	21	42.59	6.49	50.28	7.18	57.96	7.98	61.50	8.66	65.65	10.04	70.14	11.34	75.86	12.72	
	23	42.59	6.70	50.28	7.42	57.96	8.24	61.50	8.93	65.65	10.36	70.14	11.70	75.86	13.13	
	25	42.59	6.83	50.28	7.56	57.96	8.40	61.50	9.11	65.65	10.57	70.14	11.94	75.86	13.40	
	27	42.59	7.09	50.28	7.85	57.96	8.72	61.50	9.46	65.65	10.97	70.14	12.39	75.86	13.90	
	29	42.59	7.35	50.28	8.13	57.96	9.03	61.50	9.79	65.65	11.36	70.14	12.83	75.86	14.40	
	31	42.59	7.72	50.28	8.55	57.96	9.49	61.50	10.30	65.65	11.94	70.14	13.49	75.86	15.13	
	33	42.59	8.03	50.28	8.89	57.96	9.87	61.50	10.71	65.65	12.42	70.14	14.03	75.86	15.74	
	35	42.59	8.37	50.28	9.26	57.96	10.28	61.50	11.15	65.65	12.94	70.14	14.61	75.86	16.40	
	37	42.59	8.81	50.28	9.75	57.96	10.84	61.50	11.75	65.65	13.63	68.74	15.40	74.34	17.28	
	39	42.59	9.28	50.28	10.27	57.96	11.41	61.50	12.37	65.65	14.35	68.04	16.21	73.58	18.18	
	41	42.59	9.75	50.28	10.79	57.96	11.98	61.50	12.99	65.65	15.07	67.34	17.02	72.83	19.10	
	43	42.59	10.21	50.28	11.29	57.96	12.55	61.50	13.61	65.65	15.79	67.34	17.83	72.83	20.00	
	46	42.59	10.75	50.28	11.90	57.96	13.22	61.50	14.34	65.65	16.63	65.99	18.78	71.37	21.08	
	48	42.59	11.32	50.28	12.53	57.96	13.91	61.50	15.09	65.65	17.51	65.32	19.77	70.64	22.18	
	50	42.59	11.89	50.28	13.16	57.96	14.62	61.50	15.85	65.65	18.39	64.64	20.77	69.91	23.31	

46HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1285W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
130%	10	107.43	16.20		126.22	20.73		150.05	22.75		160.61	21.34		163.42	24.06	
	12	107.43	16.66		126.22	21.31		150.05	23.40		159.20	21.73		161.99	24.74	
	14	107.43	17.14		126.22	21.93		150.05	24.07		157.79	22.13		160.56	25.46	
	16	107.43	17.73		126.22	22.69		148.72	24.90		154.98	22.52		157.69	26.34	
	18	107.43	18.16		126.22	23.24		146.07	25.51		153.57	22.92		156.25	26.98	
	19	107.43	19.13		126.22	24.48		144.74	26.87		152.16	23.31		154.82	28.41	
	21	107.43	19.78		126.22	25.30		143.41	27.77		150.75	24.99		153.39	29.37	
	23	107.43	20.72		126.22	26.50		142.08	29.09		149.34	26.77		151.95	30.77	
	25	107.43	21.41		126.22	27.40		140.75	30.07		147.93	28.65		150.52	31.81	
	27	107.43	22.52		126.22	28.81		139.43	31.62		146.52	30.62		149.09	33.44	
	29	107.43	23.32		125.24	29.84		138.10	32.75		145.11	32.70		147.65	34.64	
	31	107.43	24.53		124.86	31.38		136.77	34.45		143.71	34.87		146.22	36.44	
	33	107.43	25.52		124.86	32.66		135.44	35.85		142.30	37.14		144.79	37.91	
	35	107.43	26.87		123.63	34.38		132.79	37.73		140.89	39.51		143.35	39.91	
	37	107.43	28.31		123.63	36.22		132.79	39.76		138.07	41.23		140.49	41.45	
	39	107.43	29.80		123.63	38.12		131.46	41.85		137.08	42.67		139.05	42.90	
	41	107.43	31.30		122.39	40.05		130.13	43.96		136.66	44.41		137.62	44.70	
	43	106.35	32.78		121.16	41.94		128.80	46.04		135.25	46.62		136.19	47.09	
	46	106.35	34.54		121.16	44.19		128.80	48.50		132.55	48.66		133.46	48.91	
	48	106.35	36.35		119.94	46.51		127.51	51.05		131.60	50.35		132.10	50.62	
	50	106.35	38.19		118.73	48.86		126.23	53.63		131.19	52.41		130.74	52.74	
120%	10	101.52	15.34		117.46	18.88		142.38	22.53		155.22	21.13		160.76	23.83	
	12	101.52	15.77		117.46	19.41		142.38	23.17		155.22	21.52		159.35	24.50	
	14	101.52	16.23		117.46	19.97		142.38	23.84		155.22	21.91		157.94	25.22	
	16	101.52	16.79		117.46	20.66		142.38	24.67		155.22	22.31		156.53	26.09	
	18	101.52	17.19		117.46	21.16		142.38	25.26		155.22	22.70		155.12	26.72	
	19	101.52	18.11		117.46	22.29		142.38	26.61		153.84	23.09		153.71	28.14	
	21	101.52	18.72		117.46	23.04		142.38	27.51		152.45	24.75		150.89	29.09	
	23	101.52	19.61		117.46	24.14		139.77	28.81		151.07	26.51		149.48	30.47	
	25	101.52	20.27		117.46	24.95		138.46	29.78		149.68	28.37		148.07	31.50	
	27	101.52	21.32		117.46	26.23		137.16	31.32		148.30	30.33		146.66	33.12	
	29	101.52	22.08		117.46	27.17		135.85	32.44		145.52	32.38		145.25	34.31	
	31	101.52	23.22		117.46	28.58		133.24	34.12		141.37	34.53		143.84	36.09	
	33	101.52	24.16		117.46	29.74		131.93	35.50		139.98	36.78		142.43	37.55	
	35	101.52	25.44		117.46	31.31		130.62	37.37		138.59	39.13		141.02	39.52	
	37	101.52	26.80		117.46	32.98		129.32	39.37		135.82	40.84		138.20	41.05	
	39	101.52	28.21		117.46	34.72		128.01	41.44		134.85	42.26		136.79	42.49	
	41	101.52	29.63		111.59	36.47		126.71	43.54		134.44	43.98		135.38	44.27	
	43	101.52	31.03		110.41	38.19		125.40	45.59		133.05	46.18		133.97	46.64	
	46	101.52	32.70		110.41	40.24		124.15	48.04		130.39	48.19		131.29	48.44	
	48	101.52	34.41		110.41	42.36		122.89	50.56		129.46	49.87		129.95	50.14	
	50	101.52	36.15		104.89	44.50		121.64	53.12		129.06	51.90		128.61	52.23	
110%	10	94.39	14.96		111.43	18.42		128.46	21.98		145.84	23.02		156.71	23.25	
	12	94.39	15.38		111.43	18.93		128.46	22.60		145.84	23.67		155.33	23.90	
	14	94.39	15.83		111.43	19.48		128.46	23.26		145.84	24.35		153.94	24.60	
	16	94.39	16.38		111.43	20.16		128.46	24.06		145.84	25.19		152.55	25.45	
	18	94.39	16.77		111.43	20.64		128.46	24.64		145.84	25.81		151.17	26.06	
	19	94.39	17.67		111.43	21.74		128.46	25.96		145.84	27.18		149.78	27.45	
	21	94.39	18.26		111.43	22.48		128.46	26.83		145.84	28.10		148.39	28.38	
	23	94.39	19.13		111.43	23.55		128.46	28.11		144.48	29.43		147.01	29.73	
	25	94.39	19.78		111.43	24.34		128.46	29.06		143.11	30.42		145.62	30.73	
	27	94.39	20.79		111.43	25.59		128.46	30.55		141.75	31.99		144.23	32.31	
	29	94.39	21.54		111.43	26.51		128.46	31.64		140.39	33.13		142.85	33.47	
	31	94.39	22.65		111.43	27.88		128.46	33.28		139.03	34.85		141.46	35.20	
	33	94.39	23.57		111.43	29.01		128.46	34.63		137.66	36.27		140.07	36.63	
	35	94.39	24.81		111.43	30.54		128.46	36.46		136.30	38.17		138.69	38.56	
	37	94.39	26.14		111.43	32.18		128.46	38.41		133.57	39.84		135.91	40.04	
	39	94.39	27.52		111.43	33.87		124.61	40.43		132.62	41.23		134.52	41.45	
	41	94.39	28.91		111.43	35.58		123.32	42.47		132.21	42.91		133.14	43.18	
	43	94.39	30.27		111.43	37.26		122.04	44.48		130.85	45.05		131.75	45.50	
	46	94.39	31.89		111.43	39.25		122.04	46.86		128.23	47.01		129.12	47.25	
	48	94.39	33.57		111.43	41.32		118.38	49.32		127.32	48.65		127.80	48.91	
	50	94.39	35.27		111.43	43.41		117.16	51.81		126.92	50.63		126.48	50.96	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1285W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	88.99	12.43	105.05	15.70	121.11	19.74	128.50	21.81	139.90	22.03	149.75	22.25	155.71	22.46	
	12	88.99	12.78	105.05	16.15	121.11	20.29	128.50	22.43	139.90	22.65	149.75	22.87	154.33	23.10	
	14	88.99	13.15	105.05	16.62	121.11	20.88	128.50	23.08	139.90	23.31	148.41	23.54	152.95	23.77	
	16	88.99	13.61	105.05	17.19	121.11	21.60	128.50	23.87	139.90	24.11	147.07	24.35	151.58	24.59	
	18	88.99	13.94	105.05	17.60	121.11	22.13	128.50	24.45	139.90	24.70	145.74	24.94	150.20	25.18	
	19	88.99	14.68	105.05	18.54	121.11	23.31	128.50	25.75	139.90	26.01	144.40	26.27	148.82	26.53	
	21	88.99	15.17	105.05	19.17	121.11	24.09	128.50	26.62	139.90	26.89	143.06	27.15	147.44	27.42	
	23	88.99	15.90	105.05	20.08	121.11	25.24	128.50	27.89	139.90	28.17	141.73	28.44	146.06	28.72	
	25	88.99	16.43	105.05	20.76	121.11	26.09	128.50	28.83	138.59	29.12	140.39	29.40	144.69	29.69	
	27	88.99	17.28	105.05	21.82	121.11	27.43	128.50	30.31	137.29	30.61	139.05	30.92	143.31	31.22	
	29	88.99	17.90	105.05	22.60	121.11	28.41	128.50	31.40	135.98	31.71	137.72	32.02	141.93	32.34	
	31	88.99	18.82	105.05	23.78	121.11	29.89	128.50	33.02	134.67	33.35	136.38	33.68	140.55	34.01	
	33	88.99	19.59	105.05	24.74	121.11	31.10	128.50	34.36	132.06	34.71	135.04	35.05	139.17	35.39	
	35	88.99	20.62	105.05	26.04	121.11	32.73	128.50	36.17	130.75	36.53	133.70	36.89	137.80	37.26	
	37	88.99	21.72	105.05	27.44	121.11	34.49	125.93	37.75	128.13	37.94	129.69	38.13	132.29	38.32	
	39	88.99	22.86	105.05	28.88	121.11	36.30	125.03	39.06	126.83	39.27	128.36	39.77	129.53	40.05	
	41	88.99	24.02	105.05	30.34	121.11	38.13	124.65	40.66	125.52	40.92	127.02	41.32	128.15	41.65	
	43	88.99	25.15	105.05	31.77	121.11	39.94	123.36	42.68	124.21	43.11	125.68	43.46	127.46	43.66	
	46	88.99	26.50	105.05	33.47	121.11	42.08	120.89	44.54	121.73	44.77	121.91	44.92	122.36	44.91	
	48	88.99	27.89	105.05	35.23	121.11	44.29	120.03	46.10	120.48	46.34	120.65	46.85	119.81	46.94	
	50	88.99	29.30	105.05	37.01	121.11	46.52	119.66	47.97	119.24	48.28	119.40	48.68	118.54	48.82	
90%	10	80.09	10.99	94.54	13.55	109.00	16.63	115.65	18.31	123.46	19.96	138.66	21.24	141.50	21.79	
	12	80.09	11.30	94.54	13.93	109.00	17.09	115.65	18.83	123.46	20.52	138.66	21.84	141.50	22.40	
	14	80.09	11.62	94.54	14.34	109.00	17.59	115.65	19.37	123.46	21.12	138.66	22.47	141.50	23.05	
	16	80.09	12.02	94.54	14.83	109.00	18.20	115.65	20.04	123.46	21.84	138.66	23.25	141.50	23.85	
	18	80.09	12.32	94.54	15.19	109.00	18.64	115.65	20.53	123.46	22.37	138.66	23.81	140.18	24.43	
	19	80.09	12.97	94.54	16.00	109.00	19.63	115.65	21.62	123.46	23.57	138.66	25.08	138.86	25.73	
	21	80.09	13.41	94.54	16.54	109.00	20.29	115.65	22.35	123.46	24.36	138.66	25.92	137.54	26.59	
	23	80.09	14.05	94.54	17.32	109.00	21.26	115.65	23.41	123.46	25.52	138.66	27.16	136.21	27.86	
	25	80.09	14.52	94.54	17.91	109.00	21.97	115.65	24.20	123.46	26.38	137.36	28.07	134.89	28.80	
	27	80.09	15.27	94.54	18.83	109.00	23.10	115.65	25.45	123.46	27.74	136.07	29.52	134.89	30.28	
	29	80.09	15.81	94.54	19.50	109.00	23.93	115.65	26.36	123.46	28.73	134.77	30.57	134.89	31.36	
	31	80.09	16.63	94.54	20.52	109.00	25.17	115.65	27.72	123.46	30.22	133.47	32.16	133.57	32.99	
	33	80.09	17.31	94.54	21.35	109.00	26.19	115.65	28.85	123.46	31.44	130.88	33.46	133.57	34.33	
	35	80.09	18.22	94.54	22.47	109.00	27.57	115.65	30.36	123.46	33.10	129.59	35.22	132.25	36.13	
	37	80.09	19.20	94.54	23.67	109.00	29.05	115.65	31.99	123.46	34.87	126.99	37.11	129.60	38.07	
	39	80.09	20.20	94.54	24.92	109.00	30.58	115.65	33.67	123.46	36.71	125.70	39.06	128.28	40.07	
	41	80.09	21.22	94.54	26.18	109.00	32.12	115.65	35.37	123.46	38.56	124.40	41.03	126.96	42.10	
	43	80.09	22.23	94.54	27.41	109.00	33.64	115.65	37.04	123.46	40.38	124.40	42.97	126.96	44.08	
	46	80.09	23.42	94.54	28.88	109.00	35.44	115.65	39.03	123.46	42.54	121.91	45.28	124.42	46.45	
	48	80.09	24.65	94.54	30.40	109.00	37.30	115.65	41.08	123.46	44.78	120.67	47.66	123.15	48.89	
	50	80.09	25.89	94.54	31.94	109.00	39.19	115.65	43.16	123.46	47.04	119.43	50.06	121.88	51.36	
80%	10	71.19	9.76	84.04	10.96	96.89	13.74	102.80	15.02	109.74	16.52	117.24	19.34	126.80	20.65	
	12	71.19	10.04	84.04	11.27	96.89	14.13	102.80	15.44	109.74	16.98	117.24	19.89	126.80	21.23	
	14	71.19	10.33	84.04	11.60	96.89	14.54	102.80	15.89	109.74	17.48	117.24	20.46	126.80	21.84	
	16	71.19	10.68	84.04	12.00	96.89	15.04	102.80	16.43	109.74	18.08	117.24	21.17	126.80	22.60	
	18	71.19	10.94	84.04	12.29	96.89	15.40	102.80	16.83	109.74	18.52	117.24	21.68	126.80	23.15	
	19	71.19	11.52	84.04	12.94	96.89	16.22	102.80	17.73	109.74	19.50	117.24	22.84	126.80	24.38	
	21	71.19	11.91	84.04	13.38	96.89	16.77	102.80	18.33	109.74	20.16	117.24	23.61	126.80	25.20	
	23	71.19	12.48	84.04	14.02	96.89	17.57	102.80	19.20	109.74	21.12	117.24	24.73	126.80	26.40	
	25	71.19	12.90	84.04	14.49	96.89	18.16	102.80	19.85	109.74	21.83	117.24	25.56	126.80	27.29	
	27	71.19	13.56	84.04	15.23	96.89	19.09	102.80	20.87	109.74	22.95	117.24	26.88	126.80	28.69	
	29	71.19	14.05	84.04	15.78	96.89	19.78	102.80	21.61	109.74	23.78	117.24	27.84	126.80	29.72	
	31	71.19	14.78	84.04	16.60	96.89	20.80	102.80	22.73	109.74	25.01	117.24	29.28	126.80	31.26	
	33	71.19	15.38	84.04	17.27	96.89	21.65	102.80	23.66	109.74	26.02	117.24	30.47	126.80	32.53	
	35	71.19	16.19	84.04	18.18	96.89	22.78	102.80	24.90	109.74	27.39	117.24	32.07	126.80	34.24	
	37	71.19	17.05	84.04	19.15	96.89	24.01	102.80	26.24	109.74	28.86	114.90	33.79	124.27	36.07	
	39	71.19	17.95	84.04	20.16	96.89	25.27	102.80	27.62	109.74	30.38	113.73	35.57	123.00	37.97	
	41	71.19	18.86	84.04	21.18	96.89	26.54	102.80	29.01	109.74	31.91	112.55	37.36	121.73	39.89	
	43	71.19	19.75	84.04	22.18	96.89	27.80	102.80	30.38	109.74	33.42	112.55	39.13	121.73	41.77	
	46	71.19	20.81	84.04	23.37	96.89	29.29	102.80	32.01	109.74	35.21	110.30	41.23	119.30	44.01	
	48	71.19	21.90	84.04	24.59	96.89	30.83	102.80	33.69	109.74	37.06	109.18	43.39	118.08	46.32	
	50	71.19	23.00	84.04	25.84	96.89	32.38	102.80	35.39	109.74	38.93		45.59	116.86	48.66	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1285W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	62.29	8.76	73.53	10.43	84.78	12.72	89.95	13.91	96.02	15.02	102.59	16.96	110.95	18.35	
	12	62.29	8.85	73.53	10.53	84.78	12.85	89.95	14.04	96.02	15.17	102.59	17.13	110.95	18.54	
	14	62.29	8.82	73.53	10.50	84.78	12.81	89.95	14.00	96.02	15.12	102.59	17.08	110.95	18.49	
	16	62.29	9.10	73.53	10.83	84.78	13.21	89.95	14.44	96.02	15.59	102.59	17.62	110.95	19.06	
	18	62.29	9.17	73.53	10.92	84.78	13.32	89.95	14.56	96.02	15.72	102.59	17.76	110.95	19.22	
	19	62.29	9.50	73.53	11.30	84.78	13.79	89.95	15.07	96.02	16.28	102.59	18.39	110.95	19.90	
	21	62.29	9.67	73.53	11.51	84.78	14.04	89.95	15.35	96.02	16.58	102.59	18.73	110.95	20.26	
	23	62.29	9.98	73.53	11.88	84.78	14.50	89.95	15.84	96.02	17.11	102.59	19.33	110.95	20.91	
	25	62.29	10.18	73.53	12.12	84.78	14.79	89.95	16.16	96.02	17.45	102.59	19.72	110.95	21.33	
	27	62.29	10.57	73.53	12.58	84.78	15.35	89.95	16.77	96.02	18.11	102.59	20.46	110.95	22.14	
	29	62.29	10.94	73.53	13.02	84.78	15.89	89.95	17.37	96.02	18.76	102.59	21.19	110.95	22.92	
	31	62.29	11.50	73.53	13.69	84.78	16.70	89.95	18.26	96.02	19.72	102.59	22.27	110.95	24.10	
	33	62.29	11.96	73.53	14.24	84.78	17.37	89.95	18.99	96.02	20.51	102.59	23.17	110.95	25.06	
	35	62.29	12.46	73.53	14.83	84.78	18.10	89.95	19.78	96.02	21.36	102.59	24.13	110.95	26.11	
	37	62.29	13.13	73.53	15.63	84.78	19.07	89.95	20.84	96.02	22.51	100.54	25.42	108.73	27.51	
	39	62.29	13.82	73.53	16.45	84.78	20.07	89.95	21.94	96.02	23.69	99.51	26.76	107.62	28.95	
	41	62.29	14.52	73.53	17.28	84.78	21.08	89.95	23.04	96.02	24.89	98.48	28.11	106.52	30.42	
	43	62.29	15.20	73.53	18.10	84.78	22.08	89.95	24.13	96.02	26.06	98.48	29.44	106.52	31.85	
	46	62.29	16.02	73.53	19.07	84.78	23.26	89.95	25.42	96.02	27.46	96.51	31.02	104.38	33.56	
	48	62.29	16.86	73.53	20.07	84.78	24.49	89.95	26.76	96.02	28.90	95.53	32.65	103.32	35.32	
50	62.29	17.71	73.53	21.08	84.78	25.72	89.95	28.11	96.02	30.36	94.55	34.30	102.25	37.11		
60%	10	53.39	7.07	63.03	8.12	72.67	9.68	77.10	10.54	82.30	11.81	87.93	13.60	95.10	14.76	
	12	53.39	7.14	63.03	8.20	72.67	9.78	77.10	10.65	82.30	11.93	87.93	13.74	95.10	14.91	
	14	53.39	7.12	63.03	8.18	72.67	9.75	77.10	10.62	82.30	11.89	87.93	13.70	95.10	14.87	
	16	53.39	7.34	63.03	8.43	72.67	10.05	77.10	10.95	82.30	12.26	87.93	14.13	95.10	15.33	
	18	53.39	7.40	63.03	8.50	72.67	10.13	77.10	11.04	82.30	12.36	87.93	14.24	95.10	15.46	
	19	53.39	7.66	63.03	8.80	72.67	10.49	77.10	11.43	82.30	12.80	87.93	14.74	95.10	16.00	
	21	53.39	7.80	63.03	8.96	72.67	10.69	77.10	11.64	82.30	13.04	87.93	15.02	95.10	16.30	
	23	53.39	8.05	63.03	9.25	72.67	11.03	77.10	12.01	82.30	13.46	87.93	15.50	95.10	16.82	
	25	53.39	8.21	63.03	9.44	72.67	11.25	77.10	12.25	82.30	13.73	87.93	15.81	95.10	17.16	
	27	53.39	8.52	63.03	9.79	72.67	11.68	77.10	12.72	82.30	14.25	87.93	16.41	95.10	17.81	
	29	53.39	8.82	63.03	10.14	72.67	12.09	77.10	13.17	82.30	14.75	87.93	16.99	95.10	18.44	
	31	53.39	9.28	63.03	10.66	72.67	12.71	77.10	13.84	82.30	15.51	87.93	17.86	95.10	19.38	
	33	53.39	9.65	63.03	11.09	72.67	13.22	77.10	14.40	82.30	16.13	87.93	18.58	95.10	20.16	
	35	53.39	10.05	63.03	11.55	72.67	13.77	77.10	15.00	82.30	16.80	87.93	19.35	95.10	21.00	
	37	53.39	10.59	63.03	12.17	72.67	14.51	77.10	15.80	82.30	17.70	86.17	20.39	93.20	22.13	
	39	53.39	11.15	63.03	12.81	72.67	15.27	77.10	16.63	82.30	18.63	85.29	21.46	92.25	23.29	
	41	53.39	11.71	63.03	13.46	72.67	16.04	77.10	17.47	82.30	19.57	84.42	22.54	91.30	24.46	
	43	53.39	12.26	63.03	14.09	72.67	16.80	77.10	18.30	82.30	20.50	84.42	23.61	91.30	25.62	
	46	53.39	12.92	63.03	14.85	72.67	17.70	77.10	19.28	82.30	21.59	82.73	24.87	89.47	26.99	
	48	53.39	13.60	63.03	15.63	72.67	18.63	77.10	20.29	82.30	22.73	81.88	26.18	88.56	28.41	
50	53.39	14.28	63.03	16.42	72.67	19.57	77.10	21.32	82.30	23.88	81.04	27.50	87.65	29.85		
50%	10	44.49	5.57	52.52	6.16	60.56	6.85	64.25	7.42	68.59	8.61	73.28	9.73	79.25	10.91	
	12	44.49	5.62	52.52	6.22	60.56	6.91	64.25	7.50	68.59	8.70	73.28	9.82	79.25	11.02	
	14	44.49	5.61	52.52	6.21	60.56	6.89	64.25	7.48	68.59	8.67	73.28	9.80	79.25	10.99	
	16	44.49	5.78	52.52	6.40	60.56	7.11	64.25	7.71	68.59	8.94	73.28	10.10	79.25	11.33	
	18	44.49	5.83	52.52	6.45	60.56	7.17	64.25	7.77	68.59	9.02	73.28	10.18	79.25	11.43	
	19	44.49	6.04	52.52	6.68	60.56	7.42	64.25	8.05	68.59	9.34	73.28	10.54	79.25	11.83	
	21	44.49	6.15	52.52	6.80	60.56	7.56	64.25	8.20	68.59	9.51	73.28	10.74	79.25	12.05	
	23	44.49	6.34	52.52	7.02	60.56	7.80	64.25	8.46	68.59	9.81	73.28	11.08	79.25	12.44	
	25	44.49	6.47	52.52	7.16	60.56	7.96	64.25	8.63	68.59	10.01	73.28	11.30	79.25	12.68	
	27	44.49	6.72	52.52	7.43	60.56	8.26	64.25	8.96	68.59	10.39	73.28	11.73	79.25	13.17	
	29	44.49	6.95	52.52	7.70	60.56	8.55	64.25	9.27	68.59	10.76	73.28	12.15	79.25	13.63	
	31	44.49	7.31	52.52	8.09	60.56	8.99	64.25	9.75	68.59	11.31	73.28	12.77	79.25	14.33	
	33	44.49	7.60	52.52	8.42	60.56	9.35	64.25	10.14	68.59	11.76	73.28	13.28	79.25	14.90	
	35	44.49	7.92	52.52	8.77	60.56	9.74	64.25	10.56	68.59	12.25	73.28	13.84	79.25	15.53	
	37	44.49	8.35	52.52	9.24	60.56	10.26	64.25	11.13	68.59	12.91	71.81	14.58	77.67	16.36	
	39	44.49	8.78	52.52	9.72	60.56	10.80	64.25	11.71	68.59	13.59	71.08	15.34	76.87	17.22	
	41	44.49	9.23	52.52	10.21	60.56	11.34	64.25	12.30	68.59	14.27	70.35	16.12	76.08	18.09	
	43	44.49	9.66	52.52	10.69	60.56	11.88	64.25	12.89	68.59	14.95	70.35	16.88	76.08	18.94	
	46	44.49	10.18	52.52	11.27	60.56	12.52	64.25	13.58	68.59	15.75	68.94	17.78	74.56	19.96	
	48	44.49	10.72	52.52	11.86	60.56	13.18	64.25	14.29	68.59	16.58	68.24	18.72	73.80	21.01	
50	44.49	11.26	52.52	12.46	60.56	13.84	64.25	15.01	68.59	17.41	67.53	19.66	73.04	22.07		

48HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1350W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	122.09	14.41	142.61	17.92	164.3	21.47	168.75	23.29	171.7	25.12	174.38	25.20	179.04	25.43	
	12	122.09	14.65	142.61	18.27	164.3	21.88	167.25	23.72	170.2	25.57	172.82	25.65	177.43	25.90	
	14	122.09	14.94	142.61	18.61	164.3	22.27	165.75	24.14	168.7	26.05	169.71	26.11	175.88	26.36	
	16	122.09	15.20	142.61	18.92	162.86	22.67	164.3	24.60	165.64	26.50	168.21	26.59	174.27	26.84	
	18	122.09	15.45	142.61	19.26	159.96	23.07	161.36	25.02	164.14	26.96	166.66	27.04	172.66	27.33	
	19	122.09	15.74	142.61	19.60	158.52	23.46	159.86	25.46	162.64	27.44	165.11	27.53	171.11	27.79	
	21	122.09	16.88	142.61	21.02	157.07	25.14	158.36	27.27	161.14	29.40	163.55	29.48	169.5	29.80	
	23	122.09	18.07	142.61	22.50	155.63	26.93	156.91	29.24	159.64	31.50	162	31.58	167.95	31.91	
	25	122.09	19.32	142.61	24.09	154.13	28.83	155.41	31.27	158.14	33.72	160.5	33.81	166.34	34.14	
	27	122.09	20.66	142.61	25.74	152.68	30.82	153.91	33.44	156.64	36.04	158.95	36.14	163.18	36.50	
	29	122.09	22.07	141.48	27.50	151.23	32.90	152.46	35.70	155.14	38.49	157.39	38.60	163.18	38.97	
	31	122.09	23.52	141.05	29.32	149.79	35.08	150.96	38.06	153.64	41.05	155.84	41.17	161.57	41.56	
	33	122.09	25.05	141.05	31.22	148.34	37.38	149.52	40.54	152.09	43.72	154.29	43.84	160.02	44.26	
	35	122.09	26.65	139.66	33.21	145.45	39.77	148.02	43.12	150.59	46.51	152.46	46.64	158.41	47.10	
	37	122.09	28.36	139.66	35.34	143.57	42.30	146.52	45.88	147.59	49.46	150.96	49.60	155.25	50.08	
	39	122.09	28.46	137.68	35.49	142.5	42.47	145.07	46.07	146.09	49.68	149.52	49.83	153.7	50.31	
	41	122.09	28.60	134.68	35.65	140.63	42.67	143.57	46.28	144.59	49.88	148.02	50.06	152.09	50.53	
	43	122.84	28.75	131.73	35.80	138.16	42.86	140.63	46.51	143.09	50.14	146.57	50.28	150.48	50.76	
	46	118.39	28.86	127.29	35.96	133.23	43.06	136.18	46.70	139.13	50.37	142.07	50.51	146.52	50.99	
	48	115.45	29.01	122.84	36.14	128.79	43.27	131.73	46.93	134.68	50.59	137.68	50.74	142.07	51.25	
50	112.5	29.14	118.39	36.30	124.34	43.46	127.29	47.16	130.23	50.82	133.23	50.99	137.68	51.47		
120%	10	114.64	14.26	136.55	17.76	157.5	21.28	163.07	23.07	168.91	24.86	171.21	24.94	176.63	25.20	
	12	114.64	14.52	136.55	18.10	157.5	21.67	163.07	23.49	167.41	25.34	169.66	25.40	175.07	25.65	
	14	114.64	14.77	136.55	18.41	157.5	22.04	163.07	23.92	165.91	25.79	168.16	25.88	173.52	26.11	
	16	114.64	15.06	136.55	18.75	157.5	22.45	163.07	24.34	164.46	26.24	166.66	26.34	171.91	26.59	
	18	114.64	15.32	136.55	19.09	157.5	22.84	161.63	24.77	162.96	26.70	165.16	26.79	170.36	27.04	
	19	114.64	15.56	136.55	19.40	155.79	23.23	160.18	25.20	161.46	27.16	163.61	27.24	168.8	27.53	
	21	114.64	16.70	136.55	20.79	154.34	24.91	157.23	27.01	158.52	29.12	162.11	29.24	167.25	29.48	
	23	114.64	17.89	136.55	22.30	151.45	26.68	155.79	28.95	157.02	31.19	160.61	31.30	165.7	31.58	
	25	114.64	19.15	136.55	23.86	149.95	28.55	152.89	30.96	155.57	33.37	159.05	33.49	164.14	33.81	
	27	114.64	20.45	136.55	25.48	147.05	30.54	151.45	33.10	154.07	35.68	157.55	35.80	162.54	36.14	
	29	114.64	21.85	136.55	27.22	145.61	32.59	149.95	35.34	152.57	38.09	156.05	38.24	160.98	38.60	
	31	114.64	23.29	136.55	29.03	144.16	34.77	148.5	37.70	151.13	40.65	154.55	40.76	159.43	41.17	
	33	114.64	24.83	136.55	30.91	142.71	37.02	147.05	40.16	149.63	43.29	153	43.43	157.88	43.84	
	35	114.64	26.39	135.43	32.90	141.21	39.40	145.61	42.72	148.18	46.05	151.5	46.19	156.32	46.64	
	37	114.64	28.07	133.98	35.00	139.77	41.90	142.71	45.42	145.18	48.97	149.95	49.15	153.16	49.60	
	39	114.64	28.21	132.48	35.14	138.32	42.07	141.21	45.62	143.73	49.20	148.5	49.34	151.61	49.83	
	41	114.64	28.32	129.7	35.28	136.88	42.27	139.77	45.84	142.23	49.40	147.05	49.57	150.05	50.06	
	43	114.64	28.46	128.36	35.45	135.43	42.47	138.32	46.05	141.21	49.65	145.61	49.80	148.5	50.28	
	46	112.13	28.60	125.2	35.62	131.04	42.67	133.98	46.28	136.88	49.88	141.21	50.03	144.16	50.51	
	48	109.18	28.72	122.3	35.80	126.7	42.86	129.59	46.48	132.48	50.11	136.88	50.25	139.77	50.74	
50	106.29	28.86	119.41	35.96	122.3	43.04	125.2	46.70	128.14	50.34	132.48	50.48	135.43	50.99		
110%	10	104.89	14.12	124.23	17.58	140.68	21.05	153.21	22.84	164.63	24.63	168.38	24.71	173.68	24.94	
	12	104.89	14.37	124.23	17.92	140.68	21.44	153.21	23.26	163.18	25.09	166.88	25.17	172.18	25.40	
	14	104.89	14.63	124.23	18.23	140.68	21.85	153.21	23.69	161.73	25.54	165.38	25.62	170.63	25.88	
	16	104.89	14.91	124.23	18.58	140.68	22.24	153.21	24.12	160.29	26.00	163.88	26.08	169.07	26.34	
	18	104.89	15.17	124.23	18.89	140.68	22.61	153.21	24.55	158.84	26.45	162.43	26.53	167.57	26.79	
	19	104.89	15.43	124.23	19.23	140.68	23.01	153.21	24.97	157.34	26.91	160.93	26.99	166.02	27.24	
	21	104.89	16.54	124.23	20.59	140.68	24.66	153.21	26.76	155.89	28.83	159.43	28.95	164.46	29.20	
	23	104.89	17.73	124.23	22.07	140.68	26.42	151.77	28.67	154.45	30.91	157.93	30.99	162.96	31.30	
	25	104.89	18.95	124.23	23.61	140.68	28.26	150.38	30.68	153	33.06	156.43	33.15	161.41	33.49	
	27	104.89	20.25	124.23	25.25	140.68	30.23	148.93	32.78	151.55	35.34	154.93	35.45	159.86	35.80	
	29	104.89	21.65	124.23	26.96	140.68	32.27	147.48	35.00	150.05	37.72	153.48	37.87	158.36	38.21	
	31	104.89	23.07	124.23	28.75	140.68	34.43	146.04	37.33	148.61	40.26	151.98	40.37	156.8	40.76	
	33	104.89	24.57	124.23	30.62	138.91	36.68	144.64	39.77	147.16	42.86	150.48	43.01	155.25	43.40	
	35	104.89	26.13	124.23	32.59	137.46	39.00	143.2	42.30	145.71	45.60	148.98	45.73	153.7	46.19	
	37	104.89	27.81	124.23	34.66	136.02	41.48	140.36	45.00	142.77	48.51	146.04	48.66	150.64	49.12	
	39	104.89	27.92	124.23	34.80	134.63	41.67	138.91	45.19	141.32	48.72	144.54	48.86	149.09	49.34	
	41	104.89	28.07	124.23	34.94	133.18	41.84	137.46	45.40	139.88	48.95	143.04	49.08	147.59	49.57	
	43	104.89	28.18	124.23	35.11	131.73	42.05	136.02	45.60	138.43	49.18	141.54	49.31	146.04	49.80	
	46	101.68	28.32	121.71	35.28	127.45	42.24	131.73	45.82	134.63	49.40	137.46	49.54	140.36	50.03	
	48	98.79	28.44	118.88	35.45	123.16	42.44	127.45	46.02	130.29	49.63	133.18	49.77	136.02	50.25	
50	95.95	28.57	115.98	35.59	118.88	42.64	123.16	46.25	126	49.85	128.89	49.99	131.73	50.48		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1350W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	93.48	13.18	110.36	16.42	127.23	19.66	135	21.33	147	22.98	157.34	23.07	163.61	23.29
	12	93.48	13.41	110.36	16.73	127.23	20.02	135	21.73	147	23.41	157.34	23.49	162.16	23.72
	14	93.48	13.66	110.36	17.01	127.23	20.40	135	22.10	147	23.83	155.89	23.92	160.71	24.14
	16	93.48	13.92	110.36	17.32	127.23	20.77	135	22.50	147	24.26	154.5	24.34	159.27	24.57
	18	93.48	14.15	110.36	17.64	127.23	21.11	135	22.89	147	24.68	153.11	24.77	157.82	25.00
	19	93.48	14.41	110.36	17.92	127.23	21.47	135	23.29	147	25.12	151.71	25.20	156.38	25.43
	21	93.48	15.43	110.36	19.23	127.23	23.04	135	24.97	147	26.93	150.32	27.01	154.88	27.27
	23	93.48	16.54	110.36	20.59	127.23	24.66	135	26.76	147	28.83	148.88	28.91	153.43	29.20
	25	93.48	17.70	110.36	22.04	127.23	26.39	135	28.63	147	30.85	147.48	30.96	151.98	31.25
	27	93.48	18.92	110.36	23.55	127.23	28.21	135	30.59	145.61	32.98	146.09	33.10	150.54	33.41
	29	93.48	20.20	110.36	25.17	127.23	30.14	135	32.67	144.21	35.23	144.7	35.34	149.09	35.68
	31	93.48	21.54	110.36	26.84	127.23	32.13	135	34.85	142.88	37.56	143.3	37.67	147.64	38.04
	33	93.48	22.92	110.36	28.57	127.23	34.23	135	37.13	141.48	40.03	141.86	40.14	146.2	40.54
	35	93.48	24.40	110.36	30.39	127.23	36.42	135	39.47	139.45	42.55	140.46	42.70	144.75	43.12
	37	93.48	25.96	110.36	32.33	127.23	38.71	135	41.07	137.36	45.29	139.07	45.42	141.86	45.84
	39	93.48	26.08	110.36	32.47	127.23	38.89	135	42.24	136.34	45.48	137.68	45.62	140.41	46.05
	41	93.48	26.19	110.36	32.61	125.57	39.06	133.66	43.43	135	45.68	136.34	45.82	138.96	46.25
	43	93.48	26.31	110.36	32.78	124.18	39.26	132.32	45.03	133.66	45.88	135	46.02	137.52	46.48
	46	93.48	26.42	108.16	32.92	120.16	39.43	130.93	46.67	132.32	46.10	133.66	46.25	136.34	46.70
	48	93.48	26.57	107.04	33.06	116.09	39.60	126.91	46.98	130.93	46.30	129.59	46.45	132.32	46.90
90%	50	91.82	26.68	105.96	33.24	112.07	39.80	122.84	48.18	126.91	46.53	125.57	46.67	128.25	47.13
	10	84.16	11.39	99.32	14.21	114.54	16.99	121.5	18.44	128.46	19.89	145.66	19.94	148.66	20.11
	12	84.16	11.59	99.32	14.46	114.54	17.30	121.5	18.77	128.46	20.22	145.66	20.31	148.66	20.51
	14	84.16	11.82	99.32	14.72	114.54	17.61	121.5	19.11	128.46	20.59	145.66	20.68	148.66	20.88
	16	84.16	12.01	99.32	14.97	114.54	17.96	121.5	19.46	128.46	20.97	145.66	21.05	148.66	21.25
	18	84.16	12.24	99.32	15.25	114.54	18.27	121.5	19.80	128.46	21.33	145.66	21.42	147	21.62
	19	84.16	12.44	99.32	15.51	114.54	18.58	121.5	20.14	128.46	21.70	144.59	21.78	145.82	21.99
	21	84.16	13.35	99.32	16.62	114.54	19.91	121.5	21.59	128.46	23.26	143.36	23.35	144.59	23.57
	23	84.16	14.29	99.32	17.81	114.54	21.33	121.5	23.12	128.46	24.94	142.18	25.00	143.36	25.25
	25	84.16	15.29	99.32	19.06	114.54	22.81	121.5	24.74	128.46	26.68	140.95	26.76	142.18	27.01
	27	84.16	16.36	99.32	20.37	114.54	24.40	121.5	26.45	128.46	28.52	139.71	28.60	140.95	28.89
	29	84.16	17.47	99.32	21.76	114.54	26.05	121.5	28.24	128.46	30.46	138.54	30.54	139.71	30.85
	31	84.16	18.61	99.32	23.21	114.54	27.79	121.5	30.11	128.46	32.47	137.3	32.59	138.54	32.90
	33	84.16	19.83	99.32	24.71	114.54	29.58	121.5	32.10	128.46	34.60	136.07	34.69	137.3	35.03
	35	84.16	21.11	99.32	26.28	114.54	31.47	121.5	34.14	128.46	36.79	134.84	36.90	136.07	37.27
	37	84.16	22.45	99.32	27.95	114.54	33.47	121.5	36.30	128.46	39.15	133.66	39.26	134.84	39.63
	39	84.16	22.53	99.32	28.07	114.54	33.60	121.5	36.48	127.55	39.31	132.43	39.43	133.66	39.80
	41	84.16	22.64	99.32	28.21	114.54	33.78	121.5	36.61	126.38	39.49	131.2	39.60	132.43	40.00
	43	84.16	22.76	99.32	28.32	114.54	33.92	120.27	36.79	125.14	39.66	130.02	39.80	131.2	40.16
	46	84.16	22.84	99.32	28.46	110.57	34.09	116.63	36.96	121.5	39.85	126.38	39.97	127.55	40.37
	48	84.16	22.95	99.32	28.60	106.93	34.23	112.98	37.13	117.86	40.03	122.73	40.16	123.91	40.54
	50	84.16	23.07	97.18	28.72	103.29	34.40	109.34	37.30	114.21	40.23	119.09	40.34	120.27	40.73
80%	10	74.79	9.75	88.29	12.13	101.79	14.52	108	15.74	114.21	16.99	116.68	17.01	119.2	17.19
	12	74.79	9.91	88.29	12.36	101.79	14.80	108	16.05	114.21	17.30	116.68	17.32	119.2	17.50
	14	74.79	10.08	88.29	12.58	101.79	15.06	108	16.33	114.21	17.61	116.68	17.67	119.2	17.84
	16	74.79	10.29	88.29	12.81	101.79	15.32	108	16.62	114.21	17.92	116.68	17.99	119.2	18.15
	18	74.79	10.45	88.29	13.01	101.79	15.60	108	16.90	114.21	18.23	116.68	18.30	119.2	18.46
	19	74.79	10.63	88.29	13.24	101.79	15.85	108	17.21	114.21	18.54	116.68	18.61	119.2	18.77
	21	74.79	11.39	88.29	14.21	101.79	17.01	108	18.44	114.21	19.89	116.68	19.94	119.2	20.14
	23	74.79	12.21	88.29	15.20	101.79	18.21	108	19.75	114.21	21.31	116.68	21.36	119.2	21.56
	25	74.79	13.07	88.29	16.28	101.79	19.49	108	21.13	114.21	22.78	116.68	22.87	119.2	23.07
	27	74.79	13.98	88.29	17.42	101.79	20.82	108	22.58	114.21	24.37	116.68	24.43	119.2	24.68
	29	74.79	14.91	88.29	18.58	101.79	22.24	108	24.12	114.21	26.02	116.68	26.08	119.2	26.34
	31	74.79	15.91	88.29	19.80	101.79	23.72	108	25.74	114.21	27.72	116.68	27.81	119.2	28.10
	33	74.79	16.93	88.29	21.11	101.79	25.28	108	27.41	114.21	29.55	116.68	29.63	119.2	29.91
	35	74.79	18.01	88.29	22.45	101.79	26.88	108	29.14	114.21	31.45	116.68	31.53	119.2	31.84
	37	74.79	19.18	88.29	23.90	101.79	28.60	108	31.03	114.21	33.44	116.68	33.52	117.7	33.86
	39	74.79	19.26	88.29	23.98	101.79	28.72	108	31.14	114.21	33.58	115.55	33.70	116.63	34.01
	41	74.79	19.34	88.29	24.09	101.79	28.83	108	31.27	113.41	33.72	114.48	33.83	115.55	34.14
	43	74.79	19.43	88.29	24.21	101.79	28.98	108	31.45	112.34	33.89	113.41	33.97	114.48	34.32
	46	74.79	19.52	88.55	24.32	101.52	29.12	104.79	31.58	109.07	34.04	110.14	34.14	109.07	34.48
	48	74.79	19.60	88.55	24.43	98.3	29.26	101.52	31.73	105.86	34.20	106.93	34.32	105.86	34.63
	50	74.79	19.68	88.55	24.55	95.04	29.37	98.3	31.87	102.59	34.35	103.66	34.46	102.59	34.80

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1350W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
70%	10	65.46	8.19	77.25	10.19	89.09	12.21	94.5	13.27	99.91	14.29	102.11	14.34	104.3	14.49	
	12	65.46	8.35	77.25	10.40	89.09	12.44	94.5	13.49	99.91	14.54	102.11	14.60	104.3	14.75	
	14	65.46	8.50	77.25	10.60	89.09	12.67	94.5	13.75	99.91	14.83	102.11	14.86	104.3	15.00	
	16	65.46	8.63	77.25	10.76	89.09	12.89	94.5	14.00	99.91	15.09	102.11	15.14	104.3	15.29	
	18	65.46	8.81	77.25	10.97	89.09	13.12	94.5	14.23	99.91	15.34	102.11	15.40	104.3	15.54	
	19	65.46	8.95	77.25	11.17	89.09	13.35	94.5	14.49	99.91	15.63	102.11	15.65	104.3	15.82	
	21	65.46	9.60	77.25	11.96	89.09	14.31	94.5	15.54	99.91	16.73	102.11	16.79	104.3	16.96	
	23	65.46	10.29	77.25	12.81	89.09	15.34	94.5	16.65	99.91	17.92	102.11	17.99	104.3	18.15	
	25	65.46	10.99	77.25	13.72	89.09	16.42	94.5	17.81	99.91	19.21	102.11	19.26	104.3	19.43	
	27	65.46	11.76	77.25	14.65	89.09	17.55	94.5	19.03	99.91	20.51	102.11	20.56	104.3	20.77	
	29	65.46	12.55	77.25	15.65	89.09	18.72	94.5	20.31	99.91	21.90	102.11	21.96	104.3	22.19	
	31	65.46	13.38	77.25	16.67	89.09	19.97	94.5	21.67	99.91	23.35	102.11	23.44	104.3	23.67	
	33	65.46	14.26	77.25	17.78	89.09	21.28	94.5	23.10	99.91	24.89	102.11	24.97	104.3	25.20	
	35	65.46	15.17	77.25	18.92	89.09	22.64	94.5	24.55	99.91	26.47	102.11	26.57	104.3	26.81	
	37	65.46	16.13	77.25	20.11	89.09	24.09	94.5	26.11	99.91	28.15	102.11	28.24	104.3	28.52	
	39	65.46	16.22	77.25	20.20	89.09	24.17	94.5	26.22	99.91	28.26	102.11	28.36	104.3	28.63	
	41	65.46	16.28	77.25	20.28	89.09	24.29	94.5	26.34	99.91	28.41	102.11	28.49	104.3	28.78	
	43	65.46	16.36	77.25	20.37	89.09	24.40	94.5	26.47	99.91	28.52	102.11	28.63	104.3	28.89	
	46	65.46	16.44	77.25	20.48	89.09	24.52	94.5	26.59	98.3	28.67	100.18	28.75	102.05	29.03	
	48	65.46	16.51	77.25	20.56	89.09	24.63	92.63	26.70	96.38	28.80	98.3	28.89	100.18	29.17	
	50	65.46	16.59	77.25	20.66	86.95	24.74	90.7	26.84	94.5	28.91	96.38	29.03	98.3	29.29	
60%	10	56.09	6.79	66.21	8.43	76.34	10.11	81	10.97	85.66	11.82	87.54	11.87	89.36	11.98	
	12	56.09	6.90	66.21	8.61	76.34	10.31	81	11.17	85.66	12.05	87.54	12.08	89.36	12.21	
	14	56.09	7.05	66.21	8.74	76.34	10.48	81	11.39	85.66	12.27	87.54	12.30	89.36	12.42	
	16	56.09	7.16	66.21	8.92	76.34	10.68	81	11.59	85.66	12.50	87.54	12.53	89.36	12.65	
	18	56.09	7.28	66.21	9.09	76.34	10.88	81	11.79	85.66	12.70	87.54	12.76	89.36	12.86	
	19	56.09	7.41	66.21	9.23	76.34	11.05	81	11.98	85.66	12.93	87.54	12.96	89.36	13.09	
	21	56.09	7.96	66.21	9.88	76.34	11.85	81	12.86	85.66	13.87	87.54	13.89	89.36	14.03	
	23	56.09	8.53	66.21	10.60	76.34	12.70	81	13.77	85.66	14.86	87.54	14.88	89.36	15.03	
	25	56.09	9.12	66.21	11.33	76.34	13.58	81	14.75	85.66	15.87	87.54	15.94	89.36	16.08	
	27	56.09	9.75	66.21	12.13	76.34	14.52	81	15.74	85.66	16.99	87.54	17.04	89.36	17.19	
	29	56.09	10.40	66.21	12.96	76.34	15.51	81	16.82	85.66	18.12	87.54	18.18	89.36	18.35	
	31	56.09	11.08	66.21	13.81	76.34	16.54	81	17.92	85.66	19.34	87.54	19.40	89.36	19.57	
	33	56.09	11.82	66.21	14.72	76.34	17.61	81	19.11	85.66	20.59	87.54	20.66	89.36	20.85	
	35	56.09	12.55	66.21	15.65	76.34	18.75	81	20.31	85.66	21.90	87.54	21.99	89.36	22.19	
	37	56.09	13.35	66.21	16.65	76.34	19.94	81	21.62	85.66	23.29	87.54	23.38	89.36	23.61	
	39	56.09	13.41	66.21	16.70	76.34	20.02	81	21.70	85.66	23.41	87.54	23.46	89.36	23.69	
	41	56.09	13.46	66.21	16.79	76.34	20.11	81	21.82	85.66	23.52	87.54	23.57	89.36	23.80	
	43	56.09	13.55	66.21	16.88	76.34	20.20	81	21.90	85.66	23.61	87.54	23.69	89.36	23.92	
	46	56.09	13.61	66.21	16.96	76.34	20.28	81	22.01	85.66	23.72	87.54	23.80	89.36	24.03	
	48	56.09	13.66	66.21	17.01	76.34	20.40	81	22.10	84.21	23.83	85.88	23.92	87.48	24.14	
	50	56.09	13.72	66.21	17.10	76.34	20.48	79.39	22.22	82.61	23.95	84.21	24.03	85.88	24.26	
50%	10	46.77	5.48	55.18	6.85	63.64	8.21	67.5	8.89	71.36	9.57	72.91	9.60	74.46	9.72	
	12	46.77	5.60	55.18	6.96	63.64	8.35	67.5	9.07	71.36	9.77	72.91	9.80	74.46	9.88	
	14	46.77	5.71	55.18	7.10	63.64	8.50	67.5	9.23	71.36	9.95	72.91	9.97	74.46	10.06	
	16	46.77	5.80	55.18	7.21	63.64	8.66	67.5	9.38	71.36	10.11	72.91	10.14	74.46	10.26	
	18	46.77	5.91	55.18	7.36	63.64	8.81	67.5	9.54	71.36	10.29	72.91	10.34	74.46	10.42	
	19	46.77	5.99	55.18	7.47	63.64	8.95	67.5	9.72	71.36	10.48	72.91	10.51	74.46	10.60	
	21	46.77	6.45	55.18	8.01	63.64	9.60	67.5	10.42	71.36	11.22	72.91	11.25	74.46	11.36	
	23	46.77	6.90	55.18	8.58	63.64	10.29	67.5	11.17	71.36	12.01	72.91	12.08	74.46	12.19	
	25	46.77	7.39	55.18	9.20	63.64	10.99	67.5	11.93	71.36	12.86	72.91	12.89	74.46	13.04	
	27	46.77	7.90	55.18	9.83	63.64	11.76	67.5	12.76	71.36	13.75	72.91	13.81	74.46	13.92	
	29	46.77	8.41	55.18	10.48	63.64	12.55	67.5	13.64	71.36	14.68	72.91	14.75	74.46	14.88	
	31	46.77	8.97	55.18	11.20	63.64	13.41	67.5	14.54	71.36	15.65	72.91	15.71	74.46	15.85	
	33	46.77	9.57	55.18	11.93	63.64	14.26	67.5	15.48	71.36	16.67	72.91	16.73	74.46	16.90	
	35	46.77	10.17	55.18	12.67	63.64	15.17	67.5	16.48	71.36	17.76	72.91	17.81	74.46	17.99	
	37	46.77	10.82	55.18	13.49	63.64	16.13	67.5	17.50	71.36	18.89	72.91	18.95	74.46	19.11	
	39	46.77	10.88	55.18	13.55	63.64	16.22	67.5	17.58	71.36	18.95	72.91	19.00	74.46	19.21	
	41	46.77	10.91	55.18	13.61	63.64	16.28	67.5	17.67	71.36	19.03	72.91	19.11	74.46	19.29	
	43	46.77	10.97	55.18	13.66	63.64	16.36	67.5	17.76	71.36	19.15	72.91	19.21	74.46	19.37	
	46	46.77	11.02	55.18	13.72	63.64	16.44	67.5	17.84	71.36	19.23	72.91	19.29	74.46	19.46	
	48	46.77	11.08	55.18	13.81	63.64	16.51	67.5	17.92	71.57	19.32	72.21	19.37	73.55	19.57	
	50	46.77	11.14	55.18	13.87	63.64	16.59	67.5	18.01	70.88	19.40	71.57	19.46	72.91	19.66	

50HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-V1400W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	117.04	18.25	137.52	23.35	163.48	25.63	174.99	24.03	178.05	27.10	180.48	27.37	186.00	27.64	
	12	117.04	18.76	137.52	24.01	163.48	26.35	173.45	24.48	176.49	27.87	178.88	28.14	184.35	28.42	
	14	117.04	19.31	137.52	24.70	163.48	27.12	171.92	24.92	174.92	28.68	175.68	28.96	182.71	29.25	
	16	117.04	19.97	137.52	25.55	162.03	28.05	168.85	25.37	171.80	29.67	174.09	29.96	181.06	30.25	
	18	117.04	20.46	137.52	26.17	159.14	28.73	167.31	25.81	170.24	30.39	172.49	30.69	179.42	30.99	
	19	117.04	21.55	137.52	27.57	157.69	30.26	165.78	26.26	168.68	32.00	170.89	32.32	177.77	32.64	
	21	117.04	22.27	137.52	28.50	156.24	31.28	164.24	28.15	167.11	33.08	169.30	33.41	176.12	33.74	
	23	117.04	23.33	137.52	29.85	154.80	32.77	162.71	30.15	165.55	34.66	167.70	35.00	174.48	35.34	
	25	117.04	24.12	137.52	30.86	153.35	33.87	161.17	32.27	163.99	35.82	166.10	36.18	172.83	36.53	
	27	117.04	25.36	137.52	32.45	151.90	35.62	159.64	34.49	162.43	37.67	164.50	38.04	171.19	38.41	
	29	117.04	26.27	136.44	33.61	150.46	36.89	158.10	36.83	160.87	39.02	162.91	39.40	169.54	39.79	
	31	117.04	27.63	136.04	35.35	149.01	38.80	156.57	39.28	159.31	41.04	161.31	41.45	167.89	41.85	
	33	117.04	28.75	136.04	36.78	147.56	40.38	155.03	41.83	157.74	42.70	159.71	43.12	166.25	43.55	
	35	117.04	30.26	134.69	38.72	144.67	42.50	153.50	44.50	156.18	44.95	159.71	45.39	164.60	45.84	
	37	117.04	31.89	134.69	40.79	144.67	44.78	150.43	46.44	153.06	46.68	154.92	46.92	158.02	47.15	
	39	117.04	33.56	134.69	42.94	143.22	47.13	149.35	48.06	151.50	48.32	153.32	48.94	154.73	49.28	
	41	117.04	35.26	133.35	45.11	141.78	49.51	148.89	50.02	149.93	50.34	151.73	50.84	153.08	51.25	
	43	115.87	36.92	132.00	47.24	140.33	51.85	147.36	52.52	148.37	53.04	150.13	53.47	152.26	53.72	
	46	115.87	38.90	132.00	49.77	140.33	54.63	144.41	54.80	145.41	55.09	145.63	55.27	146.17	55.26	
	48	115.87	40.95	130.68	52.39	138.93	57.50	143.38	56.72	143.92	57.02	144.12	57.65	143.12	57.75	
	50	115.87	43.01	129.36	55.03	137.52	60.41	142.94	59.03	142.44	59.41	142.62	59.89	141.60	60.06	
120%	10	110.61	17.28	127.97	21.26	155.12	25.38	169.12	23.80	175.15	26.84	177.54	27.11	182.97	27.38	
	12	110.61	17.76	127.97	21.86	155.12	26.10	169.12	24.24	173.61	27.60	175.97	27.87	181.35	28.15	
	14	110.61	18.28	127.97	22.50	155.12	26.86	169.12	24.68	172.08	28.40	174.39	28.68	179.73	28.96	
	16	110.61	18.91	127.97	23.27	155.12	27.78	169.12	25.12	170.54	29.38	172.82	29.67	178.11	29.96	
	18	110.61	19.37	127.97	23.84	155.12	28.45	169.12	25.56	169.00	30.09	171.25	30.39	176.49	30.69	
	19	110.61	20.40	127.97	25.11	155.12	29.97	167.61	26.01	167.47	31.70	169.68	32.01	174.88	32.32	
	21	110.61	21.09	127.97	25.95	155.12	30.98	166.10	27.88	164.39	32.76	168.11	33.09	173.26	33.41	
	23	110.61	22.09	127.97	27.19	152.28	32.45	164.59	29.86	162.86	34.32	166.54	34.66	171.64	35.00	
	25	110.61	22.83	127.97	28.10	150.85	33.55	163.08	31.96	161.32	35.48	164.97	35.83	170.02	36.18	
	27	110.61	24.01	127.97	29.55	149.43	35.27	161.57	34.16	159.79	37.31	163.40	37.67	168.40	38.04	
	29	110.61	24.87	127.97	30.61	148.01	36.54	158.55	36.47	158.25	38.64	161.83	39.02	166.78	39.41	
	31	110.61	26.16	127.97	32.19	145.16	38.43	154.02	38.90	156.71	40.64	160.25	41.05	165.16	41.45	
	33	110.61	27.22	127.97	33.50	143.74	39.99	152.51	41.43	155.18	42.29	158.68	42.71	163.54	43.13	
	35	110.61	28.65	127.97	35.26	142.31	42.09	151.00	44.08	153.64	44.52	157.11	44.96	161.92	45.40	
	37	110.61	30.19	127.97	37.15	140.89	44.35	147.98	46.00	150.57	46.24	152.40	46.47	155.44	46.70	
	39	110.61	31.77	127.97	39.10	139.47	46.68	146.92	47.60	149.03	47.86	150.83	48.46	152.21	48.80	
	41	110.61	33.38	121.57	41.08	138.05	49.04	146.47	49.54	147.49	49.86	149.26	50.35	150.59	50.76	
	43	110.61	34.95	120.29	43.02	136.62	51.35	144.96	52.01	145.96	52.53	147.69	52.96	149.78	53.21	
	46	110.61	36.83	120.29	45.32	135.26	54.11	142.06	54.28	143.04	54.56	143.26	54.74	143.79	54.73	
	48	110.61	38.76	120.29	47.71	133.89	56.95	141.04	56.17	141.58	56.47	141.78	57.09	140.79	57.20	
	50	110.61	40.72	114.28	50.12	132.52	59.83	140.61	58.46	140.12	58.83	140.30	59.32	139.29	59.49	
110%	10	102.83	16.85	121.40	20.74	139.96	24.76	158.89	25.93	170.74	26.19	174.60	26.45	179.94	26.71	
	12	102.83	17.33	121.40	21.33	139.96	25.46	158.89	26.66	169.23	26.92	173.05	27.19	178.35	27.46	
	14	102.83	17.83	121.40	21.95	139.96	26.20	158.89	27.43	167.72	27.71	171.51	27.98	176.76	28.26	
	16	102.83	18.45	121.40	22.70	139.96	27.10	158.89	28.38	166.21	28.66	169.96	28.95	175.17	29.23	
	18	102.83	18.89	121.40	23.25	139.96	27.76	158.89	29.07	164.70	29.36	168.42	29.65	173.57	29.94	
	19	102.83	19.90	121.40	24.49	139.96	29.24	158.89	30.61	163.18	30.92	166.87	31.23	171.98	31.53	
	21	102.83	20.57	121.40	25.32	139.96	30.22	158.89	31.65	161.67	31.96	165.33	32.28	170.39	32.60	
	23	102.83	21.55	121.40	26.52	139.96	31.66	157.41	33.15	160.16	33.48	163.78	33.81	168.80	34.15	
	25	102.83	22.27	121.40	27.41	139.96	32.73	155.92	34.27	158.65	34.61	162.24	34.95	167.20	35.30	
	27	102.83	23.42	121.40	28.83	139.96	34.41	154.44	36.03	157.14	36.39	160.69	36.75	165.61	37.11	
	29	102.83	24.26	121.40	29.86	139.96	35.64	152.95	37.32	155.63	37.69	159.15	38.07	164.02	38.44	
	31	102.83	25.52	121.40	31.41	139.96	37.49	151.47	39.26	154.12	39.65	157.60	40.04	162.43	40.43	
	33	102.83	26.55	121.40	32.68	139.96	39.01	149.98	40.85	152.61	41.26	156.06	41.66	160.83	42.07	
	35	102.83	27.95	121.40	34.40	139.96	41.06	148.50	43.00	151.10	43.43	154.51	43.86	159.24	44.29	
	37	102.83	29.45	121.40	36.24	139.96	43.26	145.53	44.87	148.07	45.10	149.88	45.33	152.87	45.55	
	39	102.83	30.99	121.40	38.15	135.76	45.54	144.49	46.44	146.56	46.68	148.33	47.28	149.69	47.61	
	41	102.83	32.56	121.40	40.07	134.36	47.84	144.04	48.33	145.05	48.64	146.79	49.12	148.09	49.51	
	43	102.83	34.10	121.40	41.97	132.96	50.10	142.56	50.74	143.54	51.24	145.24	51.66	147.30	51.90	
	46	102.83	35.92	121.40	44.21	132.96	52.78	139.71	52.95	140.67	53.22	140.88	53.40	141.41	53.39	
	48	102.83	37.81	121.40	46.54	128.97	55.56	138.71	54.80	139.24	55.09	139.43	55.69	138.46	55.80	
	50	102.83	39.72	121.40	48.89	127.64	58.36	138.28	57.03	137.80	57.39	137.98	57.86	136.99	58.03	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1400W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	96.95	14.00	114.45	17.69	131.95	22.23	140.00	24.57	152.42	24.81	163.15	25.06	169.65	25.30	
	12	96.95	14.40	114.45	18.19	131.95	22.86	140.00	25.26	152.42	25.51	163.15	25.76	168.14	26.02	
	14	96.95	14.82	114.45	18.71	131.95	23.52	140.00	25.99	152.42	26.25	161.69	26.51	166.64	26.77	
	16	96.95	15.33	114.45	19.36	131.95	24.33	140.00	26.89	152.42	27.16	160.24	27.43	165.14	27.70	
	18	96.95	15.70	114.45	19.83	131.95	24.92	140.00	27.54	152.42	27.82	158.78	28.09	163.64	28.37	
	19	96.95	16.53	114.45	20.88	131.95	26.25	140.00	29.01	152.42	29.30	157.32	29.59	162.14	29.88	
	21	96.95	17.09	114.45	21.59	131.95	27.14	140.00	29.98	152.42	30.28	155.87	30.58	160.64	30.88	
	23	96.95	17.90	114.45	22.62	131.95	28.43	140.00	31.41	152.42	31.72	154.41	32.04	159.14	32.33	
	25	96.95	18.51	114.45	23.38	131.95	29.39	140.00	32.47	151.00	32.79	152.95	33.12	157.64	33.44	
	27	96.95	19.46	114.45	24.58	131.95	30.90	140.00	34.14	149.57	34.48	151.50	34.82	156.13	35.16	
	29	96.95	20.16	114.45	25.46	131.95	32.00	140.00	35.36	148.15	35.72	150.04	36.07	154.63	36.42	
	31	96.95	21.20	114.45	26.78	131.95	33.66	140.00	37.20	146.72	37.57	148.58	37.94	153.13	38.31	
	33	96.95	22.06	114.45	27.87	131.95	35.03	140.00	38.70	143.87	39.09	147.13	39.48	151.63	39.86	
	35	96.95	23.22	114.45	29.33	131.95	36.87	140.00	40.74	142.45	41.15	145.67	41.55	150.13	41.96	
	37	96.95	24.47	114.45	30.91	131.95	38.85	137.20	42.52	139.60	42.74	141.30	42.95	144.12	43.16	
	39	96.95	25.75	114.45	32.53	131.95	40.89	136.22	44.00	138.18	44.23	139.84	44.80	141.12	45.11	
	41	96.95	27.05	114.45	34.17	131.95	42.95	135.80	45.79	136.75	46.09	138.39	46.54	139.62	46.91	
	43	96.95	28.33	114.45	35.79	131.95	44.98	134.40	48.07	135.33	48.55	136.93	48.95	138.87	49.18	
	46	96.95	29.85	114.45	37.70	131.95	47.39	131.71	50.17	132.62	50.43	132.82	50.60	133.31	50.59	
	48	96.95	31.42	114.45	39.69	131.95	49.88	130.77	51.92	131.27	52.20	131.45	52.77	130.54	52.87	
	50	96.95	33.01	114.45	41.69	131.95	52.40	130.37	54.03	129.91	54.38	130.08	54.83	129.15	54.98	
90%	10	87.26	12.37	103.01	15.26	118.76	18.73	126.00	20.62	134.51	22.48	151.07	23.92	154.17	24.54	
	12	87.26	12.72	103.01	15.69	118.76	19.25	126.00	21.20	134.51	23.11	151.07	24.60	154.17	25.23	
	14	87.26	13.09	103.01	16.15	118.76	19.81	126.00	21.82	134.51	23.78	151.07	25.31	154.17	25.97	
	16	87.26	13.54	103.01	16.70	118.76	20.50	126.00	22.57	134.51	24.60	151.07	26.18	154.17	26.86	
	18	87.26	13.87	103.01	17.11	118.76	20.99	126.00	23.12	134.51	25.20	151.07	26.82	152.73	27.51	
	19	87.26	14.61	103.01	18.02	118.76	22.11	126.00	24.35	134.51	26.54	151.07	28.25	151.29	28.98	
	21	87.26	15.10	103.01	18.63	118.76	22.86	126.00	25.17	134.51	27.44	151.07	29.20	149.84	29.95	
	23	87.26	15.82	103.01	19.51	118.76	23.94	126.00	26.37	134.51	28.74	151.07	30.59	148.40	31.38	
	25	87.26	16.36	103.01	20.17	118.76	24.75	126.00	27.26	134.51	29.71	149.65	31.62	146.96	32.44	
	27	87.26	17.20	103.01	21.21	118.76	26.02	126.00	28.66	134.51	31.24	148.24	33.25	146.96	34.11	
	29	87.26	17.81	103.01	21.97	118.76	26.96	126.00	29.69	134.51	32.36	146.83	34.44	146.96	35.33	
	31	87.26	18.74	103.01	23.11	118.76	28.35	126.00	31.23	134.51	34.04	145.42	36.22	145.52	37.16	
	33	87.26	19.49	103.01	24.04	118.76	29.50	126.00	32.49	134.51	35.42	142.59	37.69	145.52	38.66	
	35	87.26	20.52	103.01	25.31	118.76	31.05	126.00	34.20	134.51	37.28	141.18	39.67	144.08	40.70	
	37	87.26	21.62	103.01	26.67	118.76	32.72	126.00	36.03	134.51	39.28	138.36	41.80	141.20	42.88	
	39	87.26	22.76	103.01	28.07	118.76	34.44	126.00	37.93	134.51	41.34	136.95	44.00	139.76	45.14	
	41	87.26	23.91	103.01	29.48	118.76	36.18	126.00	39.84	134.51	43.43	135.54	46.22	138.32	47.41	
	43	87.26	25.04	103.01	30.88	118.76	37.89	126.00	41.73	134.51	45.48	135.54	48.40	138.32	49.65	
	46	87.26	26.38	103.01	32.53	118.76	39.92	126.00	43.96	134.51	47.92	132.82	51.00	135.55	52.31	
	48	87.26	27.76	103.01	34.24	118.76	42.02	126.00	46.27	134.51	50.44	131.47	53.68	134.17	55.07	
	50	87.26	29.17	103.01	35.97	118.76	44.14	126.00	48.61	134.51	52.99	130.11	56.39	132.79	57.85	
80%	10	77.56	10.99	91.56	12.35	105.56	15.48	112.00	16.91	119.56	18.60	127.74	21.78	138.15	23.25	
	12	77.56	11.30	91.56	12.69	105.56	15.91	112.00	17.39	119.56	19.13	127.74	22.40	138.15	23.91	
	14	77.56	11.63	91.56	13.06	105.56	16.37	112.00	17.89	119.56	19.68	127.74	23.05	138.15	24.60	
	16	77.56	12.03	91.56	13.51	105.56	16.94	112.00	18.51	119.56	20.36	127.74	23.84	138.15	25.45	
	18	77.56	12.32	91.56	13.84	105.56	17.35	112.00	18.96	119.56	20.86	127.74	24.42	138.15	26.07	
	19	77.56	12.98	91.56	14.58	105.56	18.27	112.00	19.97	119.56	21.97	127.74	25.72	138.15	27.46	
	21	77.56	13.42	91.56	15.07	105.56	18.89	112.00	20.64	119.56	22.71	127.74	26.59	138.15	28.38	
	23	77.56	14.06	91.56	15.79	105.56	19.79	112.00	21.62	119.56	23.79	127.74	27.85	138.15	29.73	
	25	77.56	14.53	91.56	16.32	105.56	20.45	112.00	22.35	119.56	24.59	127.74	28.79	138.15	30.74	
	27	77.56	15.28	91.56	17.16	105.56	21.51	112.00	23.50	119.56	25.85	127.74	30.27	138.15	32.32	
	29	77.56	15.82	91.56	17.77	105.56	22.28	112.00	24.35	119.56	26.78	127.74	31.36	138.15	33.47	
	31	77.56	16.64	91.56	18.69	105.56	23.43	112.00	25.61	119.56	28.17	127.74	32.98	138.15	35.21	
	33	77.56	17.32	91.56	19.45	105.56	24.38	112.00	26.65	119.56	29.31	127.74	34.32	138.15	36.64	
	35	77.56	18.23	91.56	20.47	105.56	25.66	112.00	28.05	119.56	30.85	127.74	36.13	138.15	38.57	
	37	77.56	19.21	91.56	21.57	105.56	27.04	112.00	29.55	119.56	32.51	125.18	38.06	135.39	40.63	
	39	77.56	20.22	91.56	22.71	105.56	28.46	112.00	31.10	119.56	34.22	123.90	40.06	134.01	42.77	
	41	77.56	21.24	91.56	23.85	105.56	29.90	112.00	32.68	119.56	35.94	122.63	42.09	132.63	44.93	
	43	77.56	22.24	91.56	24.98	105.56	31.31	112.00	34.22	119.56	37.64	122.63	44.07	132.63	47.05	
	46	77.56	23.43	91.56	26.32	105.56	32.99	112.00	36.05	119.56	39.66	120.17	46.43	129.97	49.57	
	48	77.56	24.67	91.56	27.70	105.56	34.72	112.00	37.95	119.56	41.74	118.95	48.88	128.65	52.18	
	50	77.56	25.91	91.56	29.10	105.56	36.48	112.00	39.86	119.56	43.85		51.34	127.32	54.81	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1400W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	67.87	9.87	80.12	11.75	92.37	14.33	98.00	15.66	104.62	16.91	111.77	19.11	120.88	20.67	
	12	67.87	9.97	80.12	11.86	92.37	14.47	98.00	15.82	104.62	17.08	111.77	19.30	120.88	20.88	
	14	67.87	9.94	80.12	11.83	92.37	14.43	98.00	15.77	104.62	17.04	111.77	19.24	120.88	20.82	
	16	67.87	10.25	80.12	12.20	92.37	14.88	98.00	16.26	104.62	17.56	111.77	19.84	120.88	21.47	
	18	67.87	10.33	80.12	12.30	92.37	15.00	98.00	16.40	104.62	17.71	111.77	20.00	120.88	21.64	
	19	67.87	10.70	80.12	12.73	92.37	15.53	98.00	16.98	104.62	18.33	111.77	20.71	120.88	22.41	
	21	67.87	10.89	80.12	12.97	92.37	15.82	98.00	17.29	104.62	18.67	111.77	21.09	120.88	22.82	
	23	67.87	11.24	80.12	13.38	92.37	16.33	98.00	17.85	104.62	19.27	111.77	21.77	120.88	23.56	
	25	67.87	11.47	80.12	13.65	92.37	16.65	98.00	18.20	104.62	19.66	111.77	22.21	120.88	24.03	
	27	67.87	11.90	80.12	14.17	92.37	17.29	98.00	18.89	104.62	20.40	111.77	23.05	120.88	24.94	
	29	67.87	12.32	80.12	14.67	92.37	17.90	98.00	19.56	104.62	21.13	111.77	23.86	120.88	25.82	
	31	67.87	12.95	80.12	15.42	92.37	18.82	98.00	20.56	104.62	22.21	111.77	25.09	120.88	27.14	
	33	67.87	13.47	80.12	16.04	92.37	19.57	98.00	21.39	104.62	23.10	111.77	26.09	120.88	28.23	
	35	67.87	14.04	80.12	16.71	92.37	20.38	98.00	22.28	104.62	24.06	111.77	27.18	120.88	29.41	
	37	67.87	14.79	80.12	17.60	92.37	21.48	98.00	23.47	104.62	25.35	109.53	28.64	118.47	30.98	
	39	67.87	15.57	80.12	18.53	92.37	22.61	98.00	24.71	104.62	26.68	108.42	30.14	117.26	32.61	
	41	67.87	16.35	80.12	19.47	92.37	23.75	98.00	25.95	104.62	28.03	107.30	31.66	116.05	34.26	
	43	67.87	17.12	80.12	20.38	92.37	24.87	98.00	27.18	104.62	29.35	107.30	33.16	116.05	35.88	
	46	67.87	18.04	80.12	21.48	92.37	26.20	98.00	28.64	104.62	30.93	105.15	34.94	113.73	37.80	
	48	67.87	18.99	80.12	22.61	92.37	27.58	98.00	30.14	104.62	32.55	104.08	36.77	112.57	39.79	
	50	67.87	19.95	80.12	23.75	92.37	28.97	98.00	31.66	104.62	34.20	103.01	38.63	111.41	41.80	
60%	10	58.17	7.96	68.67	9.15	79.17	10.90	84.00	11.88	89.67	13.30	95.80	15.32	103.61	16.63	
	12	58.17	8.04	68.67	9.24	79.17	11.01	84.00	12.00	89.67	13.43	95.80	15.47	103.61	16.79	
	14	58.17	8.01	68.67	9.21	79.17	10.98	84.00	11.96	89.67	13.40	95.80	15.43	103.61	16.75	
	16	58.17	8.26	68.67	9.50	79.17	11.32	84.00	12.33	89.67	13.81	95.80	15.91	103.61	17.27	
	18	58.17	8.33	68.67	9.57	79.17	11.41	84.00	12.43	89.67	13.93	95.80	16.04	103.61	17.41	
	19	58.17	8.63	68.67	9.91	79.17	11.82	84.00	12.87	89.67	14.42	95.80	16.61	103.61	18.02	
	21	58.17	8.78	68.67	10.10	79.17	12.04	84.00	13.11	89.67	14.68	95.80	16.91	103.61	18.35	
	23	58.17	9.07	68.67	10.42	79.17	12.42	84.00	13.53	89.67	15.16	95.80	17.46	103.61	18.95	
	25	58.17	9.25	68.67	10.63	79.17	12.67	84.00	13.80	89.67	15.46	95.80	17.81	103.61	19.32	
	27	58.17	9.60	68.67	11.03	79.17	13.15	84.00	14.33	89.67	16.05	95.80	18.48	103.61	20.06	
	29	58.17	9.94	68.67	11.42	79.17	13.62	84.00	14.83	89.67	16.61	95.80	19.14	103.61	20.77	
	31	58.17	10.45	68.67	12.01	79.17	14.32	84.00	15.59	89.67	17.47	95.80	20.12	103.61	21.83	
	33	58.17	10.87	68.67	12.49	79.17	14.89	84.00	16.22	89.67	18.17	95.80	20.92	103.61	22.71	
	35	58.17	11.32	68.67	13.01	79.17	15.51	84.00	16.89	89.67	18.92	95.80	21.79	103.61	23.65	
	37	58.17	11.93	68.67	13.71	79.17	16.34	84.00	17.80	89.67	19.94	93.89	22.96	101.54	24.92	
	39	58.17	12.55	68.67	14.43	79.17	17.20	84.00	18.74	89.67	20.98	92.93	24.17	100.51	26.23	
	41	58.17	13.19	68.67	15.16	79.17	18.07	84.00	19.68	89.67	22.04	91.97	25.39	99.47	27.56	
	43	58.17	13.81	68.67	15.87	79.17	18.92	84.00	20.61	89.67	23.09	91.97	26.59	99.47	28.86	
	46	58.17	14.55	68.67	16.72	79.17	19.94	84.00	21.72	89.67	24.32	90.13	28.01	97.48	30.40	
	48	58.17	15.32	68.67	17.60	79.17	20.98	84.00	22.86	89.67	25.60	89.21	29.49	96.49	32.00	
	50	58.17	16.09	68.67	18.49	79.17	22.04	84.00	24.01	89.67	26.89	88.29	30.98	95.49	33.62	
50%	10	48.48	6.27	57.23	6.94	65.98	7.71	70.00	8.36	74.73	9.70	79.84	10.96	86.35	12.29	
	12	48.48	6.33	57.23	7.01	65.98	7.79	70.00	8.45	74.73	9.80	79.84	11.06	86.35	12.42	
	14	48.48	6.32	57.23	6.99	65.98	7.77	70.00	8.42	74.73	9.77	79.84	11.03	86.35	12.38	
	16	48.48	6.51	57.23	7.21	65.98	8.01	70.00	8.68	74.73	10.07	79.84	11.38	86.35	12.77	
	18	48.48	6.57	57.23	7.27	65.98	8.07	70.00	8.76	74.73	10.16	79.84	11.47	86.35	12.87	
	19	48.48	6.80	57.23	7.52	65.98	8.36	70.00	9.06	74.73	10.52	79.84	11.87	86.35	13.33	
	21	48.48	6.92	57.23	7.66	65.98	8.51	70.00	9.23	74.73	10.71	79.84	12.09	86.35	13.57	
	23	48.48	7.15	57.23	7.91	65.98	8.79	70.00	9.53	74.73	11.05	79.84	12.48	86.35	14.01	
	25	48.48	7.29	57.23	8.07	65.98	8.96	70.00	9.72	74.73	11.27	79.84	12.73	86.35	14.29	
	27	48.48	7.57	57.23	8.37	65.98	9.30	70.00	10.09	74.73	11.70	79.84	13.22	86.35	14.83	
	29	48.48	7.83	57.23	8.67	65.98	9.63	70.00	10.44	74.73	12.12	79.84	13.68	86.35	15.35	
	31	48.48	8.24	57.23	9.11	65.98	10.12	70.00	10.98	74.73	12.74	79.84	14.38	86.35	16.14	
	33	48.48	8.57	57.23	9.48	65.98	10.53	70.00	11.42	74.73	13.25	79.84	14.96	86.35	16.79	
	35	48.48	8.92	57.23	9.87	65.98	10.97	70.00	11.90	74.73	13.80	79.84	15.58	86.35	17.49	
	37	48.48	9.40	57.23	10.40	65.98	11.56	70.00	12.53	74.73	14.54	78.24	16.42	84.62	18.42	
	39	48.48	9.89	57.23	10.95	65.98	12.16	70.00	13.19	74.73	15.30	77.44	17.28	83.75	19.39	
	41	48.48	10.39	57.23	11.50	65.98	12.78	70.00	13.86	74.73	16.08	76.64	18.16	82.89	20.37	
	43	48.48	10.88	57.23	12.05	65.98	13.38	70.00	14.51	74.73	16.84	76.64	19.01	82.89	21.33	
	46	48.48	11.47	57.23	12.69	65.98	14.10	70.00	15.29	74.73	17.74	75.11	20.03	81.23	22.48	
	48	48.48	12.07	57.23	13.36	65.98	14.84	70.00	16.10	74.73	18.67	74.34	21.08	80.40	23.66	
	50	48.48	12.68	57.23	14.03	65.98	15.59	70.00	16.91	74.73	19.61	73.58	22.15	79.58	24.85	

52HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1450W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	121.22	18.92	142.43	24.20	169.32	26.57	181.23	24.91	184.41	28.10	186.92	28.37	192.64	28.65	
	12	121.22	19.45	142.43	24.88	169.32	27.31	179.65	25.37	182.79	28.89	185.27	29.17	190.94	29.46	
	14	121.22	20.01	142.43	25.61	169.32	28.11	178.06	25.83	181.17	29.73	181.96	30.02	189.23	30.32	
	16	121.22	20.70	142.43	26.49	167.82	29.08	174.88	26.30	177.94	30.75	180.30	31.06	187.53	31.36	
	18	121.22	21.21	142.43	27.13	164.82	29.78	173.29	26.76	176.32	31.50	178.65	31.81	185.82	32.12	
	19	121.22	22.34	142.43	28.58	163.32	31.37	171.70	27.22	174.70	33.17	177.00	33.50	184.12	33.83	
	21	121.22	23.09	142.43	29.54	161.82	32.43	170.11	29.18	173.08	34.29	175.34	34.63	182.41	34.97	
	23	121.22	24.19	142.43	30.94	160.33	33.97	168.52	31.25	171.47	35.92	173.69	36.28	180.71	36.63	
	25	121.22	25.00	142.43	31.99	158.83	35.11	166.93	33.45	169.85	37.13	172.03	37.50	179.00	37.87	
	27	121.22	26.29	142.43	33.63	157.33	36.92	165.34	35.75	168.23	39.05	170.38	39.43	177.30	39.82	
	29	121.22	27.23	141.32	34.84	155.83	38.24	163.75	38.17	166.61	40.44	168.72	40.84	175.59	41.24	
	31	121.22	28.64	140.90	36.64	154.33	40.22	162.16	40.71	165.00	42.54	167.07	42.96	173.89	43.38	
	33	121.22	29.80	140.90	38.13	152.83	41.85	160.57	43.36	163.38	44.26	165.42	44.70	172.18	45.14	
	35	121.22	31.37	139.50	40.13	149.84	44.06	158.98	46.13	161.76	46.59	165.42	47.05	170.48	47.52	
	37	121.22	33.05	139.50	42.29	149.84	46.42	155.80	48.14	158.52	48.39	160.45	48.64	163.66	48.87	
	39	121.22	34.79	139.50	44.51	148.34	48.86	154.69	49.82	156.91	50.09	158.80	50.72	160.25	51.08	
	41	121.22	36.55	138.11	46.76	146.84	51.33	154.21	51.85	155.29	52.18	157.15	52.70	158.55	53.12	
	43	120.01	38.27	136.71	48.96	145.34	53.75	152.62	54.44	153.67	54.98	155.49	55.43	157.69	55.69	
	46	120.01	40.32	136.71	51.59	145.34	56.63	149.57	56.81	150.60	57.10	150.83	57.29	151.39	57.28	
	48	120.01	42.44	135.35	54.30	143.89	59.61	148.50	58.79	149.06	59.10	149.27	59.75	148.23	59.87	
	50	120.01	44.59	133.98	57.04	142.43	62.62	148.04	61.19	147.53	61.58	147.72	62.08	146.66	62.26	
120%	10	114.56	17.91	132.54	22.04	160.66	26.31	175.16	24.67	181.40	27.83	183.88	28.10	189.51	28.38	
	12	114.56	18.41	132.54	22.66	160.66	27.05	175.16	25.13	179.81	28.61	182.25	28.89	187.83	29.18	
	14	114.56	18.95	132.54	23.32	160.66	27.84	175.16	25.59	178.22	29.44	180.62	29.73	186.15	30.02	
	16	114.56	19.60	132.54	24.12	160.66	28.80	175.16	26.04	176.63	30.46	179.00	30.76	184.48	31.06	
	18	114.56	20.08	132.54	24.71	160.66	29.50	175.16	26.50	175.04	31.19	177.37	31.50	182.80	31.81	
	19	114.56	21.14	132.54	26.02	160.66	31.07	173.59	26.96	173.45	32.86	175.74	33.18	181.12	33.51	
	21	114.56	21.86	132.54	26.90	160.66	32.11	172.03	28.90	170.27	33.96	174.11	34.30	179.44	34.64	
	23	114.56	22.90	132.54	28.18	157.72	33.64	170.46	30.95	168.67	35.58	172.49	35.93	177.77	36.28	
	25	114.56	23.67	132.54	29.13	156.24	34.78	168.90	33.12	167.08	36.78	170.86	37.14	176.09	37.51	
	27	114.56	24.89	132.54	30.63	154.77	36.56	167.34	35.41	165.49	38.67	169.23	39.05	174.41	39.44	
	29	114.56	25.78	132.54	31.73	153.29	37.87	164.21	37.81	163.90	40.05	167.61	40.45	172.74	40.85	
	31	114.56	27.11	132.54	33.37	150.35	39.84	159.52	40.32	162.31	42.13	165.98	42.55	171.06	42.97	
	33	114.56	28.21	132.54	34.72	148.87	41.45	157.95	42.95	160.72	43.84	164.35	44.27	169.38	44.71	
	35	114.56	29.70	132.54	36.55	147.40	43.63	156.39	45.69	159.13	46.15	162.72	46.60	167.70	47.06	
	37	114.56	31.29	132.54	38.51	145.92	45.97	153.26	47.68	155.94	47.93	157.84	48.17	161.00	48.41	
	39	114.56	32.93	132.54	40.53	144.45	48.39	152.17	49.34	154.35	49.61	156.21	50.24	157.64	50.59	
	41	114.56	34.60	125.91	42.58	142.98	50.83	151.70	51.35	152.76	51.68	154.59	52.19	155.97	52.61	
	43	114.56	36.23	124.59	44.59	141.50	53.23	150.13	53.91	151.17	54.45	152.96	54.90	155.13	55.15	
	46	114.56	38.17	124.59	46.98	140.09	56.09	147.13	56.26	148.15	56.55	148.37	56.74	148.92	56.73	
	48	114.56	40.18	124.59	49.45	138.67	59.03	146.08	58.23	146.64	58.54	146.84	59.18	145.82	59.29	
	50	114.56	42.21	118.36	51.95	137.26	62.02	145.63	60.60	145.12	60.99	145.31	61.49	144.27	61.66	
110%	10	106.51	17.47	125.73	21.50	144.96	25.67	164.57	26.88	176.84	27.14	180.83	27.41	186.37	27.68	
	12	106.51	17.96	125.73	22.11	144.96	26.39	164.57	27.63	175.27	27.91	179.23	28.19	184.72	28.46	
	14	106.51	18.48	125.73	22.75	144.96	27.16	164.57	28.44	173.71	28.72	177.63	29.00	183.07	29.29	
	16	106.51	19.12	125.73	23.53	144.96	28.09	164.57	29.42	172.14	29.71	176.03	30.00	181.42	30.30	
	18	106.51	19.58	125.73	24.10	144.96	28.77	164.57	30.13	170.58	30.43	174.43	30.73	179.77	31.03	
	19	106.51	20.63	125.73	25.39	144.96	30.31	164.57	31.73	169.01	32.05	172.83	32.37	178.12	32.69	
	21	106.51	21.32	125.73	26.24	144.96	31.33	164.57	32.80	167.45	33.13	171.23	33.46	176.47	33.79	
	23	106.51	22.34	125.73	27.49	144.96	32.82	163.03	34.36	165.88	34.71	169.63	35.05	174.82	35.39	
	25	106.51	23.09	125.73	28.42	144.96	33.92	161.49	35.52	164.32	35.88	168.03	36.23	173.18	36.59	
	27	106.51	24.28	125.73	29.88	144.96	35.67	159.95	37.35	162.75	37.72	166.43	38.10	171.53	38.47	
	29	106.51	25.15	125.73	30.95	144.96	36.95	158.42	38.69	161.19	39.07	164.83	39.46	169.88	39.85	
	31	106.51	26.45	125.73	32.55	144.96	38.86	156.88	40.69	159.62	41.10	163.23	41.51	168.23	41.91	
	33	106.51	27.52	125.73	33.87	144.96	40.44	155.34	42.34	158.06	42.76	161.63	43.19	166.58	43.61	
	35	106.51	28.97	125.73	35.66	144.96	42.56	153.80	44.57	156.49	45.02	160.03	45.46	164.93	45.91	
	37	106.51	30.52	125.73	37.57	144.96	44.85	150.73	46.51	153.36	46.75	155.23	46.99	158.33	47.22	
	39	106.51	32.13	125.73	39.54	140.61	47.20	149.65	48.14	151.80	48.39	153.63	49.01	155.03	49.35	
	41	106.51	33.75	125.73	41.54	139.16	49.59	149.19	50.10	150.23	50.42	152.03	50.92	153.38	51.32	
	43	106.51	35.34	125.73	43.50	137.71	51.93	147.65	52.59	148.67	53.12	150.43	53.55	152.56	53.80	
	46	106.51	37.24	125.73	45.83	137.71	54.71	144.70	54.89	145.70	55.17	145.92	55.35	146.46	55.34	
	48	106.51	39.20	125.73	48.24	133.58	57.59	143.66	56.80	144.21	57.10	144.41	57.73	143.41	57.84	
	50	106.51	41.18	125.73	50.68	132.20	60.50	143.22	59.11	142.72	59.49	142.91	59.98	141.88	60.15	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1450W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
100%	10	100.41	14.51		118.54	18.33		136.66	23.05		145.00	25.46		157.87	25.72	
	12	100.41	14.92		118.54	18.85		136.66	23.70		145.00	26.18		157.87	26.44	
	14	100.41	15.36		118.54	19.40		136.66	24.38		145.00	26.94		157.87	27.21	
	16	100.41	15.89		118.54	20.07		136.66	25.22		145.00	27.87		157.87	28.15	
	18	100.41	16.27		118.54	20.55		136.66	25.84		145.00	28.55		157.87	28.83	
	19	100.41	17.14		118.54	21.65		136.66	27.21		145.00	30.07		157.87	30.37	
	21	100.41	17.72		118.54	22.38		136.66	28.13		145.00	31.08		157.87	31.39	
	23	100.41	18.56		118.54	23.44		136.66	29.47		145.00	32.56		157.87	32.88	
	25	100.41	19.18		118.54	24.23		136.66	30.46		145.00	33.66		156.39	33.99	
	27	100.41	20.17		118.54	25.48		136.66	32.03		145.00	35.39		154.91	35.74	
	29	100.41	20.89		118.54	26.39		136.66	33.17		145.00	36.66		153.44	37.02	
	31	100.41	21.98		118.54	27.76		136.66	34.89		145.00	38.56		151.96	38.94	
	33	100.41	22.87		118.54	28.89		136.66	36.31		145.00	40.12		149.01	40.52	
	35	100.41	24.07		118.54	30.41		136.66	38.22		145.00	42.23		147.54	42.65	
	37	100.41	25.36		118.54	32.04		136.66	40.27		142.10	44.07		144.59	44.30	
	39	100.41	26.69		118.54	33.72		136.66	42.38		141.09	45.61		143.11	45.85	
	41	100.41	28.04		118.54	35.42		136.66	44.52		140.65	47.47		141.64	47.77	
	43	100.41	29.37		118.54	37.09		136.66	46.63		139.20	49.83		140.16	50.33	
	46	100.41	30.94		118.54	39.08		136.66	49.13		136.42	52.00		137.36	52.27	
	48	100.41	32.57		118.54	41.14		136.66	51.71		135.44	53.82		135.96	54.10	
90%	50	100.41	34.21		118.54	43.22		136.66	54.32		135.02	56.01		134.55	56.37	
	10	90.37	12.83		106.68	15.82		123.00	19.41		130.50	21.38		139.31	23.30	
	12	90.37	13.19		106.68	16.27		123.00	19.96		130.50	21.98		139.31	23.96	
	14	90.37	13.57		106.68	16.74		123.00	20.54		130.50	22.62		139.31	24.65	
	16	90.37	14.04		106.68	17.31		123.00	21.25		130.50	23.40		139.31	25.50	
	18	90.37	14.38		106.68	17.73		123.00	21.76		130.50	23.97		139.31	26.12	
	19	90.37	15.15		106.68	18.68		123.00	22.92		130.50	25.24		139.31	27.51	
	21	90.37	15.66		106.68	19.31		123.00	23.69		130.50	26.09		139.31	28.44	
	23	90.37	16.40		106.68	20.23		123.00	24.82		130.50	27.33		139.31	29.79	
	25	90.37	16.95		106.68	20.91		123.00	25.66		130.50	28.26		139.31	30.80	
	27	90.37	17.83		106.68	21.98		123.00	26.98		130.50	29.71		139.31	32.38	
	29	90.37	18.46		106.68	22.77		123.00	27.94		130.50	30.77		139.31	33.54	
	31	90.37	19.42		106.68	23.95		123.00	29.39		130.50	32.37		139.31	35.28	
	33	90.37	20.21		106.68	24.92		123.00	30.58		130.50	33.68		139.31	36.71	
	35	90.37	21.27		106.68	26.23		123.00	32.19		130.50	35.45		139.31	38.64	
	37	90.37	22.41		106.68	27.64		123.00	33.92		130.50	37.35		139.31	40.71	
	39	90.37	23.59		106.68	29.09		123.00	35.70		130.50	39.32		139.31	42.85	
	41	90.37	24.78		106.68	30.56		123.00	37.50		130.50	41.30		139.31	45.02	
	43	90.37	25.95		106.68	32.01		123.00	39.27		130.50	43.25		139.31	47.14	
	46	90.37	27.34		106.68	33.72		123.00	41.38		130.50	45.57		139.31	49.67	
	48	90.37	28.78		106.68	35.49		123.00	43.55		130.50	47.97		139.31	52.28	
	50	90.37	30.23		106.68	37.29		123.00	45.75		130.50	50.39		139.31	54.92	
80%	10	80.33	11.40		94.83	12.80		109.33	16.04		116.00	17.53		123.83	19.28	
	12	80.33	11.72		94.83	13.16		109.33	16.49		116.00	18.03		123.83	19.83	
	14	80.33	12.06		94.83	13.54		109.33	16.97		116.00	18.55		123.83	20.40	
	16	80.33	12.47		94.83	14.01		109.33	17.56		116.00	19.19		123.83	21.11	
	18	80.33	12.77		94.83	14.35		109.33	17.98		116.00	19.65		123.83	21.62	
	19	80.33	13.46		94.83	15.11		109.33	18.94		116.00	20.70		123.83	22.77	
	21	80.33	13.91		94.83	15.62		109.33	19.58		116.00	21.40		123.83	23.54	
	23	80.33	14.57		94.83	16.36		109.33	20.51		116.00	22.42		123.83	24.66	
	25	80.33	15.06		94.83	16.92		109.33	21.20		116.00	23.17		123.83	25.49	
	27	80.33	15.84		94.83	17.79		109.33	22.29		116.00	24.36		123.83	26.80	
	29	80.33	16.40		94.83	18.42		109.33	23.09		116.00	25.24		123.83	27.76	
	31	80.33	17.25		94.83	19.38		109.33	24.29		116.00	26.54		123.83	29.20	
	33	80.33	17.95		94.83	20.16		109.33	25.27		116.00	27.62		123.83	30.38	
	35	80.33	18.90		94.83	21.22		109.33	26.60		116.00	29.07		123.83	31.98	
	37	80.33	19.91		94.83	22.36		109.33	28.03		116.00	30.63		123.83	33.69	
	39	80.33	20.96		94.83	23.54		109.33	29.50		116.00	32.24		123.83	35.47	
	41	80.33	22.02		94.83	24.73		109.33	30.99		116.00	33.87		123.83	37.26	
	43	80.33	23.06		94.83	25.89		109.33	32.45		116.00	35.47		123.83	39.02	
	46	80.33	24.29		94.83	27.28		109.33	34.19		116.00	37.37		123.83	41.11	
	48	80.33	25.57		94.83	28.71		109.33	35.99		116.00	39.34		123.83	43.27	
	50	80.33	26.86		94.83	30.16		109.33	37.81		116.00	41.32		123.83	45.45	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1450W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	70.29	10.23	82.98	12.18	95.66	14.85	101.50	16.23	108.35	17.53	115.76	19.81	125.20	21.43	
	12	70.29	10.33	82.98	12.30	95.66	15.00	101.50	16.40	108.35	17.71	115.76	20.00	125.20	21.64	
	14	70.29	10.30	82.98	12.26	95.66	14.96	101.50	16.35	108.35	17.66	115.76	19.95	125.20	21.58	
	16	70.29	10.62	82.98	12.64	95.66	15.43	101.50	16.86	108.35	18.21	115.76	20.57	125.20	22.25	
	18	70.29	10.71	82.98	12.75	95.66	15.55	101.50	17.00	108.35	18.36	115.76	20.74	125.20	22.44	
	19	70.29	11.09	82.98	13.20	95.66	16.10	101.50	17.60	108.35	19.01	115.76	21.47	125.20	23.23	
	21	70.29	11.29	82.98	13.44	95.66	16.40	101.50	17.92	108.35	19.35	115.76	21.86	125.20	23.66	
	23	70.29	11.65	82.98	13.87	95.66	16.93	101.50	18.50	108.35	19.98	115.76	22.57	125.20	24.42	
	25	70.29	11.89	82.98	14.15	95.66	17.26	101.50	18.87	108.35	20.38	115.76	23.02	125.20	24.90	
	27	70.29	12.34	82.98	14.69	95.66	17.92	101.50	19.58	108.35	21.15	115.76	23.89	125.20	25.85	
	29	70.29	12.77	82.98	15.21	95.66	18.55	101.50	20.28	108.35	21.90	115.76	24.74	125.20	26.76	
	31	70.29	13.43	82.98	15.99	95.66	19.50	101.50	21.32	108.35	23.02	115.76	26.00	125.20	28.14	
	33	70.29	13.97	82.98	16.63	95.66	20.29	101.50	22.17	108.35	23.94	115.76	27.05	125.20	29.26	
	35	70.29	14.55	82.98	17.32	95.66	21.13	101.50	23.09	108.35	24.94	115.76	28.17	125.20	30.48	
	37	70.29	15.33	82.98	18.25	95.66	22.26	101.50	24.33	108.35	26.28	113.45	29.68	122.70	32.12	
	39	70.29	16.13	82.98	19.21	95.66	23.43	101.50	25.61	108.35	27.66	112.29	31.25	121.44	33.81	
	41	70.29	16.95	82.98	20.18	95.66	24.62	101.50	26.90	108.35	29.06	111.13	32.82	120.19	35.51	
	43	70.29	17.75	82.98	21.13	95.66	25.78	101.50	28.17	108.35	30.43	111.13	34.37	120.19	37.19	
	46	70.29	18.70	82.98	22.26	95.66	27.16	101.50	29.68	108.35	32.06	108.91	36.21	117.79	39.18	
	48	70.29	19.68	82.98	23.43	95.66	28.59	101.50	31.25	108.35	33.74	107.80	38.12	116.59	41.24	
	50	70.29	20.68	82.98	24.62	95.66	30.03	101.50	32.82	108.35	35.45	106.69	40.04	115.38	43.33	
60%	10	60.25	8.25	71.12	9.48	82.00	11.30	87.00	12.31	92.87	13.79	99.22	15.88	107.31	17.24	
	12	60.25	8.33	71.12	9.57	82.00	11.41	87.00	12.43	92.87	13.93	99.22	16.04	107.31	17.41	
	14	60.25	8.31	71.12	9.55	82.00	11.38	87.00	12.40	92.87	13.89	99.22	15.99	107.31	17.36	
	16	60.25	8.57	71.12	9.84	82.00	11.74	87.00	12.78	92.87	14.32	99.22	16.49	107.31	17.90	
	18	60.25	8.64	71.12	9.92	82.00	11.83	87.00	12.89	92.87	14.44	99.22	16.63	107.31	18.05	
	19	60.25	8.94	71.12	10.28	82.00	12.25	87.00	13.34	92.87	14.95	99.22	17.21	107.31	18.68	
	21	60.25	9.11	71.12	10.46	82.00	12.48	87.00	13.59	92.87	15.22	99.22	17.53	107.31	19.03	
	23	60.25	9.40	71.12	10.80	82.00	12.88	87.00	14.03	92.87	15.71	99.22	18.10	107.31	19.64	
	25	60.25	9.59	71.12	11.02	82.00	13.13	87.00	14.31	92.87	16.02	99.22	18.46	107.31	20.03	
	27	60.25	9.95	71.12	11.44	82.00	13.63	87.00	14.85	92.87	16.63	99.22	19.16	107.31	20.79	
	29	60.25	10.30	71.12	11.84	82.00	14.12	87.00	15.38	92.87	17.22	99.22	19.84	107.31	21.53	
	31	60.25	10.83	71.12	12.45	82.00	14.84	87.00	16.16	92.87	18.10	99.22	20.85	107.31	22.63	
	33	60.25	11.26	71.12	12.95	82.00	15.43	87.00	16.81	92.87	18.83	99.22	21.69	107.31	23.54	
	35	60.25	11.73	71.12	13.48	82.00	16.08	87.00	17.51	92.87	19.61	99.22	22.59	107.31	24.52	
	37	60.25	12.36	71.12	14.21	82.00	16.94	87.00	18.45	92.87	20.67	97.24	23.80	105.17	25.83	
	39	60.25	13.01	71.12	14.95	82.00	17.83	87.00	19.42	92.87	21.75	96.25	25.05	104.10	27.19	
	41	60.25	13.67	71.12	15.71	82.00	18.73	87.00	20.40	92.87	22.85	95.25	26.32	103.02	28.56	
	43	60.25	14.31	71.12	16.45	82.00	19.61	87.00	21.37	92.87	23.93	95.25	27.56	103.02	29.91	
	46	60.25	15.08	71.12	17.33	82.00	20.66	87.00	22.51	92.87	25.21	93.35	29.04	100.96	31.52	
	48	60.25	15.88	71.12	18.24	82.00	21.75	87.00	23.69	92.87	26.54	92.40	30.57	99.93	33.17	
	50	60.25	16.68	71.12	19.17	82.00	22.85	87.00	24.89	92.87	27.88	91.44	32.11	98.90	34.85	
50%	10	50.21	6.50	59.27	7.20	68.33	7.99	72.50	8.67	77.39	10.06	82.69	11.36	89.43	12.74	
	12	50.21	6.57	59.27	7.27	68.33	8.07	72.50	8.76	77.39	10.16	82.69	11.47	89.43	12.87	
	14	50.21	6.55	59.27	7.25	68.33	8.05	72.50	8.73	77.39	10.13	82.69	11.44	89.43	12.83	
	16	50.21	6.75	59.27	7.47	68.33	8.30	72.50	9.00	77.39	10.44	82.69	11.79	89.43	13.23	
	18	50.21	6.81	59.27	7.53	68.33	8.37	72.50	9.08	77.39	10.53	82.69	11.89	89.43	13.34	
	19	50.21	7.05	59.27	7.80	68.33	8.66	72.50	9.40	77.39	10.90	82.69	12.31	89.43	13.81	
	21	50.21	7.18	59.27	7.94	68.33	8.82	72.50	9.57	77.39	11.10	82.69	12.54	89.43	14.07	
	23	50.21	7.41	59.27	8.20	68.33	9.11	72.50	9.88	77.39	11.46	82.69	12.94	89.43	14.52	
	25	50.21	7.56	59.27	8.36	68.33	9.29	72.50	10.07	77.39	11.69	82.69	13.20	89.43	14.81	
	27	50.21	7.84	59.27	8.68	68.33	9.64	72.50	10.46	77.39	12.13	82.69	13.70	89.43	15.37	
	29	50.21	8.12	59.27	8.99	68.33	9.98	72.50	10.83	77.39	12.56	82.69	14.18	89.43	15.92	
	31	50.21	8.54	59.27	9.45	68.33	10.49	72.50	11.38	77.39	13.20	82.69	14.91	89.43	16.73	
	33	50.21	8.88	59.27	9.83	68.33	10.91	72.50	11.84	77.39	13.73	82.69	15.51	89.43	17.40	
	35	50.21	9.25	59.27	10.23	68.33	11.37	72.50	12.33	77.39	14.30	82.69	16.15	89.43	18.13	
	37	50.21	9.74	59.27	10.78	68.33	11.98	72.50	12.99	77.39	15.07	81.03	17.02	87.64	19.10	
	39	50.21	10.26	59.27	11.35	68.33	12.61	72.50	13.68	77.39	15.86	80.21	17.91	86.75	20.10	
	41	50.21	10.77	59.27	11.92	68.33	13.25	72.50	14.37	77.39	16.66	79.38	18.82	85.85	21.12	
	43	50.21	11.28	59.27	12.49	68.33	13.87	72.50	15.04	77.39	17.45	79.38	19.71	85.85	22.11	
	46	50.21	11.89	59.27	13.16	68.33	14.61	72.50	15.85	77.39	18.39	77.79	20.76	84.13	23.30	
	48	50.21	12.51	59.27	13.85	68.33	15.38	72.50	16.68	77.39	19.35	77.00	21.86	83.28	24.53	
	50	50.21	13.14	59.27	14.55	68.33	16.16	72.50	17.53	77.39	20.33	76.20	22.96	82.42	25.76	

54HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1515W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	126.65	20.34	148.82	26.03	176.91	28.57	189.36	26.79	192.67	30.22	195.30	30.52	201.28	30.82	
	12	126.65	20.92	148.82	26.76	176.91	29.38	187.70	27.29	190.98	31.07	193.57	31.38	199.50	31.69	
	14	126.65	21.53	148.82	27.54	176.91	30.23	186.04	27.79	189.29	31.97	190.12	32.29	197.72	32.61	
	16	126.65	22.27	148.82	28.49	175.34	31.27	182.72	28.28	185.91	33.07	188.39	33.40	195.93	33.73	
	18	126.65	22.81	148.82	29.18	172.21	32.03	181.05	28.78	184.22	33.88	186.66	34.21	194.15	34.55	
	19	126.65	24.02	148.82	30.73	170.64	33.74	179.39	29.27	182.53	35.68	184.93	36.03	192.37	36.39	
	21	126.65	24.83	148.82	31.77	169.08	34.87	177.73	31.38	180.84	36.88	183.20	37.25	190.59	37.61	
	23	126.65	26.01	148.82	33.28	167.51	36.53	176.07	33.62	179.15	38.64	181.47	39.02	188.81	39.40	
	25	126.65	26.89	148.82	34.40	165.95	37.77	174.41	35.97	177.46	39.94	179.75	40.34	187.03	40.73	
	27	126.65	28.27	148.82	36.17	164.38	39.71	172.75	38.45	175.77	41.99	178.02	42.41	185.25	42.83	
	29	126.65	29.29	147.65	37.47	162.82	41.13	171.09	41.06	174.08	43.50	176.29	43.93	183.47	44.36	
	31	126.65	30.80	147.21	39.41	161.25	43.26	169.43	43.79	172.39	45.75	174.56	46.21	181.68	46.66	
	33	126.65	32.05	147.21	41.01	159.68	45.01	167.77	46.64	170.70	47.61	172.83	48.08	179.90	48.55	
	35	126.65	33.74	145.76	43.17	156.55	47.38	166.10	49.62	169.01	50.11	172.83	50.61	178.12	51.11	
	37	126.65	35.55	145.76	45.48	156.55	49.92	162.78	51.78	165.63	52.05	167.65	52.31	171.00	52.57	
	39	126.65	37.42	145.76	47.87	154.99	52.55	161.62	53.59	163.94	53.87	165.92	54.56	167.43	54.94	
	41	126.65	39.31	144.30	50.29	153.42	55.20	161.12	55.77	162.25	56.13	164.19	56.68	165.65	57.14	
43	125.39	41.16	142.84	52.66	151.86	57.81	159.46	58.55	160.56	59.13	162.46	59.62	164.76	59.90		
46	125.39	43.37	142.84	55.49	151.86	60.91	156.27	61.10	157.35	61.42	157.59	61.62	158.17	61.61		
48	125.39	45.65	141.41	58.40	150.34	64.11	155.15	63.23	155.74	63.57	155.96	64.27	154.88	64.39		
50	125.39	47.95	139.98	61.35	148.82	67.35	154.68	65.81	154.14	66.23	154.34	66.77	153.23	66.96		
120%	10	119.69	19.26	138.48	23.71	167.87	28.30	183.01	26.54	189.54	29.93	192.12	30.22	198.00	30.52	
	12	119.69	19.80	138.48	24.37	167.87	29.10	183.01	27.03	187.87	30.77	190.42	31.08	196.25	31.38	
	14	119.69	20.38	138.48	25.08	167.87	29.94	183.01	27.52	186.21	31.66	188.72	31.98	194.50	32.29	
	16	119.69	21.08	138.48	25.95	167.87	30.97	183.01	28.01	184.55	32.76	187.02	33.08	192.74	33.41	
	18	119.69	21.59	138.48	26.57	167.87	31.72	183.01	28.50	182.89	33.55	185.32	33.88	190.99	34.22	
	19	119.69	22.74	138.48	27.99	167.87	33.41	181.37	28.99	181.22	35.34	183.62	35.69	189.24	36.04	
	21	119.69	23.51	138.48	28.93	167.87	34.54	179.74	31.08	177.90	36.53	181.92	36.89	187.49	37.25	
	23	119.69	24.63	138.48	30.31	164.79	36.18	178.11	33.29	176.24	38.27	180.22	38.64	185.74	39.02	
	25	119.69	25.46	138.48	31.33	163.25	37.40	176.47	35.63	174.57	39.56	178.52	39.95	183.98	40.34	
	27	119.69	26.77	138.48	32.94	161.71	39.33	174.84	38.08	172.91	41.59	176.82	42.00	182.23	42.41	
	29	119.69	27.72	138.48	34.12	160.16	40.73	171.57	40.66	171.25	43.08	175.12	43.51	180.48	43.93	
	31	119.69	29.16	138.48	35.89	157.08	42.85	166.67	43.37	169.59	45.31	173.42	45.76	178.73	46.21	
	33	119.69	30.34	138.48	37.35	155.54	44.58	165.03	46.19	167.92	47.15	171.72	47.62	176.97	48.08	
	35	119.69	31.94	138.48	39.31	154.00	46.93	163.40	49.14	166.26	49.63	170.02	50.12	175.22	50.61	
	37	119.69	33.65	138.48	41.42	152.46	49.44	160.13	51.28	162.93	51.55	164.92	51.81	168.21	52.06	
	39	119.69	35.42	138.48	43.60	150.92	52.04	158.99	53.07	161.27	53.35	163.22	54.03	164.71	54.41	
	41	119.69	37.21	131.56	45.80	149.38	54.67	158.50	55.23	159.61	55.59	161.52	56.14	162.96	56.59	
43	119.69	38.97	130.17	47.96	147.84	57.25	156.86	57.99	157.95	58.56	159.82	59.04	162.08	59.32		
46	119.69	41.06	130.17	50.53	146.37	60.32	153.73	60.51	154.79	60.83	155.02	61.03	155.60	61.02		
48	119.69	43.22	130.17	53.19	144.89	63.49	152.63	62.62	153.21	62.96	153.42	63.65	152.36	63.77		
50	119.69	45.40	123.66	55.87	143.41	66.70	152.16	65.18	151.63	65.59	151.83	66.13	150.74	66.32		
110%	10	111.28	18.79	131.37	23.12	151.46	27.60	171.94	28.91	184.76	29.19	188.94	29.48	194.72	29.77	
	12	111.28	19.32	131.37	23.78	151.46	28.38	171.94	29.72	183.13	30.02	187.27	30.31	193.00	30.61	
	14	111.28	19.88	131.37	24.47	151.46	29.21	171.94	30.58	181.49	30.89	185.60	31.20	191.28	31.50	
	16	111.28	20.56	131.37	25.31	151.46	30.21	171.94	31.64	179.86	31.95	183.92	32.27	189.55	32.59	
	18	111.28	21.06	131.37	25.92	151.46	30.95	171.94	32.40	178.22	32.73	182.25	33.05	187.83	33.38	
	19	111.28	22.18	131.37	27.30	151.46	32.59	171.94	34.13	176.59	34.47	180.58	34.81	186.11	35.15	
	21	111.28	22.93	131.37	28.22	151.46	33.69	171.94	35.28	174.95	35.63	178.91	35.99	184.38	36.34	
	23	111.28	24.02	131.37	29.57	151.46	35.30	170.34	36.96	173.32	37.33	177.24	37.70	182.66	38.07	
	25	111.28	24.83	131.37	30.56	151.46	36.49	168.73	38.21	171.68	38.59	175.56	38.97	180.94	39.35	
	27	111.28	26.11	131.37	32.14	151.46	38.36	167.12	40.17	170.05	40.57	173.89	40.97	179.22	41.38	
	29	111.28	27.05	131.37	33.29	151.46	39.74	165.52	41.61	168.41	42.02	172.22	42.44	177.49	42.86	
	31	111.28	28.45	131.37	35.01	151.46	41.80	163.91	43.77	166.78	44.20	170.55	44.64	175.77	45.08	
	33	111.28	29.60	131.37	36.43	151.46	43.49	162.30	45.54	165.14	45.99	168.88	46.45	174.05	46.91	
	35	111.28	31.16	131.37	38.35	151.46	45.78	160.70	47.94	163.51	48.42	167.20	48.89	172.32	49.37	
	37	111.28	32.83	131.37	40.40	151.46	48.23	157.48	50.03	160.24	50.28	162.19	50.54	165.43	50.79	
	39	111.28	34.55	131.37	42.53	146.91	50.77	156.36	51.77	158.60	52.05	160.52	52.71	161.98	53.08	
	41	111.28	36.30	131.37	44.68	145.40	53.33	155.88	53.88	156.97	54.23	158.84	54.76	160.26	55.20	
43	111.28	38.01	131.37	46.79	143.88	55.85	154.27	56.56	155.33	57.13	157.17	57.60	159.40	57.87		
46	111.28	40.05	131.37	49.29	143.88	58.84	151.18	59.03	152.23	59.34	152.46	59.53	153.02	59.52		
48	111.28	42.16	131.37	51.89	139.57	61.94	150.10	61.09	150.67	61.42	150.89	62.09	149.83	62.21		
50	111.28	44.29	131.37	54.51	138.13	65.07	149.64	63.58	149.12	63.99	149.31	64.51	148.24	64.70		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1515W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	104.91	15.61	123.85	19.72	142.79	24.79	151.50	27.39	164.94	27.66	176.55	27.94	183.58	28.21	
	12	104.91	16.05	123.85	20.28	142.79	25.49	151.50	28.16	164.94	28.44	176.55	28.72	181.96	29.01	
	14	104.91	16.52	123.85	20.86	142.79	26.23	151.50	28.98	164.94	29.27	174.98	29.56	180.33	29.85	
	16	104.91	17.09	123.85	21.58	142.79	27.13	151.50	29.98	164.94	30.28	173.40	30.58	178.71	30.88	
	18	104.91	17.50	123.85	22.11	142.79	27.79	151.50	30.70	164.94	31.01	171.82	31.32	177.08	31.63	
	19	104.91	18.43	123.85	23.28	142.79	29.27	151.50	32.34	164.94	32.66	170.25	32.99	175.46	33.31	
	21	104.91	19.05	123.85	24.07	142.79	30.25	151.50	33.43	164.94	33.76	168.67	34.10	173.83	34.43	
	23	104.91	19.96	123.85	25.21	142.79	31.69	151.50	35.02	164.94	35.37	167.09	35.72	172.21	36.07	
	25	104.91	20.63	123.85	26.06	142.79	32.76	151.50	36.20	163.40	36.56	165.52	36.92	170.58	37.29	
	27	104.91	21.70	123.85	27.40	142.79	34.45	151.50	38.06	161.86	38.44	163.94	38.82	168.96	39.20	
	29	104.91	22.47	123.85	28.39	142.79	35.68	151.50	39.42	160.32	39.82	162.36	40.21	167.33	40.61	
	31	104.91	23.64	123.85	29.86	142.79	37.53	151.50	41.47	158.78	41.88	160.79	42.30	165.71	42.71	
	33	104.91	24.59	123.85	31.07	142.79	39.05	151.50	43.15	155.69	43.58	159.21	44.01	164.09	44.44	
	35	104.91	25.89	123.85	32.70	142.79	41.11	151.50	45.42	154.15	45.87	157.64	46.33	162.46	46.78	
	37	104.91	27.28	123.85	34.46	142.79	43.31	148.47	47.40	151.07	47.64	152.91	47.89	155.96	48.12	
	39	104.91	28.71	123.85	36.27	142.79	45.59	147.41	49.05	149.53	49.31	151.33	49.94	152.91	50.29	
	41	104.91	30.16	123.85	38.10	142.79	47.89	146.96	51.05	147.99	51.38	149.75	51.89	151.09	52.30	
43	104.91	31.59	123.85	39.90	142.79	50.15	145.44	53.60	146.44	54.13	148.18	54.57	150.28	54.83		
46	104.91	33.28	123.85	42.04	142.79	52.84	142.53	55.93	143.51	56.22	143.73	56.41	144.27	56.40		
48	104.91	35.03	123.85	44.25	142.79	55.61	141.51	57.88	142.05	58.19	142.25	58.83	141.26	58.94		
50	104.91	36.80	123.85	46.48	142.79	58.42	141.08	60.24	140.59	60.63	140.77	61.12	139.76	61.30		
90%	10	94.42	13.80	111.47	17.01	128.51	20.88	136.35	22.99	145.55	25.06	163.47	26.67	166.83	27.36	
	12	94.42	14.18	111.47	17.49	128.51	21.47	136.35	23.64	145.55	25.77	163.47	27.42	166.83	28.13	
	14	94.42	14.60	111.47	18.00	128.51	22.09	136.35	24.33	145.55	26.52	163.47	28.22	166.83	28.95	
	16	94.42	15.10	111.47	18.62	128.51	22.85	136.35	25.17	145.55	27.43	163.47	29.19	166.83	29.95	
	18	94.42	15.47	111.47	19.07	128.51	23.40	136.35	25.78	145.55	28.10	163.47	29.90	165.27	30.67	
	19	94.42	16.29	111.47	20.09	128.51	24.65	136.35	27.15	145.55	29.59	163.47	31.49	163.71	32.31	
	21	94.42	16.84	111.47	20.77	128.51	25.48	136.35	28.06	145.55	30.59	163.47	32.55	162.15	33.40	
	23	94.42	17.64	111.47	21.75	128.51	26.69	136.35	29.40	145.55	32.04	163.47	34.10	160.59	34.98	
	25	94.42	18.23	111.47	22.49	128.51	27.59	136.35	30.39	145.55	33.12	161.95	35.25	159.03	36.16	
	27	94.42	19.17	111.47	23.65	128.51	29.01	136.35	31.95	145.55	34.83	160.42	37.07	159.03	38.02	
	29	94.42	19.86	111.47	24.49	128.51	30.05	136.35	33.10	145.55	36.08	158.89	38.39	159.03	39.39	
	31	94.42	20.89	111.47	25.76	128.51	31.61	136.35	34.81	145.55	37.95	157.36	40.38	157.48	41.43	
	33	94.42	21.73	111.47	26.81	128.51	32.89	136.35	36.22	145.55	39.48	154.31	42.02	157.48	43.11	
	35	94.42	22.88	111.47	28.22	128.51	34.62	136.35	38.13	145.55	41.56	152.78	44.23	155.92	45.37	
	37	94.42	24.10	111.47	29.73	128.51	36.48	136.35	40.17	145.55	43.79	149.72	46.60	152.80	47.81	
	39	94.42	25.37	111.47	31.29	128.51	38.40	136.35	42.29	145.55	46.09	148.20	49.05	151.24	50.32	
	41	94.42	26.65	111.47	32.87	128.51	40.33	136.35	44.42	145.55	48.42	146.67	51.53	149.68	52.86	
43	94.42	27.91	111.47	34.42	128.51	42.24	136.35	46.52	145.55	50.71	146.67	53.96	149.68	55.36		
46	94.42	29.41	111.47	36.27	128.51	44.50	136.35	49.01	145.55	53.42	143.74	56.85	146.69	58.32		
48	94.42	30.95	111.47	38.18	128.51	46.84	136.35	51.59	145.55	56.23	142.27	59.84	145.19	61.39		
50	94.42	32.52	111.47	40.10	128.51	49.21	136.35	54.19	145.55	59.07	140.80	62.87	143.69	64.49		
80%	10	83.93	12.26	99.08	13.76	114.23	17.25	121.20	18.86	129.38	20.74	138.23	24.29	149.50	25.93	
	12	83.93	12.60	99.08	14.15	114.23	17.74	121.20	19.39	129.38	21.33	138.23	24.97	149.50	26.66	
	14	83.93	12.97	99.08	14.56	114.23	18.25	121.20	19.95	129.38	21.94	138.23	25.70	149.50	27.43	
	16	83.93	13.41	99.08	15.07	114.23	18.88	121.20	20.64	129.38	22.70	138.23	26.58	149.50	28.38	
	18	83.93	13.74	99.08	15.43	114.23	19.34	121.20	21.14	129.38	23.25	138.23	27.23	149.50	29.06	
	19	83.93	14.47	99.08	16.25	114.23	20.37	121.20	22.26	129.38	24.49	138.23	28.68	149.50	30.61	
	21	83.93	14.96	99.08	16.80	114.23	21.06	121.20	23.01	129.38	25.32	138.23	29.64	149.50	31.64	
	23	83.93	15.67	99.08	17.60	114.23	22.06	121.20	24.11	129.38	26.52	138.23	31.05	149.50	33.15	
	25	83.93	16.20	99.08	18.19	114.23	22.80	121.20	24.92	129.38	27.41	138.23	32.10	149.50	34.27	
	27	83.93	17.03	99.08	19.13	114.23	23.98	121.20	26.20	129.38	28.82	138.23	33.75	149.50	36.03	
	29	83.93	17.64	99.08	19.81	114.23	24.83	121.20	27.14	129.38	29.86	138.23	34.96	149.50	37.32	
	31	83.93	18.56	99.08	20.84	114.23	26.12	121.20	28.55	129.38	31.40	138.23	36.77	149.50	39.25	
	33	83.93	19.31	99.08	21.69	114.23	27.18	121.20	29.71	129.38	32.68	138.23	38.26	149.50	40.85	
	35	83.93	20.33	99.08	22.83	114.23	28.61	121.20	31.27	129.38	34.40	138.23	40.27	149.50	43.00	
	37	83.93	21.41	99.08	24.05	114.23	30.15	121.20	32.95	129.38	36.24	135.46	42.43	146.51	45.30	
	39	83.93	22.54	99.08	25.31	114.23	31.73	121.20	34.68	129.38	38.15	134.08	44.66	145.02	47.68	
	41	83.93	23.68	99.08	26.59	114.23	33.33	121.20	36.43	129.38	40.07	132.70	46.92	143.52	50.09	
43	83.93	24.80	99.08	27.85	114.23	34.91	121.20	38.15	129.38	41.96	132.70	49.14	143.52	52.45		
46	83.93	26.13	99.08	29.34	114.23	36.78	121.20	40.19	129.38	44.21	130.05	51.77	140.65	55.27		
48	83.93	27.50	99.08	30.88	114.23	38.71	121.20	42.31	129.38	46.54	128.72	54.49	139.21	58.17		
50	83.93	28.89	99.08	32.44	114.23	40.67	121.20	44.44	129.38	48.89		57.24	137.78	61.11		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1515W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	73.44	11.00	86.70	13.10	99.95	15.98	106.05	17.46	113.21	18.86	120.95	21.30	130.81	23.05	
	12	73.44	11.11	86.70	13.23	99.95	16.14	106.05	17.63	113.21	19.05	120.95	21.51	130.81	23.28	
	14	73.44	11.08	86.70	13.19	99.95	16.09	106.05	17.59	113.21	18.99	120.95	21.45	130.81	23.21	
	16	73.44	11.42	86.70	13.60	99.95	16.59	106.05	18.13	113.21	19.58	120.95	22.12	130.81	23.93	
	18	73.44	11.52	86.70	13.71	99.95	16.73	106.05	18.28	113.21	19.74	120.95	22.30	130.81	24.13	
	19	73.44	11.92	86.70	14.19	99.95	17.32	106.05	18.93	113.21	20.44	120.95	23.09	130.81	24.98	
	21	73.44	12.14	86.70	14.46	99.95	17.64	106.05	19.27	113.21	20.82	120.95	23.51	130.81	25.44	
	23	73.44	12.53	86.70	14.92	99.95	18.20	106.05	19.90	113.21	21.49	120.95	24.27	130.81	26.26	
	25	73.44	12.78	86.70	15.22	99.95	18.57	106.05	20.29	113.21	21.92	120.95	24.76	130.81	26.79	
	27	73.44	13.27	86.70	15.80	99.95	19.27	106.05	21.06	113.21	22.75	120.95	25.70	130.81	27.80	
	29	73.44	13.74	86.70	16.36	99.95	19.95	106.05	21.81	113.21	23.55	120.95	26.61	130.81	28.79	
	31	73.44	14.44	86.70	17.19	99.95	20.98	106.05	22.93	113.21	24.76	120.95	27.97	130.81	30.26	
	33	73.44	15.02	86.70	17.88	99.95	21.82	106.05	23.84	113.21	25.75	120.95	29.09	130.81	31.47	
	35	73.44	15.65	86.70	18.63	99.95	22.73	106.05	24.84	113.21	26.82	120.95	30.30	130.81	32.79	
	37	73.44	16.49	86.70	19.63	99.95	23.94	106.05	26.17	113.21	28.26	118.53	31.93	128.20	34.54	
	39	73.44	17.35	86.70	20.66	99.95	25.20	106.05	27.55	113.21	29.75	117.32	33.61	126.89	36.36	
	41	73.44	18.23	86.70	21.70	99.95	26.48	106.05	28.94	113.21	31.25	116.11	35.30	125.58	38.20	
	43	73.44	19.09	86.70	22.73	99.95	27.73	106.05	30.30	113.21	32.73	116.11	36.97	125.58	40.00	
	46	73.44	20.11	86.70	23.94	99.95	29.21	106.05	31.93	113.21	34.48	113.79	38.95	123.07	42.14	
	48	73.44	21.17	86.70	25.20	99.95	30.75	106.05	33.61	113.21	36.29	112.63	41.00	121.81	44.36	
50	73.44	22.24	86.70	26.48	99.95	32.30	106.05	35.30	113.21	38.13	111.47	43.07	120.56	46.60		
60%	10	62.95	8.87	74.31	10.20	85.67	12.16	90.90	13.24	97.04	14.83	103.67	17.08	112.13	18.54	
	12	62.95	8.96	74.31	10.30	85.67	12.28	90.90	13.37	97.04	14.98	103.67	17.25	112.13	18.72	
	14	62.95	8.93	74.31	10.27	85.67	12.24	90.90	13.34	97.04	14.94	103.67	17.20	112.13	18.67	
	16	62.95	9.21	74.31	10.59	85.67	12.62	90.90	13.75	97.04	15.40	103.67	17.74	112.13	19.25	
	18	62.95	9.29	74.31	10.67	85.67	12.73	90.90	13.86	97.04	15.53	103.67	17.88	112.13	19.41	
	19	62.95	9.62	74.31	11.05	85.67	13.18	90.90	14.35	97.04	16.08	103.67	18.52	112.13	20.09	
	21	62.95	9.79	74.31	11.25	85.67	13.42	90.90	14.62	97.04	16.37	103.67	18.86	112.13	20.46	
	23	62.95	10.11	74.31	11.62	85.67	13.85	90.90	15.09	97.04	16.90	103.67	19.46	112.13	21.12	
	25	62.95	10.31	74.31	11.85	85.67	14.13	90.90	15.39	97.04	17.24	103.67	19.85	112.13	21.54	
	27	62.95	10.70	74.31	12.30	85.67	14.66	90.90	15.97	97.04	17.89	103.67	20.60	112.13	22.36	
	29	62.95	11.08	74.31	12.73	85.67	15.18	90.90	16.54	97.04	18.52	103.67	21.33	112.13	23.15	
	31	62.95	11.65	74.31	13.39	85.67	15.96	90.90	17.39	97.04	19.47	103.67	22.43	112.13	24.34	
	33	62.95	12.12	74.31	13.92	85.67	16.60	90.90	18.08	97.04	20.25	103.67	23.33	112.13	25.32	
	35	62.95	12.62	74.31	14.50	85.67	17.29	90.90	18.84	97.04	21.10	103.67	24.30	112.13	26.37	
	37	62.95	13.30	74.31	15.28	85.67	18.22	90.90	19.85	97.04	22.23	101.60	25.60	109.88	27.78	
	39	62.95	14.00	74.31	16.08	85.67	19.18	90.90	20.89	97.04	23.40	100.56	26.95	108.76	29.24	
	41	62.95	14.70	74.31	16.90	85.67	20.14	90.90	21.94	97.04	24.58	99.52	28.31	107.64	30.72	
	43	62.95	15.40	74.31	17.69	85.67	21.10	90.90	22.98	97.04	25.74	99.52	29.64	107.64	32.17	
	46	62.95	16.22	74.31	18.64	85.67	22.23	90.90	24.21	97.04	27.12	97.53	31.23	105.49	33.90	
	48	62.95	17.07	74.31	19.62	85.67	23.39	90.90	25.48	97.04	28.54	96.54	32.87	104.41	35.68	
50	62.95	17.94	74.31	20.61	85.67	24.58	90.90	26.77	97.04	29.98	95.54	34.53	103.33	37.48		
50%	10	52.46	6.99	61.93	7.74	71.39	8.60	75.75	9.32	80.86	10.82	86.39	12.21	93.44	13.71	
	12	52.46	7.06	61.93	7.82	71.39	8.68	75.75	9.42	80.86	10.92	86.39	12.34	93.44	13.84	
	14	52.46	7.04	61.93	7.79	71.39	8.66	75.75	9.39	80.86	10.89	86.39	12.30	93.44	13.80	
	16	52.46	7.26	61.93	8.04	71.39	8.93	75.75	9.68	80.86	11.23	86.39	12.68	93.44	14.23	
	18	52.46	7.32	61.93	8.10	71.39	9.00	75.75	9.76	80.86	11.32	86.39	12.79	93.44	14.35	
	19	52.46	7.58	61.93	8.39	71.39	9.32	75.75	10.11	80.86	11.72	86.39	13.24	93.44	14.86	
	21	52.46	7.72	61.93	8.54	71.39	9.49	75.75	10.29	80.86	11.94	86.39	13.48	93.44	15.13	
	23	52.46	7.97	61.93	8.82	71.39	9.79	75.75	10.62	80.86	12.32	86.39	13.92	93.44	15.62	
	25	52.46	8.13	61.93	8.99	71.39	9.99	75.75	10.84	80.86	12.57	86.39	14.19	93.44	15.93	
	27	52.46	8.44	61.93	9.33	71.39	10.37	75.75	11.25	80.86	13.05	86.39	14.73	93.44	16.53	
	29	52.46	8.73	61.93	9.67	71.39	10.74	75.75	11.64	80.86	13.51	86.39	15.25	93.44	17.12	
	31	52.46	9.18	61.93	10.16	71.39	11.29	75.75	12.24	80.86	14.20	86.39	16.04	93.44	17.99	
	33	52.46	9.55	61.93	10.57	71.39	11.74	75.75	12.73	80.86	14.77	86.39	16.68	93.44	18.72	
	35	52.46	9.95	61.93	11.01	71.39	12.23	75.75	13.26	80.86	15.38	86.39	17.37	93.44	19.50	
	37	52.46	10.48	61.93	11.60	71.39	12.88	75.75	13.97	80.86	16.21	84.67	18.31	91.57	20.54	
	39	52.46	11.03	61.93	12.21	71.39	13.56	75.75	14.71	80.86	17.06	83.80	19.27	90.63	21.62	
	41	52.46	11.59	61.93	12.82	71.39	14.25	75.75	15.45	80.86	17.92	82.94	20.24	89.70	22.71	
	43	52.46	12.14	61.93	13.43	71.39	14.92	75.75	16.18	80.86	18.77	82.94	21.20	89.70	23.79	
	46	52.46	12.79	61.93	14.15	71.39	15.72	75.75	17.05	80.86	19.78	81.28	22.33	87.91	25.06	
	48	52.46	13.46	61.93	14.89	71.39	16.54	75.75	17.94	80.86	20.82	80.45	23.51	87.01	26.38	
50	52.46	14.14	61.93	15.65	71.39	17.38	75.75	18.85	80.86	21.87	79.62	24.69	86.11	27.71		

56HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1565W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
130%	10	130.83	20.96		153.73	26.81		182.74	29.43		195.61	27.60		199.03	31.13	
	12	130.83	21.55		153.73	27.57		182.74	30.26		193.89	28.11		197.29	32.01	
	14	130.83	22.18		153.73	28.37		182.74	31.14		192.18	28.62		195.54	32.94	
	16	130.83	22.94		153.73	29.35		181.13	32.22		188.75	29.13		192.05	34.07	
	18	130.83	23.50		153.73	30.06		177.89	33.00		187.03	29.65		190.30	34.90	
	19	130.83	24.75		153.73	31.66		176.28	34.76		185.31	30.16		188.56	36.76	
	21	130.83	25.58		153.73	32.73		174.66	35.93		183.60	32.33		186.81	38.00	
	23	130.83	26.80		153.73	34.29		173.04	37.64		181.88	34.63		185.06	39.80	
	25	130.83	27.70		153.73	35.44		171.42	38.90		180.17	37.06		183.32	41.14	
	27	130.83	29.13		153.73	37.26		169.81	40.91		178.45	39.61		181.57	43.26	
	29	130.83	30.17		152.52	38.60		168.19	42.37		176.73	42.30		179.83	44.81	
	31	130.83	31.73		152.07	40.60		166.57	44.57		175.02	45.11		178.08	47.13	
	33	130.83	33.02		152.07	42.25		164.95	46.37		173.30	48.05		176.34	49.04	
	35	130.83	34.76		150.57	44.47		161.72	48.81		171.59	51.11		174.59	51.62	
	37	130.83	36.62		150.57	46.85		161.72	51.43		168.15	53.34		171.10	53.62	
	39	130.83	38.55		150.57	49.32		160.10	54.13		166.95	55.20		169.35	55.50	
	41	130.83	40.49		149.06	51.81		158.49	56.87		166.44	57.45		167.61	57.82	
	43	129.53	42.40		147.56	54.25		156.87	59.55		164.72	60.31		165.86	60.92	
	46	129.53	44.68		147.56	57.16		156.87	62.74		161.43	62.94		162.54	63.27	
	48	129.53	47.03		146.08	60.17		155.30	66.04		160.28	65.14		160.88	65.49	
120%	50	129.53	49.40		144.60	63.20		153.73	69.38		159.78	67.79		159.23	68.23	
	10	123.64	19.84		143.05	24.42		173.41	29.15		189.05	27.34		195.79	30.83	
	12	123.64	20.40		143.05	25.11		173.41	29.97		189.05	27.84		194.07	31.70	
	14	123.64	20.99		143.05	25.84		173.41	30.84		189.05	28.35		192.36	32.62	
	16	123.64	21.72		143.05	26.73		173.41	31.91		189.05	28.85		190.64	33.74	
	18	123.64	22.24		143.05	27.38		173.41	32.68		189.05	29.36		188.92	34.56	
	19	123.64	23.43		143.05	28.83		173.41	34.42		187.36	29.87		187.20	36.40	
	21	123.64	24.22		143.05	29.81		173.41	35.58		185.67	32.02		183.77	37.63	
	23	123.64	25.37		143.05	31.22		170.22	37.27		183.98	34.30		182.05	39.42	
	25	123.64	26.22		143.05	32.28		168.63	38.53		182.30	36.70		180.33	40.75	
	27	123.64	27.57		143.05	33.94		167.04	40.51		180.61	39.23		178.62	42.85	
	29	123.64	28.56		143.05	35.15		165.45	41.96		177.23	41.89		176.90	44.38	
	31	123.64	30.04		143.05	36.97		162.27	44.14		172.17	44.67		175.18	46.68	
	33	123.64	31.26		143.05	38.47		160.68	45.93		170.48	47.58		173.46	48.57	
	35	123.64	32.90		143.05	40.50		159.09	48.34		168.79	50.62		171.75	51.13	
	37	123.64	34.67		143.05	42.67		157.50	50.94		166.42	52.83		168.31	53.10	
	39	123.64	36.49		143.05	44.91		155.91	53.61		164.24	54.67		166.59	54.96	
	41	123.64	38.33		135.90	47.18		154.31	56.32		163.73	56.90		164.88	57.26	
	43	123.64	40.14		134.47	49.41		152.72	58.98		162.04	59.73		163.16	60.33	
	46	123.64	42.30		134.47	52.06		151.20	62.14		158.80	62.34		159.90	62.66	
110%	48	123.64	44.52		134.47	54.79		149.67	65.41		157.67	64.51		158.26	64.86	
	50	123.64	46.77		127.75	57.56		148.14	68.71		157.18	67.14		156.63	67.57	
	10	114.95	19.36		135.70	23.82		156.45	28.44		177.62	29.78		190.86	30.08	
	12	114.95	19.90		135.70	24.49		156.45	29.24		177.62	30.62		189.17	30.92	
	14	114.95	20.48		135.70	25.20		156.45	30.09		177.62	31.51		187.48	31.82	
	16	114.95	21.18		135.70	26.07		156.45	31.13		177.62	32.59		185.79	32.92	
	18	114.95	21.70		135.70	26.71		156.45	31.88		177.62	33.38		184.11	33.72	
	19	114.95	22.85		135.70	28.13		156.45	33.58		177.62	35.16		182.42	35.51	
	21	114.95	23.62		135.70	29.08		156.45	34.71		177.62	36.35		180.73	36.71	
	23	114.95	24.75		135.70	30.46		156.45	36.36		175.96	38.07		179.04	38.45	
	25	114.95	25.58		135.70	31.49		156.45	37.59		174.30	39.36		177.35	39.75	
	27	114.95	26.90		135.70	33.11		156.45	39.52		172.64	41.38		175.66	41.80	
	29	114.95	27.86		135.70	34.29		156.45	40.93		170.98	42.86		173.97	43.29	
	31	114.95	29.31		135.70	36.07		156.45	43.06		169.32	45.09		172.28	45.54	
	33	114.95	30.49		135.70	37.53		156.45	44.80		167.66	46.91		170.59	47.38	
	35	114.95	32.10		135.70	39.51		156.45	47.16		166.00	49.38		168.90	49.88	
	37	114.95	33.82		135.70	41.62		156.45	49.69		162.68	51.54		165.53	51.80	
	39	114.95	35.60		135.70	43.81		151.76	52.30		161.52	53.33		163.84	53.62	
	41	114.95	37.39		135.70	46.02		150.20	54.94		161.02	55.51		162.15	55.86	
	43	114.95	39.16		135.70	48.20		148.63	57.54		159.36	58.27		160.46	58.85	
	46	114.95	41.26		135.70	50.78		148.63	60.62		156.17	60.81		157.25	61.13	
	48	114.95	43.43		135.70	53.45		144.17	63.81		155.06	62.93		155.65	63.27	
	50	114.95	45.62		135.70	56.15		142.69	67.03		154.58	65.50		154.04	65.92	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1565W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	108.38	16.08	127.94	20.31	147.50	25.53	156.50	28.21	170.39	28.50	182.38	28.78	189.64	29.06	
	12	108.38	16.54	127.94	20.89	147.50	26.25	156.50	29.01	170.39	29.30	182.38	29.59	187.96	29.88	
	14	108.38	17.02	127.94	21.49	147.50	27.02	156.50	29.85	170.39	30.15	180.75	30.45	186.28	30.75	
	16	108.38	17.60	127.94	22.23	147.50	27.95	156.50	30.88	170.39	31.19	179.12	31.50	184.61	31.81	
	18	108.38	18.03	127.94	22.77	147.50	28.63	156.50	31.63	170.39	31.95	177.49	32.26	182.93	32.58	
	19	108.38	18.99	127.94	23.99	147.50	30.15	156.50	33.31	170.39	33.65	175.87	33.98	181.25	34.31	
	21	108.38	19.63	127.94	24.79	147.50	31.17	156.50	34.44	170.39	34.78	174.24	35.13	179.57	35.47	
	23	108.38	20.56	127.94	25.97	147.50	32.65	156.50	36.08	170.39	36.44	172.61	36.80	177.89	37.16	
	25	108.38	21.26	127.94	26.85	147.50	33.75	156.50	37.29	168.79	37.66	170.98	38.04	176.21	38.41	
	27	108.38	22.35	127.94	28.23	147.50	35.49	156.50	39.21	167.20	39.60	169.35	39.99	174.54	40.39	
	29	108.38	23.15	127.94	29.24	147.50	36.76	156.50	40.61	165.61	41.02	167.72	41.43	172.86	41.83	
	31	108.38	24.35	127.94	30.76	147.50	38.66	156.50	42.72	164.02	43.15	166.10	43.57	171.18	44.00	
	33	108.38	25.34	127.94	32.00	147.50	40.23	156.50	44.45	160.83	44.90	164.47	45.34	169.50	45.78	
	35	108.38	26.67	127.94	33.69	147.50	42.34	156.50	46.79	159.24	47.26	162.84	47.73	167.82	48.19	
	37	108.38	28.10	127.94	35.49	147.50	44.61	153.37	48.83	156.05	49.08	157.95	49.33	161.11	49.57	
	39	108.38	29.58	127.94	37.36	147.50	46.96	152.27	50.53	154.46	50.80	156.32	51.45	157.75	51.81	
	41	108.38	31.07	127.94	39.25	147.50	49.33	151.81	52.59	152.87	52.93	154.70	53.45	156.08	53.88	
	43	108.38	32.54	127.94	41.10	147.50	51.66	150.24	55.21	151.28	55.76	153.07	56.22	155.24	56.48	
	46	108.38	34.28	127.94	43.30	147.50	54.43	147.24	57.62	148.25	57.92	148.48	58.11	149.03	58.10	
	48	108.38	36.08	127.94	45.58	147.50	57.29	146.18	59.63	146.74	59.95	146.95	60.61	145.92	60.72	
	50	108.38	37.91	127.94	47.88	147.50	60.18	145.73	62.06	145.23	62.46	145.41	62.97	144.37	63.15	
90%	10	97.54	14.21	115.14	17.53	132.75	21.51	140.85	23.69	150.36	25.82	168.87	27.48	172.34	28.19	
	12	97.54	14.61	115.14	18.02	132.75	22.11	140.85	24.35	150.36	26.55	168.87	28.25	172.34	28.98	
	14	97.54	15.04	115.14	18.54	132.75	22.76	140.85	25.06	150.36	27.32	168.87	29.07	172.34	29.82	
	16	97.54	15.55	115.14	19.18	132.75	23.54	140.85	25.92	150.36	28.26	168.87	30.07	172.34	30.85	
	18	97.54	15.93	115.14	19.65	132.75	24.11	140.85	26.55	150.36	28.94	168.87	30.80	170.73	31.60	
	19	97.54	16.78	115.14	20.70	132.75	25.39	140.85	27.97	150.36	30.48	168.87	32.44	169.12	33.28	
	21	97.54	17.35	115.14	21.39	132.75	26.25	140.85	28.91	150.36	31.51	168.87	33.54	167.50	34.40	
	23	97.54	18.17	115.14	22.41	132.75	27.50	140.85	30.29	150.36	33.01	168.87	35.13	165.89	36.04	
	25	97.54	18.78	115.14	23.17	132.75	28.43	140.85	31.31	150.36	34.12	167.29	36.32	164.28	37.25	
	27	97.54	19.75	115.14	24.36	132.75	29.89	140.85	32.92	150.36	35.88	165.71	38.18	164.28	39.17	
	29	97.54	20.46	115.14	25.23	132.75	30.96	140.85	34.10	150.36	37.16	164.14	39.55	164.28	40.57	
	31	97.54	21.52	115.14	26.54	132.75	32.56	140.85	35.86	150.36	39.09	162.56	41.60	162.67	42.68	
	33	97.54	22.39	115.14	27.61	132.75	33.88	140.85	37.32	150.36	40.67	159.40	43.29	162.67	44.41	
	35	97.54	23.57	115.14	29.07	132.75	35.67	140.85	39.28	150.36	42.82	157.82	45.57	161.06	46.74	
	37	97.54	24.83	115.14	30.63	132.75	37.58	140.85	41.39	150.36	45.11	154.67	48.01	157.84	49.25	
	39	97.54	26.14	115.14	32.24	132.75	39.55	140.85	43.56	150.36	47.48	153.09	50.53	156.23	51.84	
	41	97.54	27.46	115.14	33.86	132.75	41.55	140.85	45.76	150.36	49.88	151.51	53.08	154.62	54.46	
	43	97.54	28.75	115.14	35.46	132.75	43.51	140.85	47.92	150.36	52.23	151.51	55.59	154.62	57.03	
	46	97.54	30.29	115.14	37.36	132.75	45.85	140.85	50.49	150.36	55.03	148.48	58.57	151.53	60.08	
	48	97.54	31.89	115.14	39.33	132.75	48.26	140.85	53.15	150.36	57.93	146.96	61.65	149.98	63.24	
	50	97.54	33.50	115.14	41.31	132.75	50.69	140.85	55.83	150.36	60.85	145.45	64.76	148.43	66.44	
80%	10	86.70	12.63	102.35	14.18	118.00	17.77	125.20	19.42	133.65	21.37	142.79	25.02	154.43	26.71	
	12	86.70	12.98	102.35	14.58	118.00	18.27	125.20	19.97	133.65	21.97	142.79	25.72	154.43	27.46	
	14	86.70	13.36	102.35	15.00	118.00	18.80	125.20	20.55	133.65	22.61	142.79	26.47	154.43	28.26	
	16	86.70	13.82	102.35	15.52	118.00	19.45	125.20	21.26	133.65	23.39	142.79	27.38	154.43	29.23	
	18	86.70	14.15	102.35	15.90	118.00	19.92	125.20	21.78	133.65	23.95	142.79	28.05	154.43	29.94	
	19	86.70	14.91	102.35	16.74	118.00	20.99	125.20	22.94	133.65	25.23	142.79	29.54	154.43	31.54	
	21	86.70	15.41	102.35	17.31	118.00	21.69	125.20	23.71	133.65	26.08	142.79	30.54	154.43	32.60	
	23	86.70	16.14	102.35	18.13	118.00	22.72	125.20	24.84	133.65	27.32	142.79	31.99	154.43	34.15	
	25	86.70	16.69	102.35	18.74	118.00	23.49	125.20	25.67	133.65	28.24	142.79	33.07	154.43	35.30	
	27	86.70	17.55	102.35	19.71	118.00	24.70	125.20	26.99	133.65	29.69	142.79	34.77	154.43	37.12	
	29	86.70	18.17	102.35	20.41	118.00	25.58	125.20	27.96	133.65	30.76	142.79	36.01	154.43	38.45	
	31	86.70	19.12	102.35	21.47	118.00	26.91	125.20	29.41	133.65	32.35	142.79	37.88	154.43	40.44	
	33	86.70	19.89	102.35	22.34	118.00	28.00	125.20	30.60	133.65	33.66	142.79	39.42	154.43	42.08	
	35	86.70	20.94	102.35	23.52	118.00	29.47	125.20	32.21	133.65	35.43	142.79	41.49	154.43	44.29	
	37	86.70	22.06	102.35	24.78	118.00	31.05	125.20	33.94	133.65	37.33	139.93	43.71	151.35	46.67	
	39	86.70	23.22	102.35	26.08	118.00	32.69	125.20	35.72	133.65	39.30	138.51	46.01	149.80	49.12	
	41	86.70	24.39	102.35	27.40	118.00	34.34	125.20	37.53	133.65	41.28	137.08	48.34	148.26	51.60	
	43	86.70	25.54	102.35	28.69	118.00	35.96	125.20	39.30	133.65	43.23	137.08	50.62	148.26	54.04	
	46	86.70	26.91	102.35	30.23	118.00	37.89	125.20	41.41	133.65	45.55	134.34	53.33	145.29	56.93	
	48	86.70	28.33	102.35	31.82	118.00	39.88	125.20	43.58	133.65	47.94	132.97	56.13	143.81	59.93	
	50	86.70	29.76	102.35	33.42	118.00	41.89	125.20	45.78	133.65	50.36	-	58.97	142.33	62.95	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1565W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	75.86	11.33	89.56	13.49	103.25	16.46	109.55	17.99	116.94	19.43	124.94	21.95	135.13	23.74
	12	75.86	11.45	89.56	13.63	103.25	16.62	109.55	18.17	116.94	19.62	124.94	22.16	135.13	23.98
	14	75.86	11.41	89.56	13.59	103.25	16.58	109.55	18.12	116.94	19.56	124.94	22.10	135.13	23.91
	16	75.86	11.77	89.56	14.01	103.25	17.09	109.55	18.68	116.94	20.17	124.94	22.79	135.13	24.66
	18	75.86	11.86	89.56	14.12	103.25	17.23	109.55	18.83	116.94	20.34	124.94	22.98	135.13	24.86
	19	75.86	12.28	89.56	14.62	103.25	17.84	109.55	19.50	116.94	21.06	124.94	23.79	135.13	25.74
	21	75.86	12.51	89.56	14.89	103.25	18.17	109.55	19.86	116.94	21.44	124.94	24.22	135.13	26.21
	23	75.86	12.91	89.56	15.37	103.25	18.75	109.55	20.50	116.94	22.13	124.94	25.00	135.13	27.05
	25	75.86	13.17	89.56	15.68	103.25	19.13	109.55	20.90	116.94	22.58	124.94	25.50	135.13	27.59
	27	75.86	13.67	89.56	16.27	103.25	19.85	109.55	21.70	116.94	23.43	124.94	26.47	135.13	28.64
	29	75.86	14.15	89.56	16.85	103.25	20.56	109.55	22.47	116.94	24.26	124.94	27.41	135.13	29.65
	31	75.86	14.88	89.56	17.71	103.25	21.61	109.55	23.62	116.94	25.51	124.94	28.81	135.13	31.17
	33	75.86	15.48	89.56	18.42	103.25	22.48	109.55	24.56	116.94	26.53	124.94	29.97	135.13	32.42
	35	75.86	16.12	89.56	19.19	103.25	23.41	109.55	25.59	116.94	27.63	124.94	31.22	135.13	33.77
	37	75.86	16.98	89.56	20.22	103.25	24.67	109.55	26.96	116.94	29.12	122.44	32.89	132.43	35.59
	39	75.86	17.88	89.56	21.28	103.25	25.96	109.55	28.38	116.94	30.65	121.19	34.62	131.08	37.46
	41	75.86	18.78	89.56	22.36	103.25	27.28	109.55	29.81	116.94	32.19	119.94	36.37	129.72	39.35
	43	75.86	19.67	89.56	23.41	103.25	28.56	109.55	31.22	116.94	33.71	119.94	38.08	129.72	41.21
	46	75.86	20.72	89.56	24.67	103.25	30.09	109.55	32.89	116.94	35.52	117.55	40.13	127.13	43.41
	48	75.86	21.81	89.56	25.96	103.25	31.68	109.55	34.62	116.94	37.39	116.35	42.23	125.83	45.70
	50	75.86	22.91	89.56	27.28	103.25	33.28	109.55	36.37	116.94	39.28	115.15	44.37	124.54	48.00
60%	10	65.03	9.14	76.76	10.50	88.50	12.52	93.90	13.64	100.24	15.28	107.09	17.60	115.83	19.10
	12	65.03	9.23	76.76	10.61	88.50	12.65	93.90	13.78	100.24	15.43	107.09	17.77	115.83	19.29
	14	65.03	9.20	76.76	10.58	88.50	12.61	93.90	13.74	100.24	15.39	107.09	17.72	115.83	19.23
	16	65.03	9.49	76.76	10.91	88.50	13.00	93.90	14.16	100.24	15.86	107.09	18.27	115.83	19.83
	18	65.03	9.57	76.76	11.00	88.50	13.11	93.90	14.28	100.24	15.99	107.09	18.42	115.83	19.99
	19	65.03	9.91	76.76	11.38	88.50	13.57	93.90	14.79	100.24	16.56	107.09	19.07	115.83	20.70
	21	65.03	10.09	76.76	11.59	88.50	13.82	93.90	15.06	100.24	16.86	107.09	19.42	115.83	21.08
	23	65.03	10.41	76.76	11.97	88.50	14.27	93.90	15.54	100.24	17.41	107.09	20.05	115.83	21.76
	25	65.03	10.62	76.76	12.21	88.50	14.55	93.90	15.85	100.24	17.76	107.09	20.45	115.83	22.19
	27	65.03	11.02	76.76	12.67	88.50	15.11	93.90	16.45	100.24	18.43	107.09	21.23	115.83	23.04
	29	65.03	11.41	76.76	13.12	88.50	15.64	93.90	17.04	100.24	19.08	107.09	21.98	115.83	23.85
	31	65.03	12.00	76.76	13.79	88.50	16.44	93.90	17.91	100.24	20.06	107.09	23.10	115.83	25.07
	33	65.03	12.48	76.76	14.34	88.50	17.10	93.90	18.63	100.24	20.86	107.09	24.03	115.83	26.08
	35	65.03	13.00	76.76	14.94	88.50	17.81	93.90	19.40	100.24	21.73	107.09	25.03	115.83	27.17
	37	65.03	13.70	76.76	15.74	88.50	18.77	93.90	20.44	100.24	22.90	104.95	26.37	113.51	28.62
	39	65.03	14.42	76.76	16.57	88.50	19.75	93.90	21.52	100.24	24.10	103.88	27.76	112.35	30.13
	41	65.03	15.15	76.76	17.41	88.50	20.75	93.90	22.61	100.24	25.32	102.81	29.16	111.19	31.65
	43	65.03	15.86	76.76	18.23	88.50	21.73	93.90	23.67	100.24	26.51	102.81	30.54	111.19	33.14
	46	65.03	16.71	76.76	19.20	88.50	22.90	93.90	24.94	100.24	27.93	100.75	32.17	108.97	34.92
	48	65.03	17.59	76.76	20.21	88.50	24.10	93.90	26.25	100.24	29.40	99.72	33.87	107.86	36.75
	50	65.03	18.48	76.76	21.24	88.50	25.32	93.90	27.58	100.24	30.89	98.70	35.58	106.74	38.61
50%	10	54.19	7.20	63.97	7.97	73.75	8.86	78.25	9.60	83.53	11.14	89.24	12.58	96.52	14.12
	12	54.19	7.28	63.97	8.05	73.75	8.94	78.25	9.70	83.53	11.25	89.24	12.71	96.52	14.26
	14	54.19	7.25	63.97	8.03	73.75	8.92	78.25	9.67	83.53	11.22	89.24	12.67	96.52	14.22
	16	54.19	7.48	63.97	8.28	73.75	9.20	78.25	9.97	83.53	11.57	89.24	13.07	96.52	14.66
	18	54.19	7.54	63.97	8.35	73.75	9.27	78.25	10.06	83.53	11.66	89.24	13.17	96.52	14.78
	19	54.19	7.81	63.97	8.64	73.75	9.60	78.25	10.41	83.53	12.08	89.24	13.64	96.52	15.30
	21	54.19	7.95	63.97	8.80	73.75	9.78	78.25	10.60	83.53	12.30	89.24	13.89	96.52	15.59
	23	54.19	8.21	63.97	9.08	73.75	10.09	78.25	10.94	83.53	12.69	89.24	14.34	96.52	16.09
	25	54.19	8.37	63.97	9.26	73.75	10.29	78.25	11.16	83.53	12.95	89.24	14.62	96.52	16.41
	27	54.19	8.69	63.97	9.62	73.75	10.68	78.25	11.59	83.53	13.44	89.24	15.18	96.52	17.03
	29	54.19	9.00	63.97	9.96	73.75	11.06	78.25	12.00	83.53	13.92	89.24	15.71	96.52	17.63
	31	54.19	9.46	63.97	10.47	73.75	11.63	78.25	12.61	83.53	14.63	89.24	16.52	96.52	18.54
	33	54.19	9.84	63.97	10.89	73.75	12.09	78.25	13.12	83.53	15.21	89.24	17.18	96.52	19.28
	35	54.19	10.25	63.97	11.34	73.75	12.60	78.25	13.66	83.53	15.85	89.24	17.90	96.52	20.08
	37	54.19	10.80	63.97	11.95	73.75	13.27	78.25	14.39	83.53	16.70	87.46	18.86	94.59	21.16
	39	54.19	11.36	63.97	12.58	73.75	13.97	78.25	15.15	83.53	17.58	86.57	19.85	93.63	22.27
	41	54.19	11.94	63.97	13.21	73.75	14.68	78.25	15.92	83.53	18.46	85.67	20.85	92.66	23.40
	43	54.19	12.50	63.97	13.83	73.75	15.37	78.25	16.67	83.53	19.34	85.67	21.84	92.66	24.50
	46	54.19	13.17	63.97	14.58	73.75	16.19	78.25	17.56	83.53	20.37	83.96	23.01	90.81	25.82
	48	54.19	13.86	63.97	15.34	73.75	17.04	78.25	18.49	83.53	21.44	83.10	24.22	89.88	27.17
	50	54.19	14.56	63.97	16.12	73.75	17.90	78.25	19.42	83.53	22.53	82.25	25.44	88.95	28.55

58HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1615W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
130%	10	135.01	21.58		158.64	27.61		188.58	30.30		201.86	28.42		205.39	32.05	
	12	135.01	22.18		158.64	28.38		188.58	31.16		200.09	28.94		203.59	32.95	
	14	135.01	22.83		158.64	29.21		188.58	32.06		198.32	29.47		201.79	33.91	
	16	135.01	23.62		158.64	30.21		186.91	33.17		194.78	29.99		198.18	35.08	
	18	135.01	24.19		158.64	30.95		183.58	33.97		193.00	30.52		196.38	35.93	
	19	135.01	25.48		158.64	32.60		181.91	35.78		191.23	31.05		194.58	37.84	
	21	135.01	26.34		158.64	33.69		180.24	36.99		189.46	33.28		192.78	39.12	
	23	135.01	27.59		158.64	35.30		178.57	38.75		187.69	35.65		190.98	40.98	
	25	135.01	28.52		158.64	36.49		176.90	40.05		185.92	38.15		189.18	42.36	
	27	135.01	29.99		158.64	38.36		175.23	42.11		184.15	40.78		187.37	44.54	
	29	135.01	31.06		157.40	39.74		173.56	43.62		182.38	43.54		185.57	46.13	
	31	135.01	32.67		156.93	41.80		171.89	45.88		180.61	46.44		183.77	48.52	
	33	135.01	33.99		156.93	43.49		170.22	47.74		178.84	49.46		181.97	50.49	
	35	135.01	35.78		155.38	45.78		166.89	50.25		177.07	52.62		180.17	53.15	
	37	135.01	37.70		155.38	48.23		166.89	52.95		173.53	54.92		176.56	55.20	
	39	135.01	39.68		155.38	50.77		165.22	55.73		172.29	56.83		174.76	57.13	
	41	135.01	41.69		153.82	53.33		163.55	58.54		171.76	59.15		172.96	59.52	
	43	133.66	43.65		152.27	55.85		161.88	61.31		169.99	62.09		171.16	62.71	
	46	133.66	45.99		152.27	58.85		161.88	64.59		166.59	64.80		167.74	65.13	
	48	133.66	48.41		150.75	61.94		160.26	67.99		165.40	67.06		166.02	67.42	
	50	133.66	50.86		149.22	65.07		158.64	71.42		164.89	69.79		164.31	70.24	
120%	10	127.59	20.43		147.62	25.14		178.95	30.01		195.09	28.14		202.05	31.74	
	12	127.59	21.00		147.62	25.85		178.95	30.86		195.09	28.66		200.27	32.63	
	14	127.59	21.61		147.62	26.60		178.95	31.75		195.09	29.18		198.50	33.58	
	16	127.59	22.36		147.62	27.52		178.95	32.85		195.09	29.71		196.73	34.74	
	18	127.59	22.90		147.62	28.18		178.95	33.64		195.09	30.23		194.96	35.58	
	19	127.59	24.12		147.62	29.68		178.95	35.44		193.35	30.75		193.19	37.48	
	21	127.59	24.93		147.62	30.69		178.95	36.63		191.60	32.96		189.64	38.74	
	23	127.59	26.12		147.62	32.14		175.66	38.37		189.86	35.31		187.87	40.58	
	25	127.59	27.00		147.62	33.23		174.02	39.67		188.12	37.78		186.10	41.95	
	27	127.59	28.39		147.62	34.94		172.38	41.71		186.38	40.39		184.32	44.11	
	29	127.59	29.40		147.62	36.19		170.74	43.20		182.90	43.13		182.55	45.69	
	31	127.59	30.93		147.62	38.06		167.45	45.44		177.67	45.99		180.78	48.06	
	33	127.59	32.18		147.62	39.61		165.81	47.28		175.93	48.99		179.01	50.00	
	35	127.59	33.87		147.62	41.69		164.17	49.77		174.19	52.12		177.23	52.64	
	37	127.59	35.69		147.62	43.93		162.53	52.44		170.70	54.39		173.69	54.67	
	39	127.59	37.57		147.62	46.24		160.89	55.19		169.48	56.28		171.92	56.58	
	41	127.59	39.46		140.24	48.57		159.25	57.98		168.96	58.58		170.14	58.95	
	43	127.59	41.33		138.77	50.86		157.60	60.72		167.22	61.50		168.37	62.11	
	46	127.59	43.54		138.77	53.59		156.03	63.97		163.87	64.18		165.00	64.51	
	48	127.59	45.83		138.77	56.41		154.45	67.34		162.70	66.42		163.32	66.77	
	50	127.59	48.15		131.83	59.26		152.88	70.74		162.20	69.12		161.64	69.56	
110%	10	118.63	19.93		140.04	24.52		161.45	29.28		183.29	30.66		196.96	30.96	
	12	118.63	20.49		140.04	25.22		161.45	30.10		183.29	31.52		195.22	31.84	
	14	118.63	21.08		140.04	25.95		161.45	30.98		183.29	32.44		193.47	32.76	
	16	118.63	21.81		140.04	26.84		161.45	32.04		183.29	33.55		191.73	33.89	
	18	118.63	22.34		140.04	27.49		161.45	32.82		183.29	34.37		189.99	34.71	
	19	118.63	23.53		140.04	28.96		161.45	34.57		183.29	36.20		188.24	36.56	
	21	118.63	24.32		140.04	29.93		161.45	35.73		183.29	37.42		186.50	37.79	
	23	118.63	25.48		140.04	31.36		161.45	37.43		181.58	39.20		184.76	39.59	
	25	118.63	26.34		140.04	32.41		161.45	38.70		179.87	40.52		183.02	40.92	
	27	118.63	27.69		140.04	34.08		161.45	40.69		178.16	42.60		181.27	43.03	
	29	118.63	28.68		140.04	35.30		161.45	42.14		176.44	44.13		179.53	44.57	
	31	118.63	30.17		140.04	37.13		161.45	44.33		174.73	46.42		177.79	46.88	
	33	118.63	31.39		140.04	38.64		161.45	46.12		173.02	48.30		176.04	48.78	
	35	118.63	33.05		140.04	40.67		161.45	48.55		171.30	50.84		174.30	51.35	
	37	118.63	34.82		140.04	42.85		161.45	51.15		167.88	53.06		170.81	53.33	
	39	118.63	36.65		140.04	45.10		156.61	53.84		166.68	54.91		169.07	55.20	
	41	118.63	38.50		140.04	47.38		154.99	56.56		166.16	57.14		167.33	57.51	
	43	118.63	40.32		140.04	49.62		153.38	59.23		164.45	59.99		165.59	60.59	
	46	118.63	42.48		140.04	52.28		153.38	62.41		161.16	62.61		162.27	62.93	
	48	118.63	44.71		140.04	55.03		148.78	65.69		160.01	64.79		160.62	65.13	
	50	118.63	46.97		140.04	57.81		147.25	69.01		159.52	67.43		158.96	67.86	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1615W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	111.84	16.56	132.03	20.91	152.21	26.29	161.50	29.05	175.83	29.34	188.21	29.63	195.70	29.92	
	12	111.84	17.02	132.03	21.50	152.21	27.03	161.50	29.87	175.83	30.16	188.21	30.46	193.97	30.76	
	14	111.84	17.52	132.03	22.13	152.21	27.81	161.50	30.73	175.83	31.04	186.53	31.35	192.23	31.65	
	16	111.84	18.12	132.03	22.89	152.21	28.77	161.50	31.79	175.83	32.11	184.84	32.43	190.50	32.75	
	18	111.84	18.56	132.03	23.45	152.21	29.47	161.50	32.56	175.83	32.89	183.16	33.21	188.77	33.54	
	19	111.84	19.55	132.03	24.69	152.21	31.04	161.50	34.30	175.83	34.64	181.48	34.98	187.04	35.33	
	21	111.84	20.21	132.03	25.53	152.21	32.09	161.50	35.45	175.83	35.81	179.80	36.16	185.31	36.52	
	23	111.84	21.17	132.03	26.74	152.21	33.61	161.50	37.14	175.83	37.51	178.12	37.88	183.58	38.25	
	25	111.84	21.88	132.03	27.64	152.21	34.74	161.50	38.39	174.19	38.78	176.44	39.16	181.84	39.54	
	27	111.84	23.01	132.03	29.06	152.21	36.53	161.50	40.37	172.54	40.77	174.76	41.17	180.11	41.58	
	29	111.84	23.83	132.03	30.10	152.21	37.84	161.50	41.81	170.90	42.23	173.08	42.65	178.38	43.07	
	31	111.84	25.07	132.03	31.67	152.21	39.80	161.50	43.98	169.26	44.42	171.40	44.86	176.65	45.30	
	33	111.84	26.08	132.03	32.95	152.21	41.41	161.50	45.76	165.97	46.22	169.72	46.68	174.92	47.13	
	35	111.84	27.46	132.03	34.68	152.21	43.59	161.50	48.17	164.33	48.65	168.04	49.13	173.18	49.62	
	37	111.84	28.93	132.03	36.54	152.21	45.93	158.27	50.27	161.04	50.53	163.00	50.78	166.26	51.03	
	39	111.84	30.45	132.03	38.46	152.21	48.35	157.14	52.02	159.40	52.30	161.32	52.97	162.79	53.34	
	41	111.84	31.99	132.03	40.40	152.21	50.79	156.66	54.14	157.75	54.49	159.64	55.03	161.06	55.47	
	43	111.84	33.50	132.03	42.31	152.21	53.18	155.04	56.84	156.11	57.41	157.96	57.88	160.20	58.15	
	46	111.84	35.29	132.03	44.58	152.21	56.04	151.94	59.32	152.99	59.62	153.22	59.82	153.79	59.81	
	48	111.84	37.15	132.03	46.92	152.21	58.98	150.85	61.39	151.43	61.71	151.64	62.39	150.58	62.51	
	50	111.84	39.02	132.03	49.29	152.21	61.96	150.39	63.89	149.87	64.30	150.06	64.82	148.98	65.01	
90%	10	100.65	14.63	118.82	18.04	136.99	22.14	145.35	24.38	155.16	26.58	174.27	28.29	177.84	29.02	
	12	100.65	15.04	118.82	18.55	136.99	22.77	145.35	25.07	155.16	27.33	174.27	29.08	177.84	29.84	
	14	100.65	15.48	118.82	19.09	136.99	23.43	145.35	25.80	155.16	28.12	174.27	29.93	177.84	30.70	
	16	100.65	16.01	118.82	19.75	136.99	24.23	145.35	26.69	155.16	29.09	174.27	30.96	177.84	31.76	
	18	100.65	16.40	118.82	20.23	136.99	24.82	145.35	27.34	155.16	29.80	174.27	31.71	176.18	32.53	
	19	100.65	17.28	118.82	21.31	136.99	26.14	145.35	28.79	155.16	31.38	174.27	33.40	174.52	34.26	
	21	100.65	17.86	118.82	22.02	136.99	27.02	145.35	29.76	155.16	32.44	174.27	34.52	172.86	35.42	
	23	100.65	18.71	118.82	23.07	136.99	28.31	145.35	31.18	155.16	33.98	174.27	36.17	171.19	37.10	
	25	100.65	19.34	118.82	23.85	136.99	29.26	145.35	32.23	155.16	35.13	172.64	37.39	169.53	38.35	
	27	100.65	20.33	118.82	25.08	136.99	30.77	145.35	33.89	155.16	36.94	171.01	39.31	169.53	40.33	
	29	100.65	21.06	118.82	25.97	136.99	31.87	145.35	35.10	155.16	38.26	169.38	40.72	169.53	41.77	
	31	100.65	22.15	118.82	27.32	136.99	33.52	145.35	36.92	155.16	40.24	167.75	42.83	167.87	43.94	
	33	100.65	23.05	118.82	28.43	136.99	34.88	145.35	38.42	155.16	41.87	164.49	44.56	167.87	45.72	
	35	100.65	24.26	118.82	29.92	136.99	36.72	145.35	40.44	155.16	44.08	162.86	46.91	166.21	48.12	
	37	100.65	25.56	118.82	31.53	136.99	38.69	145.35	42.61	155.16	46.44	159.61	49.42	162.88	50.70	
	39	100.65	26.91	118.82	33.19	136.99	40.72	145.35	44.85	155.16	48.88	157.98	52.02	161.22	53.37	
	41	100.65	28.27	118.82	34.86	136.99	42.78	145.35	47.11	155.16	51.35	156.35	54.65	159.56	56.06	
	43	100.65	29.60	118.82	36.51	136.99	44.80	145.35	49.34	155.16	53.78	156.35	57.23	159.56	58.71	
	46	100.65	31.19	118.82	38.46	136.99	47.20	145.35	51.98	155.16	56.66	153.22	60.30	156.37	61.86	
	48	100.65	32.83	118.82	40.49	136.99	49.68	145.35	54.71	155.16	59.64	151.66	63.47	154.77	65.11	
	50	100.65	34.49	118.82	42.53	136.99	52.19	145.35	57.48	155.16	62.65	150.10	66.67	153.18	68.40	
80%	10	89.47	13.00	105.62	14.60	121.77	18.30	129.20	20.00	137.92	22.00	147.35	25.76	159.37	27.50	
	12	89.47	13.36	105.62	15.01	121.77	18.81	129.20	20.56	137.92	22.62	147.35	26.48	159.37	28.27	
	14	89.47	13.75	105.62	15.45	121.77	19.36	129.20	21.16	137.92	23.27	147.35	27.25	159.37	29.09	
	16	89.47	14.23	105.62	15.98	121.77	20.03	129.20	21.89	137.92	24.08	147.35	28.19	159.37	30.10	
	18	89.47	14.57	105.62	16.37	121.77	20.51	129.20	22.42	137.92	24.66	147.35	28.87	159.37	30.82	
	19	89.47	15.35	105.62	17.24	121.77	21.60	129.20	23.61	137.92	25.97	147.35	30.41	159.37	32.47	
	21	89.47	15.87	105.62	17.82	121.77	22.33	129.20	24.41	137.92	26.85	147.35	31.44	159.37	33.56	
	23	89.47	16.62	105.62	18.66	121.77	23.40	129.20	25.57	137.92	28.13	147.35	32.93	159.37	35.16	
	25	89.47	17.18	105.62	19.29	121.77	24.18	129.20	26.43	137.92	29.07	147.35	34.04	159.37	36.34	
	27	89.47	18.06	105.62	20.29	121.77	25.43	129.20	27.79	137.92	30.57	147.35	35.79	159.37	38.21	
	29	89.47	18.71	105.62	21.01	121.77	26.34	129.20	28.79	137.92	31.66	147.35	37.08	159.37	39.58	
	31	89.47	19.68	105.62	22.10	121.77	27.70	129.20	30.28	137.92	33.31	147.35	39.00	159.37	41.63	
	33	89.47	20.48	105.62	23.00	121.77	28.83	129.20	31.50	137.92	34.65	147.35	40.58	159.37	43.32	
	35	89.47	21.56	105.62	24.21	121.77	30.34	129.20	33.16	137.92	36.48	147.35	42.71	159.37	45.60	
	37	89.47	22.71	105.62	25.51	121.77	31.97	129.20	34.94	137.92	38.43	144.41	45.00	156.18	48.04	
	39	89.47	23.91	105.62	26.85	121.77	33.65	129.20	36.78	137.92	40.46	142.93	47.37	154.59	50.57	
	41	89.47	25.11	105.62	28.20	121.77	35.35	129.20	38.63	137.92	42.50	141.46	49.76	152.99	53.12	
	43	89.47	26.30	105.62	29.53	121.77	37.02	129.20	40.46	137.92	44.50	141.46	52.11	152.99	55.63	
	46	89.47	27.71	105.62	31.12	121.77	39.00	129.20	42.63	137.92	46.89	138.63	54.90	149.93	58.61	
	48	89.47	29.16	105.62	32.75	121.77	41.05	129.20	44.87	137.92	49.36	137.21	57.79	148.40	61.69	
	50	89.47	30.64	105.62	34.41	121.77	43.13	129.20	47.13	137.92	51.85	-	60.71	146.87	64.81	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1615W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	78.29	11.67	92.42	13.89	106.55	16.94	113.05	18.52	120.68	20.00	128.93	22.59	139.45	24.44	
	12	78.29	11.78	92.42	14.03	106.55	17.11	113.05	18.70	120.68	20.20	128.93	22.82	139.45	24.69	
	14	78.29	11.75	92.42	13.99	106.55	17.06	113.05	18.65	120.68	20.14	128.93	22.75	139.45	24.62	
	16	78.29	12.11	92.42	14.42	106.55	17.59	113.05	19.23	120.68	20.77	128.93	23.46	139.45	25.38	
	18	78.29	12.21	92.42	14.54	106.55	17.74	113.05	19.39	120.68	20.94	128.93	23.65	139.45	25.59	
	19	78.29	12.65	92.42	15.05	106.55	18.37	113.05	20.07	120.68	21.68	128.93	24.49	139.45	26.50	
	21	78.29	12.88	92.42	15.33	106.55	18.70	113.05	20.44	120.68	22.08	128.93	24.94	139.45	26.98	
	23	78.29	13.29	92.42	15.82	106.55	19.31	113.05	21.10	120.68	22.79	128.93	25.74	139.45	27.85	
	25	78.29	13.56	92.42	16.14	106.55	19.69	113.05	21.52	120.68	23.24	128.93	26.26	139.45	28.41	
	27	78.29	14.07	92.42	16.75	106.55	20.44	113.05	22.34	120.68	24.12	128.93	27.25	139.45	29.49	
	29	78.29	14.57	92.42	17.35	106.55	21.16	113.05	23.13	120.68	24.98	128.93	28.22	139.45	30.53	
	31	78.29	15.32	92.42	18.24	106.55	22.25	113.05	24.31	120.68	26.26	128.93	29.66	139.45	32.09	
	33	78.29	15.93	92.42	18.97	106.55	23.14	113.05	25.29	120.68	27.31	128.93	30.85	139.45	33.38	
	35	78.29	16.60	92.42	19.76	106.55	24.10	113.05	26.34	120.68	28.45	128.93	32.14	139.45	34.77	
	37	78.29	17.48	92.42	20.82	106.55	25.39	113.05	27.75	120.68	29.97	126.35	33.86	136.66	36.63	
	39	78.29	18.40	92.42	21.91	106.55	26.73	113.05	29.21	120.68	31.55	125.07	35.64	135.26	38.56	
	41	78.29	19.33	92.42	23.02	106.55	28.08	113.05	30.69	120.68	33.14	123.78	37.44	133.87	40.51	
	43	78.29	20.25	92.42	24.10	106.55	29.41	113.05	32.14	120.68	34.71	123.78	39.21	133.87	42.42	
	46	78.29	21.33	92.42	25.39	106.55	30.98	113.05	33.86	120.68	36.57	121.30	41.31	131.19	44.69	
	48	78.29	22.45	92.42	26.73	106.55	32.61	113.05	35.64	120.68	38.49	120.06	43.48	129.85	47.04	
50	78.29	23.59	92.42	28.08	106.55	34.26	113.05	37.44	120.68	40.43	118.83	45.68	128.51	49.42		
60%	10	67.10	9.41	79.22	10.81	91.33	12.89	96.90	14.04	103.44	15.73	110.51	18.12	119.53	19.66	
	12	67.10	9.50	79.22	10.92	91.33	13.02	96.90	14.18	103.44	15.88	110.51	18.30	119.53	19.86	
	14	67.10	9.48	79.22	10.89	91.33	12.98	96.90	14.14	103.44	15.84	110.51	18.24	119.53	19.80	
	16	67.10	9.77	79.22	11.23	91.33	13.39	96.90	14.58	103.44	16.33	110.51	18.81	119.53	20.42	
	18	67.10	9.85	79.22	11.32	91.33	13.50	96.90	14.70	103.44	16.47	110.51	18.97	119.53	20.58	
	19	67.10	10.20	79.22	11.72	91.33	13.97	96.90	15.22	103.44	17.05	110.51	19.64	119.53	21.31	
	21	67.10	10.39	79.22	11.94	91.33	14.23	96.90	15.50	103.44	17.36	110.51	20.00	119.53	21.70	
	23	67.10	10.72	79.22	12.32	91.33	14.69	96.90	16.00	103.44	17.92	110.51	20.64	119.53	22.40	
	25	67.10	10.93	79.22	12.57	91.33	14.98	96.90	16.32	103.44	18.28	110.51	21.05	119.53	22.85	
	27	67.10	11.35	79.22	13.04	91.33	15.55	96.90	16.94	103.44	18.97	110.51	21.85	119.53	23.72	
	29	67.10	11.75	79.22	13.51	91.33	16.10	96.90	17.54	103.44	19.64	110.51	22.63	119.53	24.55	
	31	67.10	12.35	79.22	14.20	91.33	16.93	96.90	18.44	103.44	20.65	110.51	23.78	119.53	25.81	
	33	67.10	12.85	79.22	14.77	91.33	17.60	96.90	19.18	103.44	21.48	110.51	24.74	119.53	26.85	
	35	67.10	13.38	79.22	15.38	91.33	18.34	96.90	19.98	103.44	22.37	110.51	25.77	119.53	27.97	
	37	67.10	14.10	79.22	16.21	91.33	19.32	96.90	21.05	103.44	23.57	108.30	27.15	117.14	29.47	
	39	67.10	14.84	79.22	17.06	91.33	20.34	96.90	22.15	103.44	24.81	107.20	28.58	115.94	31.01	
	41	67.10	15.59	79.22	17.92	91.33	21.36	96.90	23.27	103.44	26.06	106.09	30.02	114.75	32.58	
	43	67.10	16.33	79.22	18.77	91.33	22.37	96.90	24.37	103.44	27.30	106.09	31.44	114.75	34.12	
	46	67.10	17.20	79.22	19.77	91.33	23.57	96.90	25.68	103.44	28.76	103.97	33.12	112.45	35.95	
	48	67.10	18.11	79.22	20.81	91.33	24.81	96.90	27.03	103.44	30.27	102.91	34.87	111.30	37.84	
50	67.10	19.02	79.22	21.86	91.33	26.06	96.90	28.39	103.44	31.80	101.85	36.63	110.16	39.75		
50%	10	55.92	7.42	66.01	8.21	76.11	9.12	80.75	9.89	86.20	11.47	92.10	12.95	99.61	14.54	
	12	55.92	7.49	66.01	8.29	76.11	9.21	80.75	9.99	86.20	11.58	92.10	13.08	99.61	14.68	
	14	55.92	7.47	66.01	8.27	76.11	9.18	80.75	9.96	86.20	11.55	92.10	13.05	99.61	14.64	
	16	55.92	7.70	66.01	8.52	76.11	9.47	80.75	10.27	86.20	11.91	92.10	13.45	99.61	15.09	
	18	55.92	7.76	66.01	8.59	76.11	9.54	80.75	10.35	86.20	12.01	92.10	13.56	99.61	15.22	
	19	55.92	8.04	66.01	8.90	76.11	9.88	80.75	10.72	86.20	12.43	92.10	14.04	99.61	15.76	
	21	55.92	8.19	66.01	9.06	76.11	10.06	80.75	10.91	86.20	12.66	92.10	14.30	99.61	16.04	
	23	55.92	8.45	66.01	9.35	76.11	10.39	80.75	11.27	86.20	13.07	92.10	14.76	99.61	16.56	
	25	55.92	8.62	66.01	9.54	76.11	10.60	80.75	11.49	86.20	13.33	92.10	15.05	99.61	16.89	
	27	55.92	8.95	66.01	9.90	76.11	11.00	80.75	11.93	86.20	13.84	92.10	15.63	99.61	17.53	
	29	55.92	9.26	66.01	10.25	76.11	11.39	80.75	12.35	86.20	14.33	92.10	16.18	99.61	18.15	
	31	55.92	9.74	66.01	10.78	76.11	11.97	80.75	12.98	86.20	15.06	92.10	17.01	99.61	19.08	
	33	55.92	10.13	66.01	11.21	76.11	12.45	80.75	13.50	86.20	15.66	92.10	17.69	99.61	19.85	
	35	55.92	10.55	66.01	11.67	76.11	12.97	80.75	14.07	86.20	16.32	92.10	18.43	99.61	20.68	
	37	55.92	11.11	66.01	12.30	76.11	13.66	80.75	14.82	86.20	17.19	90.25	19.41	97.61	21.78	
	39	55.92	11.70	66.01	12.95	76.11	14.38	80.75	15.60	86.20	18.09	89.33	20.43	96.62	22.93	
	41	55.92	12.29	66.01	13.60	76.11	15.11	80.75	16.39	86.20	19.01	88.41	21.47	95.62	24.09	
	43	55.92	12.87	66.01	14.24	76.11	15.82	80.75	17.16	86.20	19.91	88.41	22.48	95.62	25.23	
	46	55.92	13.56	66.01	15.01	76.11	16.67	80.75	18.08	86.20	20.97	86.64	23.68	93.71	26.58	
	48	55.92	14.27	66.01	15.80	76.11	17.55	80.75	19.03	86.20	22.08	85.76	24.93	92.75	27.97	
50	55.92	14.99	66.01	16.59	76.11	18.43	80.75	19.99	86.20	23.19	84.88	26.19	91.80	29.39		

60HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1680W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	140.45	23.01	165.03	29.43	196.17	32.31	209.98	30.30	213.66	34.17	216.57	34.51	223.20	34.85
	12	140.45	23.65	165.03	30.26	196.17	33.22	208.14	30.86	211.78	35.13	214.65	35.48	221.22	35.83
	14	140.45	24.34	165.03	31.14	196.17	34.18	206.30	31.42	209.91	36.15	210.82	36.51	219.25	36.87
	16	140.45	25.18	165.03	32.22	194.44	35.36	202.61	31.98	206.16	37.40	208.90	37.77	217.27	38.14
	18	140.45	25.79	165.03	33.00	190.96	36.22	200.77	32.54	204.29	38.31	206.99	38.69	215.30	39.07
	19	140.45	27.16	165.03	34.75	189.23	38.15	198.93	33.10	202.41	40.35	205.07	40.75	213.32	41.15
	21	140.45	28.08	165.03	35.93	187.49	39.44	197.09	35.49	200.54	41.71	203.15	42.12	211.35	42.53
	23	140.45	29.42	165.03	37.63	185.76	41.31	195.25	38.01	198.66	43.69	201.24	44.12	209.37	44.56
	25	140.45	30.41	165.03	38.90	184.02	42.70	193.40	40.68	196.79	45.16	199.32	45.61	207.40	46.06
	27	140.45	31.97	165.03	40.90	182.28	44.90	191.56	43.48	194.92	47.49	197.40	47.96	205.42	48.43
	29	140.45	33.12	163.73	42.37	180.55	46.51	189.72	46.43	193.04	49.19	195.49	49.67	203.45	50.16
	31	140.45	34.83	163.25	44.57	178.81	48.92	187.88	49.51	191.17	51.74	193.57	52.25	201.47	52.76
	33	140.45	36.24	163.25	46.37	177.08	50.90	186.04	52.74	189.29	53.83	191.66	54.37	199.50	54.90
	35	140.45	38.15	161.63	48.81	173.60	53.58	184.20	56.11	187.42	56.67	191.66	57.23	197.52	57.79
	37	140.45	40.20	161.63	51.43	173.60	56.45	180.51	58.55	183.67	58.85	185.91	59.15	189.62	59.44
	39	140.45	42.31	161.63	54.13	171.87	59.42	179.22	60.59	181.80	60.92	183.99	61.69	185.67	62.12
	41	140.45	44.45	160.01	56.87	170.13	62.42	178.67	63.06	179.92	63.47	182.07	64.10	183.70	64.61
	43	139.04	46.55	158.40	59.55	168.40	65.37	176.83	66.20	178.05	66.87	180.16	67.41	182.71	67.73
46	139.04	49.04	158.40	62.74	168.40	68.87	173.29	69.09	174.49	69.45	174.75	69.68	175.40	69.67	
48	139.04	51.62	156.81	66.04	166.71	72.49	172.05	71.50	172.71	71.88	172.95	72.67	171.75	72.81	
50	139.04	54.23	155.23	69.38	165.03	76.15	171.52	74.41	170.93	74.89	171.15	75.50	169.92	75.72	
120%	10	132.73	21.78	153.56	26.81	186.15	32.00	202.94	30.01	210.18	33.84	213.04	34.18	219.57	34.51
	12	132.73	22.39	153.56	27.56	186.15	32.90	202.94	30.56	208.34	34.80	211.16	35.14	217.62	35.48
	14	132.73	23.04	153.56	28.36	186.15	33.86	202.94	31.12	206.49	35.81	209.27	36.16	215.68	36.51
	16	132.73	23.84	153.56	29.34	186.15	35.02	202.94	31.67	204.65	37.04	207.39	37.41	213.74	37.77
	18	132.73	24.42	153.56	30.05	186.15	35.87	202.94	32.23	202.80	37.94	205.50	38.31	211.79	38.69
	19	132.73	25.72	153.56	31.65	186.15	37.78	201.13	32.78	200.96	39.96	203.62	40.35	209.85	40.75
	21	132.73	26.58	153.56	32.72	186.15	39.06	199.32	35.15	197.27	41.31	201.73	41.71	207.91	42.12
	23	132.73	27.85	153.56	34.27	182.73	40.91	197.50	37.65	195.43	43.27	199.85	43.70	205.96	44.13
	25	132.73	28.79	153.56	35.43	181.02	42.29	195.69	40.29	193.59	44.73	197.96	45.17	204.02	45.62
	27	132.73	30.27	153.56	37.25	179.32	44.47	193.88	43.06	191.74	47.03	196.08	47.50	202.08	47.96
	29	132.73	31.35	153.56	38.59	177.61	46.06	190.26	45.98	189.90	48.71	194.19	49.20	200.14	49.68
	31	132.73	32.98	153.56	40.59	174.19	48.45	184.82	49.04	188.05	51.24	192.31	51.75	198.19	52.25
	33	132.73	34.31	153.56	42.23	172.49	50.41	183.01	52.23	186.21	53.32	190.42	53.84	196.25	54.37
	35	132.73	36.12	153.56	44.45	170.78	53.07	181.20	55.57	184.37	56.12	188.53	56.68	194.31	57.23
	37	132.73	38.05	153.56	46.84	169.07	55.91	177.57	57.99	180.68	58.29	182.88	58.58	186.53	58.87
	39	132.73	40.06	153.56	49.30	167.36	58.85	176.30	60.01	178.84	60.33	180.99	61.10	182.65	61.53
	41	132.73	42.08	145.89	51.79	165.65	61.82	175.76	62.46	176.99	62.86	179.11	63.48	180.70	63.99
	43	132.73	44.06	144.35	54.23	163.95	64.74	173.95	65.57	175.15	66.22	177.22	66.77	179.73	67.08
46	132.73	46.43	144.35	57.14	162.31	68.21	170.47	68.43	171.65	68.78	171.91	69.01	172.54	69.00	
48	132.73	48.87	144.35	60.14	160.67	71.80	169.25	70.81	169.89	71.19	170.13	71.97	168.95	72.11	
50	132.73	51.33	137.13	63.18	159.03	75.42	168.73	73.70	168.14	74.17	168.36	74.78	167.15	74.99	
110%	10	123.40	21.25	145.68	26.15	167.95	31.21	190.67	32.69	204.89	33.01	209.52	33.34	215.93	33.67
	12	123.40	21.84	145.68	26.89	167.95	32.09	190.67	33.61	203.07	33.94	207.66	34.28	214.02	34.62
	14	123.40	22.48	145.68	27.67	167.95	33.03	190.67	34.58	201.26	34.93	205.81	35.27	212.11	35.62
	16	123.40	23.25	145.68	28.62	167.95	34.17	190.67	35.78	199.45	36.13	203.96	36.49	210.20	36.85
	18	123.40	23.82	145.68	29.31	167.95	34.99	190.67	36.64	197.63	37.01	202.10	37.38	208.29	37.74
	19	123.40	25.09	145.68	30.88	167.95	36.86	190.67	38.59	195.82	38.98	200.25	39.37	206.38	39.75
	21	123.40	25.93	145.68	31.92	167.95	38.10	190.67	39.90	194.01	40.29	198.39	40.69	204.47	41.09
	23	123.40	27.17	145.68	33.43	167.95	39.91	188.89	41.79	192.20	42.21	196.54	42.63	202.56	43.05
	25	123.40	28.08	145.68	34.56	167.95	41.26	187.11	43.20	190.38	43.63	194.69	44.07	200.64	44.50
	27	123.40	29.53	145.68	36.34	167.95	43.38	185.33	45.42	188.57	45.88	192.83	46.33	198.73	46.79
	29	123.40	30.58	145.68	37.64	167.95	44.93	183.54	47.05	186.76	47.52	190.98	47.99	196.82	48.46
	31	123.40	32.17	145.68	39.59	167.95	47.26	181.76	49.49	184.94	49.98	189.12	50.48	194.91	50.97
	33	123.40	33.47	145.68	41.20	167.95	49.18	179.98	51.50	183.13	52.01	187.27	52.52	193.00	53.04
	35	123.40	35.23	145.68	43.36	167.95	51.77	178.20	54.21	181.32	54.75	185.41	55.29	191.09	55.83
	37	123.40	37.12	145.68	45.69	167.95	54.54	174.63	56.57	177.69	56.86	179.85	57.15	183.45	57.43
	39	123.40	39.07	145.68	48.09	162.91	57.41	173.39	58.54	175.88	58.85	178.00	59.60	179.62	60.02
	41	123.40	41.05	145.68	50.52	161.23	60.31	172.85	60.93	174.06	61.32	176.14	61.92	177.71	62.42
	43	123.40	42.98	145.68	52.90	159.55	63.15	171.07	63.96	172.25	64.60	174.29	65.13	176.76	65.43
46	123.40	45.29	145.68	55.74	159.55	66.54	167.65	66.75	168.81	67.10	169.06	67.32	169.69	67.31	
48	123.40	47.67	145.68	58.67	154.77	70.04	166.45	69.08	167.08	69.45	167.32	70.21	166.15	70.34	
50	123.40	50.08	145.68	61.63	153.17	73.58	165.94	71.89	165.36	72.35	165.58	72.95	164.39	73.16	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1680W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	116.34	17.65	137.34	22.30	158.34	28.03	168.00	30.97	182.91	31.28	195.78	31.59	203.57	31.90	
	12	116.34	18.15	137.34	22.93	158.34	28.82	168.00	31.84	182.91	32.16	195.78	32.48	201.77	32.80	
	14	116.34	18.68	137.34	23.59	158.34	29.65	168.00	32.77	182.91	33.10	194.03	33.42	199.97	33.75	
	16	116.34	19.32	137.34	24.41	158.34	30.68	168.00	33.90	182.91	34.24	192.28	34.58	198.17	34.91	
	18	116.34	19.79	137.34	25.00	158.34	31.42	168.00	34.72	182.91	35.07	190.54	35.41	196.37	35.76	
	19	116.34	20.84	137.34	26.33	158.34	33.09	168.00	36.57	182.91	36.93	188.79	37.30	194.57	37.67	
	21	116.34	21.55	137.34	27.22	158.34	34.21	168.00	37.80	182.91	38.18	187.04	38.56	192.77	38.93	
	23	116.34	22.57	137.34	28.51	158.34	35.84	168.00	39.60	182.91	39.99	185.29	40.39	190.96	40.79	
	25	116.34	23.33	137.34	29.47	158.34	37.05	168.00	40.93	181.20	41.34	183.54	41.75	189.16	42.16	
	27	116.34	24.53	137.34	30.99	158.34	38.95	168.00	43.04	179.49	43.47	181.80	43.90	187.36	44.33	
	29	116.34	25.41	137.34	32.10	158.34	40.35	168.00	44.58	177.78	45.03	180.05	45.47	185.56	45.92	
	31	116.34	26.73	137.34	33.76	158.34	42.44	168.00	46.89	176.07	47.36	178.30	47.83	183.76	48.30	
	33	116.34	27.81	137.34	35.13	158.34	44.16	168.00	48.79	172.65	49.28	176.55	49.77	181.96	50.26	
	35	116.34	29.28	137.34	36.98	158.34	46.48	168.00	51.36	170.94	51.87	174.80	52.39	180.15	52.90	
	37	116.34	30.84	137.34	38.96	158.34	48.97	164.64	53.60	167.52	53.88	169.56	54.15	172.95	54.41	
	39	116.34	32.47	137.34	41.01	158.34	51.55	163.46	55.47	165.81	55.76	167.81	56.47	169.35	56.87	
	41	116.34	34.11	137.34	43.08	158.34	54.15	162.96	57.73	164.10	58.10	166.06	58.67	167.54	59.14	
	43	116.34	35.72	137.34	45.11	158.34	56.71	161.28	60.60	162.39	61.21	164.32	61.71	166.64	62.00	
	46	116.34	37.63	137.34	47.53	158.34	59.75	158.05	63.25	159.15	63.57	159.39	63.79	159.98	63.77	
	48	116.34	39.61	137.34	50.03	158.34	62.89	156.93	65.45	157.52	65.80	157.74	66.53	156.64	66.65	
	50	116.34	41.61	137.34	52.56	158.34	66.06	156.44	68.12	155.90	68.56	156.10	69.12	154.98	69.32	
90%	10	104.71	15.60	123.61	19.24	142.51	23.61	151.20	26.00	161.41	28.34	181.28	30.16	185.00	30.94	
	12	104.71	16.04	123.61	19.78	142.51	24.27	151.20	26.73	161.41	29.14	181.28	31.01	185.00	31.81	
	14	104.71	16.51	123.61	20.36	142.51	24.98	151.20	27.51	161.41	29.98	181.28	31.91	185.00	32.74	
	16	104.71	17.07	123.61	21.06	142.51	25.84	151.20	28.46	161.41	31.02	181.28	33.01	185.00	33.86	
	18	104.71	17.49	123.61	21.57	142.51	26.47	151.20	29.15	161.41	31.77	181.28	33.81	183.27	34.68	
	19	104.71	18.42	123.61	22.72	142.51	27.87	151.20	30.70	161.41	33.46	181.28	35.61	181.54	36.53	
	21	104.71	19.04	123.61	23.48	142.51	28.81	151.20	31.73	161.41	34.59	181.28	36.81	179.81	37.76	
	23	104.71	19.95	123.61	24.60	142.51	30.18	151.20	33.24	161.41	36.23	181.28	38.56	178.08	39.56	
	25	104.71	20.62	123.61	25.43	142.51	31.20	151.20	34.36	161.41	37.46	179.58	39.86	176.36	40.89	
	27	104.71	21.68	123.61	26.74	142.51	32.81	151.20	36.13	161.41	39.38	177.89	41.91	176.36	43.00	
	29	104.71	22.46	123.61	27.69	142.51	33.98	151.20	37.43	161.41	40.79	176.20	43.41	176.36	44.54	
	31	104.71	23.62	123.61	29.13	142.51	35.74	151.20	39.37	161.41	42.91	174.50	45.66	174.63	46.85	
	33	104.71	24.58	123.61	30.31	142.51	37.19	151.20	40.96	161.41	44.65	171.11	47.51	174.63	48.74	
	35	104.71	25.87	123.61	31.91	142.51	39.15	151.20	43.12	161.41	47.00	169.42	50.02	172.90	51.31	
	37	104.71	27.26	123.61	33.62	142.51	41.25	151.20	45.43	161.41	49.52	166.03	52.70	169.44	54.06	
	39	104.71	28.69	123.61	35.38	142.51	43.42	151.20	47.82	161.41	52.12	164.34	55.47	167.71	56.90	
	41	104.71	30.14	123.61	37.17	142.51	45.61	151.20	50.23	161.41	54.75	162.64	58.27	165.98	59.77	
	43	104.71	31.56	123.61	38.93	142.51	47.76	151.20	52.60	161.41	57.34	162.64	61.02	165.98	62.60	
	46	104.71	33.25	123.61	41.01	142.51	50.32	151.20	55.42	161.41	60.41	159.39	64.29	162.66	65.95	
	48	104.71	35.00	123.61	43.17	142.51	52.97	151.20	58.34	161.41	63.59	157.76	67.67	161.00	69.42	
	50	104.71	36.77	123.61	45.35	142.51	55.64	151.20	61.28	161.41	66.80	156.14	71.09	159.34	72.93	
80%	10	93.07	13.86	109.87	15.56	126.67	19.51	134.40	21.32	143.47	23.45	153.28	27.46	165.78	29.32	
	12	93.07	14.25	109.87	16.00	126.67	20.06	134.40	21.92	143.47	24.11	153.28	28.24	165.78	30.14	
	14	93.07	14.66	109.87	16.47	126.67	20.64	134.40	22.56	143.47	24.81	153.28	29.06	165.78	31.02	
	16	93.07	15.17	109.87	17.04	126.67	21.35	134.40	23.34	143.47	25.67	153.28	30.06	165.78	32.09	
	18	93.07	15.54	109.87	17.45	126.67	21.87	134.40	23.90	143.47	26.29	153.28	30.79	165.78	32.87	
	19	93.07	16.36	109.87	18.38	126.67	23.04	134.40	25.18	143.47	27.69	153.28	32.43	165.78	34.62	
	21	93.07	16.92	109.87	19.00	126.67	23.81	134.40	26.02	143.47	28.63	153.28	33.52	165.78	35.78	
	23	93.07	17.72	109.87	19.90	126.67	24.94	134.40	27.26	143.47	29.99	153.28	35.11	165.78	37.48	
	25	93.07	18.32	109.87	20.57	126.67	25.79	134.40	28.18	143.47	31.00	153.28	36.30	165.78	38.75	
	27	93.07	19.26	109.87	21.63	126.67	27.11	134.40	29.63	143.47	32.59	153.28	38.16	165.78	40.74	
	29	93.07	19.95	109.87	22.40	126.67	28.08	134.40	30.69	143.47	33.76	153.28	39.53	165.78	42.20	
	31	93.07	20.98	109.87	23.57	126.67	29.54	134.40	32.28	143.47	35.51	153.28	41.58	165.78	44.39	
	33	93.07	21.83	109.87	24.52	126.67	30.74	134.40	33.59	143.47	36.95	153.28	43.27	165.78	46.19	
	35	93.07	22.98	109.87	25.81	126.67	32.35	134.40	35.36	143.47	38.89	153.28	45.54	165.78	48.62	
	37	93.07	24.22	109.87	27.20	126.67	34.09	134.40	37.25	143.47	40.98	150.22	47.98	162.47	51.22	
	39	93.07	25.49	109.87	28.63	126.67	35.88	134.40	39.21	143.47	43.13	148.68	50.51	160.81	53.92	
	41	93.07	26.78	109.87	30.07	126.67	37.69	134.40	41.19	143.47	45.31	147.15	53.06	159.15	56.64	
	43	93.07	28.04	109.87	31.49	126.67	39.47	134.40	43.14	143.47	47.45	147.15	55.56	159.15	59.31	
	46	93.07	29.54	109.87	33.18	126.67	41.59	134.40	45.45	143.47	49.99	144.21	58.54	155.97	62.49	
	48	93.07	31.10	109.87	34.92	126.67	43.77	134.40	47.84	143.47	52.62	142.74	61.62	154.38	65.78	
	50	93.07	32.67	109.87	36.69	126.67	45.98	134.40	50.26	143.47	55.28	-	64.73	152.79	69.10	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1680W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	81.44	12.44	96.14	14.81	110.84	18.07	117.60	19.74	125.54	21.32	134.12	24.09	145.06	26.06	
	12	81.44	12.56	96.14	14.96	110.84	18.25	117.60	19.94	125.54	21.54	134.12	24.33	145.06	26.32	
	14	81.44	12.53	96.14	14.91	110.84	18.19	117.60	19.89	125.54	21.48	134.12	24.26	145.06	26.25	
	16	81.44	12.92	96.14	15.38	110.84	18.76	117.60	20.50	125.54	22.14	134.12	25.01	145.06	27.06	
	18	81.44	13.02	96.14	15.50	110.84	18.91	117.60	20.67	125.54	22.33	134.12	25.22	145.06	27.29	
	19	81.44	13.48	96.14	16.05	110.84	19.58	117.60	21.40	125.54	23.11	134.12	26.11	145.06	28.25	
	21	81.44	13.73	96.14	16.35	110.84	19.94	117.60	21.79	125.54	23.54	134.12	26.59	145.06	28.77	
	23	81.44	14.17	96.14	16.87	110.84	20.58	117.60	22.50	125.54	24.30	134.12	27.45	145.06	29.70	
	25	81.44	14.46	96.14	17.21	110.84	21.00	117.60	22.95	125.54	24.78	134.12	27.99	145.06	30.29	
	27	81.44	15.00	96.14	17.86	110.84	21.79	117.60	23.82	125.54	25.72	134.12	29.06	145.06	31.44	
	29	81.44	15.54	96.14	18.49	110.84	22.56	117.60	24.66	125.54	26.63	134.12	30.08	145.06	32.55	
	31	81.44	16.33	96.14	19.44	110.84	23.72	117.60	25.92	125.54	28.00	134.12	31.63	145.06	34.22	
	33	81.44	16.99	96.14	20.22	110.84	24.67	117.60	26.96	125.54	29.12	134.12	32.89	145.06	35.59	
	35	81.44	17.69	96.14	21.06	110.84	25.70	117.60	28.09	125.54	30.33	134.12	34.27	145.06	37.07	
	37	81.44	18.64	96.14	22.19	110.84	27.08	117.60	29.59	125.54	31.96	131.44	36.10	142.16	39.06	
	39	81.44	19.62	96.14	23.36	110.84	28.50	117.60	31.15	125.54	33.64	130.10	38.00	140.71	41.11	
	41	81.44	20.61	96.14	24.54	110.84	29.94	117.60	32.72	125.54	35.34	128.76	39.92	139.26	43.19	
	43	81.44	21.59	96.14	25.70	110.84	31.35	117.60	34.27	125.54	37.01	128.76	41.80	139.26	45.23	
	46	81.44	22.74	96.14	27.08	110.84	33.03	117.60	36.10	125.54	38.99	126.18	44.04	136.47	47.65	
	48	81.44	23.94	96.14	28.50	110.84	34.77	117.60	38.00	125.54	41.04	124.90	46.36	135.08	50.16	
50	81.44	25.15	96.14	29.94	110.84	36.53	117.60	39.92	125.54	43.11	123.61	48.70	133.69	52.69		
60%	10	69.80	10.03	82.40	11.53	95.00	13.75	100.80	14.97	107.60	16.77	114.96	19.32	124.34	20.96	
	12	69.80	10.13	82.40	11.64	95.00	13.88	100.80	15.12	107.60	16.94	114.96	19.51	124.34	21.17	
	14	69.80	10.10	82.40	11.61	95.00	13.84	100.80	15.08	107.60	16.89	114.96	19.45	124.34	21.11	
	16	69.80	10.42	82.40	11.97	95.00	14.27	100.80	15.55	107.60	17.41	114.96	20.06	124.34	21.77	
	18	69.80	10.50	82.40	12.07	95.00	14.39	100.80	15.68	107.60	17.56	114.96	20.22	124.34	21.95	
	19	69.80	10.87	82.40	12.50	95.00	14.90	100.80	16.23	107.60	18.18	114.96	20.94	124.34	22.72	
	21	69.80	11.07	82.40	12.73	95.00	15.17	100.80	16.53	107.60	18.51	114.96	21.32	124.34	23.14	
	23	69.80	11.43	82.40	13.14	95.00	15.66	100.80	17.06	107.60	19.11	114.96	22.01	124.34	23.88	
	25	69.80	11.66	82.40	13.40	95.00	15.97	100.80	17.40	107.60	19.49	114.96	22.45	124.34	24.36	
	27	69.80	12.10	82.40	13.91	95.00	16.58	100.80	18.06	107.60	20.23	114.96	23.30	124.34	25.29	
	29	69.80	12.53	82.40	14.40	95.00	17.17	100.80	18.70	107.60	20.94	114.96	24.12	124.34	26.18	
	31	69.80	13.17	82.40	15.14	95.00	18.05	100.80	19.66	107.60	22.02	114.96	25.36	124.34	27.52	
	33	69.80	13.70	82.40	15.74	95.00	18.77	100.80	20.45	107.60	22.90	114.96	26.38	124.34	28.63	
	35	69.80	14.27	82.40	16.40	95.00	19.55	100.80	21.30	107.60	23.85	114.96	27.48	124.34	29.82	
	37	69.80	15.04	82.40	17.28	95.00	20.60	100.80	22.44	107.60	25.13	112.66	28.95	121.85	31.42	
	39	69.80	15.83	82.40	18.19	95.00	21.68	100.80	23.62	107.60	26.46	111.51	30.47	120.61	33.07	
	41	69.80	16.62	82.40	19.11	95.00	22.78	100.80	24.81	107.60	27.79	110.36	32.01	119.36	34.74	
	43	69.80	17.41	82.40	20.01	95.00	23.85	100.80	25.98	107.60	29.10	110.36	33.52	119.36	36.38	
	46	69.80	18.34	82.40	21.08	95.00	25.13	100.80	27.38	107.60	30.66	108.16	35.32	116.98	38.33	
	48	69.80	19.31	82.40	22.19	95.00	26.45	100.80	28.82	107.60	32.28	107.05	37.17	115.78	40.34	
50	69.80	20.28	82.40	23.31	95.00	27.79	100.80	30.27	107.60	33.90	105.95	39.05	114.59	42.38		
50%	10	58.17	7.91	68.67	8.75	79.17	9.72	84.00	10.54	89.67	12.23	95.80	13.81	103.61	15.50	
	12	58.17	7.99	68.67	8.84	79.17	9.82	84.00	10.65	89.67	12.35	95.80	13.95	103.61	15.65	
	14	58.17	7.96	68.67	8.81	79.17	9.79	84.00	10.62	89.67	12.32	95.80	13.91	103.61	15.61	
	16	58.17	8.21	68.67	9.09	79.17	10.09	84.00	10.95	89.67	12.70	95.80	14.34	103.61	16.09	
	18	58.17	8.28	68.67	9.16	79.17	10.18	84.00	11.04	89.67	12.80	95.80	14.46	103.61	16.23	
	19	58.17	8.57	68.67	9.49	79.17	10.54	84.00	11.43	89.67	13.26	95.80	14.97	103.61	16.80	
	21	58.17	8.73	68.67	9.66	79.17	10.73	84.00	11.64	89.67	13.50	95.80	15.25	103.61	17.11	
	23	58.17	9.01	68.67	9.97	79.17	11.08	84.00	12.01	89.67	13.93	95.80	15.74	103.61	17.66	
	25	58.17	9.19	68.67	10.17	79.17	11.30	84.00	12.25	89.67	14.21	95.80	16.05	103.61	18.01	
	27	58.17	9.54	68.67	10.56	79.17	11.73	84.00	12.72	89.67	14.75	95.80	16.66	103.61	18.69	
	29	58.17	9.88	68.67	10.93	79.17	12.14	84.00	13.17	89.67	15.27	95.80	17.25	103.61	19.36	
	31	58.17	10.38	68.67	11.49	79.17	12.76	84.00	13.84	89.67	16.06	95.80	18.13	103.61	20.35	
	33	58.17	10.80	68.67	11.95	79.17	13.27	84.00	14.40	89.67	16.70	95.80	18.86	103.61	21.16	
	35	58.17	11.25	68.67	12.45	79.17	13.83	84.00	15.00	89.67	17.40	95.80	19.65	103.61	22.05	
	37	58.17	11.85	68.67	13.11	79.17	14.57	84.00	15.80	89.67	18.33	93.89	20.70	101.54	23.23	
	39	58.17	12.47	68.67	13.80	79.17	15.33	84.00	16.63	89.67	19.29	92.93	21.79	100.51	24.45	
	41	58.17	13.10	68.67	14.50	79.17	16.11	84.00	17.47	89.67	20.27	91.97	22.89	99.47	25.68	
	43	58.17	13.72	68.67	15.19	79.17	16.87	84.00	18.30	89.67	21.22	91.97	23.97	99.47	26.90	
	46	58.17	14.46	68.67	16.00	79.17	17.77	84.00	19.28	89.67	22.36	90.13	25.25	97.48	28.34	
	48	58.17	15.22	68.67	16.84	79.17	18.71	84.00	20.29	89.67	23.54	89.21	26.58	96.49	29.83	
50	58.17	15.99	68.67	17.69	79.17	19.65	84.00	21.32	89.67	24.73	88.29	27.92	95.49	31.33		

62HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1730W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	144.63	23.61	169.94	30.20	202.01	33.15	216.23	31.09	220.02	35.06	223.02	35.41	229.84	35.76
	12	144.63	24.27	169.94	31.05	202.01	34.09	214.34	31.66	218.09	36.05	221.04	36.41	227.81	36.76
	14	144.63	24.98	169.94	31.95	202.01	35.08	212.44	32.24	216.16	37.10	217.10	37.46	225.77	37.83
	16	144.63	25.84	169.94	33.06	200.22	36.29	208.64	32.81	212.30	38.38	215.12	38.76	223.74	39.14
	18	144.63	26.46	169.94	33.86	196.65	37.17	206.75	33.39	210.37	39.31	213.15	39.70	221.71	40.08
	19	144.63	27.87	169.94	35.66	194.86	39.14	204.85	33.97	208.44	41.40	211.17	41.81	219.67	42.22
	21	144.63	28.81	169.94	36.86	193.07	40.46	202.95	36.41	206.51	42.79	209.20	43.22	217.64	43.64
	23	144.63	30.18	169.94	38.62	191.28	42.39	201.06	39.00	204.58	44.83	207.23	45.27	215.60	45.72
	25	144.63	31.20	169.94	39.92	189.50	43.82	199.16	41.74	202.65	46.34	205.25	46.80	213.57	47.26
	27	144.63	32.81	169.94	41.97	187.71	46.07	197.26	44.62	200.72	48.73	203.28	49.21	211.54	49.69
	29	144.63	33.98	168.61	43.47	185.92	47.72	195.37	47.64	198.79	50.47	201.31	50.97	209.50	51.47
	31	144.63	35.74	168.11	45.73	184.13	50.20	193.47	50.81	196.86	53.09	199.33	53.61	207.47	54.14
	33	144.63	37.19	168.11	47.58	182.35	52.23	191.57	54.12	194.93	55.24	197.36	55.78	205.43	56.33
	35	144.63	39.15	166.44	50.09	178.77	54.98	189.68	57.57	193.00	58.15	197.36	58.72	203.40	59.30
	37	144.63	41.25	166.44	52.77	178.77	57.93	185.88	60.08	189.14	60.39	191.44	60.69	195.26	60.99
	39	144.63	43.41	166.44	55.54	176.98	60.97	184.56	62.18	187.21	62.51	189.46	63.30	191.20	63.74
	41	144.63	45.61	164.78	58.35	175.20	64.05	183.99	64.71	185.28	65.12	187.49	65.77	189.16	66.29
	43	143.18	47.76	163.11	61.10	173.41	67.07	182.09	67.93	183.35	68.61	185.52	69.17	188.15	69.50
	46	143.18	50.32	163.11	64.38	173.41	70.67	178.45	70.89	179.68	71.26	179.95	71.50	180.62	71.48
	48	143.18	52.97	161.48	67.76	171.67	74.39	177.17	73.37	177.85	73.76	178.10	74.57	176.86	74.71
	50	143.18	55.64	159.85	71.19	169.94	78.14	176.63	76.36	176.01	76.84	176.24	77.47	174.98	77.70
120%	10	136.68	22.35	158.13	27.50	191.69	32.83	208.98	30.79	216.43	34.72	219.38	35.07	226.10	35.41
	12	136.68	22.98	158.13	28.28	191.69	33.76	208.98	31.36	214.54	35.70	217.44	36.06	224.10	36.41
	14	136.68	23.64	158.13	29.10	191.69	34.74	208.98	31.93	212.64	36.74	215.50	37.10	222.10	37.47
	16	136.68	24.46	158.13	30.10	191.69	35.94	208.98	32.50	210.74	38.01	213.56	38.38	220.10	38.76
	18	136.68	25.05	158.13	30.83	191.69	36.81	208.98	33.07	208.84	38.93	211.62	39.31	218.10	39.70
	19	136.68	26.39	158.13	32.48	191.69	38.77	207.11	33.64	206.94	41.00	209.68	41.41	216.10	41.81
	21	136.68	27.28	158.13	33.57	191.69	40.08	205.25	36.06	203.14	42.38	207.74	42.80	214.10	43.22
	23	136.68	28.57	158.13	35.17	188.17	41.98	203.38	38.63	201.25	44.40	205.79	44.84	212.09	45.28
	25	136.68	29.54	158.13	36.35	186.41	43.40	201.52	41.34	199.35	45.90	203.85	46.35	210.09	46.81
	27	136.68	31.06	158.13	38.22	184.65	45.63	199.65	44.19	197.45	48.26	201.91	48.74	208.09	49.21
	29	136.68	32.17	158.13	39.59	182.89	47.26	195.92	47.18	195.55	49.98	199.97	50.48	206.09	50.97
	31	136.68	33.84	158.13	41.64	179.38	49.71	190.32	50.32	193.65	52.58	198.03	53.10	204.09	53.62
	33	136.68	35.21	158.13	43.33	177.62	51.73	188.46	53.60	191.75	54.71	196.09	55.25	202.09	55.79
	35	136.68	37.06	158.13	45.61	175.86	54.45	186.59	57.02	189.85	57.59	194.15	58.16	200.09	58.73
	37	136.68	39.05	158.13	48.06	174.10	57.37	182.86	59.50	186.06	59.81	188.32	60.11	192.09	60.41
	39	136.68	41.10	158.13	50.58	172.34	60.39	181.55	61.58	184.16	61.91	186.38	62.69	188.08	63.13
	41	136.68	43.18	150.23	53.14	170.58	63.43	180.99	64.09	182.26	64.50	184.44	65.14	186.08	65.66
	43	136.68	45.21	148.65	55.65	168.83	66.43	179.13	67.28	180.36	67.95	182.50	68.51	185.08	68.83
	46	136.68	47.64	148.65	58.63	167.14	69.99	175.54	70.21	176.75	70.57	177.02	70.81	177.68	70.80
	48	136.68	50.14	148.65	61.71	165.45	73.67	174.29	72.66	174.95	73.05	175.20	73.85	173.98	73.99
	50	136.68	52.67	141.21	64.83	163.76	77.39	173.75	75.62	173.15	76.11	173.37	76.73	172.13	76.95
110%	10	127.07	21.80	150.01	26.83	172.95	32.03	196.35	33.54	210.98	33.87	215.75	34.21	222.36	34.54
	12	127.07	22.41	150.01	27.59	172.95	32.93	196.35	34.48	209.12	34.83	213.84	35.17	220.39	35.52
	14	127.07	23.07	150.01	28.39	172.95	33.89	196.35	35.49	207.25	35.84	211.94	36.19	218.42	36.55
	16	127.07	23.86	150.01	29.37	172.95	35.06	196.35	36.71	205.38	37.08	210.03	37.44	216.46	37.81
	18	127.07	24.44	150.01	30.08	172.95	35.91	196.35	37.60	203.52	37.97	208.12	38.35	214.49	38.73
	19	127.07	25.74	150.01	31.68	172.95	37.82	196.35	39.60	201.65	40.00	206.21	40.39	212.52	40.79
	21	127.07	26.61	150.01	32.75	172.95	39.09	196.35	40.94	199.78	41.35	204.30	41.75	210.55	42.16
	23	127.07	27.87	150.01	34.31	172.95	40.95	194.51	42.88	197.92	43.31	202.39	43.74	208.58	44.17
	25	127.07	28.81	150.01	35.46	172.95	42.33	192.68	44.33	196.05	44.77	200.48	45.22	206.62	45.66
	27	127.07	30.30	150.01	37.29	172.95	44.51	190.84	46.61	194.18	47.08	198.57	47.54	204.65	48.01
	29	127.07	31.38	150.01	38.62	172.95	46.11	189.01	48.28	192.31	48.76	196.66	49.24	202.68	49.73
	31	127.07	33.01	150.01	40.62	172.95	48.50	187.17	50.78	190.45	51.29	194.75	51.80	200.71	52.30
	33	127.07	34.35	150.01	42.27	172.95	50.46	185.34	52.84	188.58	53.37	192.84	53.90	198.75	54.42
	35	127.07	36.15	150.01	44.50	172.95	53.12	183.50	55.62	186.71	56.18	190.93	56.73	196.78	57.29
	37	127.07	38.09	150.01	46.88	172.95	55.96	179.83	58.04	182.98	58.34	185.20	58.64	188.91	58.93
	39	127.07	40.09	150.01	49.35	167.76	58.91	178.55	60.07	181.11	60.39	183.30	61.16	184.97	61.58
	41	127.07	42.12	150.01	51.84	166.03	61.88	178.00	62.52	179.24	62.92	181.39	63.54	183.00	64.05
	43	127.07	44.11	150.01	54.28	164.30	64.80	176.16	65.63	177.38	66.29	179.48	66.83	182.02	67.14
	46	127.07	46.47	150.01	57.19	164.30	68.28	172.64	68.49	173.83	68.85	174.09	69.08	174.74	69.06
	48	127.07	48.91	150.01	60.20	159.37	71.87	171.40	70.88	172.06	71.26	172.30	72.04	171.10	72.18
	50	127.07	51.38	150.01	63.24	157.73	75.49	170.88	73.77	170.28	74.24	170.50	74.85	169.28	75.06

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1730W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	119.80	18.11	141.43	22.88	163.05	28.76	173.00	31.78	188.35	32.10	201.61	32.41	209.63	32.73	
	12	119.80	18.62	141.43	23.53	163.05	29.57	173.00	32.67	188.35	33.00	201.61	33.33	207.78	33.65	
	14	119.80	19.16	141.43	24.21	163.05	30.43	173.00	33.62	188.35	33.96	199.81	34.30	205.92	34.63	
	16	119.80	19.83	141.43	25.04	163.05	31.48	173.00	34.78	188.35	35.13	198.01	35.48	204.07	35.83	
	18	119.80	20.31	141.43	25.65	163.05	32.24	173.00	35.63	188.35	35.98	196.21	36.34	202.21	36.69	
	19	119.80	21.39	141.43	27.02	163.05	33.96	173.00	37.52	188.35	37.90	194.41	38.27	200.36	38.65	
	21	119.80	22.11	141.43	27.93	163.05	35.10	173.00	38.79	188.35	39.18	192.61	39.56	198.50	39.95	
	23	119.80	23.16	141.43	29.25	163.05	36.77	173.00	40.63	188.35	41.04	190.81	41.44	196.65	41.85	
	25	119.80	23.94	141.43	30.24	163.05	38.01	173.00	42.00	186.59	42.42	189.01	42.84	194.79	43.26	
	27	119.80	25.17	141.43	31.80	163.05	39.97	173.00	44.16	184.83	44.60	187.21	45.05	192.94	45.49	
	29	119.80	26.07	141.43	32.94	163.05	41.40	173.00	45.74	183.07	46.20	185.41	46.66	191.08	47.12	
	31	119.80	27.43	141.43	34.64	163.05	43.54	173.00	48.12	181.31	48.60	183.61	49.08	189.23	49.56	
	33	119.80	28.54	141.43	36.05	163.05	45.31	173.00	50.07	177.79	50.57	181.81	51.07	187.37	51.57	
	35	119.80	30.04	141.43	37.94	163.05	47.69	173.00	52.70	176.03	53.23	180.01	53.75	185.52	54.28	
	37	119.80	31.65	141.43	39.98	163.05	50.25	169.54	55.00	172.51	55.28	174.61	55.56	178.10	55.83	
	39	119.80	33.31	141.43	42.08	163.05	52.89	168.33	56.92	170.75	57.22	172.81	57.95	174.39	58.35	
	41	119.80	35.00	141.43	44.20	163.05	55.56	167.81	59.23	168.99	59.61	171.01	60.20	172.53	60.69	
	43	119.80	36.65	141.43	46.29	163.05	58.19	166.08	62.19	167.23	62.81	169.21	63.32	171.60	63.62	
	46	119.80	38.61	141.43	48.77	163.05	61.30	162.76	64.90	163.88	65.23	164.13	65.45	164.74	65.44	
	48	119.80	40.64	141.43	51.34	163.05	64.53	161.60	67.16	162.21	67.52	162.44	68.26	161.31	68.39	
	50	119.80	42.69	141.43	53.93	163.05	67.79	161.10	69.90	160.54	70.34	160.75	70.92	159.59	71.12	
90%	10	107.82	16.01	127.28	19.74	146.75	24.22	155.70	26.68	166.21	29.08	186.67	30.95	190.51	31.75	
	12	107.82	16.46	127.28	20.30	146.75	24.91	155.70	27.43	166.21	29.90	186.67	31.82	190.51	32.64	
	14	107.82	16.94	127.28	20.89	146.75	25.63	155.70	28.23	166.21	30.77	186.67	32.74	190.51	33.59	
	16	107.82	17.52	127.28	21.61	146.75	26.51	155.70	29.20	166.21	31.83	186.67	33.87	190.51	34.75	
	18	107.82	17.94	127.28	22.13	146.75	27.16	155.70	29.91	166.21	32.60	186.67	34.69	188.73	35.59	
	19	107.82	18.90	127.28	23.31	146.75	28.60	155.70	31.50	166.21	34.34	186.67	36.54	186.95	37.49	
	21	107.82	19.54	127.28	24.10	146.75	29.57	155.70	32.56	166.21	35.49	186.67	37.77	185.16	38.75	
	23	107.82	20.47	127.28	25.24	146.75	30.97	155.70	34.11	166.21	37.18	186.67	39.57	183.38	40.59	
	25	107.82	21.16	127.28	26.09	146.75	32.02	155.70	35.26	166.21	38.43	184.93	40.90	181.60	41.96	
	27	107.82	22.24	127.28	27.44	146.75	33.66	155.70	37.07	166.21	40.41	183.18	43.01	181.60	44.12	
	29	107.82	23.04	127.28	28.42	146.75	34.87	155.70	38.40	166.21	41.86	181.44	44.55	181.60	45.70	
	31	107.82	24.24	127.28	29.89	146.75	36.68	155.70	40.39	166.21	44.03	179.70	46.86	179.82	48.07	
	33	107.82	25.22	127.28	31.10	146.75	38.16	155.70	42.03	166.21	45.81	176.21	48.75	179.82	50.02	
	35	107.82	26.54	127.28	32.74	146.75	40.17	155.70	44.24	166.21	48.22	174.46	51.32	178.04	52.65	
	37	107.82	27.97	127.28	34.49	146.75	42.32	155.70	46.61	166.21	50.81	170.97	54.07	174.48	55.47	
	39	107.82	29.44	127.28	36.31	146.75	44.55	155.70	49.06	166.21	53.48	169.23	56.91	172.70	58.39	
	41	107.82	30.92	127.28	38.14	146.75	46.80	155.70	51.54	166.21	56.18	167.48	59.79	170.92	61.33	
	43	107.82	32.38	127.28	39.94	146.75	49.01	155.70	53.97	166.21	58.83	167.48	62.61	170.92	64.23	
	46	107.82	34.12	127.28	42.08	146.75	51.64	155.70	56.87	166.21	61.99	164.13	65.97	167.50	67.67	
	48	107.82	35.91	127.28	44.29	146.75	54.35	155.70	59.86	166.21	65.25	162.46	69.44	165.79	71.23	
	50	107.82	37.73	127.28	46.53	146.75	57.10	155.70	62.88	166.21	68.54	160.78	72.94	164.08	74.83	
80%	10	95.84	14.22	113.14	15.97	130.44	20.02	138.40	21.88	147.74	24.07	157.85	28.18	170.72	30.08	
	12	95.84	14.62	113.14	16.42	130.44	20.58	138.40	22.49	147.74	24.74	157.85	28.97	170.72	30.93	
	14	95.84	15.05	113.14	16.90	130.44	21.18	138.40	23.15	147.74	25.46	157.85	29.81	170.72	31.83	
	16	95.84	15.56	113.14	17.48	130.44	21.91	138.40	23.95	147.74	26.34	157.85	30.84	170.72	32.93	
	18	95.84	15.94	113.14	17.90	130.44	22.44	138.40	24.53	147.74	26.98	157.85	31.59	170.72	33.72	
	19	95.84	16.79	113.14	18.86	130.44	23.64	138.40	25.83	147.74	28.42	157.85	33.27	170.72	35.52	
	21	95.84	17.36	113.14	19.49	130.44	24.43	138.40	26.70	147.74	29.37	157.85	34.39	170.72	36.72	
	23	95.84	18.18	113.14	20.42	130.44	25.60	138.40	27.97	147.74	30.77	157.85	36.03	170.72	38.46	
	25	95.84	18.80	113.14	21.11	130.44	26.46	138.40	28.92	147.74	31.81	157.85	37.24	170.72	39.76	
	27	95.84	19.76	113.14	22.19	130.44	27.82	138.40	30.40	147.74	33.44	157.85	39.16	170.72	41.81	
	29	95.84	20.47	113.14	22.99	130.44	28.82	138.40	31.49	147.74	34.64	157.85	40.56	170.72	43.30	
	31	95.84	21.53	113.14	24.18	130.44	30.31	138.40	33.12	147.74	36.44	157.85	42.66	170.72	45.55	
	33	95.84	22.40	113.14	25.16	130.44	31.54	138.40	34.47	147.74	37.91	157.85	44.39	170.72	47.39	
	35	95.84	23.58	113.14	26.49	130.44	33.20	138.40	36.28	147.74	39.91	157.85	46.73	170.72	49.89	
	37	95.84	24.85	113.14	27.90	130.44	34.98	138.40	38.23	147.74	42.05	154.69	49.24	167.30	52.56	
	39	95.84	26.15	113.14	29.37	130.44	36.82	138.40	40.24	147.74	44.26	153.11	51.82	165.59	55.32	
	41	95.84	27.47	113.14	30.86	130.44	38.67	138.40	42.27	147.74	46.49	151.53	54.44	163.89	58.12	
	43	95.84	28.77	113.14	32.31	130.44	40.50	138.40	44.26	147.74	48.69	151.53	57.01	163.89	60.86	
	46	95.84	30.31	113.14	34.04	130.44	42.67	138.40	46.64	147.74	51.30	148.50	60.07	160.61	64.12	
	48	95.84	31.91	113.14	35.83	130.44	44.92	138.40	49.09	147.74	54.00	146.99	63.23	158.97	67.50	
	50	95.84	33.52	113.14	37.64	130.44	47.18	138.40	51.57	147.74	56.72	-	66.42	157.33	70.90	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1730W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	83.86	12.76	99.00	15.19	114.14	18.54	121.10	20.26	129.27	21.88	138.11	24.72	149.38	26.74	
	12	83.86	12.89	99.00	15.35	114.14	18.72	121.10	20.46	129.27	22.10	138.11	24.96	149.38	27.01	
	14	83.86	12.85	99.00	15.30	114.14	18.67	121.10	20.40	129.27	22.04	138.11	24.89	149.38	26.93	
	16	83.86	13.25	99.00	15.78	114.14	19.25	121.10	21.04	129.27	22.72	138.11	25.67	149.38	27.77	
	18	83.86	13.36	99.00	15.91	114.14	19.41	121.10	21.21	129.27	22.91	138.11	25.88	149.38	28.00	
	19	83.86	13.83	99.00	16.47	114.14	20.09	121.10	21.96	129.27	23.72	138.11	26.79	149.38	28.99	
	21	83.86	14.09	99.00	16.77	114.14	20.46	121.10	22.36	129.27	24.15	138.11	27.28	149.38	29.52	
	23	83.86	14.54	99.00	17.31	114.14	21.12	121.10	23.08	129.27	24.93	138.11	28.16	149.38	30.47	
	25	83.86	14.83	99.00	17.66	114.14	21.54	121.10	23.55	129.27	25.43	138.11	28.73	149.38	31.08	
	27	83.86	15.40	99.00	18.33	114.14	22.36	121.10	24.44	129.27	26.39	138.11	29.81	149.38	32.26	
	29	83.86	15.94	99.00	18.98	114.14	23.15	121.10	25.30	129.27	27.33	138.11	30.87	149.38	33.40	
	31	83.86	16.76	99.00	19.95	114.14	24.34	121.10	26.60	129.27	28.73	138.11	32.45	149.38	35.11	
	33	83.86	17.43	99.00	20.75	114.14	25.31	121.10	27.67	129.27	29.88	138.11	33.75	149.38	36.52	
	35	83.86	18.16	99.00	21.61	114.14	26.37	121.10	28.82	129.27	31.12	138.11	35.16	149.38	38.04	
	37	83.86	19.13	99.00	22.77	114.14	27.78	121.10	30.36	129.27	32.79	135.35	37.04	146.39	40.08	
	39	83.86	20.13	99.00	23.97	114.14	29.24	121.10	31.96	129.27	34.52	133.97	38.99	144.90	42.19	
	41	83.86	21.15	99.00	25.18	114.14	30.72	121.10	33.57	129.27	36.26	132.59	40.96	143.40	44.32	
	43	83.86	22.15	99.00	26.37	114.14	32.17	121.10	35.16	129.27	37.97	132.59	42.89	143.40	46.41	
	46	83.86	23.34	99.00	27.78	114.14	33.89	121.10	37.04	129.27	40.01	129.94	45.19	140.53	48.90	
	48	83.86	24.56	99.00	29.24	114.14	35.68	121.10	38.99	129.27	42.11	128.61	47.57	139.10	51.47	
50	83.86	25.81	99.00	30.72	114.14	37.48	121.10	40.96	129.27	44.24	127.29	49.97	137.67	54.07		
60%	10	71.88	10.29	84.86	11.83	97.83	14.10	103.80	15.36	110.81	17.21	118.38	19.82	128.04	21.51	
	12	71.88	10.40	84.86	11.95	97.83	14.24	103.80	15.52	110.81	17.38	118.38	20.02	128.04	21.72	
	14	71.88	10.37	84.86	11.91	97.83	14.20	103.80	15.47	110.81	17.33	118.38	19.96	128.04	21.66	
	16	71.88	10.69	84.86	12.28	97.83	14.65	103.80	15.95	110.81	17.87	118.38	20.58	128.04	22.34	
	18	71.88	10.78	84.86	12.39	97.83	14.77	103.80	16.09	110.81	18.02	118.38	20.75	128.04	22.52	
	19	71.88	11.16	84.86	12.82	97.83	15.29	103.80	16.65	110.81	18.65	118.38	21.48	128.04	23.31	
	21	71.88	11.36	84.86	13.06	97.83	15.57	103.80	16.96	110.81	18.99	118.38	21.88	128.04	23.74	
	23	71.88	11.73	84.86	13.48	97.83	16.07	103.80	17.51	110.81	19.61	118.38	22.58	128.04	24.51	
	25	71.88	11.96	84.86	13.75	97.83	16.39	103.80	17.86	110.81	20.00	118.38	23.03	128.04	25.00	
	27	71.88	12.42	84.86	14.27	97.83	17.01	103.80	18.53	110.81	20.76	118.38	23.91	128.04	25.95	
	29	71.88	12.86	84.86	14.78	97.83	17.61	103.80	19.19	110.81	21.49	118.38	24.75	128.04	26.86	
	31	71.88	13.52	84.86	15.53	97.83	18.52	103.80	20.17	110.81	22.59	118.38	26.02	128.04	28.24	
	33	71.88	14.06	84.86	16.15	97.83	19.26	103.80	20.98	110.81	23.50	118.38	27.06	128.04	29.37	
	35	71.88	14.64	84.86	16.83	97.83	20.06	103.80	21.85	110.81	24.48	118.38	28.19	128.04	30.60	
	37	71.88	15.43	84.86	17.73	97.83	21.14	103.80	23.03	110.81	25.79	116.02	29.70	125.48	32.24	
	39	71.88	16.24	84.86	18.66	97.83	22.25	103.80	24.24	110.81	27.15	114.83	31.27	124.20	33.93	
	41	71.88	17.06	84.86	19.60	97.83	23.37	103.80	25.46	110.81	28.52	113.65	32.84	122.92	35.64	
	43	71.88	17.86	84.86	20.53	97.83	24.48	103.80	26.66	110.81	29.86	113.65	34.39	122.92	37.33	
	46	71.88	18.82	84.86	21.63	97.83	25.79	103.80	28.09	110.81	31.46	111.38	36.24	120.46	39.33	
	48	71.88	19.81	84.86	22.77	97.83	27.14	103.80	29.57	110.81	33.12	110.24	38.14	119.23	41.40	
50	71.88	20.81	84.86	23.92	97.83	28.51	103.80	31.06	110.81	34.79	109.10	40.07	118.00	43.49		
50%	10	59.90	8.11	70.71	8.98	81.53	9.97	86.50	10.82	92.34	12.55	98.65	14.17	106.70	15.90	
	12	59.90	8.19	70.71	9.07	81.53	10.07	86.50	10.93	92.34	12.67	98.65	14.31	106.70	16.06	
	14	59.90	8.17	70.71	9.04	81.53	10.05	86.50	10.89	92.34	12.64	98.65	14.27	106.70	16.02	
	16	59.90	8.43	70.71	9.32	81.53	10.36	86.50	11.23	92.34	13.03	98.65	14.72	106.70	16.51	
	18	59.90	8.49	70.71	9.40	81.53	10.44	86.50	11.33	92.34	13.14	98.65	14.84	106.70	16.65	
	19	59.90	8.79	70.71	9.73	81.53	10.81	86.50	11.73	92.34	13.60	98.65	15.36	106.70	17.24	
	21	59.90	8.96	70.71	9.91	81.53	11.01	86.50	11.94	92.34	13.85	98.65	15.64	106.70	17.55	
	23	59.90	9.24	70.71	10.23	81.53	11.36	86.50	12.33	92.34	14.30	98.65	16.15	106.70	18.12	
	25	59.90	9.43	70.71	10.44	81.53	11.59	86.50	12.57	92.34	14.58	98.65	16.47	106.70	18.48	
	27	59.90	9.79	70.71	10.83	81.53	12.03	86.50	13.05	92.34	15.14	98.65	17.09	106.70	19.18	
	29	59.90	10.13	70.71	11.21	81.53	12.46	86.50	13.51	92.34	15.67	98.65	17.70	106.70	19.86	
	31	59.90	10.65	70.71	11.79	81.53	13.10	86.50	14.20	92.34	16.48	98.65	18.61	106.70	20.88	
	33	59.90	11.08	70.71	12.26	81.53	13.62	86.50	14.77	92.34	17.14	98.65	19.35	106.70	21.72	
	35	59.90	11.54	70.71	12.77	81.53	14.19	86.50	15.39	92.34	17.85	98.65	20.16	106.70	22.62	
	37	59.90	12.16	70.71	13.46	81.53	14.95	86.50	16.21	92.34	18.81	96.68	21.24	104.56	23.83	
	39	59.90	12.80	70.71	14.16	81.53	15.73	86.50	17.07	92.34	19.80	95.69	22.36	103.50	25.09	
	41	59.90	13.45	70.71	14.88	81.53	16.53	86.50	17.93	92.34	20.80	94.71	23.49	102.43	26.35	
	43	59.90	14.08	70.71	15.58	81.53	17.31	86.50	18.77	92.34	21.78	94.71	24.59	102.43	27.60	
	46	59.90	14.84	70.71	16.42	81.53	18.24	86.50	19.78	92.34	22.94	92.81	25.91	100.38	29.08	
	48	59.90	15.62	70.71	17.28	81.53	19.20	86.50	20.82	92.34	24.15	91.87	27.27	99.36	30.61	
50	59.90	16.40	70.71	18.15	81.53	20.17	86.50	21.87	92.34	25.37	90.92	28.65	98.33	32.15		

64HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1790W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	149.64	24.88	175.83	31.83	209.02	34.94	223.73	32.76	227.65	36.95	230.75	37.32	237.81	37.68	
	12	149.64	25.58	175.83	32.73	209.02	35.92	221.77	33.37	225.65	37.99	228.71	38.37	235.71	38.75	
	14	149.64	26.32	175.83	33.68	209.02	36.97	219.81	33.98	223.65	39.10	224.62	39.48	233.60	39.87	
	16	149.64	27.23	175.83	34.84	207.17	38.24	215.88	34.58	219.66	40.44	222.58	40.84	231.50	41.24	
	18	149.64	27.89	175.83	35.68	203.47	39.17	213.92	35.19	217.66	41.42	220.54	41.83	229.40	42.24	
	19	149.64	29.37	175.83	37.58	201.62	41.25	211.96	35.80	215.67	43.63	218.50	44.06	227.29	44.49	
	21	149.64	30.37	175.83	38.85	199.77	42.65	209.99	38.37	213.67	45.10	216.46	45.55	225.19	45.99	
	23	149.64	31.81	175.83	40.70	197.92	44.67	208.03	41.11	211.67	47.25	214.41	47.71	223.08	48.18	
	25	149.64	32.88	175.83	42.07	196.07	46.18	206.07	43.99	209.67	48.84	212.37	49.32	220.98	49.81	
	27	149.64	34.57	175.83	44.23	194.22	48.56	204.11	47.02	207.68	51.35	210.33	51.86	218.87	52.37	
	29	149.64	35.81	174.45	45.82	192.37	50.29	202.14	50.21	205.68	53.19	208.29	53.72	216.77	54.24	
	31	149.64	37.67	173.94	48.19	190.52	52.90	200.18	53.54	203.68	55.95	206.25	56.50	214.66	57.06	
	33	149.64	39.19	173.94	50.15	188.67	55.04	198.22	57.03	201.69	58.21	204.20	58.79	212.56	59.37	
	35	149.64	41.26	172.21	52.78	184.97	57.94	196.26	60.67	199.69	61.28	204.20	61.89	210.45	62.49	
	37	149.64	43.47	172.21	55.61	184.97	61.05	192.33	63.32	195.70	63.64	198.08	63.96	202.04	64.28	
	39	149.64	45.75	172.21	58.54	183.12	64.26	190.96	65.53	193.70	65.87	196.04	66.71	197.83	67.18	
	41	149.64	48.06	170.49	61.49	181.27	67.50	190.37	68.20	191.70	68.63	193.99	69.31	195.72	69.87	
43	148.15	50.33	168.77	64.40	179.42	70.69	188.41	71.59	189.71	72.31	191.95	72.90	194.67	73.24		
46	148.15	53.03	168.77	67.85	179.42	74.48	184.64	74.71	185.91	75.10	186.19	75.35	186.88	75.34		
48	148.15	55.82	167.08	71.42	177.63	78.39	183.32	77.32	184.01	77.73	184.27	78.59	182.99	78.73		
50	148.15	58.64	165.39	75.02	175.83	82.35	182.75	80.47	182.12	80.99	182.35	81.65	181.04	81.88		
120%	10	141.42	23.55	163.62	28.99	198.34	34.60	216.23	32.45	223.94	36.60	226.99	36.96	233.94	37.32	
	12	141.42	24.22	163.62	29.80	198.34	35.58	216.23	33.05	221.98	37.63	224.98	38.00	231.87	38.37	
	14	141.42	24.92	163.62	30.67	198.34	36.61	216.23	33.65	220.01	38.72	222.98	39.10	229.80	39.49	
	16	141.42	25.78	163.62	31.73	198.34	37.87	216.23	34.25	218.05	40.06	220.97	40.45	227.73	40.85	
	18	141.42	26.40	163.62	32.50	198.34	38.79	216.23	34.85	216.08	41.03	218.96	41.43	225.66	41.84	
	19	141.42	27.81	163.62	34.23	198.34	40.86	214.30	35.45	214.12	43.21	216.95	43.64	223.59	44.07	
	21	141.42	28.75	163.62	35.38	198.34	42.24	212.37	38.01	210.19	44.67	214.94	45.11	221.52	45.55	
	23	141.42	30.11	163.62	37.06	194.70	44.24	210.44	40.71	208.23	46.79	212.93	47.25	219.45	47.72	
	25	141.42	31.13	163.62	38.31	192.88	45.74	208.51	43.56	206.26	48.37	210.92	48.85	217.38	49.33	
	27	141.42	32.73	163.62	40.28	191.06	48.09	206.57	46.57	204.30	50.86	208.91	51.36	215.31	51.86	
	29	141.42	33.90	163.62	41.73	189.24	49.81	202.71	49.72	202.33	52.68	206.91	53.20	213.24	53.72	
	31	141.42	35.66	163.62	43.89	185.60	52.39	196.92	53.03	200.37	55.41	204.90	55.96	211.17	56.51	
	33	141.42	37.10	163.62	45.67	183.78	54.52	194.99	56.48	198.40	57.66	202.89	58.23	209.10	58.80	
	35	141.42	39.06	163.62	48.07	181.96	57.38	193.06	60.09	196.44	60.69	200.88	61.29	207.03	61.89	
	37	141.42	41.15	163.62	50.65	180.14	60.46	189.20	62.71	192.51	63.03	194.85	63.35	198.75	63.66	
	39	141.42	43.31	163.62	53.31	178.32	63.64	187.85	64.90	190.55	65.24	192.84	66.07	194.61	66.53	
	41	141.42	45.50	155.44	56.00	176.50	66.85	187.27	67.54	188.58	67.97	190.84	68.65	192.54	69.19	
43	141.42	47.65	153.80	58.65	174.68	70.01	185.34	70.90	186.62	71.61	188.83	72.20	191.50	72.54		
46	141.42	50.20	153.80	61.79	172.93	73.76	181.63	74.00	182.88	74.38	183.16	74.63	183.84	74.61		
48	141.42	52.84	153.80	65.04	171.19	77.64	180.33	76.58	181.02	76.98	181.27	77.83	180.01	77.98		
50	141.42	55.51	146.11	68.32	169.44	81.56	179.78	79.70	179.15	80.21	179.39	80.86	178.10	81.10		
110%	10	131.48	22.97	155.21	28.28	178.95	33.76	203.16	35.35	218.30	35.70	223.24	36.05	230.07	36.41	
	12	131.48	23.62	155.21	29.07	178.95	34.71	203.16	36.34	216.37	36.71	221.26	37.07	228.03	37.43	
	14	131.48	24.31	155.21	29.92	178.95	35.71	203.16	37.40	214.44	37.77	219.29	38.15	226.00	38.52	
	16	131.48	25.15	155.21	30.95	178.95	36.95	203.16	38.69	212.51	39.07	217.31	39.46	223.96	39.85	
	18	131.48	25.76	155.21	31.70	178.95	37.84	203.16	39.63	210.57	40.02	215.33	40.42	221.93	40.81	
	19	131.48	27.13	155.21	33.39	178.95	39.86	203.16	41.74	208.64	42.15	213.36	42.57	219.89	42.99	
	21	131.48	28.04	155.21	34.51	178.95	41.20	203.16	43.14	206.71	43.57	211.38	44.00	217.85	44.44	
	23	131.48	29.38	155.21	36.15	178.95	43.16	201.26	45.19	204.78	45.65	209.41	46.10	215.82	46.55	
	25	131.48	30.37	155.21	37.37	178.95	44.62	199.36	46.72	202.85	47.18	207.43	47.65	213.78	48.12	
	27	131.48	31.93	155.21	39.30	178.95	46.91	197.46	49.12	200.92	49.61	205.46	50.10	211.75	50.59	
	29	131.48	33.07	155.21	40.70	178.95	48.59	195.56	50.88	198.98	51.39	203.48	51.90	209.71	52.41	
	31	131.48	34.79	155.21	42.81	178.95	51.11	193.66	53.52	197.05	54.05	201.51	54.59	207.67	55.12	
	33	131.48	36.20	155.21	44.55	178.95	53.18	191.76	55.69	195.12	56.24	199.53	56.80	205.64	57.36	
	35	131.48	38.10	155.21	46.89	178.95	55.98	189.87	58.62	193.19	59.20	197.55	59.79	203.60	60.38	
	37	131.48	40.14	155.21	49.41	178.95	58.98	186.07	61.17	189.32	61.49	191.63	61.80	195.46	62.10	
	39	131.48	42.25	155.21	52.00	173.58	62.08	184.74	63.31	187.39	63.64	189.65	64.45	191.39	64.90	
	41	131.48	44.39	155.21	54.63	171.79	65.22	184.17	65.89	185.46	66.31	187.68	66.96	189.35	67.50	
43	131.48	46.48	155.21	57.21	170.00	68.29	182.27	69.17	183.53	69.86	185.70	70.43	188.33	70.76		
46	131.48	48.97	155.21	60.28	170.00	71.96	178.63	72.18	179.86	72.56	180.13	72.80	180.80	72.78		
48	131.48	51.55	155.21	63.45	164.90	75.74	177.35	74.70	178.02	75.10	178.27	75.93	177.03	76.07		
50	131.48	54.15	155.21	66.65	163.20	79.56	176.80	77.74	176.19	78.24	176.42	78.88	175.15	79.11		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1790W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	123.96	19.09	146.33	24.11	168.71	30.31	179.00	33.49	194.88	33.83	208.60	34.16	216.90	34.50
	12	123.96	19.63	146.33	24.79	168.71	31.16	179.00	34.43	194.88	34.78	208.60	35.12	214.98	35.47
	14	123.96	20.20	146.33	25.51	168.71	32.07	179.00	35.43	194.88	35.79	206.74	36.14	213.07	36.50
	16	123.96	20.89	146.33	26.39	168.71	33.17	179.00	36.66	194.88	37.02	204.87	37.39	211.15	37.76
	18	123.96	21.40	146.33	27.03	168.71	33.98	179.00	37.55	194.88	37.92	203.01	38.30	209.23	38.67
	19	123.96	22.54	146.33	28.47	168.71	35.79	179.00	39.54	194.88	39.94	201.15	40.34	207.31	40.73
	21	123.96	23.30	146.33	29.43	168.71	36.99	179.00	40.88	194.88	41.29	199.29	41.69	205.39	42.10
	23	123.96	24.41	146.33	30.83	168.71	38.75	179.00	42.82	194.88	43.25	197.42	43.68	203.47	44.11
	25	123.96	25.23	146.33	31.87	168.71	40.06	179.00	44.27	193.06	44.71	195.56	45.15	201.55	45.59
	27	123.96	26.53	146.33	33.51	168.71	42.12	179.00	46.54	191.24	47.01	193.70	47.47	199.63	47.94
	29	123.96	27.48	146.33	34.71	168.71	43.63	179.00	48.21	189.42	48.69	191.84	49.17	197.71	49.65
	31	123.96	28.90	146.33	36.51	168.71	45.89	179.00	50.71	187.60	51.22	189.97	51.72	195.79	52.23
	33	123.96	30.07	146.33	37.99	168.71	47.75	179.00	52.76	183.95	53.29	188.11	53.82	193.87	54.35
	35	123.96	31.66	146.33	39.99	168.71	50.26	179.00	55.54	182.13	56.10	186.25	56.65	191.95	57.21
	37	123.96	33.35	146.33	42.13	168.71	52.96	175.42	57.96	178.49	58.26	180.66	58.55	184.27	58.84
	39	123.96	35.11	146.33	44.35	168.71	55.74	174.17	59.98	176.67	60.30	178.80	61.07	180.43	61.50
	41	123.96	36.88	146.33	46.59	168.71	58.56	173.63	62.43	174.85	62.83	176.94	63.45	178.51	63.96
	43	123.96	38.62	146.33	48.79	168.71	61.32	171.84	65.54	173.03	66.19	175.07	66.73	177.55	67.05
	46	123.96	40.69	146.33	51.40	168.71	64.61	168.40	68.39	169.57	68.75	169.82	68.98	170.45	68.96
	48	123.96	42.83	146.33	54.10	168.71	68.01	167.20	70.78	167.84	71.16	168.07	71.94	166.90	72.07
	50	123.96	45.00	146.33	56.84	168.71	71.44	166.68	73.66	166.10	74.14	166.32	74.74	165.13	74.96
90%	10	111.56	16.87	131.70	20.81	151.84	25.53	161.10	28.12	171.97	30.65	193.15	32.61	197.11	33.46
	12	111.56	17.34	131.70	21.39	151.84	26.25	161.10	28.91	171.97	31.51	193.15	33.53	197.11	34.40
	14	111.56	17.85	131.70	22.01	151.84	27.01	161.10	29.75	171.97	32.42	193.15	34.51	197.11	35.40
	16	111.56	18.46	131.70	22.77	151.84	27.94	161.10	30.77	171.97	33.54	193.15	35.70	197.11	36.62
	18	111.56	18.91	131.70	23.32	151.84	28.62	161.10	31.52	171.97	34.36	193.15	36.56	195.27	37.51
	19	111.56	19.92	131.70	24.57	151.84	30.14	161.10	33.20	171.97	36.19	193.15	38.51	193.43	39.51
	21	111.56	20.59	131.70	25.39	151.84	31.16	161.10	34.32	171.97	37.41	193.15	39.81	191.59	40.84
	23	111.56	21.57	131.70	26.60	151.84	32.64	161.10	35.95	171.97	39.18	193.15	41.70	189.74	42.78
	25	111.56	22.30	131.70	27.50	151.84	33.74	161.10	37.16	171.97	40.51	191.34	43.11	187.90	44.22
	27	111.56	23.44	131.70	28.91	151.84	35.48	161.10	39.07	171.97	42.59	189.54	45.32	187.90	46.50
	29	111.56	24.28	131.70	29.95	151.84	36.75	161.10	40.47	171.97	44.11	187.73	46.95	187.90	48.16
	31	111.56	25.54	131.70	31.50	151.84	38.65	161.10	42.57	171.97	46.40	185.93	49.38	186.06	50.66
	33	111.56	26.58	131.70	32.78	151.84	40.22	161.10	44.29	171.97	48.28	182.32	51.38	186.06	52.71
	35	111.56	27.98	131.70	34.50	151.84	42.34	161.10	46.63	171.97	50.82	180.51	54.09	184.22	55.48
	37	111.56	29.47	131.70	36.35	151.84	44.61	161.10	49.12	171.97	53.55	176.90	56.98	180.53	58.46
	39	111.56	31.02	131.70	38.26	151.84	46.95	161.10	51.71	171.97	56.36	175.10	59.98	178.69	61.53
	41	111.56	32.59	131.70	40.20	151.84	49.32	161.10	54.32	171.97	59.21	173.29	63.01	176.85	64.64
	43	111.56	34.13	131.70	42.09	151.84	51.65	161.10	56.88	171.97	62.00	173.29	65.98	176.85	67.69
	46	111.56	35.96	131.70	44.35	151.84	54.42	161.10	59.93	171.97	65.33	169.83	69.52	173.31	71.32
	48	111.56	37.85	131.70	46.68	151.84	57.28	161.10	63.08	171.97	68.76	168.09	73.18	171.54	75.07
	50	111.56	39.76	131.70	49.04	151.84	60.17	161.10	66.27	171.97	72.23	166.36	76.87	169.78	78.86
80%	10	99.17	14.99	117.07	16.83	134.97	21.10	143.20	23.06	152.87	25.36	163.32	29.70	176.64	31.70
	12	99.17	15.41	117.07	17.31	134.97	21.69	143.20	23.71	152.87	26.08	163.32	30.53	176.64	32.60
	14	99.17	15.86	117.07	17.81	134.97	22.32	143.20	24.39	152.87	26.83	163.32	31.42	176.64	33.54
	16	99.17	16.40	117.07	18.42	134.97	23.09	143.20	25.24	152.87	27.76	163.32	32.50	176.64	34.70
	18	99.17	16.80	117.07	18.87	134.97	23.65	143.20	25.85	152.87	28.43	163.32	33.29	176.64	35.54
	19	99.17	17.70	117.07	19.87	134.97	24.91	143.20	27.22	152.87	29.95	163.32	35.07	176.64	37.43
	21	99.17	18.29	117.07	20.54	134.97	25.75	143.20	28.14	152.87	30.96	163.32	36.25	176.64	38.70
	23	99.17	19.16	117.07	21.52	134.97	26.97	143.20	29.48	152.87	32.43	163.32	37.97	176.64	40.54
	25	99.17	19.81	117.07	22.25	134.97	27.88	143.20	30.47	152.87	33.52	163.32	39.25	176.64	41.90
	27	99.17	20.83	117.07	23.39	134.97	29.32	143.20	32.04	152.87	35.25	163.32	41.27	176.64	44.06
	29	99.17	21.57	117.07	24.23	134.97	30.37	143.20	33.19	152.87	36.51	163.32	42.75	176.64	45.64
	31	99.17	22.69	117.07	25.48	134.97	31.94	143.20	34.91	152.87	38.40	163.32	44.96	176.64	48.00
	33	99.17	23.61	117.07	26.52	134.97	33.24	143.20	36.32	152.87	39.96	163.32	46.79	176.64	49.95
	35	99.17	24.85	117.07	27.91	134.97	34.99	143.20	38.24	152.87	42.06	163.32	49.25	176.64	52.58
	37	99.17	26.19	117.07	29.41	134.97	36.86	143.20	40.29	152.87	44.31	160.05	51.89	173.10	55.39
	39	99.17	27.56	117.07	30.96	134.97	38.80	143.20	42.40	152.87	46.64	158.42	54.62	171.34	58.31
	41	99.17	28.95	117.07	32.52	134.97	40.76	143.20	44.55	152.87	49.00	156.79	57.37	169.57	61.25
	43	99.17	30.32	117.07	34.05	134.97	42.68	143.20	46.65	152.87	51.31	156.79	60.08	169.57	64.14
	46	99.17	31.95	117.07	35.88	134.97	44.97	143.20	49.15	152.87	54.06	153.65	63.30	166.18	67.58
	48	99.17	33.63	117.07	37.77	134.97	47.34	143.20	51.73	152.87	56.91	152.08	66.63	164.48	71.13
	50	99.17	35.32	117.07	39.67	134.97	49.73	143.20	54.35	152.87	59.78	-	70.00	162.79	74.73

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1790W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
70%	10	86.77	13.45	102.43	16.01	118.10	19.54	125.30	21.35	133.76	23.06	142.90	26.05	154.56	28.18	
	12	86.77	13.59	102.43	16.17	118.10	19.73	125.30	21.56	133.76	23.29	142.90	26.31	154.56	28.46	
	14	86.77	13.55	102.43	16.13	118.10	19.68	125.30	21.50	133.76	23.22	142.90	26.23	154.56	28.38	
	16	86.77	13.97	102.43	16.63	118.10	20.29	125.30	22.17	133.76	23.95	142.90	27.05	154.56	29.27	
	18	86.77	14.08	102.43	16.77	118.10	20.45	125.30	22.35	133.76	24.14	142.90	27.27	154.56	29.51	
	19	86.77	14.58	102.43	17.36	118.10	21.18	125.30	23.14	133.76	24.99	142.90	28.24	154.56	30.55	
	21	86.77	14.85	102.43	17.68	118.10	21.57	125.30	23.57	133.76	25.45	142.90	28.75	154.56	31.11	
	23	86.77	15.33	102.43	18.25	118.10	22.26	125.30	24.33	133.76	26.27	142.90	29.68	154.56	32.11	
	25	86.77	15.63	102.43	18.61	118.10	22.70	125.30	24.81	133.76	26.80	142.90	30.27	154.56	32.75	
	27	86.77	16.23	102.43	19.32	118.10	23.57	125.30	25.76	133.76	27.82	142.90	31.42	154.56	34.00	
	29	86.77	16.80	102.43	20.00	118.10	24.40	125.30	26.67	133.76	28.80	142.90	32.53	154.56	35.20	
	31	86.77	17.66	102.43	21.03	118.10	25.65	125.30	28.03	133.76	30.28	142.90	34.20	154.56	37.00	
	33	86.77	18.37	102.43	21.87	118.10	26.68	125.30	29.16	133.76	31.49	142.90	35.57	154.56	38.49	
	35	86.77	19.13	102.43	22.78	118.10	27.79	125.30	30.37	133.76	32.80	142.90	37.05	154.56	40.09	
	37	86.77	20.16	102.43	24.00	118.10	29.28	125.30	32.00	133.76	34.56	140.05	39.04	151.47	42.24	
	39	86.77	21.22	102.43	25.26	118.10	30.82	125.30	33.68	133.76	36.38	138.62	41.09	149.92	44.46	
	41	86.77	22.29	102.43	26.54	118.10	32.38	125.30	35.38	133.76	38.21	137.19	43.17	148.38	46.71	
	43	86.77	23.34	102.43	27.79	118.10	33.90	125.30	37.05	133.76	40.02	137.19	45.21	148.38	48.91	
	46	86.77	24.60	102.43	29.28	118.10	35.72	125.30	39.04	133.76	42.16	134.44	47.63	145.41	51.53	
	48	86.77	25.89	102.43	30.82	118.10	37.60	125.30	41.09	133.76	44.38	133.07	50.13	143.92	54.24	
	50	86.77	27.20	102.43	32.38	118.10	39.50	125.30	43.17	133.76	46.62	131.70	52.66	142.44	56.98	
60%	10	74.37	10.85	87.80	12.47	101.22	14.86	107.40	16.19	114.65	18.13	122.49	20.89	132.48	22.67	
	12	74.37	10.96	87.80	12.59	101.22	15.01	107.40	16.35	114.65	18.32	122.49	21.10	132.48	22.89	
	14	74.37	10.93	87.80	12.56	101.22	14.97	107.40	16.31	114.65	18.26	122.49	21.04	132.48	22.83	
	16	74.37	11.27	87.80	12.95	101.22	15.43	107.40	16.81	114.65	18.83	122.49	21.69	132.48	23.54	
	18	74.37	11.36	87.80	13.05	101.22	15.56	107.40	16.95	114.65	18.99	122.49	21.87	132.48	23.73	
	19	74.37	11.76	87.80	13.51	101.22	16.11	107.40	17.55	114.65	19.66	122.49	22.64	132.48	24.57	
	21	74.37	11.98	87.80	13.76	101.22	16.41	107.40	17.87	114.65	20.02	122.49	23.06	132.48	25.02	
	23	74.37	12.36	87.80	14.21	101.22	16.94	107.40	18.45	114.65	20.66	122.49	23.80	132.48	25.83	
	25	74.37	12.61	87.80	14.49	101.22	17.27	107.40	18.82	114.65	21.08	122.49	24.27	132.48	26.34	
	27	74.37	13.09	87.80	15.04	101.22	17.93	107.40	19.53	114.65	21.88	122.49	25.20	132.48	27.34	
	29	74.37	13.55	87.80	15.57	101.22	18.56	107.40	20.22	114.65	22.65	122.49	26.09	132.48	28.31	
	31	74.37	14.24	87.80	16.37	101.22	19.52	107.40	21.26	114.65	23.81	122.49	27.42	132.48	29.76	
	33	74.37	14.81	87.80	17.03	101.22	20.30	107.40	22.11	114.65	24.76	122.49	28.52	132.48	30.96	
	35	74.37	15.43	87.80	17.73	101.22	21.14	107.40	23.03	114.65	25.80	122.49	29.71	132.48	32.25	
	37	74.37	16.26	87.80	18.69	101.22	22.28	107.40	24.27	114.65	27.18	120.04	31.30	129.83	33.97	
	39	74.37	17.11	87.80	19.67	101.22	23.45	107.40	25.54	114.65	28.61	118.82	32.95	128.50	35.76	
	41	74.37	17.98	87.80	20.66	101.22	24.63	107.40	26.83	114.65	30.05	117.59	34.61	127.18	37.57	
	43	74.37	18.83	87.80	21.64	101.22	25.80	107.40	28.10	114.65	31.47	117.59	36.25	127.18	39.34	
	46	74.37	19.84	87.80	22.80	101.22	27.18	107.40	29.61	114.65	33.16	115.24	38.19	124.64	41.45	
	48	74.37	20.88	87.80	24.00	101.22	28.61	107.40	31.16	114.65	34.90	114.06	40.20	123.36	43.63	
	50	74.37	21.93	87.80	25.21	101.22	30.05	107.40	32.74	114.65	36.66	112.89	42.23	122.09	45.83	
50%	10	61.98	8.55	73.17	9.46	84.35	10.51	89.50	11.40	95.54	13.23	102.07	14.94	110.40	16.76	
	12	61.98	8.64	73.17	9.56	84.35	10.62	89.50	11.51	95.54	13.36	102.07	15.08	110.40	16.93	
	14	61.98	8.61	73.17	9.53	84.35	10.59	89.50	11.48	95.54	13.32	102.07	15.04	110.40	16.88	
	16	61.98	8.88	73.17	9.83	84.35	10.92	89.50	11.84	95.54	13.73	102.07	15.51	110.40	17.40	
	18	61.98	8.95	73.17	9.91	84.35	11.01	89.50	11.94	95.54	13.85	102.07	15.64	110.40	17.55	
	19	61.98	9.27	73.17	10.26	84.35	11.39	89.50	12.36	95.54	14.34	102.07	16.19	110.40	18.17	
	21	61.98	9.44	73.17	10.45	84.35	11.60	89.50	12.58	95.54	14.60	102.07	16.49	110.40	18.50	
	23	61.98	9.74	73.17	10.78	84.35	11.98	89.50	12.99	95.54	15.07	102.07	17.02	110.40	19.10	
	25	61.98	9.94	73.17	11.00	84.35	12.22	89.50	13.25	95.54	15.37	102.07	17.36	110.40	19.48	
	27	61.98	10.31	73.17	11.41	84.35	12.68	89.50	13.75	95.54	15.95	102.07	18.02	110.40	20.22	
	29	61.98	10.68	73.17	11.82	84.35	13.13	89.50	14.24	95.54	16.52	102.07	18.65	110.40	20.93	
	31	61.98	11.23	73.17	12.42	84.35	13.80	89.50	14.97	95.54	17.36	102.07	19.61	110.40	22.00	
	33	61.98	11.68	73.17	12.92	84.35	14.35	89.50	15.57	95.54	18.06	102.07	20.40	110.40	22.89	
	35	61.98	12.16	73.17	13.46	84.35	14.95	89.50	16.22	95.54	18.81	102.07	21.25	110.40	23.84	
	37	61.98	12.82	73.17	14.18	84.35	15.75	89.50	17.09	95.54	19.82	100.03	22.38	108.19	25.12	
	39	61.98	13.49	73.17	14.93	84.35	16.58	89.50	17.99	95.54	20.86	99.01	23.56	107.09	26.44	
	41	61.98	14.17	73.17	15.68	84.35	17.42	89.50	18.89	95.54	21.92	97.99	24.75	105.98	27.77	
	43	61.98	14.84	73.17	16.42	84.35	18.24	89.50	19.79	95.54	22.95	97.99	25.92	105.98	29.08	
	46	61.98	15.63	73.17	17.30	84.35	19.22	89.50	20.85	95.54	24.18	96.03	27.31	103.86	30.64	
	48	61.98	16.46	73.17	18.21	84.35	20.23	89.50	21.94	95.54	25.45	95.05	28.74	102.80	32.26	
	50	61.98	17.29	73.17	19.13	84.35	21.25	89.50	23.05	95.54	26.74	94.07	30.20	101.74	33.88	

66HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1845W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	154.24	25.67	181.23	32.84	215.44	36.05	230.61	33.80	234.64	38.12	237.84	38.50	245.12	38.88	
	12	154.24	26.39	181.23	33.76	215.44	37.06	228.58	34.43	232.58	39.20	235.74	39.58	242.95	39.97	
	14	154.24	27.16	181.23	34.74	215.44	38.14	226.56	35.05	230.52	40.33	231.53	40.73	240.78	41.13	
	16	154.24	28.09	181.23	35.94	213.53	39.45	222.51	35.68	226.41	41.73	229.42	42.14	238.61	42.55	
	18	154.24	28.77	181.23	36.81	209.72	40.41	220.49	36.30	224.35	42.74	227.32	43.16	236.44	43.58	
	19	154.24	30.31	181.23	38.77	207.81	42.56	218.47	36.93	222.29	45.01	225.21	45.46	234.27	45.90	
	21	154.24	31.33	181.23	40.08	205.91	44.00	216.45	39.59	220.23	46.53	223.11	46.99	232.11	47.45	
	23	154.24	32.82	181.23	41.99	204.00	46.09	214.42	42.41	218.18	48.74	221.00	49.23	229.94	49.71	
	25	154.24	33.92	181.23	43.40	202.09	47.64	212.40	45.38	216.12	50.39	218.90	50.89	227.77	51.38	
	27	154.24	35.67	181.23	45.64	200.19	50.09	210.38	48.51	214.06	52.98	216.79	53.50	225.60	54.03	
	29	154.24	36.95	179.81	47.27	198.28	51.89	208.35	51.80	212.00	54.88	214.69	55.42	223.43	55.96	
	31	154.24	38.86	179.28	49.72	196.37	54.58	206.33	55.24	209.94	57.72	212.58	58.29	221.26	58.86	
	33	154.24	40.44	179.28	51.73	194.47	56.79	204.31	58.84	207.88	60.06	210.48	60.65	219.09	61.25	
	35	154.24	42.56	177.51	54.46	190.65	59.78	202.29	62.59	205.83	63.22	210.48	63.85	216.92	64.47	
	37	154.24	44.85	177.51	57.38	190.65	62.98	198.24	65.32	201.71	65.66	204.16	65.99	208.24	66.32	
	39	154.24	47.20	177.51	60.39	188.75	66.29	196.82	67.60	199.65	67.96	202.06	68.83	203.91	69.31	
	41	154.24	49.59	175.73	63.44	186.84	69.64	196.22	70.36	197.59	70.81	199.95	71.51	201.74	72.08	
	43	152.70	51.93	173.96	66.44	184.93	72.93	194.19	73.86	195.53	74.60	197.85	75.21	200.65	75.56	
	46	152.70	54.71	173.96	70.00	184.93	76.84	190.31	77.08	191.62	77.48	191.91	77.74	192.63	77.72	
	48	152.70	57.59	172.22	73.68	183.09	80.88	188.95	79.77	189.67	80.20	189.94	81.08	188.61	81.23	
	50	152.70	60.50	170.48	77.40	181.24	84.96	188.37	83.02	187.71	83.55	187.96	84.24	186.61	84.48	
120%	10	145.76	24.30	168.65	29.91	204.43	35.70	222.87	33.48	230.82	37.76	233.97	38.13	241.13	38.50	
	12	145.76	24.98	168.65	30.75	204.43	36.71	222.87	34.10	228.80	38.82	231.90	39.20	239.00	39.59	
	14	145.76	25.71	168.65	31.64	204.43	37.77	222.87	34.72	226.77	39.95	229.83	40.34	236.86	40.74	
	16	145.76	26.59	168.65	32.73	204.43	39.07	222.87	35.34	224.75	41.32	227.76	41.73	234.73	42.14	
	18	145.76	27.24	168.65	33.53	204.43	40.02	222.87	35.96	222.72	42.33	225.69	42.75	232.59	43.16	
	19	145.76	28.69	168.65	35.31	204.43	42.15	220.88	36.58	220.70	44.58	223.62	45.02	230.46	45.46	
	21	145.76	29.66	168.65	36.50	204.43	43.57	218.89	39.21	216.65	46.08	221.55	46.54	228.33	47.00	
	23	145.76	31.07	168.65	38.24	200.68	45.65	216.90	42.00	214.62	48.27	219.47	48.75	226.19	49.23	
	25	145.76	32.12	168.65	39.53	198.80	47.18	214.91	44.94	212.60	49.90	217.40	50.40	224.06	50.89	
	27	145.76	33.77	168.65	41.56	196.93	49.61	212.92	48.04	210.57	52.47	215.33	52.99	221.93	53.51	
	29	145.76	34.98	168.65	43.05	195.05	51.39	208.94	51.30	208.55	54.35	213.26	54.89	219.79	55.42	
	31	145.76	36.79	168.65	45.28	191.30	54.05	202.97	54.71	206.52	57.17	211.19	57.73	217.66	58.30	
	33	145.76	38.28	168.65	47.11	189.43	56.24	200.98	58.27	204.50	59.48	209.12	60.07	215.52	60.66	
	35	145.76	40.30	168.65	49.59	187.55	59.20	198.99	61.99	202.47	62.61	207.05	63.23	213.39	63.85	
	37	145.76	42.46	168.65	52.25	185.67	62.38	195.01	64.70	198.43	65.03	200.84	65.36	204.85	65.68	
	39	145.76	44.69	168.65	55.00	183.80	65.66	193.62	66.95	196.40	67.31	198.77	68.16	200.59	68.64	
	41	145.76	46.94	160.21	57.78	181.92	68.97	193.02	69.68	194.38	70.13	196.70	70.82	198.45	71.39	
	43	145.76	49.16	158.53	60.51	180.05	72.23	191.03	73.15	192.35	73.88	194.63	74.49	197.39	74.84	
	46	145.76	51.80	158.53	63.75	178.25	76.10	187.21	76.34	188.50	76.73	188.79	76.99	189.49	76.98	
	48	145.76	54.52	158.53	67.10	176.45	80.10	185.87	79.00	186.58	79.42	186.84	80.30	185.54	80.45	
	50	145.76	57.27	150.60	70.49	174.65	84.15	185.30	82.22	184.66	82.75	184.90	83.43	183.57	83.67	
110%	10	135.52	23.70	159.98	29.17	184.45	34.83	209.40	36.47	225.01	36.83	230.10	37.20	237.14	37.56	
	12	135.52	24.37	159.98	30.00	184.45	35.81	209.40	37.49	223.02	37.87	228.06	38.24	235.04	38.62	
	14	135.52	25.08	159.98	30.87	184.45	36.85	209.40	38.58	221.03	38.97	226.02	39.35	232.94	39.74	
	16	135.52	25.94	159.98	31.93	184.45	38.12	209.40	39.91	219.04	40.31	223.99	40.71	230.84	41.11	
	18	135.52	26.57	159.98	32.70	184.45	39.04	209.40	40.88	217.05	41.29	221.95	41.70	228.75	42.11	
	19	135.52	27.99	159.98	34.45	184.45	41.12	209.40	43.06	215.05	43.49	219.91	43.92	226.65	44.35	
	21	135.52	28.93	159.98	35.61	184.45	42.51	209.40	44.51	213.06	44.95	217.88	45.40	224.55	45.84	
	23	135.52	30.31	159.98	37.30	184.45	44.53	207.44	46.63	211.07	47.09	215.84	47.56	222.45	48.02	
	25	135.52	31.33	159.98	38.56	184.45	46.03	205.48	48.20	209.08	48.68	213.81	49.16	220.35	49.64	
	27	135.52	32.94	159.98	40.54	184.45	48.40	203.53	50.68	207.09	51.18	211.77	51.69	218.25	52.20	
	29	135.52	34.12	159.98	41.99	184.45	50.13	201.57	52.49	205.10	53.02	209.73	53.54	216.15	54.07	
	31	135.52	35.89	159.98	44.17	184.45	52.73	199.61	55.21	203.11	55.77	207.70	56.32	214.06	56.87	
	33	135.52	37.34	159.98	45.96	184.45	54.87	197.66	57.45	201.12	58.03	205.66	58.60	211.96	59.17	
	35	135.52	39.31	159.98	48.38	184.45	57.75	195.70	60.47	199.12	61.08	203.62	61.68	209.86	62.29	
	37	135.52	41.42	159.98	50.97	184.45	60.85	191.79	63.11	195.14	63.44	197.52	63.76	201.46	64.07	
	39	135.52	43.59	159.98	53.65	178.91	64.05	190.42	65.31	193.15	65.66	195.48	66.50	197.27	66.96	
	41	135.52	45.79	159.98	56.36	177.07	67.28	189.83	67.97	191.16	68.41	193.44	69.09	195.17	69.64	
	43	135.52	47.96	159.98	59.02	175.22	70.46	187.87	71.36	189.17	72.07	191.41	72.66	194.12	73.00	
	46	135.52	50.53	159.98	62.19	175.22	74.24	184.11	74.47	185.38	74.86	185.67	75.11	186.35	75.09	
	48	135.52	53.18	159.98	65.46	169.97	78.14	182.80	77.07	183.49	77.48	183.75	78.33	182.47	78.48	
	50	135.52	55.87	159.98	68.76	168.22	82.08	182.24	80.21	181.60	80.72	181.84	81.38	180.53	81.62	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1845W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	127.77	19.69	150.83	24.88	173.89	31.27	184.50	34.55	200.87	34.90	215.01	35.24	223.57	35.59	
	12	127.77	20.25	150.83	25.58	173.89	32.15	184.50	35.53	200.87	35.88	215.01	36.24	221.59	36.59	
	14	127.77	20.84	150.83	26.32	173.89	33.08	184.50	36.56	200.87	36.92	213.09	37.29	219.61	37.65	
	16	127.77	21.56	150.83	27.23	173.89	34.23	184.50	37.82	200.87	38.20	211.17	38.57	217.63	38.95	
	18	127.77	22.08	150.83	27.89	173.89	35.05	184.50	38.73	200.87	39.12	209.25	39.51	215.65	39.90	
	19	127.77	23.25	150.83	29.37	173.89	36.92	184.50	40.80	200.87	41.21	207.33	41.61	213.68	42.02	
	21	127.77	24.04	150.83	30.36	173.89	38.17	184.50	42.17	200.87	42.59	205.41	43.02	211.70	43.44	
	23	127.77	25.18	150.83	31.81	173.89	39.98	184.50	44.18	200.87	44.62	203.49	45.06	209.72	45.50	
	25	127.77	26.03	150.83	32.88	173.89	41.33	184.50	45.67	198.99	46.12	201.57	46.58	207.74	47.04	
	27	127.77	27.37	150.83	34.57	173.89	43.46	184.50	48.02	197.12	48.50	199.65	48.98	205.76	49.46	
	29	127.77	28.35	150.83	35.81	173.89	45.01	184.50	49.74	195.24	50.23	197.73	50.73	203.78	51.23	
	31	127.77	29.82	150.83	37.67	173.89	47.34	184.50	52.31	193.36	52.84	195.81	53.36	201.81	53.88	
	33	127.77	31.03	150.83	39.19	173.89	49.26	184.50	54.44	189.61	54.98	193.89	55.52	199.83	56.07	
	35	127.77	32.66	150.83	41.26	173.89	51.86	184.50	57.30	187.73	57.87	191.97	58.45	197.85	59.02	
	37	127.77	34.41	150.83	43.47	173.89	54.64	180.81	59.80	183.97	60.11	186.21	60.41	189.93	60.71	
	39	127.77	36.22	150.83	45.75	173.89	57.51	179.52	61.88	182.10	62.21	184.29	63.00	185.98	63.45	
	41	127.77	38.05	150.83	48.06	173.89	60.41	178.97	64.41	180.22	64.82	182.37	65.46	184.00	65.98	
	43	127.77	39.85	150.83	50.33	173.89	63.26	177.12	67.61	178.34	68.29	180.45	68.85	183.01	69.17	
	46	127.77	41.98	150.83	53.03	173.89	66.66	173.58	70.56	174.78	70.93	175.04	71.16	175.69	71.15	
	48	127.77	44.19	150.83	55.82	173.89	70.16	172.34	73.02	172.99	73.41	173.24	74.22	172.03	74.36	
	50	127.77	46.42	150.83	58.64	173.89	73.70	171.81	76.00	171.21	76.48	171.43	77.11	170.20	77.33	
90%	10	114.99	17.40	135.75	21.46	156.50	26.34	166.05	29.01	177.26	31.62	199.08	33.65	203.17	34.52	
	12	114.99	17.89	135.75	22.07	156.50	27.08	166.05	29.82	177.26	32.51	199.08	34.60	203.17	35.49	
	14	114.99	18.41	135.75	22.71	156.50	27.87	166.05	30.69	177.26	33.45	199.08	35.60	203.17	36.52	
	16	114.99	19.05	135.75	23.49	156.50	28.83	166.05	31.75	177.26	34.61	199.08	36.83	203.17	37.78	
	18	114.99	19.51	135.75	24.06	156.50	29.53	166.05	32.52	177.26	35.44	199.08	37.72	201.27	38.70	
	19	114.99	20.55	135.75	25.34	156.50	31.10	166.05	34.25	177.26	37.33	199.08	39.73	199.37	40.76	
	21	114.99	21.24	135.75	26.20	156.50	32.15	166.05	35.40	177.26	38.59	199.08	41.07	197.47	42.13	
	23	114.99	22.25	135.75	27.44	156.50	33.68	166.05	37.09	177.26	40.43	199.08	43.02	195.57	44.13	
	25	114.99	23.00	135.75	28.37	156.50	34.81	166.05	38.34	177.26	41.79	197.22	44.47	193.68	45.62	
	27	114.99	24.19	135.75	29.83	156.50	36.60	166.05	40.31	177.26	43.94	195.36	46.76	193.68	47.97	
	29	114.99	25.05	135.75	30.90	156.50	37.91	166.05	41.75	177.26	45.51	193.50	48.43	193.68	49.69	
	31	114.99	26.35	135.75	32.50	156.50	39.88	166.05	43.92	177.26	47.87	191.64	50.95	191.78	52.26	
	33	114.99	27.42	135.75	33.82	156.50	41.49	166.05	45.70	177.26	49.81	187.92	53.01	191.78	54.38	
	35	114.99	28.86	135.75	35.60	156.50	43.68	166.05	48.10	177.26	52.43	186.06	55.80	189.88	57.24	
	37	114.99	30.41	135.75	37.50	156.50	46.02	166.05	50.68	177.26	55.24	182.34	58.79	186.08	60.31	
	39	114.99	32.01	135.75	39.48	156.50	48.44	166.05	53.35	177.26	58.15	180.48	61.88	184.18	63.48	
	41	114.99	33.62	135.75	41.47	156.50	50.88	166.05	56.04	177.26	61.08	178.62	65.01	182.28	66.69	
	43	114.99	35.21	135.75	43.43	156.50	53.29	166.05	58.69	177.26	63.97	178.62	68.08	182.28	69.84	
	46	114.99	37.10	135.75	45.76	156.50	56.14	166.05	61.83	177.26	67.40	175.04	71.72	178.64	73.58	
	48	114.99	39.05	135.75	48.16	156.50	59.10	166.05	65.08	177.26	70.94	173.26	75.50	176.81	77.45	
	50	114.99	41.02	135.75	50.59	156.50	62.08	166.05	68.37	177.26	74.52	171.47	79.31	174.99	81.36	
80%	10	102.21	15.46	120.66	17.36	139.11	21.77	147.60	23.79	157.56	26.17	168.34	30.64	182.06	32.71	
	12	102.21	15.90	120.66	17.85	139.11	22.38	147.60	24.46	157.56	26.90	168.34	31.50	182.06	33.63	
	14	102.21	16.36	120.66	18.37	139.11	23.03	147.60	25.17	157.56	27.68	168.34	32.42	182.06	34.61	
	16	102.21	16.92	120.66	19.01	139.11	23.82	147.60	26.04	157.56	28.64	168.34	33.53	182.06	35.80	
	18	102.21	17.33	120.66	19.47	139.11	24.40	147.60	26.67	157.56	29.33	168.34	34.35	182.06	36.67	
	19	102.21	18.26	120.66	20.50	139.11	25.70	147.60	28.09	157.56	30.90	168.34	36.18	182.06	38.62	
	21	102.21	18.87	120.66	21.19	139.11	26.57	147.60	29.03	157.56	31.94	168.34	37.40	182.06	39.92	
	23	102.21	19.77	120.66	22.20	139.11	27.83	147.60	30.41	157.56	33.46	168.34	39.17	182.06	41.82	
	25	102.21	20.44	120.66	22.95	139.11	28.77	147.60	31.44	157.56	34.58	168.34	40.49	182.06	43.23	
	27	102.21	21.49	120.66	24.13	139.11	30.25	147.60	33.06	157.56	36.36	168.34	42.58	182.06	45.45	
	29	102.21	22.26	120.66	25.00	139.11	31.33	147.60	34.24	157.56	37.67	168.34	44.10	182.06	47.08	
	31	102.21	23.41	120.66	26.29	139.11	32.95	147.60	36.02	157.56	39.62	168.34	46.39	182.06	49.52	
	33	102.21	24.36	120.66	27.36	139.11	34.29	147.60	37.48	157.56	41.22	168.34	48.27	182.06	51.53	
	35	102.21	25.64	120.66	28.80	139.11	36.10	147.60	39.45	157.56	43.39	168.34	50.81	182.06	54.24	
	37	102.21	27.02	120.66	30.34	139.11	38.03	147.60	41.56	157.56	45.72	164.97	53.53	178.42	57.15	
	39	102.21	28.44	120.66	31.94	139.11	40.03	147.60	43.75	157.56	48.12	163.29	56.35	176.60	60.15	
	41	102.21	29.87	120.66	33.55	139.11	42.05	147.60	45.96	157.56	50.55	161.60	59.19	174.78	63.19	
	43	102.21	31.28	120.66	35.13	139.11	44.04	147.60	48.13	157.56	52.94	161.60	61.99	174.78	66.17	
	46	102.21	32.96	120.66	37.02	139.11	46.40	147.60	50.71	157.56	55.78	158.37	65.31	171.29	69.72	
	48	102.21	34.69	120.66	38.96	139.11	48.84	147.60	53.37	157.56	58.71	156.76	68.74	169.54	73.39	
	50	102.21	36.44	120.66	40.93	139.11	51.30	147.60	56.07	157.56	61.67	-	72.22	167.79	77.09	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1845W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
70%	10	89.44	13.88	105.58	16.52	121.72	20.16	129.15	22.03	137.87	23.79	147.30	26.87	159.31	29.08	
	12	89.44	14.02	105.58	16.69	121.72	20.36	129.15	22.25	137.87	24.03	147.30	27.14	159.31	29.37	
	14	89.44	13.98	105.58	16.64	121.72	20.30	129.15	22.18	137.87	23.96	147.30	27.07	159.31	29.28	
	16	89.44	14.41	105.58	17.16	121.72	20.93	129.15	22.87	137.87	24.70	147.30	27.91	159.31	30.19	
	18	89.44	14.53	105.58	17.30	121.72	21.10	129.15	23.06	137.87	24.91	147.30	28.14	159.31	30.44	
	19	89.44	15.04	105.58	17.91	121.72	21.85	129.15	23.88	137.87	25.79	147.30	29.13	159.31	31.52	
	21	89.44	15.32	105.58	18.24	121.72	22.25	129.15	24.32	137.87	26.26	147.30	29.67	159.31	32.10	
	23	89.44	15.81	105.58	18.82	121.72	22.97	129.15	25.10	137.87	27.11	147.30	30.62	159.31	33.13	
	25	89.44	16.13	105.58	19.20	121.72	23.42	129.15	25.60	137.87	27.65	147.30	31.23	159.31	33.79	
	27	89.44	16.74	105.58	19.93	121.72	24.31	129.15	26.57	137.87	28.70	147.30	32.42	159.31	35.07	
	29	89.44	17.33	105.58	20.63	121.72	25.17	129.15	27.51	137.87	29.71	147.30	33.56	159.31	36.32	
	31	89.44	18.22	105.58	21.69	121.72	26.46	129.15	28.92	137.87	31.24	147.30	35.28	159.31	38.18	
	33	89.44	18.95	105.58	22.56	121.72	27.52	129.15	30.08	137.87	32.49	147.30	36.70	159.31	39.71	
	35	89.44	19.74	105.58	23.50	121.72	28.67	129.15	31.33	137.87	33.84	147.30	38.23	159.31	41.36	
	37	89.44	20.80	105.58	24.76	121.72	30.21	129.15	33.01	137.87	35.66	144.35	40.28	156.12	43.58	
	39	89.44	21.89	105.58	26.06	121.72	31.80	129.15	34.75	137.87	37.53	142.88	42.39	154.53	45.87	
	41	89.44	23.00	105.58	27.38	121.72	33.40	129.15	36.50	137.87	39.43	141.40	44.54	152.93	48.19	
	43	89.44	24.08	105.58	28.67	121.72	34.98	129.15	38.23	137.87	41.29	141.40	46.64	152.93	50.46	
	46	89.44	25.37	105.58	30.21	121.72	36.85	129.15	40.28	137.87	43.50	138.58	49.14	149.88	53.17	
	48	89.44	26.71	105.58	31.80	121.72	38.79	129.15	42.39	137.87	45.79	137.16	51.72	148.35	55.96	
60%	50	89.44	28.06	105.58	33.40	121.72	40.75	129.15	44.54	137.87	48.10	135.75	54.33	146.82	58.79	
	10	76.66	11.19	90.50	12.86	104.33	15.34	110.70	16.70	118.17	18.71	126.25	21.55	136.55	23.39	
	12	76.66	11.30	90.50	12.99	104.33	15.49	110.70	16.87	118.17	18.90	126.25	21.76	136.55	23.62	
	14	76.66	11.27	90.50	12.95	104.33	15.44	110.70	16.82	118.17	18.84	126.25	21.70	136.55	23.55	
	16	76.66	11.62	90.50	13.36	104.33	15.92	110.70	17.35	118.17	19.43	126.25	22.38	136.55	24.29	
	18	76.66	11.72	90.50	13.47	104.33	16.05	110.70	17.49	118.17	19.59	126.25	22.56	136.55	24.48	
	19	76.66	12.13	90.50	13.94	104.33	16.62	110.70	18.11	118.17	20.28	126.25	23.36	136.55	25.35	
	21	76.66	12.35	90.50	14.20	104.33	16.93	110.70	18.44	118.17	20.65	126.25	23.79	136.55	25.82	
	23	76.66	12.75	90.50	14.66	104.33	17.47	110.70	19.03	118.17	21.32	126.25	24.55	136.55	26.65	
	25	76.66	13.01	90.50	14.95	104.33	17.82	110.70	19.41	118.17	21.74	126.25	25.04	136.55	27.18	
	27	76.66	13.50	90.50	15.52	104.33	18.50	110.70	20.15	118.17	22.57	126.25	25.99	136.55	28.21	
	29	76.66	13.98	90.50	16.06	104.33	19.15	110.70	20.86	118.17	23.37	126.25	26.91	136.55	29.21	
	31	76.66	14.69	90.50	16.89	104.33	20.13	110.70	21.93	118.17	24.56	126.25	28.29	136.55	30.71	
	33	76.66	15.28	90.50	17.57	104.33	20.94	110.70	22.81	118.17	25.55	126.25	29.43	136.55	31.94	
	35	76.66	15.92	90.50	18.30	104.33	21.81	110.70	23.76	118.17	26.61	126.25	30.65	136.55	33.27	
	37	76.66	16.77	90.50	19.28	104.33	22.98	110.70	25.04	118.17	28.04	123.73	32.30	133.82	35.05	
	39	76.66	17.66	90.50	20.29	104.33	24.19	110.70	26.35	118.17	29.51	122.47	33.99	132.45	36.89	
	41	76.66	18.55	90.50	21.32	104.33	25.41	110.70	27.68	118.17	31.01	121.20	35.71	131.09	38.76	
	43	76.66	19.42	90.50	22.32	104.33	26.61	110.70	28.99	118.17	32.47	121.20	37.40	131.09	40.59	
	46	76.66	20.46	90.50	23.52	104.33	28.04	110.70	30.54	118.17	34.21	118.78	39.40	128.46	42.76	
	48	76.66	21.54	90.50	24.76	104.33	29.51	110.70	32.15	118.17	36.01	117.57	41.47	127.15	45.01	
	50	76.66	22.63	90.50	26.01	104.33	31.00	110.70	33.77	118.17	37.83	116.36	43.57	125.84	47.28	
50%	10	63.88	8.82	75.41	9.76	86.95	10.84	92.25	11.76	98.48	13.64	105.21	15.41	113.79	17.29	
	12	63.88	8.91	75.41	9.86	86.95	10.95	92.25	11.88	98.48	13.78	105.21	15.56	113.79	17.46	
	14	63.88	8.88	75.41	9.83	86.95	10.92	92.25	11.85	98.48	13.74	105.21	15.52	113.79	17.41	
	16	63.88	9.16	75.41	10.14	86.95	11.26	92.25	12.21	98.48	14.17	105.21	16.00	113.79	17.95	
	18	63.88	9.24	75.41	10.22	86.95	11.35	92.25	12.31	98.48	14.28	105.21	16.13	113.79	18.10	
	19	63.88	9.56	75.41	10.58	86.95	11.76	92.25	12.75	98.48	14.79	105.21	16.70	113.79	18.74	
	21	63.88	9.74	75.41	10.78	86.95	11.97	92.25	12.98	98.48	15.06	105.21	17.01	113.79	19.09	
	23	63.88	10.05	75.41	11.12	86.95	12.36	92.25	13.40	98.48	15.55	105.21	17.56	113.79	19.70	
	25	63.88	10.25	75.41	11.35	86.95	12.60	92.25	13.67	98.48	15.86	105.21	17.91	113.79	20.09	
	27	63.88	10.64	75.41	11.78	86.95	13.08	92.25	14.19	98.48	16.46	105.21	18.59	113.79	20.86	
	29	63.88	11.02	75.41	12.19	86.95	13.54	92.25	14.69	98.48	17.04	105.21	19.24	113.79	21.59	
	31	63.88	11.58	75.41	12.82	86.95	14.24	92.25	15.44	98.48	17.91	105.21	20.23	113.79	22.70	
	33	63.88	12.05	75.41	13.33	86.95	14.81	92.25	16.06	98.48	18.63	105.21	21.04	113.79	23.61	
	35	63.88	12.55	75.41	13.89	86.95	15.43	92.25	16.73	98.48	19.41	105.21	21.92	113.79	24.60	
	37	63.88	13.22	75.41	14.63	86.95	16.25	92.25	17.63	98.48	20.45	103.11	23.09	111.51	25.91	
	39	63.88	13.92	75.41	15.40	86.95	17.11	92.25	18.56	98.48	21.52	102.05	24.31	110.38	27.28	
	41	63.88	14.62	75.41	16.18	86.95	17.97	92.25	19.49	98.48	22.61	101.00	25.53	109.24	28.65	
	43	63.88	15.31	75.41	16.94	86.95	18.82	92.25	20.41	98.48	23.68	101.00	26.74	109.24	30.01	
	46	63.88	16.13	75.41	17.85	86.95	19.83	92.25	21.51	98.48	24.95	98.98	28.17	107.05	31.61	
	48	63.88	16.98	75.41	18.79	86.95	20.87	92.25	22.64	98.48	26.26	97.97	29.66	105.96	33.28	
	50	63.88	17.84	75.41	19.74	86.95	21.93	92.25	23.78	98.48	27.59	96.96	31.15	104.87	34.96	

68HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1900W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	158.84	24.81	186.64	31.74	221.86	34.84	237.48	32.67	241.64	36.85	244.93	37.22	252.43	37.58	
	12	158.84	25.51	186.64	32.64	221.86	35.83	235.40	33.28	239.52	37.89	242.76	38.27	250.19	38.64	
	14	158.84	26.25	186.64	33.59	221.86	36.87	233.31	33.88	237.40	38.99	238.43	39.38	247.96	39.76	
	16	158.84	27.16	186.64	34.74	219.90	38.14	229.15	34.49	233.16	40.33	236.26	40.73	245.73	41.13	
	18	158.84	27.81	186.64	35.59	215.97	39.06	227.06	35.09	231.04	41.31	234.09	41.72	243.49	42.13	
	19	158.84	29.30	186.64	37.48	214.01	41.14	224.98	35.70	228.92	43.51	231.93	43.94	241.26	44.37	
	21	158.84	30.28	186.64	38.74	212.04	42.53	222.90	38.27	226.80	44.98	229.76	45.42	239.02	45.87	
	23	158.84	31.72	186.64	40.59	210.08	44.55	220.81	40.99	224.68	47.12	227.59	47.58	236.79	48.05	
	25	158.84	32.79	186.64	41.96	208.12	46.05	218.73	43.87	222.56	48.71	225.42	49.19	234.56	49.67	
	27	158.84	34.48	186.64	44.11	206.15	48.42	216.65	46.89	220.44	51.21	223.26	51.72	232.32	52.23	
	29	158.84	35.71	185.17	45.69	204.19	50.16	214.57	50.07	218.32	53.05	221.09	53.57	230.09	54.10	
	31	158.84	37.57	184.63	48.06	202.23	52.76	212.48	53.40	216.20	55.80	218.92	56.35	227.86	56.90	
	33	158.84	39.09	184.63	50.01	200.26	54.90	210.40	56.88	214.08	58.06	216.75	58.63	225.62	59.21	
	35	158.84	41.15	182.80	52.64	196.34	57.79	208.32	60.51	211.96	61.11	216.75	61.72	223.39	62.32	
	37	158.84	43.35	182.80	55.46	196.34	60.88	204.15	63.15	207.72	63.47	210.25	63.79	214.45	64.11	
	39	158.84	45.63	182.80	58.38	194.37	64.08	202.69	65.35	205.60	65.70	208.08	66.53	209.98	67.00	
	41	158.84	47.93	180.97	61.33	192.41	67.32	202.07	68.01	203.48	68.45	205.92	69.12	207.75	69.68	
	43	157.25	50.20	179.14	64.22	190.45	70.50	199.98	71.40	201.36	72.11	203.75	72.70	206.63	73.04	
	46	157.25	52.89	179.14	67.67	190.45	74.28	195.98	74.51	197.34	74.90	197.64	75.15	198.37	75.13	
	48	157.25	55.67	177.35	71.22	188.54	78.18	194.58	77.11	195.32	77.52	195.60	78.37	194.24	78.52	
	50	157.25	58.48	175.56	74.82	186.64	82.13	193.98	80.25	193.31	80.77	193.56	81.43	192.17	81.66	
120%	10	150.11	23.49	173.67	28.91	210.52	34.51	229.52	32.36	237.70	36.50	240.94	36.86	248.32	37.22	
	12	150.11	24.15	173.67	29.72	210.52	35.48	229.52	32.96	235.62	37.53	238.81	37.90	246.12	38.27	
	14	150.11	24.85	173.67	30.59	210.52	36.51	229.52	33.56	233.53	38.62	236.68	39.00	243.92	39.38	
	16	150.11	25.71	173.67	31.64	210.52	37.77	229.52	34.16	231.45	39.95	234.55	40.34	241.73	40.74	
	18	150.11	26.33	173.67	32.41	210.52	38.69	229.52	34.76	229.36	40.92	232.41	41.32	239.53	41.73	
	19	150.11	27.73	173.67	34.13	210.52	40.75	227.47	35.36	227.28	43.09	230.28	43.52	237.33	43.95	
	21	150.11	28.67	173.67	35.28	210.52	42.12	225.42	37.90	223.11	44.55	228.15	44.99	235.13	45.43	
	23	150.11	30.03	173.67	36.96	206.66	44.12	223.37	40.60	221.02	46.67	226.02	47.13	232.94	47.59	
	25	150.11	31.04	173.67	38.21	204.73	45.61	221.32	43.45	218.94	48.24	223.89	48.72	230.74	49.19	
	27	150.11	32.64	173.67	40.17	202.80	47.96	219.27	46.44	216.85	50.72	221.75	51.22	228.54	51.72	
	29	150.11	33.81	173.67	41.61	200.87	49.68	215.17	49.59	214.77	52.54	219.62	53.06	226.34	53.58	
	31	150.11	35.56	173.67	43.77	197.00	52.25	209.02	52.89	212.68	55.26	217.49	55.81	224.15	56.35	
	33	150.11	37.00	173.67	45.54	195.07	54.37	206.97	56.33	210.60	57.50	215.36	58.07	221.95	58.64	
	35	150.11	38.95	173.67	47.94	193.14	57.23	204.92	59.93	208.51	60.53	213.22	61.12	219.75	61.72	
	37	150.11	41.04	173.67	50.51	191.21	60.30	200.83	62.54	204.34	62.86	206.83	63.18	210.96	63.49	
	39	150.11	43.20	173.67	53.17	189.28	63.47	199.39	64.72	202.26	65.07	204.69	65.89	206.57	66.35	
	41	150.11	45.38	164.99	55.85	187.35	66.67	198.78	67.36	200.17	67.79	202.56	68.46	204.37	69.01	
	43	150.11	47.52	163.25	58.49	185.42	69.82	196.73	70.71	198.09	71.42	200.43	72.01	203.27	72.34	
	46	150.11	50.07	163.25	61.62	183.56	73.56	192.79	73.80	194.12	74.18	194.42	74.42	195.14	74.41	
	48	150.11	52.70	163.25	64.86	181.71	77.43	191.42	76.37	192.14	76.78	192.41	77.62	191.07	77.77	
	50	150.11	55.36	155.09	68.14	179.85	81.34	190.83	79.48	190.16	79.99	190.41	80.65	189.04	80.88	
110%	10	139.56	22.91	164.75	28.20	189.94	33.66	215.64	35.25	231.72	35.60	236.96	35.96	244.21	36.31	
	12	139.56	23.56	164.75	29.00	189.94	34.61	215.64	36.24	229.67	36.61	234.86	36.97	242.05	37.33	
	14	139.56	24.24	164.75	29.84	189.94	35.62	215.64	37.30	227.62	37.67	232.76	38.04	239.89	38.42	
	16	139.56	25.08	164.75	30.87	189.94	36.85	215.64	38.58	225.57	38.97	230.66	39.35	237.73	39.74	
	18	139.56	25.69	164.75	31.61	189.94	37.74	215.64	39.52	223.52	39.91	228.57	40.31	235.56	40.70	
	19	139.56	27.05	164.75	33.30	189.94	39.75	215.64	41.62	221.46	42.04	226.47	42.45	233.40	42.87	
	21	139.56	27.97	164.75	34.42	189.94	41.09	215.64	43.03	219.41	43.46	224.37	43.89	231.24	44.32	
	23	139.56	29.30	164.75	36.06	189.94	43.04	213.62	45.07	217.36	45.52	222.28	45.97	229.08	46.42	
	25	139.56	30.28	164.75	37.27	189.94	44.49	211.61	46.59	215.31	47.06	220.18	47.52	226.92	47.99	
	27	139.56	31.84	164.75	39.19	189.94	46.78	209.59	48.99	213.26	49.48	218.08	49.97	224.76	50.46	
	29	139.56	32.98	164.75	40.59	189.94	48.46	207.58	50.74	211.21	51.25	215.99	51.76	222.60	52.26	
	31	139.56	34.69	164.75	42.70	189.94	50.97	205.56	53.37	209.16	53.91	213.89	54.44	220.44	54.97	
	33	139.56	36.10	164.75	44.43	189.94	53.04	203.55	55.54	207.11	56.09	211.79	56.65	218.28	57.20	
	35	139.56	38.00	164.75	46.77	189.94	55.83	201.53	58.46	205.06	59.04	209.70	59.63	216.11	60.21	
	37	139.56	40.03	164.75	49.27	189.94	58.82	197.50	61.01	200.96	61.32	203.40	61.63	207.47	61.93	
	39	139.56	42.14	164.75	51.86	184.25	61.91	196.09	63.14	198.91	63.47	201.31	64.28	203.15	64.73	
	41	139.56	44.27	164.75	54.48	182.35	65.04	195.49	65.71	196.86	66.13	199.21	66.78	200.99	67.32	
	43	139.56	46.36	164.75	57.06	180.45	68.11	193.47	68.98	194.81	69.67	197.11	70.24	199.91	70.57	
	46	139.56	48.84	164.75	60.11	180.45	71.76	189.60	71.99	190.91	72.36	191.20	72.60	191.91	72.59	
	48	139.56	51.41	164.75	63.27	175.03	75.53	188.25	74.50	188.96	74.90	189.23	75.72	187.91	75.86	
	50	139.56	54.01	164.75	66.47	173.23	79.35	187.67	77.53	187.01	78.03	187.26	78.67	185.91	78.90	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1900W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14			DB:23.3,WB:16			DB:25.8,WB:18			DB:27,WB:19			DB:28.2,WB:20		
		TC	PI		TC	PI		TC	PI		TC	PI		TC	PI	
		kW	kW		kW	kW		kW	kW		kW	kW		kW	kW	
100%	10	131.58	19.04	155.33	24.05	179.08	30.23	190.00	33.40	206.86	33.73	221.42	34.07	230.23	34.40	
	12	131.58	19.57	155.33	24.73	179.08	31.08	190.00	34.34	206.86	34.69	221.42	35.03	228.20	35.37	
	14	131.58	20.14	155.33	25.44	179.08	31.98	190.00	35.34	206.86	35.69	219.44	36.05	226.16	36.40	
	16	131.58	20.84	155.33	26.32	179.08	33.08	190.00	36.56	206.86	36.92	217.46	37.29	224.12	37.65	
	18	131.58	21.34	155.33	26.96	179.08	33.89	190.00	37.44	206.86	37.82	215.49	38.19	222.08	38.57	
	19	131.58	22.48	155.33	28.40	179.08	35.69	190.00	39.44	206.86	39.83	213.51	40.23	220.05	40.62	
	21	131.58	23.24	155.33	29.35	179.08	36.89	190.00	40.77	206.86	41.17	211.53	41.58	218.01	41.99	
	23	131.58	24.34	155.33	30.75	179.08	38.65	190.00	42.71	206.86	43.13	209.56	43.56	215.97	43.99	
	25	131.58	25.16	155.33	31.78	179.08	39.95	190.00	44.15	204.92	44.59	207.58	45.03	213.93	45.47	
	27	131.58	26.46	155.33	33.42	179.08	42.01	190.00	46.42	202.99	46.88	205.60	47.35	211.90	47.81	
	29	131.58	27.40	155.33	34.62	179.08	43.51	190.00	48.08	201.06	48.56	203.63	49.04	209.86	49.52	
	31	131.58	28.83	155.33	36.41	179.08	45.77	190.00	50.57	199.12	51.08	201.65	51.58	207.82	52.09	
	33	131.58	29.99	155.33	37.89	179.08	47.62	190.00	52.62	195.26	53.15	199.67	53.67	205.78	54.20	
	35	131.58	31.57	155.33	39.88	179.08	50.13	190.00	55.39	193.33	55.94	197.70	56.50	203.75	57.05	
	37	131.58	33.26	155.33	42.02	179.08	52.81	186.20	57.81	189.46	58.10	191.76	58.40	195.60	58.68	
	39	131.58	35.01	155.33	44.23	179.08	55.59	184.87	59.82	187.53	60.14	189.79	60.90	191.52	61.33	
	41	131.58	36.78	155.33	46.46	179.08	58.40	184.30	62.26	185.59	62.66	187.81	63.28	189.48	63.78	
	43	131.58	38.52	155.33	48.65	179.08	61.16	182.40	65.36	183.66	66.01	185.83	66.55	188.47	66.86	
	46	131.58	40.58	155.33	51.26	179.08	64.43	178.75	68.21	179.99	68.56	180.26	68.79	180.93	68.78	
	48	131.58	42.72	155.33	53.96	179.08	67.82	177.48	70.59	178.15	70.96	178.40	71.75	177.16	71.88	
	50	131.58	44.87	155.33	56.68	179.08	71.25	176.93	73.46	176.31	73.94	176.54	74.54	175.27	74.75	
90%	10	118.42	16.82	139.79	20.75	161.17	25.46	171.00	28.04	182.54	30.56	205.02	32.53	209.23	33.37	
	12	118.42	17.30	139.79	21.33	161.17	26.18	171.00	28.83	182.54	31.42	205.02	33.44	209.23	34.31	
	14	118.42	17.80	139.79	21.95	161.17	26.94	171.00	29.67	182.54	32.34	205.02	34.41	209.23	35.30	
	16	118.42	18.41	139.79	22.71	161.17	27.87	171.00	30.69	182.54	33.45	205.02	35.60	209.23	36.52	
	18	118.42	18.86	139.79	23.26	161.17	28.54	171.00	31.43	182.54	34.26	205.02	36.46	207.27	37.41	
	19	118.42	19.86	139.79	24.50	161.17	30.06	171.00	33.11	182.54	36.09	205.02	38.41	205.32	39.40	
	21	118.42	20.53	139.79	25.33	161.17	31.08	171.00	34.22	182.54	37.30	205.02	39.70	203.36	40.73	
	23	118.42	21.51	139.79	26.53	161.17	32.55	171.00	35.85	182.54	39.08	205.02	41.59	201.40	42.66	
	25	118.42	22.24	139.79	27.42	161.17	33.65	171.00	37.06	182.54	40.40	203.10	42.99	199.45	44.10	
	27	118.42	23.38	139.79	28.84	161.17	35.38	171.00	38.97	182.54	42.47	201.19	45.20	199.45	46.37	
	29	118.42	24.22	139.79	29.87	161.17	36.65	171.00	40.36	182.54	43.99	199.27	46.82	199.45	48.03	
	31	118.42	25.47	139.79	31.42	161.17	38.55	171.00	42.45	182.54	46.28	197.35	49.25	197.49	50.52	
	33	118.42	26.50	139.79	32.69	161.17	40.11	171.00	44.17	182.54	48.15	193.52	51.24	197.49	52.57	
	35	118.42	27.90	139.79	34.41	161.17	42.22	171.00	46.50	182.54	50.68	191.61	53.94	195.54	55.33	
	37	118.42	29.40	139.79	36.25	161.17	44.49	171.00	48.99	182.54	53.40	187.77	56.83	191.63	58.30	
	39	118.42	30.94	139.79	38.16	161.17	46.82	171.00	51.57	182.54	56.21	185.86	59.82	189.67	61.37	
	41	118.42	32.50	139.79	40.09	161.17	49.19	171.00	54.17	182.54	59.05	183.94	62.84	187.72	64.47	
	43	118.42	34.04	139.79	41.98	161.17	51.51	171.00	56.73	182.54	61.84	183.94	65.81	187.72	67.51	
	46	118.42	35.86	139.79	44.23	161.17	54.27	171.00	59.77	182.54	65.15	180.26	69.33	183.96	71.13	
	48	118.42	37.75	139.79	46.56	161.17	57.13	171.00	62.91	182.54	68.58	178.42	72.98	182.09	74.87	
	50	118.42	39.65	139.79	48.91	161.17	60.01	171.00	66.09	182.54	72.04	176.58	76.66	180.21	78.65	
80%	10	105.26	14.95	124.26	16.79	143.26	21.04	152.00	22.99	162.26	25.29	173.36	29.62	187.49	31.62	
	12	105.26	15.37	124.26	17.26	143.26	21.63	152.00	23.64	162.26	26.01	173.36	30.45	187.49	32.51	
	14	105.26	15.81	124.26	17.76	143.26	22.26	152.00	24.33	162.26	26.76	173.36	31.34	187.49	33.45	
	16	105.26	16.36	124.26	18.37	143.26	23.03	152.00	25.17	162.26	27.68	173.36	32.42	187.49	34.61	
	18	105.26	16.76	124.26	18.82	143.26	23.59	152.00	25.78	162.26	28.36	173.36	33.20	187.49	35.44	
	19	105.26	17.65	124.26	19.82	143.26	24.84	152.00	27.15	162.26	29.87	173.36	34.97	187.49	37.33	
	21	105.26	18.24	124.26	20.49	143.26	25.68	152.00	28.07	162.26	30.87	173.36	36.15	187.49	38.59	
	23	105.26	19.11	124.26	21.46	143.26	26.90	152.00	29.40	162.26	32.34	173.36	37.87	187.49	40.43	
	25	105.26	19.75	124.26	22.19	143.26	27.81	152.00	30.39	162.26	33.43	173.36	39.15	187.49	41.79	
	27	105.26	20.77	124.26	23.33	143.26	29.24	152.00	31.96	162.26	35.15	173.36	41.16	187.49	43.94	
	29	105.26	21.51	124.26	24.16	143.26	30.29	152.00	33.10	162.26	36.41	173.36	42.63	187.49	45.51	
	31	105.26	22.63	124.26	25.42	143.26	31.86	152.00	34.82	162.26	38.30	173.36	44.84	187.49	47.87	
	33	105.26	23.55	124.26	26.45	143.26	33.15	152.00	36.23	162.26	39.85	173.36	46.66	187.49	49.81	
	35	105.26	24.79	124.26	27.84	143.26	34.89	152.00	38.13	162.26	41.95	173.36	49.12	187.49	52.43	
	37	105.26	26.12	124.26	29.33	143.26	36.76	152.00	40.18	162.26	44.19	169.89	51.75	183.74	55.24	
	39	105.26	27.49	124.26	30.87	143.26	38.70	152.00	42.29	162.26	46.52	168.16	54.47	181.87	58.15	
	41	105.26	28.88	124.26	32.43	143.26	40.65	152.00	44.43	162.26	48.87	166.42	57.22	179.99	61.08	
	43	105.26	30.24	124.26	33.96	143.26	42.57	152.00	46.52	162.26	51.17	166.42	59.92	179.99	63.97	
	46	105.26	31.86	124.26	35.78	143.26	44.85	152.00	49.02	162.26	53.92	163.09	63.13	176.39	67.40	
	48	105.26	33.54	124.26	37.66	143.26	47.21	152.00	51.59	162.26	56.75	161.43	66.45	174.59	70.94	
	50	105.26	35.23	124.26	39.57	143.26	49.59	152.00	54.20	162.26	59.62	-	69.81	172.79	74.52	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1900W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	92.10	13.42	108.73	15.97	125.35	19.48	133.00	21.29	141.98	23.00	151.69	25.98	164.06	28.11	
	12	92.10	13.55	108.73	16.13	125.35	19.68	133.00	21.51	141.98	23.23	151.69	26.24	164.06	28.39	
	14	92.10	13.51	108.73	16.08	125.35	19.62	133.00	21.45	141.98	23.16	151.69	26.16	164.06	28.31	
	16	92.10	13.93	108.73	16.58	125.35	20.23	133.00	22.11	141.98	23.88	151.69	26.98	164.06	29.19	
	18	92.10	14.04	108.73	16.72	125.35	20.40	133.00	22.29	141.98	24.08	151.69	27.20	164.06	29.43	
	19	92.10	14.54	108.73	17.31	125.35	21.12	133.00	23.08	141.98	24.93	151.69	28.16	164.06	30.47	
	21	92.10	14.81	108.73	17.63	125.35	21.51	133.00	23.51	141.98	25.39	151.69	28.68	164.06	31.03	
	23	92.10	15.29	108.73	18.20	125.35	22.20	133.00	24.26	141.98	26.20	151.69	29.60	164.06	32.03	
	25	92.10	15.59	108.73	18.56	125.35	22.64	133.00	24.75	141.98	26.73	151.69	30.19	164.06	32.67	
	27	92.10	16.18	108.73	19.26	125.35	23.50	133.00	25.69	141.98	27.74	151.69	31.34	164.06	33.91	
	29	92.10	16.75	108.73	19.95	125.35	24.33	133.00	26.59	141.98	28.72	151.69	32.45	164.06	35.10	
	31	92.10	17.61	108.73	20.97	125.35	25.58	133.00	27.96	141.98	30.19	151.69	34.11	164.06	36.90	
	33	92.10	18.32	108.73	21.81	125.35	26.61	133.00	29.08	141.98	31.40	151.69	35.48	164.06	38.38	
	35	92.10	19.08	108.73	22.72	125.35	27.72	133.00	30.29	141.98	32.71	151.69	36.95	164.06	39.98	
	37	92.10	20.11	108.73	23.94	125.35	29.20	133.00	31.91	141.98	34.47	148.65	38.93	160.77	42.13	
	39	92.10	21.16	108.73	25.19	125.35	30.74	133.00	33.59	141.98	36.28	147.14	40.98	159.13	44.34	
	41	92.10	22.23	108.73	26.47	125.35	32.29	133.00	35.29	141.98	38.11	145.62	43.05	157.49	46.58	
	43	92.10	23.28	108.73	27.72	125.35	33.81	133.00	36.95	141.98	39.91	145.62	45.08	157.49	48.78	
	46	92.10	24.53	108.73	29.20	125.35	35.63	133.00	38.93	141.98	42.05	142.71	47.50	154.34	51.39	
	48	92.10	25.82	108.73	30.74	125.35	37.50	133.00	40.98	141.98	44.26	141.25	50.00	152.77	54.10	
	50	92.10	27.12	108.73	32.29	125.35	39.39	133.00	43.05	141.98	46.50	139.79	52.52	151.19	56.83	
60%	10	78.95	10.82	93.20	12.43	107.45	14.82	114.00	16.15	121.70	18.09	130.02	20.83	140.62	22.61	
	12	78.95	10.93	93.20	12.56	107.45	14.97	114.00	16.31	121.70	18.27	130.02	21.04	140.62	22.83	
	14	78.95	10.90	93.20	12.52	107.45	14.93	114.00	16.26	121.70	18.21	130.02	20.98	140.62	22.77	
	16	78.95	11.23	93.20	12.91	107.45	15.39	114.00	16.77	121.70	18.78	130.02	21.63	140.62	23.48	
	18	78.95	11.33	93.20	13.02	107.45	15.52	114.00	16.91	121.70	18.93	130.02	21.81	140.62	23.67	
	19	78.95	11.73	93.20	13.48	107.45	16.07	114.00	17.50	121.70	19.60	130.02	22.58	140.62	24.50	
	21	78.95	11.94	93.20	13.73	107.45	16.36	114.00	17.82	121.70	19.96	130.02	22.99	140.62	24.95	
	23	78.95	12.33	93.20	14.17	107.45	16.89	114.00	18.40	121.70	20.61	130.02	23.73	140.62	25.76	
	25	78.95	12.57	93.20	14.45	107.45	17.23	114.00	18.77	121.70	21.02	130.02	24.21	140.62	26.27	
	27	78.95	13.05	93.20	15.00	107.45	17.88	114.00	19.48	121.70	21.82	130.02	25.13	140.62	27.27	
	29	78.95	13.51	93.20	15.53	107.45	18.51	114.00	20.17	121.70	22.59	130.02	26.02	140.62	28.24	
	31	78.95	14.21	93.20	16.33	107.45	19.46	114.00	21.20	121.70	23.75	130.02	27.35	140.62	29.68	
	33	78.95	14.77	93.20	16.98	107.45	20.24	114.00	22.05	121.70	24.70	130.02	28.45	140.62	30.87	
	35	78.95	15.39	93.20	17.69	107.45	21.09	114.00	22.97	121.70	25.73	130.02	29.63	140.62	32.16	
	37	78.95	16.21	93.20	18.64	107.45	22.22	114.00	24.20	121.70	27.11	127.42	31.22	137.81	33.88	
	39	78.95	17.07	93.20	19.61	107.45	23.39	114.00	25.47	121.70	28.53	126.12	32.86	136.40	35.66	
	41	78.95	17.93	93.20	20.61	107.45	24.57	114.00	26.76	121.70	29.97	124.82	34.52	134.99	37.46	
	43	78.95	18.78	93.20	21.58	107.45	25.73	114.00	28.02	121.70	31.39	124.82	36.15	134.99	39.23	
	46	78.95	19.78	93.20	22.73	107.45	27.10	114.00	29.53	121.70	33.07	122.32	38.09	132.29	41.34	
	48	78.95	20.82	93.20	23.93	107.45	28.53	114.00	31.08	121.70	34.81	121.07	40.09	130.94	43.51	
	50	78.95	21.87	93.20	25.14	107.45	29.97	114.00	32.65	121.70	36.57	119.82	42.12	129.59	45.71	
50%	10	65.79	8.53	77.66	9.44	89.54	10.48	95.00	11.37	101.41	13.19	108.35	14.90	117.18	16.71	
	12	65.79	8.61	77.66	9.53	89.54	10.59	95.00	11.48	101.41	13.32	108.35	15.04	117.18	16.88	
	14	65.79	8.59	77.66	9.50	89.54	10.56	95.00	11.45	101.41	13.28	108.35	15.00	117.18	16.83	
	16	65.79	8.86	77.66	9.80	89.54	10.89	95.00	11.81	101.41	13.70	108.35	15.47	117.18	17.36	
	18	65.79	8.93	77.66	9.88	89.54	10.98	95.00	11.90	101.41	13.81	108.35	15.59	117.18	17.50	
	19	65.79	9.24	77.66	10.23	89.54	11.36	95.00	12.32	101.41	14.30	108.35	16.15	117.18	18.12	
	21	65.79	9.41	77.66	10.42	89.54	11.57	95.00	12.55	101.41	14.56	108.35	16.44	117.18	18.45	
	23	65.79	9.72	77.66	10.75	89.54	11.94	95.00	12.96	101.41	15.03	108.35	16.97	117.18	19.04	
	25	65.79	9.91	77.66	10.97	89.54	12.18	95.00	13.21	101.41	15.33	108.35	17.31	117.18	19.42	
	27	65.79	10.29	77.66	11.38	89.54	12.65	95.00	13.72	101.41	15.91	108.35	17.97	117.18	20.16	
	29	65.79	10.65	77.66	11.79	89.54	13.09	95.00	14.20	101.41	16.47	108.35	18.60	117.18	20.87	
	31	65.79	11.20	77.66	12.39	89.54	13.76	95.00	14.93	101.41	17.32	108.35	19.56	117.18	21.94	
	33	65.79	11.65	77.66	12.89	89.54	14.32	95.00	15.53	101.41	18.01	108.35	20.34	117.18	22.82	
	35	65.79	12.13	77.66	13.42	89.54	14.91	95.00	16.17	101.41	18.76	108.35	21.19	117.18	23.78	
	37	65.79	12.78	77.66	14.14	89.54	15.71	95.00	17.04	101.41	19.77	106.18	22.32	114.84	25.05	
	39	65.79	13.45	77.66	14.89	89.54	16.54	95.00	17.94	101.41	20.81	105.10	23.50	113.67	26.37	
	41	65.79	14.13	77.66	15.64	89.54	17.37	95.00	18.84	101.41	21.86	104.01	24.68	112.50	27.70	
	43	65.79	14.80	77.66	16.38	89.54	18.19	95.00	19.73	101.41	22.89	104.01	25.85	112.50	29.01	
	46	65.79	15.59	77.66	17.26	89.54	19.17	95.00	20.79	101.41	24.12	101.93	27.23	110.25	30.56	
	48	65.79	16.41	77.66	18.16	89.54	20.18	95.00	21.88	101.41	25.38	100.89	28.67	109.12	32.17	
	50	65.79	17.24	77.66	19.08	89.54	21.19	95.00	22.99	101.41	26.67	99.85	30.11	108.00	33.79	

70HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1950W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	163.02	25.42	191.55	32.53	227.70	35.71	243.73	33.48	247.99	37.76	251.38	38.14	259.07	38.51	
	12	163.02	26.14	191.55	33.45	227.70	36.71	241.59	34.10	245.82	38.83	249.15	39.21	256.78	39.60	
	14	163.02	26.90	191.55	34.42	227.70	37.78	239.45	34.72	243.64	39.95	244.70	40.35	254.49	40.75	
	16	163.02	27.83	191.55	35.60	225.69	39.08	235.18	35.34	239.29	41.33	242.48	41.74	252.19	42.15	
	18	163.02	28.50	191.55	36.47	221.66	40.03	233.04	35.96	237.12	42.33	240.25	42.75	249.90	43.17	
	19	163.02	30.02	191.55	38.41	219.64	42.16	230.90	36.58	234.94	44.59	238.03	45.03	247.61	45.47	
	21	163.02	31.03	191.55	39.70	217.62	43.58	228.76	39.22	232.77	46.09	235.80	46.55	245.31	47.00	
	23	163.02	32.51	191.55	41.59	215.61	45.65	226.63	42.01	230.59	48.28	233.58	48.76	243.02	49.24	
	25	163.02	33.60	191.55	42.99	213.59	47.19	224.49	44.95	228.42	49.91	231.36	50.41	240.73	50.90	
	27	163.02	35.33	191.55	45.21	211.58	49.62	222.35	48.05	226.24	52.48	229.13	53.00	238.44	53.52	
	29	163.02	36.60	190.05	46.82	209.56	51.40	220.21	51.31	224.07	54.36	226.91	54.90	236.14	55.43	
	31	163.02	38.49	189.48	49.25	207.55	54.06	218.07	54.72	221.89	57.18	224.68	57.74	233.85	58.31	
	33	163.02	40.05	189.48	51.25	205.53	56.25	215.94	58.28	219.71	59.49	222.46	60.08	231.56	60.67	
	35	163.02	42.16	187.61	53.94	201.50	59.21	213.80	62.00	217.54	62.62	222.46	63.24	229.27	63.86	
	37	163.02	44.42	187.61	56.84	201.50	62.39	209.52	64.71	213.19	65.04	215.78	65.37	220.10	65.69	
	39	163.02	46.76	187.61	59.82	199.49	65.67	208.03	66.96	211.01	67.32	213.56	68.18	215.51	68.65	
	41	163.02	49.12	185.73	62.84	197.47	68.98	207.38	69.69	208.84	70.14	211.33	70.83	213.22	71.40	
	43	161.39	51.44	183.86	65.81	195.46	72.24	205.25	73.17	206.66	73.90	209.11	74.50	212.07	74.85	
	46	161.39	54.20	183.86	69.34	195.46	76.11	201.14	76.36	202.53	76.75	202.84	77.01	203.59	76.99	
	48	161.39	57.05	182.02	72.99	193.50	80.12	199.70	79.02	200.46	79.44	200.75	80.31	199.35	80.46	
50	161.39	59.93	180.18	76.67	191.55	84.16	199.09	82.24	198.40	82.76	198.65	83.44	197.23	83.68		
120%	10	154.06	24.07	178.24	29.62	216.06	35.36	235.56	33.16	243.96	37.40	247.28	37.77	254.85	38.14	
	12	154.06	24.75	178.24	30.46	216.06	36.36	235.56	33.77	241.82	38.45	245.10	38.83	252.60	39.22	
	14	154.06	25.47	178.24	31.34	216.06	37.42	235.56	34.39	239.68	39.57	242.91	39.96	250.34	40.35	
	16	154.06	26.34	178.24	32.42	216.06	38.71	235.56	35.00	237.54	40.94	240.72	41.34	248.09	41.75	
	18	154.06	26.98	178.24	33.21	216.06	39.64	235.56	35.62	235.40	41.93	238.53	42.34	245.83	42.76	
	19	154.06	28.42	178.24	34.98	216.06	41.76	233.45	36.23	233.26	44.16	236.34	44.60	243.58	45.03	
	21	154.06	29.38	178.24	36.16	216.06	43.16	231.35	38.84	228.98	45.65	234.15	46.10	241.32	46.55	
	23	154.06	30.77	178.24	37.88	212.10	45.22	229.25	41.60	226.84	47.82	231.97	48.29	239.07	48.77	
	25	154.06	31.81	178.24	39.15	210.12	46.74	227.14	44.52	224.70	49.43	229.78	49.92	236.81	50.41	
	27	154.06	33.45	178.24	41.17	208.14	49.14	225.04	47.59	222.56	51.98	227.59	52.49	234.56	53.00	
	29	154.06	34.65	178.24	42.64	206.15	50.90	220.83	50.82	220.42	53.84	225.40	54.37	232.30	54.90	
	31	154.06	36.44	178.24	44.85	202.19	53.54	214.52	54.19	218.28	56.63	223.21	57.19	230.04	57.75	
	33	154.06	37.92	178.24	46.67	200.21	55.71	212.42	57.72	216.14	58.92	221.02	59.50	227.79	60.09	
	35	154.06	39.92	178.24	49.13	198.22	58.65	210.32	61.41	214.00	62.02	218.84	62.64	225.53	63.25	
	37	154.06	42.06	178.24	51.76	196.24	61.79	206.11	64.09	209.72	64.42	212.27	64.74	216.51	65.06	
	39	154.06	44.27	178.24	54.48	194.26	65.04	204.64	66.32	207.58	66.67	210.08	67.52	212.00	67.99	
	41	154.06	46.50	169.33	57.23	192.28	68.32	204.01	69.02	205.44	69.47	207.89	70.15	209.75	70.71	
	43	154.06	48.70	167.55	59.93	190.30	71.55	201.90	72.46	203.30	73.19	205.70	73.79	208.62	74.13	
	46	154.06	51.31	167.55	63.15	188.39	75.38	197.87	75.62	199.23	76.01	199.53	76.27	200.27	76.25	
	48	154.06	54.01	167.55	66.47	186.49	79.35	196.45	78.26	197.20	78.68	197.48	79.54	196.10	79.69	
50	154.06	56.73	159.17	69.82	184.59	83.35	195.85	81.45	195.17	81.97	195.42	82.64	194.02	82.88		
110%	10	143.23	23.48	169.09	28.90	194.94	34.50	221.32	36.12	237.82	36.48	243.19	36.84	250.64	37.21	
	12	143.23	24.14	169.09	29.71	194.94	35.47	221.32	37.14	235.71	37.51	241.04	37.88	248.42	38.26	
	14	143.23	24.84	169.09	30.58	194.94	36.50	221.32	38.22	233.61	38.60	238.89	38.98	246.20	39.37	
	16	143.23	25.70	169.09	31.63	194.94	37.76	221.32	39.54	231.50	39.93	236.73	40.33	243.98	40.72	
	18	143.23	26.32	169.09	32.40	194.94	38.67	221.32	40.50	229.40	40.90	234.58	41.31	241.76	41.71	
	19	143.23	27.72	169.09	34.12	194.94	40.73	221.32	42.65	227.29	43.08	232.43	43.51	239.55	43.93	
	21	143.23	28.66	169.09	35.27	194.94	42.11	221.32	44.09	225.19	44.53	230.28	44.97	237.33	45.41	
	23	143.23	30.02	169.09	36.95	194.94	44.11	219.25	46.19	223.08	46.65	228.13	47.11	235.11	47.57	
	25	143.23	31.03	169.09	38.20	194.94	45.60	217.18	47.74	220.98	48.22	225.97	48.70	232.89	49.18	
	27	143.23	32.63	169.09	40.16	194.94	47.94	215.11	50.20	218.87	50.70	223.82	51.20	230.67	51.71	
	29	143.23	33.80	169.09	41.60	194.94	49.66	213.04	52.00	216.77	52.52	221.67	53.04	228.46	53.56	
	31	143.23	35.55	169.09	43.75	194.94	52.23	210.97	54.69	214.67	55.24	219.52	55.79	226.24	56.33	
	33	143.23	36.99	169.09	45.53	194.94	54.35	208.90	56.91	212.56	57.48	217.37	58.05	224.02	58.62	
	35	143.23	38.94	169.09	47.92	194.94	57.21	206.84	59.90	210.46	60.50	215.21	61.10	221.80	61.70	
	37	143.23	41.03	169.09	50.49	194.94	60.28	202.70	62.52	206.25	62.84	208.76	63.16	212.93	63.47	
	39	143.23	43.18	169.09	53.15	189.10	63.44	201.25	64.70	204.14	65.04	206.60	65.87	208.49	66.33	
	41	143.23	45.36	169.09	55.83	187.15	66.65	200.63	67.33	202.04	67.76	204.45	68.43	206.28	68.98	
	43	143.23	47.50	169.09	58.47	185.20	69.79	198.56	70.69	199.93	71.39	202.30	71.98	205.17	72.31	
	46	143.23	50.05	169.09	61.60	185.20	73.54	194.59	73.77	195.93	74.15	196.23	74.40	196.96	74.38	
	48	143.23	52.68	169.09	64.84	179.64	77.40	193.20	76.34	193.94	76.75	194.21	77.59	192.86	77.74	
50	143.23	55.34	169.09	68.11	177.79	81.31	192.61	79.45	191.94	79.96	192.19	80.62	190.80	80.85		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1950W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	135.04	19.51	159.41	24.64	183.79	30.97	195.00	34.23	212.30	34.57	227.25	34.91	236.29	35.25	
	12	135.04	20.06	159.41	25.34	183.79	31.85	195.00	35.19	212.30	35.54	227.25	35.90	234.20	36.25	
	14	135.04	20.64	159.41	26.07	183.79	32.77	195.00	36.21	212.30	36.58	225.22	36.94	232.11	37.30	
	16	135.04	21.35	159.41	26.97	183.79	33.90	195.00	37.46	212.30	37.84	223.19	38.21	230.02	38.59	
	18	135.04	21.87	159.41	27.63	183.79	34.72	195.00	38.37	212.30	38.75	221.16	39.14	227.93	39.52	
	19	135.04	23.04	159.41	29.10	183.79	36.57	195.00	40.41	212.30	40.82	219.13	41.22	225.84	41.63	
	21	135.04	23.81	159.41	30.08	183.79	37.81	195.00	41.78	212.30	42.19	217.10	42.61	223.75	43.03	
	23	135.04	24.94	159.41	31.51	183.79	39.60	195.00	43.76	212.30	44.20	215.07	44.64	221.65	45.07	
	25	135.04	25.79	159.41	32.57	183.79	40.94	195.00	45.24	210.32	45.69	213.04	46.14	219.56	46.59	
	27	135.04	27.11	159.41	34.25	183.79	43.05	195.00	47.56	208.33	48.04	211.01	48.52	217.47	48.99	
	29	135.04	28.08	159.41	35.47	183.79	44.59	195.00	49.27	206.35	49.76	208.98	50.25	215.38	50.75	
	31	135.04	29.54	159.41	37.31	183.79	46.90	195.00	51.82	204.36	52.34	206.96	52.86	213.29	53.38	
	33	135.04	30.74	159.41	38.82	183.79	48.80	195.00	53.92	200.40	54.46	204.93	55.00	211.20	55.54	
	35	135.04	32.35	159.41	40.87	183.79	51.37	195.00	56.76	198.41	57.33	202.90	57.90	209.11	58.46	
	37	135.04	34.09	159.41	43.06	183.79	54.12	191.10	59.23	194.44	59.54	196.81	59.84	200.74	60.13	
	39	135.04	35.88	159.41	45.32	183.79	56.97	189.74	61.30	192.46	61.63	194.78	62.41	196.56	62.85	
	41	135.04	37.69	159.41	47.61	183.79	59.84	189.15	63.80	190.48	64.21	192.75	64.84	194.47	65.36	
	43	135.04	39.47	159.41	49.86	183.79	62.67	187.20	66.98	188.49	67.65	190.72	68.20	193.43	68.52	
	46	135.04	41.59	159.41	52.53	183.79	66.03	183.46	69.90	184.72	70.26	185.00	70.49	185.69	70.48	
	48	135.04	43.77	159.41	55.29	183.79	69.50	182.15	72.33	182.84	72.72	183.09	73.52	181.82	73.66	
	50	135.04	45.98	159.41	58.08	183.79	73.01	181.58	75.28	180.95	75.76	181.19	76.38	179.89	76.60	
90%	10	121.53	17.24	143.47	21.26	165.41	26.09	175.50	28.73	187.35	31.32	210.41	33.33	214.73	34.19	
	12	121.53	17.73	143.47	21.86	165.41	26.83	175.50	29.54	187.35	32.20	210.41	34.27	214.73	35.16	
	14	121.53	18.24	143.47	22.50	165.41	27.60	175.50	30.40	187.35	33.14	210.41	35.26	214.73	36.18	
	16	121.53	18.87	143.47	23.27	165.41	28.56	175.50	31.45	187.35	34.28	210.41	36.48	214.73	37.42	
	18	121.53	19.33	143.47	23.84	165.41	29.25	175.50	32.21	187.35	35.11	210.41	37.37	212.73	38.33	
	19	121.53	20.36	143.47	25.11	165.41	30.81	175.50	33.93	187.35	36.98	210.41	39.36	210.72	40.37	
	21	121.53	21.04	143.47	25.95	165.41	31.84	175.50	35.07	187.35	38.23	210.41	40.68	208.71	41.73	
	23	121.53	22.04	143.47	27.19	165.41	33.36	175.50	36.74	187.35	40.04	210.41	42.62	206.70	43.72	
	25	121.53	22.79	143.47	28.10	165.41	34.48	175.50	37.98	187.35	41.40	208.45	44.05	204.70	45.19	
	27	121.53	23.96	143.47	29.55	165.41	36.26	175.50	39.93	187.35	43.52	206.48	46.32	204.70	47.52	
	29	121.53	24.82	143.47	30.61	165.41	37.56	175.50	41.36	187.35	45.08	204.51	47.98	204.70	49.22	
	31	121.53	26.10	143.47	32.19	165.41	39.50	175.50	43.50	187.35	47.42	202.55	50.47	202.69	51.77	
	33	121.53	27.16	143.47	33.50	165.41	41.10	175.50	45.27	187.35	49.34	198.61	52.51	202.69	53.87	
	35	121.53	28.59	143.47	35.26	165.41	43.27	175.50	47.65	187.35	51.94	196.65	55.27	200.68	56.70	
	37	121.53	30.12	143.47	37.15	165.41	45.59	175.50	50.20	187.35	54.72	192.71	58.24	196.67	59.74	
	39	121.53	31.71	143.47	39.10	165.41	47.98	175.50	52.84	187.35	57.60	190.75	61.30	194.66	62.88	
	41	121.53	33.31	143.47	41.08	165.41	50.41	175.50	55.51	187.35	60.51	188.78	64.39	192.66	66.06	
	43	121.53	34.88	143.47	43.02	165.41	52.78	175.50	58.13	187.35	63.36	188.78	67.43	192.66	69.18	
	46	121.53	36.75	143.47	45.32	165.41	55.61	175.50	61.25	187.35	66.76	185.01	71.05	188.80	72.89	
	48	121.53	38.68	143.47	47.71	165.41	58.54	175.50	64.47	187.35	70.27	183.12	74.78	186.88	76.72	
	50	121.53	40.63	143.47	50.12	165.41	61.49	175.50	67.72	187.35	73.82	181.23	78.56	184.95	80.59	
80%	10	108.03	15.32	127.53	17.20	147.03	21.56	156.00	23.56	166.53	25.92	177.92	30.35	192.43	32.40	
	12	108.03	15.75	127.53	17.69	147.03	22.17	156.00	24.23	166.53	26.65	177.92	31.20	192.43	33.31	
	14	108.03	16.20	127.53	18.20	147.03	22.81	156.00	24.93	166.53	27.42	177.92	32.11	192.43	34.28	
	16	108.03	16.76	127.53	18.83	147.03	23.60	156.00	25.79	166.53	28.37	177.92	33.22	192.43	35.46	
	18	108.03	17.17	127.53	19.28	147.03	24.17	156.00	26.42	166.53	29.06	177.92	34.02	192.43	36.32	
	19	108.03	18.08	127.53	20.31	147.03	25.46	156.00	27.82	166.53	30.60	177.92	35.84	192.43	38.26	
	21	108.03	18.69	127.53	20.99	147.03	26.32	156.00	28.76	166.53	31.64	177.92	37.04	192.43	39.55	
	23	108.03	19.58	127.53	21.99	147.03	27.57	156.00	30.13	166.53	33.14	177.92	38.80	192.43	41.43	
	25	108.03	20.24	127.53	22.74	147.03	28.50	156.00	31.14	166.53	34.26	177.92	40.11	192.43	42.82	
	27	108.03	21.28	127.53	23.90	147.03	29.96	156.00	32.75	166.53	36.02	177.92	42.18	192.43	45.03	
	29	108.03	22.05	127.53	24.76	147.03	31.04	156.00	33.92	166.53	37.31	177.92	43.69	192.43	46.64	
	31	108.03	23.19	127.53	26.04	147.03	32.64	156.00	35.68	166.53	39.24	177.92	45.95	192.43	49.06	
	33	108.03	24.13	127.53	27.10	147.03	33.97	156.00	37.12	166.53	40.83	177.92	47.81	192.43	51.04	
	35	108.03	25.40	127.53	28.53	147.03	35.75	156.00	39.08	166.53	42.98	177.92	50.33	192.43	53.73	
	37	108.03	26.76	127.53	30.05	147.03	37.67	156.00	41.17	166.53	45.29	174.36	53.03	188.58	56.61	
	39	108.03	28.17	127.53	31.64	147.03	39.65	156.00	43.34	166.53	47.67	172.58	55.82	186.65	59.59	
	41	108.03	29.59	127.53	33.23	147.03	41.65	156.00	45.52	166.53	50.08	170.80	58.63	184.73	62.60	
	43	108.03	30.99	127.53	34.80	147.03	43.62	156.00	47.67	166.53	52.44	170.80	61.40	184.73	65.55	
	46	108.03	32.65	127.53	36.67	147.03	45.96	156.00	50.23	166.53	55.25	167.39	64.69	181.03	69.06	
	48	108.03	34.37	127.53	38.59	147.03	48.38	156.00	52.87	166.53	58.16	165.68	68.10	179.19	72.70	
	50	108.03	36.10	127.53	40.54	147.03	50.82	156.00	55.54	166.53	61.09	.	71.53	177.34	76.37	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1950W/ZR1-C																					
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)																			
		DB:20.8,WB:14			DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24						
		TC	PI		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI					
		kW	kW		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW					
70%	10	94.53	13.75		111.59	16.37		128.65	19.97		136.50	21.82		145.71	23.57		155.68	26.62		168.37	28.80
	12	94.53	13.88		111.59	16.53		128.65	20.16		136.50	22.04		145.71	23.80		155.68	26.89		168.37	29.09
	14	94.53	13.84		111.59	16.48		128.65	20.11		136.50	21.98		145.71	23.73		155.68	26.81		168.37	29.01
	16	94.53	14.27		111.59	16.99		128.65	20.73		136.50	22.66		145.71	24.47		155.68	27.64		168.37	29.91
	18	94.53	14.39		111.59	17.13		128.65	20.90		136.50	22.84		145.71	24.67		155.68	27.87		168.37	30.16
	19	94.53	14.90		111.59	17.74		128.65	21.64		136.50	23.65		145.71	25.54		155.68	28.86		168.37	31.22
	21	94.53	15.17		111.59	18.06		128.65	22.04		136.50	24.09		145.71	26.01		155.68	29.39		168.37	31.79
	23	94.53	15.66		111.59	18.65		128.65	22.75		136.50	24.86		145.71	26.85		155.68	30.33		168.37	32.82
	25	94.53	15.98		111.59	19.02		128.65	23.20		136.50	25.36		145.71	27.39		155.68	30.94		168.37	33.47
	27	94.53	16.58		111.59	19.74		128.65	24.08		136.50	26.32		145.71	28.43		155.68	32.11		168.37	34.74
	29	94.53	17.17		111.59	20.44		128.65	24.94		136.50	27.25		145.71	29.43		155.68	33.25		168.37	35.97
	31	94.53	18.05		111.59	21.49		128.65	26.21		136.50	28.65		145.71	30.94		155.68	34.95		168.37	37.82
	33	94.53	18.77		111.59	22.35		128.65	27.26		136.50	29.80		145.71	32.18		155.68	36.35		168.37	39.33
	35	94.53	19.55		111.59	23.28		128.65	28.40		136.50	31.04		145.71	33.52		155.68	37.87		168.37	40.97
	37	94.53	20.60		111.59	24.53		128.65	29.92		136.50	32.70		145.71	35.32		152.56	39.90		165.01	43.17
	39	94.53	21.69		111.59	25.82		128.65	31.50		136.50	34.42		145.71	37.18		151.01	42.00		163.32	45.44
	41	94.53	22.78		111.59	27.12		128.65	33.09		136.50	36.16		145.71	39.05		149.45	44.12		161.64	47.73
43	94.53	23.86		111.59	28.40		128.65	34.65		136.50	37.87		145.71	40.90		149.45	46.20		161.64	49.99	
46	94.53	25.14		111.59	29.92		128.65	36.51		136.50	39.90		145.71	43.09		146.46	48.68		158.41	52.66	
48	94.53	26.46		111.59	31.50		128.65	38.43		136.50	42.00		145.71	45.36		144.97	51.23		156.79	55.43	
50	94.53	27.79		111.59	33.09		128.65	40.37		136.50	44.12		145.71	47.65		143.47	53.82		155.17	58.23	
60%	10	81.02	11.09		95.65	12.74		110.27	15.19		117.00	16.55		124.90	18.53		133.44	21.35		144.32	23.17
	12	81.02	11.20		95.65	12.87		110.27	15.34		117.00	16.71		124.90	18.72		133.44	21.56		144.32	23.40
	14	81.02	11.17		95.65	12.83		110.27	15.30		117.00	16.67		124.90	18.66		133.44	21.50		144.32	23.33
	16	81.02	11.51		95.65	13.23		110.27	15.77		117.00	17.18		124.90	19.24		133.44	22.17		144.32	24.06
	18	81.02	11.61		95.65	13.34		110.27	15.90		117.00	17.32		124.90	19.40		133.44	22.35		144.32	24.25
	19	81.02	12.02		95.65	13.81		110.27	16.47		117.00	17.94		124.90	20.09		133.44	23.14		144.32	25.11
	21	81.02	12.24		95.65	14.06		110.27	16.77		117.00	18.27		124.90	20.46		133.44	23.56		144.32	25.57
	23	81.02	12.63		95.65	14.52		110.27	17.31		117.00	18.85		124.90	21.12		133.44	24.32		144.32	26.40
	25	81.02	12.88		95.65	14.81		110.27	17.65		117.00	19.23		124.90	21.54		133.44	24.81		144.32	26.92
	27	81.02	13.37		95.65	15.37		110.27	18.32		117.00	19.96		124.90	22.36		133.44	25.75		144.32	27.94
	29	81.02	13.85		95.65	15.91		110.27	18.97		117.00	20.67		124.90	23.15		133.44	26.66		144.32	28.93
	31	81.02	14.56		95.65	16.73		110.27	19.94		117.00	21.73		124.90	24.33		133.44	28.03		144.32	30.42
	33	81.02	15.14		95.65	17.40		110.27	20.74		117.00	22.60		124.90	25.31		133.44	29.15		144.32	31.64
	35	81.02	15.77		95.65	18.12		110.27	21.61		117.00	23.54		124.90	26.36		133.44	30.36		144.32	32.95
	37	81.02	16.62		95.65	19.10		110.27	22.77		117.00	24.80		124.90	27.78		130.77	31.99		141.43	34.72
	39	81.02	17.49		95.65	20.10		110.27	23.96		117.00	26.10		124.90	29.24		129.44	33.67		139.99	36.55
	41	81.02	18.37		95.65	21.12		110.27	25.17		117.00	27.42		124.90	30.71		128.10	35.37		138.55	38.39
43	81.02	19.24		95.65	22.11		110.27	26.36		117.00	28.72		124.90	32.16		128.10	37.04		138.55	40.20	
46	81.02	20.27		95.65	23.30		110.27	27.78		117.00	30.26		124.90	33.89		125.54	39.03		135.78	42.36	
48	81.02	21.34		95.65	24.52		110.27	29.24		117.00	31.85		124.90	35.67		124.26	41.08		134.39	44.59	
50	81.02	22.41		95.65	25.76		110.27	30.71		117.00	33.46		124.90	37.47		122.98	43.16		133.00	46.84	
50%	10	67.52	8.74		79.71	9.67		91.89	10.74		97.50	11.65		104.08	13.52		111.20	15.26		120.27	17.13
	12	67.52	8.83		79.71	9.77		91.89	10.85		97.50	11.77		104.08	13.65		111.20	15.42		120.27	17.30
	14	67.52	8.80		79.71	9.74		91.89	10.82		97.50	11.73		104.08	13.61		111.20	15.37		120.27	17.25
	16	67.52	9.07		79.71	10.04		91.89	11.16		97.50	12.10		104.08	14.03		111.20	15.85		120.27	17.79
	18	67.52	9.15		79.71	10.12		91.89	11.25		97.50	12.20		104.08	14.15		111.20	15.98		120.27	17.93
	19	67.52	9.47		79.71	10.48		91.89	11.64		97.50	12.63		104.08	14.65		111.20	16.54		120.27	18.57
	21	67.52	9.65		79.71	10.67		91.89	11.86		97.50	12.86		104.08	14.92		111.20	16.85		120.27	18.91
	23	67.52	9.96		79.71	11.02		91.89	12.24		97.50	13.28		104.08	15.40		111.20	17.39		120.27	19.52
	25	67.52	10.16		79.71	11.24		91.89	12.48		97.50	13.54		104.08	15.71		111.20	17.74		120.27	19.91
	27	67.52	10.54		79.71	11.67		91.89	12.96		97.50	14.05		104.08	16.30		111.20	18.41		120.27	20.66
	29	67.52	10.91		79.71	12.08		91.89	13.42		97.50	14.55		104.08	16.88		111.20	19.06		120.27	21.39
	31	67.52	11.47		79.71	12.70		91.89	14.10		97.50	15.30		104.08	17.75		111.20	20.04		120.27	22.49
	33	67.52	11.93		79.71	13.21		91.89	14.67		97.50	15.91		104.08	18.46		111.20	20.84		120.27	23.39
	35	67.52	12.43		79.71	13.76		91.89	15.28		97.50	16.57		104.08	19.23		111.20	21.71		120.27	24.36
	37	67.52	13.10		79.71	14.49		91.89	16.10		97.50	17.46		104.08	20.26		108.97	22.88		117.86	25.67
	39	67.52	13.79		79.71	15.26		91.89	16.95		97.50	18.38		104.08	21.32		107.86	24.08		116.66	27.02
	41	67.52	14.48		79.71	16.0															

72HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2000W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
130%	10	167.20	26.04	196.46	33.32	233.54	36.57	249.98	34.30	254.35	38.68	257.82	39.06	265.71	39.45	
	12	167.20	26.78	196.46	34.26	233.54	37.61	247.79	34.93	252.12	39.77	255.54	40.17	263.36	40.56	
	14	167.20	27.55	196.46	35.25	233.54	38.70	245.59	35.57	249.89	40.93	250.98	41.33	261.01	41.74	
	16	167.20	28.50	196.46	36.47	231.47	40.03	241.21	36.20	245.43	42.34	248.70	42.76	258.66	43.18	
	18	167.20	29.20	196.46	37.35	227.34	41.00	239.02	36.84	243.20	43.36	246.41	43.79	256.31	44.22	
	19	167.20	30.75	196.46	39.34	225.27	43.19	236.82	37.47	240.97	45.67	244.13	46.13	253.96	46.58	
	21	167.20	31.79	196.46	40.67	223.21	44.64	234.63	40.17	238.74	47.21	241.85	47.68	251.61	48.15	
	23	167.20	33.30	196.46	42.60	221.14	46.76	232.44	43.03	236.50	49.46	239.57	49.95	249.25	50.44	
	25	167.20	34.42	196.46	44.04	219.07	48.34	230.24	46.05	234.27	51.13	237.29	51.63	246.90	52.14	
	27	167.20	36.19	196.46	46.30	217.00	50.83	228.05	49.22	232.04	53.76	235.01	54.29	244.55	54.82	
	29	167.20	37.49	194.92	47.96	214.94	52.65	225.86	52.56	229.81	55.68	232.72	56.23	242.20	56.78	
	31	167.20	39.43	194.34	50.45	212.87	55.38	223.67	56.05	227.58	58.57	230.44	59.15	239.85	59.73	
	33	167.20	41.03	194.34	52.49	210.80	57.62	221.47	59.70	225.35	60.94	228.16	61.54	237.50	62.15	
	35	167.20	43.19	192.42	55.26	206.67	60.65	219.28	63.51	223.12	64.15	228.16	64.78	235.14	65.42	
	37	167.20	45.50	192.42	58.22	206.67	63.91	214.89	66.28	218.66	66.62	221.32	66.96	225.74	67.29	
	39	167.20	47.90	192.42	61.28	204.60	67.27	213.36	68.59	216.42	68.96	219.03	69.84	221.04	70.32	
	41	167.20	50.31	190.49	64.37	202.54	70.66	212.70	71.39	214.19	71.84	216.75	72.56	218.68	73.14	
	43	165.53	52.69	188.57	67.41	200.47	74.00	210.51	74.94	211.96	75.69	214.47	76.31	217.51	76.67	
	46	165.53	55.51	188.57	71.03	200.47	77.96	206.30	78.21	207.72	78.62	208.04	78.88	208.81	78.86	
	48	165.53	58.43	186.68	74.76	198.47	82.06	204.83	80.94	205.60	81.37	205.89	82.27	204.46	82.42	
	50	165.53	61.38	184.80	78.53	196.46	86.21	204.19	84.24	203.48	84.78	203.75	85.47	202.28	85.72	
120%	10	158.01	24.65	182.81	30.34	221.60	36.22	241.60	33.97	250.21	38.31	253.62	38.69	261.39	39.07	
	12	158.01	25.35	182.81	31.20	221.60	37.24	241.60	34.60	248.02	39.39	251.38	39.78	259.07	40.17	
	14	158.01	26.09	182.81	32.11	221.60	38.33	241.60	35.22	245.82	40.53	249.14	40.93	256.76	41.34	
	16	158.01	26.98	182.81	33.21	221.60	39.65	241.60	35.85	243.63	41.93	246.89	42.35	254.45	42.76	
	18	158.01	27.64	182.81	34.02	221.60	40.61	241.60	36.48	241.43	42.95	244.65	43.37	252.14	43.80	
	19	158.01	29.11	182.81	35.83	221.60	42.77	239.44	37.11	239.24	45.23	242.40	45.68	249.82	46.13	
	21	158.01	30.09	182.81	37.04	221.60	44.21	237.28	39.79	234.85	46.76	240.16	47.22	247.51	47.68	
	23	158.01	31.52	182.81	38.80	217.54	46.31	235.12	42.62	232.65	48.98	237.91	49.47	245.20	49.95	
	25	158.01	32.59	182.81	40.11	215.51	47.88	232.97	45.60	230.46	50.63	235.67	51.14	242.88	51.64	
	27	158.01	34.26	182.81	42.17	213.47	50.34	230.81	48.75	228.26	53.24	233.42	53.77	240.57	54.29	
	29	158.01	35.49	182.81	43.68	211.44	52.14	226.50	52.05	226.07	55.14	231.18	55.69	238.26	56.24	
	31	158.01	37.33	182.81	45.94	207.37	54.84	220.02	55.51	223.87	58.00	228.94	58.58	235.94	59.15	
	33	158.01	38.84	182.81	47.81	205.34	57.07	217.87	59.13	221.68	60.35	226.69	60.95	233.63	61.55	
	35	158.01	40.89	182.81	50.32	203.31	60.07	215.71	62.90	219.48	63.53	224.45	64.16	231.32	64.79	
	37	158.01	43.08	182.81	53.02	201.27	63.29	211.40	65.64	215.10	65.98	217.71	66.32	222.06	66.64	
	39	158.01	45.34	182.81	55.81	199.24	66.62	209.89	67.93	212.90	68.30	215.47	69.16	217.44	69.65	
	41	158.01	47.63	173.67	58.62	197.21	69.98	209.24	70.70	210.71	71.15	213.22	71.86	215.12	72.43	
	43	158.01	49.88	171.85	61.39	195.17	73.29	207.08	74.22	208.51	74.97	210.98	75.58	213.97	75.93	
	46	158.01	52.55	171.85	64.68	193.22	77.21	202.94	77.46	204.34	77.86	204.65	78.12	205.41	78.10	
	48	158.01	55.32	171.85	68.08	191.27	81.27	201.49	80.16	202.26	80.59	202.54	81.48	201.13	81.63	
	50	158.01	58.11	163.25	71.52	189.32	85.38	200.87	83.43	200.17	83.96	200.43	84.65	198.99	84.89	
110%	10	146.91	24.05	173.42	29.60	199.94	35.34	226.99	37.00	243.91	37.37	249.43	37.74	257.06	38.11	
	12	146.91	24.73	173.42	30.44	199.94	36.33	226.99	38.04	241.75	38.42	247.22	38.80	254.79	39.19	
	14	146.91	25.45	173.42	31.32	199.94	37.39	226.99	39.15	239.60	39.54	245.01	39.93	252.51	40.32	
	16	146.91	26.32	173.42	32.40	199.94	38.68	226.99	40.50	237.44	40.90	242.80	41.31	250.24	41.71	
	18	146.91	26.96	173.42	33.18	199.94	39.61	226.99	41.48	235.28	41.89	240.60	42.31	247.96	42.72	
	19	146.91	28.40	173.42	34.95	199.94	41.72	226.99	43.69	233.12	44.13	238.39	44.56	245.69	45.00	
	21	146.91	29.36	173.42	36.13	199.94	43.13	226.99	45.16	230.96	45.61	236.18	46.06	243.41	46.52	
	23	146.91	30.75	173.42	37.85	199.94	45.18	224.87	47.31	228.80	47.78	233.98	48.26	241.14	48.73	
	25	146.91	31.79	173.42	39.12	199.94	46.70	222.75	48.90	226.65	49.39	231.77	49.88	238.86	50.37	
	27	146.91	33.42	173.42	41.14	199.94	49.11	220.63	51.42	224.49	51.93	229.56	52.45	236.59	52.96	
	29	146.91	34.62	173.42	42.61	199.94	50.86	218.50	53.26	222.33	53.79	227.35	54.33	234.31	54.86	
	31	146.91	36.41	173.42	44.82	199.94	53.50	216.38	56.02	220.17	56.58	225.15	57.14	232.04	57.70	
	33	146.91	37.89	173.42	46.63	199.94	55.67	214.26	58.29	218.01	58.88	222.94	59.46	229.76	60.04	
	35	146.91	39.88	173.42	49.09	199.94	58.60	212.14	61.36	215.85	61.97	220.73	62.59	227.49	63.20	
	37	146.91	42.02	173.42	51.72	199.94	61.74	207.90	64.04	211.54	64.37	214.11	64.69	218.39	65.01	
	39	146.91	44.23	173.42	54.44	193.94	64.99	206.41	66.27	209.38	66.62	211.90	67.47	213.84	67.94	
	41	146.91	46.47	173.42	57.19	191.94	68.27	205.78	68.97	207.22	69.41	209.70	70.10	211.56	70.66	
	43	146.91	48.66	173.42	59.89	189.94	71.49	203.65	72.41	205.06	73.13	207.49	73.73	210.43	74.07	
	46	146.91	51.27	173.42	63.10	189.94	75.32	199.58	75.56	200.96	75.95	201.26	76.21	202.01	76.19	
	48	146.91	53.96	173.42	66.42	184.25	79.28	198.16	78.20	198.91	78.61	199.19	79.48	197.80	79.63	
	50	146.91	56.69	173.42	69.77	182.35	83.29	197.54	81.38	196.86	81.91	197.11	82.58	195.70	82.81	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2000W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	138.50	19.98	163.50	25.24	188.50	31.73	200.00	35.06	217.75	35.41	233.07	35.76	242.35	36.11	
	12	138.50	20.55	163.50	25.95	188.50	32.62	200.00	36.05	217.75	36.41	233.07	36.77	240.21	37.13	
	14	138.50	21.14	163.50	26.71	188.50	33.57	200.00	37.09	217.75	37.46	230.99	37.84	238.06	38.21	
	16	138.50	21.87	163.50	27.63	188.50	34.73	200.00	38.37	217.75	38.76	228.91	39.14	235.92	39.52	
	18	138.50	22.40	163.50	28.30	188.50	35.57	200.00	39.30	217.75	39.70	226.83	40.09	233.77	40.48	
	19	138.50	23.60	163.50	29.80	188.50	37.46	200.00	41.40	217.75	41.81	224.75	42.22	231.63	42.64	
	21	138.50	24.39	163.50	30.81	188.50	38.73	200.00	42.79	217.75	43.22	222.67	43.65	229.48	44.07	
	23	138.50	25.55	163.50	32.27	188.50	40.57	200.00	44.83	217.75	45.27	220.59	45.72	227.34	46.17	
	25	138.50	26.41	163.50	33.36	188.50	41.94	200.00	46.34	215.71	46.80	218.51	47.26	225.19	47.73	
	27	138.50	27.77	163.50	35.08	188.50	44.09	200.00	48.72	213.68	49.21	216.42	49.70	223.05	50.18	
	29	138.50	28.77	163.50	36.34	188.50	45.67	200.00	50.47	211.64	50.97	214.34	51.47	220.90	51.98	
	31	138.50	30.26	163.50	38.22	188.50	48.04	200.00	53.08	209.61	53.61	212.26	54.14	218.76	54.67	
	33	138.50	31.48	163.50	39.77	188.50	49.99	200.00	55.23	205.54	55.79	210.18	56.34	216.61	56.89	
	35	138.50	33.14	163.50	41.86	188.50	52.62	200.00	58.14	203.50	58.72	208.10	59.30	214.47	59.88	
	37	138.50	34.92	163.50	44.10	188.50	55.44	196.00	60.67	199.43	60.99	201.86	61.30	205.89	61.60	
	39	138.50	36.75	163.50	46.42	188.50	58.35	194.60	62.79	197.40	63.13	199.78	63.93	201.60	64.38	
	41	138.50	38.61	163.50	48.77	188.50	61.30	194.00	65.35	195.36	65.77	197.70	66.42	199.46	66.95	
	43	138.50	40.43	163.50	51.07	188.50	64.19	192.00	68.61	193.33	69.29	195.61	69.86	198.38	70.18	
	46	138.50	42.60	163.50	53.81	188.50	67.63	188.16	71.60	189.46	71.97	189.75	72.21	190.45	72.19	
	48	138.50	44.84	163.50	56.64	188.50	71.19	186.82	74.09	187.53	74.49	187.79	75.31	186.48	75.45	
50	138.50	47.10	163.50	59.50	188.50	74.78	186.24	77.11	185.59	77.61	185.83	78.24	184.50	78.47		
90%	10	124.65	17.66	147.15	21.78	169.65	26.72	180.00	29.43	192.15	32.08	215.81	34.14	220.24	35.02	
	12	124.65	18.16	147.15	22.39	169.65	27.48	180.00	30.26	192.15	32.98	215.81	35.10	220.24	36.01	
	14	124.65	18.68	147.15	23.04	169.65	28.27	180.00	31.14	192.15	33.94	215.81	36.12	220.24	37.06	
	16	124.65	19.33	147.15	23.84	169.65	29.25	180.00	32.21	192.15	35.11	215.81	37.37	220.24	38.33	
	18	124.65	19.80	147.15	24.42	169.65	29.96	180.00	32.99	192.15	35.96	215.81	38.27	218.18	39.26	
	19	124.65	20.85	147.15	25.72	169.65	31.55	180.00	34.75	192.15	37.88	215.81	40.31	216.12	41.35	
	21	124.65	21.55	147.15	26.58	169.65	32.62	180.00	35.92	192.15	39.16	215.81	41.67	214.06	42.75	
	23	124.65	22.58	147.15	27.85	169.65	34.17	180.00	37.63	192.15	41.02	215.81	43.65	212.00	44.78	
	25	124.65	23.34	147.15	28.79	169.65	35.32	180.00	38.90	192.15	42.40	213.79	45.12	209.95	46.29	
	27	124.65	24.54	147.15	30.27	169.65	37.14	180.00	40.90	192.15	44.58	211.77	47.45	209.95	48.67	
	29	124.65	25.42	147.15	31.35	169.65	38.47	180.00	42.37	192.15	46.18	209.76	49.14	209.95	50.42	
	31	124.65	26.74	147.15	32.98	169.65	40.46	180.00	44.56	192.15	48.57	207.74	51.69	207.89	53.03	
	33	124.65	27.82	147.15	34.31	169.65	42.10	180.00	46.37	192.15	50.54	203.71	53.79	207.89	55.18	
	35	124.65	29.29	147.15	36.12	169.65	44.32	180.00	48.81	192.15	53.20	201.69	56.62	205.83	58.08	
	37	124.65	30.85	147.15	38.05	169.65	46.69	180.00	51.42	192.15	56.05	197.66	59.65	201.71	61.20	
	39	124.65	32.48	147.15	40.06	169.65	49.15	180.00	54.13	192.15	59.00	195.64	62.79	199.66	64.41	
	41	124.65	34.12	147.15	42.08	169.65	51.63	180.00	56.86	192.15	61.98	193.62	65.96	197.60	67.67	
	43	124.65	35.73	147.15	44.06	169.65	54.07	180.00	59.55	192.15	64.91	193.62	69.07	197.60	70.86	
	46	124.65	37.64	147.15	46.43	169.65	56.97	180.00	62.74	192.15	68.38	189.75	72.78	193.64	74.66	
	48	124.65	39.62	147.15	48.87	169.65	59.96	180.00	66.04	192.15	71.98	187.81	76.60	191.67	78.58	
50	124.65	41.62	147.15	51.33	169.65	62.99	180.00	69.37	192.15	75.62	185.88	80.47	189.69	82.55		
80%	10	110.80	15.69	130.80	17.62	150.80	22.08	160.00	24.14	170.80	26.55	182.48	31.09	197.36	33.19	
	12	110.80	16.13	130.80	18.12	150.80	22.71	160.00	24.82	170.80	27.30	182.48	31.96	197.36	34.12	
	14	110.80	16.60	130.80	18.64	150.80	23.37	160.00	25.54	170.80	28.09	182.48	32.89	197.36	35.11	
	16	110.80	17.17	130.80	19.28	150.80	24.17	160.00	26.42	170.80	29.06	182.48	34.03	197.36	36.32	
	18	110.80	17.59	130.80	19.75	150.80	24.76	160.00	27.06	170.80	29.76	182.48	34.85	197.36	37.20	
	19	110.80	18.52	130.80	20.80	150.80	26.08	160.00	28.50	170.80	31.35	182.48	36.71	197.36	39.19	
	21	110.80	19.15	130.80	21.51	150.80	26.96	160.00	29.46	170.80	32.41	182.48	37.94	197.36	40.51	
	23	110.80	20.06	130.80	22.53	150.80	28.24	160.00	30.86	170.80	33.95	182.48	39.75	197.36	42.43	
	25	110.80	20.74	130.80	23.29	150.80	29.19	160.00	31.90	170.80	35.09	182.48	41.09	197.36	43.86	
	27	110.80	21.80	130.80	24.49	150.80	30.69	160.00	33.54	170.80	36.90	182.48	43.20	197.36	46.12	
	29	110.80	22.58	130.80	25.36	150.80	31.79	160.00	34.74	170.80	38.22	182.48	44.75	197.36	47.77	
	31	110.80	23.75	130.80	26.68	150.80	33.44	160.00	36.54	170.80	40.20	182.48	47.07	197.36	50.25	
	33	110.80	24.72	130.80	27.76	150.80	34.79	160.00	38.03	170.80	41.83	182.48	48.98	197.36	52.28	
	35	110.80	26.02	130.80	29.22	150.80	36.62	160.00	40.03	170.80	44.03	182.48	51.55	197.36	55.04	
	37	110.80	27.41	130.80	30.79	150.80	38.59	160.00	42.17	170.80	46.39	178.83	54.32	193.41	57.99	
	39	110.80	28.85	130.80	32.40	150.80	40.62	160.00	44.39	170.80	48.83	177.01	57.17	191.44	61.04	
	41	110.80	30.31	130.80	34.04	150.80	42.67	160.00	46.63	170.80	51.29	175.18	60.06	189.47	64.12	
	43	110.80	31.74	130.80	35.65	150.80	44.68	160.00	48.83	170.80	53.72	175.18	62.90	189.47	67.14	
	46	110.80	33.44	130.80	37.56	150.80	47.08	160.00	51.45	170.80	56.59	171.68	66.27	185.68	70.74	
	48	110.80	35.20	130.80	39.53	150.80	49.55	160.00	54.16	170.80	59.57	169.93	69.75	183.78	74.46	
50	110.80	36.98	130.80	41.53	150.80	52.05	160.00	56.89	170.80	62.58	-	73.27	181.89	78.22		

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2000W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	96.95	14.08	114.45	16.76	131.95	20.45	140.00	22.35	149.45	24.14	159.67	27.27	172.69	29.50	
	12	96.95	14.22	114.45	16.93	131.95	20.65	140.00	22.57	149.45	24.38	159.67	27.54	172.69	29.80	
	14	96.95	14.18	114.45	16.88	131.95	20.60	140.00	22.51	149.45	24.31	159.67	27.46	172.69	29.71	
	16	96.95	14.62	114.45	17.41	131.95	21.24	140.00	23.21	149.45	25.07	159.67	28.32	172.69	30.64	
	18	96.95	14.74	114.45	17.55	131.95	21.41	140.00	23.40	149.45	25.27	159.67	28.55	172.69	30.89	
	19	96.95	15.26	114.45	18.17	131.95	22.17	140.00	24.23	149.45	26.17	159.67	29.56	172.69	31.98	
	21	96.95	15.54	114.45	18.50	131.95	22.57	140.00	24.67	149.45	26.65	159.67	30.10	172.69	32.57	
	23	96.95	16.04	114.45	19.10	131.95	23.30	140.00	25.47	149.45	27.50	159.67	31.07	172.69	33.62	
	25	96.95	16.36	114.45	19.48	131.95	23.77	140.00	25.98	149.45	28.05	159.67	31.69	172.69	34.29	
	27	96.95	16.99	114.45	20.22	131.95	24.67	140.00	26.96	149.45	29.12	159.67	32.89	172.69	35.59	
	29	96.95	17.59	114.45	20.94	131.95	25.54	140.00	27.92	149.45	30.15	159.67	34.06	172.69	36.85	
	31	96.95	18.49	114.45	22.01	131.95	26.85	140.00	29.35	149.45	31.69	159.67	35.80	172.69	38.74	
	33	96.95	19.23	114.45	22.89	131.95	27.93	140.00	30.52	149.45	32.96	159.67	37.24	172.69	40.29	
	35	96.95	20.03	114.45	23.85	131.95	29.09	140.00	31.79	149.45	34.34	159.67	38.79	172.69	41.97	
	37	96.95	21.10	114.45	25.12	131.95	30.65	140.00	33.50	149.45	36.18	156.48	40.87	169.24	44.22	
	39	96.95	22.21	114.45	26.44	131.95	32.26	140.00	35.26	149.45	38.08	154.88	43.02	167.51	46.54	
	41	96.95	23.34	114.45	27.78	131.95	33.89	140.00	37.04	149.45	40.00	153.28	45.19	165.78	48.89	
	43	96.95	24.44	114.45	29.09	131.95	35.49	140.00	38.79	149.45	41.89	153.28	47.32	165.78	51.20	
	46	96.95	25.75	114.45	30.65	131.95	37.39	140.00	40.87	149.45	44.14	150.22	49.86	162.47	53.95	
	48	96.95	27.10	114.45	32.26	131.95	39.36	140.00	43.02	149.45	46.46	148.68	52.48	160.81	56.78	
	50	96.95	28.47	114.45	33.89	131.95	41.35	140.00	45.19	149.45	48.80	147.15	55.13	159.15	59.65	
60%	10	83.10	11.36	98.10	13.05	113.10	15.56	120.00	16.95	128.10	18.98	136.86	21.87	148.02	23.73	
	12	83.10	11.47	98.10	13.18	113.10	15.71	120.00	17.12	128.10	19.17	136.86	22.08	148.02	23.97	
	14	83.10	11.44	98.10	13.14	113.10	15.67	120.00	17.07	128.10	19.12	136.86	22.02	148.02	23.90	
	16	83.10	11.79	98.10	13.55	113.10	16.16	120.00	17.60	128.10	19.71	136.86	22.71	148.02	24.64	
	18	83.10	11.89	98.10	13.66	113.10	16.29	120.00	17.75	128.10	19.87	136.86	22.89	148.02	24.84	
	19	83.10	12.31	98.10	14.15	113.10	16.87	120.00	18.37	128.10	20.58	136.86	23.70	148.02	25.72	
	21	83.10	12.54	98.10	14.41	113.10	17.18	120.00	18.71	128.10	20.96	136.86	24.14	148.02	26.19	
	23	83.10	12.94	98.10	14.87	113.10	17.73	120.00	19.31	128.10	21.63	136.86	24.91	148.02	27.04	
	25	83.10	13.20	98.10	15.17	113.10	18.08	120.00	19.70	128.10	22.06	136.86	25.41	148.02	27.58	
	27	83.10	13.70	98.10	15.74	113.10	18.77	120.00	20.45	128.10	22.90	136.86	26.38	148.02	28.62	
	29	83.10	14.18	98.10	16.30	113.10	19.43	120.00	21.17	128.10	23.71	136.86	27.31	148.02	29.64	
	31	83.10	14.91	98.10	17.14	113.10	20.43	120.00	22.25	128.10	24.92	136.86	28.71	148.02	31.16	
	33	83.10	15.51	98.10	17.82	113.10	21.25	120.00	23.15	128.10	25.92	136.86	29.86	148.02	32.40	
	35	83.10	16.15	98.10	18.57	113.10	22.13	120.00	24.11	128.10	27.00	136.86	31.10	148.02	33.75	
	37	83.10	17.02	98.10	19.56	113.10	23.32	120.00	25.40	128.10	28.45	134.12	32.77	145.06	35.56	
	39	83.10	17.91	98.10	20.59	113.10	24.55	120.00	26.74	128.10	29.95	132.75	34.49	143.58	37.43	
	41	83.10	18.82	98.10	21.63	113.10	25.79	120.00	28.09	128.10	31.46	131.39	36.23	142.10	39.32	
	43	83.10	19.71	98.10	22.65	113.10	27.00	120.00	29.42	128.10	32.94	131.39	37.95	142.10	41.18	
	46	83.10	20.76	98.10	23.86	113.10	28.45	120.00	30.99	128.10	34.71	128.76	39.98	139.26	43.39	
	48	83.10	21.86	98.10	25.12	113.10	29.95	120.00	32.62	128.10	36.54	127.44	42.08	137.84	45.67	
	50	83.10	22.96	98.10	26.39	113.10	31.46	120.00	34.27	128.10	38.38	126.13	44.21	136.42	47.98	
50%	10	69.25	8.95	81.75	9.91	94.25	11.00	100.00	11.93	106.75	13.84	114.05	15.63	123.35	17.54	
	12	69.25	9.04	81.75	10.00	94.25	11.11	100.00	12.05	106.75	13.98	114.05	15.79	123.35	17.72	
	14	69.25	9.01	81.75	9.98	94.25	11.08	100.00	12.02	106.75	13.94	114.05	15.75	123.35	17.67	
	16	69.25	9.29	81.75	10.29	94.25	11.43	100.00	12.39	106.75	14.38	114.05	16.23	123.35	18.22	
	18	69.25	9.37	81.75	10.37	94.25	11.52	100.00	12.49	106.75	14.49	114.05	16.37	123.35	18.37	
	19	69.25	9.70	81.75	10.74	94.25	11.93	100.00	12.94	106.75	15.01	114.05	16.95	123.35	19.02	
	21	69.25	9.88	81.75	10.93	94.25	12.15	100.00	13.17	106.75	15.28	114.05	17.26	123.35	19.37	
	23	69.25	10.20	81.75	11.29	94.25	12.54	100.00	13.60	106.75	15.77	114.05	17.81	123.35	19.99	
	25	69.25	10.40	81.75	11.51	94.25	12.79	100.00	13.87	106.75	16.09	114.05	18.17	123.35	20.39	
	27	69.25	10.80	81.75	11.95	94.25	13.27	100.00	14.40	106.75	16.70	114.05	18.86	123.35	21.16	
	29	69.25	11.18	81.75	12.37	94.25	13.74	100.00	14.91	106.75	17.29	114.05	19.53	123.35	21.91	
	31	69.25	11.75	81.75	13.01	94.25	14.45	100.00	15.67	106.75	18.18	114.05	20.53	123.35	23.03	
	33	69.25	12.22	81.75	13.53	94.25	15.03	100.00	16.30	106.75	18.91	114.05	21.35	123.35	23.96	
	35	69.25	12.73	81.75	14.09	94.25	15.65	100.00	16.98	106.75	19.69	114.05	22.24	123.35	24.96	
	37	69.25	13.42	81.75	14.85	94.25	16.49	100.00	17.89	106.75	20.75	111.77	23.43	120.88	26.29	
	39	69.25	14.12	81.75	15.63	94.25	17.36	100.00	18.83	106.75	21.84	110.63	24.66	119.65	27.68	
	41	69.25	14.83	81.75	16.42	94.25	18.24	100.00	19.78	106.75	22.94	109.49	25.91	118.42	29.07	
	43	69.25	15.53	81.75	17.19	94.25	19.10	100.00	20.71	106.75	24.03	109.49	27.13	118.42	30.45	
	46	69.25	16.37	81.75	18.11	94.25	20.12	100.00	21.82	106.75	25.31	107.30	28.59	116.05	32.08	
	48	69.25	17.23	81.75	19.06	94.25	21.18	100.00	22.97	106.75	26.64	106.20	30.09	114.86	33.76	
	50	69.25	18.10	81.75	20.03	94.25	22.25	100.00	24.13	106.75	27.99	105.11	31.61	113.68	35.47	

74HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2065W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	172.64	27.42	202.84	35.08	241.13	38.51	258.10	36.11	262.62	40.72	266.20	41.13	274.35	41.53
	12	172.64	28.19	202.84	36.07	241.13	39.59	255.84	36.78	260.32	41.87	263.85	42.29	271.92	42.70
	14	172.64	29.01	202.84	37.11	241.13	40.74	253.58	37.44	258.01	43.09	259.13	43.51	269.49	43.94
	16	172.64	30.01	202.84	38.39	238.99	42.15	249.05	38.11	253.41	44.57	256.78	45.01	267.07	45.46
	18	172.64	30.74	202.84	39.33	234.73	43.17	246.78	38.78	251.10	45.65	254.42	46.11	264.64	46.56
	19	172.64	32.37	202.84	41.42	232.59	45.47	244.52	39.45	248.80	48.08	252.07	48.56	262.21	49.04
	21	172.64	33.46	202.84	42.82	230.46	47.00	242.26	42.29	246.49	49.71	249.71	50.20	259.78	50.69
	23	172.64	35.06	202.84	44.85	228.33	49.23	239.99	45.30	244.19	52.07	247.35	52.58	257.35	53.10
	25	172.64	36.24	202.84	46.36	226.19	50.89	237.73	48.48	241.89	53.82	245.00	54.36	254.93	54.89
	27	172.64	38.10	202.84	48.75	224.06	53.51	235.46	51.82	239.58	56.59	242.64	57.15	252.50	57.71
	29	172.64	39.47	201.25	50.49	221.92	55.43	233.20	55.33	237.28	58.62	240.29	59.20	250.07	59.78
	31	172.64	41.51	200.66	53.11	219.79	58.30	230.93	59.01	234.98	61.66	237.93	62.27	247.64	62.88
	33	172.64	43.20	200.66	55.26	217.66	60.66	228.67	62.85	232.67	64.16	235.58	64.79	245.21	65.43
	35	172.64	45.47	198.67	58.17	213.39	63.86	226.41	66.87	230.37	67.53	235.58	68.20	242.79	68.87
	37	172.64	47.91	198.67	61.29	213.39	67.28	221.88	69.78	225.76	70.14	228.51	70.49	233.08	70.84
	39	172.64	50.42	198.67	64.51	211.25	70.82	220.29	72.22	223.46	72.60	226.15	73.52	228.22	74.04
	41	172.64	52.97	196.69	67.77	209.12	74.39	219.61	75.16	221.15	75.64	223.80	76.39	225.79	77.00
	43	170.91	55.47	194.70	70.97	206.99	77.91	217.35	78.90	218.85	79.69	221.44	80.34	224.58	80.72
	46	170.91	58.45	194.70	74.78	206.99	82.08	213.00	82.34	214.47	82.77	214.80	83.04	215.59	83.03
	48	170.91	61.52	192.75	78.71	204.92	86.40	211.48	85.21	212.28	85.67	212.58	86.61	211.10	86.77
	50	170.91	64.62	190.80	82.68	202.85	90.76	210.83	88.69	210.10	89.25	210.37	89.98	208.86	90.24
120%	10	163.14	25.96	188.76	31.95	228.81	38.14	249.45	35.76	258.34	40.33	261.87	40.73	269.88	41.13
	12	163.14	26.69	188.76	32.85	228.81	39.21	249.45	36.42	256.08	41.47	259.55	41.88	267.49	42.29
	14	163.14	27.46	188.76	33.80	228.81	40.35	249.45	37.08	253.81	42.67	257.23	43.10	265.11	43.52
	16	163.14	28.41	188.76	34.97	228.81	41.74	249.45	37.75	251.55	44.14	254.91	44.58	262.72	45.02
	18	163.14	29.10	188.76	35.81	228.81	42.75	249.45	38.41	249.28	45.21	252.60	45.66	260.33	46.11
	19	163.14	30.65	188.76	37.72	228.81	45.03	247.22	39.07	247.01	47.62	250.28	48.09	257.94	48.57
	21	163.14	31.68	188.76	38.99	228.81	46.55	244.99	41.89	242.48	49.23	247.96	49.72	255.55	50.20
	23	163.14	33.19	188.76	40.85	224.61	48.76	242.77	44.87	240.22	51.57	245.65	52.08	253.16	52.59
	25	163.14	34.31	188.76	42.22	222.51	50.40	240.54	48.01	237.95	53.31	243.33	53.84	250.78	54.36
	27	163.14	36.07	188.76	44.40	220.41	53.00	238.31	51.32	235.68	56.05	241.01	56.60	248.39	57.16
	29	163.14	37.36	188.76	45.99	218.31	54.89	233.86	54.80	233.42	58.06	238.69	58.63	246.00	59.21
	31	163.14	39.30	188.76	48.37	214.11	57.74	227.17	58.44	231.15	61.07	236.38	61.67	243.61	62.28
	33	163.14	40.89	188.76	50.33	212.01	60.08	224.95	62.25	228.88	63.54	234.06	64.17	241.22	64.80
	35	163.14	43.05	188.76	52.98	209.91	63.24	222.72	66.22	226.62	66.89	231.74	67.55	238.83	68.21
	37	163.14	45.35	188.76	55.82	207.82	66.63	218.27	69.11	222.09	69.47	224.79	69.82	229.28	70.16
	39	163.14	47.74	188.76	58.75	205.72	70.14	216.71	71.52	219.82	71.90	222.47	72.82	224.50	73.33
	41	163.14	50.15	179.32	61.72	203.62	73.68	216.04	74.43	217.55	74.91	220.15	75.65	222.12	76.26
	43	163.14	52.51	177.43	64.63	201.52	77.16	213.81	78.14	215.29	78.92	217.84	79.57	220.92	79.94
	46	163.14	55.33	177.43	68.10	199.50	81.29	209.54	81.55	210.98	81.97	211.30	82.24	212.08	82.23
	48	163.14	58.24	177.43	71.68	197.49	85.57	208.04	84.39	208.83	84.84	209.12	85.78	207.67	85.94
	50	163.14	61.18	168.56	75.30	195.47	89.89	207.40	87.83	206.68	88.40	206.94	89.12	205.46	89.38
110%	10	151.68	25.32	179.06	31.16	206.44	37.20	234.37	38.95	251.84	39.34	257.53	39.73	265.42	40.12
	12	151.68	26.03	179.06	32.04	206.44	38.25	234.37	40.05	249.61	40.45	255.25	40.85	263.07	41.25
	14	151.68	26.79	179.06	32.97	206.44	39.36	234.37	41.22	247.38	41.63	252.98	42.04	260.72	42.45
	16	151.68	27.71	179.06	34.11	206.44	40.72	234.37	42.64	245.15	43.06	250.70	43.49	258.37	43.92
	18	151.68	28.39	179.06	34.94	206.44	41.71	234.37	43.67	242.93	44.11	248.42	44.54	256.02	44.98
	19	151.68	29.90	179.06	36.80	206.44	43.93	234.37	46.00	240.70	46.46	246.14	46.92	253.67	47.38
	21	151.68	30.91	179.06	38.04	206.44	45.41	234.37	47.55	238.47	48.02	243.86	48.50	251.32	48.97
	23	151.68	32.37	179.06	39.85	206.44	47.57	232.18	49.81	236.24	50.31	241.58	50.80	248.97	51.30
	25	151.68	33.47	179.06	41.19	206.44	49.17	229.99	51.49	234.01	52.00	239.30	52.52	246.63	53.03
	27	151.68	35.19	179.06	43.31	206.44	51.70	227.80	54.14	231.78	54.68	237.02	55.22	244.28	55.76
	29	151.68	36.45	179.06	44.86	206.44	53.55	225.61	56.07	229.55	56.63	234.74	57.20	241.93	57.76
	31	151.68	38.34	179.06	47.18	206.44	56.33	223.42	58.98	227.33	59.57	232.46	60.16	239.58	60.75
	33	151.68	39.89	179.06	49.10	206.44	58.61	221.22	61.37	225.10	61.98	230.18	62.60	237.23	63.21
	35	151.68	41.99	179.06	51.68	206.44	61.69	219.03	64.60	222.87	65.25	227.91	65.89	234.88	66.54
	37	151.68	44.24	179.06	54.45	206.44	65.00	214.65	67.42	218.41	67.77	221.07	68.11	225.49	68.44
	39	151.68	46.57	179.06	57.31	200.25	68.42	213.12	69.77	216.18	70.14	218.79	71.03	220.79	71.53
	41	151.68	48.92	179.06	60.21	198.18	71.87	212.46	72.61	213.95	73.08	216.51	73.80	218.44	74.39
	43	151.68	51.23	179.06	63.05	196.12	75.27	210.27	76.23	211.72	76.99	214.23	77.62	217.27	77.98
	46	151.68	53.97	179.06	66.43	196.12	79.30	206.07	79.55	207.49	79.96	207.80	80.23	208.57	80.21
	48	151.68	56.81	179.06	69.92	190.23	83.47	204.60	82.33	205.37	82.77	205.66	83.68	204.23	83.83
	50	151.68	59.68	179.06	73.45	188.27	87.69	203.96	85.68	203.26	86.23	203.52	86.94	202.06	87.19

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2065W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	143.00	21.04	168.81	26.57	194.63	33.40	206.50	36.91	224.82	37.28	240.65	37.65	250.23	38.02
	12	143.00	21.63	168.81	27.32	194.63	34.34	206.50	37.95	224.82	38.33	240.65	38.71	248.01	39.09
	14	143.00	22.26	168.81	28.12	194.63	35.34	206.50	39.05	224.82	39.44	238.50	39.83	245.80	40.22
	16	143.00	23.03	168.81	29.09	194.63	36.56	206.50	40.40	224.82	40.80	236.35	41.21	243.58	41.61
	18	143.00	23.59	168.81	29.79	194.63	37.45	206.50	41.38	224.82	41.79	234.20	42.21	241.37	42.62
	19	143.00	24.84	168.81	31.38	194.63	39.44	206.50	43.58	224.82	44.02	232.05	44.45	239.16	44.89
	21	143.00	25.68	168.81	32.44	194.63	40.77	206.50	45.05	224.82	45.50	229.90	45.95	236.94	46.40
	23	143.00	26.90	168.81	33.98	194.63	42.71	206.50	47.19	224.82	47.66	227.76	48.14	234.73	48.61
	25	143.00	27.81	168.81	35.12	194.63	44.15	206.50	48.78	222.72	49.27	225.61	49.76	232.51	50.25
	27	143.00	29.24	168.81	36.93	194.63	46.42	206.50	51.29	220.62	51.81	223.46	52.32	230.30	52.83
	29	143.00	30.28	168.81	38.25	194.63	48.08	206.50	53.13	218.52	53.66	221.31	54.19	228.08	54.72
	31	143.00	31.85	168.81	40.24	194.63	50.58	206.50	55.88	216.42	56.44	219.16	57.00	225.87	57.56
	33	143.00	33.15	168.81	41.87	194.63	52.63	206.50	58.15	212.21	58.73	217.01	59.31	223.65	59.89
	35	143.00	34.89	168.81	44.07	194.63	55.40	206.50	61.21	210.11	61.82	214.86	62.43	221.44	63.05
	37	143.00	36.76	168.81	46.43	194.63	58.36	202.37	63.88	205.91	64.21	208.42	64.53	212.58	64.85
	39	143.00	38.69	168.81	48.87	194.63	61.43	200.92	66.11	203.81	66.46	206.27	67.30	208.15	67.77
	41	143.00	40.65	168.81	51.34	194.63	64.54	200.31	68.80	201.71	69.24	204.12	69.93	205.94	70.49
	43	143.00	42.57	168.81	53.77	194.63	67.58	198.24	72.23	199.61	72.95	201.97	73.55	204.83	73.89
	46	143.00	44.85	168.81	56.65	194.63	71.20	194.28	75.38	195.62	75.77	195.91	76.02	196.64	76.00
	48	143.00	47.21	168.81	59.63	194.63	74.95	192.89	78.01	193.62	78.42	193.89	79.28	192.54	79.43
	50	143.00	49.59	168.81	62.64	194.63	78.73	192.29	81.18	191.62	81.70	191.87	82.37	190.49	82.61
90%	10	128.70	18.59	151.93	22.93	175.16	28.13	185.85	30.99	198.39	33.77	222.82	35.94	227.40	36.87
	12	128.70	19.12	151.93	23.58	175.16	28.93	185.85	31.86	198.39	34.73	222.82	36.96	227.40	37.91
	14	128.70	19.67	151.93	24.26	175.16	29.77	185.85	32.78	198.39	35.73	222.82	38.03	227.40	39.01
	16	128.70	20.35	151.93	25.10	175.16	30.79	185.85	33.91	198.39	36.97	222.82	39.34	227.40	40.36
	18	128.70	20.84	151.93	25.71	175.16	31.54	185.85	34.74	198.39	37.86	222.82	40.29	225.27	41.34
	19	128.70	21.95	151.93	27.07	175.16	33.22	185.85	36.59	198.39	39.88	222.82	42.44	223.15	43.54
	21	128.70	22.69	151.93	27.99	175.16	34.34	185.85	37.82	198.39	41.22	222.82	43.87	221.02	45.01
	23	128.70	23.77	151.93	29.32	175.16	35.97	185.85	39.62	198.39	43.18	222.82	45.96	218.90	47.15
	25	128.70	24.57	151.93	30.31	175.16	37.19	185.85	40.95	198.39	44.64	220.74	47.51	216.77	48.74
	27	128.70	25.84	151.93	31.87	175.16	39.10	185.85	43.06	198.39	46.94	218.66	49.95	216.77	51.24
	29	128.70	26.76	151.93	33.01	175.16	40.50	185.85	44.60	198.39	48.62	216.57	51.74	216.77	53.08
	31	128.70	28.15	151.93	34.72	175.16	42.60	185.85	46.92	198.39	51.14	214.49	54.42	214.64	55.83
	33	128.70	29.29	151.93	36.12	175.16	44.33	185.85	48.82	198.39	53.21	210.33	56.63	214.64	58.09
	35	128.70	30.83	151.93	38.03	175.16	46.66	185.85	51.39	198.39	56.01	208.24	59.61	212.52	61.15
	37	128.70	32.48	151.93	40.06	175.16	49.16	185.85	54.14	198.39	59.01	204.08	62.80	208.27	64.43
	39	128.70	34.19	151.93	42.17	175.16	51.74	185.85	56.99	198.39	62.12	202.00	66.10	206.14	67.81
	41	128.70	35.92	151.93	44.30	175.16	54.36	185.85	59.86	198.39	65.25	199.92	69.44	204.02	71.24
	43	128.70	37.61	151.93	46.39	175.16	56.92	185.85	62.69	198.39	68.33	199.92	72.72	204.02	74.60
	46	128.70	39.63	151.93	48.88	175.16	59.97	185.85	66.05	198.39	72.00	195.92	76.62	199.94	78.60
	48	128.70	41.71	151.93	51.45	175.16	63.13	185.85	69.52	198.39	75.78	193.92	80.65	197.90	82.73
	50	128.70	43.82	151.93	54.05	175.16	66.32	185.85	73.03	198.39	79.61	191.92	84.72	195.86	86.91
80%	10	114.40	16.52	135.05	18.55	155.70	23.25	165.20	25.41	176.35	27.95	188.41	32.73	203.77	34.94
	12	114.40	16.98	135.05	19.07	155.70	23.91	165.20	26.13	176.35	28.74	188.41	33.65	203.77	35.92
	14	114.40	17.48	135.05	19.63	155.70	24.60	165.20	26.89	176.35	29.57	188.41	34.63	203.77	36.97
	16	114.40	18.08	135.05	20.30	155.70	25.45	165.20	27.81	176.35	30.59	188.41	35.82	203.77	38.24
	18	114.40	18.52	135.05	20.80	155.70	26.07	165.20	28.49	176.35	31.34	188.41	36.69	203.77	39.17
	19	114.40	19.50	135.05	21.90	155.70	27.45	165.20	30.00	176.35	33.00	188.41	38.64	203.77	41.26
	21	114.40	20.16	135.05	22.64	155.70	28.38	165.20	31.02	176.35	34.12	188.41	39.95	203.77	42.65
	23	114.40	21.12	135.05	23.72	155.70	29.73	165.20	32.49	176.35	35.74	188.41	41.85	203.77	44.67
	25	114.40	21.83	135.05	24.52	155.70	30.73	165.20	33.59	176.35	36.94	188.41	43.26	203.77	46.18
	27	114.40	22.95	135.05	25.78	155.70	32.31	165.20	35.31	176.35	38.84	188.41	45.48	203.77	48.56
	29	114.40	23.78	135.05	26.70	155.70	33.47	165.20	36.58	176.35	40.24	188.41	47.11	203.77	50.29
	31	114.40	25.01	135.05	28.09	155.70	35.20	165.20	38.47	176.35	42.32	188.41	49.55	203.77	52.90
	33	114.40	26.02	135.05	29.22	155.70	36.63	165.20	40.03	176.35	44.04	188.41	51.56	203.77	55.05
	35	114.40	27.39	135.05	30.76	155.70	38.56	165.20	42.14	176.35	46.35	188.41	54.28	203.77	57.94
	37	114.40	28.86	135.05	32.41	155.70	40.62	165.20	44.40	176.35	48.84	184.64	57.19	199.70	61.05
	39	114.40	30.38	135.05	34.12	155.70	42.76	165.20	46.73	176.35	51.41	182.76	60.19	197.66	64.26
	41	114.40	31.91	135.05	35.84	155.70	44.92	165.20	49.09	176.35	54.00	180.87	63.23	195.62	67.50
	43	114.40	33.42	135.05	37.53	155.70	47.04	165.20	51.41	176.35	56.55	180.87	66.22	195.62	70.69
	46	114.40	35.21	135.05	39.54	155.70	49.56	165.20	54.17	176.35	59.58	177.26	69.77	191.71	74.48
	48	114.40	37.06	135.05	41.62	155.70	52.17	165.20	57.01	176.35	62.72	175.45	73.43	189.75	78.40
	50	114.40	38.93	135.05	43.72	155.70	54.80	165.20	59.89	176.35	65.88	-	77.14	187.80	82.35

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2065W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	100.10	14.82	118.17	17.65	136.24	21.53	144.55	23.53	154.31	25.41	164.86	28.71	178.30	31.06	
	12	100.10	14.97	118.17	17.82	136.24	21.75	144.55	23.77	154.31	25.67	164.86	28.99	178.30	31.37	
	14	100.10	14.93	118.17	17.77	136.24	21.68	144.55	23.70	154.31	25.59	164.86	28.91	178.30	31.28	
	16	100.10	15.39	118.17	18.33	136.24	22.36	144.55	24.44	154.31	26.39	164.86	29.81	178.30	32.25	
	18	100.10	15.52	118.17	18.48	136.24	22.54	144.55	24.64	154.31	26.61	164.86	30.06	178.30	32.52	
	19	100.10	16.07	118.17	19.13	136.24	23.34	144.55	25.51	154.31	27.55	164.86	31.12	178.30	33.67	
	21	100.10	16.36	118.17	19.48	136.24	23.77	144.55	25.97	154.31	28.05	164.86	31.69	178.30	34.29	
	23	100.10	16.89	118.17	20.11	136.24	24.53	144.55	26.81	154.31	28.96	164.86	32.71	178.30	35.39	
	25	100.10	17.23	118.17	20.51	136.24	25.02	144.55	27.35	154.31	29.53	164.86	33.36	178.30	36.10	
	27	100.10	17.88	118.17	21.29	136.24	25.97	144.55	28.38	154.31	30.66	164.86	34.63	178.30	37.47	
	29	100.10	18.52	118.17	22.04	136.24	26.89	144.55	29.39	154.31	31.74	164.86	35.85	178.30	38.79	
	31	100.10	19.46	118.17	23.17	136.24	28.27	144.55	30.90	154.31	33.37	164.86	37.69	178.30	40.78	
	33	100.10	20.24	118.17	24.10	136.24	29.40	144.55	32.13	154.31	34.70	164.86	39.20	178.30	42.42	
	35	100.10	21.09	118.17	25.10	136.24	30.63	144.55	33.47	154.31	36.15	164.86	40.84	178.30	44.18	
	37	100.10	22.22	118.17	26.45	136.24	32.27	144.55	35.27	154.31	38.09	161.56	43.03	174.74	46.55	
	39	100.10	23.39	118.17	27.84	136.24	33.97	144.55	37.12	154.31	40.09	159.91	45.29	172.95	49.00	
	41	100.10	24.57	118.17	29.25	136.24	35.68	144.55	39.00	154.31	42.12	158.26	47.57	171.17	51.47	
	43	100.10	25.73	118.17	30.63	136.24	37.37	144.55	40.84	154.31	44.10	158.26	49.82	171.17	53.90	
	46	100.10	27.11	118.17	32.27	136.24	39.37	144.55	43.03	154.31	46.47	155.10	52.49	167.75	56.79	
	48	100.10	28.53	118.17	33.97	136.24	41.44	144.55	45.29	154.31	48.91	153.52	55.25	166.04	59.78	
50	100.10	29.97	118.17	35.68	136.24	43.53	144.55	47.57	154.31	51.38	151.93	58.04	164.32	62.80		
60%	10	85.80	11.96	101.29	13.74	116.78	16.38	123.90	17.84	132.26	19.99	141.31	23.02	152.83	24.98	
	12	85.80	12.08	101.29	13.88	116.78	16.54	123.90	18.02	132.26	20.19	141.31	23.25	152.83	25.23	
	14	85.80	12.04	101.29	13.84	116.78	16.50	123.90	17.97	132.26	20.13	141.31	23.18	152.83	25.16	
	16	85.80	12.42	101.29	14.27	116.78	17.01	123.90	18.53	132.26	20.75	141.31	23.90	152.83	25.94	
	18	85.80	12.52	101.29	14.39	116.78	17.15	123.90	18.68	132.26	20.92	141.31	24.10	152.83	26.16	
	19	85.80	12.96	101.29	14.89	116.78	17.76	123.90	19.34	132.26	21.66	141.31	24.95	152.83	27.08	
	21	85.80	13.20	101.29	15.17	116.78	18.08	123.90	19.70	132.26	22.06	141.31	25.41	152.83	27.58	
	23	85.80	13.62	101.29	15.66	116.78	18.67	123.90	20.33	132.26	22.77	141.31	26.23	152.83	28.47	
	25	85.80	13.89	101.29	15.97	116.78	19.04	123.90	20.74	132.26	23.23	141.31	26.75	152.83	29.03	
	27	85.80	14.42	101.29	16.57	116.78	19.76	123.90	21.53	132.26	24.11	141.31	27.77	152.83	30.14	
	29	85.80	14.93	101.29	17.16	116.78	20.46	123.90	22.29	132.26	24.96	141.31	28.75	152.83	31.20	
	31	85.80	15.70	101.29	18.04	116.78	21.51	123.90	23.43	132.26	26.24	141.31	30.22	152.83	32.80	
	33	85.80	16.33	101.29	18.76	116.78	22.37	123.90	24.37	132.26	27.29	141.31	31.44	152.83	34.12	
	35	85.80	17.01	101.29	19.55	116.78	23.30	123.90	25.38	132.26	28.43	141.31	32.75	152.83	35.54	
	37	85.80	17.92	101.29	20.59	116.78	24.55	123.90	26.74	132.26	29.95	138.48	34.50	149.77	37.44	
	39	85.80	18.86	101.29	21.68	116.78	25.84	123.90	28.15	132.26	31.53	137.07	36.31	148.25	39.41	
	41	85.80	19.81	101.29	22.77	116.78	27.15	123.90	29.57	132.26	33.12	135.66	38.15	146.72	41.40	
	43	85.80	20.75	101.29	23.85	116.78	28.43	123.90	30.97	132.26	34.68	135.66	39.95	146.72	43.36	
	46	85.80	21.86	101.29	25.12	116.78	29.95	123.90	32.63	132.26	36.54	132.94	42.09	143.78	45.68	
	48	85.80	23.01	101.29	26.44	116.78	31.53	123.90	34.34	132.26	38.47	131.59	44.30	142.32	48.08	
50	85.80	24.17	101.29	27.78	116.78	33.12	123.90	36.08	132.26	40.41	130.23	46.54	140.85	50.51		
50%	10	71.50	9.42	84.41	10.43	97.31	11.58	103.25	12.56	110.22	14.58	117.76	16.46	127.36	18.47	
	12	71.50	9.52	84.41	10.53	97.31	11.70	103.25	12.69	110.22	14.72	117.76	16.62	127.36	18.65	
	14	71.50	9.49	84.41	10.50	97.31	11.67	103.25	12.65	110.22	14.68	117.76	16.58	127.36	18.60	
	16	71.50	9.79	84.41	10.83	97.31	12.03	103.25	13.05	110.22	15.14	117.76	17.09	127.36	19.18	
	18	71.50	9.87	84.41	10.92	97.31	12.13	103.25	13.15	110.22	15.26	117.76	17.23	127.36	19.34	
	19	71.50	10.21	84.41	11.30	97.31	12.56	103.25	13.62	110.22	15.80	117.76	17.84	127.36	20.02	
	21	71.50	10.40	84.41	11.51	97.31	12.79	103.25	13.87	110.22	16.09	117.76	18.17	127.36	20.39	
	23	71.50	10.74	84.41	11.88	97.31	13.20	103.25	14.32	110.22	16.61	117.76	18.75	127.36	21.05	
	25	71.50	10.95	84.41	12.12	97.31	13.46	103.25	14.60	110.22	16.94	117.76	19.13	127.36	21.47	
	27	71.50	11.37	84.41	12.58	97.31	13.97	103.25	15.16	110.22	17.58	117.76	19.86	127.36	22.28	
	29	71.50	11.77	84.41	13.03	97.31	14.47	103.25	15.69	110.22	18.20	117.76	20.56	127.36	23.07	
	31	71.50	12.37	84.41	13.69	97.31	15.21	103.25	16.50	110.22	19.14	117.76	21.61	127.36	24.25	
	33	71.50	12.87	84.41	14.24	97.31	15.82	103.25	17.16	110.22	19.90	117.76	22.48	127.36	25.22	
	35	71.50	13.40	84.41	14.83	97.31	16.48	103.25	17.87	110.22	20.73	117.76	23.41	127.36	26.27	
	37	71.50	14.12	84.41	15.63	97.31	17.36	103.25	18.83	110.22	21.84	115.40	24.67	124.81	27.68	
	39	71.50	14.87	84.41	16.45	97.31	18.28	103.25	19.82	110.22	22.99	114.22	25.97	123.54	29.14	
	41	71.50	15.62	84.41	17.28	97.31	19.20	103.25	20.82	110.22	24.15	113.05	27.28	122.26	30.61	
	43	71.50	16.35	84.41	18.10	97.31	20.10	103.25	21.81	110.22	25.29	113.05	28.57	122.26	32.05	
	46	71.50	17.23	84.41	19.07	97.31	21.18	103.25	22.97	110.22	26.65	110.79	30.10	119.82	33.77	
	48	71.50	18.14	84.41	20.07	97.31	22.30	103.25	24.18	110.22	28.05	109.65	31.68	118.60	35.55	
50	71.50	19.05	84.41	21.08	97.31	23.42	103.25	25.40	110.22	29.47	108.52	33.28	117.37	37.34		

76HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2130W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	178.07	28.90	209.23	36.97	248.72	40.58	266.23	38.05	270.89	42.92	274.58	43.34	282.99	43.77
	12	178.07	29.71	209.23	38.01	248.72	41.73	263.89	38.76	268.51	44.13	272.15	44.57	280.48	45.00
	14	178.07	30.57	209.23	39.12	248.72	42.94	261.56	39.46	266.13	45.41	267.29	45.86	277.98	46.31
	16	178.07	31.63	209.23	40.46	246.52	44.42	256.89	40.17	261.38	46.98	264.86	47.44	275.47	47.91
	18	178.07	32.39	209.23	41.45	242.12	45.49	254.55	40.87	259.01	48.11	262.43	48.59	272.97	49.07
	19	178.07	34.12	209.23	43.65	239.91	47.92	252.22	41.58	256.63	50.68	260.00	51.18	270.46	51.68
	21	178.07	35.27	209.23	45.12	237.71	49.53	249.88	44.57	254.25	52.39	257.57	52.90	267.96	53.42
	23	178.07	36.95	209.23	47.27	235.51	51.89	247.55	47.74	251.88	54.88	255.14	55.42	265.46	55.96
	25	178.07	38.19	209.23	48.86	233.31	53.64	245.21	51.09	249.50	56.73	252.71	57.29	262.95	57.85
	27	178.07	40.16	209.23	51.38	231.11	56.40	242.87	54.61	247.12	59.65	250.28	60.24	260.45	60.83
	29	178.07	41.59	207.59	53.22	228.91	58.42	240.54	58.31	244.75	61.78	247.85	62.39	257.94	63.00
	31	178.07	43.75	206.97	55.98	226.71	61.44	238.20	62.19	242.37	64.98	245.42	65.63	255.44	66.27
	33	178.07	45.52	206.97	58.24	224.51	63.93	235.87	66.24	240.00	67.62	242.99	68.29	252.93	68.96
	35	178.07	47.92	204.93	61.31	220.11	67.30	233.53	70.47	237.62	71.18	242.99	71.88	250.43	72.58
	37	178.07	50.49	204.93	64.60	220.11	70.91	228.86	73.54	232.87	73.92	235.70	74.30	240.41	74.66
	39	178.07	53.14	204.93	67.99	217.90	74.64	227.23	76.11	230.49	76.51	233.27	77.49	235.40	78.03
	41	178.07	55.83	202.88	71.43	215.70	78.40	226.53	79.21	228.12	79.72	230.84	80.51	232.90	81.15
	43	176.29	58.46	200.83	74.80	213.50	82.11	224.19	83.16	225.74	83.99	228.41	84.67	231.65	85.07
	46	176.29	61.60	200.83	78.81	213.50	86.51	219.71	86.78	221.22	87.23	221.56	87.52	222.38	87.50
	48	176.29	64.83	198.82	82.95	211.37	91.05	218.14	89.81	218.97	90.29	219.28	91.28	217.75	91.45
	50	176.29	68.11	196.81	87.14	209.23	95.65	217.47	93.47	216.71	94.07	216.99	94.84	215.43	95.11
120%	10	168.28	27.36	194.70	33.67	236.01	40.19	257.30	37.69	266.48	42.51	270.11	42.93	278.38	43.35
	12	168.28	28.13	194.70	34.62	236.01	41.32	257.30	38.39	264.14	43.70	267.72	44.14	275.91	44.57
	14	168.28	28.94	194.70	35.62	236.01	42.52	257.30	39.08	261.80	44.97	265.33	45.42	273.45	45.86
	16	168.28	29.94	194.70	36.85	236.01	43.99	257.30	39.78	259.46	46.52	262.94	46.98	270.99	47.45
	18	168.28	30.67	194.70	37.74	236.01	45.06	257.30	40.48	257.13	47.65	260.55	48.12	268.52	48.60
	19	168.28	32.30	194.70	39.75	236.01	47.46	255.00	41.18	254.79	50.19	258.16	50.69	266.06	51.18
	21	168.28	33.39	194.70	41.09	236.01	49.06	252.70	44.14	250.11	51.88	255.77	52.40	263.60	52.91
	23	168.28	34.98	194.70	43.05	231.68	51.39	250.41	47.29	247.78	54.35	253.38	54.89	261.13	55.43
	25	168.28	36.16	194.70	44.50	229.51	53.12	248.11	50.60	245.44	56.18	250.99	56.74	258.67	57.29
	27	168.28	38.02	194.70	46.79	227.35	55.85	245.81	54.09	243.10	59.07	248.60	59.66	256.21	60.24
	29	168.28	39.38	194.70	48.46	225.18	57.85	241.22	57.75	240.76	61.19	246.21	61.79	253.74	62.40
	31	168.28	41.42	194.70	50.98	220.85	60.85	234.33	61.59	238.43	64.36	243.82	65.00	251.28	65.63
	33	168.28	43.10	194.70	53.04	218.69	63.32	232.03	65.61	236.09	66.97	241.43	67.63	248.82	68.29
	35	168.28	45.37	194.70	55.83	216.52	66.65	229.73	69.79	233.75	70.49	239.04	71.19	246.35	71.89
	37	168.28	47.80	194.70	58.83	214.36	70.23	229.08	72.84	229.08	73.21	231.86	73.58	236.50	73.94
	39	168.28	50.31	194.70	61.92	212.19	73.92	223.53	75.38	226.74	75.78	229.47	76.74	231.57	77.28
	41	168.28	52.85	184.96	65.05	210.03	77.65	222.84	78.45	224.40	78.95	227.08	79.73	229.11	80.37
	43	168.28	55.35	183.02	68.12	207.86	81.32	220.54	82.36	222.06	83.18	224.69	83.86	227.88	84.25
	46	168.28	58.31	183.02	71.77	205.78	85.67	216.13	85.95	217.62	86.39	217.95	86.68	218.76	86.66
	48	168.28	61.38	183.02	75.54	203.70	90.18	214.59	88.94	215.40	89.42	215.71	90.40	214.20	90.57
	50	168.28	64.48	173.86	79.36	201.62	94.73	213.93	92.57	213.18	93.16	213.46	93.92	211.92	94.19
110%	10	156.46	26.69	184.70	32.84	212.94	39.21	241.74	41.05	259.77	41.47	265.64	41.88	273.77	42.29
	12	156.46	27.44	184.70	33.77	212.94	40.31	241.74	42.21	257.47	42.63	263.29	43.06	271.35	43.48
	14	156.46	28.23	184.70	34.75	212.94	41.48	241.74	43.44	255.17	43.87	260.94	44.31	268.93	44.74
	16	156.46	29.21	184.70	35.95	212.94	42.91	241.74	44.94	252.87	45.38	258.59	45.83	266.50	46.28
	18	156.46	29.92	184.70	36.82	212.94	43.95	241.74	46.02	250.57	46.48	256.24	46.95	264.08	47.41
	19	156.46	31.51	184.70	38.78	212.94	46.29	241.74	48.48	248.27	48.96	253.89	49.45	261.66	49.93
	21	156.46	32.57	184.70	40.09	212.94	47.85	241.74	50.11	245.97	50.61	251.53	51.11	259.23	51.61
	23	156.46	34.12	184.70	41.99	212.94	50.13	239.48	52.49	243.68	53.02	249.18	53.54	256.81	54.07
	25	156.46	35.27	184.70	43.41	212.94	51.82	237.23	54.26	241.38	54.81	246.83	55.35	254.39	55.89
	27	156.46	37.09	184.70	45.64	212.94	54.49	234.97	57.05	239.08	57.62	244.48	58.20	251.97	58.77
	29	156.46	38.41	184.70	47.28	212.94	56.44	232.71	59.10	236.78	59.69	242.13	60.28	249.54	60.87
	31	156.46	40.40	184.70	49.73	212.94	59.36	230.45	62.16	234.48	62.78	239.78	63.40	247.12	64.03
	33	156.46	42.04	184.70	51.74	212.94	61.77	228.19	64.68	232.18	65.33	237.43	65.97	244.70	66.62
	35	156.46	44.25	184.70	54.47	212.94	65.02	225.93	68.08	229.88	68.76	235.08	69.45	242.28	70.13
	37	156.46	46.63	184.70	57.39	212.94	68.51	221.41	71.05	225.29	71.42	228.03	71.78	232.58	72.13
	39	156.46	49.08	184.70	60.40	206.55	72.11	219.83	73.53	222.99	73.92	225.68	74.86	227.74	75.39
	41	156.46	51.56	184.70	63.45	204.42	75.75	219.15	76.53	220.69	77.02	223.33	77.78	225.32	78.40
	43	156.46	53.99	184.70	66.45	202.29	79.32	216.89	80.34	218.39	81.14	220.97	81.81	224.10	82.19
	46	156.46	56.88	184.70	70.01	202.29	83.58	212.55	83.84	214.02	84.27	214.35	84.56	215.14	84.54
	48	156.46	59.88	184.70	73.69	196.22	87.97	211.04	86.77	211.84	87.23	212.14	88.19	210.66	88.35
	50	156.46	62.90	184.70	77.41	194.20	92.41	210.39	90.30	209.65	90.88	209.93	91.62	208.42	91.89

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2130W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	147.50	22.17	174.13	28.01	200.75	35.20	213.00	38.90	231.90	39.29	248.22	39.68	258.10	40.07
	12	147.50	22.80	174.13	28.80	200.75	36.20	213.00	40.00	231.90	40.40	248.22	40.80	255.82	41.20
	14	147.50	23.46	174.13	29.63	200.75	37.25	213.00	41.16	231.90	41.57	246.01	41.98	253.54	42.39
	16	147.50	24.27	174.13	30.66	200.75	38.53	213.00	42.58	231.90	43.00	243.79	43.43	251.25	43.85
	18	147.50	24.86	174.13	31.40	200.75	39.47	213.00	43.61	231.90	44.04	241.57	44.48	248.97	44.92
	19	147.50	26.18	174.13	33.07	200.75	41.57	213.00	45.93	231.90	46.39	239.36	46.85	246.68	47.31
	21	147.50	27.06	174.13	34.19	200.75	42.97	213.00	47.48	231.90	47.95	237.14	48.43	244.40	48.90
	23	147.50	28.35	174.13	35.81	200.75	45.01	213.00	49.74	231.90	50.23	234.92	50.73	242.12	51.23
	25	147.50	29.31	174.13	37.02	200.75	46.53	213.00	51.41	229.73	51.93	232.71	52.44	239.83	52.96
	27	147.50	30.81	174.13	38.92	200.75	48.92	213.00	54.06	227.56	54.60	230.49	55.14	237.55	55.68
	29	147.50	31.92	174.13	40.32	200.75	50.68	213.00	55.99	225.40	56.55	228.28	57.11	235.27	57.67
	31	147.50	33.57	174.13	42.41	200.75	53.30	213.00	58.90	223.23	59.49	226.06	60.08	232.98	60.66
	33	147.50	34.93	174.13	44.12	200.75	55.46	213.00	61.28	218.89	61.90	223.84	62.51	230.69	63.12
	35	147.50	36.77	174.13	46.45	200.75	58.38	213.00	64.51	216.73	65.16	221.63	65.80	228.41	66.45
	37	147.50	38.74	174.13	48.94	200.75	61.51	208.74	67.32	212.39	67.67	214.98	68.01	219.27	68.35
	39	147.50	40.78	174.13	51.51	200.75	64.75	207.25	69.67	210.23	70.04	212.76	70.93	214.71	71.43
	41	147.50	42.84	174.13	54.11	200.75	68.01	206.61	72.51	208.06	72.97	210.55	73.70	212.42	74.29
	43	147.50	44.86	174.13	56.67	200.75	71.23	204.48	76.12	205.89	76.88	208.33	77.51	211.28	77.87
	46	147.50	47.26	174.13	59.70	200.75	75.04	203.39	79.44	201.77	79.85	202.08	80.12	202.83	80.10
	48	147.50	49.75	174.13	62.84	200.75	78.99	198.96	82.21	199.71	82.65	200.00	83.56	198.60	83.71
	50	147.50	52.26	174.13	66.02	200.75	82.98	198.35	85.56	197.66	86.11	197.91	86.81	196.49	87.06
90%	10	132.75	19.59	156.71	24.17	180.68	29.65	191.70	32.66	204.64	35.60	229.84	37.88	234.55	38.86
	12	132.75	20.15	156.71	24.85	180.68	30.49	191.70	33.58	204.64	36.60	229.84	38.95	234.55	39.96
	14	132.75	20.73	156.71	25.57	180.68	31.37	191.70	34.55	204.64	37.66	229.84	40.08	234.55	41.12
	16	132.75	21.45	156.71	26.45	180.68	32.45	191.70	35.74	204.64	38.96	229.84	41.46	234.55	42.53
	18	132.75	21.97	156.71	27.09	180.68	33.24	191.70	36.61	204.64	39.90	229.84	42.47	232.36	43.57
	19	132.75	23.14	156.71	28.53	180.68	35.01	191.70	38.56	204.64	42.03	229.84	44.73	230.17	45.89
	21	132.75	23.92	156.71	29.50	180.68	36.19	191.70	39.86	204.64	43.45	229.84	46.24	227.98	47.43
	23	132.75	25.05	156.71	30.90	180.68	37.91	191.70	41.75	204.64	45.51	229.84	48.44	225.79	49.69
	25	132.75	25.90	156.71	31.94	180.68	39.19	191.70	43.16	204.64	47.05	227.69	50.07	223.59	51.36
	27	132.75	27.23	156.71	33.58	180.68	41.21	191.70	45.38	204.64	49.47	225.54	52.64	223.59	54.01
	29	132.75	28.20	156.71	34.79	180.68	42.68	191.70	47.01	204.64	51.24	223.39	54.53	223.59	55.94
	31	132.75	29.67	156.71	36.59	180.68	44.90	191.70	49.44	204.64	53.89	221.24	57.36	221.40	58.84
	33	132.75	30.87	156.71	38.07	180.68	46.72	191.70	51.45	204.64	56.08	216.95	59.68	221.40	61.22
	35	132.75	32.49	156.71	40.08	180.68	49.17	191.70	54.16	204.64	59.03	214.80	62.82	219.21	64.45
	37	132.75	34.24	156.71	42.22	180.68	51.81	191.70	57.06	204.64	62.19	210.50	66.19	214.82	67.90
	39	132.75	36.04	156.71	44.44	180.68	54.53	191.70	60.06	204.64	65.46	208.36	69.67	212.63	71.47
	41	132.75	37.86	156.71	46.69	180.68	57.29	191.70	63.09	204.64	68.77	206.21	73.19	210.44	75.08
	43	132.75	39.64	156.71	48.89	180.68	59.99	191.70	66.07	204.64	72.02	206.21	76.64	210.44	78.62
	46	132.75	41.77	156.71	51.51	180.68	63.21	191.70	69.61	204.64	75.88	202.08	80.75	206.23	82.84
	48	132.75	43.96	156.71	54.22	180.68	66.53	191.70	73.27	204.64	79.87	200.02	85.00	204.13	87.19
	50	132.75	46.18	156.71	56.96	180.68	69.89	191.70	76.97	204.64	83.90	197.96	89.29	202.02	91.60
80%	10	118.00	17.41	139.30	19.55	160.60	24.50	170.40	26.78	181.90	29.46	194.34	34.49	210.19	36.82
	12	118.00	17.90	139.30	20.10	160.60	25.19	170.40	27.54	181.90	30.29	194.34	35.47	210.19	37.86
	14	118.00	18.42	139.30	20.68	160.60	25.93	170.40	28.33	181.90	31.17	194.34	36.50	210.19	38.96
	16	118.00	19.05	139.30	21.40	160.60	26.82	170.40	29.31	181.90	32.24	194.34	37.75	210.19	40.30
	18	118.00	19.51	139.30	21.92	160.60	27.47	170.40	30.02	181.90	33.02	194.34	38.67	210.19	41.28
	19	118.00	20.55	139.30	23.08	160.60	28.93	170.40	31.62	181.90	34.78	194.34	40.73	210.19	43.48
	21	118.00	21.25	139.30	23.86	160.60	29.91	170.40	32.69	181.90	35.96	194.34	42.10	210.19	44.94
	23	118.00	22.26	139.30	25.00	160.60	31.33	170.40	34.24	181.90	37.67	194.34	44.10	210.19	47.08
	25	118.00	23.01	139.30	25.84	160.60	32.39	170.40	35.40	181.90	38.94	194.34	45.59	210.19	48.67
	27	118.00	24.19	139.30	27.17	160.60	34.05	170.40	37.22	181.90	40.94	194.34	47.94	210.19	51.17
	29	118.00	25.06	139.30	28.14	160.60	35.27	170.40	38.55	181.90	42.40	194.34	49.65	210.19	53.01
	31	118.00	26.36	139.30	29.60	160.60	37.10	170.40	40.55	181.90	44.60	194.34	52.23	210.19	55.75
	33	118.00	27.42	139.30	30.80	160.60	38.61	170.40	42.19	181.90	46.41	194.34	54.34	210.19	58.01
	35	118.00	28.87	139.30	32.42	160.60	40.64	170.40	44.41	181.90	48.85	194.34	57.20	210.19	61.07
	37	118.00	30.42	139.30	34.16	160.60	42.82	170.40	46.79	181.90	51.47	190.45	60.27	205.98	64.34
	39	118.00	32.01	139.30	35.95	160.60	45.07	170.40	49.25	181.90	54.18	188.51	63.44	203.88	67.72
	41	118.00	33.63	139.30	37.77	160.60	47.34	170.40	51.74	181.90	56.91	186.57	66.64	201.78	71.14
	43	118.00	35.22	139.30	39.55	160.60	49.58	170.40	54.18	181.90	59.60	186.57	69.79	201.78	74.50
	46	118.00	37.11	139.30	41.67	160.60	52.23	170.40	57.09	181.90	62.80	182.84	73.53	197.75	78.49
	48	118.00	39.06	139.30	43.86	160.60	54.98	170.40	60.09	181.90	66.10	180.97	77.39	195.73	82.62
	50	118.00	41.03	139.30	46.08	160.60	57.76	170.40	63.12	181.90	69.43	-	81.30	193.71	86.79

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2130W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	103.25	15.62	121.89	18.60	140.53	22.69	149.10	24.80	159.16	26.78	170.05	30.26	183.91	32.74	
	12	103.25	15.78	121.89	18.79	140.53	22.92	149.10	25.05	159.16	27.05	170.05	30.56	183.91	33.06	
	14	103.25	15.74	121.89	18.73	140.53	22.85	149.10	24.98	159.16	26.97	170.05	30.47	183.91	32.97	
	16	103.25	16.22	121.89	19.31	140.53	23.56	149.10	25.75	159.16	27.81	170.05	31.42	183.91	33.99	
	18	103.25	16.36	121.89	19.47	140.53	23.76	149.10	25.96	159.16	28.04	170.05	31.68	183.91	34.27	
	19	103.25	16.94	121.89	20.16	140.53	24.60	149.10	26.88	159.16	29.03	170.05	32.80	183.91	35.48	
	21	103.25	17.25	121.89	20.53	140.53	25.05	149.10	27.38	159.16	29.57	170.05	33.40	183.91	36.14	
	23	103.25	17.80	121.89	21.19	140.53	25.86	149.10	28.26	159.16	30.52	170.05	34.47	183.91	37.30	
	25	103.25	18.16	121.89	21.62	140.53	26.37	149.10	28.82	159.16	31.13	170.05	35.16	183.91	38.04	
	27	103.25	18.85	121.89	22.44	140.53	27.37	149.10	29.92	159.16	32.31	170.05	36.50	183.91	39.49	
	29	103.25	19.51	121.89	23.23	140.53	28.34	149.10	30.97	159.16	33.45	170.05	37.79	183.91	40.88	
	31	103.25	20.51	121.89	24.42	140.53	29.79	149.10	32.56	159.16	35.17	170.05	39.72	183.91	42.98	
	33	103.25	21.34	121.89	25.40	140.53	30.99	149.10	33.87	159.16	36.58	170.05	41.32	183.91	44.70	
	35	103.25	22.22	121.89	26.46	140.53	32.28	149.10	35.28	159.16	38.10	170.05	43.04	183.91	46.57	
	37	103.25	23.42	121.89	27.88	140.53	34.01	149.10	37.17	159.16	40.14	166.65	45.35	180.24	49.06	
	39	103.25	24.65	121.89	29.34	140.53	35.80	149.10	39.12	159.16	42.25	164.95	47.73	178.40	51.64	
	41	103.25	25.89	121.89	30.82	140.53	37.60	149.10	41.10	159.16	44.39	163.25	50.14	176.56	54.25	
	43	103.25	27.11	121.89	32.28	140.53	39.38	149.10	43.04	159.16	46.48	163.25	52.51	176.56	56.81	
	46	103.25	28.57	121.89	34.01	140.53	41.49	149.10	45.35	159.16	48.97	159.98	55.32	173.03	59.86	
	48	103.25	30.07	121.89	35.80	140.53	43.67	149.10	47.73	159.16	51.55	158.35	58.23	171.26	63.00	
	50	103.25	31.59	121.89	37.60	140.53	45.88	149.10	50.14	159.16	54.15	156.72	61.17	169.50	66.18	
60%	10	88.50	12.60	104.48	14.48	120.45	17.26	127.80	18.81	136.43	21.06	145.76	24.26	157.64	26.33	
	12	88.50	12.73	104.48	14.63	120.45	17.44	127.80	18.99	136.43	21.27	145.76	24.50	157.64	26.59	
	14	88.50	12.69	104.48	14.58	120.45	17.39	127.80	18.94	136.43	21.21	145.76	24.43	157.64	26.52	
	16	88.50	13.08	104.48	15.04	120.45	17.93	127.80	19.53	136.43	21.87	145.76	25.19	157.64	27.34	
	18	88.50	13.19	104.48	15.16	120.45	18.08	127.80	19.69	136.43	22.05	145.76	25.40	157.64	27.57	
	19	88.50	13.66	104.48	15.70	120.45	18.71	127.80	20.39	136.43	22.83	145.76	26.30	157.64	28.54	
	21	88.50	13.91	104.48	15.99	120.45	19.06	127.80	20.76	136.43	23.25	145.76	26.78	157.64	29.06	
	23	88.50	14.36	104.48	16.50	120.45	19.67	127.80	21.43	136.43	24.00	145.76	27.64	157.64	30.00	
	25	88.50	14.64	104.48	16.83	120.45	20.06	127.80	21.86	136.43	24.48	145.76	28.20	157.64	30.60	
	27	88.50	15.20	104.48	17.47	120.45	20.83	127.80	22.69	136.43	25.41	145.76	29.26	157.64	31.76	
	29	88.50	15.74	104.48	18.09	120.45	21.56	127.80	23.49	136.43	26.31	145.76	30.30	157.64	32.88	
	31	88.50	16.54	104.48	19.01	120.45	22.67	127.80	24.69	136.43	27.66	145.76	31.85	157.64	34.57	
	33	88.50	17.21	104.48	19.78	120.45	23.58	127.80	25.68	136.43	28.76	145.76	33.13	157.64	35.96	
	35	88.50	17.92	104.48	20.60	120.45	24.56	127.80	26.75	136.43	29.96	145.76	34.51	157.64	37.45	
	37	88.50	18.88	104.48	21.70	120.45	25.87	127.80	28.19	136.43	31.57	142.84	36.36	154.49	39.46	
	39	88.50	19.88	104.48	22.84	120.45	27.24	127.80	29.67	136.43	33.23	141.38	38.27	152.91	41.54	
	41	88.50	20.88	104.48	24.00	120.45	28.61	127.80	31.17	136.43	34.91	139.93	40.20	151.34	43.63	
	43	88.50	21.87	104.48	25.13	120.45	29.96	127.80	32.64	136.43	36.55	139.93	42.10	151.34	45.69	
	46	88.50	23.04	104.48	26.48	120.45	31.57	127.80	34.39	136.43	38.51	137.13	44.36	148.31	48.14	
	48	88.50	24.25	104.48	27.87	120.45	33.23	127.80	36.20	136.43	40.54	135.73	46.69	146.80	50.67	
	50	88.50	25.48	104.48	29.28	120.45	34.91	127.80	38.02	136.43	42.59	134.33	49.05	145.28	53.23	
50%	10	73.75	9.93	87.06	10.99	100.38	12.21	106.50	13.24	113.69	15.36	121.46	17.35	131.37	19.47	
	12	73.75	10.03	87.06	11.10	100.38	12.33	106.50	13.37	113.69	15.51	121.46	17.52	131.37	19.66	
	14	73.75	10.00	87.06	11.07	100.38	12.30	106.50	13.34	113.69	15.47	121.46	17.47	131.37	19.60	
	16	73.75	10.31	87.06	11.41	100.38	12.68	106.50	13.75	113.69	15.95	121.46	18.01	131.37	20.21	
	18	73.75	10.40	87.06	11.51	100.38	12.78	106.50	13.86	113.69	16.08	121.46	18.16	131.37	20.38	
	19	73.75	10.77	87.06	11.91	100.38	13.23	106.50	14.35	113.69	16.65	121.46	18.80	131.37	21.10	
	21	73.75	10.96	87.06	12.13	100.38	13.48	106.50	14.62	113.69	16.96	121.46	19.15	131.37	21.49	
	23	73.75	11.32	87.06	12.52	100.38	13.91	106.50	15.09	113.69	17.50	121.46	19.77	131.37	22.18	
	25	73.75	11.54	87.06	12.77	100.38	14.19	106.50	15.39	113.69	17.85	121.46	20.16	131.37	22.62	
	27	73.75	11.98	87.06	13.26	100.38	14.73	106.50	15.97	113.69	18.53	121.46	20.93	131.37	23.48	
	29	73.75	12.40	87.06	13.73	100.38	15.25	106.50	16.54	113.69	19.19	121.46	21.67	131.37	24.31	
	31	73.75	13.04	87.06	14.43	100.38	16.03	106.50	17.39	113.69	20.17	121.46	22.78	131.37	25.56	
	33	73.75	13.56	87.06	15.01	100.38	16.67	106.50	18.08	113.69	20.98	121.46	23.69	131.37	26.58	
	35	73.75	14.13	87.06	15.63	100.38	17.37	106.50	18.84	113.69	21.85	121.46	24.68	131.37	27.69	
	37	73.75	14.88	87.06	16.47	100.38	18.30	106.50	19.85	113.69	23.02	119.03	26.00	128.74	29.17	
	39	73.75	15.67	87.06	17.34	100.38	19.26	106.50	20.89	113.69	24.23	117.82	27.37	127.43	30.71	
	41	73.75	16.46	87.06	18.21	100.38	20.23	106.50	21.95	113.69	25.46	116.60	28.75	126.11	32.26	
	43	73.75	17.24	87.06	19.07	100.38	21.19	106.50	22.98	113.69	26.66	116.60	30.11	126.11	33.78	
	46	73.75	18.16	87.06	20.10	100.38	22.32	106.50	24.21	113.69	28.09	114.27	31.72	123.59	35.59	
	48	73.75	19.11	87.06	21.15	100.38	23.50	106.50	25.49	113.69	29.56	113.11	33.39	122.33	37.46	
	50	73.75	20.08	87.06	22.22	100.38	24.68	106.50	26.77	113.69	31.06	111.94	35.07	121.07	39.36	

78HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2180W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	182.25	29.51	214.14	37.76	254.56	41.45	272.48	38.87	277.25	43.84	281.03	44.27	289.63	44.70
	12	182.25	30.35	214.14	38.83	254.56	42.62	270.09	39.59	274.81	45.07	278.54	45.52	287.06	45.97
	14	182.25	31.23	214.14	39.95	254.56	43.86	267.70	40.31	272.38	46.38	273.56	46.84	284.50	47.30
	16	182.25	32.30	214.14	41.33	252.30	45.37	262.92	41.03	267.52	47.98	271.08	48.46	281.94	48.93
	18	182.25	33.09	214.14	42.33	247.80	46.47	260.53	41.75	265.09	49.14	268.59	49.63	279.38	50.12
	19	182.25	34.85	214.14	44.59	245.55	48.94	258.14	42.47	262.65	51.76	266.10	52.27	276.81	52.79
	21	182.25	36.02	214.14	46.09	243.29	50.59	255.75	45.53	260.22	53.51	263.62	54.04	274.25	54.57
	23	182.25	37.74	214.14	48.28	241.04	53.00	253.36	48.77	257.79	56.05	261.13	56.61	271.69	57.16
	25	182.25	39.01	214.14	49.91	238.79	54.79	250.97	52.18	255.36	57.94	258.64	58.51	269.12	59.09
	27	182.25	41.02	214.14	52.48	236.54	57.60	248.58	55.78	252.93	60.92	256.16	61.52	266.56	62.13
	29	182.25	42.48	212.46	54.36	234.28	59.67	246.19	59.56	250.49	63.10	253.67	63.73	264.00	64.35
	31	182.25	44.69	211.83	57.17	232.03	62.76	243.80	63.52	248.06	66.37	251.18	67.03	261.43	67.69
	33	182.25	46.50	211.83	59.49	229.78	65.30	241.41	67.66	245.63	69.06	248.70	69.75	258.87	70.43
	35	182.25	48.95	209.74	62.62	225.27	68.74	239.02	71.98	243.20	72.70	248.70	73.42	256.31	74.14
	37	182.25	51.57	209.74	65.98	225.27	72.42	234.23	75.12	238.33	75.50	241.23	75.88	246.06	76.26
	39	182.25	54.28	209.74	69.45	223.02	76.23	232.56	77.74	235.90	78.15	238.75	79.14	240.93	79.70
	41	182.25	57.02	207.64	72.95	220.77	80.08	231.84	80.90	233.47	81.42	236.26	82.23	238.37	82.89
	43	180.43	59.71	205.54	76.40	218.51	83.86	229.45	84.93	231.04	85.78	233.77	86.49	237.08	86.89
	46	180.43	62.91	205.54	80.49	218.51	88.36	224.87	88.64	226.42	89.09	226.76	89.39	227.60	89.37
	48	180.43	66.22	203.49	84.73	216.33	93.00	223.26	91.73	224.11	92.22	224.42	93.23	222.86	93.41
	50	180.43	69.57	201.43	89.00	214.14	97.70	222.57	95.47	221.80	96.08	222.08	96.86	220.49	97.14
120%	10	172.23	27.94	199.27	34.39	241.55	41.05	263.34	38.49	272.73	43.42	276.45	43.85	284.91	44.28
	12	172.23	28.73	199.27	35.36	241.55	42.21	263.34	39.21	270.34	44.64	274.00	45.08	282.39	45.52
	14	172.23	29.56	199.27	36.38	241.55	43.43	263.34	39.92	267.95	45.94	271.56	46.39	279.87	46.85
	16	172.23	30.58	199.27	37.64	241.55	44.93	263.34	40.63	265.55	47.52	269.11	47.99	277.35	48.46
	18	172.23	31.32	199.27	38.55	241.55	46.02	263.34	41.35	263.16	48.67	266.66	49.15	274.83	49.64
	19	172.23	32.99	199.27	40.60	241.55	48.47	260.99	42.06	260.77	51.26	264.22	51.77	272.31	52.28
	21	172.23	34.10	199.27	41.97	241.55	50.11	258.64	45.09	255.99	52.99	261.77	53.52	269.78	54.04
	23	172.23	35.73	199.27	43.97	237.12	52.49	256.29	48.30	253.59	55.51	259.33	56.06	267.26	56.61
	25	172.23	36.93	199.27	45.45	234.90	54.26	253.93	51.68	251.20	57.38	256.88	57.95	264.74	58.52
	27	172.23	38.83	199.27	47.79	232.68	57.05	251.58	55.25	248.81	60.34	254.43	60.93	262.22	61.53
	29	172.23	40.22	199.27	49.50	230.47	59.09	246.88	58.99	246.42	62.50	251.99	63.11	259.70	63.73
	31	172.23	42.30	199.27	52.07	226.04	62.16	239.83	62.91	244.02	65.74	249.54	66.39	257.18	67.04
	33	172.23	44.02	199.27	54.18	223.82	64.67	237.48	67.01	241.63	68.40	247.09	69.08	254.66	69.75
	35	172.23	46.34	199.27	57.03	221.60	68.08	235.12	71.29	239.24	72.00	244.65	72.71	252.14	73.42
	37	172.23	48.82	199.27	60.09	219.39	71.73	230.42	74.39	234.45	74.78	237.31	75.16	242.05	75.52
	39	172.23	51.39	199.27	63.25	217.17	75.50	228.78	76.99	232.06	77.40	234.86	78.38	237.01	78.93
	41	172.23	53.98	189.30	66.44	214.96	79.31	228.07	80.13	229.67	80.64	232.41	81.44	234.49	82.09
	43	172.23	56.53	187.31	69.58	212.74	83.06	225.72	84.12	227.28	84.96	229.97	85.65	233.22	86.05
	46	172.23	59.56	187.31	73.30	210.61	87.51	221.20	87.79	222.73	88.24	223.07	88.53	223.90	88.52
	48	172.23	62.69	187.31	77.16	208.49	92.11	219.62	90.85	220.46	91.33	220.77	92.34	219.23	92.51
	50	172.23	65.86	177.95	81.06	206.36	96.76	218.95	94.55	218.19	95.15	218.47	95.93	216.90	96.21
110%	10	160.13	27.26	189.03	33.55	217.94	40.05	247.42	41.93	265.87	42.35	271.88	42.77	280.20	43.19
	12	160.13	28.02	189.03	34.49	217.94	41.17	247.42	43.11	263.51	43.55	269.47	43.98	277.72	44.41
	14	160.13	28.84	189.03	35.49	217.94	42.37	247.42	44.37	261.16	44.81	267.06	45.25	275.24	45.70
	16	160.13	29.83	189.03	36.72	217.94	43.83	247.42	45.90	258.81	46.36	264.66	46.81	272.76	47.27
	18	160.13	30.56	189.03	37.61	217.94	44.89	247.42	47.01	256.45	47.48	262.25	47.95	270.28	48.42
	19	160.13	32.18	189.03	39.61	217.94	47.28	247.42	49.51	254.10	50.01	259.85	50.50	267.80	51.00
	21	160.13	33.27	189.03	40.95	217.94	48.88	247.42	51.18	251.75	51.69	257.44	52.21	265.32	52.72
	23	160.13	34.85	189.03	42.89	217.94	51.20	245.11	53.62	249.40	54.15	255.03	54.69	262.84	55.22
	25	160.13	36.03	189.03	44.34	217.94	52.93	242.79	55.42	247.04	55.98	252.63	56.53	260.36	57.09
	27	160.13	37.88	189.03	46.62	217.94	55.65	240.48	58.27	244.69	58.86	250.22	59.44	257.88	60.02
	29	160.13	39.23	189.03	48.29	217.94	57.64	238.17	60.36	242.34	60.96	247.82	61.57	255.40	62.17
	31	160.13	41.27	189.03	50.79	217.94	60.63	235.86	63.49	239.98	64.13	245.41	64.76	252.92	65.40
	33	160.13	42.94	189.03	52.85	217.94	63.09	233.54	66.06	237.63	66.72	243.00	67.38	250.44	68.05
	35	160.13	45.20	189.03	55.63	217.94	66.41	231.23	69.54	235.28	70.24	240.60	70.93	247.96	71.63
	37	160.13	47.62	189.03	58.61	217.94	69.97	226.61	72.57	230.57	72.95	233.38	73.31	238.04	73.68
	39	160.13	50.13	189.03	61.70	211.40	73.65	224.99	75.10	228.22	75.50	230.97	76.46	233.08	77.00
	41	160.13	52.66	189.03	64.81	209.22	77.37	224.30	78.16	225.87	78.66	228.57	79.44	230.60	80.08
	43	160.13	55.15	189.03	67.87	207.04	81.02	221.98	82.06	223.52	82.88	226.16	83.56	229.37	83.95
	46	160.13	58.10	189.03	71.51	207.04	85.36	217.54	85.64	219.04	86.08	219.38	86.36	220.19	86.35
	48	160.13	61.16	189.03	75.27	200.83	89.85	215.99	88.62	216.81	89.09	217.12	90.07	215.60	90.24
	50	160.13	64.24	189.03	79.07	198.76	94.39	215.32	92.23	214.57	92.82	214.85	93.58	213.31	93.85

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2180W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
100%	10	150.97	22.65	178.22	28.61	205.47	35.96	218.00	39.73	237.34	40.13	254.05	40.53	264.16	40.92	
	12	150.97	23.29	178.22	29.41	205.47	36.97	218.00	40.85	237.34	41.26	254.05	41.67	261.82	42.08	
	14	150.97	23.96	178.22	30.27	205.47	38.04	218.00	42.04	237.34	42.46	251.78	42.88	259.49	43.30	
	16	150.97	24.79	178.22	31.31	205.47	39.36	218.00	43.49	237.34	43.92	249.51	44.36	257.15	44.79	
	18	150.97	25.39	178.22	32.07	205.47	40.31	218.00	44.54	237.34	44.99	247.24	45.43	254.81	45.88	
	19	150.97	26.74	178.22	33.78	205.47	42.46	218.00	46.91	237.34	47.38	244.98	47.85	252.47	48.32	
	21	150.97	27.64	178.22	34.92	205.47	43.89	218.00	48.50	237.34	48.98	242.71	49.46	250.14	49.95	
	23	150.97	28.96	178.22	36.58	205.47	45.98	218.00	50.80	237.34	51.31	240.44	51.82	247.80	52.33	
	25	150.97	29.93	178.22	37.81	205.47	47.53	218.00	52.51	235.12	53.04	238.17	53.56	245.46	54.09	
	27	150.97	31.47	178.22	39.76	205.47	49.97	218.00	55.22	232.91	55.77	235.90	56.32	243.12	56.87	
	29	150.97	32.60	178.22	41.18	205.47	51.76	218.00	57.19	230.69	57.76	233.63	58.34	240.79	58.91	
	31	150.97	34.29	178.22	43.31	205.47	54.44	218.00	60.16	228.47	60.76	231.37	61.36	238.45	61.96	
	33	150.97	35.68	178.22	45.07	205.47	56.65	218.00	62.60	224.03	63.22	229.10	63.85	236.11	64.47	
	35	150.97	37.56	178.22	47.44	205.47	59.63	218.00	65.89	221.82	66.55	226.83	67.21	233.77	67.87	
	37	150.97	39.57	178.22	49.98	205.47	62.83	213.64	68.76	217.38	69.12	220.02	69.47	224.42	69.81	
	39	150.97	41.65	178.22	52.61	205.47	66.13	212.11	71.16	215.16	71.54	217.76	72.45	219.75	72.96	
	41	150.97	43.75	178.22	55.27	205.47	69.47	211.46	74.06	212.94	74.53	215.49	75.27	217.41	75.87	
	43	150.97	45.82	178.22	57.88	205.47	72.75	209.28	77.75	210.72	78.53	213.22	79.17	216.24	79.54	
	46	150.97	48.28	178.22	60.98	205.47	76.65	205.09	81.14	206.51	81.56	206.82	81.83	207.59	81.81	
	48	150.97	50.81	178.22	64.19	205.47	80.68	203.63	83.97	204.40	84.42	204.69	85.35	203.27	85.51	
	50	150.97	53.38	178.22	67.43	205.47	84.75	203.00	87.39	202.30	87.95	202.56	88.67	201.10	88.93	
90%	10	135.87	20.01	160.39	24.68	184.92	30.29	196.20	33.35	209.44	36.36	235.23	38.69	240.06	39.69	
	12	135.87	20.58	160.39	25.38	184.92	31.14	196.20	34.30	209.44	37.38	235.23	39.78	240.06	40.81	
	14	135.87	21.17	160.39	26.12	184.92	32.04	196.20	35.29	209.44	38.47	235.23	40.94	240.06	42.00	
	16	135.87	21.90	160.39	27.02	184.92	33.15	196.20	36.51	209.44	39.79	235.23	42.35	240.06	43.44	
	18	135.87	22.44	160.39	27.67	184.92	33.95	196.20	37.39	209.44	40.76	235.23	43.38	237.82	44.50	
	19	135.87	23.63	160.39	29.14	184.92	35.76	196.20	39.38	209.44	42.93	235.23	45.69	235.57	46.87	
	21	135.87	24.43	160.39	30.13	184.92	36.97	196.20	40.71	209.44	44.38	235.23	47.23	233.33	48.45	
	23	135.87	25.59	160.39	31.56	184.92	38.72	196.20	42.65	209.44	46.49	235.23	49.47	231.09	50.75	
	25	135.87	26.45	160.39	32.62	184.92	40.03	196.20	44.09	209.44	48.05	233.03	51.14	228.84	52.46	
	27	135.87	27.81	160.39	34.30	184.92	42.09	196.20	46.35	209.44	50.53	230.83	53.77	228.84	55.16	
	29	135.87	28.81	160.39	35.53	184.92	43.60	196.20	48.01	209.44	52.33	228.64	55.70	228.84	57.14	
	31	135.87	30.30	160.39	37.37	184.92	45.86	196.20	50.50	209.44	55.05	226.44	58.58	226.60	60.10	
	33	135.87	31.53	160.39	38.89	184.92	47.71	196.20	52.55	209.44	57.28	222.04	60.96	226.60	62.53	
	35	135.87	33.19	160.39	40.93	184.92	50.23	196.20	55.31	209.44	60.29	219.84	64.16	224.35	65.82	
	37	135.87	34.97	160.39	43.13	184.92	52.92	196.20	58.28	209.44	63.52	215.45	67.60	219.87	69.35	
	39	135.87	36.81	160.39	45.39	184.92	55.70	196.20	61.34	209.44	66.86	213.25	71.16	217.62	73.00	
	41	135.87	38.66	160.39	47.69	184.92	58.51	196.20	64.44	209.44	70.24	211.05	74.75	215.38	76.69	
	43	135.87	40.49	160.39	49.94	184.92	61.28	196.20	67.48	209.44	73.56	211.05	78.28	215.38	80.31	
	46	135.87	42.66	160.39	52.61	184.92	64.56	196.20	71.10	209.44	77.50	206.83	82.48	211.07	84.61	
	48	135.87	44.90	160.39	55.38	184.92	67.95	196.20	74.84	209.44	81.58	204.72	86.81	208.92	89.06	
	50	135.87	47.17	160.39	58.18	184.92	71.39	196.20	78.62	209.44	85.69	202.61	91.20	206.77	93.56	
80%	10	120.77	17.78	142.57	19.97	164.37	25.03	174.40	27.35	186.17	30.09	198.90	35.23	215.12	37.61	
	12	120.77	18.28	142.57	20.53	164.37	25.73	174.40	28.12	186.17	30.94	198.90	36.22	215.12	38.67	
	14	120.77	18.81	142.57	21.13	164.37	26.48	174.40	28.94	186.17	31.84	198.90	37.28	215.12	39.79	
	16	120.77	19.46	142.57	21.86	164.37	27.39	174.40	29.94	186.17	32.93	198.90	38.56	215.12	41.17	
	18	120.77	19.93	142.57	22.39	164.37	28.06	174.40	30.66	186.17	33.73	198.90	39.50	215.12	42.16	
	19	120.77	20.99	142.57	23.58	164.37	29.55	174.40	32.30	186.17	35.53	198.90	41.60	215.12	44.41	
	21	120.77	21.70	142.57	24.37	164.37	30.55	174.40	33.39	186.17	36.73	198.90	43.00	215.12	45.91	
	23	120.77	22.73	142.57	25.53	164.37	32.00	174.40	34.97	186.17	38.47	198.90	45.05	215.12	48.09	
	25	120.77	23.50	142.57	26.39	164.37	33.08	174.40	36.15	186.17	39.77	198.90	46.57	215.12	49.71	
	27	120.77	24.71	142.57	27.75	164.37	34.78	174.40	38.01	186.17	41.81	198.90	48.96	215.12	52.27	
	29	120.77	25.59	142.57	28.74	164.37	36.03	174.40	39.37	186.17	43.31	198.90	50.71	215.12	54.14	
	31	120.77	26.92	142.57	30.23	164.37	37.90	174.40	41.42	186.17	45.56	198.90	53.34	215.12	56.95	
	33	120.77	28.01	142.57	31.46	164.37	39.43	174.40	43.09	186.17	47.40	198.90	55.50	215.12	59.25	
	35	120.77	29.49	142.57	33.11	164.37	41.51	174.40	45.36	186.17	49.90	198.90	58.43	215.12	62.37	
	37	120.77	31.07	142.57	34.89	164.37	43.73	174.40	47.79	186.17	52.57	194.93	61.56	210.82	65.72	
	39	120.77	32.70	142.57	36.72	164.37	46.03	174.40	50.31	186.17	55.34	192.94	64.79	208.67	69.17	
	41	120.77	34.35	142.57	38.58	164.37	48.35	174.40	52.85	186.17	58.13	190.95	68.07	206.52	72.66	
	43	120.77	35.97	142.57	40.40	164.37	50.64	174.40	55.34	186.17	60.88	190.95	71.28	206.52	76.09	
	46	120.77	37.90	142.57	42.56	164.37	53.35	174.40	58.31	186.17	64.14	187.13	75.10	202.39	80.17	
	48	120.77	39.89	142.57	44.80	164.37	56.16	174.40	61.37	186.17	67.51	185.22	79.05	200.32	84.39	
	50	120.77	41.91	142.57	47.07	164.37	58.99	174.40	64.47	186.17	70.92	·	83.04	198.26	88.65	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2180W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútna teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	105.68	15.96	124.75	19.00	143.83	23.18	152.60	25.33	162.90	27.36	174.04	30.90	188.23	33.44
	12	105.68	16.12	124.75	19.19	143.83	23.41	152.60	25.58	162.90	27.63	174.04	31.21	188.23	33.77
	14	105.68	16.07	124.75	19.13	143.83	23.34	152.60	25.51	162.90	27.55	174.04	31.12	188.23	33.67
	16	105.68	16.57	124.75	19.73	143.83	24.07	152.60	26.30	162.90	28.41	174.04	32.09	188.23	34.72
	18	105.68	16.71	124.75	19.89	143.83	24.27	152.60	26.52	162.90	28.64	174.04	32.35	188.23	35.01
	19	105.68	17.30	124.75	20.59	143.83	25.12	152.60	27.46	162.90	29.65	174.04	33.50	188.23	36.24
	21	105.68	17.62	124.75	20.97	143.83	25.58	152.60	27.96	162.90	30.20	174.04	34.11	188.23	36.91
	23	105.68	18.18	124.75	21.65	143.83	26.41	152.60	28.86	162.90	31.17	174.04	35.21	188.23	38.10
	25	105.68	18.55	124.75	22.08	143.83	26.94	152.60	29.44	162.90	31.79	174.04	35.91	188.23	38.86
	27	105.68	19.25	124.75	22.92	143.83	27.96	152.60	30.56	162.90	33.00	174.04	37.28	188.23	40.33
	29	105.68	19.93	124.75	23.73	143.83	28.95	152.60	31.64	162.90	34.17	174.04	38.60	188.23	41.76
	31	105.68	20.95	124.75	24.94	143.83	30.43	152.60	33.26	162.90	35.92	174.04	40.57	188.23	43.90
	33	105.68	21.79	124.75	25.94	143.83	31.65	152.60	34.59	162.90	37.36	174.04	42.20	188.23	45.66
	35	105.68	22.70	124.75	27.02	143.83	32.97	152.60	36.03	162.90	38.91	174.04	43.96	188.23	47.56
	37	105.68	23.92	124.75	28.47	143.83	34.74	152.60	37.96	162.90	41.00	170.56	46.32	184.47	50.11
	39	105.68	25.17	124.75	29.97	143.83	36.56	152.60	39.96	162.90	43.16	168.82	48.75	182.59	52.75
	41	105.68	26.45	124.75	31.48	143.83	38.41	152.60	41.98	162.90	45.34	167.08	51.21	180.70	55.41
	43	105.68	27.69	124.75	32.97	143.83	40.22	152.60	43.96	162.90	47.48	167.08	53.63	180.70	58.03
	46	105.68	29.18	124.75	34.74	143.83	42.38	152.60	46.32	162.90	50.02	163.74	56.50	177.09	61.14
	48	105.68	30.71	124.75	36.56	143.83	44.61	152.60	48.75	162.90	52.65	162.07	59.48	175.28	64.35
50	105.68	32.26	124.75	38.41	143.83	46.86	152.60	51.21	162.90	55.31	160.40	62.48	173.47	67.60	
60%	10	90.58	12.87	106.93	14.79	123.28	17.63	130.80	19.21	139.63	21.51	149.18	24.78	161.34	26.89
	12	90.58	13.00	106.93	14.94	123.28	17.81	130.80	19.40	139.63	21.73	149.18	25.03	161.34	27.16
	14	90.58	12.96	106.93	14.90	123.28	17.76	130.80	19.35	139.63	21.67	149.18	24.96	161.34	27.08
	16	90.58	13.36	106.93	15.36	123.28	18.31	130.80	19.95	139.63	22.34	149.18	25.73	161.34	27.93
	18	90.58	13.47	106.93	15.49	123.28	18.46	130.80	20.11	139.63	22.52	149.18	25.94	161.34	28.16
	19	90.58	13.95	106.93	16.03	123.28	19.11	130.80	20.82	139.63	23.32	149.18	26.86	161.34	29.15
	21	90.58	14.21	106.93	16.33	123.28	19.47	130.80	21.20	139.63	23.75	149.18	27.35	161.34	29.69
	23	90.58	14.66	106.93	16.85	123.28	20.09	130.80	21.89	139.63	24.51	149.18	28.23	161.34	30.64
	25	90.58	14.96	106.93	17.19	123.28	20.49	130.80	22.32	139.63	25.00	149.18	28.80	161.34	31.25
	27	90.58	15.52	106.93	17.84	123.28	21.27	130.80	23.17	139.63	25.95	149.18	29.89	161.34	32.44
	29	90.58	16.07	106.93	18.47	123.28	22.02	130.80	23.99	139.63	26.87	149.18	30.95	161.34	33.59
	31	90.58	16.90	106.93	19.42	123.28	23.15	130.80	25.22	139.63	28.25	149.18	32.53	161.34	35.31
	33	90.58	17.58	106.93	20.20	123.28	24.08	130.80	26.23	139.63	29.38	149.18	33.84	161.34	36.72
	35	90.58	18.31	106.93	21.04	123.28	25.08	130.80	27.32	139.63	30.60	149.18	35.25	161.34	38.25
	37	90.58	19.29	106.93	22.17	123.28	26.43	130.80	28.79	139.63	32.24	146.19	37.14	158.11	40.30
	39	90.58	20.30	106.93	23.33	123.28	27.82	130.80	30.30	139.63	33.94	144.70	39.09	156.50	42.42
	41	90.58	21.33	106.93	24.51	123.28	29.22	130.80	31.83	139.63	35.65	143.21	41.06	154.89	44.57
	43	90.58	22.34	106.93	25.67	123.28	30.60	130.80	33.34	139.63	37.34	143.21	43.00	154.89	46.67
	46	90.58	23.53	106.93	27.04	123.28	32.24	130.80	35.12	139.63	39.34	140.35	45.31	151.79	49.17
	48	90.58	24.77	106.93	28.47	123.28	33.94	130.80	36.97	139.63	41.41	138.91	47.69	150.24	51.76
50	90.58	26.02	106.93	29.90	123.28	35.65	130.80	38.84	139.63	43.50	137.48	50.10	148.69	54.37	
50%	10	75.48	10.14	89.11	11.23	102.73	12.47	109.00	13.53	116.36	15.69	124.31	17.72	134.45	19.88
	12	75.48	10.25	89.11	11.34	102.73	12.59	109.00	13.66	116.36	15.85	124.31	17.90	134.45	20.08
	14	75.48	10.22	89.11	11.31	102.73	12.56	109.00	13.62	116.36	15.80	124.31	17.84	134.45	20.02
	16	75.48	10.53	89.11	11.66	102.73	12.95	109.00	14.05	116.36	16.29	124.31	18.40	134.45	20.65
	18	75.48	10.62	89.11	11.75	102.73	13.06	109.00	14.16	116.36	16.43	124.31	18.55	134.45	20.82
	19	75.48	11.00	89.11	12.17	102.73	13.52	109.00	14.66	116.36	17.01	124.31	19.21	134.45	21.55
	21	75.48	11.20	89.11	12.39	102.73	13.77	109.00	14.93	116.36	17.32	124.31	19.56	134.45	21.95
	23	75.48	11.56	89.11	12.79	102.73	14.21	109.00	15.41	116.36	17.88	124.31	20.19	134.45	22.65
	25	75.48	11.79	89.11	13.05	102.73	14.49	109.00	15.72	116.36	18.23	124.31	20.59	134.45	23.11
	27	75.48	12.24	89.11	13.54	102.73	15.04	109.00	16.32	116.36	18.93	124.31	21.37	134.45	23.98
	29	75.48	12.67	89.11	14.02	102.73	15.57	109.00	16.89	116.36	19.60	124.31	22.13	134.45	24.83
	31	75.48	13.32	89.11	14.74	102.73	16.37	109.00	17.76	116.36	20.60	124.31	23.26	134.45	26.10
	33	75.48	13.85	89.11	15.33	102.73	17.03	109.00	18.47	116.36	21.43	124.31	24.20	134.45	27.15
	35	75.48	14.43	89.11	15.97	102.73	17.74	109.00	19.24	116.36	22.32	124.31	25.20	134.45	28.28
	37	75.48	15.20	89.11	16.83	102.73	18.69	109.00	20.27	116.36	23.51	121.83	26.56	131.76	29.80
	39	75.48	16.00	89.11	17.71	102.73	19.67	109.00	21.34	116.36	24.75	120.59	27.95	130.42	31.37
	41	75.48	16.81	89.11	18.60	102.73	20.67	109.00	22.41	116.36	26.00	119.34	29.36	129.07	32.95
	43	75.48	17.60	89.11	19.48	102.73	21.64	109.00	23.47	116.36	27.23	119.34	30.75	129.07	34.50
	46	75.48	18.55	89.11	20.53	102.73	22.80	109.00	24.73	116.36	28.69	116.96	32.40	126.49	36.35
	48	75.48	19.52	89.11	21.61	102.73	24.00	109.00	26.03	116.36	30.20	115.76	34.10	125.20	38.27
50	75.48	20.51	89.11	22.70	102.73	25.21	109.00	27.35	116.36	31.72	114.57	35.82	123.91	40.20	

80HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2230W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	186.43	30.13	219.05	38.55	260.40	42.32	278.73	39.68	283.60	44.76	287.47	45.20	296.27	45.64
	12	186.43	30.98	219.05	39.64	260.40	43.51	276.28	40.42	281.12	46.02	284.93	46.47	293.65	46.93
	14	186.43	31.88	219.05	40.79	260.40	44.77	273.84	41.15	278.63	47.35	279.84	47.82	291.03	48.29
	16	186.43	32.98	219.05	42.20	258.09	46.32	268.95	41.89	273.65	48.99	277.30	49.47	288.41	49.96
	18	186.43	33.78	219.05	43.22	253.48	47.44	266.50	42.62	271.17	50.17	274.75	50.67	285.78	51.17
	19	186.43	35.58	219.05	45.52	251.18	49.97	264.06	43.36	268.68	52.85	272.21	53.37	283.16	53.89
	21	186.43	36.78	219.05	47.05	248.87	51.65	261.61	46.48	266.19	54.63	269.66	55.17	280.54	55.71
	23	186.43	38.53	219.05	49.29	246.57	54.11	259.17	49.79	263.70	57.22	267.12	57.79	277.92	58.36
	25	186.43	39.83	219.05	50.95	244.26	55.93	256.72	53.28	261.21	59.15	264.58	59.74	275.30	60.33
	27	186.43	41.88	219.05	53.58	241.96	58.81	254.28	56.95	258.73	62.20	262.03	62.81	272.67	63.43
	29	186.43	43.37	217.34	55.49	239.66	60.92	251.83	60.81	256.24	64.42	259.49	65.06	270.05	65.70
	31	186.43	45.62	216.69	58.37	237.35	64.07	249.39	64.85	253.75	67.76	256.94	68.43	267.43	69.11
	33	186.43	47.47	216.69	60.74	235.05	66.67	246.94	69.08	251.26	70.51	254.40	71.21	264.81	71.91
	35	186.43	49.97	214.55	63.93	230.44	70.18	244.50	73.49	248.78	74.22	254.40	74.96	262.19	75.69
	37	186.43	52.65	214.55	67.36	230.44	73.94	239.61	76.69	243.80	77.09	246.77	77.47	251.70	77.86
	39	186.43	55.42	214.55	70.90	228.13	77.83	237.90	79.36	241.31	79.79	244.22	80.80	246.46	81.37
	41	186.43	58.22	212.40	74.48	225.83	81.76	237.16	82.60	238.82	83.13	241.68	83.95	243.83	84.62
	43	184.56	60.96	210.26	78.00	223.53	85.62	234.72	86.71	236.34	87.58	239.14	88.30	242.52	88.71
	46	184.56	64.23	210.26	82.18	223.53	90.21	230.02	90.49	231.61	90.96	231.96	91.26	232.82	91.25
	48	184.56	67.61	208.15	86.50	221.29	94.95	228.38	93.65	229.25	94.15	229.57	95.18	227.97	95.36
	50	184.56	71.02	206.05	90.87	219.05	99.75	227.68	97.47	226.88	98.09	227.18	98.89	225.55	99.18
120%	10	176.18	28.53	203.84	35.11	247.09	41.91	269.38	39.30	278.99	44.32	282.79	44.76	291.45	45.20
	12	176.18	29.33	203.84	36.10	247.09	43.09	269.38	40.03	276.54	45.57	280.29	46.03	288.87	46.48
	14	176.18	30.18	203.84	37.15	247.09	44.34	269.38	40.76	274.09	46.90	277.79	47.36	286.29	47.83
	16	176.18	31.22	203.84	38.43	247.09	45.87	269.38	41.48	271.65	48.51	275.28	49.00	283.71	49.48
	18	176.18	31.98	203.84	39.36	247.09	46.98	269.38	42.21	269.20	49.69	272.78	50.18	281.13	50.67
	19	176.18	33.68	203.84	41.46	247.09	49.49	266.97	42.94	266.75	52.34	270.28	52.86	278.55	53.37
	21	176.18	34.82	203.84	42.85	247.09	51.16	264.57	46.03	261.86	54.10	267.78	54.64	275.97	55.17
	23	176.18	36.47	203.84	44.89	242.56	53.59	262.16	49.31	259.41	56.67	265.27	57.24	273.39	57.80
	25	176.18	37.70	203.84	46.40	240.29	55.39	259.76	52.77	256.96	58.59	262.77	59.17	270.81	59.75
	27	176.18	39.64	203.84	48.79	238.02	58.24	257.35	56.40	254.51	61.60	260.27	62.21	268.23	62.82
	29	176.18	41.06	203.84	50.54	235.75	60.33	252.54	60.22	252.07	63.80	257.77	64.44	265.66	65.07
	31	176.18	43.19	203.84	53.16	231.22	63.46	245.33	64.23	249.62	67.11	255.26	67.78	263.08	68.44
	33	176.18	44.94	203.84	55.31	228.95	66.03	242.92	68.41	247.17	69.83	252.76	70.52	260.50	71.21
	35	176.18	47.31	203.84	58.22	226.69	69.50	240.52	72.78	244.73	73.51	250.26	74.24	257.92	74.96
	37	176.18	49.84	203.84	61.34	224.42	73.23	235.71	75.95	239.83	76.34	242.75	76.73	247.60	77.11
	39	176.18	52.46	203.84	64.57	222.15	77.08	234.02	78.60	237.38	79.02	240.25	80.03	242.44	80.59
	41	176.18	55.11	193.65	67.83	219.89	80.97	233.30	81.80	234.94	82.33	237.74	83.14	239.86	83.81
	43	176.18	57.71	191.61	71.03	217.62	84.80	230.90	85.88	232.49	86.74	235.24	87.45	238.57	87.86
	46	176.18	60.81	191.61	74.84	215.44	89.34	226.28	89.62	227.84	90.09	228.18	90.39	229.03	90.37
	48	176.18	64.00	191.61	78.78	213.27	94.04	224.66	92.75	225.51	93.24	225.83	94.27	224.26	94.45
	50	176.18	67.24	182.03	82.75	211.09	98.79	223.97	96.53	223.19	97.15	223.48	97.94	221.87	98.22
110%	10	163.80	27.83	193.37	34.25	222.94	40.88	253.09	42.81	271.96	43.24	278.11	43.67	286.62	44.10
	12	163.80	28.61	193.37	35.21	222.94	42.04	253.09	44.02	269.56	44.46	275.65	44.90	284.09	45.34
	14	163.80	29.44	193.37	36.24	222.94	43.26	253.09	45.30	267.15	45.75	273.19	46.20	281.55	46.65
	16	163.80	30.46	193.37	37.49	222.94	44.75	253.09	46.86	264.74	47.33	270.73	47.80	279.01	48.26
	18	163.80	31.20	193.37	38.40	222.94	45.83	253.09	47.99	262.34	48.47	268.27	48.95	276.48	49.43
	19	163.80	32.86	193.37	40.44	222.94	48.27	253.09	50.55	259.93	51.06	265.81	51.56	273.94	52.07
	21	163.80	33.96	193.37	41.80	222.94	49.90	253.09	52.25	257.52	52.78	263.34	53.30	271.40	53.82
	23	163.80	35.58	193.37	43.79	222.94	52.28	250.73	54.74	255.12	55.29	260.88	55.83	268.87	56.38
	25	163.80	36.78	193.37	45.27	222.94	54.04	248.36	56.58	252.71	57.15	258.42	57.72	266.33	58.28
	27	163.80	38.67	193.37	47.60	222.94	56.82	246.00	59.50	250.30	60.09	255.96	60.69	263.80	61.28
	29	163.80	40.06	193.37	49.30	222.94	58.85	243.63	61.63	247.90	62.24	253.50	62.86	261.26	63.47
	31	163.80	42.13	193.37	51.86	222.94	61.90	241.27	64.82	245.49	65.47	251.04	66.12	258.72	66.76
	33	163.80	43.84	193.37	53.96	222.94	64.41	238.90	67.45	243.08	68.12	248.58	68.80	256.19	69.47
	35	163.80	46.15	193.37	56.80	222.94	67.80	236.54	71.00	240.68	71.71	246.12	72.42	253.65	73.13
	37	163.80	48.62	193.37	59.84	222.94	71.44	231.81	74.09	235.86	74.47	238.73	74.85	243.50	75.22
	39	163.80	51.18	193.37	62.99	216.25	75.19	230.15	76.68	233.46	77.08	236.27	78.07	238.43	78.61
	41	163.80	53.76	193.37	66.17	214.02	78.99	229.44	79.80	231.05	80.31	233.81	81.11	235.89	81.76
	43	163.80	56.30	193.37	69.29	211.79	82.72	227.07	83.78	228.64	84.61	231.35	85.31	234.63	85.70
	46	163.80	59.32	193.37	73.01	211.79	87.15	222.53	87.43	224.07	87.88	224.41	88.17	225.24	88.16
	48	163.80	62.44	193.37	76.85	205.43	91.73	220.94	90.48	221.78	90.96	222.09	91.96	220.55	92.13
	50	163.80	65.59	193.37	80.73	203.32	96.37	220.26	94.16	219.50	94.77	219.78	95.54	218.20	95.82

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2230W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	154.43	23.12	182.30	29.21	210.18	36.71	223.00	40.56	242.79	40.97	259.88	41.38	270.22	41.78
	12	154.43	23.77	182.30	30.03	210.18	37.75	223.00	41.71	242.79	42.12	259.88	42.54	267.83	42.96
	14	154.43	24.46	182.30	30.90	210.18	38.84	223.00	42.92	242.79	43.35	257.55	43.78	265.44	44.21
	16	154.43	25.31	182.30	31.97	210.18	40.18	223.00	44.40	242.79	44.84	255.23	45.29	263.05	45.73
	18	154.43	25.92	182.30	32.74	210.18	41.15	223.00	45.47	242.79	45.93	252.91	46.38	260.66	46.84
	19	154.43	27.30	182.30	34.49	210.18	43.35	223.00	47.90	242.79	48.38	250.59	48.85	258.26	49.33
	21	154.43	28.22	182.30	35.65	210.18	44.81	223.00	49.51	242.79	50.01	248.27	50.50	255.87	51.00
	23	154.43	29.56	182.30	37.34	210.18	46.94	223.00	51.87	242.79	52.38	245.95	52.90	253.48	53.42
	25	154.43	30.56	182.30	38.60	210.18	48.52	223.00	53.61	240.52	54.15	243.63	54.69	251.09	55.22
	27	154.43	32.13	182.30	40.59	210.18	51.02	223.00	56.37	238.25	56.94	241.31	57.50	248.70	58.06
	29	154.43	33.28	182.30	42.04	210.18	52.84	223.00	58.39	235.98	58.97	238.99	59.56	246.31	60.14
	31	154.43	35.01	182.30	44.22	210.18	55.58	223.00	61.42	233.71	62.03	236.67	62.65	243.92	63.26
	33	154.43	36.43	182.30	46.01	210.18	57.84	223.00	63.91	229.17	64.55	234.35	65.18	241.53	65.82
	35	154.43	38.34	182.30	48.43	210.18	60.88	223.00	67.27	226.90	67.94	232.03	68.62	239.13	69.29
	37	154.43	40.40	182.30	51.03	210.18	64.14	218.54	70.20	222.36	70.57	225.07	70.92	225.87	71.27
	39	154.43	42.52	182.30	53.71	210.18	67.52	216.98	72.65	220.10	73.04	222.75	73.97	224.79	74.48
	41	154.43	44.67	182.30	56.43	210.18	70.92	216.31	75.61	217.83	76.10	220.43	76.85	222.39	77.46
	43	154.43	46.78	182.30	59.09	210.18	74.27	214.08	79.38	215.56	80.17	218.11	80.83	221.20	81.21
	46	154.43	49.29	182.30	62.26	210.18	78.25	209.80	82.84	211.25	83.27	211.57	83.54	212.35	83.53
	48	154.43	51.88	182.30	65.53	210.18	82.37	208.30	85.73	209.09	86.19	209.39	87.13	207.93	87.30
	50	154.43	54.50	182.30	68.84	210.18	86.53	207.66	89.22	206.94	89.79	207.20	90.53	205.72	90.79
90%	10	138.98	20.43	164.07	25.20	189.16	30.92	200.70	34.05	214.25	37.12	240.63	39.50	245.57	40.52
	12	138.98	21.01	164.07	25.91	189.16	31.79	200.70	35.01	214.25	38.16	240.63	40.62	245.57	41.67
	14	138.98	21.62	164.07	26.66	189.16	32.72	200.70	36.03	214.25	39.27	240.63	41.79	245.57	42.88
	16	138.98	22.36	164.07	27.58	189.16	33.84	200.70	37.27	214.25	40.63	240.63	43.24	245.57	44.35
	18	138.98	22.91	164.07	28.25	189.16	34.66	200.70	38.18	214.25	41.61	240.63	44.28	243.27	45.43
	19	138.98	24.13	164.07	29.75	189.16	36.51	200.70	40.21	214.25	43.83	240.63	46.64	240.98	47.85
	21	138.98	24.94	164.07	30.76	189.16	37.74	200.70	41.56	214.25	45.31	240.63	48.21	238.68	49.46
	23	138.98	26.12	164.07	32.22	189.16	39.54	200.70	43.54	214.25	47.46	240.63	50.51	236.39	51.81
	25	138.98	27.01	164.07	33.31	189.16	40.87	200.70	45.01	214.25	49.06	238.38	52.21	234.09	53.56
	27	138.98	28.39	164.07	35.02	189.16	42.97	200.70	47.32	214.25	51.58	236.13	54.90	234.09	56.32
	29	138.98	29.41	164.07	36.27	189.16	44.51	200.70	49.02	214.25	53.43	233.88	56.86	234.09	58.33
	31	138.98	30.94	164.07	38.15	189.16	46.82	200.70	51.56	214.25	56.20	231.63	59.81	231.80	61.36
	33	138.98	32.19	164.07	39.70	189.16	48.71	200.70	53.65	214.25	58.48	227.13	62.23	231.80	63.84
	35	138.98	33.88	164.07	41.79	189.16	51.28	200.70	56.47	214.25	61.56	224.88	65.51	229.50	67.20
	37	138.98	35.70	164.07	44.03	189.16	54.03	200.70	59.50	214.25	64.86	220.39	69.02	224.91	70.81
	39	138.98	37.58	164.07	46.35	189.16	56.87	200.70	62.63	214.25	68.27	218.14	72.65	222.62	74.53
	41	138.98	39.47	164.07	48.69	189.16	59.74	200.70	65.79	214.25	71.71	215.89	76.32	220.32	78.29
	43	138.98	41.34	164.07	50.98	189.16	62.56	200.70	68.90	214.25	75.10	215.89	79.92	220.32	81.99
	46	138.98	43.55	164.07	53.72	189.16	65.91	200.70	72.59	214.25	79.12	211.57	84.20	215.91	86.38
	48	138.98	45.84	164.07	56.54	189.16	69.38	200.70	76.41	214.25	83.28	209.41	88.63	213.71	90.92
	50	138.98	48.16	164.07	59.40	189.16	72.88	200.70	80.27	214.25	87.49	207.25	93.11	211.51	95.52
80%	10	123.54	18.15	145.84	20.39	168.14	25.55	178.40	27.93	190.44	30.72	203.47	35.97	220.06	38.40
	12	123.54	18.66	145.84	20.96	168.14	26.27	178.40	28.71	190.44	31.58	203.47	36.98	220.06	39.48
	14	123.54	19.21	145.84	21.57	168.14	27.04	178.40	29.55	190.44	32.50	203.47	38.06	220.06	40.63
	16	123.54	19.87	145.84	22.31	168.14	27.97	178.40	30.57	190.44	33.62	203.47	39.37	220.06	42.03
	18	123.54	20.35	145.84	22.85	168.14	28.65	178.40	31.31	190.44	34.44	203.47	40.32	220.06	43.05
	19	123.54	21.43	145.84	24.07	168.14	30.17	178.40	32.97	190.44	36.27	203.47	42.47	220.06	45.34
	21	123.54	22.16	145.84	24.88	168.14	31.19	178.40	34.09	190.44	37.49	203.47	43.90	220.06	46.87
	23	123.54	23.21	145.84	26.07	168.14	32.67	178.40	35.71	190.44	39.28	203.47	45.99	220.06	49.10
	25	123.54	23.99	145.84	26.94	168.14	33.77	178.40	36.91	190.44	40.60	203.47	47.54	220.06	50.75
	27	123.54	25.23	145.84	28.33	168.14	35.51	178.40	38.81	190.44	42.69	203.47	49.99	220.06	53.36
	29	123.54	26.13	145.84	29.35	168.14	36.78	178.40	40.20	190.44	44.22	203.47	51.78	220.06	55.27
	31	123.54	27.48	145.84	30.87	168.14	38.69	178.40	42.28	190.44	46.51	203.47	54.46	220.06	58.14
	33	123.54	28.60	145.84	32.12	168.14	40.26	178.40	44.00	190.44	48.40	203.47	56.67	220.06	60.50
	35	123.54	30.10	145.84	33.81	168.14	42.38	178.40	46.31	190.44	50.94	203.47	59.65	220.06	63.68
	37	123.54	31.72	145.84	35.62	168.14	44.65	178.40	48.79	190.44	53.67	199.40	62.85	215.66	67.09
	39	123.54	33.38	145.84	37.49	168.14	46.99	178.40	51.36	190.44	56.50	197.36	66.15	213.45	70.62
	41	123.54	35.07	145.84	39.39	168.14	49.37	178.40	53.95	190.44	59.35	195.33	69.49	211.25	74.19
	43	123.54	36.73	145.84	41.25	168.14	51.70	178.40	56.50	190.44	62.15	195.33	72.77	211.25	77.69
	46	123.54	38.69	145.84	43.46	168.14	54.47	178.40	59.53	190.44	65.48	191.42	76.67	207.03	81.85
	48	123.54	40.73	145.84	45.74	168.14	57.33	178.40	62.66	190.44	68.93	189.47	80.71	204.92	86.16
	50	123.54	42.79	145.84	48.05	168.14	60.23	178.40	65.82	190.44	72.41	-	84.78	202.80	90.51

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2230W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	108.10	16.29	127.61	19.40	147.12	23.66	156.10	25.86	166.64	27.93	178.03	31.55	192.55	34.14	
	12	108.10	16.45	127.61	19.59	147.12	23.90	156.10	26.12	166.64	28.21	178.03	31.86	192.55	34.48	
	14	108.10	16.41	127.61	19.53	147.12	23.83	156.10	26.04	166.64	28.13	178.03	31.77	192.55	34.38	
	16	108.10	16.92	127.61	20.14	147.12	24.57	156.10	26.85	166.64	29.00	178.03	32.76	192.55	35.45	
	18	108.10	17.06	127.61	20.31	147.12	24.77	156.10	27.07	166.64	29.24	178.03	33.03	192.55	35.74	
	19	108.10	17.66	127.61	21.02	147.12	25.65	156.10	28.03	166.64	30.27	178.03	34.20	192.55	37.00	
	21	108.10	17.98	127.61	21.41	147.12	26.12	156.10	28.55	166.64	30.83	178.03	34.83	192.55	37.68	
	23	108.10	18.56	127.61	22.10	147.12	26.96	156.10	29.47	166.64	31.82	178.03	35.95	192.55	38.90	
	25	108.10	18.93	127.61	22.54	147.12	27.50	156.10	30.05	166.64	32.46	178.03	36.67	192.55	39.67	
	27	108.10	19.65	127.61	23.40	147.12	28.54	156.10	31.20	166.64	33.69	178.03	38.06	192.55	41.18	
	29	108.10	20.35	127.61	24.22	147.12	29.55	156.10	32.30	166.64	34.88	178.03	39.40	192.55	42.63	
	31	108.10	21.39	127.61	25.47	147.12	31.07	156.10	33.95	166.64	36.67	178.03	41.42	192.55	44.82	
	33	108.10	22.25	127.61	26.49	147.12	32.31	156.10	35.32	166.64	38.14	178.03	43.08	192.55	46.62	
	35	108.10	23.18	127.61	27.59	147.12	33.66	156.10	36.79	166.64	39.73	178.03	44.88	192.55	48.56	
	37	108.10	24.42	127.61	29.07	147.12	35.46	156.10	38.76	166.64	41.86	174.47	47.29	188.70	51.16	
	39	108.10	25.70	127.61	30.60	147.12	37.33	156.10	40.80	166.64	44.06	172.69	49.77	186.77	53.85	
	41	108.10	27.00	127.61	32.14	147.12	39.21	156.10	42.86	166.64	46.28	170.91	52.28	184.85	56.57	
	43	108.10	28.27	127.61	33.66	147.12	41.06	156.10	44.88	166.64	48.47	170.91	54.75	184.85	59.24	
	46	108.10	29.79	127.61	35.46	147.12	43.27	156.10	47.29	166.64	51.07	167.49	57.69	181.15	62.42	
	48	108.10	31.36	127.61	37.33	147.12	45.54	156.10	49.77	166.64	53.75	165.78	60.72	179.30	65.70	
	50	108.10	32.94	127.61	39.21	147.12	47.84	156.10	52.28	166.64	56.47	164.07	63.79	177.45	69.02	
60%	10	92.66	13.14	109.38	15.10	126.11	18.00	133.80	19.61	142.83	21.96	152.60	25.30	165.04	27.46	
	12	92.66	13.27	109.38	15.25	126.11	18.18	133.80	19.81	142.83	22.18	152.60	25.55	165.04	27.73	
	14	92.66	13.23	109.38	15.21	126.11	18.13	133.80	19.75	142.83	22.12	152.60	25.48	165.04	27.65	
	16	92.66	13.64	109.38	15.68	126.11	18.69	133.80	20.36	142.83	22.81	152.60	26.27	165.04	28.51	
	18	92.66	13.76	109.38	15.81	126.11	18.85	133.80	20.53	142.83	23.00	152.60	26.49	165.04	28.74	
	19	92.66	14.24	109.38	16.37	126.11	19.51	133.80	21.26	142.83	23.81	152.60	27.42	165.04	29.76	
	21	92.66	14.50	109.38	16.67	126.11	19.87	133.80	21.65	142.83	24.25	152.60	27.93	165.04	30.31	
	23	92.66	14.97	109.38	17.21	126.11	20.51	133.80	22.35	142.83	25.03	152.60	28.83	165.04	31.28	
	25	92.66	15.27	109.38	17.55	126.11	20.92	133.80	22.79	142.83	25.53	152.60	29.40	165.04	31.91	
	27	92.66	15.85	109.38	18.22	126.11	21.72	133.80	23.66	142.83	26.50	152.60	30.52	165.04	33.12	
	29	92.66	16.41	109.38	18.86	126.11	22.48	133.80	24.49	142.83	27.43	152.60	31.60	165.04	34.29	
	31	92.66	17.25	109.38	19.83	126.11	23.64	133.80	25.75	142.83	28.84	152.60	33.22	165.04	36.05	
	33	92.66	17.94	109.38	20.62	126.11	24.58	133.80	26.78	142.83	29.99	152.60	34.55	165.04	37.49	
	35	92.66	18.69	109.38	21.48	126.11	25.61	133.80	27.90	142.83	31.24	152.60	35.99	165.04	39.06	
	37	92.66	19.69	109.38	22.63	126.11	26.98	133.80	29.39	142.83	32.92	149.55	37.92	161.74	41.15	
	39	92.66	20.73	109.38	23.82	126.11	28.40	133.80	30.94	142.83	34.65	148.02	39.91	160.09	43.31	
	41	92.66	21.77	109.38	25.02	126.11	29.83	133.80	32.50	142.83	36.40	146.49	41.92	158.44	45.50	
	43	92.66	22.80	109.38	26.21	126.11	31.24	133.80	34.03	142.83	38.12	146.49	43.90	158.44	47.65	
	46	92.66	24.03	109.38	27.61	126.11	32.92	133.80	35.86	142.83	40.16	143.57	46.26	155.27	50.20	
	48	92.66	25.29	109.38	29.06	126.11	34.65	133.80	37.74	142.83	42.27	142.10	48.69	153.69	52.84	
	50	92.66	26.57	109.38	30.53	126.11	36.40	133.80	39.65	142.83	44.41	140.64	51.15	152.10	55.51	
50%	10	77.21	10.36	91.15	11.46	105.09	12.73	111.50	13.81	119.03	16.02	127.17	18.09	137.54	20.30	
	12	77.21	10.46	91.15	11.58	105.09	12.86	111.50	13.95	119.03	16.18	127.17	18.27	137.54	20.50	
	14	77.21	10.43	91.15	11.54	105.09	12.82	111.50	13.91	119.03	16.13	127.17	18.22	137.54	20.44	
	16	77.21	10.75	91.15	11.90	105.09	13.22	111.50	14.34	119.03	16.63	127.17	18.78	137.54	21.08	
	18	77.21	10.84	91.15	12.00	105.09	13.33	111.50	14.46	119.03	16.77	127.17	18.94	137.54	21.25	
	19	77.21	11.23	91.15	12.42	105.09	13.80	111.50	14.97	119.03	17.36	127.17	19.61	137.54	22.00	
	21	77.21	11.43	91.15	12.65	105.09	14.05	111.50	15.24	119.03	17.68	127.17	19.97	137.54	22.41	
	23	77.21	11.80	91.15	13.06	105.09	14.51	111.50	15.73	119.03	18.25	127.17	20.61	137.54	23.13	
	25	77.21	12.04	91.15	13.32	105.09	14.80	111.50	16.05	119.03	18.62	127.17	21.02	137.54	23.59	
	27	77.21	12.49	91.15	13.83	105.09	15.36	111.50	16.66	119.03	19.32	127.17	21.82	137.54	24.49	
	29	77.21	12.93	91.15	14.31	105.09	15.90	111.50	17.25	119.03	20.01	127.17	22.59	137.54	25.35	
	31	77.21	13.60	91.15	15.05	105.09	16.72	111.50	18.13	119.03	21.03	127.17	23.75	137.54	26.65	
	33	77.21	14.14	91.15	15.65	105.09	17.39	111.50	18.86	119.03	21.87	127.17	24.70	137.54	27.72	
	35	77.21	14.73	91.15	16.30	105.09	18.11	111.50	19.64	119.03	22.79	127.17	25.73	137.54	28.87	
	37	77.21	15.52	91.15	17.18	105.09	19.08	111.50	20.70	119.03	24.01	124.62	27.11	134.78	30.42	
	39	77.21	16.34	91.15	18.08	105.09	20.08	111.50	21.78	119.03	25.27	123.35	28.54	133.41	32.02	
	41	77.21	17.16	91.15	18.99	105.09	21.10	111.50	22.88	119.03	26.55	122.08	29.98	132.03	33.64	
	43	77.21	17.97	91.15	19.89	105.09	22.10	111.50	23.96	119.03	27.80	122.08	31.39	132.03	35.23	
	46	77.21	18.94	91.15	20.96	105.09	23.28	111.50	25.25	119.03	29.29	119.64	33.08	129.39	37.12	
	48	77.21	19.93	91.15	22.06	105.09	24.50	111.50	26.58	119.03	30.83	118.42	34.82	128.07	39.07	
	50	77.21	20.94	91.15	23.17	105.09	25.74	111.50	27.92	119.03	32.39	117.20	36.57	126.75	41.04	

82HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-V2295W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	191.86	31.56	225.44	40.38	267.99	44.32	286.85	41.56	291.87	46.88	295.85	47.34	304.91	47.81
	12	191.86	32.45	225.44	41.52	267.99	45.57	284.33	42.33	289.31	48.20	293.23	48.68	302.21	49.15
	14	191.86	33.39	225.44	42.72	267.99	46.90	281.82	43.10	286.75	49.60	288.00	50.09	299.51	50.58
	16	191.86	34.54	225.44	44.20	265.61	48.51	276.79	43.87	281.63	51.31	285.38	51.82	296.81	52.32
	18	191.86	35.38	225.44	45.27	260.87	49.69	274.27	44.64	279.07	52.55	282.76	53.07	294.11	53.59
	19	191.86	37.27	225.44	47.68	258.50	52.34	271.75	45.41	276.51	55.35	280.14	55.90	291.42	56.45
	21	191.86	38.52	225.44	49.29	256.13	54.10	269.24	48.68	273.95	57.22	277.52	57.78	288.72	58.35
	23	191.86	40.35	225.44	51.63	253.76	56.67	266.72	52.15	271.39	59.94	274.91	60.53	286.02	61.12
	25	191.86	41.71	225.44	53.37	251.38	58.58	264.20	55.80	268.83	61.96	272.29	62.57	283.32	63.19
	27	191.86	43.86	225.44	56.12	249.01	61.60	261.69	59.65	266.27	65.15	269.67	65.79	280.62	66.44
	29	191.86	45.43	223.67	58.13	246.64	63.80	259.17	63.69	263.71	67.48	267.05	68.15	277.92	68.81
	31	191.86	47.79	223.01	61.14	244.27	67.11	256.66	67.93	261.15	70.98	264.43	71.68	275.23	72.38
	33	191.86	49.72	223.01	63.62	241.90	69.83	254.14	72.35	258.59	73.85	261.81	74.58	272.53	75.32
	35	191.86	52.34	220.80	66.96	237.16	73.51	251.62	76.97	256.03	77.74	261.81	78.51	269.83	79.28
	37	191.86	55.15	220.80	70.55	237.16	77.45	246.59	80.33	250.91	80.74	253.96	81.15	259.04	81.55
	39	191.86	58.04	220.80	74.26	234.78	81.52	244.83	83.13	248.35	83.57	251.34	84.63	253.64	85.23
	41	191.86	60.98	218.59	78.01	232.41	85.64	244.08	86.51	245.79	87.07	248.72	87.93	250.94	88.63
	43	189.94	63.85	216.38	81.70	230.04	89.68	241.56	90.83	243.23	91.73	246.11	92.48	249.59	92.92
	46	189.94	67.28	216.38	86.08	230.04	94.49	236.73	94.79	238.36	95.27	238.72	95.59	239.61	95.57
	48	189.94	70.81	214.22	90.60	227.74	99.45	235.04	98.09	235.93	98.61	236.26	99.70	234.62	99.88
	50	189.94	74.39	212.06	95.18	225.44	104.48	234.31	102.09	233.50	102.74	233.80	103.58	232.12	103.88
120%	10	181.31	29.88	209.78	36.77	254.29	43.90	277.23	41.16	287.12	46.43	291.03	46.89	299.94	47.35
	12	181.31	30.72	209.78	37.81	254.29	45.14	277.23	41.93	284.60	47.74	288.46	48.21	297.29	48.68
	14	181.31	31.61	209.78	38.91	254.29	46.45	277.23	42.69	282.08	49.12	285.88	49.61	294.63	50.09
	16	181.31	32.70	209.78	40.25	254.29	48.05	277.23	43.45	279.56	50.82	283.31	51.32	291.98	51.82
	18	181.31	33.50	209.78	41.23	254.29	49.21	277.23	44.21	277.04	52.05	280.73	52.56	289.33	53.08
	19	181.31	35.28	209.78	43.42	254.29	51.83	274.76	44.98	274.53	54.82	278.16	55.36	286.67	55.90
	21	181.31	36.47	209.78	44.88	254.29	53.58	272.28	48.22	269.49	56.67	275.58	57.23	284.02	57.79
	23	181.31	38.20	209.78	47.02	249.63	56.13	269.80	51.65	266.97	59.36	273.01	59.95	281.36	60.54
	25	181.31	39.49	209.78	48.60	247.29	58.02	267.33	55.27	264.45	61.36	270.43	61.97	278.71	62.58
	27	181.31	41.52	209.78	51.11	244.96	61.01	264.85	59.08	261.93	64.52	267.85	65.16	276.05	65.80
	29	181.31	43.01	209.78	52.93	242.63	63.19	259.90	63.08	259.41	66.83	265.28	67.49	273.40	68.15
	31	181.31	45.24	209.78	55.68	237.96	66.47	252.48	67.27	256.90	70.29	262.70	70.99	270.74	71.69
	33	181.31	47.07	209.78	57.94	235.63	69.16	250.00	71.66	254.38	73.14	260.13	73.87	268.09	74.59
	35	181.31	49.55	209.78	60.98	233.29	72.80	247.53	76.23	251.86	76.99	257.55	77.76	265.44	78.52
	37	181.31	52.21	209.78	64.25	230.96	76.70	242.58	79.55	246.82	79.96	249.83	80.37	254.82	80.76
	39	181.31	54.95	209.78	67.63	228.63	80.74	240.84	82.33	244.30	82.77	247.25	83.82	249.51	84.41
	41	181.31	57.73	199.29	71.05	226.30	84.81	240.10	85.68	241.78	86.23	244.67	87.09	246.86	87.78
	43	181.31	60.45	197.19	74.40	223.96	88.82	237.63	89.95	239.27	90.85	242.10	91.60	245.53	92.02
	46	181.31	63.69	197.19	78.39	221.72	93.58	232.87	93.87	234.48	94.36	234.84	94.67	235.71	94.65
	48	181.31	67.04	197.19	82.51	219.48	98.50	231.21	97.15	232.09	97.67	232.41	98.74	230.80	98.92
	50	181.31	70.43	187.33	86.68	217.24	103.47	230.50	101.11	229.70	101.75	229.99	102.59	228.34	102.88
110%	10	168.58	29.15	199.00	35.87	229.43	42.82	260.47	44.84	279.89	45.29	286.22	45.74	294.98	46.19
	12	168.58	29.97	199.00	36.88	229.43	44.03	260.47	46.11	277.41	46.57	283.68	47.03	292.37	47.49
	14	168.58	30.84	199.00	37.96	229.43	45.31	260.47	47.44	274.94	47.92	281.15	48.39	289.76	48.87
	16	168.58	31.90	199.00	39.26	229.43	46.87	260.47	49.08	272.46	49.57	278.62	50.06	287.15	50.55
	18	168.58	32.68	199.00	40.22	229.43	48.01	260.47	50.27	269.98	50.77	276.09	51.28	284.54	51.78
	19	168.58	34.42	199.00	42.36	229.43	50.56	260.47	52.95	267.51	53.48	273.55	54.01	281.93	54.54
	21	168.58	35.58	199.00	43.79	229.43	52.27	260.47	54.73	265.03	55.28	271.02	55.83	279.32	56.37
	23	168.58	37.27	199.00	45.87	229.43	54.75	258.04	57.33	262.55	57.91	268.49	58.48	276.71	59.05
	25	168.58	38.52	199.00	47.41	229.43	56.60	255.60	59.27	260.08	59.86	265.95	60.45	274.10	61.05
	27	168.58	40.51	199.00	49.85	229.43	59.51	253.17	62.32	257.60	62.94	263.42	63.56	271.48	64.19
	29	168.58	41.96	199.00	51.64	229.43	61.64	250.73	64.55	255.12	65.19	260.89	65.84	268.87	66.48
	31	168.58	44.13	199.00	54.32	229.43	64.84	248.30	67.89	252.64	68.57	258.36	69.25	266.26	69.93
	33	168.58	45.92	199.00	56.52	229.43	67.47	245.86	70.65	250.17	71.35	255.82	72.06	263.65	72.76
	35	168.58	48.34	199.00	59.49	229.43	71.02	243.43	74.36	247.69	75.11	253.29	75.85	261.04	76.59
	37	168.58	50.93	199.00	62.68	229.43	74.82	238.56	77.61	242.74	78.01	245.69	78.40	250.60	78.78
	39	168.58	53.60	199.00	65.98	222.55	78.76	236.86	80.31	240.26	80.74	243.16	81.77	245.38	82.34
	41	168.58	56.31	199.00	69.31	220.26	82.73	236.13	83.58	237.78	84.12	240.63	84.95	242.77	85.63
	43	168.58	58.97	199.00	72.58	217.96	86.64	233.69	87.75	235.31	88.63	238.09	89.35	241.46	89.77
	46	168.58	62.13	199.00	76.47	217.96	91.28	229.02	91.57	230.60	92.05	230.95	92.35	231.81	92.34
	48	168.58	65.40	199.00	80.49	211.42	96.08	227.38	94.77	228.25	95.27	228.57	96.32	226.98	96.50
	50	168.58	68.70	199.00	84.55	209.24	100.94	226.68	98.63	225.89	99.26	226.19	100.07	224.56	100.36

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2295W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	158.93	24.22	187.62	30.59	216.30	38.45	229.50	42.49	249.86	42.91	267.45	43.34	278.10	43.76
	12	158.93	24.90	187.62	31.45	216.30	39.54	229.50	43.69	249.86	44.12	267.45	44.56	275.64	45.00
	14	158.93	25.62	187.62	32.37	216.30	40.68	229.50	44.95	249.86	45.40	265.06	45.85	273.18	46.30
	16	158.93	26.51	187.62	33.48	216.30	42.09	229.50	46.50	249.86	46.97	262.67	47.43	270.71	47.90
	18	158.93	27.15	187.62	34.29	216.30	43.11	229.50	47.63	249.86	48.11	260.29	48.58	268.25	49.06
	19	158.93	28.60	187.62	36.12	216.30	45.40	229.50	50.17	249.86	50.67	257.90	51.17	265.79	51.67
	21	158.93	29.56	187.62	37.34	216.30	46.93	229.50	51.86	249.86	52.38	255.51	52.90	263.33	53.41
	23	158.93	30.97	187.62	39.11	216.30	49.16	229.50	54.32	249.86	54.87	253.12	55.41	260.87	55.95
	25	158.93	32.01	187.62	40.43	216.30	50.82	229.50	56.16	247.53	56.72	250.73	57.28	258.41	57.84
	27	158.93	33.66	187.62	42.51	216.30	53.44	229.50	59.05	245.19	59.64	248.35	60.23	255.95	60.82
	29	158.93	34.86	187.62	44.03	216.30	55.35	229.50	61.16	242.86	61.77	245.96	62.38	253.49	62.99
	31	158.93	36.67	187.62	46.32	216.30	58.22	229.50	64.33	240.52	64.97	243.57	65.62	251.03	66.26
	33	158.93	38.15	187.62	48.19	216.30	60.58	229.50	66.94	235.85	67.61	241.18	68.28	248.57	68.95
	35	158.93	40.16	187.62	50.73	216.30	63.77	229.50	70.46	233.52	71.16	238.79	71.87	246.10	72.57
	37	158.93	42.31	187.62	53.45	216.30	67.18	224.91	73.53	228.85	73.91	231.63	74.28	236.32	74.65
	39	158.93	44.54	187.62	56.26	216.30	70.72	223.30	76.10	226.51	76.50	229.24	77.47	231.34	78.02
	41	158.93	46.79	187.62	59.10	216.30	74.29	222.62	79.20	224.18	79.70	226.86	80.49	228.88	81.14
	43	158.93	49.00	187.62	61.89	216.30	77.79	220.32	83.14	221.84	83.97	224.47	84.66	227.65	85.06
	46	158.93	51.62	187.62	65.21	216.30	81.96	215.91	86.77	217.40	87.22	217.73	87.51	218.54	87.49
	48	158.93	54.34	187.62	68.64	216.30	86.27	214.37	89.79	215.19	90.27	215.49	91.27	213.99	91.44
	50	158.93	57.08	187.62	72.10	216.30	90.63	213.71	93.45	212.97	94.05	213.24	94.82	211.71	95.09
90%	10	143.04	21.40	168.85	26.39	194.67	32.39	206.55	35.67	220.49	38.88	247.64	41.38	252.72	42.45
	12	143.04	22.00	168.85	27.14	194.67	33.30	206.55	36.67	220.49	39.97	247.64	42.54	252.72	43.64
	14	143.04	22.64	168.85	27.93	194.67	34.27	206.55	37.74	220.49	41.13	247.64	43.78	252.72	44.91
	16	143.04	23.42	168.85	28.89	194.67	35.45	206.55	39.04	220.49	42.55	247.64	45.29	252.72	46.46
	18	143.04	23.99	168.85	29.59	194.67	36.31	206.55	39.99	220.49	43.58	247.64	46.38	250.36	47.58
	19	143.04	25.27	168.85	31.17	194.67	38.24	206.55	42.12	220.49	45.91	247.64	48.85	248.00	50.12
	21	143.04	26.12	168.85	32.22	194.67	39.53	206.55	43.54	220.49	47.45	247.64	50.50	245.64	51.81
	23	143.04	27.36	168.85	33.75	194.67	41.41	206.55	45.61	220.49	49.71	247.64	52.90	243.28	54.27
	25	143.04	28.29	168.85	34.89	194.67	42.81	206.55	47.14	220.49	51.39	245.33	54.69	240.91	56.10
	27	143.04	29.74	168.85	36.68	194.67	45.01	206.55	49.57	220.49	54.03	243.01	57.50	240.91	58.99
	29	143.04	30.81	168.85	37.99	194.67	46.62	206.55	51.34	220.49	55.96	240.70	59.56	240.91	61.10
	31	143.04	32.40	168.85	39.96	194.67	49.04	206.55	54.01	220.49	58.87	238.38	62.65	238.55	64.27
	33	143.04	33.72	168.85	41.58	194.67	51.02	206.55	56.19	220.49	61.25	233.75	65.18	238.55	66.87
	35	143.04	35.49	168.85	43.77	194.67	53.71	206.55	59.15	220.49	64.47	231.44	68.62	236.19	70.39
	37	143.04	37.39	168.85	46.12	194.67	56.59	206.55	62.32	220.49	67.93	226.81	72.29	231.47	74.16
	39	143.04	39.36	168.85	48.54	194.67	59.56	206.55	65.60	220.49	71.50	224.50	76.09	229.10	78.06
	41	143.04	41.35	168.85	50.99	194.67	62.57	206.55	68.91	220.49	75.11	222.18	79.94	226.74	82.00
	43	143.04	43.30	168.85	53.40	194.67	65.53	206.55	72.16	220.49	78.66	222.18	83.71	226.74	85.88
	46	143.04	45.62	168.85	56.26	194.67	69.04	206.55	76.03	220.49	82.88	217.74	88.20	222.21	90.48
	48	143.04	48.02	168.85	59.22	194.67	72.67	206.55	80.03	220.49	87.23	215.52	92.84	219.94	95.24
	50	143.04	50.44	168.85	62.21	194.67	76.34	206.55	84.07	220.49	91.64	213.29	97.52	217.67	100.05
80%	10	127.14	19.01	150.09	21.35	173.04	26.76	183.60	29.25	195.99	32.18	209.40	37.67	226.47	40.22
	12	127.14	19.55	150.09	21.95	173.04	27.52	183.60	30.08	195.99	33.08	209.40	38.74	226.47	41.35
	14	127.14	20.12	150.09	22.59	173.04	28.32	183.60	30.95	195.99	34.04	209.40	39.86	226.47	42.55
	16	127.14	20.81	150.09	23.37	173.04	29.29	183.60	32.02	195.99	35.22	209.40	41.24	226.47	44.02
	18	127.14	21.31	150.09	23.94	173.04	30.00	183.60	32.79	195.99	36.07	209.40	42.24	226.47	45.09
	19	127.14	22.45	150.09	25.21	173.04	31.60	183.60	34.54	195.99	37.99	209.40	44.48	226.47	47.49
	21	127.14	23.21	150.09	26.06	173.04	32.67	183.60	35.70	195.99	39.27	209.40	45.98	226.47	49.09
	23	127.14	24.31	150.09	27.30	173.04	34.22	183.60	37.40	195.99	41.14	209.40	48.17	226.47	51.42
	25	127.14	25.13	150.09	28.22	173.04	35.37	183.60	38.66	195.99	42.53	209.40	49.80	226.47	53.16
	27	127.14	26.42	150.09	29.67	173.04	37.19	183.60	40.65	195.99	44.71	209.40	52.36	226.47	55.89
	29	127.14	27.37	150.09	30.74	173.04	38.53	183.60	42.11	195.99	46.32	209.40	54.23	226.47	57.89
	31	127.14	28.79	150.09	32.33	173.04	40.52	183.60	44.29	195.99	48.72	209.40	57.04	226.47	60.90
	33	127.14	29.95	150.09	33.64	173.04	42.17	183.60	46.08	195.99	50.69	209.40	59.35	226.47	63.36
	35	127.14	31.53	150.09	35.41	173.04	44.38	183.60	48.51	195.99	53.36	209.40	62.48	226.47	66.70
	37	127.14	33.22	150.09	37.31	173.04	46.76	183.60	51.11	195.99	56.22	205.21	65.83	221.94	70.27
	39	127.14	34.97	150.09	39.27	173.04	49.22	183.60	53.80	195.99	59.18	203.11	69.29	219.68	73.97
	41	127.14	36.73	150.09	41.25	173.04	51.71	183.60	56.51	195.99	62.16	201.02	72.79	217.41	77.70
	43	127.14	38.47	150.09	43.20	173.04	54.15	183.60	59.18	195.99	65.10	201.02	76.22	217.41	81.37
	46	127.14	40.53	150.09	45.52	173.04	57.05	183.60	62.35	195.99	68.59	197.00	80.31	213.06	85.73
	48	127.14	42.66	150.09	47.91	173.04	60.05	183.60	65.63	195.99	72.19	194.99	84.53	210.89	90.24
	50	127.14	44.81	150.09	50.33	173.04	63.08	183.60	68.94	195.99	75.84	-	88.80	208.72	94.80

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2295W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	111.25	17.07	131.33	20.32	151.41	24.78	160.65	27.09	171.49	29.25	183.22	33.05	198.16	35.76	
	12	111.25	17.23	131.33	20.52	151.41	25.03	160.65	27.36	171.49	29.55	183.22	33.38	198.16	36.11	
	14	111.25	17.19	131.33	20.46	151.41	24.96	160.65	27.28	171.49	29.46	183.22	33.28	198.16	36.01	
	16	111.25	17.72	131.33	21.10	151.41	25.74	160.65	28.13	171.49	30.38	183.22	34.32	198.16	37.13	
	18	111.25	17.87	131.33	21.27	151.41	25.95	160.65	28.36	171.49	30.63	183.22	34.60	198.16	37.43	
	19	111.25	18.50	131.33	22.02	151.41	26.87	160.65	29.36	171.49	31.71	183.22	35.82	198.16	38.76	
	21	111.25	18.84	131.33	22.43	151.41	27.36	160.65	29.90	171.49	32.29	183.22	36.48	198.16	39.47	
	23	111.25	19.44	131.33	23.15	151.41	28.24	160.65	30.86	171.49	33.33	183.22	37.65	198.16	40.74	
	25	111.25	19.83	131.33	23.61	151.41	28.80	160.65	31.48	171.49	34.00	183.22	38.41	198.16	41.55	
	27	111.25	20.58	131.33	24.51	151.41	29.90	160.65	32.67	171.49	35.29	183.22	39.86	198.16	43.13	
	29	111.25	21.31	131.33	25.37	151.41	30.95	160.65	33.83	171.49	36.54	183.22	41.27	198.16	44.66	
	31	111.25	22.41	131.33	26.67	151.41	32.54	160.65	35.56	171.49	38.41	183.22	43.39	198.16	46.94	
	33	111.25	23.30	131.33	27.74	151.41	33.85	160.65	36.99	171.49	39.95	183.22	45.13	198.16	48.83	
	35	111.25	24.27	131.33	28.90	151.41	35.26	160.65	38.53	171.49	41.61	183.22	47.01	198.16	50.86	
	37	111.25	25.58	131.33	30.45	151.41	37.15	160.65	40.60	171.49	43.84	179.56	49.53	194.20	53.59	
	39	111.25	26.92	131.33	32.05	151.41	39.10	160.65	42.73	171.49	46.15	177.72	52.13	192.22	56.40	
	41	111.25	28.28	131.33	33.67	151.41	41.07	160.65	44.89	171.49	48.48	175.89	54.76	190.24	59.25	
	43	111.25	29.61	131.33	35.26	151.41	43.01	160.65	47.01	171.49	50.77	175.89	57.35	190.24	62.05	
	46	111.25	31.20	131.33	37.15	151.41	45.32	160.65	49.53	171.49	53.49	172.37	60.42	186.43	65.38	
	48	111.25	32.84	131.33	39.10	151.41	47.70	160.65	52.13	171.49	56.30	170.62	63.60	184.53	68.81	
	50	111.25	34.50	131.33	41.07	151.41	50.11	160.65	54.76	171.49	59.15	168.86	66.81	182.63	72.29	
60%	10	95.36	13.76	112.57	15.82	129.78	18.86	137.70	20.54	146.99	23.01	157.05	26.50	169.85	28.76	
	12	95.36	13.90	112.57	15.97	129.78	19.04	137.70	20.75	146.99	23.24	157.05	26.76	169.85	29.04	
	14	95.36	13.86	112.57	15.93	129.78	18.99	137.70	20.69	146.99	23.17	157.05	26.69	169.85	28.96	
	16	95.36	14.29	112.57	16.42	129.78	19.58	137.70	21.33	146.99	23.89	157.05	27.52	169.85	29.86	
	18	95.36	14.41	112.57	16.56	129.78	19.74	137.70	21.51	146.99	24.09	157.05	27.74	169.85	30.11	
	19	95.36	14.92	112.57	17.14	129.78	20.44	137.70	22.27	146.99	24.94	157.05	28.72	169.85	31.17	
	21	95.36	15.19	112.57	17.46	129.78	20.82	137.70	22.67	146.99	25.40	157.05	29.25	169.85	31.74	
	23	95.36	15.68	112.57	18.02	129.78	21.49	137.70	23.41	146.99	26.21	157.05	30.19	169.85	32.77	
	25	95.36	15.99	112.57	18.38	129.78	21.91	137.70	23.87	146.99	26.74	157.05	30.80	169.85	33.42	
	27	95.36	16.60	112.57	19.08	129.78	22.75	137.70	24.78	146.99	27.75	157.05	31.96	169.85	34.69	
	29	95.36	17.19	112.57	19.75	129.78	23.55	137.70	25.65	146.99	28.73	157.05	33.09	169.85	35.92	
	31	95.36	18.07	112.57	20.77	129.78	24.76	137.70	26.97	146.99	30.21	157.05	34.79	169.85	37.76	
	33	95.36	18.79	112.57	21.60	129.78	25.75	137.70	28.05	146.99	31.42	157.05	36.19	169.85	39.27	
	35	95.36	19.58	112.57	22.50	129.78	26.82	137.70	29.22	146.99	32.73	157.05	37.69	169.85	40.91	
	37	95.36	20.63	112.57	23.71	129.78	28.26	137.70	30.79	146.99	34.48	153.91	39.71	166.46	43.10	
	39	95.36	21.71	112.57	24.95	129.78	29.75	137.70	32.40	146.99	36.29	152.34	41.80	164.76	45.37	
	41	95.36	22.81	112.57	26.21	129.78	31.25	137.70	34.04	146.99	38.13	150.76	43.91	163.06	47.66	
	43	95.36	23.88	112.57	27.45	129.78	32.72	137.70	35.65	146.99	39.93	150.76	45.99	163.06	49.91	
	46	95.36	25.16	112.57	28.92	129.78	34.48	137.70	37.56	146.99	42.07	147.75	48.45	159.80	52.58	
	48	95.36	26.49	112.57	30.44	129.78	36.29	137.70	39.53	146.99	44.28	146.24	51.00	158.17	55.35	
	50	95.36	27.83	112.57	31.98	129.78	38.12	137.70	41.53	146.99	46.51	144.73	53.57	156.54	58.14	
50%	10	79.46	10.85	93.81	12.00	108.15	13.34	114.75	14.46	122.50	16.78	130.87	18.95	141.54	21.26	
	12	79.46	10.96	93.81	12.12	108.15	13.47	114.75	14.61	122.50	16.95	130.87	19.14	141.54	21.47	
	14	79.46	10.92	93.81	12.09	108.15	13.43	114.75	14.57	122.50	16.90	130.87	19.08	141.54	21.41	
	16	79.46	11.26	93.81	12.47	108.15	13.85	114.75	15.02	122.50	17.42	130.87	19.68	141.54	22.08	
	18	79.46	11.36	93.81	12.57	108.15	13.96	114.75	15.14	122.50	17.57	130.87	19.84	141.54	22.26	
	19	79.46	11.76	93.81	13.01	108.15	14.45	114.75	15.68	122.50	18.19	130.87	20.54	141.54	23.05	
	21	79.46	11.97	93.81	13.25	108.15	14.72	114.75	15.97	122.50	18.52	130.87	20.92	141.54	23.47	
	23	79.46	12.36	93.81	13.68	108.15	15.19	114.75	16.48	122.50	19.12	130.87	21.59	141.54	24.23	
	25	79.46	12.61	93.81	13.95	108.15	15.50	114.75	16.81	122.50	19.50	130.87	22.02	141.54	24.71	
	27	79.46	13.09	93.81	14.48	108.15	16.09	114.75	17.45	122.50	20.24	130.87	22.86	141.54	25.65	
	29	79.46	13.55	93.81	14.99	108.15	16.66	114.75	18.06	122.50	20.95	130.87	23.66	141.54	26.55	
	31	79.46	14.24	93.81	15.76	108.15	17.51	114.75	18.99	122.50	22.03	130.87	24.88	141.54	27.92	
	33	79.46	14.81	93.81	16.39	108.15	18.21	114.75	19.75	122.50	22.91	130.87	25.87	141.54	29.03	
	35	79.46	15.43	93.81	17.08	108.15	18.97	114.75	20.57	122.50	23.87	130.87	26.95	141.54	30.24	
	37	79.46	16.26	93.81	17.99	108.15	19.99	114.75	21.68	122.50	25.15	128.25	28.40	138.71	31.87	
	39	79.46	17.11	93.81	18.94	108.15	21.04	114.75	22.82	122.50	26.47	126.95	29.89	137.30	33.54	
	41	79.46	17.98	93.81	19.89	108.15	22.10	114.75	23.97	122.50	27.80	125.64	31.40	135.88	35.23	
	43	79.46	18.83	93.81	20.83	108.15	23.14	114.75	25.10	122.50	29.12	125.64	32.88	135.88	36.90	
	46	79.46	19.83	93.81	21.95	108.15	24.38	114.75	26.45	122.50	30.68	123.12	34.64	133.16	38.88	
	48	79.46	20.88	93.81	23.10	108.15	25.67	114.75	27.84	122.50	32.29	121.87	36.47	131.81	40.92	
	50	79.46	21.93	93.81	24.27	108.15	26.96	114.75	29.24	122.50	33.92	120.61	38.31	130.45	42.99	

84HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-V2345W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	196.04	32.17	230.35	41.16	273.82	45.19	293.10	42.37	298.23	47.79	302.30	48.26	311.55	48.74
	12	196.04	33.08	230.35	42.33	273.82	46.46	290.53	43.16	295.61	49.14	299.62	49.62	308.79	50.11
	14	196.04	34.04	230.35	43.55	273.82	47.81	287.96	43.94	293.00	50.56	294.27	51.06	306.04	51.56
	16	196.04	35.22	230.35	45.06	271.40	49.46	282.82	44.73	287.77	52.31	291.60	52.82	303.28	53.34
	18	196.04	36.07	230.35	46.15	266.55	50.66	280.25	45.51	285.15	53.57	288.92	54.10	300.52	54.64
	19	196.04	37.99	230.35	48.61	264.13	53.35	277.67	46.30	282.53	56.43	286.24	56.99	297.76	57.54
	21	196.04	39.27	230.35	50.24	261.71	55.15	275.10	49.63	279.92	58.33	283.57	58.91	295.01	59.48
	23	196.04	41.14	230.35	52.63	259.28	57.78	272.53	53.16	277.30	61.10	280.89	61.71	292.25	62.31
	25	196.04	42.53	230.35	54.41	256.86	59.72	269.96	56.89	274.69	63.16	278.22	63.79	289.49	64.41
	27	196.04	44.71	230.35	57.21	254.44	62.80	267.39	60.81	272.07	66.41	275.54	67.07	286.74	67.73
	29	196.04	46.31	228.54	59.26	252.02	65.04	264.82	64.93	269.45	68.79	272.87	69.47	283.98	70.15
	31	196.04	48.72	227.87	62.33	249.59	68.42	262.25	69.25	266.84	72.36	270.19	73.07	281.22	73.79
	33	196.04	50.69	227.87	64.85	247.17	71.19	259.68	73.76	264.22	75.29	267.52	76.03	278.46	76.78
	35	196.04	53.36	225.61	68.27	242.32	74.94	257.11	78.47	261.61	79.25	267.52	80.04	275.71	80.82
	37	196.04	56.22	225.61	71.93	242.32	78.95	251.96	81.89	256.37	82.31	259.49	82.73	264.68	83.13
	39	196.04	59.17	225.61	75.71	239.90	83.10	250.16	84.74	253.76	85.20	256.82	86.28	259.16	86.88
	41	196.04	62.16	223.35	79.53	237.48	87.30	249.39	88.20	251.14	88.76	254.14	89.64	256.41	90.36
	43	194.08	65.10	221.10	83.28	235.05	91.42	246.82	92.59	248.52	93.52	251.47	94.28	255.03	94.72
	46	194.08	68.59	221.10	87.75	235.05	96.32	241.89	96.63	243.55	97.13	243.92	97.45	244.83	97.43
	48	194.08	72.19	218.89	92.36	232.70	101.39	240.16	100.00	241.07	100.53	241.41	101.64	239.73	101.83
	50	194.08	75.84	216.68	97.03	230.35	106.51	239.42	104.07	238.58	104.74	238.89	105.60	237.18	105.90
120%	10	185.26	30.46	214.35	37.49	259.83	44.75	283.27	41.96	293.37	47.33	297.37	47.80	306.48	48.27
	12	185.26	31.32	214.35	38.55	259.83	46.01	283.27	42.74	290.80	48.66	294.74	49.15	303.76	49.63
	14	185.26	32.23	214.35	39.66	259.83	47.35	283.27	43.52	288.23	50.08	292.11	50.57	301.05	51.07
	16	185.26	33.34	214.35	41.03	259.83	48.98	283.27	44.30	285.65	51.80	289.48	52.32	298.34	52.83
	18	185.26	34.15	214.35	42.03	259.83	50.17	283.27	45.07	283.08	53.06	286.85	53.58	295.63	54.11
	19	185.26	35.97	214.35	44.27	259.83	52.84	280.74	45.85	280.51	55.88	284.22	56.44	292.92	56.99
	21	185.26	37.18	214.35	45.76	259.83	54.62	278.21	49.15	275.36	57.77	281.58	58.34	290.20	58.91
	23	185.26	38.95	214.35	47.93	255.06	57.22	275.68	52.65	272.79	60.52	278.95	61.11	287.49	61.71
	25	185.26	40.26	214.35	49.55	252.68	59.15	273.15	56.34	270.21	62.56	276.32	63.18	284.78	63.80
	27	185.26	42.33	214.35	52.10	250.30	62.19	270.62	60.23	267.64	65.77	273.69	66.43	282.07	67.08
	29	185.26	43.85	214.35	53.96	247.91	64.42	265.57	64.31	265.07	68.13	271.06	68.80	279.36	69.48
	31	185.26	46.12	214.35	56.76	243.14	67.76	257.98	68.58	262.49	71.66	268.43	72.37	276.64	73.08
	33	185.26	47.99	214.35	59.06	240.76	70.51	255.45	73.05	259.92	74.57	265.79	75.30	273.93	76.04
	35	185.26	50.51	214.35	62.17	238.38	74.22	252.92	77.71	257.35	78.49	263.16	79.27	271.22	80.04
	37	185.26	53.22	214.35	65.50	235.99	78.19	247.86	81.10	252.20	81.52	255.27	81.93	260.37	82.33
	39	185.26	56.02	214.35	68.95	233.61	82.31	246.09	83.93	249.63	84.38	252.64	85.45	254.95	86.05
	41	185.26	58.85	203.63	72.43	231.23	86.46	245.33	87.35	247.05	87.91	250.01	88.78	252.23	89.49
	43	185.26	61.63	201.49	75.85	228.84	90.54	242.80	91.70	244.48	92.62	247.37	93.38	250.88	93.81
	46	185.26	64.93	201.49	79.91	226.55	95.40	237.95	95.70	239.59	96.19	239.95	96.51	240.84	96.49
	48	185.26	68.34	201.49	84.12	224.27	100.41	236.25	99.04	237.14	99.56	237.48	100.66	235.82	100.85
	50	185.26	71.79	191.41	88.36	221.98	105.48	235.52	103.07	234.70	103.73	235.00	104.58	233.32	104.88
110%	10	172.25	29.71	203.34	36.57	234.43	43.66	266.15	45.71	285.99	46.17	292.45	46.63	301.40	47.08
	12	172.25	30.55	203.34	37.60	234.43	44.89	266.15	47.00	283.46	47.47	289.86	47.94	298.74	48.41
	14	172.25	31.44	203.34	38.69	234.43	46.19	266.15	48.37	280.93	48.85	287.28	49.33	296.07	49.82
	16	172.25	32.52	203.34	40.03	234.43	47.78	266.15	50.03	278.40	50.53	284.69	51.03	293.40	51.54
	18	172.25	33.31	203.34	41.00	234.43	48.94	266.15	51.25	275.86	51.76	282.10	52.27	290.74	52.78
	19	172.25	35.08	203.34	43.18	234.43	51.55	266.15	53.98	273.33	54.52	279.51	55.06	288.07	55.60
	21	172.25	36.27	203.34	44.64	234.43	53.28	266.15	55.80	270.80	56.35	276.92	56.91	285.40	57.47
	23	172.25	37.99	203.34	46.76	234.43	55.82	263.66	58.45	268.27	59.03	274.34	59.62	282.73	60.20
	25	172.25	39.27	203.34	48.34	234.43	57.70	261.17	60.42	265.74	61.02	271.75	61.63	280.07	62.23
	27	172.25	41.29	203.34	50.82	234.43	60.67	258.68	63.53	263.21	64.16	269.16	64.80	277.40	65.43
	29	172.25	42.77	203.34	52.64	234.43	62.84	256.20	65.80	260.68	66.46	266.57	67.12	274.73	67.78
	31	172.25	44.99	203.34	55.37	234.43	66.10	253.71	69.21	258.15	69.91	263.98	70.60	272.06	71.29
	33	172.25	46.81	203.34	57.62	234.43	68.78	251.22	72.02	255.62	72.74	261.40	73.46	269.40	74.18
	35	172.25	49.28	203.34	60.65	234.43	72.40	248.73	75.81	253.09	76.57	258.81	77.33	266.73	78.08
	37	172.25	51.92	203.34	63.90	234.43	76.28	243.76	79.11	248.03	79.52	251.04	79.92	256.06	80.32
	39	172.25	54.65	203.34	67.26	227.40	80.29	242.02	81.87	245.49	82.31	248.46	83.36	250.73	83.94
	41	172.25	57.41	203.34	70.65	225.05	84.34	241.27	85.21	242.96	85.76	245.87	86.60	248.06	87.30
	43	172.25	60.12	203.34	73.99	222.71	88.33	238.78	89.46	240.43	90.35	243.28	91.09	246.73	91.51
	46	172.25	63.34	203.34	77.96	222.71	93.06	234.01	93.36	235.62	93.84	235.98	94.15	236.86	94.13
	48	172.25	66.67	203.34	82.05	216.03	97.95	232.34	96.61	233.22	97.13	233.55	98.19	231.92	98.38
	50	172.25	70.04	203.34	86.20	213.80	102.90	231.62	100.55	230.82	101.19	231.12	102.02	229.45	102.31

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2345W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	162.39	24.69	191.70	31.19	221.02	39.20	234.50	43.31	255.31	43.75	273.28	44.18	284.16	44.61
	12	162.39	25.38	191.70	32.06	221.02	40.30	234.50	44.53	255.31	44.98	273.28	45.43	281.64	45.87
	14	162.39	26.12	191.70	33.00	221.02	41.47	234.50	45.83	255.31	46.29	270.84	46.74	279.13	47.20
	16	162.39	27.02	191.70	34.13	221.02	42.90	234.50	47.41	255.31	47.88	268.40	48.36	276.61	48.83
	18	162.39	27.68	191.70	34.96	221.02	43.94	234.50	48.56	255.31	49.04	265.96	49.53	274.10	50.01
	19	162.39	29.15	191.70	36.82	221.02	46.28	234.50	51.14	255.31	51.65	263.52	52.17	271.58	52.68
	21	162.39	30.13	191.70	38.06	221.02	47.84	234.50	52.87	255.31	53.40	261.08	53.92	269.07	54.45
	23	162.39	31.57	191.70	39.87	221.02	50.12	234.50	55.38	255.31	55.93	258.64	56.49	266.55	57.04
	25	162.39	32.63	191.70	41.22	221.02	51.81	234.50	57.25	252.92	57.82	256.20	58.39	264.04	58.97
	27	162.39	34.31	191.70	43.34	221.02	54.48	234.50	60.19	250.53	60.80	253.76	61.40	261.52	62.00
	29	162.39	35.54	191.70	44.89	221.02	56.43	234.50	62.35	248.15	62.97	251.32	63.60	259.01	64.22
	31	162.39	37.38	191.70	47.22	221.02	59.35	234.50	65.58	245.76	66.24	248.88	66.89	256.50	67.55
	33	162.39	38.90	191.70	49.13	221.02	61.76	234.50	68.24	240.99	68.92	246.44	69.60	253.98	70.29
	35	162.39	40.94	191.70	51.72	221.02	65.01	234.50	71.83	238.60	72.55	244.00	73.27	251.47	73.98
	37	162.39	43.14	191.70	54.49	221.02	68.49	229.81	74.96	233.83	75.35	236.68	75.73	241.41	76.10
	39	162.39	45.41	191.70	57.35	221.02	72.09	228.17	77.58	231.45	77.99	234.24	78.98	236.38	79.53
	41	162.39	47.70	191.70	60.25	221.02	75.73	227.47	80.74	229.06	81.25	231.80	82.06	233.86	82.72
	43	162.39	49.95	191.70	63.10	221.02	79.31	225.12	84.76	226.67	85.61	229.36	86.31	232.61	86.71
	46	162.39	52.63	191.70	66.48	221.02	83.56	220.62	88.45	222.14	88.91	222.48	89.21	223.30	89.19
	48	162.39	55.40	191.70	69.97	221.02	87.95	219.04	91.54	219.87	92.03	220.18	93.04	218.65	93.21
	50	162.39	58.19	191.70	73.51	221.02	92.39	218.37	95.27	217.61	95.88	217.89	96.67	216.32	96.94
90%	10	146.15	21.82	172.53	26.91	198.91	33.02	211.05	36.36	225.30	39.63	253.04	42.18	258.23	43.27
	12	146.15	22.43	172.53	27.67	198.91	33.95	211.05	37.39	225.30	40.75	253.04	43.37	258.23	44.49
	14	146.15	23.08	172.53	28.47	198.91	34.93	211.05	38.47	225.30	41.93	253.04	44.63	258.23	45.78
	16	146.15	23.88	172.53	29.45	198.91	36.14	211.05	39.80	225.30	43.38	253.04	46.17	258.23	47.36
	18	146.15	24.46	172.53	30.17	198.91	37.01	211.05	40.76	225.30	44.43	253.04	47.29	255.82	48.51
	19	146.15	25.76	172.53	31.77	198.91	38.98	211.05	42.93	225.30	46.80	253.04	49.80	253.40	51.09
	21	146.15	26.63	172.53	32.84	198.91	40.30	211.05	44.38	225.30	48.38	253.04	51.48	250.99	52.81
	23	146.15	27.90	172.53	34.40	198.91	42.21	211.05	46.49	225.30	50.68	253.04	53.93	248.58	55.33
	25	146.15	28.84	172.53	35.56	198.91	43.64	211.05	48.06	225.30	52.39	250.67	55.75	246.16	57.19
	27	146.15	30.32	172.53	37.39	198.91	45.88	211.05	50.53	225.30	55.08	248.31	58.62	246.16	60.13
	29	146.15	31.40	172.53	38.73	198.91	47.53	211.05	52.34	225.30	57.05	245.94	60.72	246.16	62.29
	31	146.15	33.03	172.53	40.74	198.91	49.99	211.05	55.06	225.30	60.01	243.58	63.86	243.75	65.52
	33	146.15	34.37	172.53	42.39	198.91	52.02	211.05	57.29	225.30	62.44	238.85	66.45	243.75	68.17
	35	146.15	36.18	172.53	44.62	198.91	54.75	211.05	60.30	225.30	65.73	236.48	69.95	241.34	71.76
	37	146.15	38.12	172.53	47.01	198.91	57.69	211.05	63.53	225.30	69.25	231.75	73.70	236.51	75.60
	39	146.15	40.12	172.53	49.49	198.91	60.72	211.05	66.87	225.30	72.89	229.39	77.57	234.10	79.58
	41	146.15	42.15	172.53	51.99	198.91	63.79	211.05	70.25	225.30	76.57	227.02	81.49	231.68	83.60
	43	146.15	44.14	172.53	54.44	198.91	66.80	211.05	73.57	225.30	80.19	227.02	85.34	231.68	87.55
	46	146.15	46.51	172.53	57.36	198.91	70.38	211.05	77.51	225.30	84.49	222.48	89.91	227.05	92.24
	48	146.15	48.95	172.53	60.37	198.91	74.08	211.05	81.59	225.30	88.93	220.21	94.64	224.73	97.09
	50	146.15	51.42	172.53	63.42	198.91	77.82	211.05	85.71	225.30	93.42	217.94	99.42	222.41	101.99
80%	10	129.91	19.38	153.36	21.77	176.81	27.28	187.60	29.82	200.26	32.80	213.96	38.41	231.40	41.00
	12	129.91	19.93	153.36	22.38	176.81	28.05	187.60	30.66	200.26	33.73	213.96	39.49	231.40	42.16
	14	129.91	20.51	153.36	23.03	176.81	28.87	187.60	31.55	200.26	34.70	213.96	40.64	231.40	43.38
	16	129.91	21.21	153.36	23.83	176.81	29.86	187.60	32.64	200.26	35.90	213.96	42.04	231.40	44.88
	18	129.91	21.73	153.36	24.40	176.81	30.59	187.60	33.43	200.26	36.77	213.96	43.06	231.40	45.97
	19	129.91	22.89	153.36	25.70	176.81	32.22	187.60	35.21	200.26	38.73	213.96	45.35	231.40	48.41
	21	129.91	23.66	153.36	26.57	176.81	33.30	187.60	36.40	200.26	40.04	213.96	46.88	231.40	50.04
	23	129.91	24.78	153.36	27.83	176.81	34.89	187.60	38.13	200.26	41.94	213.96	49.11	231.40	52.42
	25	129.91	25.62	153.36	28.77	176.81	36.06	187.60	39.41	200.26	43.35	213.96	50.76	231.40	54.19
	27	129.91	26.94	153.36	30.25	176.81	37.92	187.60	41.44	200.26	45.58	213.96	53.38	231.40	56.98
	29	129.91	27.90	153.36	31.33	176.81	39.28	187.60	42.92	200.26	47.22	213.96	55.29	231.40	59.02
	31	129.91	29.35	153.36	32.96	176.81	41.31	187.60	45.15	200.26	49.66	213.96	58.15	231.40	62.08
	33	129.91	30.54	153.36	34.29	176.81	42.99	187.60	46.98	200.26	51.68	213.96	60.51	231.40	64.60
	35	129.91	32.14	153.36	36.10	176.81	45.25	187.60	49.45	200.26	54.40	213.96	63.69	231.40	68.00
	37	129.91	33.87	153.36	38.03	176.81	47.67	187.60	52.10	200.26	57.31	209.68	67.11	226.78	71.64
	39	129.91	35.65	153.36	40.03	176.81	50.18	187.60	54.84	200.26	60.33	207.54	70.64	224.46	75.41
	41	129.91	37.45	153.36	42.06	176.81	52.71	187.60	57.61	200.26	63.37	205.40	74.20	222.15	79.21
	43	129.91	39.21	153.36	44.04	176.81	55.20	187.60	60.33	200.26	66.36	205.40	77.71	222.15	82.95
	46	129.91	41.32	153.36	46.40	176.81	58.16	187.60	63.56	200.26	69.92	201.29	81.87	217.71	87.40
	48	129.91	43.49	153.36	48.84	176.81	61.22	187.60	66.91	200.26	73.60	199.24	86.18	215.48	92.00
	50	129.91	45.69	153.36	51.31	176.81	64.31	187.60	70.29	200.26	77.31	-	90.53	213.26	96.64

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-V2345W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútna teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	113.67	17.40	134.19	20.71	154.71	25.27	164.15	27.61	175.23	29.82	187.21	33.69	202.48	36.45
	12	113.67	17.57	134.19	20.92	154.71	25.52	164.15	27.89	175.23	30.12	187.21	34.02	202.48	36.81
	14	113.67	17.52	134.19	20.86	154.71	25.45	164.15	27.81	175.23	30.04	187.21	33.93	202.48	36.71
	16	113.67	18.06	134.19	21.51	154.71	26.24	164.15	28.67	175.23	30.97	187.21	34.98	202.48	37.85
	18	113.67	18.21	134.19	21.68	154.71	26.45	164.15	28.91	175.23	31.22	187.21	35.27	202.48	38.16
	19	113.67	18.86	134.19	22.45	154.71	27.39	164.15	29.93	175.23	32.33	187.21	36.52	202.48	39.51
	21	113.67	19.20	134.19	22.86	154.71	27.89	164.15	30.48	175.23	32.92	187.21	37.19	202.48	40.24
	23	113.67	19.82	134.19	23.60	154.71	28.79	164.15	31.46	175.23	33.98	187.21	38.39	202.48	41.53
	25	113.67	20.22	134.19	24.07	154.71	29.36	164.15	32.09	175.23	34.66	187.21	39.15	202.48	42.36
	27	113.67	20.99	134.19	24.98	154.71	30.48	164.15	33.31	175.23	35.97	187.21	40.64	202.48	43.97
	29	113.67	21.73	134.19	25.87	154.71	31.56	164.15	34.49	175.23	37.25	187.21	42.08	202.48	45.52
	31	113.67	22.84	134.19	27.19	154.71	33.17	164.15	36.26	175.23	39.16	187.21	44.23	202.48	47.86
	33	113.67	23.76	134.19	28.28	154.71	34.50	164.15	37.71	175.23	40.73	187.21	46.01	202.48	49.78
	35	113.67	24.75	134.19	29.46	154.71	35.94	164.15	39.28	175.23	42.42	187.21	47.92	202.48	51.85
	37	113.67	26.07	134.19	31.04	154.71	37.87	164.15	41.39	175.23	44.70	183.47	50.49	198.43	54.63
	39	113.67	27.44	134.19	32.67	154.71	39.86	164.15	43.56	175.23	47.05	181.60	53.15	196.40	57.50
	41	113.67	28.83	134.19	34.32	154.71	41.87	164.15	45.76	175.23	49.42	179.72	55.83	194.38	60.41
	43	113.67	30.19	134.19	35.94	154.71	43.85	164.15	47.92	175.23	51.76	179.72	58.46	194.38	63.26
	46	113.67	31.81	134.19	37.87	154.71	46.20	164.15	50.49	175.23	54.53	176.13	61.60	190.49	66.65
	48	113.67	33.48	134.19	39.86	154.71	48.63	164.15	53.15	175.23	57.40	174.33	64.84	188.55	70.15
	50	113.67	35.17	134.19	41.87	154.71	51.08	164.15	55.83	175.23	60.30	172.54	68.11	186.60	73.69
60%	10	97.43	14.03	115.02	16.12	132.61	19.22	140.70	20.94	150.20	23.45	160.47	27.01	173.55	29.32
	12	97.43	14.17	115.02	16.29	132.61	19.42	140.70	21.15	150.20	23.69	160.47	27.28	173.55	29.61
	14	97.43	14.13	115.02	16.24	132.61	19.36	140.70	21.09	150.20	23.62	160.47	27.21	173.55	29.53
	16	97.43	14.57	115.02	16.74	132.61	19.96	140.70	21.75	150.20	24.35	160.47	28.05	173.55	30.44
	18	97.43	14.69	115.02	16.88	132.61	20.13	140.70	21.92	150.20	24.55	160.47	28.28	173.55	30.69
	19	97.43	15.21	115.02	17.48	132.61	20.84	140.70	22.70	150.20	25.42	160.47	29.28	173.55	31.78
	21	97.43	15.49	115.02	17.80	132.61	21.22	140.70	23.12	150.20	25.89	160.47	29.82	173.55	32.36
	23	97.43	15.99	115.02	18.37	132.61	21.90	140.70	23.86	150.20	26.72	160.47	30.78	173.55	33.40
	25	97.43	16.31	115.02	18.74	132.61	22.34	140.70	24.34	150.20	27.26	160.47	31.39	173.55	34.07
	27	97.43	16.92	115.02	19.45	132.61	23.19	140.70	25.26	150.20	28.29	160.47	32.59	173.55	35.36
	29	97.43	17.52	115.02	20.14	132.61	24.01	140.70	26.15	150.20	29.29	160.47	33.74	173.55	36.62
	31	97.43	18.42	115.02	21.17	132.61	25.24	140.70	27.49	150.20	30.79	160.47	35.47	173.55	38.49
	33	97.43	19.16	115.02	22.02	132.61	26.25	140.70	28.60	150.20	32.03	160.47	36.89	173.55	40.03
	35	97.43	19.96	115.02	22.94	132.61	27.35	140.70	29.79	150.20	33.36	160.47	38.43	173.55	41.70
	37	97.43	21.03	115.02	24.17	132.61	28.81	140.70	31.38	150.20	35.15	157.26	40.49	170.08	43.94
	39	97.43	22.13	115.02	25.44	132.61	30.33	140.70	33.03	150.20	37.00	155.65	42.61	168.35	46.25
	41	97.43	23.25	115.02	26.72	132.61	31.86	140.70	34.70	150.20	38.87	154.05	44.77	166.61	48.58
	43	97.43	24.35	115.02	27.98	132.61	33.36	140.70	36.34	150.20	40.70	154.05	46.88	166.61	50.88
	46	97.43	25.65	115.02	29.48	132.61	35.15	140.70	38.29	150.20	42.88	150.97	49.39	163.28	53.60
	48	97.43	27.00	115.02	31.03	132.61	37.00	140.70	40.30	150.20	45.14	149.43	51.99	161.61	56.42
	50	97.43	28.37	115.02	32.60	132.61	38.87	140.70	42.34	150.20	47.42	147.89	54.62	159.95	59.27
50%	10	81.20	11.06	95.85	12.24	110.51	13.59	117.25	14.74	125.16	17.10	133.72	19.32	144.63	21.68
	12	81.20	11.17	95.85	12.36	110.51	13.73	117.25	14.89	125.16	17.27	133.72	19.51	144.63	21.89
	14	81.20	11.14	95.85	12.33	110.51	13.69	117.25	14.85	125.16	17.23	133.72	19.45	144.63	21.83
	16	81.20	11.48	95.85	12.71	110.51	14.12	117.25	15.31	125.16	17.76	133.72	20.06	144.63	22.51
	18	81.20	11.58	95.85	12.81	110.51	14.23	117.25	15.44	125.16	17.91	133.72	20.22	144.63	22.69
	19	81.20	11.99	95.85	13.27	110.51	14.74	117.25	15.98	125.16	18.54	133.72	20.94	144.63	23.49
	21	81.20	12.21	95.85	13.51	110.51	15.01	117.25	16.28	125.16	18.88	133.72	21.32	144.63	23.93
	23	81.20	12.60	95.85	13.94	110.51	15.49	117.25	16.80	125.16	19.49	133.72	22.01	144.63	24.70
	25	81.20	12.85	95.85	14.22	110.51	15.80	117.25	17.14	125.16	19.88	133.72	22.45	144.63	25.19
	27	81.20	13.34	95.85	14.76	110.51	16.40	117.25	17.79	125.16	20.63	133.72	23.30	144.63	26.15
	29	81.20	13.81	95.85	15.28	110.51	16.98	117.25	18.42	125.16	21.36	133.72	24.12	144.63	27.07
	31	81.20	14.52	95.85	16.07	110.51	17.85	117.25	19.36	125.16	22.46	133.72	25.36	144.63	28.46
	33	81.20	15.10	95.85	16.71	110.51	18.56	117.25	20.14	125.16	23.36	133.72	26.38	144.63	29.60
	35	81.20	15.73	95.85	17.41	110.51	19.34	117.25	20.97	125.16	24.33	133.72	27.48	144.63	30.83
	37	81.20	16.57	95.85	18.34	110.51	20.37	117.25	22.10	125.16	25.63	131.05	28.95	141.74	32.48
	39	81.20	17.45	95.85	19.31	110.51	21.45	117.25	23.26	125.16	26.98	129.71	30.47	140.29	34.19
	41	81.20	18.33	95.85	20.28	110.51	22.53	117.25	24.44	125.16	28.34	128.37	32.01	138.84	35.92
	43	81.20	19.19	95.85	21.24	110.51	23.59	117.25	25.59	125.16	29.68	128.37	33.52	138.84	37.62
	46	81.20	20.22	95.85	22.38	110.51	24.86	117.25	26.96	125.16	31.27	125.81	35.32	136.07	39.63
	48	81.20	21.28	95.85	23.55	110.51	26.16	117.25	28.38	125.16	32.92	124.52	37.18	134.68	41.72
	50	81.20	22.36	95.85	24.74	110.51	27.49	117.25	29.81	125.16	34.58	123.24	39.05	133.29	43.82

86HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2405W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	201.06	33.43	236.24	42.77	280.83	46.95	300.60	44.03	305.86	49.66	310.03	50.15	319.52	50.64
	12	201.06	34.38	236.24	43.98	280.83	48.28	297.96	44.85	303.18	51.06	307.29	51.56	316.69	52.07
	14	201.06	35.37	236.24	45.26	280.83	49.68	295.33	45.66	300.49	52.54	301.80	53.06	313.87	53.58
	16	201.06	36.59	236.24	46.82	278.35	51.39	290.05	46.48	295.13	54.35	299.06	54.89	311.04	55.43
	18	201.06	37.48	236.24	47.95	273.37	52.64	287.42	47.29	292.45	55.67	296.31	56.22	308.21	56.77
	19	201.06	39.48	236.24	50.51	270.89	55.44	284.78	48.11	289.76	58.63	293.57	59.22	305.38	59.80
	21	201.06	40.81	236.24	52.21	268.40	57.31	282.14	51.57	287.08	60.61	290.83	61.21	302.56	61.81
	23	201.06	42.75	236.24	54.69	265.92	60.04	279.51	55.24	284.40	63.49	288.08	64.12	299.73	64.75
	25	201.06	44.19	236.24	56.54	263.43	62.06	276.87	59.11	281.71	65.63	285.34	66.28	296.90	66.93
	27	201.06	46.46	236.24	59.45	260.95	65.25	274.23	63.19	279.03	69.01	282.59	69.69	294.07	70.38
	29	201.06	48.13	234.39	61.57	258.46	67.59	271.59	67.47	276.35	71.48	279.85	72.19	291.24	72.90
	31	201.06	50.62	233.70	64.77	255.98	71.09	268.96	71.96	273.66	75.19	277.11	75.93	288.42	76.68
	33	201.06	52.67	233.70	67.39	253.49	73.97	266.32	76.64	270.98	78.23	274.36	79.01	285.59	79.78
	35	201.06	55.44	231.38	70.94	248.52	77.87	263.68	81.54	268.30	82.35	274.36	83.17	282.76	83.98
	37	201.06	58.42	231.38	74.74	248.52	82.04	258.41	85.09	262.93	85.53	266.13	85.96	271.45	86.38
	39	201.06	61.49	231.38	78.67	246.04	86.36	256.56	88.06	260.25	88.53	263.39	89.65	265.80	90.28
	41	201.06	64.59	229.07	82.64	243.55	90.72	255.77	91.65	257.57	92.23	260.65	93.15	262.97	93.89
	43	199.05	67.64	226.76	86.54	241.07	95.00	253.14	96.21	254.88	97.18	257.90	97.97	261.55	98.43
	46	199.05	71.27	226.76	91.18	241.07	100.09	248.07	100.41	249.79	100.93	250.16	101.26	251.09	101.24
	48	199.05	75.02	224.49	95.98	238.66	105.35	246.30	103.91	247.24	104.46	247.59	105.61	245.86	105.81
	50	199.05	78.80	222.22	100.82	236.25	110.67	245.54	108.14	244.69	108.84	245.01	109.73	243.25	110.04
120%	10	190.00	31.65	219.83	38.96	266.48	46.50	290.52	43.61	300.88	49.18	304.98	49.67	314.32	50.15
	12	190.00	32.54	219.83	40.05	266.48	47.81	290.52	44.41	298.24	50.57	302.28	51.07	311.54	51.57
	14	190.00	33.49	219.83	41.22	266.48	49.20	290.52	45.22	295.60	52.04	299.59	52.55	308.76	53.07
	16	190.00	34.64	219.83	42.64	266.48	50.90	290.52	46.03	292.96	53.83	296.89	54.36	305.97	54.90
	18	190.00	35.48	219.83	43.67	266.48	52.13	290.52	46.84	290.32	55.13	294.19	55.68	303.19	56.23
	19	190.00	37.37	219.83	46.00	266.48	54.91	287.92	47.64	287.68	58.07	291.49	58.65	300.41	59.22
	21	190.00	38.63	219.83	47.55	266.48	56.76	285.33	51.08	282.41	60.03	288.79	60.62	297.63	61.22
	23	190.00	40.47	219.83	49.81	261.59	59.46	282.74	54.71	279.77	62.88	286.09	63.51	294.85	64.13
	25	190.00	41.83	219.83	51.49	259.14	61.46	280.14	58.55	277.13	65.00	283.39	65.65	292.07	66.29
	27	190.00	43.99	219.83	54.14	256.70	64.63	277.55	62.58	274.49	68.35	280.69	69.02	289.28	69.70
	29	190.00	45.56	219.83	56.07	254.26	66.94	272.36	66.82	271.85	70.79	277.99	71.50	286.50	72.20
	31	190.00	47.92	219.83	58.98	249.37	70.41	264.58	71.26	269.21	74.46	275.29	75.20	283.72	75.94
	33	190.00	49.86	219.83	61.37	246.92	73.26	261.99	75.91	266.57	77.48	272.60	78.25	280.94	79.02
	35	190.00	52.49	219.83	64.60	244.48	77.12	259.39	80.75	263.93	81.56	269.90	82.37	278.16	83.18
	37	190.00	55.30	219.83	68.07	242.03	81.25	254.20	84.27	258.65	84.71	261.80	85.14	267.03	85.55
	39	190.00	58.21	219.83	71.64	239.59	85.53	252.39	87.21	256.01	87.68	259.10	88.79	261.47	89.41
	41	190.00	61.15	208.84	75.26	237.14	89.84	251.61	90.77	253.37	91.35	256.40	92.25	258.69	92.99
	43	190.00	64.04	206.64	78.81	234.70	94.09	249.02	95.29	250.73	96.24	253.70	97.03	257.30	97.48
	46	190.00	67.47	206.64	83.04	232.35	99.13	244.04	99.44	245.72	99.96	246.09	100.29	247.00	100.27
	48	190.00	71.02	206.64	87.41	230.00	104.34	242.29	102.91	243.21	103.46	243.55	104.60	241.86	104.79
	50	190.00	74.60	196.31	91.82	227.66	109.61	241.55	107.10	240.70	107.79	241.02	108.67	239.29	108.98
110%	10	176.66	30.88	208.54	38.00	240.43	45.36	272.96	47.50	293.31	47.98	299.94	48.45	309.12	48.93
	12	176.66	31.75	208.54	39.07	240.43	46.64	272.96	48.84	290.71	49.33	297.28	49.82	306.38	50.31
	14	176.66	32.67	208.54	40.21	240.43	48.00	272.96	50.26	288.11	50.76	294.63	51.26	303.65	51.77
	16	176.66	33.79	208.54	41.59	240.43	49.65	272.96	51.99	285.52	52.51	291.97	53.03	300.91	53.55
	18	176.66	34.61	208.54	42.60	240.43	50.86	272.96	53.25	282.92	53.78	289.32	54.32	298.17	54.85
	19	176.66	36.46	208.54	44.87	240.43	53.56	272.96	56.09	280.33	56.65	286.66	57.21	295.44	57.77
	21	176.66	37.69	208.54	46.38	240.43	55.37	272.96	57.98	277.73	58.56	284.01	59.14	292.70	59.72
	23	176.66	39.48	208.54	48.59	240.43	58.00	270.40	60.74	275.14	61.34	281.36	61.95	289.97	62.56
	25	176.66	40.81	208.54	50.23	240.43	59.96	267.85	62.78	272.54	63.41	278.70	64.04	287.23	64.67
	27	176.66	42.91	208.54	52.81	240.43	63.04	265.30	66.01	269.95	66.67	276.05	67.33	284.50	67.99
	29	176.66	44.44	208.54	54.70	240.43	65.30	262.75	68.38	267.35	69.06	273.39	69.74	281.76	70.43
	31	176.66	46.75	208.54	57.54	240.43	68.69	260.20	71.92	264.75	72.64	270.74	73.36	279.03	74.08
	33	176.66	48.64	208.54	59.87	240.43	71.47	257.65	74.84	262.16	75.58	268.08	76.33	276.29	77.08
	35	176.66	51.20	208.54	63.02	240.43	75.23	255.10	78.78	259.56	79.56	265.43	80.35	273.55	81.14
	37	176.66	53.95	208.54	66.40	240.43	79.26	250.00	82.21	254.37	82.63	257.47	83.05	262.61	83.46
	39	176.66	56.78	208.54	69.89	233.22	83.43	248.21	85.08	251.78	85.53	254.81	86.62	257.14	87.22
	41	176.66	59.65	208.54	73.42	230.81	87.64	247.45	88.54	249.18	89.11	252.16	89.99	254.41	90.71
	43	176.66	62.47	208.54	76.88	228.41	91.78	244.89	92.95	246.58	93.88	249.50	94.65	253.04	95.09
	46	176.66	65.82	208.54	81.01	228.41	96.70	240.00	97.01	241.65	97.51	242.02	97.83	242.92	97.81
	48	176.66	69.28	208.54	85.26	221.56	101.78	238.28	100.39	239.19	100.93	239.52	102.04	237.86	102.23
	50	176.66	72.78	208.54	89.57	219.27	106.92	237.55	104.48	236.72	105.15	237.03	106.01	235.33	106.32

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2405W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	
100%	10	166.55	25.65	196.61	32.41	226.67	40.73	240.50	45.01	261.84	45.46	280.27	45.91	291.43	46.36	
	12	166.55	26.38	196.61	33.32	226.67	41.88	240.50	46.28	261.84	46.74	280.27	47.20	288.85	47.67	
	14	166.55	27.14	196.61	34.29	226.67	43.10	240.50	47.62	261.84	48.10	277.77	48.57	286.27	49.05	
	16	166.55	28.08	196.61	35.47	226.67	44.58	240.50	49.26	261.84	49.76	275.26	50.25	283.69	50.74	
	18	166.55	28.76	196.61	36.33	226.67	45.66	240.50	50.46	261.84	50.96	272.76	51.47	281.11	51.97	
	19	166.55	30.29	196.61	38.26	226.67	48.10	240.50	53.14	261.84	53.68	270.26	54.21	278.53	54.74	
	21	166.55	31.31	196.61	39.55	226.67	49.72	240.50	54.94	261.84	55.48	267.76	56.03	275.95	56.58	
	23	166.55	32.80	196.61	41.43	226.67	52.08	240.50	57.55	261.84	58.12	265.25	58.70	273.37	59.27	
	25	166.55	33.91	196.61	42.83	226.67	53.84	240.50	59.49	259.39	60.08	262.75	60.68	270.80	61.27	
	27	166.55	35.65	196.61	45.03	226.67	56.61	240.50	62.55	256.94	63.17	260.25	63.80	268.22	64.42	
	29	166.55	36.93	196.61	46.65	226.67	58.63	240.50	64.79	254.50	65.44	257.75	66.08	265.64	66.73	
	31	166.55	38.84	196.61	49.07	226.67	61.67	240.50	68.15	252.05	68.83	255.25	69.51	263.06	70.19	
	33	166.55	40.42	196.61	51.05	226.67	64.17	240.50	70.91	247.16	71.62	252.74	72.33	260.48	73.04	
	35	166.55	42.54	196.61	53.74	226.67	67.55	240.50	74.64	244.71	75.39	250.24	76.13	257.90	76.88	
	37	166.55	44.83	196.61	56.62	226.67	71.17	235.69	77.89	239.81	78.30	242.73	78.69	247.58	79.08	
	39	166.55	47.18	196.61	59.60	226.67	74.91	234.01	80.61	237.37	81.04	240.23	82.07	242.43	82.65	
	41	166.55	49.56	196.61	62.61	226.67	78.69	233.29	83.90	234.92	84.43	237.73	85.27	239.85	85.95	
	43	166.55	51.90	196.61	65.56	226.67	82.41	230.88	88.08	232.47	88.96	235.23	89.68	238.56	90.10	
	46	166.55	54.69	196.61	69.08	226.67	86.83	226.26	91.92	227.82	92.39	228.17	92.70	229.02	92.68	
	48	166.55	57.56	196.61	72.71	226.67	91.39	224.65	95.12	225.50	95.63	225.82	96.68	224.24	96.86	
	50	166.55	60.47	196.61	76.38	226.67	96.01	223.95	99.00	223.17	99.63	223.46	100.45	221.86	100.73	
90%	10	149.89	22.67	176.95	27.96	204.00	34.31	216.45	37.78	231.06	41.18	259.51	43.83	264.84	44.96	
	12	149.89	23.31	176.95	28.75	204.00	35.28	216.45	38.85	231.06	42.35	259.51	45.07	264.84	46.23	
	14	149.89	23.99	176.95	29.58	204.00	36.30	216.45	39.98	231.06	43.58	259.51	46.37	264.84	47.57	
	16	149.89	24.81	176.95	30.60	204.00	37.55	216.45	41.36	231.06	45.08	259.51	47.97	264.84	49.21	
	18	149.89	25.42	176.95	31.35	204.00	38.46	216.45	42.36	231.06	46.17	259.51	49.14	262.36	50.41	
	19	149.89	26.77	176.95	33.01	204.00	40.51	216.45	44.61	231.06	48.63	259.51	51.75	259.89	53.09	
	21	149.89	27.67	176.95	34.13	204.00	41.88	216.45	46.12	231.06	50.27	259.51	53.50	257.41	54.88	
	23	149.89	28.99	176.95	35.75	204.00	43.87	216.45	48.31	231.06	52.66	259.51	56.04	254.94	57.49	
	25	149.89	29.96	176.95	36.96	204.00	45.35	216.45	49.94	231.06	54.43	257.08	57.93	252.46	59.43	
	27	149.89	31.51	176.95	38.86	204.00	47.68	216.45	52.51	231.06	57.24	254.66	60.91	252.46	62.49	
	29	149.89	32.63	176.95	40.25	204.00	49.39	216.45	54.39	231.06	59.28	252.23	63.09	252.46	64.72	
	31	149.89	34.33	176.95	42.33	204.00	51.95	216.45	57.21	231.06	62.36	249.81	66.36	249.99	68.08	
	33	149.89	35.72	176.95	44.05	204.00	54.05	216.45	59.53	231.06	64.88	244.96	69.05	249.99	70.84	
	35	149.89	37.60	176.95	46.37	204.00	56.90	216.45	62.66	231.06	68.30	242.53	72.69	247.51	74.57	
	37	149.89	39.61	176.95	48.85	204.00	59.95	216.45	66.02	231.06	71.96	237.68	76.58	242.56	78.56	
	39	149.89	41.69	176.95	51.42	204.00	63.10	216.45	69.49	231.06	75.74	235.26	80.61	240.09	82.69	
	41	149.89	43.80	176.95	54.02	204.00	66.28	216.45	73.00	231.06	79.57	232.83	84.68	237.61	86.87	
	43	149.89	45.87	176.95	56.57	204.00	69.41	216.45	76.45	231.06	83.33	232.83	88.68	237.61	90.97	
	46	149.89	48.33	176.95	59.60	204.00	73.13	216.45	80.54	231.06	87.79	228.17	93.43	232.86	95.85	
	48	149.89	50.87	176.95	62.74	204.00	76.98	216.45	84.78	231.06	92.41	225.85	98.34	230.48	100.89	
	50	149.89	53.44	176.95	65.90	204.00	80.87	216.45	89.06	231.06	97.07	223.52	103.31	228.11	105.98	
80%	10	133.24	20.14	157.29	22.62	181.34	28.35	192.40	30.99	205.39	34.08	219.43	39.91	237.33	42.61	
	12	133.24	20.71	157.29	23.26	181.34	29.15	192.40	31.86	205.39	35.05	219.43	41.03	237.33	43.81	
	14	133.24	21.31	157.29	23.93	181.34	30.00	192.40	32.78	205.39	36.06	219.43	42.23	237.33	45.08	
	16	133.24	22.04	157.29	24.76	181.34	31.03	192.40	33.91	205.39	37.31	219.43	43.68	237.33	46.63	
	18	133.24	22.58	157.29	25.36	181.34	31.78	192.40	34.74	205.39	38.21	219.43	44.74	237.33	47.76	
	19	133.24	23.78	157.29	26.71	181.34	33.48	192.40	36.59	205.39	40.25	219.43	47.12	237.33	50.31	
	21	133.24	24.58	157.29	27.61	181.34	34.61	192.40	37.82	205.39	41.60	219.43	48.71	237.33	52.00	
	23	133.24	25.75	157.29	28.92	181.34	36.25	192.40	39.62	205.39	43.58	219.43	51.03	237.33	54.48	
	25	133.24	26.62	157.29	29.90	181.34	37.47	192.40	40.95	205.39	45.05	219.43	52.75	237.33	56.31	
	27	133.24	27.99	157.29	31.43	181.34	39.40	192.40	43.06	205.39	47.37	219.43	55.46	237.33	59.21	
	29	133.24	28.99	157.29	32.56	181.34	40.81	192.40	44.60	205.39	49.06	219.43	57.45	237.33	61.33	
	31	133.24	30.49	157.29	34.25	181.34	42.93	192.40	46.92	205.39	51.61	219.43	60.43	237.33	64.51	
	33	133.24	31.73	157.29	35.64	181.34	44.67	192.40	48.82	205.39	53.70	219.43	62.88	237.33	67.12	
	35	133.24	33.40	157.29	37.51	181.34	47.02	192.40	51.39	205.39	56.52	219.43	66.19	237.33	70.66	
	37	133.24	35.19	157.29	39.52	181.34	49.54	192.40	54.14	205.39	59.55	215.04	69.73	232.58	74.44	
	39	133.24	37.04	157.29	41.60	181.34	52.14	192.40	56.99	205.39	62.69	212.85	73.40	230.21	78.36	
	41	133.24	38.91	157.29	43.70	181.34	54.78	192.40	59.86	205.39	65.85	210.65	77.11	227.83	82.31	
	43	133.24	40.75	157.29	45.76	181.34	57.36	192.40	62.69	205.39	68.96	210.65	80.75	227.83	86.20	
	46	133.24	42.93	157.29	48.22	181.34	60.44	192.40	66.05	205.39	72.66	206.44	85.07	223.28	90.82	
	48	133.24	45.19	157.29	50.75	181.34	63.61	192.40	69.52	205.39	76.48	204.34	89.55	221.00	95.60	
	50	133.24	47.47	157.29	53.32	181.34	66.83	192.40	73.03	205.39	80.34	·	94.07	218.72	100.42	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2405W/ZR1-C																
Kombinácia		Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
			DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
			TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
			kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	116.58	18.08	137.63	21.52	158.67	26.26	168.35	28.69	179.71	30.99	192.00	35.01	207.66	37.88	
	12	116.58	18.26	137.63	21.73	158.67	26.52	168.35	28.98	179.71	31.30	192.00	35.36	207.66	38.25	
	14	116.58	18.21	137.63	21.67	158.67	26.44	168.35	28.90	179.71	31.21	192.00	35.26	207.66	38.15	
	16	116.58	18.77	137.63	22.35	158.67	27.26	168.35	29.80	179.71	32.18	192.00	36.35	207.66	39.33	
	18	116.58	18.93	137.63	22.53	158.67	27.49	168.35	30.04	179.71	32.44	192.00	36.65	207.66	39.65	
	19	116.58	19.59	137.63	23.33	158.67	28.46	168.35	31.10	179.71	33.59	192.00	37.95	207.66	41.06	
	21	116.58	19.95	137.63	23.76	158.67	28.98	168.35	31.67	179.71	34.21	192.00	38.64	207.66	41.81	
	23	116.58	20.60	137.63	24.52	158.67	29.92	168.35	32.69	179.71	35.31	192.00	39.89	207.66	43.16	
	25	116.58	21.01	137.63	25.01	158.67	30.51	168.35	33.35	179.71	36.02	192.00	40.68	207.66	44.02	
	27	116.58	21.81	137.63	25.96	158.67	31.67	168.35	34.61	179.71	37.38	192.00	42.23	207.66	45.69	
	29	116.58	22.58	137.63	26.88	158.67	32.79	168.35	35.84	179.71	38.70	192.00	43.72	207.66	47.31	
	31	116.58	23.73	137.63	28.26	158.67	34.47	168.35	37.67	179.71	40.69	192.00	45.96	207.66	49.73	
	33	116.58	24.69	137.63	29.39	158.67	35.85	168.35	39.18	179.71	42.32	192.00	47.80	207.66	51.72	
	35	116.58	25.71	137.63	30.61	158.67	37.35	168.35	40.82	179.71	44.08	192.00	49.80	207.66	53.88	
	37	116.58	27.09	137.63	32.25	158.67	39.35	168.35	43.00	179.71	46.45	188.16	52.47	203.51	56.77	
	39	116.58	28.52	137.63	33.95	158.67	41.42	168.35	45.27	179.71	48.89	186.24	55.22	201.43	59.75	
	41	116.58	29.96	137.63	35.66	158.67	43.51	168.35	47.55	179.71	51.36	184.32	58.01	199.35	62.77	
43	116.58	31.37	137.63	37.35	158.67	45.56	168.35	49.80	179.71	53.78	184.32	60.75	199.35	65.73		
46	116.58	33.05	137.63	39.35	158.67	48.01	168.35	52.47	179.71	56.66	180.64	64.01	195.37	69.25		
48	116.58	34.79	137.63	41.42	158.67	50.53	168.35	55.22	179.71	59.64	178.79	67.37	193.37	72.90		
50	116.58	36.55	137.63	43.51	158.67	53.08	168.35	58.01	179.71	62.65	176.95	70.78	191.38	76.58		
60%	10	99.93	14.58	117.97	16.76	136.00	19.98	144.30	21.76	154.04	24.37	164.57	28.07	177.99	30.46	
	12	99.93	14.72	117.97	16.92	136.00	20.17	144.30	21.98	154.04	24.61	164.57	28.35	177.99	30.77	
	14	99.93	14.68	117.97	16.87	136.00	20.12	144.30	21.91	154.04	24.54	164.57	28.27	177.99	30.68	
	16	99.93	15.14	117.97	17.40	136.00	20.74	144.30	22.60	154.04	25.31	164.57	29.15	177.99	31.63	
	18	99.93	15.26	117.97	17.54	136.00	20.91	144.30	22.78	154.04	25.52	164.57	29.39	177.99	31.89	
	19	99.93	15.80	117.97	18.16	136.00	21.65	144.30	23.59	154.04	26.42	164.57	30.43	177.99	33.02	
	21	99.93	16.09	117.97	18.50	136.00	22.05	144.30	24.02	154.04	26.90	164.57	30.99	177.99	33.63	
	23	99.93	16.61	117.97	19.09	136.00	22.76	144.30	24.79	154.04	27.77	164.57	31.98	177.99	34.71	
	25	99.93	16.94	117.97	19.47	136.00	23.22	144.30	25.29	154.04	28.32	164.57	32.62	177.99	35.40	
	27	99.93	17.59	117.97	20.21	136.00	24.10	144.30	26.25	154.04	29.40	164.57	33.86	177.99	36.75	
	29	99.93	18.21	117.97	20.93	136.00	24.95	144.30	27.18	154.04	30.44	164.57	35.06	177.99	38.05	
	31	99.93	19.14	117.97	22.00	136.00	26.23	144.30	28.57	154.04	32.00	164.57	36.86	177.99	40.00	
	33	99.93	19.91	117.97	22.88	136.00	27.28	144.30	29.72	154.04	33.28	164.57	38.33	177.99	41.60	
	35	99.93	20.74	117.97	23.83	136.00	28.42	144.30	30.95	154.04	34.67	164.57	39.93	177.99	43.33	
	37	99.93	21.85	117.97	25.11	136.00	29.94	144.30	32.61	154.04	36.53	161.28	42.07	174.43	45.66	
	39	99.93	23.00	117.97	26.43	136.00	31.51	144.30	34.33	154.04	38.45	159.64	44.28	172.65	48.06	
	41	99.93	24.16	117.97	27.77	136.00	33.10	144.30	36.06	154.04	40.39	157.99	46.52	170.87	50.48	
43	99.93	25.30	117.97	29.08	136.00	34.67	144.30	37.76	154.04	42.29	157.99	48.71	170.87	52.87		
46	99.93	26.66	117.97	30.64	136.00	36.52	144.30	39.79	154.04	44.56	154.83	51.33	167.46	55.70		
48	99.93	28.06	117.97	32.25	136.00	38.44	144.30	41.88	154.04	46.90	153.25	54.02	165.75	58.63		
50	99.93	29.48	117.97	33.88	136.00	40.39	144.30	43.99	154.04	49.27	151.67	56.75	164.04	61.59		
50%	10	83.27	11.49	98.30	12.72	113.34	14.13	120.25	15.32	128.37	17.77	137.15	20.07	148.33	22.52	
	12	83.27	11.61	98.30	12.84	113.34	14.27	120.25	15.47	128.37	17.95	137.15	20.27	148.33	22.75	
	14	83.27	11.57	98.30	12.81	113.34	14.23	120.25	15.43	128.37	17.90	137.15	20.21	148.33	22.68	
	16	83.27	11.93	98.30	13.21	113.34	14.67	120.25	15.91	128.37	18.46	137.15	20.84	148.33	23.39	
	18	83.27	12.03	98.30	13.31	113.34	14.79	120.25	16.04	128.37	18.61	137.15	21.01	148.33	23.58	
	19	83.27	12.46	98.30	13.78	113.34	15.31	120.25	16.61	128.37	19.26	137.15	21.76	148.33	24.41	
	21	83.27	12.68	98.30	14.04	113.34	15.59	120.25	16.91	128.37	19.62	137.15	22.16	148.33	24.86	
	23	83.27	13.09	98.30	14.49	113.34	16.10	120.25	17.46	128.37	20.25	137.15	22.87	148.33	25.66	
	25	83.27	13.35	98.30	14.78	113.34	16.42	120.25	17.81	128.37	20.66	137.15	23.33	148.33	26.18	
	27	83.27	13.86	98.30	15.34	113.34	17.04	120.25	18.48	128.37	21.44	137.15	24.21	148.33	27.17	
	29	83.27	14.35	98.30	15.88	113.34	17.64	120.25	19.14	128.37	22.20	137.15	25.07	148.33	28.13	
	31	83.27	15.09	98.30	16.70	113.34	18.55	120.25	20.12	128.37	23.34	137.15	26.35	148.33	29.57	
	33	83.27	15.69	98.30	17.37	113.34	19.29	120.25	20.92	128.37	24.27	137.15	27.41	148.33	30.76	
	35	83.27	16.35	98.30	18.09	113.34	20.09	120.25	21.79	128.37	25.28	137.15	28.55	148.33	32.04	
	37	83.27	17.22	98.30	19.06	113.34	21.17	120.25	22.96	128.37	26.64	134.40	30.08	145.36	33.76	
	39	83.27	18.13	98.30	20.06	113.34	22.29	120.25	24.17	128.37	28.04	133.03	31.66	143.88	35.53	
	41	83.27	19.04	98.30	21.07	113.34	23.41	120.25	25.39	128.37	29.45	131.66	33.26	142.40	37.32	
43	83.27	19.94	98.30	22.07	113.34	24.52	120.25	26.59	128.37	30.84	131.66	34.83	142.40	39.09		
46	83.27	21.01	98.30	23.25	113.34	25.83	120.25	28.01	128.37	32.50	129.03	36.70	139.55	41.18		
48	83.27	22.12	98.30	24.48	113.34	27.19	120.25	29.49	128.37	34.21	127.71	38.63	138.12	43.35		
50	83.27	23.23	98.30	25.71	113.34	28.56	120.25	30.98	128.37	35.93	126.39	40.58	136.70	45.54		

88HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2460W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	205.66	34.22	241.64	43.78	287.25	48.06	307.47	45.07	312.86	50.83	317.12	51.33	326.83	51.84
	12	205.66	35.19	241.64	45.02	287.25	49.42	304.78	45.90	310.11	52.26	314.31	52.78	323.94	53.30
	14	205.66	36.21	241.64	46.32	287.25	50.85	302.08	46.74	307.37	53.78	308.70	54.31	321.04	54.84
	16	205.66	37.46	241.64	47.92	284.71	52.60	296.69	47.57	301.88	55.63	305.90	56.18	318.15	56.74
	18	205.66	38.36	241.64	49.08	279.63	53.88	293.99	48.41	299.13	56.98	303.09	57.55	315.26	58.11
	19	205.66	40.41	241.64	51.70	277.08	56.75	291.29	49.24	296.39	60.02	300.28	60.61	312.37	61.21
	21	205.66	41.77	241.64	53.44	274.54	58.66	288.59	52.79	293.64	62.04	297.48	62.65	309.47	63.27
	23	205.66	43.76	241.64	55.98	272.00	61.45	285.90	56.54	290.90	64.99	294.67	65.63	306.58	66.28
	25	205.66	45.23	241.64	57.87	269.46	63.52	283.20	60.51	288.16	67.18	291.86	67.85	303.69	68.51
	27	205.66	47.56	241.64	60.85	266.92	66.79	280.50	64.68	285.41	70.64	289.06	71.34	300.80	72.04
	29	205.66	49.26	239.75	63.03	264.37	69.18	277.81	69.06	282.67	73.17	286.25	73.89	297.91	74.62
	31	205.66	51.81	239.04	66.29	261.83	72.77	275.11	73.65	279.92	76.96	283.44	77.72	295.01	78.48
	33	205.66	53.91	239.04	68.98	259.29	75.72	272.41	78.45	277.18	80.08	280.64	80.87	292.12	81.66
	35	205.66	56.75	236.67	72.61	254.21	79.70	269.71	83.46	274.43	84.29	280.64	85.13	289.23	85.96
	37	205.66	59.79	236.67	76.50	254.21	83.98	264.32	87.10	268.95	87.55	272.22	87.99	277.66	88.42
	39	205.66	62.94	236.67	80.52	251.66	88.39	262.43	90.14	266.20	90.62	269.41	91.77	271.87	92.41
	41	205.66	66.12	234.31	84.59	249.12	92.85	261.62	93.81	263.46	94.41	266.61	95.34	268.98	96.11
	43	203.60	69.24	231.94	88.58	246.58	97.24	258.93	98.48	260.71	99.47	263.80	100.28	267.54	100.75
	46	203.60	72.95	231.94	93.33	246.58	102.45	253.75	102.78	255.50	103.31	255.89	103.65	256.83	103.63
	48	203.60	76.78	229.62	98.24	244.11	107.84	251.93	106.36	252.89	106.93	253.25	108.10	251.48	108.30
	50	203.60	80.66	227.30	103.20	241.65	113.28	251.16	110.69	250.28	111.40	250.61	112.32	248.81	112.64
120%	10	194.35	32.40	224.86	39.87	272.57	47.60	297.16	44.63	307.76	50.34	311.96	50.84	321.51	51.34
	12	194.35	33.31	224.86	41.00	272.57	48.94	297.16	45.46	305.06	51.76	309.20	52.27	318.66	52.78
	14	194.35	34.28	224.86	42.19	272.57	50.36	297.16	46.29	302.36	53.26	306.44	53.79	315.82	54.32
	16	194.35	35.46	224.86	43.64	272.57	52.10	297.16	47.11	299.66	55.10	303.68	55.64	312.97	56.19
	18	194.35	36.32	224.86	44.70	272.57	53.36	297.16	47.94	296.96	56.44	300.92	56.99	310.13	57.55
	19	194.35	38.25	224.86	47.08	272.57	56.20	294.51	48.77	294.26	59.44	298.15	60.03	307.28	60.62
	21	194.35	39.54	224.86	48.67	272.57	58.10	291.86	52.28	288.86	61.44	295.39	62.05	304.44	62.66
	23	194.35	41.42	224.86	50.98	267.57	60.86	289.20	56.00	286.16	64.37	292.63	65.00	301.59	65.64
	25	194.35	42.82	224.86	52.70	265.07	62.91	286.55	59.93	283.46	66.54	289.87	67.20	298.75	67.85
	27	194.35	45.02	224.86	55.41	262.57	66.15	283.90	64.06	280.77	69.96	287.11	70.65	295.90	71.34
	29	194.35	46.64	224.86	57.40	260.07	68.52	278.59	68.40	278.07	72.46	284.35	73.18	293.06	73.90
	31	194.35	49.05	224.86	60.37	255.07	72.07	270.63	72.94	275.37	76.22	281.59	76.98	290.21	77.73
	33	194.35	51.04	224.86	62.82	252.57	74.99	267.98	77.70	272.67	79.31	278.83	80.09	287.36	80.88
	35	194.35	53.73	224.86	66.13	250.07	78.94	265.32	82.66	269.97	83.48	276.07	84.31	284.52	85.14
	37	194.35	56.61	224.86	69.67	247.57	83.17	260.02	86.26	264.57	86.71	267.79	87.14	273.14	87.57
	39	194.35	59.58	224.86	73.33	245.07	87.54	258.16	89.27	261.87	89.75	265.03	90.89	267.45	91.52
	41	194.35	62.59	213.62	77.04	242.57	91.96	257.36	92.91	259.17	93.50	262.27	94.43	264.60	95.18
	43	194.35	65.55	211.37	80.67	240.06	96.30	254.71	97.54	256.47	98.51	259.50	99.32	263.18	99.78
	46	194.35	69.06	211.37	85.00	237.66	101.47	249.62	101.79	251.34	102.31	251.72	102.65	252.65	102.63
	48	194.35	72.69	211.37	89.47	235.26	106.80	247.83	105.34	248.77	105.90	249.12	107.06	247.39	107.26
	50	194.35	76.36	200.80	93.98	232.86	112.19	247.07	109.63	246.21	110.33	246.53	111.24	244.76	111.55
110%	10	180.70	31.60	213.31	38.90	245.93	46.43	279.20	48.62	300.01	49.11	306.79	49.59	316.19	50.08
	12	180.70	32.49	213.31	39.99	245.93	47.74	279.20	49.99	297.36	50.49	304.08	50.99	313.39	51.49
	14	180.70	33.44	213.31	41.15	245.93	49.13	279.20	51.44	294.70	51.96	301.36	52.47	310.59	52.99
	16	180.70	34.59	213.31	42.57	245.93	50.82	279.20	53.22	292.05	53.75	298.65	54.28	307.79	54.81
	18	180.70	35.43	213.31	43.61	245.93	52.05	279.20	54.51	289.39	55.05	295.93	55.60	304.99	56.14
	19	180.70	37.32	213.31	45.93	245.93	54.83	279.20	57.41	286.74	57.98	293.22	58.56	302.20	59.13
	21	180.70	38.57	213.31	47.48	245.93	56.68	279.20	59.35	284.08	59.94	290.50	60.53	299.40	61.13
	23	180.70	40.41	213.31	49.73	245.93	59.37	276.59	62.17	281.43	62.79	287.79	63.41	296.60	64.03
	25	180.70	41.77	213.31	51.41	245.93	61.37	273.98	64.26	278.77	64.91	285.07	65.55	293.80	66.19
	27	180.70	43.92	213.31	54.06	245.93	64.53	271.37	67.57	276.12	68.25	282.36	68.92	291.00	69.60
	29	180.70	45.49	213.31	55.99	245.93	66.84	268.76	69.99	273.46	70.69	279.64	71.39	288.20	72.09
	31	180.70	47.85	213.31	58.89	245.93	70.30	266.15	73.62	270.81	74.35	276.93	75.09	285.41	75.83
	33	180.70	49.79	213.31	61.28	245.93	73.15	263.54	76.60	268.15	77.37	274.21	78.13	282.61	78.90
	35	180.70	52.41	213.31	64.51	245.93	77.00	260.93	80.63	265.50	81.44	271.50	82.25	279.81	83.05
	37	180.70	55.22	213.31	67.96	245.93	81.13	255.71	84.15	260.19	84.58	263.35	85.01	268.62	85.43
	39	180.70	58.12	213.31	71.54	238.55	85.40	253.89	87.08	257.53	87.55	260.64	88.66	263.02	89.28
	41	180.70	61.06	213.31	75.15	236.09	89.71	253.10	90.63	254.88	91.21	257.92	92.11	260.22	92.85
	43	180.70	63.94	213.31	78.70	233.63	93.94	250.49	95.15	252.22	96.10	255.21	96.88	258.82	97.34
	46	180.70	67.37	213.31	82.92	233.63	98.98	245.49	99.29	247.18	99.81	247.55	100.14	248.47	100.12
	48	180.70	70.91	213.31	87.28	226.62	104.19	243.73	102.76	244.66	103.31	245.00	104.44	243.30	104.64
	50	180.70	74.49	213.31	91.68	224.29	109.45	242.98	106.94	242.13	107.63	242.45	108.51	240.71	108.82

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2460W/ZR1-C															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	170.36	26.26	201.11	33.17	231.86	41.69	246.00	46.07	267.83	46.53	286.68	46.99	298.09	47.45
	12	170.36	27.00	201.11	34.10	231.86	42.87	246.00	47.37	267.83	47.84	286.68	48.32	295.45	48.79
	14	170.36	27.78	201.11	35.10	231.86	44.11	246.00	48.74	267.83	49.23	284.12	49.72	292.82	50.21
	16	170.36	28.74	201.11	36.31	231.86	45.63	246.00	50.42	267.83	50.93	281.56	51.43	290.18	51.94
	18	170.36	29.44	201.11	37.19	231.86	46.74	246.00	51.65	267.83	52.16	279.00	52.68	287.54	53.20
	19	170.36	31.01	201.11	39.17	231.86	49.23	246.00	54.40	267.83	54.94	276.44	55.48	284.90	56.03
	21	170.36	32.05	201.11	40.49	231.86	50.89	246.00	56.23	267.83	56.79	273.88	57.36	282.26	57.92
	23	170.36	33.58	201.11	42.41	231.86	53.31	246.00	58.90	267.83	59.49	271.32	60.08	279.63	60.67
	25	170.36	34.71	201.11	43.84	231.86	55.11	246.00	60.89	265.32	61.50	268.76	62.11	276.99	62.72
	27	170.36	36.49	201.11	46.10	231.86	57.94	246.00	64.02	262.82	64.66	266.20	65.30	274.35	65.94
	29	170.36	37.80	201.11	47.75	231.86	60.02	246.00	66.32	260.32	66.98	263.64	67.64	271.71	68.30
	31	170.36	39.76	201.11	50.22	231.86	63.13	246.00	69.75	257.81	70.45	261.08	71.15	269.07	71.85
	33	170.36	41.37	201.11	52.26	231.86	65.68	246.00	72.58	252.81	73.31	258.52	74.03	266.44	74.76
	35	170.36	43.55	201.11	55.01	231.86	69.14	246.00	76.40	250.31	77.16	255.96	77.93	263.80	78.69
	37	170.36	45.88	201.11	57.96	231.86	72.85	241.08	79.73	245.30	80.14	248.28	80.55	253.25	80.94
	39	170.36	48.29	201.11	61.00	231.86	76.68	239.36	82.51	242.80	82.95	245.72	84.01	247.97	84.59
	41	170.36	50.73	201.11	64.08	231.86	80.55	238.62	85.87	240.29	86.42	243.16	87.28	245.33	87.98
	43	170.36	53.13	201.11	67.11	231.86	84.35	236.16	90.15	237.79	91.05	240.61	91.80	244.01	92.23
	46	170.36	55.98	201.11	70.71	231.86	88.87	231.44	94.08	233.03	94.57	233.39	94.88	233.25	94.86
	48	170.36	58.92	201.11	74.42	231.86	93.55	229.78	97.36	230.66	97.88	230.98	98.96	229.37	99.14
	50	170.36	61.89	201.11	78.18	231.86	98.27	229.08	101.33	228.28	101.98	228.57	102.82	226.93	103.11
90%	10	153.32	23.21	180.99	28.62	208.67	35.12	221.40	38.68	236.34	42.16	265.44	44.86	270.89	46.02
	12	153.32	23.86	180.99	29.43	208.67	36.11	221.40	39.77	236.34	43.34	265.44	46.13	270.89	47.32
	14	153.32	24.55	180.99	30.28	208.67	37.16	221.40	40.92	236.34	44.60	265.44	47.47	270.89	48.69
	16	153.32	25.40	180.99	31.32	208.67	38.44	221.40	42.33	236.34	46.14	265.44	49.10	270.89	50.37
	18	153.32	26.01	180.99	32.08	208.67	39.37	221.40	43.36	236.34	47.26	265.44	50.29	268.36	51.60
	19	153.32	27.40	180.99	33.79	208.67	41.46	221.40	45.67	236.34	49.78	265.44	52.97	265.83	54.34
	21	153.32	28.32	180.99	34.93	208.67	42.86	221.40	47.21	236.34	51.45	265.44	54.76	263.30	56.17
	23	153.32	29.67	180.99	36.59	208.67	44.90	221.40	49.45	236.34	53.90	265.44	57.36	260.77	58.85
	25	153.32	30.67	180.99	37.83	208.67	46.41	221.40	51.12	236.34	55.72	262.96	59.30	258.23	60.83
	27	153.32	32.25	180.99	39.77	208.67	48.80	221.40	53.75	236.34	58.58	260.48	62.35	258.23	63.96
	29	153.32	33.40	180.99	41.20	208.67	50.55	221.40	55.67	236.34	60.68	258.00	64.58	258.23	66.25
	31	153.32	35.13	180.99	43.33	208.67	53.17	221.40	58.56	236.34	63.83	255.52	67.93	255.70	69.68
	33	153.32	36.56	180.99	45.09	208.67	55.33	221.40	60.93	236.34	66.41	250.56	70.68	255.70	72.51
	35	153.32	38.48	180.99	47.46	208.67	58.24	221.40	64.14	236.34	69.91	248.08	74.40	253.17	76.32
	37	153.32	40.55	180.99	50.01	208.67	61.36	221.40	67.58	236.34	73.66	243.12	78.39	248.11	80.41
	39	153.32	42.68	180.99	52.64	208.67	64.58	221.40	71.13	236.34	77.53	240.64	82.51	245.58	84.64
	41	153.32	44.83	180.99	55.29	208.67	67.85	221.40	74.72	236.34	81.45	238.16	86.68	243.04	88.92
	43	153.32	46.95	180.99	57.90	208.67	71.05	221.40	78.25	236.34	85.29	238.16	90.77	243.04	93.12
	46	153.32	49.47	180.99	61.01	208.67	74.86	221.40	82.44	236.34	89.86	233.39	95.63	238.18	98.11
	48	153.32	52.07	180.99	64.22	208.67	78.79	221.40	86.78	236.34	94.59	231.01	100.66	235.75	103.26
	50	153.32	54.70	180.99	67.46	208.67	82.77	221.40	91.16	236.34	99.36	228.63	105.74	233.32	108.48
80%	10	136.28	20.62	160.88	23.15	185.48	29.02	196.80	31.72	210.08	34.89	224.45	40.85	242.75	43.61
	12	136.28	21.20	160.88	23.81	185.48	29.84	196.80	32.61	210.08	35.87	224.45	42.00	242.75	44.84
	14	136.28	21.81	160.88	24.50	185.48	30.70	196.80	33.56	210.08	36.91	224.45	43.22	242.75	46.14
	16	136.28	22.56	160.88	25.34	185.48	31.76	196.80	34.71	210.08	38.19	224.45	44.71	242.75	47.73
	18	136.28	23.11	160.88	25.96	185.48	32.53	196.80	35.56	210.08	39.11	224.45	45.80	242.75	48.89
	19	136.28	24.34	160.88	27.34	185.48	34.27	196.80	37.45	210.08	41.19	224.45	48.23	242.75	51.49
	21	136.28	25.16	160.88	28.26	185.48	35.42	196.80	38.71	210.08	42.58	224.45	49.86	242.75	53.23
	23	136.28	26.36	160.88	29.60	185.48	37.11	196.80	40.55	210.08	44.61	224.45	52.23	242.75	55.76
	25	136.28	27.25	160.88	30.60	185.48	38.36	196.80	41.92	210.08	46.11	224.45	53.99	242.75	57.64
	27	136.28	28.65	160.88	32.18	185.48	40.33	196.80	44.08	210.08	48.48	224.45	56.77	242.75	60.61
	29	136.28	29.68	160.88	33.33	185.48	41.77	196.80	45.65	210.08	50.22	224.45	58.80	242.75	62.78
	31	136.28	31.21	160.88	35.06	185.48	43.94	196.80	48.02	210.08	52.82	224.45	61.85	242.75	66.03
	33	136.28	32.48	160.88	36.48	185.48	45.72	196.80	49.97	210.08	54.96	224.45	64.36	242.75	68.71
	35	136.28	34.19	160.88	38.40	185.48	48.13	196.80	52.60	210.08	57.86	224.45	67.75	242.75	72.32
	37	136.28	36.02	160.88	40.45	185.48	50.71	196.80	55.42	210.08	60.96	219.96	71.38	237.90	76.20
	39	136.28	37.91	160.88	42.58	185.48	53.37	196.80	58.33	210.08	64.16	217.72	75.13	235.47	80.20
	41	136.28	39.83	160.88	44.73	185.48	56.07	196.80	61.28	210.08	67.40	215.47	78.92	233.04	84.25
	43	136.28	41.71	160.88	46.84	185.48	58.71	196.80	64.17	210.08	70.59	215.47	82.65	233.04	88.23
	46	136.28	43.95	160.88	49.35	185.48	61.86	196.80	67.61	210.08	74.37	211.16	87.08	228.38	92.96
	48	136.28	46.26	160.88	51.95	185.48	65.11	196.80	71.16	210.08	78.28	209.01	91.66	226.05	97.85
	50	136.28	48.59	160.88	54.57	185.48	68.40	196.80	74.76	210.08	82.23	-	96.29	223.72	102.79

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2460W/ZR1-C																
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)														
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24		
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
70%	10	119.25	18.50	140.77	22.03	162.30	26.87	172.20	29.37	183.82	31.72	196.39	35.83	212.41	38.77	
	12	119.25	18.69	140.77	22.25	162.30	27.14	172.20	29.66	183.82	32.04	196.39	36.19	212.41	39.16	
	14	119.25	18.64	140.77	22.18	162.30	27.07	172.20	29.58	183.82	31.95	196.39	36.09	212.41	39.05	
	16	119.25	19.21	140.77	22.87	162.30	27.91	172.20	30.50	183.82	32.94	196.39	37.21	212.41	40.26	
	18	119.25	19.37	140.77	23.06	162.30	28.14	172.20	30.75	183.82	33.21	196.39	37.51	212.41	40.59	
	19	119.25	20.06	140.77	23.88	162.30	29.13	172.20	31.84	183.82	34.38	196.39	38.84	212.41	42.02	
	21	119.25	20.43	140.77	24.32	162.30	29.67	172.20	32.42	183.82	35.01	196.39	39.55	212.41	42.80	
	23	119.25	21.08	140.77	25.10	162.30	30.62	172.20	33.47	183.82	36.14	196.39	40.83	212.41	44.17	
	25	119.25	21.50	140.77	25.60	162.30	31.23	172.20	34.13	183.82	36.86	196.39	41.64	212.41	45.06	
	27	119.25	22.32	140.77	26.57	162.30	32.42	172.20	35.43	183.82	38.26	196.39	43.22	212.41	46.77	
	29	119.25	23.11	140.77	27.51	162.30	33.56	172.20	36.68	183.82	39.62	196.39	44.75	212.41	48.42	
	31	119.25	24.29	140.77	28.92	162.30	35.28	172.20	38.56	183.82	41.65	196.39	47.05	212.41	50.90	
	33	119.25	25.27	140.77	30.08	162.30	36.70	172.20	40.11	183.82	43.32	196.39	48.93	212.41	52.94	
	35	119.25	26.32	140.77	31.33	162.30	38.23	172.20	41.78	183.82	45.12	196.39	50.97	212.41	55.15	
	37	119.25	27.73	140.77	33.01	162.30	40.28	172.20	44.02	183.82	47.54	192.47	53.70	208.16	58.10	
	39	119.25	29.19	140.77	34.75	162.30	42.39	172.20	46.33	183.82	50.04	190.50	56.53	206.04	61.16	
	41	119.25	30.66	140.77	36.50	162.30	44.54	172.20	48.67	183.82	52.57	188.54	59.38	203.91	64.25	
	43	119.25	32.11	140.77	38.23	162.30	46.64	172.20	50.97	183.82	55.05	188.54	62.18	203.91	67.28	
	46	119.25	33.83	140.77	40.28	162.30	49.14	172.20	53.70	183.82	58.00	184.77	65.52	199.83	70.89	
	48	119.25	35.61	140.77	42.39	162.30	51.72	172.20	56.53	183.82	61.05	182.88	68.96	197.79	74.62	
	50	119.25	37.41	140.77	44.54	162.30	54.33	172.20	59.38	183.82	64.13	181.00	72.44	195.76	78.38	
60%	10	102.21	14.92	120.66	17.15	139.11	20.45	147.60	22.27	157.56	24.95	168.34	28.73	182.06	31.18	
	12	102.21	15.07	120.66	17.32	139.11	20.65	147.60	22.49	157.56	25.19	168.34	29.02	182.06	31.49	
	14	102.21	15.03	120.66	17.27	139.11	20.59	147.60	22.43	157.56	25.12	168.34	28.94	182.06	31.40	
	16	102.21	15.50	120.66	17.81	139.11	21.23	147.60	23.13	157.56	25.90	168.34	29.84	182.06	32.38	
	18	102.21	15.62	120.66	17.96	139.11	21.41	147.60	23.32	157.56	26.12	168.34	30.08	182.06	32.65	
	19	102.21	16.18	120.66	18.59	139.11	22.16	147.60	24.14	157.56	27.04	168.34	31.14	182.06	33.80	
	21	102.21	16.47	120.66	18.93	139.11	22.57	147.60	24.59	157.56	27.54	168.34	31.72	182.06	34.42	
	23	102.21	17.00	120.66	19.54	139.11	23.30	147.60	25.38	157.56	28.42	168.34	32.74	182.06	35.53	
	25	102.21	17.34	120.66	19.93	139.11	23.76	147.60	25.89	157.56	28.99	168.34	33.39	182.06	36.24	
	27	102.21	18.00	120.66	20.69	139.11	24.66	147.60	26.87	157.56	30.09	168.34	34.66	182.06	37.61	
	29	102.21	18.64	120.66	21.42	139.11	25.54	147.60	27.82	157.56	31.16	168.34	35.88	182.06	38.94	
	31	102.21	19.59	120.66	22.52	139.11	26.85	147.60	29.24	157.56	32.75	168.34	37.72	182.06	40.94	
	33	102.21	20.38	120.66	23.42	139.11	27.92	147.60	30.42	157.56	34.07	168.34	39.24	182.06	42.58	
	35	102.21	21.23	120.66	24.40	139.11	29.09	147.60	31.68	157.56	35.49	168.34	40.87	182.06	44.36	
	37	102.21	22.37	120.66	25.70	139.11	30.64	147.60	33.38	157.56	37.39	164.97	43.06	178.42	46.73	
	39	102.21	23.54	120.66	27.06	139.11	32.26	147.60	35.14	157.56	39.35	163.29	45.33	176.60	49.19	
	41	102.21	24.73	120.66	28.42	139.11	33.88	147.60	36.91	157.56	41.34	161.60	47.61	174.78	51.68	
	43	102.21	25.90	120.66	29.76	139.11	35.48	147.60	38.65	157.56	43.29	161.60	49.86	174.78	54.11	
	46	102.21	27.29	120.66	31.36	139.11	37.39	147.60	40.73	157.56	45.61	158.37	52.54	171.29	57.02	
	48	102.21	28.72	120.66	33.01	139.11	39.35	147.60	42.87	157.56	48.01	156.76	55.30	169.54	60.01	
	50	102.21	30.17	120.66	34.67	139.11	41.34	147.60	45.03	157.56	50.43	155.14	58.09	167.79	63.04	
50%	10	85.18	11.76	100.55	13.02	115.93	14.46	123.00	15.68	131.30	18.19	140.28	20.54	151.72	23.05	
	12	85.18	11.88	100.55	13.15	115.93	14.60	123.00	15.84	131.30	18.37	140.28	20.75	151.72	23.28	
	14	85.18	11.85	100.55	13.11	115.93	14.56	123.00	15.79	131.30	18.32	140.28	20.69	151.72	23.22	
	16	85.18	12.21	100.55	13.52	115.93	15.02	123.00	16.29	131.30	18.89	140.28	21.33	151.72	23.94	
	18	85.18	12.31	100.55	13.63	115.93	15.14	123.00	16.42	131.30	19.05	140.28	21.51	151.72	24.14	
	19	85.18	12.75	100.55	14.11	115.93	15.67	123.00	17.00	131.30	19.72	140.28	22.27	151.72	24.99	
	21	85.18	12.98	100.55	14.37	115.93	15.96	123.00	17.31	131.30	20.08	140.28	22.68	151.72	25.45	
	23	85.18	13.40	100.55	14.83	115.93	16.48	123.00	17.87	131.30	20.73	140.28	23.41	151.72	26.27	
	25	85.18	13.67	100.55	15.13	115.93	16.80	123.00	18.23	131.30	21.14	140.28	23.88	151.72	26.79	
	27	85.18	14.19	100.55	15.70	115.93	17.44	123.00	18.92	131.30	21.94	140.28	24.78	151.72	27.81	
	29	85.18	14.69	100.55	16.26	115.93	18.06	123.00	19.59	131.30	22.72	140.28	25.66	151.72	28.79	
	31	85.18	15.44	100.55	17.09	115.93	18.98	123.00	20.59	131.30	23.89	140.28	26.97	151.72	30.27	
	33	85.18	16.06	100.55	17.78	115.93	19.75	123.00	21.42	131.30	24.84	140.28	28.06	151.72	31.48	
	35	85.18	16.73	100.55	18.52	115.93	20.57	123.00	22.31	131.30	25.88	140.28	29.22	151.72	32.79	
	37	85.18	17.63	100.55	19.51	115.93	21.67	123.00	23.50	131.30	27.27	137.48	30.79	148.69	34.55	
	39	85.18	18.56	100.55	20.53	115.93	22.81	123.00	24.74	131.30	28.70	136.07	32.41	147.17	36.37	
	41	85.18	19.49	100.55	21.57	115.93	23.96	123.00	25.99	131.30	30.15	134.67	34.05	145.65	38.20	
	43	85.18	20.41	100.55	22.59	115.93	25.09	123.00	27.22	131.30	31.57	134.67	35.65	145.65	40.01	
	46	85.18	21.51	100.55	23.80	115.93	26.44	123.00	28.68	131.30	33.26	131.98	37.56	142.74	42.15	
	48	85.18	22.64	100.55	25.05	115.93	27.83	123.00	30.18	131.30	35.01	130.63	39.54	141.28	44.37	
	50	85.18	23.78	100.55	26.32	115.93	29.23	123.00	31.71	131.30	36.78	129.28	41.54	139.83	46.61	

VÝKONOVÉ TABUĽKY – VYKUROVANIE

8HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V252W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorá teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	17.74	4.15	17.66	4.44	17.58	4.74	17.58	4.88	17.49	5.03	17.49	5.33
	-18.8	-19	18	4.25	17.92	4.53	17.92	4.83	17.83	4.97	17.83	5.10	17.74	5.39
	-16.7	-17	18.7	4.44	18.61	4.72	18.53	5.00	18.53	5.13	18.53	5.28	18.44	5.55
	-13.7	-15	19.48	4.64	19.4	4.91	19.31	5.18	19.31	5.32	19.22	5.44	19.22	5.71
	-11.8	-13	20.27	4.85	20.27	5.11	20.18	5.37	20.09	5.49	20.09	5.63	20	5.88
	-9.8	-11	21.23	5.07	21.14	5.32	21.05	5.55	21.05	5.67	21.05	5.80	20.97	6.05
	-9.5	-10	21.75	5.18	21.66	5.40	21.57	5.65	21.57	5.77	21.48	5.89	21.48	6.13
	-8.5	-9.1	22.18	5.27	22.09	5.49	22.09	5.73	22.01	5.85	22.01	5.96	21.92	6.20
	-7	-7.6	22.97	5.41	22.97	5.65	22.87	5.87	22.87	5.98	22.79	6.09	22.7	6.32
	-5	-5.6	24.18	5.63	24.09	5.84	24.01	6.05	24.01	6.17	23.92	6.26	23.92	6.47
	-3	-3.7	25.31	5.81	25.23	6.01	25.23	6.21	25.14	6.32	25.14	6.42	25.05	6.61
	0	-0.7	27.31	6.09	27.31	6.28	27.23	6.46	27.23	6.53	27.14	6.65	27.14	6.84
	3	2.2	29.48	6.35	29.4	6.51	29.32	6.69	29.32	6.77	29.32	6.87	29.23	7.03
	5	4.1	30.96	6.49	30.88	6.67	30.88	6.83	30.79	6.92	30.79	7.00	30.71	7.16
	7	6	32.53	6.66	32.44	6.80	32.44	6.97	32.35	7.04	32.35	7.12	31.05	6.84
120%	9	7.9	34.18	6.79	34.1	6.95	34.1	7.09	34.01	7.17	33.92	7.02	31.05	6.42
	11	9.8	35.92	6.93	35.83	7.07	35.66	7.16	34.44	6.88	33.92	6.59	31.05	6.05
	13	11.8	37.83	7.06	37.75	7.20	35.66	6.71	34.44	6.44	33.92	6.20	31.05	5.67
	15	13.7	39.66	7.19	37.92	6.81	35.66	6.32	34.44	6.08	33.92	5.83	31.05	5.37
	-19.8	-20	17.66	4.55	17.57	4.82	17.49	5.10	17.49	5.22	17.49	5.37	17.39	5.63
	-18.8	-19	17.92	4.63	17.83	4.90	17.83	5.17	17.75	5.30	17.75	5.43	17.66	5.70
	-16.7	-17	18.61	4.82	18.53	5.08	18.41	5.33	18.44	5.45	18.44	5.59	18.36	5.84
	-13.7	-15	19.4	5.01	19.31	5.26	19.22	5.49	19.22	5.63	19.22	5.74	19.14	5.99
	-11.8	-13	20.18	5.20	20.18	5.43	20.09	5.66	20.09	5.79	20.01	5.91	20.01	6.15
	-9.8	-11	21.14	5.39	21.05	5.62	21.05	5.85	20.97	5.96	20.97	6.07	20.87	6.30
	-9.5	-10	21.67	5.49	21.57	5.71	21.48	5.93	21.48	6.05	21.48	6.16	21.4	6.37
	-8.5	-9.1	22.09	5.58	22.01	5.79	22.01	6.01	21.92	6.12	21.92	6.23	21.83	6.44
	-7	-7.6	22.87	5.72	22.87	5.93	22.79	6.14	22.79	6.24	22.7	6.35	22.7	6.54
	-5	-5.6	24.09	5.91	24.01	6.11	23.92	6.31	23.92	6.40	23.92	6.50	23.84	6.69
	-3	-3.7	25.23	6.09	25.23	6.28	25.14	6.46	25.14	6.54	25.06	6.65	25.06	6.83
110%	0	-0.7	27.23	6.35	27.23	6.51	27.14	6.69	27.14	6.77	27.05	6.86	27.05	7.03
	3	2.2	29.4	6.58	29.32	6.74	29.32	6.90	29.23	6.99	29.23	7.06	28.62	7.03
	5	4.1	30.88	6.73	30.79	6.88	30.79	7.03	30.71	7.11	30.71	7.19	28.62	6.59
	7	6	32.44	6.86	32.44	7.01	32.36	7.15	31.83	7.05	30.79	6.76	28.62	6.20
	9	7.9	34.1	7.00	34.02	7.14	32.88	6.90	31.83	6.62	30.79	6.36	28.62	5.84
	11	9.8	35.83	7.12	34.97	7.00	32.88	6.48	31.83	6.24	30.79	5.98	28.62	5.50
	13	11.8	37.14	7.05	34.97	6.56	32.88	6.09	31.83	5.86	30.79	5.63	28.62	5.18
	15	13.7	37.14	6.64	34.97	6.19	32.88	5.74	31.83	5.51	30.79	5.31	28.62	4.88
	-19.8	-20	17.57	4.95	17.49	5.19	17.39	5.43	17.39	5.56	17.4	5.68	17.31	5.93
	-18.8	-19	17.83	5.03	17.75	5.27	17.75	5.51	17.75	5.63	17.66	5.75	17.66	6.00
	-16.7	-17	18.53	5.19	18.44	5.42	18.7	5.66	18.36	5.78	18.36	5.90	18.27	6.13
	-13.7	-15	19.31	5.38	19.23	5.59	19.14	5.82	19.14	5.93	19.14	6.05	19.05	6.27
	-11.8	-13	20.09	5.55	20.09	5.76	20	5.97	20	6.09	19.92	6.20	19.92	6.41
	-9.8	-11	21.05	5.72	20.97	5.93	20.97	6.14	20.87	6.24	20.87	6.35	20.87	6.54
	-9.5	-10	21.57	5.82	21.48	6.01	21.39	6.22	21.39	6.32	21.39	6.42	21.31	6.62

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V252W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	17.49	5.35	17.39	5.56	17.39	5.79	17.31	5.91	17.31	6.01	17.22	6.24
	-18.8	-19	17.75	5.40	17.75	5.63	17.66	5.86	17.66	5.97	17.58	6.09	17.58	6.31
	-16.7	-17	18.44	5.56	18.35	5.78	18.35	5.99	18.27	6.10	18.27	6.20	18.27	6.42
	-13.7	-15	19.22	5.72	19.14	5.93	19.05	6.14	19.05	6.24	19.05	6.35	18.97	6.54
	-11.8	-13	20.01	5.90	20.01	6.09	19.92	6.28	19.92	6.38	19.92	6.48	19.83	6.68
	-9.8	-11	20.97	6.05	20.87	6.24	20.87	6.43	20.87	6.52	20.78	6.61	20.78	6.80
	-9.5	-10	21.48	6.14	21.4	6.32	21.4	6.49	21.31	6.59	21.31	6.69	21.22	6.87
	-8.5	-9.1	21.92	6.20	21.83	6.39	21.83	6.56	21.83	6.65	21.75	6.75	21.75	6.92
	-7	-7.6	22.7	6.33	22.7	6.49	22.62	6.67	22.62	6.76	22.62	6.84	22.53	7.03
	-5	-5.6	23.92	6.48	23.83	6.65	23.83	6.81	23.75	6.89	23.75	6.98	23.66	7.15
	-3	-3.7	25.06	6.63	25.06	6.02	24.96	6.95	24.96	7.03	24.96	7.10	23.92	6.80
	0	-0.7	27.05	6.84	27.05	7.00	26.96	7.14	26.53	7.03	25.66	6.73	23.92	6.18
	3	2.2	29.23	7.04	29.14	7.18	27.4	6.64	26.53	6.38	25.66	6.13	23.92	5.63
	5	4.1	30.71	7.18	29.14	6.74	27.4	6.24	26.53	6.01	25.66	5.77	23.92	5.31
	7	6	30.88	6.80	29.14	6.34	27.4	5.88	26.53	5.65	25.66	5.43	23.92	5.00
90%	9	7.9	30.88	6.39	29.14	5.96	27.4	5.53	26.53	5.26	25.66	5.12	23.92	4.72
	11	9.8	30.88	6.02	29.14	5.62	27.4	5.22	26.53	5.03	25.66	4.83	23.92	4.45
	13	11.8	30.88	5.65	29.14	5.29	27.4	4.91	26.53	4.73	25.66	4.55	23.92	4.21
	15	13.7	30.88	5.34	29.14	4.99	27.4	4.64	26.53	4.47	25.66	4.30	23.92	3.99
	-19.8	-20	17.36	5.74	17.28	5.93	17.28	6.15	17.19	6.24	17.19	6.35	17.19	6.54
	-18.8	-19	17.63	5.80	17.63	6.01	17.54	6.20	17.54	6.31	17.54	6.40	17.45	6.60
	-16.7	-17	18.32	5.94	18.24	6.14	18.24	6.33	18.24	6.42	18.14	6.51	18.14	6.71
	-13.7	-15	19.1	6.09	19.02	6.28	19.02	6.46	18.93	6.54	18.93	6.64	18.93	6.82
	-11.8	-13	19.88	6.24	19.88	6.41	19.8	6.58	19.8	6.68	19.8	6.76	19.71	6.94
	-9.8	-11	20.84	6.38	20.84	6.54	20.75	6.72	20.75	6.80	20.75	6.89	20.66	7.06
	-9.5	-10	21.36	6.46	21.27	6.62	21.27	6.78	21.19	6.87	21.19	6.96	21.19	7.11
	-8.5	-9.1	21.8	6.52	21.8	6.69	21.71	6.84	21.71	6.92	21.71	7.01	21.44	7.07
	-7	-7.6	22.58	6.63	22.58	6.78	22.49	6.95	22.49	7.03	22.49	7.10	21.44	6.76
	-5	-5.6	23.79	6.77	23.71	6.92	23.71	7.07	23.61	7.15	23.01	6.92	21.44	6.35
	-3	-3.7	24.92	6.91	24.92	7.04	24.66	7.07	23.79	6.79	23.01	6.51	21.44	5.98
	0	-0.7	27	7.11	26.22	6.93	24.66	6.42	23.79	6.17	23.01	5.93	21.44	5.43
80%	3	2.2	27.79	6.76	26.22	6.31	24.66	5.85	23.79	5.63	23.01	5.39	21.44	4.98
	5	4.1	27.79	6.37	26.22	5.93	24.66	5.51	23.79	5.30	23.01	5.10	21.44	4.69
	7	6	27.79	5.98	26.22	5.59	24.66	5.19	23.79	5.00	23.01	4.81	21.44	4.43
	9	7.9	27.79	5.64	26.22	5.26	24.66	4.89	23.79	4.72	23.01	4.54	21.44	4.20
	11	9.8	27.79	5.32	26.22	4.96	24.66	4.62	23.79	4.45	23.01	4.29	21.44	3.97
	13	11.8	27.79	5.00	26.22	4.68	24.66	4.36	23.79	4.21	23.01	4.05	21.44	3.74
	15	13.7	27.79	4.72	26.22	4.41	24.66	4.13	23.79	3.99	23.01	3.84	21.44	3.55
	-19.8	-20	17.31	6.14	17.22	6.32	17.22	6.49	17.22	6.58	17.13	6.68	17.13	6.85
	-18.8	-19	17.57	6.20	17.57	6.37	17.49	6.54	17.49	6.64	17.49	6.73	17.39	6.91
	-16.7	-17	18.27	6.32	18.19	6.48	18.19	6.66	18.19	6.75	18.19	6.83	18.09	7.00
	-13.7	-15	19.05	6.45	18.97	6.61	18.97	6.77	18.97	6.85	18.88	6.94	18.88	7.11
	-11.8	-13	19.83	6.57	19.83	6.74	19.75	6.89	19.75	6.97	19.75	7.05	19.14	6.86
	-9.8	-11	20.79	6.71	20.79	6.86	20.7	7.02	20.7	7.08	20.53	7.07	19.14	6.48
	-9.5	-10	21.31	6.77	21.22	6.92	21.23	7.07	21.23	7.15	20.53	6.86	19.14	6.29
	-8.5	-9.1	21.75	6.84	20.22	6.99	21.66	7.12	21.23	6.96	20.53	6.68	19.14	6.13
	-7	-7.6	22.53	6.94	22.53	7.07	21.92	6.92	21.23	6.65	20.53	6.38	19.14	5.86
	-5	-5.6	23.75	7.06	23.31	7.03	21.92	6.49	21.23	6.25	20.53	6.00	19.14	5.51
	-3	-3.7	24.7	7.10	23.31	6.61	21.92	6.13	21.23	5.90	20.53	5.65	19.14	5.21
	0	-0.7	24.7	6.44	23.31	6.00	21.92	5.57	21.23	5.37	20.53	5.15	19.14	4.75
	3	2.2	24.7	5.87	23.31	5.47	21.92	5.10	21.23	4.90	20.53	4.72	19.14	4.35
	5	4.1	24.7	5.52	23.31	5.16	21.92	4.80	21.23	4.62	20.53	4.45	19.14	4.11
	7	6	24.7	5.21	23.31	4.87	21.92	4.53	21.23	4.38	20.53	4.22	19.14	3.89
	9	7.9	24.7	4.91	23.31	4.59	21.92	4.28	21.23	4.13	20.53	3.99	19.14	3.69
	11	9.8	24.7	4.64	23.31	4.34	21.92	4.05	21.23	3.91	20.53	3.77	19.14	3.49
	13	11.8	24.7	4.38	23.31	4.10	21.92	3.83	21.23	3.70	20.53	3.56	19.14	3.31
	15	13.7	24.7	4.14	23.31	3.89	21.92	3.63	21.23	3.50	20.53	3.39	19.14	3.15

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V252W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	17.18	6.53	17.1	6.69	17.1	6.84	17.1	6.92	17.1	7.01	16.66	6.93
	-18.8	-19	17.44	6.58	17.44	6.74	17.35	6.89	17.35	6.97	17.35	7.05	16.66	6.78
	-16.7	-17	18.13	6.69	18.13	6.84	18.05	7.00	18.05	7.07	17.88	6.30	16.66	6.47
	-13.7	-15	18.92	6.80	18.83	6.96	18.83	7.10	18.49	7.00	17.88	6.71	16.66	6.16
	-11.8	-13	19.7	6.92	19.7	7.06	19.18	6.89	18.49	6.62	17.88	6.36	16.66	5.83
	-9.8	-11	20.65	7.03	20.4	7.03	19.18	6.50	18.49	6.26	17.88	6.01	16.66	5.51
	-9.5	-10	21.18	7.10	20.4	6.82	19.18	6.32	18.49	6.08	17.88	5.84	16.66	5.37
	-8.5	-9.1	21.61	7.14	20.4	6.64	19.18	6.16	18.49	5.92	17.88	5.68	16.66	5.23
	-7	-7.6	21.61	6.81	20.4	6.35	19.18	5.89	18.49	5.66	17.88	5.43	16.66	5.01
	-5	-5.6	21.61	6.40	20.4	5.97	19.18	5.54	18.49	5.33	17.88	6.30	16.66	4.72
	-3	-3.7	21.61	6.03	20.4	5.63	19.18	5.23	18.49	5.03	17.88	4.83	16.66	4.46
	0	-0.7	21.61	5.48	20.4	5.13	19.18	4.77	18.49	4.59	17.88	4.42	16.66	4.09
	3	2.2	21.61	5.02	20.4	4.69	19.18	4.38	18.49	4.22	17.88	4.06	16.66	3.75
	5	4.1	21.61	4.73	20.4	4.42	19.18	4.14	18.49	3.99	17.88	3.84	16.66	3.55
	7	6	21.61	4.47	20.4	4.19	19.18	3.91	18.49	3.77	17.88	3.64	16.66	3.38
60%	9	7.9	21.61	4.23	20.4	3.97	19.18	3.70	18.49	3.57	17.88	3.45	16.66	3.20
	11	9.8	21.61	4.00	20.4	3.74	19.18	3.50	18.49	3.40	17.88	3.28	16.66	3.04
	13	11.8	21.61	3.77	20.4	3.54	19.18	3.32	18.49	3.21	17.88	3.10	16.66	2.89
	15	13.7	21.61	3.58	20.4	3.37	19.18	3.16	18.49	3.05	17.88	2.94	16.66	2.75
	-19.8	-20	17.14	6.93	17.05	7.06	16.44	6.79	15.92	6.52	15.39	6.27	14.35	5.74
	-18.8	-19	17.39	6.98	17.39	7.11	16.44	6.65	15.92	6.38	15.39	6.13	14.35	5.63
	-16.7	-17	18.09	7.07	17.49	6.84	16.44	6.35	15.92	6.10	15.39	5.86	14.35	5.38
	-13.7	-15	18.53	7.00	17.49	6.49	16.44	6.03	15.92	5.80	15.39	5.57	14.35	5.12
	-11.8	-13	18.53	6.61	17.49	6.16	16.44	5.71	15.92	5.50	15.39	5.29	14.35	4.89
	-9.8	-11	18.53	6.25	17.49	5.82	16.44	5.40	15.92	5.21	15.39	5.01	14.35	4.61
	-9.5	-10	18.53	6.08	17.49	5.66	16.44	5.26	15.92	5.07	15.39	4.87	14.35	4.49
	-8.5	-9.1	18.53	5.92	17.49	5.51	16.44	5.13	15.92	4.94	15.39	4.75	14.35	4.38
	-7	-7.6	18.53	5.65	17.49	5.29	16.44	4.91	15.92	4.73	15.39	4.55	14.35	4.21
	-5	-5.6	18.53	5.33	17.49	4.98	16.44	4.63	15.92	4.46	15.39	4.30	14.35	3.98
	-3	-3.7	18.53	5.03	17.49	4.70	16.44	4.38	15.92	4.23	15.39	4.07	14.35	3.76
	0	-0.7	18.53	4.59	17.49	4.30	16.44	4.01	15.92	3.88	15.39	3.73	14.35	3.45
50%	3	2.2	18.53	4.22	17.49	3.96	16.44	3.70	15.92	3.56	15.39	3.44	14.35	3.19
	5	4.1	18.53	3.99	17.49	3.73	16.44	3.49	15.92	3.39	15.39	3.26	14.35	3.03
	7	6	18.53	3.77	17.49	3.54	16.44	3.32	15.92	3.20	15.39	3.10	14.35	2.88
	9	7.9	18.53	3.57	17.49	3.36	16.44	3.15	15.92	3.05	15.39	2.93	14.35	2.74
	11	9.8	18.53	3.40	17.49	3.19	16.44	2.99	15.92	2.90	15.39	2.79	14.35	2.61
	13	11.8	18.53	3.20	17.49	3.02	16.44	2.84	15.92	2.75	15.39	2.65	14.35	2.48
	15	13.7	18.53	3.05	17.49	2.87	16.44	2.70	15.92	2.62	15.39	2.53	14.35	2.37
	-19.8	-20	15.44	6.31	14.56	5.87	13.7	5.44	13.18	5.25	12.75	5.05	11.88	4.64
	-18.8	-19	15.44	6.17	14.56	5.74	13.7	5.35	13.18	5.14	12.75	4.94	11.88	4.55
	-16.7	-17	15.44	5.89	14.56	5.48	13.7	5.10	13.18	4.91	12.75	4.73	11.88	4.37
	-13.7	-15	15.44	5.60	14.56	5.23	13.7	4.86	13.18	4.68	12.75	4.51	11.88	4.17
	-11.8	-13	15.44	5.33	14.56	4.97	13.7	4.62	13.18	4.45	12.75	4.29	11.88	3.97
	-9.8	-11	15.44	5.04	14.56	4.71	13.7	4.39	13.18	4.23	12.75	4.07	11.88	3.77
	-9.5	-10	15.44	4.90	14.56	4.57	13.7	4.27	13.18	4.12	12.75	3.97	11.88	3.67
	-8.5	-9.1	15.44	4.78	14.56	4.47	13.7	4.17	13.18	4.02	12.75	3.88	11.88	3.58
	-7	-7.6	15.44	4.57	14.56	4.29	13.7	4.00	13.18	3.86	12.75	3.72	11.88	3.45
	-5	-5.6	15.44	4.32	14.56	4.05	13.7	3.78	13.18	3.66	12.75	3.52	11.88	3.27
	-3	-3.7	15.44	4.09	14.56	3.84	13.7	3.58	13.18	3.46	12.75	3.35	11.88	3.11
	0	-0.7	15.44	3.75	14.56	3.52	13.7	3.31	13.18	3.19	12.75	3.09	11.88	2.87
	3	2.2	15.44	3.45	14.56	3.25	13.7	3.05	13.18	2.94	12.75	2.85	11.88	2.65
	5	4.1	15.44	3.28	14.56	3.09	13.7	2.90	13.18	2.80	12.75	2.71	11.88	2.52
	7	6	15.44	3.12	14.56	2.93	13.7	2.75	13.18	2.66	12.75	2.58	11.88	2.41
	9	7.9	15.44	2.95	14.56	2.79	13.7	2.62	13.18	2.54	12.75	2.45	11.88	2.30
	11	9.8	15.44	2.81	14.56	2.64	13.7	2.49	13.18	2.42	12.75	2.34	11.88	2.19
	13	11.8	15.44	2.67	14.56	2.52	13.7	2.37	13.18	2.31	12.75	2.23	11.88	2.09
	15	13.7	15.44	2.54	14.56	2.41	13.7	2.27	13.18	2.20	12.75	2.13	11.88	2.00

10HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V280W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	20.39	5.09	20.3	5.45	20.21	5.81	20.21	6.00	20.1	6.17	20.1	6.54
	-18.8	-19	20.7	5.20	20.6	5.57	20.6	5.92	20.5	6.09	20.5	6.26	20.39	6.62
	-16.7	-17	21.5	5.45	21.4	5.79	21.3	6.13	21.3	6.30	21.3	6.47	21.2	6.81
	-13.7	-15	22.4	5.70	22.31	6.02	22.2	6.36	22.2	6.52	22.1	6.69	22.1	7.01
	-11.8	-13	23.3	5.96	23.3	6.27	23.21	6.59	23.1	6.74	23.1	6.89	23	7.21
	-9.8	-11	24.41	6.21	24.3	6.52	24.2	6.81	24.2	6.96	24.2	7.11	24.1	7.42
	-9.5	-10	25	6.35	24.9	6.64	24.8	6.92	24.8	7.07	24.7	7.22	24.7	7.51
	-8.5	-9.1	25.5	6.46	25.4	6.74	25.4	7.02	25.31	7.17	25.31	7.31	25.2	7.61
	-7	-7.6	26.4	6.65	26.4	6.92	26.3	7.20	26.3	7.34	26.2	7.47	26.1	7.74
	-5	-5.6	27.8	6.89	27.7	7.16	27.6	7.42	27.6	7.56	27.5	7.67	27.5	7.93
	-3	-3.7	29.1	7.12	29	7.38	29	7.62	28.9	7.74	28.9	7.86	28.79	8.11
	0	-0.7	31.4	7.47	31.4	7.70	31.3	7.92	31.3	8.01	31.2	8.16	31.2	8.39
	3	2.2	33.89	7.77	33.8	7.99	33.71	8.21	33.71	8.31	33.71	8.43	33.6	8.63
	5	4.1	35.6	7.97	35.5	8.18	35.5	8.38	35.4	8.47	35.4	8.58	35.3	8.77
	7	6	37.4	8.16	37.3	8.35	37.3	8.54	37.19	8.64	37.19	8.73	35.7	8.39
120%	9	7.9	39.29	8.33	39.2	8.51	39.2	8.69	39.1	8.78	38.3	8.60	35.7	7.87
	11	9.8	41.3	8.49	41.2	8.66	41	8.77	39.6	8.43	38.3	8.08	35.7	7.42
	13	11.8	43.49	8.65	43.4	8.82	41	8.23	39.6	7.89	38.3	7.60	35.7	6.96
	15	13.7	45.59	8.80	43.6	8.36	41	7.74	39.6	7.45	38.3	7.15	35.7	6.58
	-19.8	-20	20.3	5.59	20.2	5.91	20.1	6.24	20.1	6.41	20.1	6.58	20	6.90
	-18.8	-19	20.6	5.68	20.5	6.01	20.5	6.34	20.41	6.50	20.41	6.67	20.3	6.99
	-16.7	-17	21.4	5.91	21.3	6.22	21.16	6.54	21.2	6.69	21.2	6.84	21.11	7.16
	-13.7	-15	22.31	6.14	22.2	6.44	22.1	6.74	22.1	6.89	22.1	7.04	22	7.35
	-11.8	-13	23.21	6.38	23.21	6.67	23.1	6.95	23.1	7.10	23.01	7.24	23.01	7.54
	-9.8	-11	24.3	6.62	24.2	6.88	24.2	7.17	24.1	7.31	24.1	7.44	24	7.72
	-9.5	-10	24.91	6.74	24.8	7.01	24.7	7.27	24.7	7.42	24.7	7.55	24.61	7.81
	-8.5	-9.1	25.4	6.83	25.31	7.10	25.31	7.37	25.2	7.50	25.2	7.64	25.1	7.89
	-7	-7.6	26.3	7.02	26.3	7.27	26.2	7.53	26.2	7.65	26.1	7.77	26.1	8.03
	-5	-5.6	27.7	7.24	27.6	7.49	27.5	7.72	27.5	7.84	27.5	7.97	27.41	8.21
	-3	-3.7	29	7.46	29	7.69	28.9	7.91	28.9	8.03	28.81	8.15	28.81	8.38
	0	-0.7	31.3	7.77	31.3	7.99	31.2	8.20	31.2	8.31	31.1	8.41	31.1	8.63
110%	3	2.2	33.8	8.06	33.71	8.26	33.71	8.45	33.6	8.56	33.6	8.65	32.9	8.61
	5	4.1	35.5	8.24	35.4	8.43	35.4	8.62	35.3	8.71	35.3	8.80	32.9	8.08
	7	6	37.3	8.41	37.3	8.59	37.21	8.76	36.6	8.64	35.4	8.29	32.9	7.62
	9	7.9	39.2	8.58	39.11	8.75	37.8	8.45	36.6	8.12	35.4	7.79	32.9	7.16
	11	9.8	41.2	8.73	40.2	8.58	37.8	7.95	36.6	7.64	35.4	7.34	32.9	6.75
	13	11.8	42.7	8.64	40.2	8.04	37.8	7.46	36.6	7.18	35.4	6.89	32.9	6.35
	15	13.7	42.7	8.14	40.2	7.59	37.8	7.03	36.6	6.77	35.4	6.51	32.9	5.99
	-19.8	-20	20.2	6.06	20.1	6.37	20	6.68	20	6.82	20.01	6.97	19.9	7.28
	-18.8	-19	20.5	6.16	20.41	6.46	20.41	6.76	20.41	6.90	20.3	7.05	20.3	7.36
	-16.7	-17	21.3	6.37	21.2	6.66	21.5	6.94	21.11	7.08	21.11	7.23	21	7.52
	-13.7	-15	22.2	6.59	22.11	6.85	22	7.13	22	7.27	22	7.42	21.9	7.68
	-11.8	-13	23.1	6.80	23.1	7.06	23	7.33	23	7.46	22.9	7.60	22.9	7.85
	-9.8	-11	24.2	7.02	24.1	7.27	24.1	7.53	24	7.65	24	7.77	24	8.03
	-9.5	-10	24.8	7.13	24.7	7.38	24.59	7.63	24.59	7.74	24.59	7.86	24.5	8.11
	-8.5	-9.1	25.31	7.22	25.2	7.47	25.2	7.71	25.1	7.83	25.1	7.95	25.1	7.25
	-7	-7.6	26.2	7.40	26.2	7.62	26.1	7.84	26.1	7.97	26.1	8.08	26.01	8.32
	-5	-5.6	27.6	7.61	27.5	7.82	27.41	8.03	27.41	8.15	27.41	8.26	27.3	8.49
	-3	-3.7	28.9	7.79	28.9	8.00	28.81	8.22	28.81	8.32	28.7	8.43	28.7	8.64
	0	-0.7	31.2	8.08	31.2	8.28	31.1	8.47	31.1	8.57	31.1	8.67	30.21	8.50
	3	2.2	33.71	8.36	33.6	8.53	33.6	8.71	33.5	8.79	32.4	8.43	30.21	7.73
	5	4.1	35.4	8.51	35.4	8.69	34.7	8.61	33.5	8.26	32.4	7.93	30.21	7.28
	7	6	37.19	8.67	36.9	8.73	34.7	8.08	33.5	7.76	32.4	7.46	30.21	6.84
	9	7.9	39.1	8.81	36.9	8.21	34.7	7.61	33.5	7.31	32.4	7.02	30.21	6.46
	11	9.8	39.1	8.29	36.9	7.72	34.7	7.16	33.5	6.88	32.4	6.62	30.21	6.09
	13	11.8	39.1	7.77	36.9	7.24	34.7	6.73	33.5	6.48	32.4	6.22	30.21	5.74
	15	13.7	39.1	6.90	36.9	6.82	34.7	6.36	33.5	6.11	32.4	5.89	30.21	5.43

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V280W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	20.1	6.56	20	6.82	20	7.10	19.9	7.24	19.9	7.38	19.8	7.65
	-18.8	-19	20.41	6.64	20.41	6.90	20.3	7.18	20.3	7.32	20.21	7.46	20.21	7.72
	-16.7	-17	21.2	6.82	21.09	7.08	21.09	7.35	21	7.48	21	7.61	21	7.86
	-13.7	-15	22.1	7.02	22	7.27	21.9	7.53	21.9	7.65	21.9	7.77	21.81	8.03
	-11.8	-13	23.01	7.22	23.01	7.46	22.9	7.70	22.9	7.82	22.9	7.94	22.8	8.19
	-9.8	-11	24.1	7.42	24	7.65	24	7.87	24	8.00	23.89	8.11	23.89	8.34
	-9.5	-10	24.7	7.53	24.61	7.74	24.61	7.97	24.5	8.08	24.5	8.20	24.4	8.42
	-8.5	-9.1	25.2	7.61	25.1	7.83	25.1	8.04	25.1	8.16	25	8.27	25	8.48
	-7	-7.6	26.1	7.75	26.1	7.97	26.01	8.18	26.01	8.29	26.01	8.39	25.9	8.61
	-5	-5.6	27.5	7.95	27.39	8.15	27.39	8.36	27.3	8.44	27.3	8.55	27.2	8.75
	-3	-3.7	28.81	8.13	28.81	7.39	28.7	8.51	28.7	8.61	28.7	8.70	27.5	8.34
	0	-0.7	31.1	8.39	31.1	8.57	31	8.75	30.5	8.61	29.51	8.25	27.5	7.58
	3	2.2	33.6	8.64	33.5	8.79	31.5	8.14	30.5	7.82	29.51	7.52	27.5	6.89
	5	4.1	35.3	8.79	33.5	8.26	31.5	7.65	30.5	7.37	29.51	7.07	27.5	6.51
	7	6	35.5	8.35	33.5	7.76	31.5	7.21	30.5	6.93	29.51	6.67	27.5	6.13
90%	9	7.9	35.5	7.83	33.5	7.31	31.5	6.79	30.5	6.45	29.51	6.28	27.5	5.79
	11	9.8	35.5	7.39	33.5	6.88	31.5	6.41	30.5	6.16	29.51	5.93	27.5	5.47
	13	11.8	35.5	6.93	33.5	6.48	31.5	6.03	30.5	5.80	29.51	5.60	27.5	5.16
	15	13.7	35.5	6.55	33.5	6.11	31.5	5.69	30.5	5.49	29.51	5.27	27.5	4.88
	-19.8	-20	19.96	7.03	19.87	7.28	19.87	7.54	19.76	7.65	19.76	7.78	19.76	8.03
	-18.8	-19	20.27	7.11	20.27	7.37	20.16	7.61	20.16	7.72	20.16	7.84	20.07	8.09
	-16.7	-17	21.06	7.29	20.97	7.53	20.97	7.75	20.97	7.87	20.86	7.99	20.86	8.23
	-13.7	-15	21.96	7.47	21.86	7.69	21.86	7.91	21.76	8.03	21.76	8.14	21.76	8.37
	-11.8	-13	22.86	7.64	22.86	7.85	22.76	8.07	22.76	8.19	22.76	8.29	22.66	8.50
	-9.8	-11	23.96	7.82	23.96	8.03	23.86	8.23	23.86	8.34	23.86	8.44	23.75	8.65
	-9.5	-10	24.56	7.91	24.45	8.12	24.45	8.32	24.36	8.42	24.36	8.52	24.36	8.72
	-8.5	-9.1	25.06	8.00	25.06	8.20	24.96	8.39	24.96	8.48	24.96	8.59	24.65	8.67
	-7	-7.6	25.96	8.13	25.96	8.32	25.85	8.51	25.85	8.61	25.85	8.70	24.65	8.28
	-5	-5.6	27.35	8.31	27.25	8.48	27.25	8.66	27.15	8.75	26.45	8.48	24.65	7.78
	-3	-3.7	28.65	8.46	28.65	8.64	28.35	8.67	27.35	8.33	26.45	7.99	24.65	7.34
	0	-0.7	31.05	8.71	30.15	8.49	28.35	7.86	27.35	7.57	26.45	7.26	24.65	6.68
80%	3	2.2	31.94	8.30	30.15	7.72	28.35	7.17	27.35	6.89	26.45	6.63	24.65	6.10
	5	4.1	31.94	7.80	30.15	7.27	28.35	6.76	27.35	6.50	26.45	6.25	24.65	5.76
	7	6	31.94	7.34	30.15	6.84	28.35	6.37	27.35	6.13	26.45	5.90	24.65	5.44
	9	7.9	31.94	6.91	30.15	6.45	28.35	6.00	27.35	5.79	26.45	5.58	24.65	5.14
	11	9.8	31.94	6.52	30.15	6.08	28.35	5.67	27.35	5.47	26.45	5.25	24.65	4.86
	13	11.8	31.94	6.13	30.15	5.74	28.35	5.34	27.35	5.16	26.45	4.97	24.65	4.59
	15	13.7	31.94	5.80	30.15	5.42	28.35	5.06	27.35	4.88	26.45	4.70	24.65	4.37
	-19.8	-20	19.9	7.53	19.8	7.73	19.8	7.96	19.8	8.07	19.69	8.19	19.69	8.40
	-18.8	-19	20.2	7.59	20.2	7.81	20.1	8.03	20.1	8.14	20.1	8.24	20	8.46
	-16.7	-17	21	7.74	20.91	7.95	20.91	8.17	20.91	8.27	20.91	8.37	20.8	8.58
	-13.7	-15	21.9	7.90	21.81	8.10	21.81	8.31	21.81	8.40	21.7	8.50	21.7	8.71
	-11.8	-13	22.8	8.06	22.8	8.26	22.7	8.44	22.7	8.54	22.7	8.64	22	8.41
	-9.8	-11	23.91	8.23	23.91	8.41	23.8	8.60	23.8	8.68	23.6	8.66	22	7.94
	-9.5	-10	24.5	8.31	24.4	8.48	24.41	8.66	24.41	8.75	23.6	8.41	22	7.71
	-8.5	-9.1	25	8.38	23.24	8.56	24.9	8.73	24.41	8.53	23.6	8.19	22	7.51
	-7	-7.6	25.9	8.50	25.9	8.67	25.2	8.48	24.41	8.15	23.6	7.82	22	7.18
	-5	-5.6	27.3	8.65	26.8	8.61	25.2	7.97	24.41	7.66	23.6	7.36	22	6.76
	-3	-3.7	28.4	8.70	26.8	8.10	25.2	7.51	24.41	7.22	23.6	6.93	22	6.39
	0	-0.7	28.4	7.89	26.8	7.36	25.2	6.82	24.41	6.59	23.6	6.32	22	5.82
	3	2.2	28.4	7.20	26.8	6.71	25.2	6.24	24.41	6.00	23.6	5.79	22	5.33
	5	4.1	28.4	6.78	26.8	6.33	25.2	5.89	24.41	5.67	23.6	5.47	22	5.04
	7	6	28.4	6.39	26.8	5.98	25.2	5.57	24.41	5.36	23.6	5.17	22	4.77
	9	7.9	28.4	6.02	26.8	5.64	25.2	5.24	24.41	5.06	23.6	4.88	22	4.52
	11	9.8	28.4	5.69	26.8	5.32	25.2	4.97	24.41	4.78	23.6	4.62	22	4.29
	13	11.8	28.4	5.36	26.8	5.02	25.2	4.69	24.41	4.53	23.6	4.37	22	4.05
	15	13.7	28.4	5.07	26.8	4.76	25.2	4.45	24.41	4.30	23.6	4.15	22	3.85

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V280W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	19.75	8.01	19.66	8.20	19.66	8.39	19.66	8.48	19.66	8.59	19.16	8.49
	-18.8	-19	20.06	8.07	20.06	8.26	19.95	8.44	19.95	8.54	19.95	8.64	19.16	8.32
	-16.7	-17	20.85	8.21	20.85	8.39	20.76	8.57	20.76	8.66	20.56	7.72	19.16	7.93
	-13.7	-15	21.75	8.35	21.65	8.52	21.65	8.70	21.26	8.57	20.56	8.23	19.16	7.55
	-11.8	-13	22.65	8.48	22.65	8.65	22.05	8.44	21.26	8.12	20.56	7.79	19.16	7.15
	-9.8	-11	23.74	8.63	23.45	8.62	22.05	7.98	21.26	7.67	20.56	7.37	19.16	6.77
	-9.5	-10	24.35	8.70	23.45	8.37	22.05	7.74	21.26	7.45	20.56	7.16	19.16	6.59
	-8.5	-9.1	24.84	8.75	23.45	8.14	22.05	7.55	21.26	7.25	20.56	6.97	19.16	6.41
	-7	-7.6	24.84	8.35	23.45	7.77	22.05	7.22	21.26	6.94	20.56	6.68	19.16	6.14
	-5	-5.6	24.84	7.84	23.45	7.32	22.05	6.79	21.26	6.54	20.56	7.72	19.16	5.80
	-3	-3.7	24.84	7.40	23.45	6.89	22.05	6.41	21.26	6.17	20.56	5.94	19.16	5.48
	0	-0.7	24.84	6.73	23.45	6.29	22.05	5.85	21.26	5.64	20.56	5.43	19.16	5.01
	3	2.2	24.84	6.15	23.45	5.76	22.05	5.36	21.26	5.17	20.56	4.98	19.16	4.60
	5	4.1	24.84	5.80	23.45	5.43	22.05	5.07	21.26	4.88	20.56	4.70	19.16	4.37
	7	6	24.84	5.49	23.45	5.14	22.05	4.78	21.26	4.62	20.56	4.46	19.16	4.14
60%	9	7.9	24.84	5.18	23.45	4.85	22.05	4.54	21.26	4.38	20.56	4.23	19.16	3.92
	11	9.8	24.84	4.90	23.45	4.59	22.05	4.31	21.26	4.16	20.56	4.01	19.16	3.72
	13	11.8	24.84	4.63	23.45	4.36	22.05	4.07	21.26	3.94	20.56	3.79	19.16	3.55
	15	13.7	24.84	4.38	23.45	4.13	22.05	3.86	21.26	3.74	20.56	3.60	19.16	3.37
	-19.8	-20	19.71	8.49	19.6	8.65	18.9	8.33	18.31	8.00	17.7	7.68	16.5	7.04
	-18.8	-19	20	8.55	20	8.71	18.9	8.15	18.31	7.83	17.7	7.52	16.5	6.89
	-16.7	-17	20.8	8.66	20.1	8.39	18.9	7.77	18.31	7.48	17.7	7.18	16.5	6.61
	-13.7	-15	21.3	8.57	20.1	7.97	18.9	7.40	18.31	7.11	17.7	6.82	16.5	6.28
	-11.8	-13	21.3	8.11	20.1	7.55	18.9	7.01	18.31	6.75	17.7	6.49	16.5	6.00
	-9.8	-11	21.3	7.66	20.1	7.14	18.9	6.64	18.31	6.39	17.7	6.14	16.5	5.66
	-9.5	-10	21.3	7.45	20.1	6.94	18.9	6.45	18.31	6.21	17.7	5.97	16.5	5.51
	-8.5	-9.1	21.3	7.25	20.1	6.77	18.9	6.29	18.31	6.05	17.7	5.82	16.5	5.37
	-7	-7.6	21.3	6.93	20.1	6.48	18.9	6.01	18.31	5.80	17.7	5.59	16.5	5.16
	-5	-5.6	21.3	6.54	20.1	6.10	18.9	5.68	18.31	5.48	17.7	5.26	16.5	4.87
	-3	-3.7	21.3	6.17	20.1	5.77	18.9	5.37	18.31	5.18	17.7	4.98	16.5	4.61
	0	-0.7	21.3	5.64	20.1	5.27	18.9	4.92	18.31	4.75	17.7	4.57	16.5	4.24
50%	3	2.2	21.3	5.17	20.1	4.84	18.9	4.53	18.31	4.37	17.7	4.22	16.5	3.91
	5	4.1	21.3	4.88	20.1	4.58	18.9	4.29	18.31	4.15	17.7	3.99	16.5	3.71
	7	6	21.3	4.62	20.1	4.35	18.9	4.06	18.31	3.93	17.7	3.79	16.5	3.54
	9	7.9	21.3	4.37	20.1	4.12	18.9	3.85	18.31	3.73	17.7	3.60	16.5	3.36
	11	9.8	21.3	4.16	20.1	3.91	18.9	3.66	18.31	3.56	17.7	3.43	16.5	3.20
	13	11.8	21.3	3.93	20.1	3.70	18.9	3.49	18.31	3.37	17.7	3.26	16.5	3.04
	15	13.7	21.3	3.74	20.1	3.53	18.9	3.32	18.31	3.21	17.7	3.11	16.5	2.90
	-19.8	-20	17.75	7.72	16.74	7.20	15.75	6.69	15.16	6.44	14.65	6.19	13.66	5.70
	-18.8	-19	17.75	7.56	16.74	7.04	15.75	6.56	15.16	6.30	14.65	6.05	13.66	5.60
	-16.7	-17	17.75	7.22	16.74	6.73	15.75	6.26	15.16	6.02	14.65	5.80	13.66	5.35
	-13.7	-15	17.75	6.86	16.74	6.41	15.75	5.96	15.16	5.75	14.65	5.54	13.66	5.11
	-11.8	-13	17.75	6.53	16.74	6.09	15.75	5.67	15.16	5.47	14.65	5.25	13.66	4.86
	-9.8	-11	17.75	6.18	16.74	5.78	15.75	5.38	15.16	5.18	14.65	4.99	13.66	4.62
	-9.5	-10	17.75	6.00	16.74	5.62	15.75	5.23	15.16	5.05	14.65	4.86	13.66	4.50
	-8.5	-9.1	17.75	5.86	16.74	5.49	15.75	5.11	15.16	4.93	14.65	4.75	13.66	4.39
	-7	-7.6	17.75	5.62	16.74	5.25	15.75	4.90	15.16	4.73	14.65	4.57	13.66	4.23
	-5	-5.6	17.75	5.29	16.74	4.97	15.75	4.63	15.16	4.48	14.65	4.33	13.66	4.00
	-3	-3.7	17.75	5.01	16.74	4.70	15.75	4.39	15.16	4.25	14.65	4.10	13.66	3.80
	0	-0.7	17.75	4.60	16.74	4.33	15.75	4.05	15.16	3.91	14.65	3.77	13.66	3.53
	3	2.2	17.75	4.24	16.74	3.98	15.75	3.73	15.16	3.60	14.65	3.50	13.66	3.26
	5	4.1	17.75	4.02	16.74	3.77	15.75	3.56	15.16	3.44	14.65	3.33	13.66	3.10
	7	6	17.75	3.81	16.74	3.59	15.75	3.38	15.16	3.27	14.65	3.16	13.66	2.95
	9	7.9	17.75	3.61	16.74	3.42	15.75	3.21	15.16	3.12	14.65	3.01	13.66	2.81
	11	9.8	17.75	3.45	16.74	3.25	15.75	3.06	15.16	2.96	14.65	2.87	13.66	2.69
	13	11.8	17.75	3.28	16.74	3.09	15.75	2.91	15.16	2.82	14.65	2.74	13.66	2.57
	15	13.7	17.75	3.12	16.74	2.95	15.75	2.78	15.16	2.70	14.65	2.61	13.66	2.46

12HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V335W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	24.28	6.16	24.17	6.59	24.06	7.03	24.06	7.25	23.93	7.46	23.93	7.91
	-18.8	-19	24.64	6.30	24.53	6.73	24.53	7.16	24.4	7.38	24.4	7.57	24.28	8.00
	-16.7	-17	25.6	6.59	25.47	7.01	25.36	7.43	25.36	7.62	25.36	7.83	25.24	8.24
	-13.7	-15	26.67	6.90	26.56	7.30	26.43	7.69	26.43	7.89	26.31	8.09	26.31	8.48
	-11.8	-13	27.74	7.21	27.74	7.58	27.63	7.97	27.5	8.16	27.5	8.35	27.38	8.72
	-9.8	-11	29.06	7.51	28.93	7.89	28.81	8.25	28.81	8.43	28.81	8.60	28.69	8.97
	-9.5	-10	29.76	7.68	29.64	8.03	29.53	8.39	29.53	8.56	29.4	8.73	29.4	9.08
	-8.5	-9.1	30.36	7.82	30.24	8.16	30.24	8.50	30.13	8.67	30.13	8.85	30	9.20
	-7	-7.6	31.43	8.04	31.43	8.39	31.31	8.71	31.31	8.88	31.19	9.04	31.07	9.39
	-5	-5.6	33.1	8.35	32.97	8.66	32.86	8.98	32.86	9.14	32.74	9.29	32.74	9.60
	-3	-3.7	34.64	8.61	34.53	8.93	34.53	9.22	34.4	9.39	34.4	9.52	34.28	9.82
	0	-0.7	37.38	9.04	37.38	9.33	37.26	9.59	37.26	9.69	37.14	9.88	37.14	10.15
	3	2.2	40.35	9.41	40.24	9.67	40.13	9.93	40.13	10.06	40.13	10.20	40	10.43
	5	4.1	42.38	9.65	42.26	9.90	42.26	10.14	42.14	10.27	42.14	10.40	42.03	10.62
	7	6	44.53	9.88	44.4	10.10	44.4	10.35	44.28	10.45	44.28	10.56	42.5	10.15
	9	7.9	46.78	10.08	46.67	10.31	46.67	10.52	46.54	10.63	45.6	10.41	42.5	9.53
	11	9.8	49.17	10.29	49.04	10.48	48.81	10.62	47.14	10.21	45.6	9.79	42.5	8.98
	13	11.8	51.78	10.47	51.67	10.68	48.81	9.95	47.14	9.55	45.6	9.19	42.5	8.43
120%	15	13.7	54.28	10.66	51.9	10.12	48.81	9.39	47.14	9.01	45.6	8.65	42.5	7.96
	-19.8	-20	24.17	6.75	24.04	7.15	23.93	7.55	23.93	7.75	23.93	7.96	23.81	8.37
	-18.8	-19	24.53	6.88	24.4	7.28	24.4	7.66	24.29	7.86	24.29	8.06	24.17	8.46
	-16.7	-17	25.47	7.15	25.36	7.52	25.19	7.91	25.24	8.10	25.24	8.30	25.13	8.66
	-13.7	-15	26.56	7.43	26.43	7.79	26.31	8.16	26.31	8.36	26.31	8.52	26.19	8.90
	-11.8	-13	27.63	7.71	27.63	8.06	27.5	8.42	27.5	8.59	27.39	8.77	27.39	9.12
	-9.8	-11	28.93	8.00	28.81	8.34	28.81	8.67	28.69	8.85	28.69	9.00	28.57	9.35
	-9.5	-10	29.65	8.16	29.53	8.48	29.4	8.80	29.4	8.97	29.4	9.13	29.29	9.45
	-8.5	-9.1	30.24	8.28	30.13	8.59	30.13	8.92	30	9.07	30	9.25	29.88	9.55
	-7	-7.6	31.31	8.49	31.31	8.80	31.19	9.11	31.19	9.27	31.07	9.41	31.07	9.72
	-5	-5.6	32.97	8.77	32.86	9.06	32.74	9.36	32.74	9.50	32.74	9.65	32.63	9.93
	-3	-3.7	34.53	9.03	34.53	9.32	34.4	9.58	34.4	9.72	34.29	9.87	34.29	10.14
	0	-0.7	37.26	9.41	37.26	9.67	37.14	9.93	37.14	10.06	37.03	10.19	37.03	10.43
	3	2.2	40.24	9.76	40.13	10.00	40.13	10.24	40	10.37	40	10.47	39.17	10.41
	5	4.1	42.26	9.98	42.14	10.21	42.14	10.42	42.03	10.54	42.03	10.66	39.17	9.79
	7	6	44.4	10.19	44.4	10.40	44.29	10.61	43.57	10.46	42.14	10.03	39.17	9.21
	9	7.9	46.67	10.40	46.56	10.59	45	10.24	43.57	9.84	42.14	9.44	39.17	8.66
	11	9.8	49.04	10.56	47.86	10.40	45	9.62	43.57	9.26	42.14	8.88	39.17	8.17
	13	11.8	50.83	10.46	47.86	9.74	45	9.03	43.57	8.69	42.14	8.36	39.17	7.68
110%	15	13.7	50.83	9.86	47.86	9.18	45	8.51	43.57	8.19	42.14	7.87	39.17	7.25
	-19.8	-20	24.04	7.35	23.93	7.70	23.81	8.07	23.81	8.26	23.82	8.44	23.69	8.81
	-18.8	-19	24.4	7.45	24.29	7.82	24.29	8.18	24.29	8.37	24.17	8.53	24.17	8.91
	-16.7	-17	25.36	7.70	25.24	8.05	25.6	8.41	25.13	8.57	25.13	8.76	25	9.10
	-13.7	-15	26.43	7.97	26.32	8.31	26.19	8.63	26.19	8.80	26.19	8.97	26.07	9.31
	-11.8	-13	27.5	8.24	27.5	8.54	27.38	8.87	27.38	9.03	27.26	9.19	27.26	9.51
	-9.8	-11	28.81	8.49	28.69	8.80	28.69	9.11	28.57	9.27	28.57	9.41	28.57	9.72
	-9.5	-10	29.53	8.63	29.4	8.93	29.28	9.24	29.28	9.39	29.28	9.52	29.17	9.82
	-8.5	-9.1	30.13	8.74	30	9.04	30	9.34	29.88	9.47	29.88	9.62	29.88	8.78
	-7	-7.6	31.19	8.95	31.19	9.22	31.07	9.50	31.07	9.65	31.07	9.79	30.96	10.07
	-5	-5.6	32.86	9.20	32.74	9.46	32.63	9.73	32.63	9.87	32.63	10.00	32.5	10.28
	-3	-3.7	34.4	9.44	34.4	9.68	34.29	9.94	34.29	10.07	34.17	10.20	34.17	10.45
	0	-0.7	37.14	9.79	37.14	10.02	37.03	10.27	37.03	10.38	37.03	10.49	35.96	10.30
	3	2.2	40.13	10.12	40	10.34	40	10.54	39.88	10.65	38.57	10.22	35.96	9.38
	5	4.1	42.14	10.31	42.14	10.52	41.31	10.41	39.88	10.00	38.57	9.60	35.96	8.81
	7	6	44.28	10.49	43.93	10.56	41.31	9.79	39.88	9.41	38.57	9.03	35.96	8.30
	9	7.9	46.54	10.67	43.93	9.93	41.31	9.21	39.88	8.85	38.57	8.49	35.96	7.82
	11	9.8	46.54	10.03	43.93	9.35	41.31	8.66	39.88	8.34	38.57	8.00	35.96	7.38
	13	11.8	46.54	9.41	43.93	8.77	41.31	8.14	39.88	7.84	38.57	7.52	35.96	6.95
	15	13.7	46.54	8.37	43.93	8.27	41.31	7.69	39.88	7.40	38.57	7.12	35.96	6.56

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V335W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	23.93	7.93	23.81	8.26	23.81	8.59	23.69	8.77	23.69	8.93	23.57	9.27
	-18.8	-19	24.29	8.03	24.29	8.37	24.17	8.68	24.17	8.86	24.06	9.03	24.06	9.36
	-16.7	-17	25.24	8.26	25.11	8.57	25.11	8.90	25	9.05	25	9.21	25	9.52
	-13.7	-15	26.31	8.49	26.19	8.80	26.07	9.11	26.07	9.27	26.07	9.41	25.96	9.72
	-11.8	-13	27.39	8.74	27.39	9.03	27.26	9.33	27.26	9.46	27.26	9.61	27.14	9.92
	-9.8	-11	28.69	8.98	28.57	9.27	28.57	9.53	28.57	9.68	28.44	9.82	28.44	10.09
	-9.5	-10	29.4	9.11	29.29	9.39	29.29	9.65	29.17	9.79	29.17	9.93	29.04	10.20
	-8.5	-9.1	30	9.21	29.88	9.47	29.88	9.74	29.88	9.88	29.76	10.01	29.76	10.28
	-7	-7.6	31.07	9.40	31.07	9.65	30.96	9.90	30.96	10.03	30.96	10.16	30.83	10.41
	-5	-5.6	32.74	9.62	32.61	9.87	32.61	10.12	32.5	10.23	32.5	10.36	32.38	10.60
	-3	-3.7	34.29	9.85	34.29	8.94	34.17	10.31	34.17	10.41	34.17	10.53	32.74	10.09
	0	-0.7	37.03	10.16	37.03	10.38	36.9	10.59	36.31	10.41	35.13	9.99	32.74	9.16
	3	2.2	40	10.45	39.88	10.64	37.5	9.86	36.31	9.46	35.13	9.10	32.74	8.35
	5	4.1	42.03	10.64	39.88	10.00	37.5	9.27	36.31	8.92	35.13	8.56	32.74	7.87
	7	6	42.26	10.10	39.88	9.41	37.5	8.80	36.31	8.40	35.13	8.06	32.74	7.43
90%	9	7.9	42.26	9.48	39.88	8.85	37.5	8.21	36.31	7.80	35.13	7.59	32.74	7.01
	11	9.8	42.26	8.94	39.88	8.34	37.5	7.75	36.31	7.45	35.13	7.17	32.74	6.61
	13	11.8	42.26	8.40	39.88	7.84	37.5	7.30	36.31	7.03	35.13	6.76	32.74	6.24
	15	13.7	42.26	7.92	39.88	7.40	37.5	6.89	36.31	6.63	35.13	6.40	32.74	5.91
	-19.8	-20	23.76	8.51	23.65	8.81	23.65	9.12	23.53	9.27	23.53	9.42	23.53	9.72
	-18.8	-19	24.13	8.60	24.13	8.92	24	9.21	24	9.36	24	9.50	23.89	9.80
	-16.7	-17	25.07	8.82	24.96	9.11	24.96	9.40	24.96	9.53	24.83	9.67	24.83	9.95
	-13.7	-15	26.14	9.04	26.03	9.32	26.03	9.58	25.9	9.72	25.9	9.86	25.9	10.13
	-11.8	-13	27.21	9.26	27.21	9.51	27.1	9.78	27.1	9.92	27.1	10.03	26.97	10.30
	-9.8	-11	28.53	9.46	28.53	9.72	28.4	9.96	28.4	10.09	28.4	10.23	28.28	10.47
	-9.5	-10	29.24	9.58	29.11	9.83	29.11	10.07	29	10.20	29	10.33	29	10.55
	-8.5	-9.1	29.83	9.68	29.83	9.93	29.71	10.16	29.71	10.28	29.71	10.40	29.35	10.49
	-7	-7.6	30.9	9.85	30.9	10.07	30.78	10.31	30.78	10.41	30.78	10.53	29.35	10.02
	-5	-5.6	32.56	10.06	32.44	10.28	32.44	10.48	32.32	10.60	31.49	10.28	29.35	9.42
	-3	-3.7	34.11	10.26	34.11	10.45	33.75	10.49	32.56	10.08	31.49	9.67	29.35	8.88
	0	-0.7	36.96	10.54	35.89	10.29	33.75	9.52	32.56	9.15	31.49	8.79	29.35	8.07
80%	3	2.2	38.03	10.05	35.89	9.36	33.75	8.67	32.56	8.35	31.49	8.02	29.35	7.39
	5	4.1	38.03	9.44	35.89	8.80	33.75	8.18	32.56	7.86	31.49	7.56	29.35	6.97
	7	6	38.03	8.88	35.89	8.30	33.75	7.70	32.56	7.43	31.49	7.14	29.35	6.57
	9	7.9	38.03	8.38	35.89	7.80	33.75	7.26	32.56	7.01	31.49	6.74	29.35	6.22
	11	9.8	38.03	7.89	35.89	7.37	33.75	6.87	32.56	6.61	31.49	6.37	29.35	5.89
	13	11.8	38.03	7.43	35.89	6.95	33.75	6.47	32.56	6.24	31.49	6.02	29.35	5.56
	15	13.7	38.03	7.02	35.89	6.55	33.75	6.13	32.56	5.91	31.49	5.69	29.35	5.28
	-19.8	-20	23.69	9.11	23.57	9.38	23.57	9.64	23.57	9.78	23.44	9.92	23.44	10.17
	-18.8	-19	24.04	9.19	24.04	9.45	23.93	9.72	23.93	9.86	23.93	9.98	23.81	10.26
	-16.7	-17	25	9.39	24.89	9.62	24.89	9.89	24.89	10.01	24.89	10.14	24.76	10.40
	-13.7	-15	26.07	9.57	25.96	9.81	25.96	10.06	25.96	10.17	25.83	10.30	25.83	10.54
	-11.8	-13	27.14	9.76	27.14	10.00	27.03	10.23	27.03	10.35	27.03	10.46	26.19	10.19
	-9.8	-11	28.46	9.95	28.46	10.19	28.33	10.41	28.33	10.50	28.1	10.48	26.19	9.61
	-9.5	-10	29.17	10.06	29.04	10.28	29.06	10.48	29.06	10.60	28.1	10.19	26.19	9.34
	-8.5	-9.1	29.76	10.15	27.67	10.37	29.64	10.56	29.06	10.34	28.1	9.92	26.19	9.08
	-7	-7.6	30.83	10.30	30.83	10.49	30	10.28	29.06	9.87	28.1	9.46	26.19	8.68
	-5	-5.6	32.5	10.47	31.9	10.41	30	9.65	29.06	9.28	28.1	8.91	26.19	8.18
	-3	-3.7	33.81	10.53	31.9	9.81	30	9.08	29.06	8.74	28.1	8.40	26.19	7.72
	0	-0.7	33.81	9.55	31.9	8.91	30	8.27	29.06	7.97	28.1	7.64	26.19	7.04
	3	2.2	33.81	8.71	31.9	8.12	30	7.55	29.06	7.28	28.1	7.01	26.19	6.45
	5	4.1	33.81	8.20	31.9	7.65	30	7.12	29.06	6.86	28.1	6.61	26.19	6.10
	7	6	33.81	7.72	31.9	7.23	30	6.72	29.06	6.49	28.1	6.25	26.19	5.77
	9	7.9	33.81	7.30	31.9	6.82	30	6.36	29.06	6.13	28.1	5.91	26.19	5.47
	11	9.8	33.81	6.89	31.9	6.44	30	6.02	29.06	5.80	28.1	5.59	26.19	5.19
	13	11.8	33.81	6.49	31.9	6.08	30	5.68	29.06	5.48	28.1	5.29	26.19	4.91
	15	13.7	33.81	6.14	31.9	5.76	30	5.40	29.06	5.20	28.1	5.02	26.19	4.66

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V335W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	23.51	9.69	23.4	9.93	23.4	10.16	23.4	10.28	23.4	10.40	22.81	10.29
	-18.8	-19	23.88	9.77	23.88	10.00	23.75	10.23	23.75	10.35	23.75	10.46	22.81	10.07
	-16.7	-17	24.82	9.93	24.82	10.16	24.71	10.38	24.71	10.48	24.47	9.35	22.81	9.60
	-13.7	-15	25.89	10.10	25.78	10.33	25.78	10.53	25.31	10.38	24.47	9.95	22.81	9.13
	-11.8	-13	26.96	10.28	26.96	10.47	26.25	10.23	25.31	9.83	24.47	9.44	22.81	8.65
	-9.8	-11	28.26	10.43	27.92	10.42	26.25	9.66	25.31	9.29	24.47	8.92	22.81	8.19
	-9.5	-10	28.99	10.53	27.92	10.13	26.25	9.39	25.31	9.01	24.47	8.66	22.81	7.97
	-8.5	-9.1	29.57	10.59	27.92	9.86	26.25	9.13	25.31	8.78	24.47	8.44	22.81	7.76
	-7	-7.6	29.57	10.12	27.92	9.41	26.25	8.73	25.31	8.41	24.47	8.07	22.81	7.43
	-5	-5.6	29.57	9.50	27.92	8.86	26.25	8.23	25.31	7.91	24.47	9.35	22.81	7.02
	-3	-3.7	29.57	8.95	27.92	8.35	26.25	7.76	25.31	7.46	24.47	7.18	22.81	6.62
	0	-0.7	29.57	8.14	27.92	7.61	26.25	7.08	25.31	6.82	24.47	6.56	22.81	6.07
	3	2.2	29.57	7.44	27.92	6.97	26.25	6.49	25.31	6.25	24.47	6.03	22.81	5.57
	5	4.1	29.57	7.03	27.92	6.56	26.25	6.14	25.31	5.91	24.47	5.69	22.81	5.28
	7	6	29.57	6.63	27.92	6.22	26.25	5.80	25.31	5.59	24.47	5.41	22.81	5.01
	9	7.9	29.57	6.28	27.92	5.88	26.25	5.49	25.31	5.30	24.47	5.12	22.81	4.74
	11	9.8	29.57	5.94	27.92	5.56	26.25	5.21	25.31	5.03	24.47	4.86	22.81	4.51
	13	11.8	29.57	5.60	27.92	5.27	26.25	4.93	25.31	4.77	24.47	4.60	22.81	4.28
	15	13.7	29.57	5.32	27.92	5.00	26.25	4.67	25.31	4.53	24.47	4.38	22.81	4.08
60%	-19.8	-20	23.46	10.29	23.33	10.47	22.5	10.08	21.79	9.68	21.07	9.30	19.64	8.52
	-18.8	-19	23.81	10.36	23.81	10.54	22.5	9.87	21.79	9.47	21.07	9.09	19.64	8.35
	-16.7	-17	24.76	10.48	23.93	10.16	22.5	9.41	21.79	9.05	21.07	8.68	19.64	7.99
	-13.7	-15	25.36	10.38	23.93	9.65	22.5	8.95	21.79	8.60	21.07	8.27	19.64	7.59
	-11.8	-13	25.36	9.82	23.93	9.14	22.5	8.48	21.79	8.17	21.07	7.85	19.64	7.26
	-9.8	-11	25.36	9.28	23.93	8.64	22.5	8.03	21.79	7.72	21.07	7.43	19.64	6.85
	-9.5	-10	25.36	9.01	23.93	8.41	22.5	7.80	21.79	7.51	21.07	7.23	19.64	6.65
	-8.5	-9.1	25.36	8.78	23.93	8.19	22.5	7.61	21.79	7.33	21.07	7.04	19.64	6.50
	-7	-7.6	25.36	8.40	23.93	7.84	22.5	7.29	21.79	7.03	21.07	6.75	19.64	6.24
	-5	-5.6	25.36	7.91	23.93	7.39	22.5	6.88	21.79	6.62	21.07	6.38	19.64	5.90
	-3	-3.7	25.36	7.46	23.93	6.98	22.5	6.50	21.79	6.28	21.07	6.04	19.64	5.58
	0	-0.7	25.36	6.82	23.93	6.39	22.5	5.96	21.79	5.75	21.07	5.54	19.64	5.13
	3	2.2	25.36	6.25	23.93	5.87	22.5	5.48	21.79	5.29	21.07	5.11	19.64	4.73
	5	4.1	25.36	5.91	23.93	5.55	22.5	5.19	21.79	5.02	21.07	4.84	19.64	4.49
	7	6	25.36	5.59	23.93	5.26	22.5	4.92	21.79	4.75	21.07	4.60	19.64	4.27
	9	7.9	25.36	5.30	23.93	4.99	22.5	4.66	21.79	4.52	21.07	4.36	19.64	4.07
	11	9.8	25.36	5.03	23.93	4.73	22.5	4.45	21.79	4.29	21.07	4.14	19.64	3.87
	13	11.8	25.36	4.75	23.93	4.48	22.5	4.21	21.79	4.08	21.07	3.94	19.64	3.67
	15	13.7	25.36	4.53	23.93	4.26	22.5	4.01	21.79	3.88	21.07	3.76	19.64	3.51
50%	-19.8	-20	21.13	9.36	19.93	8.71	18.75	8.09	18.04	7.79	17.44	7.49	16.26	6.90
	-18.8	-19	21.13	9.15	19.93	8.52	18.75	7.93	18.04	7.62	17.44	7.33	16.26	6.76
	-16.7	-17	21.13	8.73	19.93	8.14	18.75	7.57	18.04	7.30	17.44	7.03	16.26	6.48
	-13.7	-15	21.13	8.32	19.93	7.76	18.75	7.22	18.04	6.96	17.44	6.69	16.26	6.18
	-11.8	-13	21.13	7.90	19.93	7.38	18.75	6.86	18.04	6.61	17.44	6.37	16.26	5.89
	-9.8	-11	21.13	7.48	19.93	6.99	18.75	6.51	18.04	6.28	17.44	6.05	16.26	5.59
	-9.5	-10	21.13	7.28	19.93	6.79	18.75	6.35	18.04	6.11	17.44	5.89	16.26	5.45
	-8.5	-9.1	21.13	7.09	19.93	6.63	18.75	6.18	18.04	5.97	17.44	5.75	16.26	5.33
	-7	-7.6	21.13	6.79	19.93	6.37	18.75	5.94	18.04	5.73	17.44	5.53	16.26	5.12
	-5	-5.6	21.13	6.42	19.93	6.02	18.75	5.61	18.04	5.43	17.44	5.23	16.26	4.85
	-3	-3.7	21.13	6.07	19.93	5.69	18.75	5.33	18.04	5.14	17.44	4.96	16.26	4.60
	0	-0.7	21.13	5.57	19.93	5.23	18.75	4.90	18.04	4.73	17.44	4.58	16.26	4.26
	3	2.2	21.13	5.13	19.93	4.82	18.75	4.52	18.04	4.38	17.44	4.22	16.26	3.94
	5	4.1	21.13	4.87	19.93	4.58	18.75	4.29	18.04	4.15	17.44	4.02	16.26	3.74
	7	6	21.13	4.61	19.93	4.35	18.75	4.09	18.04	3.95	17.44	3.83	16.26	3.58
	9	7.9	21.13	4.39	19.93	4.13	18.75	3.88	18.04	3.77	17.44	3.64	16.26	3.41
	11	9.8	21.13	4.17	19.93	3.93	18.75	3.70	18.04	3.59	17.44	3.47	16.26	3.25
	13	11.8	21.13	3.97	19.93	3.73	18.75	3.52	18.04	3.43	17.44	3.31	16.26	3.11
	15	13.7	21.13	3.77	19.93	3.57	18.75	3.37	18.04	3.26	17.44	3.16	16.26	2.97

14HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V400W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	29.13	7.80	29	8.34	28.87	8.89	28.87	9.16	28.72	9.44	28.72	9.99
	-18.8	-19	29.57	7.96	29.43	8.50	29.43	9.04	29.28	9.31	29.28	9.57	29.13	10.13
	-16.7	-17	30.72	8.34	30.57	8.85	30.43	9.37	30.43	9.63	30.43	9.88	30.28	10.42
	-13.7	-15	32	8.71	31.87	9.22	31.72	9.72	31.72	9.96	31.57	10.23	31.57	10.73
	-11.8	-13	33.28	9.10	33.28	9.59	33.15	10.08	33	10.31	33	10.55	32.85	11.02
	-9.8	-11	34.87	9.51	34.72	9.96	34.57	10.42	34.57	10.65	34.57	10.88	34.43	11.33
	-9.5	-10	35.72	9.70	35.57	10.15	35.43	10.59	35.43	10.83	35.28	11.03	35.28	11.48
	-8.5	-9.1	36.43	9.87	36.28	10.31	36.28	10.75	36.15	10.97	36.15	11.18	36	11.62
	-7	-7.6	37.72	10.17	37.72	10.59	37.57	11.01	37.57	11.22	37.43	11.43	37.28	11.84
	-5	-5.6	39.72	10.55	39.57	10.96	39.43	11.35	39.43	11.56	39.28	11.74	39.28	12.14
	-3	-3.7	41.57	10.90	41.43	11.27	41.43	11.65	41.28	11.84	41.28	12.04	41.13	12.42
	0	-0.7	44.85	11.43	44.85	11.78	44.72	12.14	44.72	12.26	44.57	12.48	44.57	12.83
	3	2.2	48.42	11.89	48.28	12.23	48.15	12.56	48.15	12.71	48.15	12.89	48	13.20
	5	4.1	50.85	12.20	50.72	12.51	50.72	12.82	50.57	12.98	50.57	13.13	50.43	13.43
	7	6	53.43	12.48	53.28	12.77	53.28	13.07	53.13	13.21	53.13	13.36	51	12.83
120%	9	7.9	56.13	12.74	56	13.02	56	13.30	55.85	13.45	54.72	13.16	51	12.06
	11	9.8	59	13.00	58.85	13.26	58.57	13.43	56.57	12.90	54.72	12.38	51	11.35
	13	11.8	62.13	13.24	62	13.50	58.57	12.58	56.57	12.08	54.72	11.61	51	10.65
	15	13.7	65.13	13.48	62.28	12.79	58.57	11.84	56.57	11.40	54.72	10.94	51	10.05
	-19.8	-20	29	8.53	28.85	9.03	28.72	9.55	28.72	9.79	28.72	10.05	28.57	10.56
	-18.8	-19	29.43	8.69	29.28	9.19	29.28	9.69	29.15	9.94	29.15	10.20	29	10.70
	-16.7	-17	30.57	9.03	30.43	9.52	30.23	9.99	30.28	10.24	30.28	10.48	30.15	10.96
	-13.7	-15	31.87	9.38	31.72	9.84	31.57	10.31	31.57	10.55	31.57	10.78	31.43	11.24
	-11.8	-13	33.15	9.75	33.15	10.20	33	10.64	33	10.87	32.87	11.08	32.87	11.53
	-9.8	-11	34.72	10.13	34.57	10.54	34.57	10.97	34.43	11.18	34.43	11.38	34.28	11.81
	-9.5	-10	35.58	10.31	35.43	10.73	35.28	11.12	35.28	11.33	35.28	11.54	35.15	11.94
	-8.5	-9.1	36.28	10.46	36.15	10.87	36.15	11.27	36	11.47	36	11.68	35.85	12.08
	-7	-7.6	37.57	10.74	37.57	11.12	37.43	11.51	37.43	11.71	37.28	11.89	37.28	12.29
	-5	-5.6	39.57	11.08	39.43	11.46	39.28	11.82	39.28	12.01	39.28	12.20	39.15	12.56
	-3	-3.7	41.43	11.41	41.43	11.77	41.28	12.11	41.28	12.29	41.15	12.47	41.15	12.82
	0	-0.7	44.72	11.89	44.72	12.23	44.57	12.54	44.57	12.72	44.43	12.87	44.43	13.20
110%	3	2.2	48.28	12.35	48.15	12.64	48.15	12.95	48	13.10	48	13.24	47	13.17
	5	4.1	50.72	12.61	50.57	12.90	50.57	13.18	50.43	13.33	50.43	13.48	47	12.38
	7	6	53.28	12.87	53.28	13.14	53.15	13.42	52.28	13.23	50.57	12.70	47	11.64
	9	7.9	56	13.13	55.87	13.39	54	12.95	52.28	12.43	50.57	11.92	47	10.96
	11	9.8	58.85	13.36	57.43	13.13	54	12.17	52.28	11.69	50.57	11.22	47	10.33
	13	11.8	61	13.23	57.43	12.32	54	11.41	52.28	10.99	50.57	10.55	47	9.70
	15	13.7	61	12.45	57.43	11.59	54	10.77	52.28	10.36	50.57	9.95	47	9.16
	-19.8	-20	28.85	9.27	28.72	9.73	28.57	10.21	28.57	10.44	28.58	10.67	28.43	11.14
	-18.8	-19	29.28	9.42	29.15	9.87	29.15	10.34	29.15	10.57	29	10.80	29	11.25
	-16.7	-17	30.43	9.73	30.28	10.18	30.72	10.62	30.15	10.84	30.15	11.06	30	11.50
	-13.7	-15	31.72	10.08	31.58	10.49	31.43	10.91	31.43	11.12	31.43	11.33	31.28	11.75
	-11.8	-13	33	10.41	33	10.81	32.85	11.21	32.85	11.41	32.72	11.61	32.72	12.03
	-9.8	-11	34.57	10.74	34.43	11.12	34.43	11.51	34.28	11.71	34.28	11.89	34.28	12.29
	-9.5	-10	35.43	10.91	35.28	11.27	35.13	11.66	35.13	11.84	35.13	12.04	35	12.42
	-8.5	-9.1	36.15	11.05	36	11.43	36	11.79	35.85	11.97	35.85	12.17	35.85	11.09
	-7	-7.6	37.43	11.30	37.43	11.65	37.28	12.01	37.28	12.20	37.28	12.38	37.15	12.73
	-5	-5.6	39.43	11.62	39.28	11.96	39.15	12.30	39.15	12.47	39.15	12.64	39	12.99
	-3	-3.7	41.28	11.92	41.28	12.25	41.15	12.57	41.15	12.73	41	12.89	41	13.21
	0	-0.7	44.57	12.38	44.57	12.68	44.43	12.98	44.43	13.11	44.43	13.27	43.15	13.01
	3	2.2	48.15	12.79	48	13.05	48	13.33	47.85	13.46	46.28	12.92	43.15	11.84
	5	4.1	50.57	13.02	50.57	13.30	49.57	13.17	47.85	12.64	46.28	12.14	43.15	11.14
	7	6	53.13	13.27	52.72	13.36	49.57	12.38	47.85	11.87	46.28	11.41	43.15	10.48
	9	7.9	55.85	13.49	52.72	12.55	49.57	11.63	47.85	11.18	46.28	10.74	43.15	9.87
	11	9.8	55.85	12.70	52.72	11.81	49.57	10.96	47.85	10.54	46.28	10.13	43.15	9.31
	13	11.8	55.85	11.89	52.72	11.08	49.57	10.30	47.85	9.90	46.28	9.52	43.15	8.78
	15	13.7	55.85	10.57	52.72	10.45	49.57	9.72	47.85	9.34	46.28	9.00	43.15	8.31

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V400W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	28.72	10.02	28.57	10.43	28.57	10.87	28.43	11.08	28.43	11.27	28.28	11.71
	-18.8	-19	29.15	10.15	29.15	10.56	29	10.99	29	11.19	28.87	11.41	28.87	11.82
	-16.7	-17	30.28	10.43	30.13	10.84	30.13	11.24	30	11.44	30	11.63	30	12.04
	-13.7	-15	31.57	10.74	31.43	11.12	31.28	11.51	31.28	11.71	31.28	11.89	31.15	12.29
	-11.8	-13	32.87	11.05	32.87	11.41	32.72	11.78	32.72	11.96	32.72	12.16	32.57	12.53
	-9.8	-11	34.43	11.35	34.28	11.71	34.28	12.06	34.28	12.25	34.13	12.42	34.13	12.76
	-9.5	-10	35.28	11.51	35.15	11.84	35.15	12.20	35	12.38	35	12.54	34.85	12.89
	-8.5	-9.1	36	11.63	35.85	11.97	35.85	12.32	35.85	12.48	35.72	12.67	35.72	12.99
	-7	-7.6	37.28	11.86	37.28	12.20	37.15	12.51	37.15	12.70	37.15	12.85	37	13.17
	-5	-5.6	39.28	12.17	39.13	12.47	39.13	12.79	39	12.93	39	13.08	38.85	13.40
	-3	-3.7	41.15	12.44	41.15	11.29	41	13.02	41	13.17	41	13.32	39.28	12.76
	0	-0.7	44.43	12.85	44.43	13.11	44.28	13.39	43.57	13.17	42.15	12.63	39.28	11.58
	3	2.2	48	13.21	47.85	13.46	45	12.45	43.57	11.96	42.15	11.50	39.28	10.55
	5	4.1	50.43	13.46	47.85	12.64	45	11.71	43.57	11.27	42.15	10.83	39.28	9.95
	7	6	50.72	12.77	47.85	11.87	45	11.03	43.57	10.61	42.15	10.20	39.28	9.37
90%	9	7.9	50.72	12.00	47.85	11.18	45	10.39	43.57	9.85	42.15	9.60	39.28	8.85
	11	9.8	50.72	11.29	47.85	10.54	45	9.79	43.57	9.42	42.15	9.06	39.28	8.37
	13	11.8	50.72	10.61	47.85	9.90	45	9.22	43.57	8.88	42.15	8.55	39.28	7.89
	15	13.7	50.72	10.01	47.85	9.34	45	8.71	43.57	8.40	42.15	8.08	39.28	7.48
	-19.8	-20	28.52	10.77	28.38	11.14	28.38	11.53	28.23	11.71	28.23	11.90	28.23	12.29
	-18.8	-19	28.95	10.88	28.95	11.27	28.8	11.63	28.8	11.82	28.8	12.01	28.67	12.39
	-16.7	-17	30.08	11.15	29.95	11.51	29.95	11.86	29.95	12.06	29.8	12.23	29.8	12.58
	-13.7	-15	31.37	11.43	31.23	11.77	31.23	12.11	31.08	12.29	31.08	12.45	31.08	12.80
	-11.8	-13	32.65	11.69	32.65	12.03	32.52	12.36	32.52	12.53	32.52	12.70	32.37	13.01
	-9.8	-11	34.23	11.96	34.23	12.29	34.08	12.60	34.08	12.76	34.08	12.93	33.93	13.24
	-9.5	-10	35.08	12.11	34.93	12.42	34.93	12.73	34.8	12.89	34.8	13.04	34.8	13.34
	-8.5	-9.1	35.8	12.25	35.8	12.54	35.65	12.85	35.65	12.99	35.65	13.14	35.22	13.27
	-7	-7.6	37.08	12.44	37.08	12.73	36.93	13.02	36.93	13.17	36.93	13.31	35.22	12.68
	-5	-5.6	39.07	12.71	38.93	12.99	38.93	13.26	38.78	13.40	37.78	12.99	35.22	11.90
	-3	-3.7	40.93	12.96	40.93	13.21	40.5	13.27	39.07	12.74	37.78	12.23	35.22	11.22
	0	-0.7	44.35	13.33	43.07	13.00	40.5	12.04	39.07	11.56	37.78	11.11	35.22	10.21
80%	3	2.2	45.63	12.70	43.07	11.82	40.5	10.97	39.07	10.55	37.78	10.14	35.22	9.32
	5	4.1	45.63	11.93	43.07	11.12	40.5	10.34	39.07	9.94	37.78	9.56	35.22	8.81
	7	6	45.63	11.22	43.07	10.48	40.5	9.73	39.07	9.37	37.78	9.02	35.22	8.32
	9	7.9	45.63	10.58	43.07	9.85	40.5	9.17	39.07	8.85	37.78	8.52	35.22	7.86
	11	9.8	45.63	9.96	43.07	9.30	40.5	8.68	39.07	8.37	37.78	8.05	35.22	7.44
	13	11.8	45.63	9.37	43.07	8.78	40.5	8.18	39.07	7.89	37.78	7.60	35.22	7.03
	15	13.7	45.63	8.87	43.07	8.29	40.5	7.75	39.07	7.48	37.78	7.20	35.22	6.67
	-19.8	-20	28.43	11.51	28.28	11.84	28.28	12.19	28.28	12.36	28.13	12.53	28.13	12.86
	-18.8	-19	28.85	11.61	28.85	11.94	28.72	12.29	28.72	12.45	28.72	12.61	28.57	12.96
	-16.7	-17	30	11.84	29.87	12.17	29.87	12.50	29.87	12.67	29.87	12.82	29.72	13.13
	-13.7	-15	31.28	12.10	31.15	12.40	31.15	12.71	31.15	12.86	31	13.01	31	13.33
	-11.8	-13	32.57	12.35	32.57	12.64	32.43	12.93	32.43	13.07	32.43	13.23	31.43	12.87
	-9.8	-11	34.15	12.58	34.15	12.87	34	13.15	34	13.28	33.72	13.26	31.43	12.16
	-9.5	-10	35	12.71	34.85	12.99	34.87	13.26	34.87	13.40	33.72	12.87	31.43	11.79
	-8.5	-9.1	35.72	12.83	33.2	13.10	35.57	13.36	34.87	13.05	33.72	12.53	31.43	11.48
	-7	-7.6	37	13.01	37	13.27	36	12.99	34.87	12.47	33.72	11.96	31.43	10.99
	-5	-5.6	39	13.24	38.28	13.17	36	12.20	34.87	11.72	33.72	11.25	31.43	10.34
	-3	-3.7	40.57	13.32	38.28	12.40	36	11.48	34.87	11.05	33.72	10.61	31.43	9.76
	0	-0.7	40.57	12.09	38.28	11.25	36	10.45	34.87	10.08	33.72	9.66	31.43	8.91
	3	2.2	40.57	11.00	38.28	10.27	36	9.55	34.87	9.19	33.72	8.85	31.43	8.16
	5	4.1	40.57	10.37	38.28	9.67	36	9.00	34.87	8.68	33.72	8.37	31.43	7.71
	7	6	40.57	9.76	38.28	9.13	36	8.50	34.87	8.21	33.72	7.90	31.43	7.29
	9	7.9	40.57	9.22	38.28	8.62	36	8.03	34.87	7.75	33.72	7.48	31.43	6.92
	11	9.8	40.57	8.71	38.28	8.15	36	7.60	34.87	7.32	33.72	7.07	31.43	6.56
	13	11.8	40.57	8.21	38.28	7.68	36	7.18	34.87	6.93	33.72	6.69	31.43	6.20
	15	13.7	40.57	7.77	38.28	7.28	36	6.82	34.87	6.57	33.72	6.35	31.43	5.90

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V400W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	28.22	12.26	28.08	12.54	28.08	12.85	28.08	12.99	28.08	13.14	27.37	12.99
	-18.8	-19	28.65	12.36	28.65	12.64	28.5	12.93	28.5	13.07	28.5	13.23	27.37	12.73
	-16.7	-17	29.78	12.55	29.78	12.85	29.65	13.11	29.65	13.26	29.37	11.81	27.37	12.14
	-13.7	-15	31.07	12.77	30.93	13.04	30.93	13.31	30.37	13.11	29.37	12.58	27.37	11.54
	-11.8	-13	32.35	12.99	32.35	13.24	31.5	12.93	30.37	12.42	29.37	11.92	27.37	10.94
	-9.8	-11	33.92	13.20	33.5	13.18	31.5	12.22	30.37	11.74	29.37	11.27	27.37	10.36
	-9.5	-10	34.78	13.31	33.5	12.80	31.5	11.84	30.37	11.40	29.37	10.96	27.37	10.08
	-8.5	-9.1	35.48	13.39	33.5	12.45	31.5	11.54	30.37	11.09	29.37	10.67	27.37	9.80
	-7	-7.6	35.48	12.79	33.5	11.89	31.5	11.03	30.37	10.62	29.37	10.21	27.37	9.38
	-5	-5.6	35.48	12.01	33.5	11.19	31.5	10.40	30.37	9.99	29.37	11.80	27.37	8.87
	-3	-3.7	35.48	11.30	33.5	10.55	31.5	9.80	30.37	9.44	29.37	9.07	27.37	8.38
	0	-0.7	35.48	10.30	33.5	9.62	31.5	8.95	30.37	8.62	29.37	8.31	27.37	7.67
	3	2.2	35.48	9.41	33.5	8.81	31.5	8.21	30.37	7.90	29.37	7.61	27.37	7.04
	5	4.1	35.48	8.88	33.5	8.31	31.5	7.77	30.37	7.48	29.37	7.20	27.37	6.67
	7	6	35.48	8.40	33.5	7.86	31.5	7.32	30.37	7.07	29.37	6.83	27.37	6.33
60%	9	7.9	35.48	7.93	33.5	7.42	31.5	6.95	30.37	6.70	29.37	6.47	27.37	6.00
	11	9.8	35.48	7.50	33.5	7.03	31.5	6.58	30.37	6.36	29.37	6.14	27.37	5.70
	13	11.8	35.48	7.08	33.5	6.66	31.5	6.23	30.37	6.03	29.37	5.82	27.37	5.40
	15	13.7	35.48	6.71	33.5	6.32	31.5	5.91	30.37	5.73	29.37	5.54	27.37	5.15
	-19.8	-20	28.15	12.99	28	13.24	27	12.74	26.15	12.24	25.28	11.75	23.57	10.78
	-18.8	-19	28.57	13.08	28.57	13.33	27	12.47	26.15	11.97	25.28	11.50	23.57	10.55
	-16.7	-17	29.72	13.26	28.72	12.84	27	11.89	26.15	11.44	25.28	10.99	23.57	10.10
	-13.7	-15	30.43	13.11	28.72	12.20	27	11.30	26.15	10.88	25.28	10.45	23.57	9.60
	-11.8	-13	30.43	12.42	28.72	11.56	27	10.72	26.15	10.33	25.28	9.91	23.57	9.17
	-9.8	-11	30.43	11.72	28.72	10.93	27	10.15	26.15	9.76	25.28	9.38	23.57	8.66
	-9.5	-10	30.43	11.40	28.72	10.62	27	9.85	26.15	9.51	25.28	9.13	23.57	8.42
	-8.5	-9.1	30.43	11.09	28.72	10.36	27	9.62	26.15	9.26	25.28	8.91	23.57	8.22
	-7	-7.6	30.43	10.61	28.72	9.90	27	9.20	26.15	8.88	25.28	8.53	23.57	7.89
	-5	-5.6	30.43	9.99	28.72	9.32	27	8.69	26.15	8.38	25.28	8.06	23.57	7.46
	-3	-3.7	30.43	9.44	28.72	8.82	27	8.22	26.15	7.93	25.28	7.63	23.57	7.05
	0	-0.7	30.43	8.62	28.72	8.08	27	7.53	26.15	7.27	25.28	7.00	23.57	6.48
50%	3	2.2	30.43	7.90	28.72	7.41	27	6.93	26.15	6.69	25.28	6.45	23.57	5.98
	5	4.1	30.43	7.48	28.72	7.01	27	6.56	26.15	6.35	25.28	6.12	23.57	5.69
	7	6	30.43	7.07	28.72	6.64	27	6.22	26.15	6.01	25.28	5.82	23.57	5.39
	9	7.9	30.43	6.70	28.72	6.30	27	5.90	26.15	5.72	25.28	5.50	23.57	5.14
	11	9.8	30.43	6.36	28.72	5.98	27	5.62	26.15	5.42	25.28	5.24	23.57	4.90
	13	11.8	30.43	6.01	28.72	5.67	27	5.32	26.15	5.15	25.28	4.99	23.57	4.65
	15	13.7	30.43	5.73	28.72	5.37	27	5.06	26.15	4.91	25.28	4.74	23.57	4.43
	-19.8	-20	25.35	11.82	23.92	11.00	22.5	10.23	21.65	9.84	20.93	9.47	19.52	8.71
	-18.8	-19	25.35	11.56	23.92	10.78	22.5	10.02	21.65	9.63	20.93	9.26	19.52	8.55
	-16.7	-17	25.35	11.03	23.92	10.30	22.5	9.57	21.65	9.22	20.93	8.88	19.52	8.19
	-13.7	-15	25.35	10.51	23.92	9.80	22.5	9.12	21.65	8.79	20.93	8.46	19.52	7.82
	-11.8	-13	25.35	9.98	23.92	9.31	22.5	8.68	21.65	8.37	20.93	8.05	19.52	7.44
	-9.8	-11	25.35	9.45	23.92	8.84	22.5	8.24	21.65	7.93	20.93	7.64	19.52	7.07
	-9.5	-10	25.35	9.19	23.92	8.59	22.5	8.02	21.65	7.74	20.93	7.44	19.52	6.89
	-8.5	-9.1	25.35	8.97	23.92	8.40	22.5	7.82	21.65	7.55	20.93	7.27	19.52	6.72
	-7	-7.6	25.35	8.59	23.92	8.05	22.5	7.50	21.65	7.24	20.93	6.99	19.52	6.47
	-5	-5.6	25.35	8.12	23.92	7.60	22.5	7.10	21.65	6.86	20.93	6.61	19.52	6.13
	-3	-3.7	25.35	7.67	23.92	7.20	22.5	6.72	21.65	6.50	20.93	6.27	19.52	5.83
	0	-0.7	25.35	7.04	23.92	6.61	22.5	6.20	21.65	5.98	20.93	5.79	19.52	5.37
	3	2.2	25.35	6.48	23.92	6.10	22.5	5.72	21.65	5.54	20.93	5.33	19.52	4.99
	5	4.1	25.35	6.15	23.92	5.79	22.5	5.42	21.65	5.25	20.93	5.08	19.52	4.73
	7	6	25.35	5.85	23.92	5.49	22.5	5.17	21.65	4.99	20.93	4.83	19.52	4.52
	9	7.9	25.35	5.55	23.92	5.22	22.5	4.91	21.65	4.76	20.93	4.61	19.52	4.31
	11	9.8	25.35	5.27	23.92	4.97	22.5	4.68	21.65	4.54	20.93	4.40	19.52	4.12
	13	11.8	25.35	5.00	23.92	4.72	22.5	4.45	21.65	4.33	20.93	4.18	19.52	3.92
	15	13.7	25.35	4.76	23.92	4.51	22.5	4.25	21.65	4.13	20.93	3.99	19.52	3.75

16HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V450W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	32.37	8.84	32.22	9.46	32.07	10.11	32.07	10.40	31.91	10.71	31.91	11.34
	-18.8	-19	32.85	9.05	32.7	9.66	32.7	10.27	32.54	10.58	32.54	10.87	32.37	11.49
	-16.7	-17	34.13	9.46	33.96	10.05	33.81	10.65	33.81	10.93	33.81	11.23	33.65	11.82
	-13.7	-15	35.56	9.90	35.41	10.47	35.24	11.05	35.24	11.32	35.07	11.60	35.07	12.18
	-11.8	-13	36.98	10.34	36.98	10.89	36.83	11.43	36.67	11.70	36.67	11.98	36.5	12.52
	-9.8	-11	38.74	10.80	38.57	11.32	38.41	11.83	38.41	12.10	38.41	12.35	38.26	12.88
	-9.5	-10	39.69	11.03	39.52	11.53	39.37	12.02	39.37	12.29	39.2	12.54	39.2	13.03
	-8.5	-9.1	40.48	11.21	40.31	11.70	40.31	12.21	40.17	12.45	40.17	12.69	40	13.21
	-7	-7.6	41.91	11.54	41.91	12.02	41.74	12.50	41.74	12.74	41.59	12.96	41.43	13.46
	-5	-5.6	44.13	11.98	43.96	12.44	43.81	12.89	43.81	13.12	43.65	13.34	43.65	13.78
	-3	-3.7	46.19	12.37	46.04	12.81	46.04	13.23	45.87	13.46	45.87	13.67	45.7	14.09
	0	-0.7	49.83	12.96	49.83	13.38	49.69	13.76	49.69	13.91	49.52	14.17	49.52	14.56
	3	2.2	53.8	13.50	53.65	13.88	53.5	14.27	53.5	14.43	53.5	14.63	53.33	14.99
	5	4.1	56.5	13.85	56.35	14.21	56.35	14.56	56.19	14.73	56.19	14.90	56.04	15.25
	7	6	59.37	14.18	59.2	14.51	59.2	14.84	59.04	15.00	59.04	15.16	56.67	14.56
120%	-19.8	-20	32.22	9.69	32.06	10.26	31.91	10.84	31.91	11.12	31.91	11.41	31.74	12.00
	-18.8	-19	32.7	9.86	32.54	10.43	32.54	11.01	32.39	11.29	32.39	11.58	32.22	12.14
	-16.7	-17	33.96	10.26	33.81	10.81	33.59	11.34	33.65	11.62	33.65	11.89	33.5	12.44
	-13.7	-15	35.41	10.66	35.24	11.19	35.07	11.70	35.07	11.98	35.07	12.25	34.93	12.76
	-11.8	-13	36.83	11.07	36.83	11.58	36.67	12.08	36.67	12.34	36.52	12.58	36.52	13.07
	-9.8	-11	38.57	11.49	38.41	11.97	38.41	12.45	38.26	12.69	38.26	12.93	38.09	13.41
	-9.5	-10	39.54	11.70	39.37	12.18	39.2	12.64	39.2	12.88	39.2	13.11	39.06	13.58
	-8.5	-9.1	40.31	11.87	40.17	12.34	40.17	12.79	40	13.02	40	13.26	39.83	13.72
	-7	-7.6	41.74	12.20	41.74	12.64	41.59	13.06	41.59	13.30	41.43	13.50	41.43	13.94
	-5	-5.6	43.96	12.58	43.81	13.00	43.65	13.43	43.65	13.64	43.65	13.85	43.5	14.27
	-3	-3.7	46.04	12.95	46.04	13.36	45.87	13.75	45.87	13.94	45.72	14.16	45.72	14.56
	0	-0.7	49.69	13.50	49.69	13.88	49.52	14.24	49.52	14.43	49.37	14.61	49.37	14.99
	3	2.2	53.65	14.01	53.5	14.36	53.5	14.69	53.33	14.87	53.33	15.03	52.22	14.95
	5	4.1	56.35	14.32	56.19	14.65	56.19	14.97	56.04	15.12	56.04	15.30	52.22	14.04
	7	6	59.2	14.61	59.2	14.92	59.06	15.23	58.09	15.02	56.19	14.41	52.22	13.22
	9	7.9	62.22	14.90	62.07	15.21	60	14.69	58.09	14.11	56.19	13.54	52.22	12.44
110%	-19.8	-20	32.06	10.53	31.91	11.06	31.74	11.59	31.74	11.85	31.76	12.12	31.59	12.65
	-18.8	-19	32.54	10.69	32.39	11.21	32.39	11.74	32.39	12.00	32.22	12.26	32.22	12.78
	-16.7	-17	33.81	11.06	33.65	11.56	34.13	12.07	33.5	12.30	33.5	12.56	33.33	13.05
	-13.7	-15	35.24	11.43	35.09	11.91	34.93	12.39	34.93	12.64	34.93	12.88	34.76	13.35
	-11.8	-13	36.67	11.82	36.67	12.28	36.5	12.73	36.5	12.95	36.35	13.19	36.35	13.65
	-9.8	-11	38.41	12.20	38.26	12.64	38.26	13.07	38.09	13.30	38.09	13.50	38.09	13.94
	-9.5	-10	39.37	12.39	39.2	12.81	39.04	13.25	39.04	13.46	39.04	13.67	38.89	14.09
	-8.5	-9.1	40.17	12.54	40	12.97	40	13.40	39.83	13.61	39.83	13.82	39.83	12.59
	-7	-7.6	41.59	12.83	41.59	13.23	41.43	13.64	41.43	13.85	41.43	14.04	41.28	14.45
	-5	-5.6	43.81	13.21	43.65	13.60	43.5	13.96	43.5	14.16	43.5	14.36	43.33	14.75
	-3	-3.7	45.87	13.54	45.87	13.89	45.72	14.28	45.72	14.45	45.56	14.63	45.56	15.00
	0	-0.7	49.52	14.04	49.52	14.39	49.37	14.73	49.37	14.89	49.37	15.07	47.94	14.78
	3	2.2	53.5	14.52	53.33	14.82	53.33	15.12	53.17	15.28	51.43	14.66	47.94	13.45
	5	4.1	56.19	14.80	56.19	15.09	55.07	14.95	53.17	14.36	51.43	13.78	47.94	12.65
	7	6	59.04	15.07	58.57	15.16	55.07	14.04	53.17	13.49	51.43	12.95	47.94	11.89
	9	7.9	62.06	15.32	58.57	14.27	55.07	13.22	53.17	12.69	51.43	12.20	47.94	11.21
	11	9.8	62.06	14.41	58.57	13.41	55.07	12.44	53.17	11.97	51.43	11.49	47.94	10.58
	13	11.8	62.06	13.50	58.57	12.58	55.07	11.68	53.17	11.25	51.43	10.81	47.94	9.97
	15	13.7	62.06	12.00	58.57	11.87	55.07	11.05	53.17	10.62	51.43	10.23	47.94	9.43

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V450W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	31.91	11.38	31.74	11.85	31.74	12.34	31.59	12.58	31.59	12.81	31.43	13.30
	-18.8	-19	32.39	11.53	32.39	12.00	32.22	12.47	32.22	12.71	32.07	12.95	32.07	13.43
	-16.7	-17	33.65	11.85	33.48	12.30	33.48	12.76	33.33	12.98	33.33	13.22	33.33	13.67
	-13.7	-15	35.07	12.20	34.93	12.64	34.76	13.07	34.76	13.30	34.76	13.50	34.61	13.94
	-11.8	-13	36.52	12.54	36.52	12.95	36.35	13.38	36.35	13.60	36.35	13.80	36.19	14.22
	-9.8	-11	38.26	12.89	38.09	13.30	38.09	13.69	38.09	13.89	37.93	14.09	37.93	14.48
	-9.5	-10	39.2	13.07	39.06	13.46	39.06	13.85	38.89	14.04	38.89	14.24	38.72	14.63
	-8.5	-9.1	40	13.22	39.83	13.61	39.83	13.98	39.83	14.17	39.69	14.37	39.69	14.75
	-7	-7.6	41.43	13.48	41.43	13.85	41.28	14.21	41.28	14.41	41.28	14.58	41.11	14.95
	-5	-5.6	43.65	13.82	43.48	14.16	43.48	14.52	43.33	14.68	43.33	14.85	43.17	15.23
	-3	-3.7	45.72	14.12	45.72	12.82	45.56	14.80	45.56	14.95	45.56	15.11	43.65	14.48
	0	-0.7	49.37	14.58	49.37	14.88	49.2	15.21	48.41	14.95	46.83	14.34	43.65	13.16
	3	2.2	53.33	15.00	53.17	15.28	50	14.15	48.41	13.60	46.83	13.05	43.65	11.98
	5	4.1	56.04	15.28	53.17	14.36	50	13.30	48.41	12.79	46.83	12.29	43.65	11.30
	7	6	56.35	14.51	53.17	13.49	50	12.56	48.41	12.05	46.83	11.58	43.65	10.65
90%	9	7.9	56.35	13.62	53.17	12.69	50	11.78	48.41	11.20	46.83	10.91	43.65	10.05
	11	9.8	56.35	12.82	53.17	11.96	50	11.12	48.41	10.69	46.83	10.28	43.65	9.49
	13	11.8	56.35	12.05	53.17	11.25	50	10.47	48.41	10.08	46.83	9.71	43.65	8.96
	15	13.7	56.35	11.36	53.17	10.62	50	9.88	48.41	9.52	46.83	9.18	43.65	8.49
	-19.8	-20	31.69	12.23	31.54	12.65	31.54	13.07	31.37	13.30	31.37	13.52	31.37	13.94
	-18.8	-19	32.17	12.35	32.17	12.79	32	13.22	32	13.43	32	13.64	31.85	14.06
	-16.7	-17	33.43	12.67	33.28	13.07	33.28	13.48	33.28	13.69	33.11	13.88	33.11	14.29
	-13.7	-15	34.85	12.96	34.7	13.36	34.7	13.75	34.54	13.94	34.54	14.15	34.54	14.54
	-11.8	-13	36.28	13.28	36.28	13.65	36.13	14.02	36.13	14.22	36.13	14.41	35.96	14.78
	-9.8	-11	38.04	13.60	38.04	13.94	37.87	14.31	37.87	14.48	37.87	14.68	37.7	15.03
	-9.5	-10	38.98	13.75	38.81	14.11	38.81	14.45	38.67	14.63	38.67	14.81	38.67	15.14
	-8.5	-9.1	39.78	13.89	39.78	14.24	39.61	14.58	39.61	14.75	39.61	14.92	39.13	15.07
	-7	-7.6	41.2	14.12	41.2	14.45	41.04	14.79	41.04	14.95	41.04	15.11	39.13	14.39
	-5	-5.6	43.41	14.43	43.26	14.75	43.26	15.05	43.09	15.23	41.98	14.75	39.13	13.52
	-3	-3.7	45.48	14.70	45.48	15.00	45	15.07	43.41	14.46	41.98	13.88	39.13	12.74
	0	-0.7	49.28	15.12	47.85	14.76	45	13.67	43.41	13.14	41.98	12.61	39.13	11.59
80%	3	2.2	50.7	14.42	47.85	13.43	45	12.45	43.41	11.98	41.98	11.51	39.13	10.60
	5	4.1	50.7	13.55	47.85	12.64	45	11.74	43.41	11.29	41.98	10.86	39.13	10.00
	7	6	50.7	12.74	47.85	11.89	45	11.06	43.41	10.65	41.98	10.24	39.13	9.45
	9	7.9	50.7	12.01	47.85	11.20	45	10.42	43.41	10.04	41.98	9.67	39.13	8.93
	11	9.8	50.7	11.32	47.85	10.57	45	9.86	43.41	9.49	41.98	9.14	39.13	8.45
	13	11.8	50.7	10.65	47.85	9.97	45	9.28	43.41	8.96	41.98	8.63	39.13	7.99
	15	13.7	50.7	10.06	47.85	9.42	45	8.79	43.41	8.49	41.98	8.17	39.13	7.58
	-19.8	-20	31.59	13.06	31.43	13.45	31.43	13.84	31.43	14.02	31.26	14.22	31.26	14.60
	-18.8	-19	32.06	13.19	32.06	13.58	31.91	13.94	31.91	14.15	31.91	14.32	31.74	14.70
	-16.7	-17	33.33	13.46	33.19	13.82	33.19	14.19	33.19	14.37	33.19	14.56	33.02	14.90
	-13.7	-15	34.76	13.74	34.61	14.07	34.61	14.43	34.61	14.60	34.44	14.78	34.44	15.12
	-11.8	-13	36.19	14.01	36.19	14.36	36.04	14.68	36.04	14.83	36.04	15.02	34.93	14.61
	-9.8	-11	37.94	14.29	37.94	14.61	37.78	14.93	37.78	15.08	37.46	15.05	34.93	13.80
	-9.5	-10	38.89	14.43	38.72	14.74	38.74	15.05	38.74	15.23	37.46	14.61	34.93	13.40
	-8.5	-9.1	39.69	14.56	36.89	14.87	39.52	15.16	38.74	14.82	37.46	14.22	34.93	13.03
	-7	-7.6	41.11	14.78	41.11	15.07	40	14.74	38.74	14.16	37.46	13.60	34.93	12.47
	-5	-5.6	43.33	15.03	42.54	14.95	40	13.85	38.74	13.31	37.46	12.77	34.93	11.74
	-3	-3.7	45.07	15.11	42.54	14.07	40	13.03	38.74	12.54	37.46	12.05	34.93	11.09
	0	-0.7	45.07	13.72	42.54	12.77	40	11.87	38.74	11.43	37.46	10.96	34.93	10.12
	3	2.2	45.07	12.50	42.54	11.65	40	10.84	38.74	10.43	37.46	10.04	34.93	9.27
	5	4.1	45.07	11.77	42.54	10.98	40	10.23	38.74	9.86	37.46	9.49	34.93	8.76
	7	6	45.07	11.09	42.54	10.38	40	9.66	38.74	9.32	37.46	8.98	34.93	8.29
	9	7.9	45.07	10.47	42.54	9.78	40	9.12	38.74	8.79	37.46	8.49	34.93	7.84
	11	9.8	45.07	9.88	42.54	9.25	40	8.63	38.74	8.32	37.46	8.03	34.93	7.44
	13	11.8	45.07	9.32	42.54	8.73	40	8.16	38.74	7.87	37.46	7.59	34.93	7.04
	15	13.7	45.07	8.80	42.54	8.27	40	7.73	38.74	7.45	37.46	7.20	34.93	6.69

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V450W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	31.35	13.91	31.2	14.24	31.2	14.58	31.2	14.74	31.2	14.92	30.41	14.76
	-18.8	-19	31.83	14.02	31.83	14.36	31.67	14.68	31.67	14.83	31.67	15.02	30.41	14.45
	-16.7	-17	33.09	14.27	33.09	14.58	32.94	14.88	32.94	15.05	32.63	13.41	30.41	13.78
	-13.7	-15	34.52	14.51	34.37	14.81	34.37	15.11	33.74	14.88	32.63	14.29	30.41	13.11
	-11.8	-13	35.94	14.74	35.94	15.03	35	14.68	33.74	14.11	32.63	13.54	30.41	12.42
	-9.8	-11	37.69	14.98	37.22	14.97	35	13.87	33.74	13.34	32.63	12.79	30.41	11.75
	-9.5	-10	38.65	15.11	37.22	14.54	35	13.46	33.74	12.94	32.63	12.44	30.41	11.43
	-8.5	-9.1	39.43	15.21	37.22	14.15	35	13.11	33.74	12.59	32.63	12.11	30.41	11.14
	-7	-7.6	39.43	14.52	37.22	13.50	35	12.54	33.74	12.06	32.63	11.59	30.41	10.66
	-5	-5.6	39.43	13.64	37.22	12.71	35	11.80	33.74	11.34	32.63	13.41	30.41	10.06
	-3	-3.7	39.43	12.83	37.22	11.98	35	11.14	33.74	10.71	32.63	10.30	30.41	9.51
	0	-0.7	39.43	11.68	37.22	10.92	35	10.16	33.74	9.78	32.63	9.43	30.41	8.71
	3	2.2	39.43	10.67	37.22	10.00	35	9.32	33.74	8.98	32.63	8.65	30.41	7.99
	5	4.1	39.43	10.08	37.22	9.43	35	8.80	33.74	8.49	32.63	8.17	30.41	7.58
	7	6	39.43	9.52	37.22	8.93	35	8.32	33.74	8.03	32.63	7.74	30.41	7.18
60%	9	7.9	39.43	9.01	37.22	8.43	35	7.89	33.74	7.60	32.63	7.35	30.41	6.81
	11	9.8	39.43	8.52	37.22	7.99	35	7.47	33.74	7.21	32.63	6.98	30.41	6.47
	13	11.8	39.43	8.05	37.22	7.56	35	7.08	33.74	6.85	32.63	6.59	30.41	6.15
	15	13.7	39.43	7.62	37.22	7.17	35	6.71	33.74	6.50	32.63	6.27	30.41	5.85
	-19.8	-20	31.28	14.76	31.11	15.03	30	14.46	29.06	13.89	28.09	13.35	26.19	12.25
	-18.8	-19	31.74	14.85	31.74	15.12	30	14.16	29.06	13.61	28.09	13.05	26.19	11.98
	-16.7	-17	33.02	15.05	31.91	14.58	30	13.50	29.06	12.98	28.09	12.47	26.19	11.46
	-13.7	-15	33.81	14.88	31.91	13.85	30	12.83	29.06	12.35	28.09	11.86	26.19	10.90
	-11.8	-13	33.81	14.09	31.91	13.12	30	12.18	29.06	11.73	28.09	11.27	26.19	10.42
	-9.8	-11	33.81	13.31	31.91	12.40	30	11.53	29.06	11.09	28.09	10.66	26.19	9.83
	-9.5	-10	33.81	12.94	31.91	12.06	30	11.20	29.06	10.80	28.09	10.38	26.19	9.56
	-8.5	-9.1	33.81	12.59	31.91	11.75	30	10.92	29.06	10.52	28.09	10.12	26.19	9.32
	-7	-7.6	33.81	12.05	31.91	11.25	30	10.45	29.06	10.08	28.09	9.69	26.19	8.96
	-5	-5.6	33.81	11.34	31.91	10.60	30	9.86	29.06	9.51	28.09	9.15	26.19	8.47
	-3	-3.7	33.81	10.71	31.91	10.01	30	9.32	29.06	9.01	28.09	8.65	26.19	8.02
	0	-0.7	33.81	9.78	31.91	9.18	30	8.55	29.06	8.26	28.09	7.95	26.19	7.36
50%	3	2.2	33.81	8.98	31.91	8.41	30	7.87	29.06	7.59	28.09	7.33	26.19	6.78
	5	4.1	33.81	8.49	31.91	7.97	30	7.44	29.06	7.20	28.09	6.94	26.19	6.45
	7	6	33.81	8.03	31.91	7.55	30	7.05	29.06	6.83	28.09	6.59	26.19	6.12
	9	7.9	33.81	7.60	31.91	7.16	30	6.69	29.06	6.49	28.09	6.25	26.19	5.84
	11	9.8	33.81	7.21	31.91	6.78	30	6.37	29.06	6.17	28.09	5.96	26.19	5.56
	13	11.8	33.81	6.83	31.91	6.44	30	6.05	29.06	5.85	28.09	5.65	26.19	5.29
	15	13.7	33.81	6.50	31.91	6.11	30	5.75	29.06	5.57	28.09	5.39	26.19	5.04
	-19.8	-20	28.17	13.43	26.57	12.50	25	11.60	24.06	11.19	23.26	10.74	21.69	9.90
	-18.8	-19	28.17	13.14	26.57	12.25	25	11.38	24.06	10.93	23.26	10.52	21.69	9.71
	-16.7	-17	28.17	12.54	26.57	11.68	25	10.87	24.06	10.47	23.26	10.08	21.69	9.30
	-13.7	-15	28.17	11.92	26.57	11.14	25	10.36	24.06	9.99	23.26	9.60	21.69	8.87
	-11.8	-13	28.17	11.34	26.57	10.58	25	9.86	24.06	9.49	23.26	9.13	21.69	8.45
	-9.8	-11	28.17	10.72	26.57	10.03	25	9.34	24.06	9.01	23.26	8.67	21.69	8.03
	-9.5	-10	28.17	10.43	26.57	9.75	25	9.10	24.06	8.78	23.26	8.45	21.69	7.82
	-8.5	-9.1	28.17	10.18	26.57	9.52	25	8.87	24.06	8.56	23.26	8.26	21.69	7.64
	-7	-7.6	28.17	9.75	26.57	9.13	25	8.52	24.06	8.22	23.26	7.94	21.69	7.35
	-5	-5.6	28.17	9.20	26.57	8.63	25	8.07	24.06	7.79	23.26	7.50	21.69	6.96
	-3	-3.7	28.17	8.71	26.57	8.17	25	7.64	24.06	7.38	23.26	7.12	21.69	6.62
	0	-0.7	28.17	7.99	26.57	7.50	25	7.04	24.06	6.78	23.26	6.56	21.69	6.11
	3	2.2	28.17	7.36	26.57	6.93	25	6.49	24.06	6.27	23.26	6.07	21.69	5.65
	5	4.1	28.17	6.99	26.57	6.56	25	6.17	24.06	5.97	23.26	5.78	21.69	5.38
	7	6	28.17	6.64	26.57	6.24	25	5.87	24.06	5.67	23.26	5.49	21.69	5.14
	9	7.9	28.17	6.29	26.57	5.94	25	5.57	24.06	5.41	23.26	5.24	21.69	4.90
	11	9.8	28.17	5.98	26.57	5.63	25	5.31	24.06	5.16	23.26	5.00	21.69	4.66
	13	11.8	28.17	5.69	26.57	5.36	25	5.06	24.06	4.91	23.26	4.75	21.69	4.45
	15	13.7	28.17	5.41	26.57	5.12	25	4.83	24.06	4.67	23.26	4.53	21.69	4.25

18HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V500W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	36.3	9.98	36.1	10.69	35.9	11.40	35.9	11.75	35.7	12.09	35.7	12.81
	-18.8	-19	36.8	10.21	36.6	10.90	36.6	11.61	36.4	11.96	36.4	12.28	36.3	12.99
	-16.7	-17	38.2	10.69	38.0	11.36	37.9	12.02	37.9	12.35	37.9	12.69	37.7	13.36
	-13.7	-15	39.8	11.17	39.7	11.82	39.5	12.46	39.5	12.78	39.3	13.11	39.3	13.75
	-11.8	-13	41.4	11.68	41.4	12.30	41.3	12.90	41.1	13.22	41.1	13.54	40.9	14.14
	-9.8	-11	43.4	12.19	43.2	12.78	43.0	13.36	43.0	13.66	43.0	13.96	42.9	14.55
	-9.5	-10	44.4	12.46	44.3	13.01	44.1	13.59	44.1	13.89	43.9	14.16	43.9	14.74
	-8.5	-9.1	45.3	12.67	45.2	13.22	45.2	13.80	45.0	14.07	45.0	14.35	44.8	14.92
	-7	-7.6	46.9	13.04	46.9	13.59	46.7	14.12	46.7	14.39	46.6	14.65	46.4	15.20
	-5	-5.6	49.4	13.54	49.2	14.05	49.1	14.55	49.1	14.83	48.9	15.06	48.9	15.57
	-3	-3.7	51.7	13.98	51.6	14.46	51.6	14.94	51.4	15.20	51.4	15.45	51.2	15.91
	0	-0.7	55.8	14.65	55.8	15.11	55.6	15.54	55.6	15.73	55.5	16.00	55.5	16.46
	3	2.2	60.3	15.27	60.1	15.68	59.9	16.09	59.9	16.30	59.9	16.53	59.7	16.92
	5	4.1	63.3	15.63	63.1	16.05	63.1	16.44	62.9	16.65	62.9	16.83	62.8	17.22
120%	7	6	66.5	16.03	66.3	16.37	66.3	16.76	66.1	16.95	66.1	17.13	63.5	16.46
	9	7.9	69.9	16.35	69.7	16.72	69.7	17.06	69.5	17.24	68.1	16.88	63.5	15.45
	11	9.8	73.4	16.67	73.2	17.01	72.9	17.22	70.4	16.55	68.1	15.86	63.5	14.55
	13	11.8	77.3	16.99	77.2	17.31	72.9	16.14	70.4	15.50	68.1	14.90	63.5	13.66
	15	13.7	81.1	17.29	77.5	16.39	72.9	15.20	70.4	14.62	68.1	14.03	63.5	12.90
	-19.8	-20	36.1	10.94	35.9	11.59	35.7	12.25	35.7	12.55	35.7	12.90	35.5	13.54
	-18.8	-19	36.6	11.15	36.4	11.79	36.4	12.44	36.3	12.74	36.3	13.08	36.1	13.73
	-16.7	-17	38.0	11.59	37.9	12.21	37.6	12.81	37.7	13.13	37.7	13.45	37.5	14.05
	-13.7	-15	39.7	12.05	39.5	12.65	39.3	13.22	39.3	13.54	39.3	13.82	39.1	14.42
	-11.8	-13	41.3	12.51	41.3	13.08	41.1	13.63	41.1	13.93	40.9	14.21	40.9	14.78
	-9.8	-11	43.2	12.99	43.0	13.52	43.0	14.07	42.9	14.35	42.9	14.60	42.7	15.15
	-9.5	-10	44.3	13.22	44.1	13.75	43.9	14.28	43.9	14.55	43.9	14.81	43.7	15.34
	-8.5	-9.1	45.2	13.43	45.0	13.93	45.0	14.46	44.8	14.71	44.8	14.99	44.6	15.50
	-7	-7.6	46.7	13.77	46.7	14.28	46.6	14.76	46.6	15.01	46.4	15.27	46.4	15.75
	-5	-5.6	49.2	14.21	49.1	14.69	48.9	15.17	48.9	15.40	48.9	15.66	48.7	16.09
110%	-3	-3.7	51.6	14.65	51.6	15.11	51.4	15.54	51.4	15.75	51.2	16.00	51.2	16.44
	0	-0.7	55.6	15.27	55.6	15.68	55.5	16.09	55.5	16.30	55.3	16.51	55.3	16.92
	3	2.2	60.1	15.84	59.9	16.21	59.9	16.60	59.7	16.81	59.7	16.99	58.5	16.90
	5	4.1	63.1	16.19	62.9	16.55	62.9	16.92	62.8	17.11	62.8	17.29	58.5	15.86
	7	6	66.3	16.51	66.3	16.85	66.1	17.20	65.1	16.97	62.9	16.28	58.5	14.92
	9	7.9	69.7	16.83	69.5	17.17	67.2	16.60	65.1	15.93	62.9	15.29	58.5	14.05
	11	9.8	73.2	17.13	71.5	16.83	67.2	15.61	65.1	15.01	62.9	14.39	58.5	13.24
	13	11.8	75.9	16.97	71.5	15.80	67.2	14.65	65.1	14.09	62.9	13.54	58.5	12.46
	15	13.7	75.9	15.98	71.5	14.88	67.2	13.82	65.1	13.27	62.9	12.76	58.5	11.75
	-19.8	-20	35.9	11.91	35.7	12.48	35.5	13.08	35.5	13.38	35.6	13.68	35.4	14.28
	-18.8	-19	36.4	12.09	36.3	12.67	36.3	13.27	36.3	13.54	36.1	13.84	36.1	14.44
	-16.7	-17	37.9	12.48	37.7	13.06	38.2	13.63	37.5	13.91	37.5	14.19	37.3	14.74
	-13.7	-15	39.5	12.92	39.3	13.45	39.1	14.00	39.1	14.28	39.1	14.55	38.9	15.08
	-11.8	-13	41.1	13.36	41.1	13.86	40.9	14.37	40.9	14.65	40.7	14.90	40.7	15.43
	-9.8	-11	43.0	13.77	42.9	14.28	42.9	14.76	42.7	15.01	42.7	15.27	42.7	15.75

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V500W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	35.7	12.85	35.5	13.38	35.5	13.93	35.4	14.21	35.4	14.46	35.2	15.01
	-18.8	-19	36.3	13.01	36.3	13.54	36.1	14.09	36.1	14.37	35.9	14.65	35.9	15.17
	-16.7	-17	37.7	13.38	37.5	13.91	37.5	14.42	37.3	14.67	37.3	14.92	37.3	15.45
	-13.7	-15	39.3	13.77	39.1	14.28	38.9	14.76	38.9	15.01	38.9	15.27	38.8	15.75
	-11.8	-13	40.9	14.19	40.9	14.65	40.7	15.11	40.7	15.36	40.7	15.59	40.5	16.07
	-9.8	-11	42.9	14.55	42.7	15.01	42.7	15.47	42.7	15.70	42.5	15.91	42.5	16.37
	-9.5	-10	43.9	14.76	43.7	15.20	43.7	15.63	43.6	15.86	43.6	16.09	43.4	16.53
	-8.5	-9.1	44.8	14.92	44.6	15.38	44.6	15.80	44.6	16.00	44.4	16.23	44.4	16.65
	-7	-7.6	46.4	15.22	46.4	15.63	46.2	16.05	46.2	16.28	46.2	16.46	46.0	16.90
	-5	-5.6	48.9	15.61	48.7	16.00	48.7	16.39	48.5	16.58	48.5	16.78	48.3	17.20
	-3	-3.7	51.2	15.96	51.2	16.48	51.0	16.72	51.0	16.90	51.0	17.08	48.9	16.37
	0	-0.7	55.3	16.46	55.3	16.83	55.1	17.17	54.2	16.90	52.5	16.19	48.9	14.85
	3	2.2	59.7	16.95	59.5	17.27	56.0	15.98	54.2	15.36	52.5	14.74	48.9	13.54
	5	4.1	62.8	17.27	59.5	16.21	56.0	15.01	54.2	14.46	52.5	13.89	48.9	12.76
	7	6	63.1	16.37	59.5	15.24	56.0	14.14	54.2	13.61	52.5	13.08	48.9	12.02
90%	9	7.9	63.1	15.38	59.5	14.35	56.0	13.31	54.2	12.65	52.5	12.32	48.9	11.36
	11	9.8	63.1	14.48	59.5	13.52	56.0	12.55	54.2	12.09	52.5	11.63	48.9	10.71
	13	11.8	63.1	13.61	59.5	12.71	56.0	11.82	54.2	11.38	52.5	10.97	48.9	10.12
	15	13.7	63.1	12.83	59.5	12.00	56.0	11.17	54.2	10.76	52.5	10.35	48.9	9.59
	-19.8	-20	35.5	13.82	35.3	14.28	35.3	14.78	35.1	15.01	35.1	15.27	35.1	15.75
	-18.8	-19	36.0	13.96	36.0	14.46	35.8	14.92	35.8	15.17	35.8	15.40	35.7	15.89
	-16.7	-17	37.4	14.30	37.3	14.76	37.3	15.22	37.3	15.45	37.1	15.68	37.1	16.14
	-13.7	-15	39.0	14.65	38.9	15.11	38.9	15.54	38.7	15.75	38.7	15.98	38.7	16.42
	-11.8	-13	40.6	15.01	40.6	15.43	40.5	15.84	40.5	16.07	40.5	16.28	40.3	16.69
	-9.8	-11	42.6	15.36	42.6	15.75	42.4	16.16	42.4	16.37	42.4	16.58	42.2	16.99
	-9.5	-10	43.7	15.54	43.5	15.93	43.5	16.32	43.3	16.53	43.3	16.74	43.3	17.11
	-8.5	-9.1	44.6	15.70	44.6	16.09	44.4	16.46	44.4	16.65	44.4	16.85	43.8	17.01
	-7	-7.6	46.1	15.96	46.1	16.32	46.0	16.72	46.0	16.90	46.0	17.08	43.8	16.26
	-5	-5.6	48.6	16.30	48.5	16.65	48.5	17.01	48.3	17.20	47.0	16.65	43.8	15.27
	-3	-3.7	50.9	16.62	50.9	16.95	50.4	17.01	48.6	16.35	47.0	15.68	43.8	14.39
	0	-0.7	55.2	17.11	53.6	16.67	50.4	15.45	48.6	14.83	47.0	14.25	43.8	13.08
80%	3	2.2	56.8	16.28	53.6	15.17	50.4	14.07	48.6	13.54	47.0	12.99	43.8	11.98
	5	4.1	56.8	15.31	53.6	14.28	50.4	13.27	48.6	12.74	47.0	12.28	43.8	11.29
	7	6	56.8	14.39	53.6	13.45	50.4	12.48	48.6	12.02	47.0	11.56	43.8	10.67
	9	7.9	56.8	13.57	53.6	12.65	50.4	11.77	48.6	11.36	47.0	10.92	43.8	10.09
	11	9.8	56.8	12.78	53.6	11.93	50.4	11.13	48.6	10.71	47.0	10.32	43.8	9.54
	13	11.8	56.8	12.02	53.6	11.27	50.4	10.48	48.6	10.12	47.0	9.75	43.8	9.01
	15	13.7	56.8	11.36	53.6	10.62	50.4	9.93	48.6	9.59	47.0	9.24	43.8	8.55
	-19.8	-20	35.4	14.76	35.2	15.20	35.2	15.63	35.2	15.84	35.0	16.07	35.0	16.49
	-18.8	-19	35.9	14.90	35.9	15.34	35.7	15.75	35.7	15.98	35.7	16.19	35.5	16.62
	-16.7	-17	37.3	15.20	37.2	15.61	37.2	16.03	37.2	16.23	37.2	16.44	37.0	16.83
	-13.7	-15	38.9	15.52	38.8	15.91	38.8	16.30	38.8	16.49	38.6	16.69	38.6	17.11
	-11.8	-13	40.5	15.82	40.5	16.21	40.4	16.58	40.4	16.76	40.4	16.97	39.1	16.51
	-9.8	-11	42.5	16.14	42.5	16.51	42.3	16.88	42.3	17.04	42.0	17.01	39.1	15.59
	-9.5	-10	43.6	16.30	43.4	16.65	43.4	17.01	43.4	17.20	42.0	16.51	39.1	15.13
	-8.5	-9.1	44.4	16.46	41.3	16.81	44.3	17.13	43.4	16.74	42.0	16.07	39.1	14.74
	-7	-7.6	46.0	16.69	46.0	17.01	44.8	16.65	43.4	16.00	42.0	15.36	39.1	14.09
	-5	-5.6	48.5	16.99	47.6	16.90	44.8	15.63	43.4	15.04	42.0	14.44	39.1	13.27
	-3	-3.7	50.5	17.08	47.6	15.91	44.8	14.74	43.4	14.19	42.0	13.61	39.1	12.53
	0	-0.7	50.5	15.50	47.6	14.44	44.8	13.40	43.4	12.90	42.0	12.39	39.1	11.43
	3	2.2	50.5	14.12	47.6	13.17	44.8	12.25	43.4	11.79	42.0	11.36	39.1	10.46
	5	4.1	50.5	13.29	47.6	12.42	44.8	11.54	43.4	11.13	42.0	10.71	39.1	9.89
	7	6	50.5	12.53	47.6	11.73	44.8	10.90	43.4	10.53	42.0	10.14	39.1	9.36
	9	7.9	50.5	11.82	47.6	11.06	44.8	10.30	43.4	9.93	42.0	9.59	39.1	8.87
	11	9.8	50.5	11.17	47.6	10.44	44.8	9.75	43.4	9.40	42.0	9.08	39.1	8.42
	13	11.8	50.5	10.53	47.6	9.86	44.8	9.22	43.4	8.90	42.0	8.58	39.1	7.96
	15	13.7	50.5	9.96	47.6	9.36	44.8	8.74	43.4	8.44	42.0	8.14	39.1	7.56

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V500W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	35.1	15.73	34.9	16.09	34.9	16.46	34.9	16.65	34.9	16.85	34.1	16.67
	-18.8	-19	35.7	15.84	35.7	16.21	35.5	16.58	35.5	16.76	35.5	16.97	34.1	16.32
	-16.7	-17	37.1	16.09	37.1	16.46	36.9	16.83	36.9	17.01	36.5	15.15	34.1	15.57
	-13.7	-15	38.7	16.37	38.5	16.74	38.5	17.08	37.8	16.83	36.5	16.14	34.1	14.81
	-11.8	-13	40.3	16.65	40.3	16.99	39.2	16.58	37.8	15.93	36.5	15.29	34.1	14.03
	-9.8	-11	42.2	16.92	41.7	16.92	39.2	15.66	37.8	15.06	36.5	14.46	34.1	13.27
	-9.5	-10	43.3	17.08	41.7	16.42	39.2	15.20	37.8	14.62	36.5	14.05	34.1	12.90
	-8.5	-9.1	44.2	17.17	41.7	15.98	39.2	14.81	37.8	14.23	36.5	13.68	34.1	12.58
	-7	-7.6	44.2	16.39	41.7	15.27	39.2	14.16	37.8	13.63	36.5	13.08	34.1	12.05
	-5	-5.6	44.2	15.40	41.7	14.37	39.2	13.34	37.8	12.81	36.5	15.15	34.1	11.36
	-3	-3.7	44.2	14.51	41.7	13.54	39.2	12.58	37.8	12.09	36.5	11.63	34.1	10.74
	0	-0.7	44.2	13.20	41.7	12.35	39.2	11.47	37.8	11.06	36.5	10.65	34.1	9.84
	3	2.2	44.2	12.07	41.7	11.29	39.2	10.53	37.8	10.14	36.5	9.77	34.1	9.04
	5	4.1	44.2	11.38	41.7	10.65	39.2	9.96	37.8	9.59	36.5	9.24	34.1	8.55
60%	7	6	44.2	10.76	41.7	10.07	39.2	9.40	37.8	9.08	36.5	8.76	34.1	8.12
	9	7.9	44.2	10.16	41.7	9.54	39.2	8.90	37.8	8.60	36.5	8.30	34.1	7.70
	11	9.8	44.2	9.61	41.7	9.01	39.2	8.44	37.8	8.16	36.5	7.89	34.1	7.31
	13	11.8	44.2	9.08	41.7	8.53	39.2	7.98	37.8	7.73	36.5	7.45	34.1	6.94
	15	13.7	44.2	8.62	41.7	8.09	39.2	7.59	37.8	7.33	36.5	7.08	34.1	6.62
	-19.8	-20	35.0	16.67	34.8	16.99	33.6	16.35	32.5	15.70	31.5	15.08	29.3	13.82
	-18.8	-19	35.5	16.78	35.5	17.11	33.6	16.00	32.5	15.36	31.5	14.74	29.3	13.54
	-16.7	-17	37.0	17.01	35.7	16.46	33.6	15.27	32.5	14.67	31.5	14.09	29.3	12.94
	-13.7	-15	37.9	16.83	35.7	15.63	33.6	14.51	32.5	13.96	31.5	13.40	29.3	12.32
	-11.8	-13	37.9	15.91	35.7	14.81	33.6	13.75	32.5	13.24	31.5	12.71	29.3	11.77
	-9.8	-11	37.9	15.04	35.7	14.00	33.6	13.01	32.5	12.53	31.5	12.05	29.3	11.11
	-9.5	-10	37.9	14.62	35.7	13.63	33.6	12.65	32.5	12.19	31.5	11.73	29.3	10.81
	-8.5	-9.1	37.9	14.23	35.7	13.27	33.6	12.35	32.5	11.89	31.5	11.43	29.3	10.53
	-7	-7.6	37.9	13.61	35.7	12.71	33.6	11.82	32.5	11.38	31.5	10.94	29.3	10.12
	-5	-5.6	37.9	12.81	35.7	11.98	33.6	11.15	32.5	10.74	31.5	10.35	29.3	9.56
50%	-3	-3.7	37.9	12.09	35.7	11.31	33.6	10.53	32.5	10.16	31.5	9.79	29.3	9.06
	0	-0.7	37.9	11.06	35.7	10.35	33.6	9.66	32.5	9.33	31.5	8.99	29.3	8.32
	3	2.2	37.9	10.14	35.7	9.52	33.6	8.90	32.5	8.58	31.5	8.28	29.3	7.68
	5	4.1	37.9	9.59	35.7	8.99	33.6	8.42	32.5	8.14	31.5	7.84	29.3	7.29
	7	6	37.9	9.08	35.7	8.53	33.6	7.98	32.5	7.70	31.5	7.45	29.3	6.92
	9	7.9	37.9	8.60	35.7	8.07	33.6	7.56	32.5	7.33	31.5	7.06	29.3	6.60
	11	9.8	37.9	8.16	35.7	7.68	33.6	7.20	32.5	6.97	31.5	6.71	29.3	6.28
	13	11.8	37.9	7.70	35.7	7.27	33.6	6.83	32.5	6.62	31.5	6.39	29.3	5.98
	15	13.7	37.9	7.33	35.7	6.90	33.6	6.51	32.5	6.30	31.5	6.09	29.3	5.70
	-19.8	-20	31.5	15.17	29.8	14.12	28.0	13.11	26.9	12.62	26.1	12.14	24.3	11.17
	-18.8	-19	31.5	14.83	29.8	13.82	28.0	12.85	26.9	12.37	26.1	11.89	24.3	10.97
	-16.7	-17	31.5	14.16	29.8	13.20	28.0	12.28	26.9	11.82	26.1	11.38	24.3	10.51
	-13.7	-15	31.5	13.47	29.8	12.58	28.0	11.70	26.9	11.27	26.1	10.85	24.3	10.02
	-11.8	-13	31.5	12.81	29.8	11.96	28.0	11.13	26.9	10.71	26.1	10.32	24.3	9.54
	-9.8	-11	31.5	12.12	29.8	11.33	28.0	10.55	26.9	10.16	26.1	9.79	24.3	9.08
	-9.5	-10	31.5	11.79	29.8	11.01	28.0	10.28	26.9	9.91	26.1	9.54	24.3	8.83
	-8.5	-9.1	31.5	11.50	29.8	10.76	28.0	10.02	26.9	9.68	26.1	9.33	24.3	8.62
	-7	-7.6	31.5	11.01	29.8	10.32	28.0	9.61	26.9	9.29	26.1	8.97	24.3	8.30
	-5	-5.6	31.5	10.39	29.8	9.75	28.0	9.10	26.9	8.81	26.1	8.48	24.3	7.86
	-3	-3.7	31.5	9.84	29.8	9.24	28.0	8.62	26.9	8.35	26.1	8.05	24.3	7.47
	0	-0.7	31.5	9.04	29.8	8.48	28.0	7.96	26.9	7.68	26.1	7.43	24.3	6.90
	3	2.2	31.5	8.32	29.8	7.82	28.0	7.33	26.9	7.08	26.1	6.85	24.3	6.39
	5	4.1	31.5	7.89	29.8	7.43	28.0	6.97	26.9	6.74	26.1	6.53	24.3	6.07
	7	6	31.5	7.50	29.8	7.06	28.0	6.62	26.9	6.41	26.1	6.21	24.3	5.79
	9	7.9	31.5	7.10	29.8	6.71	28.0	6.30	26.9	6.12	26.1	5.91	24.3	5.52
	11	9.8	31.5	6.76	29.8	6.37	28.0	6.00	26.9	5.82	26.1	5.63	24.3	5.27
	13	11.8	31.5	6.44	29.8	6.07	28.0	5.70	26.9	5.54	26.1	5.36	24.3	5.04
	15	13.7	31.5	6.12	29.8	5.79	28.0	5.45	26.9	5.29	26.1	5.13	24.3	4.81

20HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V560W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	40.8	11.40	40.6	12.21	40.4	13.03	40.4	13.42	40.2	13.81	40.2	14.63
	-18.8	-19	41.4	11.66	41.2	12.45	41.2	13.26	41.0	13.66	41.0	14.02	40.8	14.84
	-16.7	-17	43.0	12.21	42.8	12.97	42.6	13.73	42.6	14.10	42.6	14.50	42.4	15.26
	-13.7	-15	44.8	12.76	44.6	13.50	44.4	14.23	44.4	14.60	44.2	14.97	44.2	15.70
	-11.8	-13	46.6	13.34	46.6	14.05	46.4	14.73	46.2	15.10	46.2	15.47	46.0	16.15
	-9.8	-11	48.8	13.92	48.6	14.60	48.4	15.26	48.4	15.60	48.4	15.94	48.2	16.62
	-9.5	-10	50.0	14.23	49.8	14.86	49.6	15.52	49.6	15.86	49.4	16.18	49.4	16.83
	-8.5	-9.1	51.0	14.47	50.8	15.10	50.8	15.76	50.6	16.07	50.6	16.39	50.4	17.04
	-7	-7.6	52.8	14.89	52.8	15.52	52.6	16.12	52.6	16.44	52.4	16.73	52.2	17.36
	-5	-5.6	55.6	15.47	55.4	16.04	55.2	16.62	55.2	16.94	55.0	17.20	55.0	17.78
	-3	-3.7	58.2	15.97	58.0	16.52	58.0	17.07	57.8	17.36	57.8	17.65	57.6	18.17
	0	-0.7	62.8	16.73	62.8	17.25	62.6	17.75	62.6	17.96	62.4	18.28	62.4	18.80
	3	2.2	67.8	17.44	67.6	17.91	67.4	18.38	67.4	18.62	67.4	18.88	67.2	19.33
	5	4.1	71.2	17.86	71.0	18.33	71.0	18.78	70.8	19.01	70.8	19.22	70.6	19.67
120%	7	6	74.8	18.30	74.6	18.70	74.6	19.14	74.4	19.35	74.4	19.56	71.4	18.80
	9	7.9	78.6	18.67	78.4	19.09	78.4	19.49	78.2	19.70	76.6	19.27	71.4	17.65
	11	9.8	82.6	19.04	82.4	19.43	82.0	19.67	79.2	18.91	76.6	18.12	71.4	16.62
	13	11.8	87.0	19.41	86.8	19.77	82.0	18.43	79.2	17.70	76.6	17.02	71.4	15.60
	15	13.7	91.2	19.75	87.2	18.72	82.0	17.36	79.2	16.70	76.6	16.02	71.4	14.73
	-19.8	-20	40.6	12.50	40.4	13.24	40.2	14.00	40.2	14.34	40.2	14.73	40.0	15.47
	-18.8	-19	41.2	12.74	41.0	13.47	41.0	14.21	40.8	14.55	40.8	14.94	40.6	15.68
	-16.7	-17	42.8	13.24	42.6	13.94	42.3	14.63	42.4	14.99	42.4	15.36	42.2	16.04
	-13.7	-15	44.6	13.76	44.4	14.44	44.2	15.10	44.2	15.47	44.2	15.78	44.0	16.47
	-11.8	-13	46.4	14.29	46.4	14.94	46.2	15.57	46.2	15.91	46.0	16.23	46.0	16.89
	-9.8	-11	48.6	14.84	48.4	15.44	48.4	16.07	48.2	16.39	48.2	16.68	48.0	17.31
	-9.5	-10	49.8	15.10	49.6	15.70	49.4	16.31	49.4	16.62	49.4	16.91	49.2	17.52
	-8.5	-9.1	50.8	15.34	50.6	15.91	50.6	16.52	50.4	16.81	50.4	17.12	50.2	17.70
	-7	-7.6	52.6	15.73	52.6	16.31	52.4	16.86	52.4	17.15	52.2	17.44	52.2	17.99
	-5	-5.6	55.4	16.23	55.2	16.78	55.0	17.33	55.0	17.59	55.0	17.88	54.8	18.38
110%	-3	-3.7	58.0	16.73	58.0	17.25	57.8	17.75	57.8	17.99	57.6	18.28	57.6	18.78
	0	-0.7	62.6	17.44	62.6	17.91	62.4	18.38	62.4	18.62	62.2	18.85	62.2	19.33
	3	2.2	67.6	18.09	67.4	18.51	67.4	18.96	67.2	19.20	67.2	19.41	65.8	19.30
	5	4.1	71.0	18.49	70.8	18.91	70.8	19.33	70.6	19.54	70.6	19.75	65.8	18.12
	7	6	74.6	18.85	74.6	19.25	74.4	19.64	73.2	19.38	70.8	18.59	65.8	17.04
	9	7.9	78.4	19.22	78.2	19.62	75.6	18.96	73.2	18.20	70.8	17.46	65.8	16.04
	11	9.8	82.4	19.56	80.4	19.22	75.6	17.83	73.2	17.15	70.8	16.44	65.8	15.13
	13	11.8	85.4	19.38	80.4	18.04	75.6	16.73	73.2	16.10	70.8	15.47	65.8	14.23
	15	13.7	85.4	18.25	80.4	16.99	75.6	15.78	73.2	15.15	70.8	14.57	65.8	13.42
	-19.8	-20	40.4	13.60	40.2	14.26	40.0	14.94	40.0	15.28	40.0	15.62	39.8	16.31
	-18.8	-19	41.0	13.81	40.8	14.47	40.8	15.15	40.8	15.47	40.6	15.81	40.6	16.49
	-16.7	-17	42.6	14.26	42.4	14.92	43.0	15.57	42.2	15.89	42.2	16.20	42.0	16.83
	-13.7	-15	44.4	14.76	44.2	15.36	44.0	15.99	44.0	16.31	44.0	16.62	43.8	17.23
	-11.8	-13	46.2	15.26	46.2	15.83	46.0	16.41	46.0	16.73	45.8	17.02	45.8	17.62
	-9.8	-11	48.4	15.73	48.2	16.31	48.2	16.86	48.0	17.15	48.0	17.44	48.0	17.99

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V560W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	40.2	14.68	40.0	15.28	40.0	15.91	39.8	16.23	39.8	16.52	39.6	17.15
	-18.8	-19	40.8	14.86	40.8	15.47	40.6	16.10	40.6	16.41	40.4	16.73	40.4	17.33
	-16.7	-17	42.4	15.28	42.2	15.89	42.2	16.47	42.0	16.75	42.0	17.04	42.0	17.65
	-13.7	-15	44.2	15.73	44.0	16.31	43.8	16.86	43.8	17.15	43.8	17.44	43.6	17.99
	-11.8	-13	46.0	16.20	46.0	16.73	45.8	17.25	45.8	17.54	45.8	17.80	45.6	18.36
	-9.8	-11	48.2	16.62	48.0	17.15	48.0	17.67	48.0	17.94	47.8	18.17	47.8	18.70
	-9.5	-10	49.4	16.86	49.2	17.36	49.2	17.86	49.0	18.12	49.0	18.38	48.8	18.88
	-8.5	-9.1	50.4	17.04	50.2	17.57	50.2	18.04	50.2	18.28	50.0	18.54	50.0	19.01
	-7	-7.6	52.2	17.38	52.2	17.86	52.0	18.33	52.0	18.59	52.0	18.80	51.8	19.30
	-5	-5.6	55.0	17.83	54.8	18.28	54.8	18.72	54.6	18.93	54.6	19.17	54.4	19.64
	-3	-3.7	57.6	18.22	57.6	16.54	57.4	19.09	57.4	19.30	57.4	19.51	55.0	18.70
	0	-0.7	62.2	18.80	62.2	19.22	62.0	19.62	61.0	19.30	59.0	18.49	55.0	16.96
	3	2.2	67.2	19.35	67.0	19.72	63.0	18.25	61.0	17.54	59.0	16.83	55.0	15.47
	5	4.1	70.6	19.72	67.0	18.51	63.0	17.15	61.0	16.52	59.0	15.86	55.0	14.57
	7	6	71.0	18.70	67.0	17.41	63.0	16.15	61.0	15.55	59.0	14.94	55.0	13.73
90%	9	7.9	71.0	17.57	67.0	16.39	63.0	15.20	61.0	14.44	59.0	14.08	55.0	12.97
	11	9.8	71.0	16.54	67.0	15.44	63.0	14.34	61.0	13.81	59.0	13.29	55.0	12.24
	13	11.8	71.0	15.55	67.0	14.52	63.0	13.50	61.0	13.00	59.0	12.53	55.0	11.55
	15	13.7	71.0	14.65	67.0	13.71	63.0	12.76	61.0	12.29	59.0	11.82	55.0	10.95
	-19.8	-20	39.9	15.78	39.7	16.31	39.7	16.89	39.5	17.15	39.5	17.44	39.5	17.99
	-18.8	-19	40.5	15.94	40.5	16.52	40.3	17.04	40.3	17.33	40.3	17.59	40.1	18.15
	-16.7	-17	42.1	16.33	41.9	16.86	41.9	17.38	41.9	17.65	41.7	17.91	41.7	18.43
	-13.7	-15	43.9	16.73	43.7	17.25	43.7	17.75	43.5	17.99	43.5	18.25	43.5	18.75
	-11.8	-13	45.7	17.15	45.7	17.62	45.5	18.09	45.5	18.36	45.5	18.59	45.3	19.06
	-9.8	-11	47.9	17.54	47.9	17.99	47.7	18.46	47.7	18.70	47.7	18.93	47.5	19.41
	-9.5	-10	49.1	17.75	48.9	18.20	48.9	18.64	48.7	18.88	48.7	19.12	48.7	19.54
	-8.5	-9.1	50.1	17.94	50.1	18.38	49.9	18.80	49.9	19.01	49.9	19.25	49.3	19.43
	-7	-7.6	51.9	18.22	51.9	18.64	51.7	19.09	51.7	19.30	51.7	19.51	49.3	18.57
	-5	-5.6	54.7	18.62	54.5	19.01	54.5	19.43	54.3	19.64	52.9	19.01	49.3	17.44
	-3	-3.7	57.3	18.99	57.3	19.35	56.7	19.43	54.7	18.67	52.9	17.91	49.3	16.44
80%	0	-0.7	62.1	19.54	60.3	19.04	56.7	17.65	54.7	16.94	52.9	16.28	49.3	14.94
	3	2.2	63.9	18.59	60.3	17.33	56.7	16.07	54.7	15.47	52.9	14.84	49.3	13.68
	5	4.1	63.9	17.49	60.3	16.31	56.7	15.15	54.7	14.55	52.9	14.02	49.3	12.89
	7	6	63.9	16.44	60.3	15.36	56.7	14.26	54.7	13.73	52.9	13.21	49.3	12.18
	9	7.9	63.9	15.49	60.3	14.44	56.7	13.45	54.7	12.97	52.9	12.47	49.3	11.53
	11	9.8	63.9	14.60	60.3	13.63	56.7	12.71	54.7	12.24	52.9	11.79	49.3	10.90
	13	11.8	63.9	13.73	60.3	12.87	56.7	11.97	54.7	11.55	52.9	11.13	49.3	10.29
	15	13.7	63.9	12.97	60.3	12.13	56.7	11.34	54.7	10.95	52.9	10.56	49.3	9.77
	-19.8	-20	39.8	16.86	39.6	17.36	39.6	17.86	39.6	18.09	39.4	18.36	39.4	18.83
	-18.8	-19	40.4	17.02	40.4	17.52	40.2	17.99	40.2	18.25	40.2	18.49	40.0	18.99
	-16.7	-17	42.0	17.36	41.8	17.83	41.8	18.30	41.8	18.54	41.8	18.78	41.6	19.22
	-13.7	-15	43.8	17.73	43.6	18.17	43.6	18.62	43.6	18.83	43.4	19.06	43.4	19.54
	-11.8	-13	45.6	18.07	45.6	18.51	45.4	18.93	45.4	19.14	45.4	19.38	44.0	18.85
	-9.8	-11	47.8	18.43	47.8	18.85	47.6	19.27	47.6	19.46	47.2	19.43	44.0	17.80
	-9.5	-10	49.0	18.62	48.8	19.01	48.8	19.43	48.8	19.64	47.2	18.85	44.0	17.28
	-8.5	-9.1	50.0	18.80	46.5	19.20	49.8	19.56	48.8	19.12	47.2	18.36	44.0	16.83
	-7	-7.6	51.8	19.06	51.8	19.43	50.4	19.01	48.8	18.28	47.2	17.54	44.0	16.10
	-5	-5.6	54.6	19.41	53.6	19.30	50.4	17.86	48.8	17.17	47.2	16.49	44.0	15.15
	-3	-3.7	56.8	19.51	53.6	18.17	50.4	16.83	48.8	16.20	47.2	15.55	44.0	14.31
	0	-0.7	56.8	17.70	53.6	16.49	50.4	15.31	48.8	14.73	47.2	14.15	44.0	13.05
	3	2.2	56.8	16.12	53.6	15.05	50.4	14.00	48.8	13.47	47.2	12.97	44.0	11.95
	5	4.1	56.8	15.18	53.6	14.18	50.4	13.18	48.8	12.71	47.2	12.24	44.0	11.29
	7	6	56.8	14.31	53.6	13.39	50.4	12.45	48.8	12.03	47.2	11.58	44.0	10.69
	9	7.9	56.8	13.50	53.6	12.63	50.4	11.76	48.8	11.34	47.2	10.95	44.0	10.14
	11	9.8	56.8	12.76	53.6	11.92	50.4	11.13	48.8	10.74	47.2	10.37	44.0	9.61
	13	11.8	56.8	12.03	53.6	11.27	50.4	10.53	48.8	10.16	47.2	9.80	44.0	9.09
	15	13.7	56.8	11.37	53.6	10.69	50.4	9.98	48.8	9.64	47.2	9.30	44.0	8.64

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V560W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	39.5	17.96	39.3	18.38	39.3	18.80	39.3	19.01	39.3	19.25	38.3	19.04
	-18.8	-19	40.1	18.09	40.1	18.51	39.9	18.93	39.9	19.14	39.9	19.38	38.3	18.64
	-16.7	-17	41.7	18.38	41.7	18.80	41.5	19.22	41.5	19.43	41.1	17.31	38.3	17.78
	-13.7	-15	43.5	18.70	43.3	19.12	43.3	19.51	42.5	19.22	41.1	18.43	38.3	16.91
	-11.8	-13	45.3	19.01	45.3	19.41	44.1	18.93	42.5	18.20	41.1	17.46	38.3	16.02
	-9.8	-11	47.5	19.33	46.9	19.33	44.1	17.88	42.5	17.20	41.1	16.52	38.3	15.15
	-9.5	-10	48.7	19.51	46.9	18.75	44.1	17.36	42.5	16.70	41.1	16.04	38.3	14.73
	-8.5	-9.1	49.7	19.62	46.9	18.25	44.1	16.91	42.5	16.26	41.1	15.62	38.3	14.36
	-7	-7.6	49.7	18.72	46.9	17.44	44.1	16.18	42.5	15.57	41.1	14.94	38.3	13.76
	-5	-5.6	49.7	17.59	46.9	16.41	44.1	15.23	42.5	14.63	41.1	17.31	38.3	12.97
	-3	-3.7	49.7	16.57	46.9	15.47	44.1	14.36	42.5	13.81	41.1	13.29	38.3	12.26
	0	-0.7	49.7	15.07	46.9	14.10	44.1	13.10	42.5	12.63	41.1	12.16	38.3	11.24
	3	2.2	49.7	13.79	46.9	12.89	44.1	12.03	42.5	11.58	41.1	11.16	38.3	10.32
	5	4.1	49.7	13.00	46.9	12.16	44.1	11.37	42.5	10.95	41.1	10.56	38.3	9.77
	7	6	49.7	12.29	46.9	11.50	44.1	10.74	42.5	10.37	41.1	10.01	38.3	9.27
	9	7.9	49.7	11.61	46.9	10.90	44.1	10.16	42.5	9.82	41.1	9.48	38.3	8.80
	11	9.8	49.7	10.98	46.9	10.29	44.1	9.64	42.5	9.32	41.1	9.01	38.3	8.35
60%	13	11.8	49.7	10.37	46.9	9.74	44.1	9.11	42.5	8.82	41.1	8.51	38.3	7.93
	15	13.7	49.7	9.85	46.9	9.24	44.1	8.67	42.5	8.38	41.1	8.09	38.3	7.56
	-19.8	-20	39.4	19.04	39.2	19.41	37.8	18.67	36.6	17.94	35.4	17.23	33.0	15.78
	-18.8	-19	40.0	19.17	40.0	19.54	37.8	18.28	36.6	17.54	35.4	16.83	33.0	15.47
	-16.7	-17	41.6	19.43	40.2	18.80	37.8	17.44	36.6	16.75	35.4	16.10	33.0	14.78
	-13.7	-15	42.6	19.22	40.2	17.86	37.8	16.57	36.6	15.94	35.4	15.31	33.0	14.08
	-11.8	-13	42.6	18.17	40.2	16.91	37.8	15.70	36.6	15.13	35.4	14.52	33.0	13.45
	-9.8	-11	42.6	17.17	40.2	15.99	37.8	14.86	36.6	14.31	35.4	13.76	33.0	12.68
	-9.5	-10	42.6	16.70	40.2	15.57	37.8	14.44	36.6	13.92	35.4	13.39	33.0	12.34
	-8.5	-9.1	42.6	16.26	40.2	15.15	37.8	14.10	36.6	13.58	35.4	13.05	33.0	12.03
	-7	-7.6	42.6	15.55	40.2	14.52	37.8	13.50	36.6	13.00	35.4	12.50	33.0	11.55
	-5	-5.6	42.6	14.63	40.2	13.68	37.8	12.74	36.6	12.26	35.4	11.82	33.0	10.92
	-3	-3.7	42.6	13.81	40.2	12.92	37.8	12.03	36.6	11.61	35.4	11.19	33.0	10.35
	0	-0.7	42.6	12.63	40.2	11.82	37.8	11.03	36.6	10.66	35.4	10.27	33.0	9.51
	3	2.2	42.6	11.58	40.2	10.87	37.8	10.16	36.6	9.80	35.4	9.45	33.0	8.77
	5	4.1	42.6	10.95	40.2	10.27	37.8	9.61	36.6	9.30	35.4	8.95	33.0	8.32
	7	6	42.6	10.37	40.2	9.74	37.8	9.11	36.6	8.80	35.4	8.51	33.0	7.90
50%	9	7.9	42.6	9.82	40.2	9.22	37.8	8.64	36.6	8.38	35.4	8.06	33.0	7.54
	11	9.8	42.6	9.32	40.2	8.77	37.8	8.22	36.6	7.96	35.4	7.67	33.0	7.17
	13	11.8	42.6	8.80	40.2	8.30	37.8	7.80	36.6	7.56	35.4	7.30	33.0	6.83
	15	13.7	42.6	8.38	40.2	7.88	37.8	7.43	36.6	7.20	35.4	6.96	33.0	6.51
	-19.8	-20	35.5	17.33	33.5	16.12	31.5	14.97	30.3	14.42	29.3	13.87	27.3	12.76
	-18.8	-19	35.5	16.94	33.5	15.78	31.5	14.68	30.3	14.13	29.3	13.58	27.3	12.53
	-16.7	-17	35.5	16.18	33.5	15.07	31.5	14.02	30.3	13.50	29.3	13.00	27.3	12.00
	-13.7	-15	35.5	15.39	33.5	14.36	31.5	13.37	30.3	12.87	29.3	12.39	27.3	11.45
	-11.8	-13	35.5	14.63	33.5	13.66	31.5	12.71	30.3	12.24	29.3	11.79	27.3	10.90
	-9.8	-11	35.5	13.84	33.5	12.95	31.5	12.05	30.3	11.61	29.3	11.19	27.3	10.37
	-9.5	-10	35.5	13.47	33.5	12.58	31.5	11.74	30.3	11.32	29.3	10.90	27.3	10.08
	-8.5	-9.1	35.5	13.13	33.5	12.29	31.5	11.45	30.3	11.06	29.3	10.66	27.3	9.85
	-7	-7.6	35.5	12.58	33.5	11.79	31.5	10.98	30.3	10.61	29.3	10.24	27.3	9.48
	-5	-5.6	35.5	11.87	33.5	11.13	31.5	10.40	30.3	10.06	29.3	9.69	27.3	8.98
	-3	-3.7	35.5	11.24	33.5	10.56	31.5	9.85	30.3	9.53	29.3	9.19	27.3	8.53
	0	-0.7	35.5	10.32	33.5	9.69	31.5	9.09	30.3	8.77	29.3	8.48	27.3	7.88
	3	2.2	35.5	9.51	33.5	8.93	31.5	8.38	30.3	8.09	29.3	7.83	27.3	7.30
	5	4.1	35.5	9.01	33.5	8.48	31.5	7.96	30.3	7.69	29.3	7.46	27.3	6.93
	7	6	35.5	8.56	33.5	8.06	31.5	7.56	30.3	7.33	29.3	7.09	27.3	6.62
	9	7.9	35.5	8.11	33.5	7.67	31.5	7.20	30.3	6.99	29.3	6.75	27.3	6.30
	11	9.8	35.5	7.72	33.5	7.27	31.5	6.85	30.3	6.64	29.3	6.43	27.3	6.01
	13	11.8	35.5	7.35	33.5	6.93	31.5	6.51	30.3	6.33	29.3	6.12	27.3	5.75
	15	13.7	35.5	6.99	33.5	6.62	31.5	6.22	30.3	6.04	29.3	5.86	27.3	5.49

22HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V615W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	44.7	12.72	44.5	13.62	44.3	14.53	44.3	14.97	44.0	15.41	44.0	16.32
	-18.8	-19	45.3	13.01	45.1	13.89	45.1	14.80	44.9	15.24	44.9	15.65	44.7	16.55
	-16.7	-17	47.1	13.62	46.9	14.47	46.7	15.32	46.7	15.73	46.7	16.17	46.4	17.02
	-13.7	-15	49.1	14.24	48.9	15.06	48.6	15.88	48.6	16.29	48.4	16.70	48.4	17.52
	-11.8	-13	51.0	14.88	51.0	15.68	50.8	16.44	50.6	16.85	50.6	17.26	50.4	18.02
	-9.8	-11	53.5	15.53	53.2	16.29	53.0	17.02	53.0	17.40	53.0	17.79	52.8	18.55
	-9.5	-10	54.8	15.88	54.5	16.58	54.3	17.32	54.3	17.70	54.1	18.05	54.1	18.78
	-8.5	-9.1	55.9	16.14	55.6	16.85	55.6	17.58	55.4	17.93	55.4	18.28	55.2	19.02
	-7	-7.6	57.8	16.61	57.8	17.32	57.6	17.99	57.6	18.34	57.4	18.66	57.2	19.37
	-5	-5.6	60.9	17.26	60.7	17.90	60.5	18.55	60.5	18.90	60.2	19.19	60.2	19.84
	-3	-3.7	63.7	17.81	63.5	18.43	63.5	19.05	63.3	19.37	63.3	19.69	63.1	20.28
	0	-0.7	68.8	18.66	68.8	19.25	68.6	19.81	68.6	20.04	68.3	20.39	68.3	20.98
	3	2.2	74.2	19.46	74.0	19.98	73.8	20.51	73.8	20.77	73.8	21.07	73.6	21.57
	5	4.1	78.0	19.92	77.8	20.45	77.8	20.95	77.5	21.21	77.5	21.45	77.3	21.95
	7	6	81.9	20.42	81.7	20.86	81.7	21.36	81.5	21.59	81.5	21.83	81.2	20.98
120%	9	7.9	86.1	20.83	85.9	21.30	85.9	21.74	85.6	21.98	83.9	21.51	78.2	19.69
	11	9.8	90.5	21.24	90.2	21.68	89.8	21.95	86.7	21.10	83.9	20.22	78.2	18.55
	13	11.8	95.3	21.65	95.1	22.06	89.8	20.57	86.7	19.75	83.9	18.99	78.2	17.40
	15	13.7	99.9	22.03	95.5	20.89	89.8	19.37	86.7	18.64	83.9	17.87	78.2	16.44
	-19.8	-20	44.5	13.95	44.2	14.77	44.0	15.62	44.0	16.00	44.0	16.44	43.8	17.26
	-18.8	-19	45.1	14.21	44.9	15.03	44.9	15.85	44.7	16.23	44.7	16.67	44.5	17.49
	-16.7	-17	46.9	14.77	46.7	15.56	46.4	16.32	46.4	16.73	46.4	17.14	46.2	17.90
	-13.7	-15	48.9	15.35	48.6	16.12	48.4	16.85	48.4	17.26	48.4	17.61	48.2	18.37
	-11.8	-13	50.8	15.94	50.8	16.67	50.6	17.38	50.6	17.76	50.4	18.11	50.4	18.84
	-9.8	-11	53.2	16.55	53.0	17.23	53.0	17.93	52.8	18.28	52.8	18.61	52.6	19.31
	-9.5	-10	54.6	16.85	54.3	17.52	54.1	18.20	54.1	18.55	54.1	18.87	53.9	19.54
	-8.5	-9.1	55.6	17.11	55.4	17.76	55.4	18.43	55.2	18.75	55.2	19.10	55.0	19.75
	-7	-7.6	57.6	17.55	57.6	18.20	57.4	18.81	57.4	19.13	57.2	19.46	57.2	20.07
	-5	-5.6	60.7	18.11	60.5	18.72	60.2	19.34	60.2	19.63	60.2	19.95	60.0	20.51
	-3	-3.7	63.5	18.66	63.5	19.25	63.3	19.81	63.3	20.07	63.1	20.39	63.1	20.95
	0	-0.7	68.6	19.46	68.6	19.98	68.3	20.51	68.3	20.77	68.1	21.04	68.1	21.57
110%	3	2.2	74.0	20.19	73.8	20.66	73.8	21.16	73.6	21.42	73.6	21.65	72.1	21.54
	5	4.1	77.8	20.63	77.5	21.10	77.5	21.57	77.3	21.80	77.3	22.03	72.1	20.22
	7	6	81.7	21.04	81.7	21.48	81.5	21.92	80.2	21.62	77.5	20.74	72.1	19.02
	9	7.9	85.9	21.45	85.7	21.89	82.8	21.16	80.2	20.31	77.5	19.49	72.1	17.90
	11	9.8	90.2	21.83	88.1	21.45	82.8	19.90	80.2	19.13	77.5	18.34	72.1	16.88
	13	11.8	93.5	21.62	88.1	20.13	82.8	18.66	80.2	17.96	77.5	17.26	72.1	15.88
	15	13.7	93.5	20.36	88.1	18.96	82.8	17.61	80.2	16.91	77.5	16.26	72.1	14.97
	-19.8	-20	44.2	15.18	44.0	15.91	43.8	16.67	43.8	17.05	43.8	17.43	43.6	18.20
	-18.8	-19	44.9	15.41	44.7	16.14	44.7	16.91	44.7	17.26	44.5	17.64	44.5	18.40
	-16.7	-17	46.7	15.91	46.4	16.64	47.1	17.38	46.2	17.73	46.2	18.08	46.0	18.78
	-13.7	-15	48.6	16.47	48.4	17.14	48.2	17.84	48.2	18.20	48.2	18.55	48.0	19.22
	-11.8	-13	50.6	17.02	50.6	17.67	50.4	18.31	50.4	18.66	50.2	18.99	50.2	19.66
	-9.8	-11	53.0	17.55	52.8	18.20	52.8	18.81	52.6	19.13	52.6	19.46	52.6	20.07
	-9.5	-10	54.3	17.84	54.1	18.43	53.9	19.07	53.9	19.37	53.9	19.69	53.7	20.31
	-8.5	-9.1	55.4	18.08	55.2	18.66	55.2	19.28	55.0	19.60	55.0	19.90	55.0	18.14
	-7	-7.6	57.4	18.49	57.4	19.05	57.2	19.63	57.2	19.92	57.2	20.22	57.0	20.80

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V615W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	44.0	16.38	43.8	17.05	43.8	17.76	43.6	18.11	43.6	18.43	43.4	19.13
	-18.8	-19	44.7	16.58	44.7	17.26	44.5	17.96	44.5	18.31	44.3	18.66	44.3	19.34
	-16.7	-17	46.4	17.05	46.2	17.73	46.2	18.37	46.0	18.69	46.0	19.02	46.0	19.69
	-13.7	-15	48.4	17.55	48.2	18.20	48.0	18.81	48.0	19.13	48.0	19.46	47.8	20.07
	-11.8	-13	50.4	18.08	50.4	18.66	50.2	19.25	50.2	19.57	50.2	19.87	49.9	20.48
	-9.8	-11	52.8	18.55	52.6	19.13	52.6	19.72	52.6	20.01	52.3	20.28	52.3	20.86
	-9.5	-10	54.1	18.81	53.9	19.37	53.9	19.92	53.7	20.22	53.7	20.51	53.4	21.07
	-8.5	-9.1	55.2	19.02	55.0	19.60	55.0	20.13	55.0	20.39	54.8	20.69	54.8	21.21
	-7	-7.6	57.2	19.40	57.2	19.92	57.0	20.45	57.0	20.74	57.0	20.98	56.7	21.54
	-5	-5.6	60.2	19.90	60.0	20.39	60.0	20.89	59.8	21.13	59.8	21.39	59.6	21.92
	-3	-3.7	63.1	20.33	63.1	18.46	62.9	21.30	62.9	21.54	62.9	21.77	60.2	20.86
	0	-0.7	68.1	20.98	68.1	21.45	67.9	21.89	66.8	21.54	64.6	20.63	60.2	18.93
	3	2.2	73.6	21.59	73.4	22.00	69.0	20.36	66.8	19.57	64.6	18.78	60.2	17.26
	5	4.1	77.3	22.00	73.4	20.66	69.0	19.13	66.8	18.43	64.6	17.70	60.2	16.26
90%	7	6	77.8	20.86	73.4	19.43	69.00	18.02	66.8	17.35	64.6	16.67	60.2	15.32
	9	7.9	77.8	19.60	73.4	18.28	69.0	16.97	66.8	16.12	64.6	15.71	60.2	14.47
	11	9.8	77.8	18.46	73.4	17.23	69.0	16.00	66.8	15.41	64.6	14.83	60.2	13.65
	13	11.8	77.8	17.35	73.4	16.20	69.0	15.06	66.8	14.50	64.6	13.98	60.2	12.89
	15	13.7	77.8	16.35	73.4	15.30	69.0	14.24	66.8	13.71	64.6	13.19	60.2	12.22
	-19.8	-20	43.7	17.61	43.5	18.20	43.5	18.84	43.3	19.13	43.3	19.46	43.3	20.07
	-18.8	-19	44.4	17.79	44.4	18.43	44.2	19.02	44.2	19.34	44.2	19.63	44.0	20.25
	-16.7	-17	46.1	18.23	45.9	18.81	45.9	19.40	45.9	19.69	45.7	19.98	45.7	20.57
	-13.7	-15	48.1	18.66	47.9	19.25	47.9	19.81	47.7	20.07	47.7	20.36	47.7	20.92
	-11.8	-13	50.1	19.13	50.1	19.66	49.9	20.19	49.9	20.48	49.9	20.74	49.6	21.27
	-9.8	-11	52.5	19.57	52.5	20.07	52.3	20.60	52.3	20.86	52.3	21.13	52.0	21.65
	-9.5	-10	53.8	19.81	53.6	20.31	53.6	20.80	53.4	21.07	53.4	21.33	53.4	21.80
	-8.5	-9.1	54.9	20.01	54.9	20.51	54.7	20.98	54.7	21.21	54.7	21.48	54.0	21.68
	-7	-7.6	56.9	20.33	56.9	20.80	56.6	21.30	56.6	21.54	56.6	21.77	54.0	20.72
	-5	-5.6	59.9	20.77	59.7	21.21	59.7	21.68	59.5	21.92	57.9	21.21	54.0	19.46
80%	-3	-3.7	62.8	21.18	62.8	21.59	62.1	21.68	59.9	20.83	57.9	19.98	54.0	18.34
	0	-0.7	68.0	21.80	66.0	21.24	62.1	19.69	59.9	18.90	57.9	18.17	54.0	16.67
	3	2.2	70.0	20.74	66.0	19.34	62.1	17.93	59.9	17.26	57.9	16.55	54.0	15.27
	5	4.1	70.0	19.51	66.0	18.20	62.1	16.91	59.9	16.23	57.9	15.65	54.0	14.39
	7	6	70.0	18.34	66.0	17.14	62.1	15.91	59.9	15.32	57.9	14.74	54.0	13.60
	9	7.9	70.0	17.29	66.0	16.12	62.1	15.00	59.9	14.47	57.9	13.92	54.0	12.86
	11	9.8	70.0	16.29	66.0	15.21	62.1	14.18	59.9	13.65	57.9	13.16	54.0	12.16
	13	11.8	70.0	15.32	66.0	14.36	62.1	13.36	59.9	12.89	57.9	12.42	54.0	11.49
	15	13.7	70.0	14.47	66.0	13.54	62.1	12.66	59.9	12.22	57.9	11.78	54.0	10.90
	-19.8	-20	43.6	18.81	43.4	19.37	43.4	19.92	43.4	20.19	43.1	20.48	43.1	21.01
	-18.8	-19	44.2	18.99	44.2	19.54	44.0	20.07	44.0	20.36	44.0	20.63	43.8	21.18
	-16.7	-17	46.0	19.37	45.8	19.90	45.8	20.42	45.8	20.69	45.8	20.95	45.6	21.45
	-13.7	-15	48.0	19.78	47.8	20.28	47.8	20.77	47.8	21.01	47.5	21.27	47.5	21.80
	-11.8	-13	49.9	20.16	49.9	20.66	49.7	21.13	49.7	21.36	49.7	21.62	48.2	21.04
	-9.8	-11	52.4	20.57	52.4	21.04	52.1	21.51	52.1	21.71	51.7	21.68	48.2	19.87
	-9.5	-10	53.7	20.77	53.4	21.21	53.5	21.68	53.5	21.92	51.7	21.04	48.2	19.28
	-8.5	-9.1	54.8	20.98	50.9	21.42	54.5	21.83	53.5	21.33	51.7	20.48	48.2	18.78
	-7	-7.6	56.7	21.27	56.7	21.68	55.2	21.21	53.5	20.39	51.7	19.57	48.2	17.96
	-5	-5.6	59.8	21.65	58.7	21.54	55.2	19.92	53.5	19.16	51.7	18.40	48.2	16.91
	-3	-3.7	62.2	21.77	58.7	20.28	55.2	18.78	53.5	18.08	51.7	17.35	48.2	15.97
	0	-0.7	62.2	19.75	58.7	18.40	55.2	17.08	53.5	16.44	51.7	15.79	48.2	14.56
	3	2.2	62.2	17.99	58.7	16.79	55.2	15.62	53.5	15.03	51.7	14.47	48.2	13.33
	5	4.1	62.2	16.94	58.7	15.82	55.2	14.71	53.5	14.18	51.7	13.65	48.2	12.60
	7	6	62.2	15.97	58.7	14.94	55.2	13.89	53.5	13.42	51.7	12.92	48.2	11.93
	9	7.9	62.2	15.06	58.7	14.09	55.2	13.13	53.5	12.66	51.7	12.22	48.2	11.31
	11	9.8	62.2	14.24	58.7	13.30	55.2	12.42	53.5	11.98	51.7	11.57	48.2	10.72
	13	11.8	62.2	13.42	58.7	12.57	55.2	11.75	53.5	11.34	51.7	10.93	48.2	10.14
	15	13.7	62.2	12.69	58.7	11.93	55.2	11.13	53.5	10.75	51.7	10.37	48.2	9.64

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V615W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	43.3	20.04	43.1	20.51	43.1	20.98	43.1	21.21	43.1	21.48	42.0	21.24
	-18.8	-19	43.9	20.19	43.9	20.66	43.7	21.13	43.7	21.36	43.7	21.62	42.0	20.80
	-16.7	-17	45.7	20.51	45.7	20.98	45.5	21.45	45.5	21.68	45.0	19.31	42.0	19.84
	-13.7	-15	47.6	20.86	47.4	21.33	47.4	21.77	46.6	21.45	45.0	20.57	42.0	18.87
	-11.8	-13	49.6	21.21	49.6	21.65	48.3	21.13	46.6	20.31	45.0	19.49	42.0	17.87
	-9.8	-11	52.0	21.57	51.4	21.57	48.3	19.95	46.6	19.19	45.0	18.43	42.0	16.91
	-9.5	-10	53.3	21.77	51.4	20.92	48.3	19.37	46.6	18.64	45.0	17.90	42.0	16.44
	-8.5	-9.1	54.4	21.89	51.4	20.36	48.3	18.87	46.6	18.14	45.0	17.43	42.0	16.03
	-7	-7.6	54.4	20.89	51.4	19.46	48.3	18.05	46.6	17.38	45.0	16.67	42.0	15.35
	-5	-5.6	54.4	19.63	51.4	18.31	48.3	16.99	46.6	16.32	45.0	15.31	42.0	14.47
	-3	-3.7	54.4	18.49	51.4	17.26	48.3	16.03	46.6	15.41	45.0	14.83	42.0	13.68
	0	-0.7	54.4	16.82	51.4	15.73	48.3	14.62	46.6	14.09	45.0	13.57	42.0	12.54
	3	2.2	54.4	15.38	51.4	14.39	48.3	13.42	46.6	12.92	45.0	12.45	42.0	11.52
	5	4.1	54.4	14.50	51.4	13.57	48.3	12.69	46.6	12.22	45.0	11.78	42.0	10.90
60%	7	6	54.4	13.71	51.4	12.83	48.3	11.98	46.6	11.57	45.0	11.16	42.0	10.34
	9	7.9	54.4	12.95	51.4	12.16	48.3	11.34	46.6	10.96	45.0	10.58	42.0	9.82
	11	9.8	54.4	12.25	51.4	11.49	48.3	10.75	46.6	10.40	45.0	10.05	42.0	9.32
	13	11.8	54.4	11.57	51.4	10.87	48.3	10.17	46.6	9.85	45.0	9.49	42.0	8.85
	15	13.7	54.4	10.99	51.4	10.31	48.3	9.67	46.6	9.35	45.0	9.02	42.0	8.44
	-19.8	-20	43.2	21.24	42.9	21.65	41.4	20.83	40.1	20.01	38.8	19.22	36.1	17.61
	-18.8	-19	43.8	21.39	43.8	21.80	41.4	20.39	40.1	19.57	38.8	18.78	36.1	17.26
	-16.7	-17	45.6	21.68	44.0	20.98	41.4	19.46	40.1	18.69	38.8	17.96	36.1	16.50
	-13.7	-15	46.7	21.45	44.0	19.92	41.4	18.49	40.1	17.79	38.8	17.08	36.1	15.71
	-11.8	-13	46.7	20.28	44.0	18.87	41.4	17.52	40.1	16.88	38.8	16.20	36.1	15.00
	-9.8	-11	46.7	19.16	44.0	17.84	41.4	16.58	40.1	15.97	38.8	15.35	36.1	14.15
	-9.5	-10	46.7	18.64	44.0	17.38	41.4	16.12	40.1	15.53	38.8	14.94	36.1	13.77
	-8.5	-9.1	46.7	18.14	44.0	16.91	41.4	15.73	40.1	15.15	38.8	14.56	36.1	13.42
	-7	-7.6	46.7	17.35	44.0	16.20	41.4	15.06	40.1	14.50	38.8	13.95	36.1	12.89
	-5	-5.6	46.7	16.32	44.0	15.27	41.4	14.21	40.1	13.68	38.8	13.19	36.1	12.19
50%	-3	-3.7	46.7	15.41	44.0	14.42	41.4	13.42	40.1	12.95	38.8	12.48	36.1	11.54
	0	-0.7	46.7	14.09	44.0	13.19	41.4	12.31	40.1	11.90	38.8	11.46	36.1	10.61
	3	2.2	46.7	12.92	44.0	12.13	41.4	11.34	40.1	10.93	38.8	10.55	36.1	9.79
	5	4.1	46.7	12.22	44.0	11.46	41.4	10.72	40.1	10.37	38.8	9.99	36.1	9.29
	7	6	46.7	11.57	44.0	10.87	41.4	10.17	40.1	9.82	38.8	9.49	36.1	8.82
	9	7.9	46.7	10.96	44.0	10.28	41.4	9.64	40.1	9.35	38.8	9.00	36.1	8.41
	11	9.8	46.7	10.40	44.0	9.79	41.4	9.17	40.1	8.88	38.8	8.56	36.1	8.00
	13	11.8	46.7	9.82	44.0	9.26	41.4	8.70	40.1	8.44	38.8	8.15	36.1	7.62
	15	13.7	46.7	9.35	44.0	8.79	41.4	8.29	40.1	8.03	38.8	7.76	36.1	7.27
	-19.8	-20	38.9	19.34	36.7	17.99	34.5	16.70	33.2	16.09	32.1	15.47	29.9	14.24
	-18.8	-19	38.9	18.90	36.7	17.61	34.5	16.38	33.2	15.76	32.1	15.15	29.9	13.98
	-16.7	-17	38.9	18.05	36.7	16.82	34.5	15.65	33.2	15.06	32.1	14.50	29.9	13.39
	-13.7	-15	38.9	17.17	36.7	16.03	34.5	14.91	33.2	14.36	32.1	13.83	29.9	12.78
	-11.8	-13	38.9	16.32	36.7	15.24	34.5	14.18	33.2	13.65	32.1	13.16	29.9	12.16
	-9.8	-11	38.9	15.44	36.7	14.45	34.5	13.45	33.2	12.95	32.1	12.48	29.9	11.57
	-9.5	-10	38.9	15.03	36.7	14.04	34.5	13.10	33.2	12.63	32.1	12.16	29.9	11.25
	-8.5	-9.1	38.9	14.65	36.7	13.71	34.5	12.78	33.2	12.34	32.1	11.90	29.9	10.99
	-7	-7.6	38.9	14.04	36.7	13.16	34.5	12.25	33.2	11.84	32.1	11.43	29.9	10.58
	-5	-5.6	38.9	13.24	36.7	12.42	34.5	11.60	33.2	11.22	32.1	10.81	29.9	10.02
	-3	-3.7	38.9	12.54	36.7	11.78	34.5	10.99	33.2	10.64	32.1	10.26	29.9	9.52
	0	-0.7	38.9	11.52	36.7	10.81	34.5	10.14	33.2	9.79	32.1	9.46	29.9	8.79
	3	2.2	38.9	10.61	36.7	9.96	34.5	9.35	33.2	9.02	32.1	8.73	29.9	8.15
	5	4.1	38.9	10.05	36.7	9.46	34.5	8.88	33.2	8.59	32.1	8.32	29.9	7.74
	7	6	38.9	9.55	36.7	9.00	34.5	8.44	33.2	8.17	32.1	7.91	29.9	7.38
	9	7.9	38.9	9.05	36.7	8.56	34.5	8.03	33.2	7.79	32.1	7.53	29.9	7.03
	11	9.8	38.9	8.61	36.7	8.12	34.5	7.65	33.2	7.41	32.1	7.18	29.9	6.71
	13	11.8	38.9	8.20	36.7	7.74	34.5	7.27	33.2	7.06	32.1	6.83	29.9	6.42
	15	13.7	38.9	7.79	36.7	7.38	34.5	6.94	33.2	6.74	32.1	6.53	29.9	6.12

24HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V680W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	48.6	12.43	48.3	13.31	48.1	14.20	48.1	14.63	47.9	15.06	47.9	15.95
	-18.8	-19	49.3	12.71	49.1	13.57	49.1	14.46	48.8	14.89	48.8	15.29	48.6	16.18
	-16.7	-17	51.2	13.31	50.9	14.15	50.7	14.98	50.7	15.38	50.7	15.81	50.5	16.64
	-13.7	-15	53.3	13.92	53.1	14.72	52.9	15.52	52.9	15.92	52.6	16.32	52.6	17.12
	-11.8	-13	55.5	14.55	55.5	15.32	55.3	16.06	55.0	16.46	55.0	16.87	54.8	17.61
	-9.8	-11	58.1	15.18	57.9	15.92	57.6	16.64	57.6	17.01	57.6	17.38	57.4	18.13
	-9.5	-10	59.5	15.52	59.3	16.21	59.1	16.92	59.1	17.30	58.8	17.64	58.8	18.35
	-8.5	-9.1	60.7	15.78	60.5	16.46	60.5	17.18	60.3	17.52	60.3	17.87	60.0	18.58
	-7	-7.6	62.9	16.24	62.9	16.92	62.6	17.58	62.6	17.92	62.4	18.24	62.1	18.93
	-5	-5.6	66.2	16.87	65.9	17.50	65.7	18.13	65.7	18.47	65.5	18.76	65.5	19.39
	-3	-3.7	69.3	17.41	69.1	18.01	69.1	18.61	68.8	18.93	68.8	19.24	68.6	19.81
	0	-0.7	74.8	18.24	74.8	18.81	74.5	19.36	74.5	19.59	74.3	19.93	74.3	20.50
	3	2.2	80.7	19.01	80.5	19.53	80.3	20.04	80.3	20.30	80.3	20.59	80.0	21.07
	5	4.1	84.8	19.47	84.5	19.99	84.5	20.47	84.3	20.73	84.3	20.96	84.1	21.45
	7	6	89.1	19.96	88.8	20.39	88.8	20.87	88.6	21.10	88.6	21.33	85.0	20.50
120%	9	7.9	93.6	20.36	93.3	20.82	93.3	21.25	93.1	21.48	91.2	21.02	85.0	19.24
	11	9.8	98.3	20.76	98.1	21.19	97.6	21.45	94.3	20.62	91.2	19.76	85.0	18.13
	13	11.8	103.6	21.16	103.3	21.56	97.6	20.10	94.3	19.30	91.2	18.55	85.0	17.01
	15	13.7	108.6	21.53	103.8	20.42	97.6	18.93	94.3	18.21	91.2	17.47	85.0	16.06
	-19.8	-20	48.3	13.63	48.1	14.43	47.9	15.26	47.9	15.63	47.9	16.06	47.6	16.87
	-18.8	-19	49.1	13.89	48.8	14.69	48.8	15.49	48.6	15.86	48.6	16.29	48.3	17.09
	-16.7	-17	50.9	14.43	50.7	15.20	50.4	15.95	50.5	16.35	50.5	16.75	50.3	17.50
	-13.7	-15	53.1	15.00	52.9	15.75	52.6	16.46	52.6	16.87	52.6	17.21	52.4	17.95
	-11.8	-13	55.3	15.58	55.3	16.29	55.0	16.98	55.0	17.35	54.8	17.70	54.8	18.41
	-9.8	-11	57.9	16.18	57.6	16.84	57.6	17.52	57.4	17.87	57.4	18.18	57.1	18.87
	-9.5	-10	59.3	16.46	59.1	17.12	58.8	17.78	58.8	18.13	58.8	18.44	58.6	19.10
	-8.5	-9.1	60.5	16.72	60.3	17.35	60.3	18.01	60.0	18.33	60.0	18.67	59.8	19.30
	-7	-7.6	62.6	17.15	62.6	17.78	62.4	18.38	62.4	18.70	62.1	19.01	62.1	19.61
	-5	-5.6	65.9	17.70	65.7	18.30	65.5	18.90	65.5	19.18	65.5	19.50	65.3	20.04
	-3	-3.7	69.1	18.24	69.1	18.81	68.8	19.36	68.8	19.61	68.6	19.93	68.6	20.47
	0	-0.7	74.5	19.01	74.5	19.53	74.3	20.04	74.3	20.30	74.1	20.56	74.1	21.07
110%	3	2.2	80.5	19.73	80.3	20.19	80.3	20.67	80.0	20.93	80.0	21.16	78.3	21.05
	5	4.1	84.5	20.16	84.3	20.62	84.3	21.07	84.1	21.30	84.1	21.53	78.3	19.76
	7	6	88.8	20.56	88.8	20.99	88.6	21.42	87.1	21.13	84.3	20.27	78.3	18.58
	9	7.9	93.3	20.96	93.1	21.39	90.0	20.67	87.1	19.84	84.3	19.04	78.3	17.50
	11	9.8	98.1	21.33	95.7	20.96	90.0	19.44	87.1	18.70	84.3	17.92	78.3	16.49
	13	11.8	101.7	21.13	95.7	19.67	90.0	18.24	87.1	17.55	84.3	16.87	78.3	15.52
	15	13.7	101.7	19.90	95.7	18.53	90.0	17.21	87.1	16.52	84.3	15.89	78.3	14.63
	-19.8	-20	48.1	14.83	47.9	15.55	47.6	16.29	47.6	16.67	47.6	17.04	47.4	17.78
	-18.8	-19	48.8	15.06	48.6	15.78	48.6	16.52	48.6	16.87	48.3	17.24	48.3	17.98
	-16.7	-17	50.7	15.55	50.5	16.26	51.2	16.98	50.3	17.32	50.3	17.67	50.0	18.35
	-13.7	-15	52.9	16.09	52.6	16.75	52.4	17.44	52.4	17.78	52.4	18.13	52.1	18.78
	-11.8	-13	55.0	16.64	55.0	17.27	54.8	17.90	54.8	18.24	54.5	18.55	54.5	19.21
	-9.8	-11	57.6	17.15	57.4	17.78	57.4	18.38	57.1	18.70	57.1	19.01	57.1	19.61
	-9.5	-10	59.1	17.44	58.8	18.01	58.6	18.64	58.6	18.93	58.6	19.24	58.3	19.84
	-8.5	-9.1	60.3	17.67	60.0	18.24	60.0	18.84	59.8	19.16	59.8	19.44	59.8	17.72
	-7	-7.6	62.4	18.07	62.4	18.61	62.1	19.18	62.1	19.47	62.1	19.76	61.9	20.33
	-5	-5.6	65.7	18.58	65.5	19.13	65.3	19.64	65.3	19.93	65.3	20.19	65.0	20.76
	-3	-3.7	68.8	19.04	68.8	19.56	68.6	20.07	68.6	20.33	68.3	20.59	68.3	21.10
	0	-0.7	74.3	19.76	74.3	20.24	74.1	20.73	74.1	20.96	74.1	21.19	71.9	20.79
	3	2.2	80.3	20.42	80.0	20.85	80.0	21.30	79.8	21.50	77.1	20.62	71.9	18.93
	5	4.1	84.3	20.82	84.3	21.25	82.6	21.05	79.8	20.19	77.1	19.39	71.9	17.78
	7	6	88.6	21.19	87.9	21.33	82.6	19.76	79.8	18.98	77.1	18.24	71.9	16.75
	9	7.9	93.1	21.53	87.9	20.04	82.6	18.58	79.8	17.87	77.1	17.15	71.9	15.78
	11	9.8	93.1	20.27	87.9	18.87	82.6	17.50	79.8	16.84	77.1	16.18	71.9	14.89
	13	11.8	93.1	19.01	87.9	17.70	82.6	16.44	79.8	15.83	77.1	15.20	71.9	14.03
	15	13.7	93.1	16.87	87.9	16.69	82.6	15.52	79.8	14.95	77.1	14.37	71.9	13.26

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V680W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	47.9	16.01	47.6	16.67	47.6	17.35	47.4	17.70	47.4	18.01	47.1	18.70
	-18.8	-19	48.6	16.21	48.6	16.87	48.3	17.55	48.3	17.90	48.1	18.24	48.1	18.90
	-16.7	-17	50.5	16.67	50.2	17.32	50.2	17.95	50.0	18.27	50.0	18.58	50.0	19.24
	-13.7	-15	52.6	17.15	52.4	17.78	52.1	18.38	52.1	18.70	52.1	19.01	51.9	19.61
	-11.8	-13	54.8	17.67	54.8	18.24	54.5	18.81	54.5	19.13	54.5	19.41	54.3	20.02
	-9.8	-11	57.4	18.13	57.1	18.70	57.1	19.27	57.1	19.56	56.9	19.81	56.9	20.39
	-9.5	-10	58.8	18.38	58.6	18.93	58.6	19.47	58.3	19.76	58.3	20.04	58.1	20.59
	-8.5	-9.1	60.0	18.58	59.8	19.16	59.8	19.67	59.8	19.93	59.5	20.22	59.5	20.73
	-7	-7.6	62.1	18.96	62.1	19.47	61.9	19.99	61.9	20.27	61.9	20.50	61.7	21.05
	-5	-5.6	65.5	19.44	65.2	19.93	65.2	20.42	65.0	20.65	65.0	20.90	64.8	21.42
	-3	-3.7	68.6	19.87	68.6	18.04	68.3	20.82	68.3	21.05	68.3	21.28	65.5	20.39
	0	-0.7	74.1	20.50	74.1	20.96	73.8	21.39	72.6	21.05	70.3	20.16	65.5	18.50
	3	2.2	80.0	21.10	79.8	21.50	75.0	19.90	72.6	19.13	70.3	18.35	65.5	16.87
	5	4.1	84.1	21.50	79.8	20.19	75.0	18.70	72.6	18.01	70.3	17.30	65.5	15.89
	7	6	84.5	20.39	79.8	18.98	75.00	17.61	72.6	16.95	70.3	16.29	65.5	14.98
90%	9	7.9	84.5	19.16	79.8	17.87	75.0	16.58	72.6	15.75	70.3	15.35	65.5	14.15
	11	9.8	84.5	18.04	79.8	16.84	75.0	15.63	72.6	15.06	70.3	14.49	65.5	13.34
	13	11.8	84.5	16.95	79.8	15.83	75.0	14.72	72.6	14.17	70.3	13.66	65.5	12.60
	15	13.7	84.5	15.98	79.8	14.95	75.0	13.92	72.6	13.40	70.3	12.89	65.5	11.94
	-19.8	-20	47.5	17.21	47.3	17.78	47.3	18.41	47.1	18.70	47.1	19.01	47.1	19.61
	-18.8	-19	48.3	17.38	48.3	18.01	48.0	18.58	48.0	18.90	48.0	19.18	47.8	19.79
	-16.7	-17	50.1	17.81	49.9	18.38	49.9	18.96	49.9	19.24	49.7	19.53	49.7	20.10
	-13.7	-15	52.3	18.24	52.1	18.81	52.1	19.36	51.8	19.61	51.8	19.90	51.8	20.44
	-11.8	-13	54.4	18.70	54.4	19.21	54.2	19.73	54.2	20.02	54.2	20.27	53.9	20.79
	-9.8	-11	57.1	19.13	57.1	19.61	56.8	20.13	56.8	20.39	56.8	20.65	56.6	21.16
	-9.5	-10	58.5	19.36	58.2	19.84	58.2	20.33	58.0	20.59	58.0	20.85	58.0	21.30
	-8.5	-9.1	59.7	19.56	59.7	20.04	59.4	20.50	59.4	20.73	59.4	20.99	58.7	21.19
	-7	-7.6	61.8	19.87	61.8	20.33	61.6	20.82	61.6	21.05	61.6	21.28	58.7	20.24
	-5	-5.6	65.1	20.30	64.9	20.73	64.9	21.19	64.6	21.42	63.0	20.73	58.7	19.01
	-3	-3.7	68.2	20.70	68.2	21.10	67.5	21.19	65.1	20.36	63.0	19.53	58.7	17.92
80%	0	-0.7	73.9	21.30	71.8	20.76	67.5	19.24	65.1	18.47	63.0	17.75	58.7	16.29
	3	2.2	76.1	20.27	71.8	18.90	67.5	17.52	65.1	16.87	63.0	16.18	58.7	14.92
	5	4.1	76.1	19.07	71.8	17.78	67.5	16.52	65.1	15.86	63.0	15.29	58.7	14.06
	7	6	76.1	17.92	71.8	16.75	67.5	15.55	65.1	14.98	63.0	14.40	58.7	13.29
	9	7.9	76.1	16.89	71.8	15.75	67.5	14.66	65.1	14.15	63.0	13.60	58.7	12.57
	11	9.8	76.1	15.92	71.8	14.86	67.5	13.86	65.1	13.34	63.0	12.86	58.7	11.88
	13	11.8	76.1	14.98	71.8	14.03	67.5	13.06	65.1	12.60	63.0	12.14	58.7	11.22
	15	13.7	76.1	14.15	71.8	13.23	67.5	12.37	65.1	11.94	63.0	11.51	58.7	10.65
	-19.8	-20	47.4	18.38	47.1	18.93	47.1	19.47	47.1	19.73	46.9	20.02	46.9	20.53
	-18.8	-19	48.1	18.55	48.1	19.10	47.9	19.61	47.9	19.90	47.9	20.16	47.6	20.70
	-16.7	-17	50.0	18.93	49.8	19.44	49.8	19.96	49.8	20.22	49.8	20.47	49.5	20.96
	-13.7	-15	52.1	19.33	51.9	19.81	51.9	20.30	51.9	20.53	51.7	20.79	51.7	21.30
	-11.8	-13	54.3	19.70	54.3	20.19	54.1	20.65	54.1	20.87	54.1	21.13	52.4	20.56
	-9.8	-11	56.9	20.10	56.9	20.56	56.7	21.02	56.7	21.22	56.2	21.19	52.4	19.41
	-9.5	-10	58.3	20.30	58.1	20.73	58.1	21.19	58.1	21.42	56.2	20.56	52.4	18.84
	-8.5	-9.1	59.5	20.50	55.3	20.93	59.3	21.33	58.1	20.85	56.2	20.02	52.4	18.35

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V680W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	47.0	19.59	46.8	20.04	46.8	20.50	46.8	20.73	46.8	20.99	45.6	20.76
	-18.8	-19	47.8	19.73	47.8	20.19	47.5	20.65	47.5	20.87	47.5	21.13	45.6	20.33
	-16.7	-17	49.6	20.04	49.6	20.50	49.4	20.96	49.4	21.19	48.9	18.87	45.6	19.39
	-13.7	-15	51.8	20.39	51.6	20.85	51.6	21.28	50.6	20.96	48.9	20.10	45.6	18.44
	-11.8	-13	53.9	20.73	53.9	21.16	52.5	20.65	50.6	19.84	48.9	19.04	45.6	17.47
	-9.8	-11	56.5	21.07	55.8	21.07	52.5	19.50	50.6	18.76	48.9	18.01	45.6	16.52
	-9.5	-10	58.0	21.28	55.8	20.44	52.5	18.93	50.6	18.21	48.9	17.50	45.6	16.06
	-8.5	-9.1	59.1	21.39	55.8	19.90	52.5	18.44	50.6	17.72	48.9	17.04	45.6	15.66
	-7	-7.6	59.1	20.42	55.8	19.01	52.5	17.64	50.6	16.98	48.9	16.29	45.6	15.00
	-5	-5.6	59.1	19.18	55.8	17.90	52.5	16.61	50.6	15.95	48.9	18.87	45.6	14.15
	-3	-3.7	59.1	18.07	55.8	16.87	52.5	15.66	50.6	15.06	48.9	14.49	45.6	13.37
	0	-0.7	59.1	16.44	55.8	15.38	52.5	14.29	50.6	13.77	48.9	13.26	45.6	12.26
	3	2.2	59.1	15.03	55.8	14.06	52.5	13.11	50.6	12.63	48.9	12.17	45.6	11.25
	5	4.1	59.1	14.17	55.8	13.26	52.5	12.40	50.6	11.94	48.9	11.51	45.6	10.65
60%	7	6	59.1	13.40	55.8	12.54	52.5	11.71	50.6	11.31	48.9	10.91	45.6	10.11
	9	7.9	59.1	12.66	55.8	11.88	52.5	11.08	50.6	10.71	48.9	10.34	45.6	9.59
	11	9.8	59.1	11.97	55.8	11.22	52.5	10.51	50.6	10.17	48.9	9.82	45.6	9.11
	13	11.8	59.1	11.31	55.8	10.62	52.5	9.94	50.6	9.62	48.9	9.28	45.6	8.65
	15	13.7	59.1	10.74	55.8	10.08	52.5	9.45	50.6	9.13	48.9	8.82	45.6	8.25
	-19.8	-20	46.9	20.76	46.7	21.16	45.0	20.36	43.6	19.56	42.1	18.78	39.3	17.21
	-18.8	-19	47.6	20.90	47.6	21.30	45.0	19.93	43.6	19.13	42.1	18.35	39.3	16.87
	-16.7	-17	49.5	21.19	47.9	20.50	45.0	19.01	43.6	18.27	42.1	17.55	39.3	16.12
	-13.7	-15	50.7	20.96	47.9	19.47	45.0	18.07	43.6	17.38	42.1	16.69	39.3	15.35
	-11.8	-13	50.7	19.81	47.9	18.44	45.0	17.12	43.6	16.49	42.1	15.83	39.3	14.66
	-9.8	-11	50.7	18.73	47.9	17.44	45.0	16.21	43.6	15.61	42.1	15.00	39.3	13.83
	-9.5	-10	50.7	18.21	47.9	16.98	45.0	15.75	43.6	15.18	42.1	14.60	39.3	13.46
	-8.5	-9.1	50.7	17.72	47.9	16.52	45.0	15.38	43.6	14.80	42.1	14.23	39.3	13.11
	-7	-7.6	50.7	16.95	47.9	15.83	45.0	14.72	43.6	14.17	42.1	13.63	39.3	12.60
	-5	-5.6	50.7	15.95	47.9	14.92	45.0	13.89	43.6	13.37	42.1	12.89	39.3	11.91
50%	-3	-3.7	50.7	15.06	47.9	14.09	45.0	13.11	43.6	12.66	42.1	12.20	39.3	11.28
	0	-0.7	50.7	13.77	47.9	12.89	45.0	12.03	43.6	11.63	42.1	11.20	39.3	10.37
	3	2.2	50.7	12.63	47.9	11.85	45.0	11.08	43.6	10.68	42.1	10.31	39.3	9.56
	5	4.1	50.7	11.94	47.9	11.20	45.0	10.48	43.6	10.14	42.1	9.76	39.3	9.08
	7	6	50.7	11.31	47.9	10.62	45.0	9.94	43.6	9.59	42.1	9.28	39.3	8.62
	9	7.9	50.7	10.71	47.9	10.05	45.0	9.42	43.6	9.13	42.1	8.79	39.3	8.22
	11	9.8	50.7	10.17	47.9	9.56	45.0	8.96	43.6	8.68	42.1	8.36	39.3	7.82
	13	11.8	50.7	9.59	47.9	9.05	45.0	8.50	43.6	8.25	42.1	7.96	39.3	7.44
	15	13.7	50.7	9.13	47.9	8.59	45.0	8.10	43.6	7.85	42.1	7.59	39.3	7.10
	-19.8	-20	42.3	18.90	39.9	17.58	37.5	16.32	36.1	15.72	34.9	15.12	32.5	13.92
	-18.8	-19	42.3	18.47	39.9	17.21	37.5	16.01	36.1	15.41	34.9	14.80	32.5	13.66
	-16.7	-17	42.3	17.64	39.9	16.44	37.5	15.29	36.1	14.72	34.9	14.17	32.5	13.09
	-13.7	-15	42.3	16.78	39.9	15.66	37.5	14.57	36.1	14.03	34.9	13.52	32.5	12.48
	-11.8	-13	42.3	15.95	39.9	14.89	37.5	13.86	36.1	13.34	34.9	12.86	32.5	11.88
	-9.8	-11	42.3	15.09	39.9	14.12	37.5	13.14	36.1	12.66	34.9	12.20	32.5	11.31
	-9.5	-10	42.3	14.69	39.9	13.72	37.5	12.80	36.1	12.34	34.9	11.88	32.5	11.00
	-8.5	-9.1	42.3	14.32	39.9	13.40	37.5	12.48	36.1	12.05	34.9	11.63	32.5	10.74
	-7	-7.6	42.3	13.72	39.9	12.86	37.5	11.97	36.1	11.57	34.9	11.17	32.5	10.34
	-5	-5.6	42.3	12.94	39.9	12.14	37.5	11.34	36.1	10.97	34.9	10.57	32.5	9.79
	-3	-3.7	42.3	12.26	39.9	11.51	37.5	10.74	36.1	10.39	34.9	10.02	32.5	9.31
	0	-0.7	42.3	11.25	39.9	10.57	37.5	9.91	36.1	9.56	34.9	9.25	32.5	8.59
	3	2.2	42.3	10.37	39.9	9.74	37.5	9.13	36.1	8.82	34.9	8.53	32.5	7.96
	5	4.1	42.3	9.82	39.9	9.25	37.5	8.68	36.1	8.39	34.9	8.13	32.5	7.56
	7	6	42.3	9.33	39.9	8.79	37.5	8.25	36.1	7.99	34.9	7.73	32.5	7.22
	9	7.9	42.3	8.85	39.9	8.36	37.5	7.85	36.1	7.62	34.9	7.36	32.5	6.87
	11	9.8	42.3	8.42	39.9	7.93	37.5	7.47	36.1	7.24	34.9	7.02	32.5	6.56
	13	11.8	42.3	8.02	39.9	7.56	37.5	7.10	36.1	6.90	34.9	6.67	32.5	6.27
	15	13.7	42.3	7.62	39.9	7.22	37.5	6.79	36.1	6.59	34.9	6.39	32.5	5.98

26HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V730W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	52.8	11.13	52.5	11.92	52.3	12.72	52.3	13.10	52.0	13.49	52.0	14.28
	-18.8	-19	53.5	11.39	53.3	12.15	53.3	12.95	53.0	13.33	53.0	13.69	52.8	14.49
	-16.7	-17	55.6	11.92	55.4	12.67	55.1	13.41	55.1	13.77	55.1	14.15	54.8	14.90
	-13.7	-15	58.0	12.46	57.7	13.18	57.4	13.90	57.4	14.26	57.2	14.62	57.2	15.33
	-11.8	-13	60.3	13.03	60.3	13.72	60.0	14.39	59.8	14.74	59.8	15.10	59.5	15.77
	-9.8	-11	63.1	13.59	62.9	14.26	62.6	14.90	62.6	15.23	62.6	15.56	62.4	16.23
	-9.5	-10	64.7	13.90	64.4	14.51	64.2	15.15	64.2	15.49	63.9	15.80	63.9	16.44
	-8.5	-9.1	66.0	14.13	65.7	14.74	65.7	15.39	65.5	15.69	65.5	16.00	65.2	16.64
	-7	-7.6	68.3	14.54	68.3	15.15	68.0	15.74	68.0	16.05	67.8	16.33	67.5	16.95
	-5	-5.6	71.9	15.10	71.7	15.67	71.4	16.23	71.4	16.54	71.1	16.80	71.1	17.36
	-3	-3.7	75.3	15.59	75.0	16.13	75.0	16.67	74.8	16.95	74.8	17.23	74.5	17.74
	0	-0.7	81.2	16.33	81.2	16.85	81.0	17.33	81.0	17.54	80.7	17.85	80.7	18.36
	3	2.2	87.7	17.03	87.4	17.49	87.2	17.95	87.2	18.18	87.2	18.44	86.9	18.87
	5	4.1	92.1	17.44	91.9	17.90	91.9	18.33	91.6	18.57	91.6	18.77	91.3	19.21
	7	6	96.8	17.87	96.5	18.26	96.5	18.69	96.2	18.90	96.2	19.10	92.4	18.36
120%	9	7.9	101.7	18.23	101.4	18.64	101.4	19.03	101.2	19.23	99.1	18.82	92.4	17.23
	11	9.8	106.9	18.59	106.6	18.98	106.1	19.21	102.4	18.46	99.1	17.69	92.4	16.23
	13	11.8	112.5	18.95	112.3	19.31	106.1	18.00	102.4	17.28	99.1	16.62	92.4	15.23
	15	13.7	118.0	19.28	112.8	18.28	106.1	16.95	102.4	16.31	99.1	15.64	92.4	14.39
	-19.8	-20	52.5	12.21	52.3	12.92	52.0	13.67	52.0	14.00	52.0	14.39	51.7	15.10
	-18.8	-19	53.3	12.44	53.0	13.15	53.0	13.87	52.8	14.21	52.8	14.59	52.5	15.31
	-16.7	-17	55.4	12.92	55.1	13.62	54.8	14.28	54.8	14.64	54.8	15.00	54.6	15.67
	-13.7	-15	57.7	13.44	57.4	14.10	57.2	14.74	57.2	15.10	57.2	15.41	56.9	16.08
	-11.8	-13	60.0	13.95	60.0	14.59	59.8	15.21	59.8	15.54	59.5	15.85	59.5	16.49
	-9.8	-11	62.9	14.49	62.6	15.08	62.6	15.69	62.4	16.00	62.4	16.28	62.1	16.90
	-9.5	-10	64.4	14.74	64.2	15.33	63.9	15.92	63.9	16.23	63.9	16.51	63.7	17.10
	-8.5	-9.1	65.7	14.98	65.5	15.54	65.5	16.13	65.2	16.41	65.2	16.72	64.9	17.28
	-7	-7.6	68.0	15.36	68.0	15.92	67.8	16.46	67.8	16.74	67.5	17.03	67.5	17.56
	-5	-5.6	71.7	15.85	71.4	16.39	71.1	16.92	71.1	17.18	71.1	17.46	70.9	17.95
	-3	-3.7	75.0	16.33	75.0	16.85	74.8	17.33	74.8	17.56	74.5	17.85	74.5	18.33
	0	-0.7	81.0	17.03	81.0	17.49	80.7	17.95	80.7	18.18	80.5	18.41	80.5	18.87
110%	3	2.2	87.4	17.67	87.2	18.08	87.2	18.51	86.9	18.74	86.9	18.95	85.1	18.85
	5	4.1	91.9	18.05	91.6	18.46	91.6	18.87	91.3	19.08	91.3	19.28	85.1	17.69
	7	6	96.5	18.41	96.5	18.80	96.3	19.18	94.7	18.92	91.6	18.15	85.1	16.64
	9	7.9	101.4	18.77	101.2	19.15	97.8	18.51	94.7	17.77	91.6	17.05	85.1	15.67
	11	9.8	106.6	19.10	104.0	18.77	97.8	17.41	94.7	16.74	91.6	16.05	85.1	14.77
	13	11.8	110.5	18.92	104.0	17.62	97.8	16.33	94.7	15.72	91.6	15.10	85.1	13.90
	15	13.7	110.5	17.82	104.0	16.59	97.8	15.41	94.7	14.80	91.6	14.23	85.1	13.10
	-19.8	-20	52.3	13.28	52.0	13.92	51.7	14.59	51.7	14.92	51.8	15.26	51.5	15.92
	-18.8	-19	53.0	13.49	52.8	14.13	52.8	14.80	52.8	15.10	52.5	15.44	52.5	16.10
	-16.7	-17	55.1	13.92	54.8	14.56	55.6	15.21	54.6	15.51	54.6	15.82	54.3	16.44
	-13.7	-15	57.4	14.41	57.2	15.00	56.9	15.62	56.9	15.92	56.9	16.23	56.7	16.82
	-11.8	-13	59.8	14.90	59.8	15.46	59.5	16.03	59.5	16.33	59.3	16.62	59.3	17.21
	-9.8	-11	62.6	15.36	62.4	15.92	62.4	16.46	62.1	16.74	62.1	17.03	62.1	17.56
	-9.5	-10	64.2	15.62	63.9	16.13	63.6	16.69	63.6	16.95	63.6	17.23	63.4	17.77
	-8.5	-9.1	65.5	15.82	65.2	16.33	65.2	16.87	64.9	17.15	64.9	17.41	64.9	15.87
	-7	-7.6	67.8	16.18	67.8	16.67	67.5	17.18	67.5	17.44	67.5	17.69	67.3	18.21
	-5	-5.6	71.4	16.64	71.1	17.13	70.9	17.59	70.9	17.85	70.9	18.08	70.6	18.59
	-3	-3.7	74.8	17.05	74.8	17.51	74.5	17.98	74.5	18.21	74.3	18.44	74.3	18.90
	0	-0.7	80.7	17.69	80.7	18.13	80.5	18.57	80.5	18.77	80.5	18.98	78.1	18.62
	3	2.2	87.2	18.28	86.9	18.67	86.9	19.08	86.7	19.26	83.8	18.46	78.1	16.95
	5	4.1	91.6	18.64	91.6	19.03	89.8	18.85	86.7	18.08	83.8	17.36	78.1	15.92
	7	6	96.2	18.98	95.5	19.10	89.8	17.69	86.7	17.00	83.8	16.33	78.1	15.00
	9	7.9	101.2	19.28	95.5	17.95	89.8	16.64	86.7	16.00	83.8	15.36	78.1	14.13
	11	9.8	101.2	18.15	95.5	16.90	89.8	15.67	86.7	15.08	83.8	14.49	78.1	13.33
	13	11.8	101.2	17.03	95.5	15.85	89.8	14.72	86.7	14.18	83.8	13.62	78.1	12.56
	15	13.7	101.2	15.10	95.5	14.95	89.8	13.90	86.7	13.39	83.8	12.87	78.1	11.87

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V730W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnúťorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	52.0	14.33	51.7	14.92	51.7	15.54	51.5	15.85	51.5	16.13	51.2	16.74
	-18.8	-19	52.8	14.51	52.8	15.10	52.5	15.72	52.5	16.03	52.3	16.33	52.3	16.92
	-16.7	-17	54.8	14.92	54.6	15.51	54.6	16.08	54.3	16.36	54.3	16.64	54.3	17.23
	-13.7	-15	57.2	15.36	56.9	15.92	56.7	16.46	56.7	16.74	56.7	17.03	56.4	17.56
	-11.8	-13	59.5	15.82	59.5	16.33	59.3	16.85	59.3	17.13	59.3	17.39	59.0	17.92
	-9.8	-11	62.4	16.23	62.1	16.74	62.1	17.26	62.1	17.51	61.8	17.74	61.8	18.26
	-9.5	-10	63.9	16.46	63.7	16.95	63.7	17.44	63.4	17.69	63.4	17.95	63.1	18.44
	-8.5	-9.1	65.2	16.64	64.9	17.15	64.9	17.62	64.9	17.85	64.7	18.10	64.7	18.57
	-7	-7.6	67.5	16.98	67.5	17.44	67.3	17.90	67.3	18.15	67.3	18.36	67.0	18.85
	-5	-5.6	71.1	17.41	70.9	17.85	70.9	18.28	70.6	18.49	70.6	18.72	70.4	19.18
	-3	-3.7	74.5	17.80	74.5	16.15	74.3	18.64	74.3	18.85	74.3	19.05	71.1	18.26
	0	-0.7	80.5	18.36	80.5	18.77	80.2	19.15	78.9	18.85	76.3	18.05	71.1	16.56
	3	2.2	86.9	18.90	86.7	19.26	81.5	17.82	78.9	17.13	76.3	16.44	71.1	15.10
	5	4.1	91.3	19.26	86.7	18.08	81.5	16.74	78.9	16.13	76.3	15.49	71.1	14.23
90%	7	6	91.9	18.26	86.7	17.00	81.50	15.77	78.9	15.18	76.3	14.59	71.1	13.41
	9	7.9	91.9	17.15	86.7	16.00	81.5	14.85	78.9	14.10	76.3	13.74	71.1	12.67
	11	9.8	91.9	16.15	86.7	15.08	81.5	14.00	78.9	13.49	76.3	12.97	71.1	11.95
	13	11.8	91.9	15.18	86.7	14.18	81.5	13.18	78.9	12.69	76.3	12.23	71.1	11.28
	15	13.7	91.9	14.31	86.7	13.39	81.5	12.46	78.9	12.00	76.3	11.54	71.1	10.69
	-19.8	-20	51.6	15.41	51.4	15.92	51.4	16.49	51.1	16.74	51.1	17.03	51.1	17.56
	-18.8	-19	52.4	15.56	52.4	16.13	52.2	16.64	52.2	16.92	52.2	17.18	51.9	17.72
	-16.7	-17	54.5	15.95	54.2	16.46	54.2	16.98	54.2	17.23	54.0	17.49	54.0	18.00
	-13.7	-15	56.8	16.33	56.6	16.85	56.6	17.33	56.3	17.56	56.3	17.82	56.3	18.31
	-11.8	-13	59.1	16.74	59.1	17.21	58.9	17.67	58.9	17.92	58.9	18.15	58.6	18.62
	-9.8	-11	62.0	17.13	62.0	17.56	61.7	18.03	61.7	18.26	61.7	18.49	61.5	18.95
	-9.5	-10	63.5	17.33	63.3	17.77	63.3	18.21	63.0	18.44	63.0	18.67	63.0	19.08
	-8.5	-9.1	64.8	17.51	64.8	17.95	64.6	18.36	64.6	18.57	64.6	18.80	63.8	18.98
	-7	-7.6	67.2	17.80	67.2	18.21	66.9	18.64	66.9	18.85	66.9	19.05	63.8	18.13
	-5	-5.6	70.8	18.18	70.5	18.57	70.5	18.98	70.2	19.18	68.4	18.57	63.8	17.03
80%	-3	-3.7	74.1	18.54	74.1	18.90	73.4	18.98	70.8	18.23	68.4	17.49	63.8	16.05
	0	-0.7	80.3	19.08	78.0	18.59	73.4	17.23	70.8	16.54	68.4	15.90	63.8	14.59
	3	2.2	82.6	18.15	78.0	16.92	73.4	15.69	70.8	15.10	68.4	14.49	63.8	13.36
	5	4.1	82.6	17.08	78.0	15.92	73.4	14.80	70.8	14.21	68.4	13.69	63.8	12.59
	7	6	82.6	16.05	78.0	15.00	73.4	13.92	70.8	13.41	68.4	12.90	63.8	11.90
	9	7.9	82.6	15.13	78.0	14.10	73.4	13.13	70.8	12.67	68.4	12.18	63.8	11.26
	11	9.8	82.6	14.26	78.0	13.31	73.4	12.41	70.8	11.95	68.4	11.51	63.8	10.64
	13	11.8	82.6	13.41	78.0	12.56	73.4	11.69	70.8	11.28	68.4	10.87	63.8	10.05
	15	13.7	82.6	12.67	78.0	11.85	73.4	11.08	70.8	10.69	68.4	10.31	63.8	9.54
	-19.8	-20	51.5	16.46	51.2	16.95	51.2	17.44	51.2	17.67	51.0	17.92	51.0	18.39
	-18.8	-19	52.3	16.62	52.3	17.10	52.0	17.56	52.0	17.82	52.0	18.05	51.7	18.54
	-16.7	-17	54.3	16.95	54.1	17.41	54.1	17.87	54.1	18.10	54.1	18.33	53.8	18.77
	-13.7	-15	56.7	17.31	56.4	17.74	56.4	18.18	56.4	18.39	56.1	18.62	56.1	19.08
	-11.8	-13	59.0	17.64	59.0	18.08	58.7	18.49	58.7	18.69	58.7	18.92	56.9	18.41
	-9.8	-11	61.8	18.00	61.8	18.41	61.6	18.82	61.6	19.00	61.1	18.98	56.9	17.39
	-9.5	-10	63.4	18.18	63.1	18.57	63.1	18.98	63.1	19.18	61.1	18.41	56.9	16.87
	-8.5	-9.1	64.7	18.36	60.1	18.74	64.4	19.10	63.1	18.67	61.1	17.92	56.9	16.44
	-7	-7.6	67.0	18.62	67.0	18.98	65.2	18.57	63.1	17.85	61.1	17.13	56.9	15.72
	-5	-5.6	70.6	18.95	69.3	18.85	65.2	17.44	63.1	16.77	61.1	16.10	56.9	14.80
	-3	-3.7	73.5	19.05	69.3	17.74	65.2	16.44	63.1	15.82	61.1	15.18	56.9	13.98
	0	-0.7	73.5	17.28	69.3	16.10	65.2	14.95	63.1	14.39	61.1	13.82	56.9	12.74
	3	2.2	73.5	15.74	69.3	14.69	65.2	13.67	63.1	13.15	61.1	12.67	56.9	11.67
	5	4.1	73.5	14.82	69.3	13.85	65.2	12.87	63.1	12.41	61.1	11.95	56.9	11.03
	7	6	73.5	13.98	69.3	13.08	65.2	12.15	63.1	11.74	61.1	11.31	56.9	10.44
	9	7.9	73.5	13.18	69.3	12.33	65.2	11.49	63.1	11.08	61.1	10.69	56.9	9.90
	11	9.8	73.5	12.46	69.3	11.64	65.2	10.87	63.1	10.49	61.1	10.13	56.9	9.39
	13	11.8	73.5	11.74	69.3	11.00	65.2	10.28	63.1	9.92	61.1	9.56	56.9	8.87
	15	13.7	73.5	11.10	69.3	10.44	65.2	9.74	63.1	9.41	61.1	9.08	56.9	8.44

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V730W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	51.1	17.54	50.9	17.95	50.9	18.36	50.9	18.57	50.9	18.80	49.6	18.59
	-18.8	-19	51.9	17.67	51.9	18.08	51.6	18.49	51.6	18.69	51.6	18.92	49.6	18.21
	-16.7	-17	53.9	17.95	53.9	18.36	53.7	18.77	53.7	18.98	53.2	16.90	49.6	17.36
	-13.7	-15	56.3	18.26	56.0	18.67	56.0	19.05	55.0	18.77	53.2	18.00	49.6	16.51
	-11.8	-13	58.6	18.57	58.6	18.95	57.1	18.49	55.0	17.77	53.2	17.05	49.6	15.64
	-9.8	-11	61.4	18.87	60.7	18.87	57.1	17.46	55.0	16.80	53.2	16.13	49.6	14.80
	-9.5	-10	63.0	19.05	60.7	18.31	57.1	16.95	55.0	16.31	53.2	15.67	49.6	14.39
	-8.5	-9.1	64.3	19.15	60.7	17.82	57.1	16.51	55.0	15.87	53.2	15.26	49.6	14.03
	-7	-7.6	64.3	18.28	60.7	17.03	57.1	15.80	55.0	15.21	53.2	14.59	49.6	13.44
	-5	-5.6	64.3	17.18	60.7	16.03	57.1	14.87	55.0	14.28	53.2	16.90	49.6	12.67
	-3	-3.7	64.3	16.18	60.7	15.10	57.1	14.03	55.0	13.49	53.2	12.97	49.6	11.97
	0	-0.7	64.3	14.72	60.7	13.77	57.1	12.80	55.0	12.33	53.2	11.87	49.6	10.97
	3	2.2	64.3	13.46	60.7	12.59	57.1	11.74	55.0	11.31	53.2	10.90	49.6	10.08
	5	4.1	64.3	12.69	60.7	11.87	57.1	11.10	55.0	10.69	53.2	10.31	49.6	9.54
60%	7	6	64.3	12.00	60.7	11.23	57.1	10.49	55.0	10.13	53.2	9.77	49.6	9.05
	9	7.9	64.3	11.33	60.7	10.64	57.1	9.92	55.0	9.59	53.2	9.26	49.6	8.59
	11	9.8	64.3	10.72	60.7	10.05	57.1	9.41	55.0	9.10	53.2	8.80	49.6	8.15
	13	11.8	64.3	10.13	60.7	9.51	57.1	8.90	55.0	8.62	53.2	8.31	49.6	7.74
	15	13.7	64.3	9.62	60.7	9.03	57.1	8.46	55.0	8.18	53.2	7.90	49.6	7.38
	-19.8	-20	51.0	18.59	50.7	18.95	48.9	18.23	47.4	17.51	45.8	16.82	42.7	15.41
	-18.8	-19	51.7	18.72	51.7	19.08	48.9	17.85	47.4	17.13	45.8	16.44	42.7	15.10
	-16.7	-17	53.8	18.98	52.0	18.36	48.9	17.03	47.4	16.36	45.8	15.72	42.7	14.44
	-13.7	-15	55.1	18.77	52.0	17.44	48.9	16.18	47.4	15.56	45.8	14.95	42.7	13.74
	-11.8	-13	55.1	17.74	52.0	16.51	48.9	15.33	47.4	14.77	45.8	14.18	42.7	13.13
	-9.8	-11	55.1	16.77	52.0	15.62	48.9	14.51	47.4	13.98	45.8	13.44	42.7	12.39
	-9.5	-10	55.1	16.31	52.0	15.21	48.9	14.10	47.4	13.59	45.8	13.08	42.7	12.05
	-8.5	-9.1	55.1	15.87	52.0	14.80	48.9	13.77	47.4	13.26	45.8	12.74	42.7	11.74
	-7	-7.6	55.1	15.18	52.0	14.18	48.9	13.18	47.4	12.69	45.8	12.21	42.7	11.28
	-5	-5.6	55.1	14.28	52.0	13.36	48.9	12.44	47.4	11.97	45.8	11.54	42.7	10.67
50%	-3	-3.7	55.1	13.49	52.0	12.62	48.9	11.74	47.4	11.33	45.8	10.92	42.7	10.10
	0	-0.7	55.1	12.33	52.0	11.54	48.9	10.77	47.4	10.41	45.8	10.03	42.7	9.28
	3	2.2	55.1	11.31	52.0	10.62	48.9	9.92	47.4	9.56	45.8	9.23	42.7	8.56
	5	4.1	55.1	10.69	52.0	10.03	48.9	9.39	47.4	9.08	45.8	8.74	42.7	8.13
	7	6	55.1	10.13	52.0	9.51	48.9	8.90	47.4	8.59	45.8	8.31	42.7	7.72
	9	7.9	55.1	9.59	52.0	9.00	48.9	8.44	47.4	8.18	45.8	7.87	42.7	7.36
	11	9.8	55.1	9.10	52.0	8.56	48.9	8.03	47.4	7.77	45.8	7.49	42.7	7.00
	13	11.8	55.1	8.59	52.0	8.10	48.9	7.62	47.4	7.38	45.8	7.13	42.7	6.67
	15	13.7	55.1	8.18	52.0	7.69	48.9	7.26	47.4	7.03	45.8	6.80	42.7	6.36
	-19.8	-20	45.9	16.92	43.3	15.74	40.8	14.62	39.2	14.08	37.9	13.54	35.3	12.46
	-18.8	-19	45.9	16.54	43.3	15.41	40.8	14.33	39.2	13.80	37.9	13.26	35.3	12.23
	-16.7	-17	45.9	15.80	43.3	14.72	40.8	13.69	39.2	13.18	37.9	12.69	35.3	11.72
	-13.7	-15	45.9	15.03	43.3	14.03	40.8	13.05	39.2	12.56	37.9	12.10	35.3	11.18
	-11.8	-13	45.9	14.28	43.3	13.33	40.8	12.41	39.2	11.95	37.9	11.51	35.3	10.64
	-9.8	-11	45.9	13.51	43.3	12.64	40.8	11.77	39.2	11.33	37.9	10.92	35.3	10.13

28HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V785W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	56.6	15.08	56.4	16.16	56.1	17.23	56.1	17.76	55.8	18.28	55.8	19.35
	-18.8	-19	57.5	15.43	57.2	16.47	57.2	17.55	56.9	18.07	56.9	18.56	56.6	19.63
	-16.7	-17	59.7	16.16	59.4	17.17	59.2	18.17	59.2	18.66	59.2	19.18	58.9	20.19
	-13.7	-15	62.2	16.89	62.0	17.86	61.7	18.83	61.7	19.32	61.4	19.81	61.4	20.78
	-11.8	-13	64.7	17.65	64.7	18.59	64.5	19.49	64.2	19.98	64.2	20.47	63.9	21.37
	-9.8	-11	67.8	18.42	67.5	19.32	67.2	20.19	67.2	20.64	67.2	21.09	67.0	22.00
	-9.5	-10	69.4	18.83	69.2	19.67	68.9	20.54	68.9	20.99	68.6	21.40	68.6	22.27
	-8.5	-9.1	70.8	19.15	70.6	19.98	70.6	20.85	70.3	21.27	70.3	21.68	70.0	22.55
	-7	-7.6	73.3	19.70	73.3	20.54	73.0	21.34	73.0	21.75	72.8	22.13	72.5	22.97
	-5	-5.6	77.2	20.47	76.9	21.23	76.7	22.00	76.7	22.41	76.4	22.76	76.4	23.52
	-3	-3.7	80.8	21.13	80.6	21.86	80.6	22.59	80.3	22.97	80.3	23.35	80.0	24.05
	0	-0.7	87.2	22.13	87.2	22.83	86.9	23.49	86.9	23.77	86.7	24.18	86.7	24.88
	3	2.2	94.1	23.07	93.9	23.70	93.6	24.32	93.6	24.64	93.6	24.98	93.3	25.57
	5	4.1	98.9	23.63	98.6	24.25	98.6	24.84	98.3	25.16	98.3	25.44	98.1	26.03
120%	7	6	103.9	24.22	103.6	24.74	103.6	25.33	103.3	25.61	103.3	25.89	99.2	24.88
	9	7.9	109.1	24.71	108.9	25.26	108.9	25.78	108.6	26.06	106.4	25.51	99.2	23.35
	11	9.8	114.7	25.19	114.4	25.71	113.9	26.03	110.0	25.02	106.4	23.98	99.2	22.00
	13	11.8	120.8	25.68	120.6	26.17	113.9	24.39	110.0	23.42	106.4	22.52	99.2	20.64
	15	13.7	126.6	26.13	121.1	24.78	113.9	22.97	110.0	22.10	106.4	21.20	99.2	19.49
	-19.8	-20	56.4	16.54	56.1	17.51	55.8	18.52	55.8	18.97	55.8	19.49	55.5	20.47
	-18.8	-19	57.2	16.85	56.9	17.83	56.9	18.80	56.7	19.25	56.7	19.77	56.4	20.74
	-16.7	-17	59.4	17.51	59.2	18.45	58.8	19.35	58.9	19.84	58.9	20.33	58.6	21.23
	-13.7	-15	62.0	18.21	61.7	19.11	61.4	19.98	61.4	20.47	61.4	20.88	61.1	21.79
	-11.8	-13	64.5	18.90	64.5	19.77	64.2	20.61	64.2	21.06	63.9	21.47	63.9	22.34
	-9.8	-11	67.5	19.63	67.2	20.43	67.2	21.27	67.0	21.68	67.0	22.06	66.7	22.90
	-9.5	-10	69.2	19.98	68.9	20.78	68.6	21.58	68.6	22.00	68.6	22.38	68.3	23.18
	-8.5	-9.1	70.6	20.29	70.3	21.06	70.3	21.86	70.0	22.24	70.0	22.66	69.7	23.42
	-7	-7.6	73.0	20.81	73.0	21.58	72.8	22.31	72.8	22.69	72.5	23.07	72.5	23.80
	-5	-5.6	76.9	21.47	76.7	22.20	76.4	22.93	76.4	23.28	76.4	23.66	76.1	24.32
110%	-3	-3.7	80.6	22.13	80.6	22.83	80.3	23.49	80.3	23.80	80.0	24.18	80.0	24.84
	0	-0.7	86.9	23.07	86.9	23.70	86.7	24.32	86.7	24.64	86.4	24.95	86.4	25.57
	3	2.2	93.9	23.94	93.6	24.50	93.6	25.09	93.3	25.40	93.3	25.68	91.4	25.54
	5	4.1	98.6	24.46	98.3	25.02	98.3	25.57	98.1	25.85	98.1	26.13	91.4	23.98
	7	6	103.6	24.95	103.6	25.47	103.3	25.99	101.7	25.64	98.3	24.60	91.4	22.55
	9	7.9	108.9	25.44	108.6	25.96	105.0	25.09	101.7	24.08	98.3	23.11	91.4	21.23
	11	9.8	114.4	25.89	111.7	25.44	105.0	23.59	101.7	22.69	98.3	21.75	91.4	20.01
	13	11.8	118.6	25.64	111.7	23.87	105.0	22.13	101.7	21.30	98.3	20.47	91.4	18.83
	15	13.7	118.6	24.15	111.7	22.48	105.0	20.88	101.7	20.05	98.3	19.29	91.4	17.76
	-19.8	-20	56.1	18.00	55.8	18.87	55.5	19.77	55.5	20.22	55.6	20.68	55.3	21.58
	-18.8	-19	56.9	18.28	56.7	19.15	56.7	20.05	56.7	20.47	56.4	20.92	56.4	21.82
	-16.7	-17	59.2	18.87	58.9	19.74	59.7	20.61	58.6	21.02	58.6	21.44	58.3	22.27
	-13.7	-15	61.7	19.53	61.4	20.33	61.1	21.16	61.1	21.58	61.1	22.00	60.8	22.79
	-11.8	-13	64.2	20.19	64.2	20.95	63.9	21.72	63.9	22.13	63.6	22.52	63.6	23.32
	-9.8	-11	67.2	20.81	67.0	21.58	67.0	22.31	66.7	22.69	66.7	23.07	66.7	23.80

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V785W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	55.8	19.42	55.5	20.22	55.5	21.06	55.3	21.47	55.3	21.86	55.0	22.69
	-18.8	-19	56.7	19.67	56.7	20.47	56.4	21.30	56.4	21.72	56.1	22.13	56.1	22.93
	-16.7	-17	58.9	20.22	58.6	21.02	58.6	21.79	58.3	22.17	58.3	22.55	58.3	23.35
	-13.7	-15	61.4	20.81	61.1	21.58	60.8	22.31	60.8	22.69	60.8	23.07	60.6	23.80
	-11.8	-13	63.9	21.44	63.9	22.13	63.6	22.83	63.6	23.21	63.6	23.56	63.3	24.29
	-9.8	-11	67.0	22.00	66.7	22.69	66.7	23.39	66.7	23.73	66.4	24.05	66.4	24.74
	-9.5	-10	68.6	22.31	68.3	22.97	68.3	23.63	68.1	23.98	68.1	24.32	67.8	24.98
	-8.5	-9.1	70.0	22.55	69.7	23.25	69.7	23.87	69.7	24.18	69.4	24.53	69.4	25.16
	-7	-7.6	72.5	23.00	72.5	23.63	72.2	24.25	72.2	24.60	72.2	24.88	71.9	25.54
	-5	-5.6	76.4	23.59	76.1	24.18	76.1	24.78	75.8	25.05	75.8	25.37	75.5	25.99
	-3	-3.7	80.0	24.12	80.0	21.89	79.7	25.26	79.7	25.54	79.7	25.82	76.4	24.74
	0	-0.7	86.4	24.88	86.4	25.44	86.1	25.96	84.7	25.54	82.0	24.46	76.4	22.45
	3	2.2	93.3	25.61	93.0	26.10	87.5	24.15	84.7	23.21	82.0	22.27	76.4	20.47
	5	4.1	98.1	26.10	93.0	24.50	87.5	22.69	84.7	21.86	82.0	20.99	76.4	19.29
	7	6	98.6	24.74	93.0	23.04	87.50	21.37	84.7	20.57	82.0	19.77	76.4	18.17
90%	9	7.9	98.6	23.25	93.0	21.68	87.5	20.12	84.7	19.11	82.0	18.62	76.4	17.17
	11	9.8	98.6	21.89	93.0	20.43	87.5	18.97	84.7	18.28	82.0	17.58	76.4	16.19
	13	11.8	98.6	20.57	93.0	19.22	87.5	17.86	84.7	17.20	82.0	16.57	76.4	15.29
	15	13.7	98.6	19.39	93.0	18.14	87.5	16.89	84.7	16.26	82.0	15.64	76.4	14.49
	-19.8	-20	55.4	20.88	55.2	21.58	55.2	22.34	54.9	22.69	54.9	23.07	54.9	23.80
	-18.8	-19	56.3	21.09	56.3	21.86	56.0	22.55	56.0	22.93	56.0	23.28	55.7	24.01
	-16.7	-17	58.5	21.61	58.2	22.31	58.2	23.00	58.2	23.35	57.9	23.70	57.9	24.39
	-13.7	-15	61.0	22.13	60.7	22.83	60.7	23.49	60.4	23.80	60.4	24.15	60.4	24.81
	-11.8	-13	63.5	22.69	63.5	23.32	63.2	23.94	63.2	24.29	63.2	24.60	62.9	25.23
	-9.8	-11	66.6	23.21	66.6	23.80	66.3	24.43	66.3	24.74	66.3	25.05	66.0	25.68
	-9.5	-10	68.2	23.49	67.9	24.08	67.9	24.67	67.7	24.98	67.7	25.30	67.7	25.85
	-8.5	-9.1	69.6	23.73	69.6	24.32	69.3	24.88	69.3	25.16	69.3	25.47	68.5	25.71
	-7	-7.6	72.1	24.12	72.1	24.67	71.8	25.26	71.8	25.54	71.8	25.82	68.5	24.57
	-5	-5.6	76.0	24.64	75.7	25.16	75.7	25.71	75.4	25.99	73.5	25.16	68.5	23.07
	-3	-3.7	79.6	25.12	79.6	25.61	78.8	25.71	76.0	24.71	73.5	23.70	68.5	21.75
	0	-0.7	86.2	25.85	83.7	25.19	78.8	23.35	76.0	22.41	73.5	21.54	68.5	19.77
80%	3	2.2	88.7	24.60	83.7	22.93	78.8	21.27	76.0	20.47	73.5	19.63	68.5	18.10
	5	4.1	88.7	23.14	83.7	21.58	78.8	20.05	76.0	19.25	73.5	18.56	68.5	17.06
	7	6	88.7	21.75	83.7	20.33	78.8	18.87	76.0	18.17	73.5	17.48	68.5	16.12
	9	7.9	88.7	20.50	83.7	19.11	78.8	17.79	76.0	17.17	73.5	16.51	68.5	15.25
	11	9.8	88.7	19.32	83.7	18.03	78.8	16.82	76.0	16.19	73.5	15.60	68.5	14.42
	13	11.8	88.7	18.17	83.7	17.03	78.8	15.85	76.0	15.29	73.5	14.73	68.5	13.62
	15	13.7	88.7	17.17	83.7	16.05	78.8	15.01	76.0	14.49	73.5	13.97	68.5	12.93
	-19.8	-20	55.3	22.31	55.0	22.97	55.0	23.63	55.0	23.94	54.7	24.29	54.7	24.91
	-18.8	-19	56.1	22.52	56.1	23.18	55.8	23.80	55.8	24.15	55.8	24.46	55.5	25.12
	-16.7	-17	58.3	22.97	58.1	23.59	58.1	24.22	58.1	24.53	58.1	24.84	57.8	25.44
	-13.7	-15	60.8	23.45	60.6	24.05	60.6	24.64	60.6	24.91	60.3	25.23	60.3	25.85
	-11.8	-13	63.3	23.91	63.3	24.50	63.1	25.05	63.1	25.33	63.1	25.64	61.1	24.95
	-9.8	-11	66.4	24.39	66.4	24.95	66.1	25.51	66.1	25.75	65.6	25.71	61.1	23.56
	-9.5	-10	68.1	24.64	67.8	25.16	67.8	25.71	67.8	25.99	65.6	24.95	61.1	22.86
	-8.5	-9.1	69.4	24.88	64.6	25.40	69.2	25.89	67.8	25.30	65.6	24.29	61.1	22.27
	-7	-7.6	71.9	25.23	71.9	25.71	70.0	25.16	67.8	24.18	65.6	23.21	61.1	21.30

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V785W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	54.9	23.77	54.6	24.32	54.6	24.88	54.6	25.16	54.6	25.47	53.2	25.19
	-18.8	-19	55.7	23.94	55.7	24.50	55.4	25.05	55.4	25.33	55.4	25.64	53.2	24.67
	-16.7	-17	57.9	24.32	57.9	24.88	57.7	25.44	57.7	25.71	57.1	22.90	53.2	23.52
	-13.7	-15	60.4	24.74	60.1	25.30	60.1	25.82	59.0	25.44	57.1	24.39	53.2	22.38
	-11.8	-13	62.9	25.16	62.9	25.68	61.3	25.05	59.0	24.08	57.1	23.11	53.2	21.20
	-9.8	-11	65.9	25.57	65.1	25.57	61.3	23.66	59.0	22.76	57.1	21.86	53.2	20.05
	-9.5	-10	67.6	25.82	65.1	24.81	61.3	22.97	59.0	22.10	57.1	21.23	53.2	19.49
	-8.5	-9.1	69.0	25.96	65.1	24.15	61.3	22.38	59.0	21.51	57.1	20.68	53.2	19.01
	-7	-7.6	69.0	24.78	65.1	23.07	61.3	21.40	59.0	20.61	57.1	19.77	53.2	18.21
	-5	-5.6	69.0	23.28	65.1	21.72	61.3	20.15	59.0	19.35	57.1	22.90	53.2	17.17
	-3	-3.7	69.0	21.93	65.1	20.47	61.3	19.01	59.0	18.28	57.1	17.58	53.2	16.23
	0	-0.7	69.0	19.95	65.1	18.66	61.3	17.34	59.0	16.71	57.1	16.09	53.2	14.87
	3	2.2	69.0	18.24	65.1	17.06	61.3	15.91	59.0	15.32	57.1	14.77	53.2	13.66
	5	4.1	69.0	17.20	65.1	16.09	61.3	15.05	59.0	14.49	57.1	13.97	53.2	12.93
	7	6	69.0	16.26	65.1	15.22	61.3	14.21	59.0	13.73	57.1	13.24	53.2	12.27
60%	9	7.9	69.0	15.36	65.1	14.42	61.3	13.45	59.0	13.00	57.1	12.54	53.2	11.64
	11	9.8	69.0	14.52	65.1	13.62	61.3	12.75	59.0	12.34	57.1	11.92	53.2	11.05
	13	11.8	69.0	13.73	65.1	12.89	61.3	12.06	59.0	11.68	57.1	11.26	53.2	10.49
	15	13.7	69.0	13.03	65.1	12.23	61.3	11.47	59.0	11.08	57.1	10.70	53.2	10.01
	-19.8	-20	54.7	25.19	54.4	25.68	52.5	24.71	50.8	23.73	49.2	22.79	45.8	20.88
	-18.8	-19	55.5	25.37	55.5	25.85	52.5	24.18	50.8	23.21	49.2	22.27	45.8	20.47
	-16.7	-17	57.8	25.71	55.8	24.88	52.5	23.07	50.8	22.17	49.2	21.30	45.8	19.56
	-13.7	-15	59.2	25.44	55.8	23.63	52.5	21.93	50.8	21.09	49.2	20.26	45.8	18.62
	-11.8	-13	59.2	24.05	55.8	22.38	52.5	20.78	50.8	20.01	49.2	19.22	45.8	17.79
	-9.8	-11	59.2	22.73	55.8	21.16	52.5	19.67	50.8	18.94	49.2	18.21	45.8	16.78
	-9.5	-10	59.2	22.10	55.8	20.61	52.5	19.11	50.8	18.42	49.2	17.72	45.8	16.33
	-8.5	-9.1	59.2	21.51	55.8	20.05	52.5	18.66	50.8	17.96	49.2	17.27	45.8	15.91
	-7	-7.6	59.2	20.57	55.8	19.22	52.5	17.86	50.8	17.20	49.2	16.54	45.8	15.29
	-5	-5.6	59.2	19.35	55.8	18.10	52.5	16.85	50.8	16.23	49.2	15.64	45.8	14.46
	-3	-3.7	59.2	18.28	55.8	17.10	52.5	15.91	50.8	15.36	49.2	14.80	45.8	13.69
50%	0	-0.7	59.2	16.71	55.8	15.64	52.5	14.59	50.8	14.11	49.2	13.59	45.8	12.58
	3	2.2	59.2	15.32	55.8	14.39	52.5	13.45	50.8	12.96	49.2	12.51	45.8	11.61
	5	4.1	59.2	14.49	55.8	13.59	52.5	12.72	50.8	12.30	49.2	11.85	45.8	11.02
	7	6	59.2	13.73	55.8	12.89	52.5	12.06	50.8	11.64	49.2	11.26	45.8	10.46
	9	7.9	59.2	13.00	55.8	12.20	52.5	11.43	50.8	11.08	49.2	10.67	45.8	9.97
	11	9.8	59.2	12.34	55.8	11.61	52.5	10.88	50.8	10.53	49.2	10.15	45.8	9.49
	13	11.8	59.2	11.64	55.8	10.98	52.5	10.32	50.8	10.01	49.2	9.66	45.8	9.03
	15	13.7	59.2	11.08	55.8	10.42	52.5	9.83	50.8	9.52	49.2	9.21	45.8	8.62
	-19.8	-20	49.3	22.93	46.5	21.34	43.8	19.81	42.1	19.08	40.7	18.35	37.9	16.89
	-18.8	-19	49.3	22.41	46.5	20.88	43.8	19.42	42.1	18.69	40.7	17.96	37.9	16.57
	-16.7	-17	49.3	21.40	46.5	19.95	43.8	18.56	42.1	17.86	40.7	17.20	37.9	15.88
	-13.7	-15	49.3	20.36	46.5	19.01	43.8	17.69	42.1	17.03	40.7	16.40	37.9	15.15
	-11.8	-13	49.3	19.35	46.5	18.07	43.8	16.82	42.1	16.19	40.7	15.60	37.9	14.42
	-9.8	-11	49.3	18.31	46.5	17.13	43.8	15.95	42.1	15.36	40.7	14.80	37.9	13.73
	-9.5	-10	49.3	17.83	46.5	16.64	43.8	15.53	42.1	14.98	40.7	14.42	37.9	13.34
-8.5	-9.1	49.3	17.37	46.5	16.26	43.8	15.15	42.1	14.63	40.7	14.11	37.9	13.03	
-7	-7.6	49.3	16.64	46.5	15.60	43.8	14.52	42.1	14.04	40.7	13.55	37.9	12.54	
-5	-5.6	49.3	15.71	46.5	14.73	43.8	13.76	42.1	13.31	40.7	12.82	37.9	11.88	
-3	-3.7	49.3	14.87	46.5	13.97	43.8	13.03	42.1	12.61	40.7	12.16	37.9	11.29	
0	-0.7	49.3	13.66	46.5	12.82	43.8	12.02	42.1	11.61	40.7	11.22	37.9	10.42	
3	2.2	49.3	12.58	46.5	11.81	43.8	11.08	42.1	10.70	40.7	10.35	37.9	9.66	
5	4.1	49.3	11.92	46.5	11.22	43.8	10.53	42.1	10.18	40.7	9.87	37.9	9.17	
7	6	49.3	11.33	46.5	10.67	43.8	10.01	42.1	9.69	40.7	9.38	37.9	8.76	
9	7.9	49.3	10.74	46.5	10.15	43.8	9.52	42.1	9.24	40.7	8.93	37.9	8.34	
11	9.8	49.3	10.22	46.5	9.63	43.8	9.07	42.1	8.79	40.7	8.51	37.9	7.96	
13	11.8	49.3	9.73	46.5	9.17	43.8	8.62	42.1	8.37	40.7	8.10	37.9	7.61	
15	13.7	49.3	9.24	46.5	8.76	43.8	8.24	42.1	7.99	40.7	7.75	37.9	7.26	

30HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V835W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	60.5	16.19	60.3	17.34	60.0	18.50	60.0	19.06	59.7	19.62	59.7	20.78
	-18.8	-19	61.4	16.56	61.2	17.68	61.2	18.84	60.8	19.40	60.8	19.92	60.5	21.07
	-16.7	-17	63.8	17.34	63.5	18.43	63.2	19.51	63.2	20.03	63.2	20.59	62.9	21.67
	-13.7	-15	66.5	18.13	66.2	19.17	65.9	20.22	65.9	20.74	65.6	21.26	65.6	22.31
	-11.8	-13	69.2	18.95	69.2	19.96	68.9	20.93	68.6	21.45	68.6	21.97	68.3	22.94
	-9.8	-11	72.4	19.77	72.1	20.74	71.8	21.67	71.8	22.16	71.8	22.64	71.5	23.61
	-9.5	-10	74.2	20.22	73.9	21.11	73.6	22.04	73.6	22.53	73.3	22.98	73.3	23.91
	-8.5	-9.1	75.7	20.55	75.4	21.45	75.4	22.38	75.1	22.83	75.1	23.28	74.8	24.21
	-7	-7.6	78.4	21.15	78.4	22.04	78.1	22.90	78.1	23.35	77.8	23.76	77.5	24.66
	-5	-5.6	82.5	21.97	82.2	22.79	81.9	23.61	81.9	24.06	81.6	24.43	81.6	25.25
	-3	-3.7	86.4	22.68	86.1	23.46	86.1	24.25	85.8	24.66	85.8	25.07	85.5	25.81
	0	-0.7	93.2	23.76	93.2	24.51	92.9	25.22	92.9	25.51	92.6	25.96	92.6	26.71
	3	2.2	100.6	24.77	100.3	25.44	100.0	26.11	100.0	26.45	100.0	26.82	99.7	27.45
	5	4.1	105.7	25.36	105.4	26.04	105.4	26.67	105.1	27.01	105.1	27.30	104.8	27.94
	7	6	111.0	26.00	110.7	26.56	110.7	27.19	110.4	27.49	110.4	27.79	106.0	26.71
120%	9	7.9	116.6	26.52	116.4	27.12	116.4	27.68	116.0	27.98	113.7	27.38	106.0	25.07
	11	9.8	122.6	27.04	122.3	27.60	121.7	27.94	117.5	26.86	113.7	25.74	106.0	23.61
	13	11.8	129.1	27.57	128.8	28.09	121.7	26.19	117.5	25.14	113.7	24.17	106.0	22.16
	15	13.7	135.3	28.05	129.4	26.60	121.7	24.66	117.5	23.72	113.7	22.75	106.0	20.93
	-19.8	-20	60.3	17.76	59.9	18.80	59.7	19.88	59.7	20.37	59.7	20.93	59.4	21.97
	-18.8	-19	61.2	18.09	60.8	19.14	60.8	20.18	60.6	20.66	60.6	21.22	60.3	22.27
	-16.7	-17	63.5	18.80	63.2	19.81	62.8	20.78	62.9	21.30	62.9	21.82	62.6	22.79
	-13.7	-15	66.2	19.55	65.9	20.52	65.6	21.45	65.6	21.97	65.6	22.42	65.3	23.39
	-11.8	-13	68.9	20.29	68.9	21.22	68.6	22.12	68.6	22.60	68.3	23.05	68.3	23.98
	-9.8	-11	72.1	21.07	71.8	21.93	71.8	22.83	71.5	23.28	71.5	23.69	71.2	24.58
	-9.5	-10	73.9	21.45	73.6	22.31	73.3	23.16	73.3	23.61	73.3	24.02	73.0	24.88
	-8.5	-9.1	75.4	21.78	75.1	22.60	75.1	23.46	74.8	23.87	74.8	24.32	74.5	25.14
	-7	-7.6	78.1	22.34	78.1	23.16	77.8	23.95	77.8	24.36	77.5	24.77	77.5	25.55
	-5	-5.6	82.2	23.05	81.9	23.84	81.6	24.62	81.6	24.99	81.6	25.40	81.3	26.11
	-3	-3.7	86.1	23.76	86.1	24.51	85.8	25.22	85.8	25.55	85.5	25.96	85.5	26.67
	0	-0.7	92.9	24.77	92.9	25.44	92.6	26.11	92.6	26.45	92.3	26.78	92.3	27.45
110%	3	2.2	100.3	25.70	100.0	26.30	100.0	26.93	99.7	27.27	99.7	27.57	97.7	27.42
	5	4.1	105.4	26.26	105.1	26.86	105.1	27.45	104.8	27.75	104.8	28.05	97.7	25.74
	7	6	110.7	26.78	110.7	27.34	110.4	27.90	108.6	27.53	105.1	26.41	97.7	24.21
	9	7.9	116.4	27.30	116.1	27.86	112.2	26.93	108.6	25.85	105.1	24.81	97.7	22.79
	11	9.8	122.3	27.79	119.3	27.30	112.2	25.33	108.6	24.36	105.1	23.35	97.7	21.49
	13	11.8	126.7	27.53	119.3	25.63	112.2	23.76	108.6	22.87	105.1	21.97	97.7	20.22
	15	13.7	126.7	25.92	119.3	24.13	112.2	22.42	108.6	21.52	105.1	20.70	97.7	19.06
	-19.8	-20	59.9	19.32	59.7	20.25	59.4	21.22	59.4	21.71	59.4	22.19	59.1	23.16
	-18.8	-19	60.8	19.62	60.6	20.55	60.6	21.52	60.6	21.97	60.3	22.46	60.3	23.42
	-16.7	-17	63.2	20.25	62.9	21.19	63.8	22.12	62.6	22.57	62.6	23.01	62.3	23.91
	-13.7	-15	65.9	20.96	65.6	21.82	65.3	22.72	65.3	23.16	65.3	23.61	65.0	24.47
	-11.8	-13	68.6	21.67	68.6	22.49	68.3	23.31	68.3	23.76	68.0	24.17	68.0	25.03
	-9.8	-11	71.8	22.34	71.5	23.16	71.5	23.95	71.2	24.36	71.2	24.77	71.2	25.55
	-9.5	-10	73.6	22.72	73.3	23.46	73.0	24.28	73.0	24.66	73.0	25.07	72.7	25.85
	-8.5	-9.1	75.1	23.01	74.8	23.76	74.8	24.54	74.5	24.95	74.5	25.33	74.5	23.09
	-7	-7.6	77.8	23.54	77.8	24.25	77.5	24.99	77.5	25.36	77.5	25.74	77.2	26.48

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V835W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	59.7	20.85	59.4	21.71	59.4	22.60	59.1	23.05	59.1	23.46	58.8	24.36
	-18.8	-19	60.6	21.11	60.6	21.97	60.3	22.87	60.3	23.31	60.0	23.76	60.0	24.62
	-16.7	-17	62.9	21.71	62.6	22.57	62.6	23.39	62.3	23.80	62.3	24.21	62.3	25.07
	-13.7	-15	65.6	22.34	65.3	23.16	65.0	23.95	65.0	24.36	65.0	24.77	64.7	25.55
	-11.8	-13	68.3	23.01	68.3	23.76	68.0	24.51	68.0	24.92	68.0	25.29	67.7	26.07
	-9.8	-11	71.5	23.61	71.2	24.36	71.2	25.10	71.2	25.48	70.9	25.81	70.9	26.56
	-9.5	-10	73.3	23.95	73.0	24.66	73.0	25.36	72.7	25.74	72.7	26.11	72.4	26.82
	-8.5	-9.1	74.8	24.21	74.5	24.95	74.5	25.63	74.5	25.96	74.2	26.33	74.2	27.01
	-7	-7.6	77.5	24.69	77.5	25.36	77.2	26.04	77.2	26.41	77.2	26.71	76.9	27.42
	-5	-5.6	81.6	25.33	81.3	25.96	81.3	26.60	81.0	26.89	81.0	27.23	80.7	27.90
	-3	-3.7	85.5	25.89	85.5	23.50	85.2	27.12	85.2	27.42	85.2	27.71	81.6	26.56
	0	-0.7	92.3	26.71	92.3	27.30	92.0	27.86	90.5	27.42	87.6	26.26	81.6	24.10
	3	2.2	99.7	27.49	99.4	28.01	93.5	25.92	90.5	24.92	87.6	23.91	81.6	21.97
	5	4.1	104.8	28.01	99.4	26.30	93.5	24.36	90.5	23.46	87.6	22.53	81.6	20.70
90%	7	6	105.4	26.56	99.4	24.73	93.50	22.94	90.5	22.08	87.6	21.22	81.6	19.51
	9	7.9	105.4	24.95	99.4	23.28	93.5	21.60	90.5	20.52	87.6	19.99	81.6	18.43
	11	9.8	105.4	23.50	99.4	21.93	93.5	20.37	90.5	19.62	87.6	18.87	81.6	17.38
	13	11.8	105.4	22.08	99.4	20.63	93.5	19.17	90.5	18.46	87.6	17.79	81.6	16.41
	15	13.7	105.4	20.81	99.4	19.47	93.5	18.13	90.5	17.46	87.6	16.79	81.6	15.55
	-19.8	-20	59.3	22.42	59.0	23.16	59.0	23.98	58.7	24.36	58.7	24.77	58.7	25.55
	-18.8	-19	60.2	22.64	60.2	23.46	59.8	24.21	59.8	24.62	59.8	24.99	59.6	25.77
	-16.7	-17	62.5	23.20	62.2	23.95	62.2	24.69	62.2	25.07	61.9	25.44	61.9	26.19
	-13.7	-15	65.2	23.76	64.9	24.51	64.9	25.22	64.6	25.55	64.6	25.92	64.6	26.63
	-11.8	-13	67.8	24.36	67.8	25.03	67.6	25.70	67.6	26.07	67.6	26.41	67.3	27.08
	-9.8	-11	71.1	24.92	71.1	25.55	70.8	26.22	70.8	26.56	70.8	26.89	70.5	27.57
	-9.5	-10	72.9	25.22	72.6	25.85	72.6	26.48	72.3	26.82	72.3	27.15	72.3	27.75
	-8.5	-9.1	74.4	25.48	74.4	26.11	74.1	26.71	74.1	27.01	74.1	27.34	73.2	27.60
	-7	-7.6	77.1	25.89	77.1	26.48	76.7	27.12	76.7	27.42	76.7	27.71	73.2	26.37
80%	-5	-5.6	81.2	26.45	80.9	27.01	80.9	27.60	80.6	27.90	78.5	27.01	73.2	24.77
	-3	-3.7	85.1	26.97	85.1	27.49	84.2	27.60	81.2	26.52	78.5	25.44	73.2	23.35
	0	-0.7	92.1	27.75	89.5	27.04	84.2	25.07	81.2	24.06	78.5	23.13	73.2	21.22
	3	2.2	94.8	26.41	89.5	24.62	84.2	22.83	81.2	21.97	78.5	21.07	73.2	19.43
	5	4.1	94.8	24.84	89.5	23.16	84.2	21.52	81.2	20.66	78.5	19.92	73.2	18.31
	7	6	94.8	23.35	89.5	21.82	84.2	20.25	81.2	19.51	78.5	18.76	73.2	17.31
	9	7.9	94.8	22.01	89.5	20.52	84.2	19.10	81.2	18.43	78.5	17.72	73.2	16.38
	11	9.8	94.8	20.74	89.5	19.36	84.2	18.05	81.2	17.38	78.5	16.75	73.2	15.48
	13	11.8	94.8	19.51	89.5	18.28	84.2	17.01	81.2	16.41	78.5	15.82	73.2	14.62
	15	13.7	94.8	18.43	89.5	17.23	84.2	16.11	81.2	15.55	78.5	14.99	73.2	13.88
	-19.8	-20	59.1	23.95	58.8	24.66	58.8	25.36	58.8	25.70	58.5	26.07	58.5	26.74
	-18.8	-19	59.9	24.17	59.9	24.88	59.7	25.55	59.7	25.92	59.7	26.26	59.4	26.97
	-16.7	-17	62.3	24.66	62.1	25.33	62.1	26.00	62.1	26.33	62.1	26.67	61.7	27.30
	-13.7	-15	65.0	25.18	64.7	25.81	64.7	26.45	64.7	26.74	64.4	27.08	64.4	27.75
	-11.8	-13	67.7	25.66	67.7	26.30	67.4	26.89	67.4	27.19	67.4	27.53	65.3	26.78
	-9.8	-11	71.0	26.19	71.0	26.78	70.6	27.38	70.6	27.64	70.1	27.60	65.3	25.29
	-9.5	-10	72.7	26.45	72.4	27.01	72.4	27.60	72.4	27.90	70.1	26.78	65.3	24.54
	-8.5	-9.1	74.2	26.71	69.0	27.27	73.9	27.79	72.4	27.15	70.1	26.07	65.3	23.91
	-7	-7.6	76.9	27.08	76.9	27.60	74.8	27.01	72.4	25.96	70.1	24.92	65.3	22.87
	-5	-5.6	81.0	27.57	79.5	27.42	74.8	25.36	72.4	24.39	70.1	23.42	65.3	21.52
	-3	-3.7	84.3	27.71	79.5	25.81	74.8	23.91	72.4	23.01	70.1	22.08	65.3	20.33
	0	-0.7	84.3	25.14	79.5	23.42	74.8	21.75	72.4	20.93	70.1	20.11	65.3	18.54
	3	2.2	84.3	22.90	79.5	21.37	74.8	19.88	72.4	19.14	70.1	18.43	65.3	16.97
	5	4.1	84.3	21.56	79.5	20.14	74.8	18.73	72.4	18.05	70.1	17.38	65.3	16.04
	7	6	84.3	20.33	79.5	19.02	74.8	17.68	72.4	17.08	70.1	16.45	65.3	15.18
	9	7.9	84.3	19.17	79.5	17.94	74.8	16.71	72.4	16.11	70.1	15.55	65.3	14.40
	11	9.8	84.3	18.13	79.5	16.93	74.8	15.82	72.4	15.26	70.1	14.73	65.3	13.65
	13	11.8	84.3	17.08	79.5	16.00	74.8	14.96	72.4	14.44	70.1	13.91	65.3	12.91
	15	13.7	84.3	16.15	79.5	15.18	74.8	14.17	72.4	13.69	70.1	13.20	65.3	12.27

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V835W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	58.6	25.51	58.4	26.11	58.4	26.71	58.4	27.01	58.4	27.34	56.9	27.04
	-18.8	-19	59.5	25.70	59.5	26.30	59.2	26.89	59.2	27.19	59.2	27.53	56.9	26.48
	-16.7	-17	61.9	26.11	61.9	26.71	61.6	27.30	61.6	27.60	61.0	24.58	56.9	25.25
	-13.7	-15	64.5	26.56	64.3	27.15	64.3	27.71	63.1	27.30	61.0	26.19	56.9	24.02
	-11.8	-13	67.2	27.01	67.2	27.57	65.5	26.89	63.1	25.85	61.0	24.81	56.9	22.75
	-9.8	-11	70.5	27.45	69.6	27.45	65.5	25.40	63.1	24.43	61.0	23.46	56.9	21.52
	-9.5	-10	72.3	27.71	69.6	26.63	65.5	24.66	63.1	23.72	61.0	22.79	56.9	20.93
	-8.5	-9.1	73.7	27.86	69.6	25.92	65.5	24.02	63.1	23.09	61.0	22.19	56.9	20.40
	-7	-7.6	73.7	26.60	69.6	24.77	65.5	22.98	63.1	22.12	61.0	21.22	56.9	19.55
	-5	-5.6	73.7	24.99	69.6	23.31	65.5	21.63	63.1	20.78	61.0	24.58	56.9	18.43
	-3	-3.7	73.7	23.54	69.6	21.97	65.5	20.40	63.1	19.62	61.0	18.87	56.9	17.42
	0	-0.7	73.7	21.41	69.6	20.03	65.5	18.61	63.1	17.94	61.0	17.27	56.9	15.96
	3	2.2	73.7	19.58	69.6	18.31	65.5	17.08	63.1	16.45	61.0	15.85	56.9	14.66
	5	4.1	73.7	18.46	69.6	17.27	65.5	16.15	63.1	15.55	61.0	14.99	56.9	13.88
	7	6	73.7	17.46	69.6	16.34	65.5	15.26	63.1	14.73	61.0	14.21	56.9	13.17
	9	7.9	73.7	16.49	69.6	15.48	65.5	14.44	63.1	13.95	61.0	13.47	56.9	12.50
	11	9.8	73.7	15.59	69.6	14.62	65.5	13.69	63.1	13.24	61.0	12.79	56.9	11.86
	13	11.8	73.7	14.73	69.6	13.84	65.5	12.94	63.1	12.53	61.0	12.09	56.9	11.26
	15	13.7	73.7	13.99	69.6	13.13	65.5	12.31	63.1	11.90	61.0	11.49	56.9	10.74
60%	-19.8	-20	58.5	27.04	58.2	27.57	56.1	26.52	54.3	25.48	52.5	24.47	49.0	22.42
	-18.8	-19	59.4	27.23	59.4	27.75	56.1	25.96	54.3	24.92	52.5	23.91	49.0	21.97
	-16.7	-17	61.7	27.60	59.7	26.71	56.1	24.77	54.3	23.80	52.5	22.87	49.0	21.00
	-13.7	-15	63.2	27.30	59.7	25.36	56.1	23.54	54.3	22.64	52.5	21.75	49.0	19.99
	-11.8	-13	63.2	25.81	59.7	24.02	56.1	22.31	54.3	21.49	52.5	20.63	49.0	19.10
	-9.8	-11	63.2	24.39	59.7	22.72	56.1	21.11	54.3	20.33	52.5	19.55	49.0	18.02
	-9.5	-10	63.2	23.72	59.7	22.12	56.1	20.52	54.3	19.77	52.5	19.02	49.0	17.53
	-8.5	-9.1	63.2	23.09	59.7	21.52	56.1	20.03	54.3	19.28	52.5	18.54	49.0	17.08
	-7	-7.6	63.2	22.08	59.7	20.63	56.1	19.17	54.3	18.46	52.5	17.76	49.0	16.41
	-5	-5.6	63.2	20.78	59.7	19.43	56.1	18.09	54.3	17.42	52.5	16.79	49.0	15.52
	-3	-3.7	63.2	19.62	59.7	18.35	56.1	17.08	54.3	16.49	52.5	15.89	49.0	14.70
	0	-0.7	63.2	17.94	59.7	16.79	56.1	15.67	54.3	15.14	52.5	14.58	49.0	13.50
	3	2.2	63.2	16.45	59.7	15.44	56.1	14.44	54.3	13.91	52.5	13.43	49.0	12.46
	5	4.1	63.2	15.55	59.7	14.58	56.1	13.65	54.3	13.20	52.5	12.72	49.0	11.82
	7	6	63.2	14.73	59.7	13.84	56.1	12.94	54.3	12.50	52.5	12.09	49.0	11.23
	9	7.9	63.2	13.95	59.7	13.09	56.1	12.27	54.3	11.90	52.5	11.45	49.0	10.71
	11	9.8	63.2	13.24	59.7	12.46	56.1	11.68	54.3	11.30	52.5	10.89	49.0	10.18
	13	11.8	63.2	12.50	59.7	11.79	56.1	11.08	54.3	10.74	52.5	10.37	49.0	9.70
	15	13.7	63.2	11.90	59.7	11.19	56.1	10.56	54.3	10.22	52.5	9.88	49.0	9.25
50%	-19.8	-20	52.7	24.62	49.7	22.90	46.8	21.26	45.0	20.48	43.5	19.69	40.6	18.13
	-18.8	-19	52.7	24.06	49.7	22.42	46.8	20.85	45.0	20.07	43.5	19.28	40.6	17.79
	-16.7	-17	52.7	22.98	49.7	21.41	46.8	19.92	45.0	19.17	43.5	18.46	40.6	17.05
	-13.7	-15	52.7	21.86	49.7	20.40	46.8	18.99	45.0	18.28	43.5	17.61	40.6	16.26
	-11.8	-13	52.7	20.78	49.7	19.40	46.8	18.05	45.0	17.38	43.5	16.75	40.6	15.48
	-9.8	-11	52.7	19.66	49.7	18.39	46.8	17.12	45.0	16.49	43.5	15.89	40.6	14.73
	-9.5	-10	52.7	19.14	49.7	17.87	46.8	16.67	45.0	16.08	43.5	15.48	40.6	14.32
	-8.5	-9.1	52.7	18.65	49.7	17.46	46.8	16.26	45.0	15.70	43.5	15.14	40.6	13.99
	-7	-7.6	52.7	17.87	49.7	16.75	46.8	15.59	45.0	15.07	43.5	14.55	40.6	13.47
	-5	-5.6	52.7	16.86	49.7	15.82	46.8	14.77	45.0	14.29	43.5	13.76	40.6	12.76
	-3	-3.7	52.7	15.96	49.7	14.99	46.8	13.99	45.0	13.54	43.5	13.06	40.6	12.12
	0	-0.7	52.7	14.66	49.7	13.76	46.8	12.91	45.0	12.46	43.5	12.05	40.6	11.19
	3	2.2	52.7	13.50	49.7	12.68	46.8	11.90	45.0	11.49	43.5	11.12	40.6	10.37
	5	4.1	52.7	12.79	49.7	12.05	46.8	11.30	45.0	10.93	43.5	10.59	40.6	9.85
	7	6	52.7	12.16	49.7	11.45	46.8	10.74	45.0	10.41	43.5	10.07	40.6	9.40
	9	7.9	52.7	11.53	49.7	10.89	46.8	10.22	45.0	9.92	43.5	9.59	40.6	8.95
	11	9.8	52.7	10.97	49.7	10.33	46.8	9.74	45.0	9.44	43.5	9.14	40.6	8.54
	13	11.8	52.7	10.44	49.7	9.85	46.8	9.25	45.0	8.99	43.5	8.69	40.6	8.17
	15	13.7	52.7	9.92	49.7	9.40	46.8	8.84	45.0	8.58	43.5	8.32	40.6	7.80

32HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V900W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	64.7	17.73	64.4	19.00	64.1	20.27	64.1	20.88	63.8	21.49	63.8	22.76
	-18.8	-19	65.7	18.14	65.4	19.37	65.4	20.64	65.1	21.25	65.1	21.82	64.7	23.09
	-16.7	-17	68.3	19.00	67.9	20.19	67.6	21.37	67.6	21.94	67.6	22.56	67.3	23.74
	-13.7	-15	71.1	19.86	70.8	21.00	70.5	22.15	70.5	22.72	70.1	23.29	70.1	24.44
	-11.8	-13	74.0	20.76	74.0	21.86	73.7	22.92	73.3	23.50	73.3	24.07	73.0	25.13
	-9.8	-11	77.5	21.66	77.1	22.72	76.8	23.74	76.8	24.27	76.8	24.80	76.5	25.87
	-9.5	-10	79.4	22.15	79.0	23.13	78.7	24.15	78.7	24.68	78.4	25.17	78.4	26.19
	-8.5	-9.1	81.0	22.51	80.6	23.50	80.6	24.52	80.3	25.01	80.3	25.50	80.0	26.52
	-7	-7.6	83.8	23.17	83.8	24.15	83.5	25.09	83.5	25.58	83.2	26.03	82.9	27.01
	-5	-5.6	88.3	24.07	87.9	24.97	87.6	25.87	87.6	26.36	87.3	26.76	87.3	27.66
	-3	-3.7	92.4	24.84	92.1	25.70	92.1	26.56	91.7	27.01	91.7	27.46	91.4	28.28
	0	-0.7	99.7	26.03	99.7	26.85	99.4	27.62	99.4	27.95	99.0	28.44	99.0	29.26
	3	2.2	107.6	27.13	107.3	27.87	107.0	28.60	107.0	28.97	107.0	29.38	106.7	30.07
	5	4.1	113.0	27.79	112.7	28.52	112.7	29.22	112.4	29.58	112.4	29.91	112.1	30.61
	7	6	118.7	28.48	118.4	29.09	118.4	29.79	118.1	30.12	118.1	30.44	113.3	29.26
120%	9	7.9	124.7	29.05	124.4	29.71	124.4	30.32	124.1	30.65	121.6	29.99	113.3	27.46
	11	9.8	131.1	29.62	130.8	30.24	130.1	30.61	125.7	29.42	121.6	28.19	113.3	25.87
	13	11.8	138.1	30.20	137.8	30.77	130.1	28.68	125.7	27.54	121.6	26.48	113.3	24.27
	15	13.7	144.7	30.73	138.4	29.13	130.1	27.01	125.7	25.99	121.6	24.93	113.3	22.92
	-19.8	-20	64.4	19.45	64.1	20.59	63.8	21.78	63.8	22.31	63.8	22.92	63.5	24.07
	-18.8	-19	65.4	19.82	65.1	20.96	65.1	22.11	64.8	22.64	64.8	23.25	64.4	24.39
	-16.7	-17	67.9	20.59	67.6	21.70	67.2	22.76	67.3	23.33	67.3	23.90	67.0	24.97
	-13.7	-15	70.8	21.41	70.5	22.47	70.1	23.50	70.1	24.07	70.1	24.56	69.9	25.62
	-11.8	-13	73.7	22.23	73.7	23.25	73.3	24.23	73.3	24.76	73.0	25.25	73.0	26.27
	-9.8	-11	77.1	23.09	76.8	24.03	76.8	25.01	76.5	25.50	76.5	25.95	76.2	26.93
	-9.5	-10	79.1	23.50	78.7	24.44	78.4	25.38	78.4	25.87	78.4	26.31	78.1	27.25
	-8.5	-9.1	80.6	23.86	80.3	24.76	80.3	25.70	80.0	26.15	80.0	26.64	79.7	27.54
	-7	-7.6	83.5	24.48	83.5	25.38	83.2	26.23	83.2	26.68	82.9	27.13	82.9	27.99
	-5	-5.6	87.9	25.25	87.6	26.11	87.3	26.97	87.3	27.38	87.3	27.83	87.0	28.60
	-3	-3.7	92.1	26.03	92.1	26.85	91.7	27.62	91.7	27.99	91.4	28.44	91.4	29.22
	0	-0.7	99.4	27.13	99.4	27.87	99.0	28.60	99.0	28.97	98.7	29.34	98.7	30.07
110%	3	2.2	107.3	28.15	107.0	28.81	107.0	29.50	106.7	29.87	106.7	30.20	104.4	30.03
	5	4.1	112.7	28.77	112.4	29.42	112.4	30.07	112.1	30.40	112.1	30.73	104.4	28.19
	7	6	118.4	29.34	118.4	29.95	118.1	30.56	116.2	30.16	112.4	28.93	104.4	26.52
	9	7.9	124.4	29.91	124.1	30.52	120.0	29.50	116.2	28.32	112.4	27.17	104.4	24.97
	11	9.8	130.8	30.44	127.6	29.91	120.0	27.75	116.2	26.68	112.4	25.58	104.4	23.54
	13	11.8	135.6	30.16	127.6	28.07	120.0	26.03	116.2	25.05	112.4	24.07	104.4	22.15
	15	13.7	135.6	28.40	127.6	26.44	120.0	24.56	116.2	23.58	112.4	22.68	104.4	20.88
	-19.8	-20	64.1	21.17	63.8	22.19	63.5	23.25	63.5	23.78	63.5	24.31	63.2	25.38
	-18.8	-19	65.1	21.49	64.8	22.51	64.8	23.58	64.8	24.07	64.4	24.60	64.4	25.66
	-16.7	-17	67.6	22.19	67.3	23.21	68.3	24.23	67.0	24.72	67.0	25.21	66.7	26.19
	-13.7	-15	70.5	22.96	70.2	23.90	69.9	24.88	69.9	25.38	69.9	25.87	69.5	26.81
	-11.8	-13	73.3	23.74	73.3	24.64	73.0	25.54	73.0	26.03	72.7	26.48	72.7	27.42
	-9.8	-11	76.8	24.48	76.5	25.38	76.5	26.23	76.2	26.68	76.2	27.13	76.2	27.99
	-9.5	-10	78.7	24.88	78.4	25.70	78.1	26.60	78.1	27.01	78.1	27.46	77.8	28.32
	-8.5	-9.1	80.3	25.21	80.0	26.03	80.0	26.89	79.7	27.34	79.7	27.75	79.7	28.29
	-7	-7.6	83.2	25.78	83.2	26.56	82.9	27.38	82.9	27.79	82.9	28.19	82.6	29.01

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V900W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	63.8	22.84	63.5	23.78	63.5	24.76	63.2	25.25	63.2	25.70	62.9	26.68
	-18.8	-19	64.8	23.13	64.8	24.07	64.4	25.05	64.4	25.54	64.1	26.03	64.1	26.97
	-16.7	-17	67.3	23.78	67.0	24.72	67.0	25.62	66.7	26.07	66.7	26.52	66.7	27.46
	-13.7	-15	70.1	24.48	69.9	25.38	69.5	26.23	69.5	26.68	69.5	27.13	69.2	27.99
	-11.8	-13	73.0	25.21	73.0	26.03	72.7	26.85	72.7	27.30	72.7	27.70	72.4	28.56
	-9.8	-11	76.5	25.87	76.2	26.68	76.2	27.50	76.2	27.91	75.9	28.28	75.9	29.09
	-9.5	-10	78.4	26.23	78.1	27.01	78.1	27.79	77.8	28.19	77.8	28.60	77.4	29.38
	-8.5	-9.1	80.0	26.52	79.7	27.34	79.7	28.07	79.7	28.44	79.4	28.85	79.4	29.58
	-7	-7.6	82.9	27.05	82.9	27.79	82.6	28.52	82.6	28.93	82.6	29.26	82.2	30.03
	-5	-5.6	87.3	27.75	87.0	28.44	87.0	29.13	86.7	29.46	86.7	29.83	86.3	30.56
	-3	-3.7	91.4	28.36	91.4	25.74	91.1	29.71	91.1	30.03	91.1	30.36	87.3	29.09
	0	-0.7	98.7	29.26	98.7	29.91	98.4	30.52	96.8	30.03	93.7	28.77	87.3	26.40
	3	2.2	106.7	30.12	106.3	30.69	100.0	28.40	96.8	27.30	93.7	26.19	87.3	24.07
	5	4.1	112.1	30.69	106.3	28.81	100.0	26.68	96.8	25.70	93.7	24.68	87.3	22.68
	7	6	112.7	29.09	106.3	27.09	100.00	25.13	96.8	24.19	93.7	23.25	87.3	21.37
90%	9	7.9	112.7	27.34	106.3	25.50	100.0	23.66	96.8	22.47	93.7	21.90	87.3	20.19
	11	9.8	112.7	25.74	106.3	24.03	100.0	22.31	96.8	21.49	93.7	20.68	87.3	19.04
	13	11.8	112.7	24.19	106.3	22.60	100.0	21.00	96.8	20.23	93.7	19.49	87.3	17.98
	15	13.7	112.7	22.80	106.3	21.33	100.0	19.86	96.8	19.12	93.7	18.39	87.3	17.04
	-19.8	-20	63.4	24.56	63.1	25.38	63.1	26.27	62.7	26.68	62.7	27.13	62.7	27.99
	-18.8	-19	64.3	24.80	64.3	25.70	64.0	26.52	64.0	26.97	64.0	27.38	63.7	28.24
	-16.7	-17	66.9	25.42	66.6	26.23	66.6	27.05	66.6	27.46	66.2	27.87	66.2	28.68
	-13.7	-15	69.7	26.03	69.4	26.85	69.4	27.62	69.1	27.99	69.1	28.40	69.1	29.18
	-11.8	-13	72.6	26.68	72.6	27.42	72.3	28.15	72.3	28.56	72.3	28.93	71.9	29.67
	-9.8	-11	76.1	27.30	76.1	27.99	75.7	28.73	75.7	29.09	75.7	29.46	75.4	30.20
	-9.5	-10	78.0	27.62	77.6	28.32	77.6	29.01	77.3	29.38	77.3	29.75	77.3	30.40
	-8.5	-9.1	79.6	27.91	79.6	28.60	79.2	29.26	79.2	29.58	79.2	29.95	78.3	30.24
	-7	-7.6	82.4	28.36	82.4	29.01	82.1	29.71	82.1	30.03	82.1	30.36	78.3	28.89
	-5	-5.6	86.8	28.97	86.5	29.58	86.5	30.24	86.2	30.56	84.0	29.58	78.3	27.13
	-3	-3.7	91.0	29.54	91.0	30.12	90.0	30.24	86.8	29.05	84.0	27.87	78.3	25.58
	0	-0.7	98.6	30.40	95.7	29.62	90.0	27.46	86.8	26.36	84.0	25.33	78.3	23.25
80%	3	2.2	101.4	28.93	95.7	26.97	90.0	25.01	86.8	24.07	84.0	23.09	78.3	21.29
	5	4.1	101.4	27.21	95.7	25.38	90.0	23.58	86.8	22.64	84.0	21.82	78.3	20.06
	7	6	101.4	25.58	95.7	23.90	90.0	22.19	86.8	21.37	84.0	20.55	78.3	18.96
	9	7.9	101.4	24.11	95.7	22.47	90.0	20.92	86.8	20.19	84.0	19.41	78.3	17.94
	11	9.8	101.4	22.72	95.7	21.21	90.0	19.78	86.8	19.04	84.0	18.35	78.3	16.96
	13	11.8	101.4	21.37	95.7	20.02	90.0	18.63	86.8	17.98	84.0	17.33	78.3	16.02
	15	13.7	101.4	20.19	95.7	18.88	90.0	17.65	86.8	17.04	84.0	16.43	78.3	15.20
	-19.8	-20	63.2	26.23	62.9	27.01	62.9	27.79	62.9	28.15	62.5	28.56	62.5	29.30
	-18.8	-19	64.1	26.48	64.1	27.25	63.8	27.99	63.8	28.40	63.8	28.77	63.5	29.54
	-16.7	-17	66.7	27.01	66.4	27.75	66.4	28.48	66.4	28.85	66.4	29.22	66.0	29.91
	-13.7	-15	69.5	27.58	69.2	28.28	69.2	28.97	69.2	29.30	68.9	29.67	68.9	30.40
	-11.8	-13	72.4	28.11	72.4	28.81	72.1	29.46	72.1	29.79	72.1	30.16	69.9	29.34
	-9.8	-11	75.9	28.68	75.9	29.34	75.6	29.99	75.6	30.28	74.9	30.24	69.9	27.70
	-9.5	-10	77.8	28.97	77.4	29.58	77.5	30.24	77.5	30.56	74.9	29.34	69.9	26.89
	-8.5	-9.1	79.4	29.26	73.8	29.87	79.0	30.44	77.5	29.75	74.9	28.56	69.9	26.19
	-7	-7.6	82.2	29.67	82.2	30.24	80.0	29.58	77.5	28.44	74.9	27.30	69.9	25.05
	-5	-5.6	86.7	30.20	85.1	30.03	80.0	27.79	77.5	26.72	74.9	25.66	69.9	23.58
	-3	-3.7	90.1	30.36	85.1	28.28	80.0	26.19	77.5	25.21	74.9	24.19	69.9	22.27
	0	-0.7	90.1	27.54	85.1	25.66	80.0	23.82	77.5	22.92	74.9	22.02	69.9	20.31
	3	2.2	90.1	25.09	85.1	23.41	80.0	21.78	77.5	20.96	74.9	20.19	69.9	18.59
	5	4.1	90.1	23.62	85.1	22.07	80.0	20.51	77.5	19.78	74.9	19.04	69.9	17.57
	7	6	90.1	22.27	85.1	20.84	80.0	19.37	77.5	18.71	74.9	18.02	69.9	16.63
	9	7.9	90.1	21.00	85.1	19.65	80.0	18.31	77.5	17.65	74.9	17.04	69.9	15.77
	11	9.8	90.1	19.86	85.1	18.55	80.0	17.33	77.5	16.71	74.9	16.14	69.9	14.96
	13	11.8	90.1	18.71	85.1	17.53	80.0	16.39	77.5	15.81	74.9	15.24	69.9	14.14
	15	13.7	90.1	17.69	85.1	16.63	80.0	15.53	77.5	15.00	74.9	14.47	69.9	13.44

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V900W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	62.7	27.95	62.4	28.60	62.4	29.26	62.4	29.58	62.4	29.95	60.8	29.62
	-18.8	-19	63.7	28.15	63.7	28.81	63.3	29.46	63.3	29.79	63.3	30.16	60.8	29.01
	-16.7	-17	66.2	28.60	66.2	29.26	65.9	29.91	65.9	30.24	65.3	26.93	60.8	27.66
	-13.7	-15	69.0	29.09	68.7	29.75	68.7	30.36	67.5	29.91	65.3	28.68	60.8	26.31
	-11.8	-13	71.9	29.58	71.9	30.20	70.0	29.46	67.5	28.32	65.3	27.17	60.8	24.93
	-9.8	-11	75.4	30.07	74.4	30.07	70.0	27.83	67.5	26.76	65.3	25.70	60.8	23.58
	-9.5	-10	77.3	30.36	74.4	29.18	70.0	27.01	67.5	25.99	65.3	24.97	60.8	22.92
	-8.5	-9.1	78.9	30.52	74.4	28.40	70.0	26.31	67.5	25.29	65.3	24.31	60.8	22.35
	-7	-7.6	78.9	29.13	74.4	27.13	70.0	25.17	67.5	24.23	65.3	23.25	60.8	21.41
	-5	-5.6	78.9	27.38	74.4	25.54	70.0	23.70	67.5	22.76	65.3	22.93	60.8	20.19
	-3	-3.7	78.9	25.78	74.4	24.07	70.0	22.35	67.5	21.49	65.3	20.68	60.8	19.08
	0	-0.7	78.9	23.45	74.4	21.94	70.0	20.39	67.5	19.65	65.3	18.92	60.8	17.49
	3	2.2	78.9	21.45	74.4	20.06	70.0	18.71	67.5	18.02	65.3	17.37	60.8	16.06
	5	4.1	78.9	20.23	74.4	18.92	70.0	17.69	67.5	17.04	65.3	16.43	60.8	15.20
60%	7	6	78.9	19.12	74.4	17.90	70.0	16.71	67.5	16.14	65.3	15.57	60.8	14.42
	9	7.9	78.9	18.06	74.4	16.96	70.0	15.81	67.5	15.28	65.3	14.75	60.8	13.69
	11	9.8	78.9	17.08	74.4	16.02	70.0	15.00	67.5	14.51	65.3	14.02	60.8	12.99
	13	11.8	78.9	16.14	74.4	15.16	70.0	14.18	67.5	13.73	65.3	13.24	60.8	12.34
	15	13.7	78.9	15.32	74.4	14.38	70.0	13.48	67.5	13.03	65.3	12.59	60.8	11.77
	-19.8	-20	62.6	29.62	62.2	30.20	60.0	29.05	58.1	27.91	56.2	26.81	52.4	24.56
	-18.8	-19	63.5	29.83	63.5	30.40	60.0	28.44	58.1	27.30	56.2	26.19	52.4	24.07
	-16.7	-17	66.0	30.24	63.8	29.26	60.0	27.13	58.1	26.07	56.2	25.05	52.4	23.01
	-13.7	-15	67.6	29.91	63.8	27.79	60.0	25.78	58.1	24.80	56.2	23.82	52.4	21.90
	-11.8	-13	67.6	28.28	63.8	26.31	60.0	24.44	58.1	23.54	56.2	22.60	52.4	20.92
	-9.8	-11	67.6	26.72	63.8	24.88	60.0	23.13	58.1	22.27	56.2	21.41	52.4	19.74
	-9.5	-10	67.6	25.99	63.8	24.23	60.0	22.47	58.1	21.66	56.2	20.84	52.4	19.21
	-8.5	-9.1	67.6	25.29	63.8	23.58	60.0	21.94	58.1	21.13	56.2	20.31	52.4	18.71
	-7	-7.6	67.6	24.19	63.8	22.60	60.0	21.00	58.1	20.23	56.2	19.45	52.4	17.98
50%	-5	-5.6	67.6	22.76	63.8	21.29	60.0	19.82	58.1	19.08	56.2	18.39	52.4	17.00
	-3	-3.7	67.6	21.49	63.8	20.10	60.0	18.71	58.1	18.06	56.2	17.41	52.4	16.10
	0	-0.7	67.6	19.65	63.8	18.39	60.0	17.16	58.1	16.59	56.2	15.98	52.4	14.79
	3	2.2	67.6	18.02	63.8	16.92	60.0	15.81	58.1	15.24	56.2	14.71	52.4	13.65
	5	4.1	67.6	17.04	63.8	15.98	60.0	14.96	58.1	14.47	56.2	13.93	52.4	12.95
	7	6	67.6	16.14	63.8	15.16	60.0	14.18	58.1	13.69	56.2	13.24	52.4	12.30
	9	7.9	67.6	15.28	63.8	14.34	60.0	13.44	58.1	13.03	56.2	12.54	52.4	11.73
	11	9.8	67.6	14.51	63.8	13.65	60.0	12.79	58.1	12.38	56.2	11.93	52.4	11.16
	13	11.8	67.6	13.69	63.8	12.91	60.0	12.14	58.1	11.77	56.2	11.36	52.4	10.62
	15	13.7	67.6	13.03	63.8	12.26	60.0	11.56	58.1	11.20	56.2	10.83	52.4	10.13
	-19.8	-20	56.3	26.97	53.1	25.09	50.0	23.29	48.1	22.43	46.5	21.58	43.4	19.86
	-18.8	-19	56.3	26.36	53.1	24.56	50.0	22.84	48.1	21.98	46.5	21.13	43.4	19.49
	-16.7	-17	56.3	25.17	53.1	23.45	50.0	21.82	48.1	21.00	46.5	20.23	43.4	18.67
	-13.7	-15	56.3	23.95	53.1	22.35	50.0	20.80	48.1	20.02	46.5	19.29	43.4	17.82
50%	-11.8	-13	56.3	22.76	53.1	21.25	50.0	19.78	48.1	19.04	46.5	18.35	43.4	16.96
	-9.8	-11	56.3	21.53	53.1	20.14	50.0	18.76	48.1	18.06	46.5	17.41	43.4	16.14
	-9.5	-10	56.3	20.96	53.1	19.57	50.0	18.27	48.1	17.61	46.5	16.96	43.4	15.69
	-8.5	-9.1	56.3	20.43	53.1	19.12	50.0	17.82	48.1	17.20	46.5	16.59	43.4	15.32
	-7	-7.6	56.3	19.57	53.1	18.35	50.0	17.08	48.1	16.51	46.5	15.94	43.4	14.75
	-5	-5.6	56.3	18.47	53.1	17.33	50.0	16.18	48.1	15.65	46.5	15.08	43.4	13.97
	-3	-3.7	56.3	17.49	53.1	16.43	50.0	15.32	48.1	14.83	46.5	14.30	43.4	13.28
	0	-0.7	56.3	16.06	53.1	15.08	50.0	14.14	48.1	13.65	46.5	13.20	43.4	12.26
	3	2.2	56.3	14.79	53.1	13.89	50.0	13.03	48.1	12.59	46.5	12.18	43.4	11.36
	5	4.1	56.3	14.02	53.1	13.20	50.0	12.38	48.1	11.97	46.5	11.60	43.4	10.79
	7	6	56.3	13.32	53.1	12.54	50.0	11.77	48.1	11.40	46.5	11.03	43.4	10.30
	9	7.9	56.3	12.63	53.1	11.93	50.0	11.20	48.1	10.87	46.5	10.50	43.4	9.81
	11	9.8	56.3	12.01	53.1	11.32	50.0	10.66	48.1	10.34	46.5	10.01	43.4	9.36
	13	11.8	56.3	11.44	53.1	10.79	50.0	10.13	48.1	9.85	46.5	9.52	43.4	8.95
	15	13.7	56.3	10.87	53.1	10.30	50.0	9.68	48.1	9.40	46.5	9.11	43.4	8.54

34HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V950W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	68.6	18.84	68.3	20.19	68.0	21.53	68.0	22.18	67.6	22.84	67.6	24.18
	-18.8	-19	69.6	19.28	69.3	20.58	69.3	21.92	69.0	22.58	69.0	23.18	68.6	24.53
	-16.7	-17	72.4	20.19	72.0	21.45	71.7	22.71	71.7	23.31	71.7	23.96	71.3	25.22
	-13.7	-15	75.4	21.10	75.1	22.32	74.7	23.53	74.7	24.14	74.4	24.75	74.4	25.96
	-11.8	-13	78.4	22.05	78.4	23.23	78.1	24.36	77.7	24.96	77.7	25.57	77.4	26.70
	-9.8	-11	82.1	23.01	81.8	24.14	81.4	25.22	81.4	25.79	81.4	26.35	81.1	27.48
	-9.5	-10	84.1	23.53	83.8	24.57	83.5	25.66	83.5	26.22	83.1	26.74	83.1	27.83
	-8.5	-9.1	85.8	23.92	85.5	24.96	85.5	26.05	85.2	26.57	85.2	27.09	84.8	28.18
	-7	-7.6	88.8	24.62	88.8	25.66	88.5	26.66	88.5	27.18	88.2	27.66	87.8	28.70
	-5	-5.6	93.6	25.57	93.2	26.53	92.9	27.48	92.9	28.00	92.5	28.44	92.5	29.39
	-3	-3.7	97.9	26.40	97.6	27.31	97.6	28.22	97.2	28.70	97.2	29.17	96.9	30.04
	0	-0.7	105.6	27.66	105.6	28.52	105.3	29.35	105.3	29.70	105.0	30.22	105.0	31.08
	3	2.2	114.0	28.83	113.7	29.61	113.4	30.39	113.4	30.78	113.4	31.22	113.1	31.95
	5	4.1	119.8	29.52	119.5	30.30	119.5	31.04	119.1	31.43	119.1	31.78	118.8	32.52
	7	6	125.9	30.26	125.5	30.91	125.5	31.65	125.2	32.00	125.2	32.34	120.1	31.08
120%	9	7.9	132.2	30.87	131.9	31.56	131.9	32.21	131.6	32.56	128.9	31.87	120.1	29.17
	11	9.8	139.0	31.48	138.6	32.13	138.0	32.52	133.2	31.26	128.9	29.96	120.1	27.48
	13	11.8	146.4	32.08	146.0	32.69	138.0	30.48	133.2	29.26	128.9	28.13	120.1	25.79
	15	13.7	153.4	32.65	146.7	30.95	138.0	28.70	133.2	27.61	128.9	26.48	120.1	24.36
	-19.8	-20	68.3	20.67	68.0	21.88	67.6	23.14	67.6	23.70	67.6	24.36	67.3	25.57
	-18.8	-19	69.3	21.06	69.0	22.27	69.0	23.49	68.7	24.05	68.7	24.70	68.3	25.92
	-16.7	-17	72.0	21.88	71.7	23.05	71.2	24.18	71.3	24.79	71.3	25.40	71.0	26.53
	-13.7	-15	75.1	22.75	74.7	23.88	74.4	24.96	74.4	25.57	74.4	26.09	74.0	27.22
	-11.8	-13	78.1	23.62	78.1	24.70	77.7	25.74	77.7	26.31	77.4	26.83	77.4	27.92
	-9.8	-11	81.8	24.53	81.4	25.53	81.4	26.57	81.1	27.09	81.1	27.57	80.8	28.61
	-9.5	-10	83.8	24.96	83.5	25.96	83.1	26.96	83.1	27.48	83.1	27.96	82.8	28.96
	-8.5	-9.1	85.5	25.35	85.2	26.31	85.2	27.31	84.8	27.79	84.8	28.31	84.4	29.26
	-7	-7.6	88.5	26.01	88.5	26.96	88.2	27.87	88.2	28.35	87.8	28.83	87.8	29.74
	-5	-5.6	93.2	26.83	92.9	27.74	92.5	28.65	92.5	29.09	92.5	29.57	92.2	30.39
	-3	-3.7	97.6	27.66	97.6	28.52	97.2	29.35	97.2	29.74	96.9	30.22	96.9	31.04
	0	-0.7	105.3	28.83	105.3	29.61	105.0	30.39	105.0	30.78	104.7	31.17	104.7	31.95
110%	3	2.2	113.7	29.91	113.4	30.61	113.4	31.35	113.1	31.74	113.1	32.08	110.7	31.91
	5	4.1	119.5	30.56	119.1	31.26	119.1	31.95	118.8	32.30	118.8	32.65	110.7	29.96
	7	6	125.5	31.17	125.5	31.82	125.2	32.47	123.2	32.04	119.1	30.74	110.7	28.18
	9	7.9	131.9	31.78	131.6	32.43	127.2	31.35	123.2	30.09	119.1	28.87	110.7	26.53
	11	9.8	138.6	32.34	135.3	31.78	127.2	29.48	123.2	28.35	119.1	27.18	110.7	25.01
	13	11.8	143.7	32.04	135.3	29.83	127.2	27.66	123.2	26.61	119.1	25.57	110.7	23.53
	15	13.7	143.7	30.17	135.3	28.09	127.2	26.09	123.2	25.05	119.1	24.10	110.7	22.18
	-19.8	-20	68.0	22.49	67.6	23.57	67.3	24.70	67.3	25.27	67.3	25.83	67.0	26.96
	-18.8	-19	69.0	22.84	68.7	23.92	68.7	25.05	68.7	25.57	68.3	26.14	68.3	27.26
	-16.7	-17	71.7	23.57	71.3	24.66	72.4	25.74	71.0	26.27	71.0	26.79	70.7	27.83
	-13.7	-15	74.7	24.40	74.4	25.40	74.0	26.44	74.0	26.96	74.0	27.48	73.7	28.48
	-11.8	-13	77.7	25.22	77.7	26.18	77.4	27.13	77.4	27.66	77.1	28.13	77.1	29.13
	-9.8	-11	81.4	26.01	81.1	26.96	81.1	27.87	80.8	28.35	80.8	28.83	80.8	29.74
	-9.5	-10	83.5	26.44	83.1	27.31	82.8	28.26	82.8	28.70	82.8	29.17	82.4	30.09
	-8.5	-9.1	85.2	26.79	84.8	27.66	84.8	28.57	84.4	29.04	84.4	29.48	84.4	26.87
	-7	-7.6	88.2	27.39	88.2	28.22	87.8	29.09	87.8	29.52	87.8	29.96	87.5	30.82
	-5	-5.6	92.9	28.18	92.5	29.00	92.2	29.78	92.2	30.22	92.2	30.61	91.9	31.48
	-3	-3.7	97.2	28.87	97.2	29.65	96.9	30.43	96.9	30.82	96.6	31.22	96.6	32.00
	0	-0.7	105.0	29.96	105.0	30.69	104.7	31.43	104.7	31.78	104.7	32.13	101.6	31.52
	3	2.2	113.4	30.95	113.1	31.61	113.1	32.30	112.7	32.60	109.0	31.26	101.6	28.70
	5	4.1	119.1	31.56	119.1	32.21	116.8	31.91	112.7	30.61	109.0	29.39	101.6	26.96
	7	6	125.2	32.13	124.2	32.34	116.8	29.96	112.7	28.78	109.0	27.66	101.6	25.40
	9	7.9	131.6	32.65	124.2	30.39	116.8	28.18	112.7	27.09	109.0	26.01	101.6	23.92
	11	9.8	131.6	30.74	124.2	28.61	116.8	26.53	112.7	25.53	109.0	24.53	101.6	22.58
	13	11.8	131.6	28.83	124.2	26.83	116.8	24.92	112.7	24.01	109.0	23.05	101.6	21.27
	15	13.7	131.6	25.57	124.2	25.31	116.8	23.53	112.7	22.66	109.0	21.79	101.6	20.10

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V950W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	67.6	24.27	67.3	25.27	67.3	26.31	67.0	26.83	67.0	27.31	66.6	28.35
	-18.8	-19	68.7	24.57	68.7	25.57	68.3	26.61	68.3	27.13	68.0	27.66	68.0	28.65
	-16.7	-17	71.3	25.27	71.0	26.27	71.0	27.22	70.7	27.70	70.7	28.18	70.7	29.17
	-13.7	-15	74.4	26.01	74.0	26.96	73.7	27.87	73.7	28.35	73.7	28.83	73.4	29.74
	-11.8	-13	77.4	26.79	77.4	27.66	77.1	28.52	77.1	29.00	77.1	29.44	76.7	30.35
	-9.8	-11	81.1	27.48	80.8	28.35	80.8	29.22	80.8	29.65	80.4	30.04	80.4	30.91
	-9.5	-10	83.1	27.87	82.8	28.70	82.8	29.52	82.4	29.96	82.4	30.39	82.1	31.22
	-8.5	-9.1	84.8	28.18	84.4	29.04	84.4	29.83	84.4	30.22	84.1	30.65	84.1	31.43
	-7	-7.6	87.8	28.74	87.8	29.52	87.5	30.30	87.5	30.74	87.5	31.08	87.2	31.91
	-5	-5.6	92.5	29.48	92.2	30.22	92.2	30.95	91.9	31.30	91.9	31.69	91.5	32.47
	-3	-3.7	96.9	30.13	96.9	27.35	96.6	31.56	96.6	31.91	96.6	32.26	92.5	30.91
	0	-0.7	104.7	31.08	104.7	31.78	104.3	32.43	102.6	31.91	99.3	30.56	92.5	28.05
	3	2.2	113.1	32.00	112.7	32.60	106.0	30.17	102.6	29.00	99.3	27.83	92.5	25.57
	5	4.1	118.8	32.60	112.7	30.61	106.0	28.35	102.6	27.31	99.3	26.22	92.5	24.10
	7	6	119.5	30.91	112.7	28.78	106.00	26.70	102.6	25.70	99.3	24.70	92.5	22.71
	9	7.9	119.5	29.04	112.7	27.09	106.0	25.14	102.6	23.88	99.3	23.27	92.5	21.45
	11	9.8	119.5	27.35	112.7	25.53	106.0	23.70	102.6	22.84	99.3	21.97	92.5	20.23
	13	11.8	119.5	25.70	112.7	24.01	106.0	22.32	102.6	21.49	99.3	20.71	92.5	19.10
	15	13.7	119.5	24.23	112.7	22.66	106.0	21.10	102.6	20.32	99.3	19.54	92.5	18.10
90%	-19.8	-20	67.2	26.09	66.9	26.96	66.9	27.92	66.5	28.35	66.5	28.83	66.5	29.74
	-18.8	-19	68.2	26.35	68.2	27.31	67.8	28.18	67.8	28.65	67.8	29.09	67.5	30.00
	-16.7	-17	70.9	27.00	70.5	27.87	70.5	28.74	70.5	29.17	70.2	29.61	70.2	30.48
	-13.7	-15	73.9	27.66	73.6	28.52	73.6	29.35	73.2	29.74	73.2	30.17	73.2	31.00
	-11.8	-13	76.9	28.35	76.9	29.13	76.6	29.91	76.6	30.35	76.6	30.74	76.2	31.52
	-9.8	-11	80.6	29.00	80.6	29.74	80.3	30.52	80.3	30.91	80.3	31.30	79.9	32.08
	-9.5	-10	82.6	29.35	82.3	30.09	82.3	30.82	82.0	31.22	82.0	31.61	82.0	32.30
	-8.5	-9.1	84.3	29.65	84.3	30.39	84.0	31.08	84.0	31.43	84.0	31.82	83.0	32.13
	-7	-7.6	87.4	30.13	87.4	30.82	87.0	31.56	87.0	31.91	87.0	32.26	83.0	30.69
	-5	-5.6	92.0	30.78	91.7	31.43	91.7	32.13	91.4	32.47	89.0	31.43	83.0	28.83
	-3	-3.7	96.4	31.39	96.4	32.00	95.4	32.13	92.0	30.87	89.0	29.61	83.0	27.18
	0	-0.7	104.5	32.30	101.4	31.48	95.4	29.17	92.0	28.00	89.0	26.92	83.0	24.70
	3	2.2	107.5	30.74	101.4	28.65	95.4	26.57	92.0	25.57	89.0	24.53	83.0	22.62
	5	4.1	107.5	28.91	101.4	26.96	95.4	25.05	92.0	24.05	89.0	23.18	83.0	21.32
	7	6	107.5	27.18	101.4	25.40	95.4	23.57	92.0	22.71	89.0	21.84	83.0	20.14
	9	7.9	107.5	25.61	101.4	23.88	95.4	22.23	92.0	21.45	89.0	20.62	83.0	19.06
	11	9.8	107.5	24.14	101.4	22.53	95.4	21.01	92.0	20.23	89.0	19.49	83.0	18.02
	13	11.8	107.5	22.71	101.4	21.27	95.4	19.80	92.0	19.10	89.0	18.41	83.0	17.02
	15	13.7	107.5	21.45	101.4	20.06	95.4	18.76	92.0	18.10	89.0	17.45	83.0	16.15
80%	-19.8	-20	67.0	27.87	66.6	28.70	66.6	29.52	66.6	29.91	66.3	30.35	66.3	31.13
	-18.8	-19	68.0	28.13	68.0	28.96	67.6	29.74	67.6	30.17	67.6	30.56	67.3	31.39
	-16.7	-17	70.7	28.70	70.4	29.48	70.4	30.26	70.4	30.65	70.4	31.04	70.0	31.78
	-13.7	-15	73.7	29.30	73.4	30.04	73.4	30.78	73.4	31.13	73.0	31.52	73.0	32.30
	-11.8	-13	76.7	29.87	76.7	30.61	76.4	31.30	76.4	31.65	76.4	32.04	74.0	31.17
	-9.8	-11	80.4	30.48	80.4	31.17	80.1	31.87	80.1	32.17	79.4	32.13	74.0	29.44
	-9.5	-10	82.4	30.78	82.1	31.43	82.1	32.13	82.1	32.47	79.4	31.17	74.0	28.57
	-8.5	-9.1	84.1	31.08	83.8	31.74	83.8	32.34	82.1	31.61	79.4	30.35	74.0	27.83
	-7	-7.6	87.2	31.52	87.2	32.13	84.8	31.43	82.1	30.22	79.4	29.00	74.0	26.61
	-5	-5.6	91.9	32.08	90.2	31.91	84.8	29.52	82.1	28.39	79.4	27.26	74.0	25.05
	-3	-3.7	95.6	32.26	90.2	30.04	84.8	27.83	82.1	26.79	79.4	25.70	74.0	23.66
	0	-0.7	95.6	29.26	90.2	27.26	84.8	25.31	82.1	24.36	79.4	23.40	74.0	21.58
	3	2.2	95.6	26.66	90.2	24.88	84.8	23.14	82.1	22.27	79.4	21.45	74.0	19.75
	5	4.1	95.6	25.09	90.2	23.44	84.8	21.79	82.1	21.01	79.4	20.23	74.0	18.67
	7	6	95.6	23.66	90.2	22.14	84.8	20.58	82.1	19.88	79.4	19.15	74.0	17.67
	9	7.9	95.6	22.32	90.2	20.88	84.8	19.45	82.1	18.76	79.4	18.10	74.0	16.76
	11	9.8	95.6	21.10	90.2	19.71	84.8	18.41	82.1	17.76	79.4	17.15	74.0	15.89
	13	11.8	95.6	19.88	90.2	18.62	84.8	17.41	82.1	16.80	79.4	16.19	74.0	15.02
	15	13.7	95.6	18.80	90.2	17.67	84.8	16.50	82.1	15.93	79.4	15.37	74.0	14.28

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V950W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	66.5	29.70	66.2	30.39	66.2	31.08	66.2	31.43	66.2	31.82	64.5	31.48
	-18.8	-19	67.5	29.91	67.5	30.61	67.1	31.30	67.1	31.65	67.1	32.04	64.5	30.82
	-16.7	-17	70.2	30.39	70.2	31.08	69.8	31.78	69.8	32.13	69.2	28.61	64.5	29.39
	-13.7	-15	73.2	30.91	72.9	31.61	72.9	32.26	71.5	31.78	69.2	30.48	64.5	27.96
	-11.8	-13	76.2	31.43	76.2	32.08	74.2	31.30	71.5	30.09	69.2	28.87	64.5	26.48
	-9.8	-11	79.9	31.95	78.9	31.95	74.2	29.57	71.5	28.44	69.2	27.31	64.5	25.05
	-9.5	-10	81.9	32.26	78.9	31.00	74.2	28.70	71.5	27.61	69.2	26.53	64.5	24.36
	-8.5	-9.1	83.6	32.43	78.9	30.17	74.2	27.96	71.5	26.87	69.2	25.83	64.5	23.75
	-7	-7.6	83.6	30.95	78.9	28.83	74.2	26.74	71.5	25.74	69.2	24.70	64.5	22.75
	-5	-5.6	83.6	29.09	78.9	27.13	74.2	25.18	71.5	24.18	69.2	23.61	64.5	21.45
	-3	-3.7	83.6	27.39	78.9	25.57	74.2	23.75	71.5	22.84	69.2	21.97	64.5	20.27
	0	-0.7	83.6	24.92	78.9	23.31	74.2	21.66	71.5	20.88	69.2	20.10	64.5	18.58
	3	2.2	83.6	22.79	78.9	21.32	74.2	19.88	71.5	19.15	69.2	18.45	64.5	17.06
	5	4.1	83.6	21.49	78.9	20.10	74.2	18.80	71.5	18.10	69.2	17.45	64.5	16.15
	7	6	83.6	20.32	78.9	19.02	74.2	17.76	71.5	17.15	69.2	16.54	64.5	15.33
60%	9	7.9	83.6	19.19	78.9	18.02	74.2	16.80	71.5	16.24	69.2	15.67	64.5	14.54
	11	9.8	83.6	18.15	78.9	17.02	74.2	15.93	71.5	15.41	69.2	14.89	64.5	13.81
	13	11.8	83.6	17.15	78.9	16.11	74.2	15.06	71.5	14.59	69.2	14.07	64.5	13.11
	15	13.7	83.6	16.28	78.9	15.28	74.2	14.33	71.5	13.85	69.2	13.37	64.5	12.50
	-19.8	-20	66.3	31.48	66.0	32.08	63.6	30.87	61.6	29.65	59.6	28.48	55.5	26.09
	-18.8	-19	67.3	31.69	67.3	32.30	63.6	30.22	61.6	29.00	59.6	27.83	55.5	25.57
	-16.7	-17	70.0	32.13	67.6	31.08	63.6	28.83	61.6	27.70	59.6	26.61	55.5	24.44
	-13.7	-15	71.7	31.78	67.6	29.52	63.6	27.39	61.6	26.35	59.6	25.31	55.5	23.27
	-11.8	-13	71.7	30.04	67.6	27.96	63.6	25.96	61.6	25.01	59.6	24.01	55.5	22.23
	-9.8	-11	71.7	28.39	67.6	26.44	63.6	24.57	61.6	23.66	59.6	22.75	55.5	20.97
	-9.5	-10	71.7	27.61	67.6	25.74	63.6	23.88	61.6	23.01	59.6	22.14	55.5	20.40
	-8.5	-9.1	71.7	26.87	67.6	25.05	63.6	23.31	61.6	22.45	59.6	21.58	55.5	19.88
	-7	-7.6	71.7	25.70	67.6	24.01	63.6	22.32	61.6	21.49	59.6	20.67	55.5	19.10
	-5	-5.6	71.7	24.18	67.6	22.62	63.6	21.06	61.6	20.27	59.6	19.54	55.5	18.06
	-3	-3.7	71.7	22.84	67.6	21.36	63.6	19.88	61.6	19.19	59.6	18.49	55.5	17.11
50%	0	-0.7	71.7	20.88	67.6	19.54	63.6	18.23	61.6	17.63	59.6	16.98	55.5	15.72
	3	2.2	71.7	19.15	67.6	17.97	63.6	16.80	61.6	16.19	59.6	15.63	55.5	14.50
	5	4.1	71.7	18.10	67.6	16.98	63.6	15.89	61.6	15.37	59.6	14.80	55.5	13.76
	7	6	71.7	17.15	67.6	16.11	63.6	15.06	61.6	14.54	59.6	14.07	55.5	13.07
	9	7.9	71.7	16.24	67.6	15.24	63.6	14.28	61.6	13.85	59.6	13.33	55.5	12.46
	11	9.8	71.7	15.41	67.6	14.50	63.6	13.59	61.6	13.15	59.6	12.68	55.5	11.85
	13	11.8	71.7	14.54	67.6	13.72	63.6	12.89	61.6	12.50	59.6	12.07	55.5	11.29
	15	13.7	71.7	13.85	67.6	13.02	63.6	12.29	61.6	11.90	59.6	11.50	55.5	10.77
	-19.8	-20	59.7	28.65	56.3	26.66	53.0	24.75	51.0	23.83	49.3	22.92	46.0	21.10
	-18.8	-19	59.7	28.00	56.3	26.09	53.0	24.27	51.0	23.36	49.3	22.45	46.0	20.71
	-16.7	-17	59.7	26.74	56.3	24.92	53.0	23.18	51.0	22.32	49.3	21.49	46.0	19.84
	-13.7	-15	59.7	25.44	56.3	23.75	53.0	22.10	51.0	21.27	49.3	20.49	46.0	18.93
	-11.8	-13	59.7	24.18	56.3	22.58	53.0	21.01	51.0	20.23	49.3	19.49	46.0	18.02
	-9.8	-11	59.7	22.88	56.3	21.40	53.0	19.93	51.0	19.19	49.3	18.49	46.0	17.15
	-9.5	-10	59.7	22.27	56.3	20.80	53.0	19.41	51.0	18.71	49.3	18.02	46.0	16.67
	-8.5	-9.1	59.7	21.71	56.3	20.32	53.0	18.93	51.0	18.28	49.3	17.63	46.0	16.28
	-7	-7.6	59.7	20.80	56.3	19.49	53.0	18.15	51.0	17.54	49.3	16.93	46.0	15.67
	-5	-5.6	59.7	19.62	56.3	18.41	53.0	17.19	51.0	16.63	49.3	16.02	46.0	14.85
	-3	-3.7	59.7	18.58	56.3	17.45	53.0	16.28	51.0	15.76	49.3	15.20	46.0	14.11
	0	-0.7	59.7	17.06	56.3	16.02	53.0	15.02	51.0	14.50	49.3	14.02	46.0	13.02
	3	2.2	59.7	15.72	56.3	14.76	53.0	13.85	51.0	13.37	49.3	12.94	46.0	12.07
	5	4.1	59.7	14.89	56.3	14.02	53.0	13.15	51.0	12.72	49.3	12.33	46.0	11.46
	7	6	59.7	14.15	56.3	13.33	53.0	12.50	51.0	12.11	49.3	11.72	46.0	10.94
	9	7.9	59.7	13.42	56.3	12.68	53.0	11.90	51.0	11.55	49.3	11.16	46.0	10.42
	11	9.8	59.7	12.76	56.3	12.03	53.0	11.33	51.0	10.98	49.3	10.64	46.0	9.94
	13	11.8	59.7	12.16	56.3	11.46	53.0	10.77	51.0	10.46	49.3	10.12	46.0	9.51
	15	13.7	59.7	11.55	56.3	10.94	53.0	10.29	51.0	9.99	49.3	9.68	46.0	9.07

36HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1000W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	72.5	19.96	72.2	21.38	71.8	22.81	71.8	23.50	71.5	24.19	71.5	25.61
	-18.8	-19	73.6	20.42	73.3	21.80	73.3	23.22	72.9	23.91	72.9	24.56	72.5	25.98
	-16.7	-17	76.5	21.38	76.1	22.72	75.7	24.05	75.7	24.69	75.7	25.38	75.4	26.72
	-13.7	-15	79.6	22.35	79.3	23.64	78.9	24.92	78.9	25.57	78.6	26.21	78.6	27.50
	-11.8	-13	82.8	23.36	82.8	24.60	82.5	25.80	82.1	26.44	82.1	27.08	81.8	28.28
	-9.8	-11	86.8	24.37	86.4	25.57	86.0	26.72	86.0	27.31	86.0	27.91	85.7	29.11
	-9.5	-10	88.9	24.92	88.5	26.03	88.2	27.18	88.2	27.77	87.8	28.33	87.8	29.48
	-8.5	-9.1	90.7	25.34	90.3	26.44	90.3	27.59	90.0	28.14	90.0	28.69	89.6	29.84
	-7	-7.6	93.9	26.07	93.9	27.18	93.5	28.23	93.5	28.79	93.2	29.29	92.8	30.40
	-5	-5.6	98.9	27.08	98.5	28.10	98.1	29.11	98.1	29.66	97.8	30.12	97.8	31.13
	-3	-3.7	103.5	27.96	103.1	28.92	103.1	29.89	102.7	30.40	102.7	30.90	102.4	31.82
	0	-0.7	111.6	29.29	111.6	30.21	111.3	31.09	111.3	31.45	110.9	32.00	110.9	32.92
	3	2.2	120.5	30.53	120.2	31.36	119.8	32.19	119.8	32.60	119.8	33.06	119.5	33.84
	5	4.1	126.6	31.27	126.2	32.10	126.2	32.88	125.9	33.29	125.9	33.66	125.5	34.44
	7	6	133.0	32.05	132.6	32.74	132.6	33.52	132.2	33.89	132.2	34.26	126.9	32.92
	9	7.9	139.7	32.69	139.4	33.43	139.4	34.12	139.0	34.49	136.2	33.75	126.9	30.90
	11	9.8	146.8	33.34	146.5	34.03	145.8	34.44	140.8	33.11	136.2	31.73	126.9	29.11
	13	11.8	154.6	33.98	154.3	34.63	145.8	32.28	140.8	30.99	136.2	29.80	126.9	27.31
	15	13.7	162.1	34.58	155.0	32.79	145.8	30.40	140.8	29.25	136.2	28.05	126.9	25.80
120%	-19.8	-20	72.2	21.89	71.8	23.18	71.5	24.51	71.5	25.11	71.5	25.80	71.1	27.08
	-18.8	-19	73.3	22.30	72.9	23.59	72.9	24.88	72.6	25.47	72.6	26.16	72.2	27.45
	-16.7	-17	76.1	23.18	75.7	24.42	75.2	25.61	75.4	26.26	75.4	26.90	75.0	28.10
	-13.7	-15	79.3	24.10	78.9	25.29	78.6	26.44	78.6	27.08	78.6	27.64	78.2	28.83
	-11.8	-13	82.5	25.02	82.5	26.16	82.1	27.27	82.1	27.87	81.8	28.42	81.8	29.57
	-9.8	-11	86.4	25.98	86.0	27.04	86.0	28.14	85.7	28.69	85.7	29.20	85.3	30.30
	-9.5	-10	88.6	26.44	88.2	27.50	87.8	28.56	87.8	29.11	87.8	29.61	87.5	30.67
	-8.5	-9.1	90.3	26.85	90.0	27.87	90.0	28.92	89.6	29.43	89.6	29.98	89.2	30.99
	-7	-7.6	93.5	27.54	93.5	28.56	93.2	29.52	93.2	30.03	92.8	30.53	92.8	31.50
	-5	-5.6	98.5	28.42	98.1	29.38	97.8	30.35	97.8	30.81	97.8	31.31	97.4	32.19
	-3	-3.7	103.1	29.29	103.1	30.21	102.7	31.09	102.7	31.50	102.4	32.00	102.4	32.88
	0	-0.7	111.3	30.53	111.3	31.36	110.9	32.19	110.9	32.60	110.6	33.02	110.6	33.84
	3	2.2	120.2	31.68	119.8	32.42	119.8	33.20	119.5	33.61	119.5	33.98	117.0	33.80
	5	4.1	126.2	32.37	125.9	33.11	125.9	33.84	125.5	34.21	125.5	34.58	117.0	31.73
	7	6	132.6	33.02	132.6	33.71	132.3	34.40	130.1	33.94	125.9	32.56	117.0	29.84
	9	7.9	139.4	33.66	139.0	34.35	134.4	33.20	130.1	31.87	125.9	30.58	117.0	28.10
	11	9.8	146.5	34.26	142.9	33.66	134.4	31.22	130.1	30.03	125.9	28.79	117.0	26.49
	13	11.8	151.8	33.94	142.9	31.59	134.4	29.29	130.1	28.19	125.9	27.08	117.0	24.92
	15	13.7	151.8	31.96	142.9	29.75	134.4	27.64	130.1	26.53	125.9	25.52	117.0	23.50
110%	-19.8	-20	71.8	23.82	71.5	24.97	71.1	26.16	71.1	26.76	71.1	27.36	70.8	28.56
	-18.8	-19	72.9	24.19	72.6	25.34	72.6	26.53	72.6	27.08	72.2	27.68	72.2	28.88
	-16.7	-17	75.7	24.97	75.4	26.12	76.5	27.27	75.0	27.82	75.0	28.37	74.7	29.48
	-13.7	-15	78.9	25.84	78.6	26.90	78.2	28.00	78.2	28.56	78.2	29.11	77.9	30.17
	-11.8	-13	82.1	26.72	82.1	27.73	81.8	28.74	81.8	29.29	81.4	29.80	81.4	30.86
	-9.8	-11	86.0	27.54	85.7	28.56	85.7	29.52	85.3	30.03	85.3	30.53	85.3	31.50
	-9.5	-10	88.2	28.00	87.8	28.92	87.4	29.94	87.4	30.40	87.4	30.90	87.1	31.87
	-8.5	-9.1	90.0	28.37	89.6	29.29	89.6	30.26	89.2	30.76	89.2	31.22	89.2	28.46
	-7	-7.6	93.2	29.02	93.2	29.89	92.8	30.81	92.8	31.27	92.8	31.73	92.5	32.65
	-5	-5.6	98.1	29.84	97.8	30.72	97.4	31.54	97.4	32.00	97.4	32.42	97.1	33.34
	-3	-3.7	102.7	30.58	102.7	31.41	102.4	32.23	102.4	32.65	102.0	33.06	102.0	33.89
	0	-0.7	110.9	31.73	110.9	32.51	110.6	33.29	110.6	33.66	110.6	34.03	107.4	33.38
	3	2.2	119.8	32.79	119.5	33.48	119.5	34.21	119.1	34.53	115.2	33.11	107.4	30.40
	5	4.1	125.9	33.43	125.9	34.12	123.4	33.80	119.1	32.42	115.2	31.13	107.4	28.56
	7	6	132.2	34.03	131.2	34.26	123.4	31.73	119.1	30.49	115.2	29.29	107.4	26.90
	9	7.9	139.0	34.58	131.2	32.19	123.4	29.84	119.1	28.69	115.2	27.54	107.4	25.34
	11	9.8	139.0	32.56	131.2	30.30	123.4	28.10	119.1	27.04	115.2	25.98	107.4	23.91
	13	11.8	139.0	30.53	131.2	28.42	123.4	26.39	119.1	25.43	115.2	24.42	107.4	22.53
	15	13.7	139.0	27.08	131.2	26.81	123.4	24.92	119.1	24.00	115.2	23.08	107.4	21.29

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1000W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	71.5	25.70	71.1	26.76	71.1	27.87	70.8	28.42	70.8	28.92	70.4	30.03
	-18.8	-19	72.6	26.03	72.6	27.08	72.2	28.19	72.2	28.74	71.8	29.29	71.8	30.35
	-16.7	-17	75.4	26.76	75.0	27.82	75.0	28.83	74.7	29.34	74.7	29.84	74.7	30.90
	-13.7	-15	78.6	27.54	78.2	28.56	77.9	29.52	77.9	30.03	77.9	30.53	77.5	31.50
	-11.8	-13	81.8	28.37	81.8	29.29	81.4	30.21	81.4	30.72	81.4	31.18	81.1	32.14
	-9.8	-11	85.7	29.11	85.3	30.03	85.3	30.95	85.3	31.41	85.0	31.82	85.0	32.74
	-9.5	-10	87.8	29.52	87.5	30.40	87.5	31.27	87.1	31.73	87.1	32.19	86.7	33.06
	-8.5	-9.1	89.6	29.84	89.2	30.76	89.2	31.59	89.2	32.00	88.9	32.46	88.9	33.29
	-7	-7.6	92.8	30.44	92.8	31.27	92.5	32.10	92.5	32.56	92.5	32.92	92.1	33.80
	-5	-5.6	97.8	31.22	97.4	32.00	97.4	32.79	97.1	33.15	97.1	33.57	96.7	34.40
	-3	-3.7	102.4	31.91	102.4	28.97	102.0	33.43	102.0	33.80	102.0	34.17	97.8	32.74
	0	-0.7	110.6	32.92	110.6	33.66	110.2	34.35	108.4	33.80	104.9	32.37	97.8	29.71
	3	2.2	119.5	33.89	119.1	34.53	112.0	31.96	108.4	30.72	104.9	29.48	97.8	27.08
	5	4.1	125.5	34.53	119.1	32.42	112.0	30.03	108.4	28.92	104.9	27.77	97.8	25.52
	7	6	126.2	32.74	119.1	30.49	112.00	28.28	108.4	27.22	104.9	26.16	97.8	24.05
	9	7.9	126.2	30.76	119.1	28.69	112.0	26.62	108.4	25.29	104.9	24.65	97.8	22.72
	11	9.8	126.2	28.97	119.1	27.04	112.0	25.11	108.4	24.19	104.9	23.27	97.8	21.43
	13	11.8	126.2	27.22	119.1	25.43	112.0	23.64	108.4	22.76	104.9	21.93	97.8	20.23
	15	13.7	126.2	25.66	119.1	24.00	112.0	22.35	108.4	21.52	104.9	20.69	97.8	19.18
90%	-19.8	-20	71.0	27.64	70.6	28.56	70.6	29.57	70.3	30.03	70.3	30.53	70.3	31.50
	-18.8	-19	72.1	27.91	72.1	28.92	71.7	29.84	71.7	30.35	71.7	30.81	71.3	31.77
	-16.7	-17	74.9	28.60	74.5	29.52	74.5	30.44	74.5	30.90	74.2	31.36	74.2	32.28
	-13.7	-15	78.1	29.29	77.7	30.21	77.7	31.09	77.4	31.50	77.4	31.96	77.4	32.83
	-11.8	-13	81.3	30.03	81.3	30.86	80.9	31.68	80.9	32.14	80.9	32.56	80.6	33.38
	-9.8	-11	85.2	30.72	85.2	31.50	84.8	32.33	84.8	32.74	84.8	33.15	84.5	33.98
	-9.5	-10	87.3	31.09	86.9	31.87	86.9	32.65	86.6	33.06	86.6	33.48	86.6	34.21
	-8.5	-9.1	89.1	31.41	89.1	32.19	88.7	32.92	88.7	33.29	88.7	33.71	87.7	34.03
	-7	-7.6	92.3	31.91	92.3	32.65	91.9	33.43	91.9	33.80	91.9	34.17	87.7	32.51
	-5	-5.6	97.2	32.60	96.9	33.29	96.9	34.03	96.5	34.40	94.0	33.29	87.7	30.53
	-3	-3.7	101.9	33.25	101.9	33.89	100.8	34.03	97.2	32.69	94.0	31.36	87.7	28.79
	0	-0.7	110.4	34.21	107.2	33.34	100.8	30.90	97.2	29.66	94.0	28.51	87.7	26.16
	3	2.2	113.6	32.56	107.2	30.35	100.8	28.14	97.2	27.08	94.0	25.98	87.7	23.96
	5	4.1	113.6	30.63	107.2	28.56	100.8	26.53	97.2	25.47	94.0	24.56	87.7	22.58
	7	6	113.6	28.79	107.2	26.90	100.8	24.97	97.2	24.05	94.0	23.13	87.7	21.34
	9	7.9	113.6	27.13	107.2	25.29	100.8	23.54	97.2	22.72	94.0	21.84	87.7	20.19
	11	9.8	113.6	25.57	107.2	23.87	100.8	22.26	97.2	21.43	94.0	20.65	87.7	19.08
	13	11.8	113.6	24.05	107.2	22.53	100.8	20.97	97.2	20.23	94.0	19.50	87.7	18.03
	15	13.7	113.6	22.72	107.2	21.24	100.8	19.86	97.2	19.18	94.0	18.49	87.7	17.11
80%	-19.8	-20	70.8	29.52	70.4	30.40	70.4	31.27	70.4	31.68	70.0	32.14	70.0	32.97
	-18.8	-19	71.8	29.80	71.8	30.67	71.5	31.50	71.5	31.96	71.5	32.37	71.1	33.25
	-16.7	-17	74.7	30.40	74.3	31.22	74.3	32.05	74.3	32.46	74.3	32.88	74.0	33.66
	-13.7	-15	77.9	31.04	77.5	31.82	77.5	32.60	77.5	32.97	77.2	33.38	77.2	34.21
	-11.8	-13	81.1	31.64	81.1	32.42	80.7	33.15	80.7	33.52	80.7	33.94	78.2	33.02
	-9.8	-11	85.0	32.28	85.0	33.02	84.6	33.75	84.6	34.07	83.9	34.03	78.2	31.18
	-9.5	-10	87.1	32.60	86.7	33.29	86.8	34.03	86.8	34.40	83.9	33.02	78.2	30.26
	-8.5	-9.1	88.9	32.92	82.6	33.61	88.5	34.26	86.8	33.48	83.9	32.14	78.2	29.48
	-7	-7.6	92.1	33.38	92.1	34.03	89.6	33.29	86.8	32.00	83.9	30.72	78.2	28.19
	-5	-5.6	97.1	33.98	95.3	33.80	89.6	31.27	86.8	30.07	83.9	28.88	78.2	26.53
	-3	-3.7	101.0	34.17	95.3	31.82	89.6	29.48	86.8	28.37	83.9	27.22	78.2	25.06
	0	-0.7	101.0	30.99	95.3	28.88	89.6	26.81	86.8	25.80	83.9	24.79	78.2	22.85
	3	2.2	101.0	28.23	95.3	26.35	89.6	24.51	86.8	23.59	83.9	22.72	78.2	20.92
	5	4.1	101.0	26.58	95.3	24.83	89.6	23.08	86.8	22.26	83.9	21.43	78.2	19.77
	7	6	101.0	25.06	95.3	23.45	89.6	21.80	86.8	21.06	83.9	20.28	78.2	18.72
	9	7.9	101.0	23.64	95.3	22.12	89.6	20.60	86.8	19.86	83.9	19.18	78.2	17.75
	11	9.8	101.0	22.35	95.3	20.88	89.6	19.50	86.8	18.81	83.9	18.16	78.2	16.83
	13	11.8	101.0	21.06	95.3	19.73	89.6	18.44	86.8	17.80	83.9	17.15	78.2	15.91
	15	13.7	101.0	19.91	95.3	18.72	89.6	17.47	86.8	16.88	83.9	16.28	78.2	15.13

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1000W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	70.2	31.45	69.9	32.19	69.9	32.92	69.9	33.29	69.9	33.71	68.1	33.34
	-18.8	-19	71.3	31.68	71.3	32.42	70.9	33.15	70.9	33.52	70.9	33.94	68.1	32.65
	-16.7	-17	74.1	32.19	74.1	32.92	73.8	33.66	73.8	34.03	73.1	30.30	68.1	31.13
	-13.7	-15	77.3	32.74	77.0	33.48	77.0	34.17	75.6	33.66	73.1	32.28	68.1	29.61
	-11.8	-13	80.5	33.29	80.5	33.98	78.4	33.15	75.6	31.87	73.1	30.58	68.1	28.05
	-9.8	-11	84.4	33.84	83.4	33.84	78.4	31.31	75.6	30.12	73.1	28.92	68.1	26.53
	-9.5	-10	86.6	34.17	83.4	32.83	78.4	30.40	75.6	29.25	73.1	28.10	68.1	25.80
	-8.5	-9.1	88.3	34.35	83.4	31.96	78.4	29.61	75.6	28.46	73.1	27.36	68.1	25.15
	-7	-7.6	88.3	32.79	83.4	30.53	78.4	28.33	75.6	27.27	73.1	26.16	68.1	24.10
	-5	-5.6	88.3	30.81	83.4	28.74	78.4	26.67	75.6	25.61	73.1	30.30	68.1	22.72
	-3	-3.7	88.3	29.02	83.4	27.08	78.4	25.15	75.6	24.19	73.1	23.27	68.1	21.47
	0	-0.7	88.3	26.39	83.4	24.69	78.4	22.95	75.6	22.12	73.1	21.29	68.1	19.68
	3	2.2	88.3	24.14	83.4	22.58	78.4	21.06	75.6	20.28	73.1	19.54	68.1	18.07
	5	4.1	88.3	22.76	83.4	21.29	78.4	19.91	75.6	19.18	73.1	18.49	68.1	17.11
60%	7	6	88.3	21.52	83.4	20.14	78.4	18.81	75.6	18.16	73.1	17.52	68.1	16.23
	9	7.9	88.3	20.32	83.4	19.08	78.4	17.80	75.6	17.20	73.1	16.60	68.1	15.40
	11	9.8	88.3	19.22	83.4	18.03	78.4	16.88	75.6	16.32	73.1	15.77	68.1	14.62
	13	11.8	88.3	18.16	83.4	17.06	78.4	15.96	75.6	15.45	73.1	14.90	68.1	13.89
	15	13.7	88.3	17.24	83.4	16.19	78.4	15.17	75.6	14.67	73.1	14.16	68.1	13.24
	-19.8	-20	70.1	33.34	69.7	33.98	67.2	32.69	65.1	31.41	62.9	30.17	58.7	27.64
	-18.8	-19	71.1	33.57	71.1	34.21	67.2	32.00	65.1	30.72	62.9	29.48	58.7	27.08
	-16.7	-17	74.0	34.03	71.5	32.92	67.2	30.53	65.1	29.34	62.9	28.19	58.7	25.89
	-13.7	-15	75.7	33.66	71.5	31.27	67.2	29.02	65.1	27.91	62.9	26.81	58.7	24.65
	-11.8	-13	75.7	31.82	71.5	29.61	67.2	27.50	65.1	26.49	62.9	25.43	58.7	23.54
	-9.8	-11	75.7	30.07	71.5	28.00	67.2	26.03	65.1	25.06	62.9	24.10	58.7	22.21
	-9.5	-10	75.7	29.25	71.5	27.27	67.2	25.29	65.1	24.37	62.9	23.45	58.7	21.61
	-8.5	-9.1	75.7	28.46	71.5	26.53	67.2	24.69	65.1	23.77	62.9	22.85	58.7	21.06
	-7	-7.6	75.7	27.22	71.5	25.43	67.2	23.64	65.1	22.76	62.9	21.89	58.7	20.23
	-5	-5.6	75.7	25.61	71.5	23.96	67.2	22.30	65.1	21.47	62.9	20.69	58.7	19.13
50%	-3	-3.7	75.7	24.19	71.5	22.62	67.2	21.06	65.1	20.32	62.9	19.59	58.7	18.12
	0	-0.7	75.7	22.12	71.5	20.69	67.2	19.31	65.1	18.67	62.9	17.98	58.7	16.65
	3	2.2	75.7	20.28	71.5	19.04	67.2	17.80	65.1	17.15	62.9	16.55	58.7	15.36
	5	4.1	75.7	19.18	71.5	17.98	67.2	16.83	65.1	16.28	62.9	15.68	58.7	14.58
	7	6	75.7	18.16	71.5	17.06	67.2	15.96	65.1	15.40	62.9	14.90	58.7	13.84
	9	7.9	75.7	17.20	71.5	16.14	67.2	15.13	65.1	14.67	62.9	14.12	58.7	13.20
	11	9.8	75.7	16.32	71.5	15.36	67.2	14.39	65.1	13.93	62.9	13.43	58.7	12.55
	13	11.8	75.7	15.40	71.5	14.53	67.2	13.66	65.1	13.24	62.9	12.78	58.7	11.96
	15	13.7	75.7	14.67	71.5	13.80	67.2	13.01	65.1	12.60	62.9	12.19	58.7	11.40
	-19.8	-20	63.1	30.35	59.5	28.23	56.0	26.21	53.9	25.25	52.1	24.28	48.6	22.35
	-18.8	-19	63.1	29.66	59.5	27.64	56.0	25.70	53.9	24.74	52.1	23.77	48.6	21.93
	-16.7	-17	63.1	28.33	59.5	26.39	56.0	24.56	53.9	23.64	52.1	22.76	48.6	21.01
	-13.7	-15	63.1	26.95	59.5	25.15	56.0	23.41	53.9	22.53	52.1	21.70	48.6	20.05
	-11.8	-13	63.1	25.61	59.5	23.91	56.0	22.26	53.9	21.43	52.1	20.65	48.6	19.08
	-9.8	-11	63.1	24.23	59.5	22.67	56.0	21.11	53.9	20.32	52.1	19.59	48.6	18.16
	-9.5	-10	63.1	23.59	59.5	22.03	56.0	20.55	53.9	19.82	52.1	19.08	48.6	17.66
	-8.5	-9.1	63.1	22.99	59.5	21.52	56.0	20.05	53.9	19.36	52.1	18.67	48.6	17.24
	-7	-7.6	63.1	22.03	59.5	20.65	56.0	19.22	53.9	18.58	52.1	17.93	48.6	16.60
	-5	-5.6	63.1	20.78	59.5	19.50	56.0	18.21	53.9	17.61	52.1	16.97	48.6	15.73
	-3	-3.7	63.1	19.68	59.5	18.49	56.0	17.24	53.9	16.69	52.1	16.09	48.6	14.94
	0	-0.7	63.1	18.07	59.5	16.97	56.0	15.91	53.9	15.36	52.1	14.85	48.6	13.80
	3	2.2	63.1	16.65	59.5	15.63	56.0	14.67	53.9	14.16	52.1	13.70	48.6	12.78
	5	4.1	63.1	15.77	59.5	14.85	56.0	13.93	53.9	13.47	52.1	13.06	48.6	12.14
	7	6	63.1	14.99	59.5	14.12	56.0	13.24	53.9	12.83	52.1	12.42	48.6	11.59
	9	7.9	63.1	14.21	59.5	13.43	56.0	12.60	53.9	12.23	52.1	11.82	48.6	11.04
	11	9.8	63.1	13.52	59.5	12.74	56.0	12.00	53.9	11.63	52.1	11.27	48.6	10.53
	13	11.8	63.1	12.88	59.5	12.14	56.0	11.40	53.9	11.08	52.1	10.71	48.6	10.07
	15	13.7	63.1	12.23	59.5	11.59	56.0	10.90	53.9	10.58	52.1	10.25	48.6	9.61

38HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1065W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	77.0	21.58	76.7	23.12	76.3	24.66	76.3	25.41	75.9	26.15	75.9	27.70
	-18.8	-19	78.2	22.08	77.8	23.57	77.8	25.11	77.4	25.86	77.4	26.55	77.0	28.09
	-16.7	-17	81.2	23.12	80.8	24.56	80.5	26.01	80.5	26.70	80.5	27.45	80.1	28.89
	-13.7	-15	84.6	24.17	84.3	25.56	83.9	26.95	83.9	27.65	83.5	28.34	83.5	29.73
	-11.8	-13	88.0	25.26	88.0	26.60	87.7	27.89	87.3	28.59	87.3	29.29	86.9	30.58
	-9.8	-11	92.2	26.35	91.8	27.65	91.4	28.89	91.4	29.54	91.4	30.18	91.1	31.48
	-9.5	-10	94.5	26.95	94.1	28.14	93.7	29.39	93.7	30.03	93.3	30.63	93.3	31.87
	-8.5	-9.1	96.3	27.40	95.9	28.59	95.9	29.83	95.6	30.43	95.6	31.03	95.2	32.27
	-7	-7.6	99.7	28.19	99.7	29.39	99.3	30.53	99.3	31.13	99.0	31.67	98.6	32.87
	-5	-5.6	105.0	29.29	104.6	30.38	104.3	31.48	104.3	32.07	103.9	32.57	103.9	33.66
	-3	-3.7	109.9	30.23	109.6	31.28	109.6	32.32	109.2	32.87	109.2	33.41	108.8	34.41
	0	-0.7	118.6	31.67	118.6	32.67	118.3	33.61	118.3	34.01	117.9	34.61	117.9	35.60
	3	2.2	128.0	33.02	127.7	33.91	127.3	34.81	127.3	35.25	127.3	35.75	126.9	36.60
	5	4.1	134.5	33.81	134.1	34.71	134.1	35.55	133.7	36.00	133.7	36.40	133.4	37.24
120%	7	6	141.3	34.66	140.9	35.40	140.9	36.25	140.5	36.65	140.5	37.04	139.9	38.03
	9	7.9	148.4	35.35	148.1	36.15	148.1	36.89	147.7	37.29	147.7	37.69	147.3	38.81
	11	9.8	156.0	36.05	155.6	36.80	154.9	37.24	154.6	37.64	154.6	38.04	154.2	39.60
	13	11.8	164.3	36.75	164.0	37.44	163.7	37.84	163.3	38.24	163.3	38.64	162.9	40.39
	15	13.7	172.2	37.39	171.9	38.08	171.6	38.48	171.2	38.88	171.2	39.28	170.8	41.18
	-19.8	-20	76.7	23.67	76.3	25.06	75.9	26.50	75.9	27.15	75.9	27.89	75.5	29.29
	-18.8	-19	77.8	24.12	77.4	25.51	77.4	26.90	77.1	27.55	77.1	28.29	76.7	29.68
	-16.7	-17	80.8	25.06	80.5	26.40	80.0	27.70	80.1	28.39	80.1	29.09	79.7	30.38
	-13.7	-15	84.3	26.06	83.9	27.35	83.5	28.59	83.5	29.29	83.5	29.88	83.1	31.18
	-11.8	-13	87.7	27.05	87.7	28.29	87.3	29.49	87.3	30.13	86.9	30.73	86.9	31.97
	-9.8	-11	91.8	28.09	91.4	29.24	91.4	30.43	91.1	31.03	91.1	31.57	90.7	32.77
	-9.5	-10	94.1	28.59	93.7	29.73	93.3	30.88	93.3	31.48	93.3	32.02	93.0	33.17
	-8.5	-9.1	95.9	29.04	95.6	30.13	95.6	31.28	95.2	31.82	95.2	32.42	94.8	33.51
	-7	-7.6	99.3	29.78	99.3	30.88	99.0	31.92	99.0	32.47	98.6	33.02	98.6	34.06
	-5	-5.6	104.6	30.73	104.3	31.77	103.9	32.82	103.9	33.31	103.9	33.86	103.5	34.81
110%	-3	-3.7	109.6	31.67	109.6	32.67	109.2	33.61	109.2	34.06	108.8	34.61	108.8	35.55
	0	-0.7	118.3	33.02	118.3	33.91	117.9	34.81	117.9	35.25	117.5	35.70	117.5	36.60
	3	2.2	127.7	34.26	127.3	35.06	127.3	35.90	126.9	36.35	126.9	36.75	126.5	37.55
	5	4.1	134.1	35.01	133.7	35.80	133.7	36.60	133.4	36.99	133.4	37.39	133.0	38.39
	7	6	140.9	35.70	140.9	36.45	140.6	37.19	138.3	36.70	138.3	37.50	137.9	39.19
	9	7.9	148.1	36.40	147.7	37.14	142.8	37.90	138.3	37.46	138.3	38.07	137.9	40.00
	11	9.8	155.6	37.04	151.9	37.40	142.8	38.76	138.3	38.27	138.3	39.07	137.9	40.81
	13	11.8	161.3	37.70	151.9	38.16	142.8	39.67	138.3	39.18	138.3	40.09	137.9	41.62
	15	13.7	161.3	38.56	151.9	39.17	142.8	40.58	138.3	40.09	138.3	41.00	137.9	42.43
	-19.8	-20	76.3	25.76	75.9	27.00	75.5	28.29	75.5	28.94	75.6	29.59	75.2	30.88
	-18.8	-19	77.4	26.15	77.1	27.40	77.1	28.69	77.1	29.29	76.7	29.93	76.7	31.23
	-16.7	-17	80.5	27.00	80.1	28.24	81.2	29.49	79.7	30.08	79.7	30.68	79.3	31.87
	-13.7	-15	83.9	27.94	83.5	29.09	83.1	30.28	83.1	30.88	83.1	31.48	82.7	32.62
	-11.8	-13	87.3	28.89	87.3	29.98	86.9	31.08	86.9	31.67	86.5	32.22	86.5	33.36
	-9.8	-11	91.4	29.78	91.1	30.88	91.1	31.92	90.7	32.47	90.7	33.02	90.7	34.06
	-9.5	-10	93.7	30.28	93.3	31.28	92.9	32.37	92.9	32.87	92.9	33.41	92.6	34.46
	-8.5	-9.1	95.6	30.68	95.2	31.67	95.2	32.72	94.8	33.27	94.8	33.76	94.8	34.86
	-7	-7.6	99.0	31.38	99.0	32.32	98.6	33.31	98.6	33.81	98.6	34.31	98.2	35.30
	-5	-5.6	104.3	32.27	103.9	33.22	103.5	34.11	103.5	34.61	103.5	35.06	103.1	36.05
	-3	-3.7	109.2	33.07	109.2	33.96	108.8	34.86	108.8	35.30	108.4	35.75	108.4	36.65
	0	-0.7	117.9	34.31	117.9	35.15	117.5	36.00	117.5	36.40	117.5	36.80	117.1	37.50
	3	2.2	127.3	35.45	126.9	36.20	126.9	36.99	126.5	37.34	126.5	37.74	126.1	38.60
	5	4.1	133.7	36.15	133.7	36.89	131.1	37.55	126.5	38.06	126.5	38.46	126.1	39.50
	7	6	140.5	36.80	139.4	37.04	131.1	38.31	126.5	38.97	126.5	39.37	126.1	40.40
	9	7.9	147.7	37.39	139.4	37.81	131.1	39.27	126.5	39.83	126.5	40.23	126.1	41.30
	11	9.8	147.7	38.20	139.4	38.77	131.1	40.18	126.5	40.74	126.5	41.14	126.1	42.20
	13	11.8	147.7	39.02	139.4	39.73	131.1	41.09	126.5	41.65	126.5	42.05	126.1	43.10
	15	13.7	147.7	39.89	139.4	40.69	131.1	42.00	126.5	42.56	126.5	42.96	126.1	44.00

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1065W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	75.9	27.80	75.5	28.94	75.5	30.13	75.2	30.73	75.2	31.28	74.8	32.47
	-18.8	-19	77.1	28.14	77.1	29.29	76.7	30.48	76.7	31.08	76.3	31.67	76.3	32.82
	-16.7	-17	80.1	28.94	79.7	30.08	79.7	31.18	79.3	31.72	79.3	32.27	79.3	33.41
	-13.7	-15	83.5	29.78	83.1	30.88	82.7	31.92	82.7	32.47	82.7	33.02	82.4	34.06
	-11.8	-13	86.9	30.68	86.9	31.67	86.5	32.67	86.5	33.22	86.5	33.71	86.1	34.76
	-9.8	-11	91.1	31.48	90.7	32.47	90.7	33.46	90.7	33.96	90.3	34.41	90.3	35.40
	-9.5	-10	93.3	31.92	93.0	32.87	93.0	33.81	92.6	34.31	92.6	34.81	92.2	35.75
	-8.5	-9.1	95.2	32.27	94.8	33.27	94.8	34.16	94.8	34.61	94.5	35.10	94.5	36.00
	-7	-7.6	98.6	32.92	98.6	33.81	98.2	34.71	98.2	35.20	98.2	35.60	97.8	36.55
	-5	-5.6	103.9	33.76	103.5	34.61	103.5	35.45	103.1	35.85	103.1	36.30	102.7	37.19
	-3	-3.7	108.8	34.51	108.8	31.33	108.4	36.15	108.4	36.55	108.4	36.94	103.9	35.40
	0	-0.7	117.5	35.60	117.5	36.40	117.1	37.14	115.2	36.55	111.5	35.01	103.9	32.12
	3	2.2	126.9	36.65	126.5	37.34	119.0	34.56	115.2	33.22	111.5	31.87	103.9	29.29
	5	4.1	133.4	37.34	126.5	35.06	119.0	32.47	115.2	31.28	111.5	30.03	103.9	27.60
90%	7	6	134.1	35.40	126.5	32.97	119.00	30.58	115.2	29.44	111.5	28.29	103.9	26.01
	9	7.9	134.1	33.27	126.5	31.03	119.0	28.79	115.2	27.35	111.5	26.65	103.9	24.56
	11	9.8	134.1	31.33	126.5	29.24	119.0	27.15	115.2	26.15	111.5	25.16	103.9	23.17
	13	11.8	134.1	29.44	126.5	27.50	119.0	25.56	115.2	24.61	111.5	23.72	103.9	21.88
	15	13.7	134.1	27.75	126.5	25.96	119.0	24.17	115.2	23.27	111.5	22.38	103.9	20.73
	-19.8	-20	75.4	29.88	75.1	30.88	75.1	31.97	74.7	32.47	74.7	33.02	74.7	34.06
	-18.8	-19	76.6	30.18	76.6	31.28	76.2	32.27	76.2	32.82	76.2	33.31	75.8	34.36
	-16.7	-17	79.6	30.93	79.2	31.92	79.2	32.92	79.2	33.41	78.8	33.91	78.8	34.91
	-13.7	-15	82.9	31.67	82.6	32.67	82.6	33.61	82.2	34.06	82.2	34.56	82.2	35.50
	-11.8	-13	86.3	32.47	86.3	33.36	86.0	34.26	86.0	34.76	86.0	35.20	85.6	36.10
	-9.8	-11	90.5	33.22	90.5	34.06	90.1	34.96	90.1	35.40	90.1	35.85	89.7	36.75
	-9.5	-10	92.8	33.61	92.4	34.46	92.4	35.30	92.0	35.75	92.0	36.20	92.0	36.99
	-8.5	-9.1	94.7	33.96	94.7	34.81	94.3	35.60	94.3	36.00	94.3	36.45	93.1	36.80
	-7	-7.6	98.1	34.51	98.1	35.30	97.7	36.15	97.7	36.55	97.7	36.94	93.1	35.15
80%	-5	-5.6	103.3	35.25	103.0	36.00	103.0	36.80	102.6	37.19	99.9	36.00	93.1	33.02
	-3	-3.7	108.2	35.95	108.2	36.65	107.1	36.80	103.3	35.35	99.9	33.91	93.1	31.13
	0	-0.7	117.3	36.99	113.9	36.05	107.1	33.41	103.3	32.07	99.9	30.83	93.1	28.29
	3	2.2	120.7	35.20	113.9	32.82	107.1	30.43	103.3	29.29	99.9	28.09	93.1	25.91
	5	4.1	120.7	33.12	113.9	30.88	107.1	28.69	103.3	27.55	99.9	26.55	93.1	24.41
	7	6	120.7	31.13	113.9	29.09	107.1	27.00	103.3	26.01	99.9	25.01	93.1	23.07
	9	7.9	120.7	29.34	113.9	27.35	107.1	25.46	103.3	24.56	99.9	23.62	93.1	21.83
	11	9.8	120.7	27.65	113.9	25.81	107.1	24.07	103.3	23.17	99.9	22.33	93.1	20.64
	13	11.8	120.7	26.01	113.9	24.36	107.1	22.67	103.3	21.88	99.9	21.08	93.1	19.49
	15	13.7	120.7	24.56	113.9	22.97	107.1	21.48	103.3	20.73	99.9	19.99	93.1	18.50
	-19.8	-20	75.2	31.92	74.8	32.87	74.8	33.81	74.8	34.26	74.4	34.76	74.4	35.65
	-18.8	-19	76.3	32.22	76.3	33.17	75.9	34.06	75.9	34.56	75.9	35.01	75.5	35.95
	-16.7	-17	79.3	32.87	79.0	33.76	79.0	34.66	79.0	35.10	79.0	35.55	78.6	36.40
	-13.7	-15	82.7	33.56	82.4	34.41	82.4	35.25	82.4	35.65	82.0	36.10	82.0	36.99
	-11.8	-13	86.1	34.21	86.1	35.06	85.8	35.85	85.8	36.25	85.8	36.70	83.1	35.70
	-9.8	-11	90.3	34.91	90.3	35.70	89.9	36.50	89.9	36.85	89.2	36.80	83.1	33.71
	-9.5	-10	92.6	35.25	92.2	36.00	92.2	36.80	92.2	37.19	89.2	35.70	83.1	32.72
	-8.5	-9.1	94.5	35.60	87.8	36.35	94.1	37.04	92.2	36.20	89.2	34.76	83.1	31.87
	-7	-7.6	97.8	36.10	97.8	36.80	95.2	36.00	92.2	34.61	89.2	33.22	83.1	30.48
	-5	-5.6	103.1	36.75	101.2	36.55	95.2	33.81	92.2	32.52	89.2	31.23	83.1	28.69
	-3	-3.7	107.3	36.94	101.2	34.41	95.2	31.87	92.2	30.68	89.2	29.44	83.1	27.10
	0	-0.7	107.3	33.51	101.2	31.23	95.2	28.99	92.2	27.89	89.2	26.80	83.1	24.71
	3	2.2	107.3	30.53	101.2	28.49	95.2	26.50	92.2	25.51	89.2	24.56	83.1	22.62
	5	4.1	107.3	28.74	101.2	26.85	95.2	24.96	92.2	24.07	89.2	23.17	83.1	21.38
	7	6	107.3	27.10	101.2	25.36	95.2	23.57	92.2	22.77	89.2	21.93	83.1	20.24
	9	7.9	107.3	25.56	101.2	23.92	95.2	22.28	92.2	21.48	89.2	20.73	83.1	19.19
	11	9.8	107.3	24.17	101.2	22.57	95.2	21.08	92.2	20.34	89.2	19.64	83.1	18.20
	13	11.8	107.3	22.77	101.2	21.33	95.2	19.94	92.2	19.24	89.2	18.55	83.1	17.20
	15	13.7	107.3	21.53	101.2	20.24	95.2	18.89	92.2	18.25	89.2	17.60	83.1	16.36

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1065W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	74.6	34.01	74.3	34.81	74.3	35.60	74.3	36.00	74.3	36.45	72.4	36.05
	-18.8	-19	75.8	34.26	75.8	35.06	75.4	35.85	75.4	36.25	75.4	36.70	72.4	35.30
	-16.7	-17	78.8	34.81	78.8	35.60	78.4	36.40	78.4	36.80	77.7	32.77	72.4	33.66
	-13.7	-15	82.2	35.40	81.8	36.20	81.8	36.94	80.3	36.40	77.7	34.91	72.4	32.02
	-11.8	-13	85.5	36.00	85.5	36.75	83.3	35.85	80.3	34.46	77.7	33.07	72.4	30.33
	-9.8	-11	89.7	36.60	88.6	36.60	83.3	33.86	80.3	32.57	77.7	31.28	72.4	28.69
	-9.5	-10	92.0	36.94	88.6	35.50	83.3	32.87	80.3	31.62	77.7	30.38	72.4	27.89
	-8.5	-9.1	93.8	37.14	88.6	34.56	83.3	32.02	80.3	30.78	77.7	29.59	72.4	27.20
	-7	-7.6	93.8	35.45	88.6	33.02	83.3	30.63	80.3	29.49	77.7	28.29	72.4	26.06
	-5	-5.6	93.8	33.31	88.6	31.08	83.3	28.84	80.3	27.70	77.7	32.77	72.4	24.56
	-3	-3.7	93.8	31.38	88.6	29.29	83.3	27.20	80.3	26.15	77.7	25.16	72.4	23.22
	0	-0.7	93.8	28.54	88.6	26.70	83.3	24.81	80.3	23.92	77.7	23.02	72.4	21.28
	3	2.2	93.8	26.10	88.6	24.41	83.3	22.77	80.3	21.93	77.7	21.13	72.4	19.54
	5	4.1	93.8	24.61	88.6	23.02	83.3	21.53	80.3	20.73	77.7	19.99	72.4	18.50
	7	6	93.8	23.27	88.6	21.78	83.3	20.34	80.3	19.64	77.7	18.94	72.4	17.55
60%	9	7.9	93.8	21.98	88.6	20.64	83.3	19.24	80.3	18.60	77.7	17.95	72.4	16.66
	11	9.8	93.8	20.78	88.6	19.49	83.3	18.25	80.3	17.65	77.7	17.06	72.4	15.81
	13	11.8	93.8	19.64	88.6	18.45	83.3	17.25	80.3	16.71	77.7	16.11	72.4	15.02
	15	13.7	93.8	18.65	88.6	17.50	83.3	16.41	80.3	15.86	77.7	15.31	72.4	14.32
	-19.8	-20	74.4	36.05	74.0	36.75	71.4	35.35	69.2	33.96	66.9	32.62	62.3	29.88
	-18.8	-19	75.5	36.30	75.5	36.99	71.4	34.61	69.2	33.22	66.9	31.87	62.3	29.29
	-16.7	-17	78.6	36.80	75.9	35.60	71.4	33.02	69.2	31.72	66.9	30.48	62.3	27.99
	-13.7	-15	80.5	36.40	75.9	33.81	71.4	31.38	69.2	30.18	66.9	28.99	62.3	26.65
	-11.8	-13	80.5	34.41	75.9	32.02	71.4	29.73	69.2	28.64	66.9	27.50	62.3	25.46
	-9.8	-11	80.5	32.52	75.9	30.28	71.4	28.14	69.2	27.10	66.9	26.06	62.3	24.02
	-9.5	-10	80.5	31.62	75.9	29.49	71.4	27.35	69.2	26.35	66.9	25.36	62.3	23.37
	-8.5	-9.1	80.5	30.78	75.9	28.69	71.4	26.70	69.2	25.71	66.9	24.71	62.3	22.77
	-7	-7.6	80.5	29.44	75.9	27.50	71.4	25.56	69.2	24.61	66.9	23.67	62.3	21.88
	-5	-5.6	80.5	27.70	75.9	25.91	71.4	24.12	69.2	23.22	66.9	22.38	62.3	20.69
	-3	-3.7	80.5	26.15	75.9	24.46	71.4	22.77	69.2	21.98	66.9	21.18	62.3	19.59
50%	0	-0.7	80.5	23.92	75.9	22.38	71.4	20.88	69.2	20.19	66.9	19.44	62.3	18.00
	3	2.2	80.5	21.93	75.9	20.59	71.4	19.24	69.2	18.55	66.9	17.90	62.3	16.61
	5	4.1	80.5	20.73	75.9	19.44	71.4	18.20	69.2	17.60	66.9	16.96	62.3	15.76
	7	6	80.5	19.64	75.9	18.45	71.4	17.25	69.2	16.66	66.9	16.11	62.3	14.97
	9	7.9	80.5	18.60	75.9	17.45	71.4	16.36	69.2	15.86	66.9	15.27	62.3	14.27
	11	9.8	80.5	17.65	75.9	16.61	71.4	15.56	69.2	15.07	66.9	14.52	62.3	13.57
	13	11.8	80.5	16.66	75.9	15.71	71.4	14.77	69.2	14.32	66.9	13.82	62.3	12.93
	15	13.7	80.5	15.86	75.9	14.92	71.4	14.07	69.2	13.62	66.9	13.18	62.3	12.33
	-19.8	-20	67.0	32.82	63.2	30.53	59.5	28.34	57.3	27.30	55.4	26.25	51.6	24.17
	-18.8	-19	67.0	32.07	63.2	29.88	59.5	27.80	57.3	26.75	55.4	25.71	51.6	23.72
	-16.7	-17	67.0	30.63	63.2	28.54	59.5	26.55	57.3	25.56	55.4	24.61	51.6	22.72
	-13.7	-15	67.0	29.14	63.2	27.20	59.5	25.31	57.3	24.36	55.4	23.47	51.6	21.68
	-11.8	-13	67.0	27.70	63.2	25.86	59.5	24.07	57.3	23.17	55.4	22.33	51.6	20.64
	-9.8	-11	67.0	26.20	63.2	24.51	59.5	22.82	57.3	21.98	55.4	21.18	51.6	19.64
	-9.5	-10	67.0	25.51	63.2	23.82	59.5	22.23	57.3	21.43	55.4	20.64	51.6	19.09
	-8.5	-9.1	67.0	24.86	63.2	23.27	59.5	21.68	57.3	20.93	55.4	20.19	51.6	18.65
	-7	-7.6	67.0	23.82	63.2	22.33	59.5	20.78	57.3	20.09	55.4	19.39	51.6	17.95
	-5	-5.6	67.0	22.48	63.2	21.08	59.5	19.69	57.3	19.04	55.4	18.35	51.6	17.01
	-3	-3.7	67.0	21.28	63.2	19.99	59.5	18.65	57.3	18.05	55.4	17.40	51.6	16.16
	0	-0.7	67.0	19.54	63.2	18.35	59.5	17.20	57.3	16.61	55.4	16.06	51.6	14.92
	3	2.2	67.0	18.00	63.2	16.91	59.5	15.86	57.3	15.31	55.4	14.82	51.6	13.82
	5	4.1	67.0	17.06	63.2	16.06	59.5	15.07	57.3	14.57	55.4	14.12	51.6	13.13
	7	6	67.0	16.21	63.2	15.27	59.5	14.32	57.3	13.87	55.4	13.43	51.6	12.53
	9	7.9	67.0	15.36	63.2	14.52	59.5	13.62	57.3	13.23	55.4	12.78	51.6	11.93
	11	9.8	67.0	14.62	63.2	13.77	59.5	12.98	57.3	12.58	55.4	12.18	51.6	11.39
	13	11.8	67.0	13.92	63.2	13.13	59.5	12.33	57.3	11.98	55.4	11.59	51.6	10.89
	15	13.7	67.0	13.23	63.2	12.53	59.5	11.78	57.3	11.44	55.4	11.09	51.6	10.39

40HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1115W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	80.9	22.70	80.6	24.32	80.2	25.94	80.2	26.72	79.8	27.51	79.8	29.13
	-18.8	-19	82.1	23.22	81.8	24.79	81.8	26.41	81.3	27.19	81.3	27.92	80.9	29.55
	-16.7	-17	85.3	24.32	84.9	25.83	84.5	27.35	84.5	28.08	84.5	28.87	84.1	30.38
	-13.7	-15	88.9	25.41	88.5	26.88	88.1	28.34	88.1	29.07	87.7	29.81	87.7	31.27
	-11.8	-13	92.5	26.56	92.5	27.98	92.1	29.34	91.7	30.07	91.7	30.80	91.3	32.16
	-9.8	-11	96.9	27.72	96.4	29.07	96.0	30.38	96.0	31.06	96.0	31.74	95.6	33.10
	-9.5	-10	99.2	28.34	98.8	29.60	98.4	30.90	98.4	31.58	98.0	32.21	98.0	33.52
	-8.5	-9.1	101.2	28.81	100.8	30.07	100.8	31.38	100.4	32.00	100.4	32.63	100.0	33.94
	-7	-7.6	104.8	29.65	104.8	30.90	104.4	32.11	104.4	32.74	104.0	33.31	103.6	34.57
	-5	-5.6	110.3	30.80	109.9	31.95	109.5	33.10	109.5	33.73	109.1	34.25	109.1	35.40
	-3	-3.7	115.5	31.79	115.1	32.89	115.1	33.99	114.7	34.57	114.7	35.14	114.3	36.19
	0	-0.7	124.6	33.31	124.6	34.36	124.2	35.35	124.2	35.77	123.8	36.40	123.8	37.44
	3	2.2	134.5	34.72	134.1	35.66	133.8	36.60	133.8	37.08	133.8	37.60	133.3	38.49
	5	4.1	141.3	35.56	140.9	36.50	140.9	37.39	140.5	37.86	140.5	38.28	140.1	39.17
120%	7	6	148.4	36.45	148.0	37.23	148.0	38.12	147.6	38.54	147.6	38.96	147.1	39.74
	9	7.9	155.9	37.18	155.6	38.02	155.6	38.80	155.1	39.22	152.0	38.38	141.7	35.14
	11	9.8	163.9	37.91	163.5	38.70	162.7	39.17	157.1	37.65	152.0	36.08	141.7	33.10
	13	11.8	172.6	38.64	172.2	39.38	162.7	36.71	157.1	35.25	152.0	33.89	141.7	31.06
	15	13.7	180.9	39.32	173.0	37.28	162.7	34.57	157.1	33.26	152.0	31.90	141.7	29.34
	-19.8	-20	80.6	24.89	80.1	26.36	79.8	27.87	79.8	28.55	79.8	29.34	79.4	30.80
	-18.8	-19	81.8	25.36	81.3	26.83	81.3	28.29	81.0	28.97	81.0	29.75	80.6	31.22
	-16.7	-17	84.9	26.36	84.5	27.77	84.0	29.13	84.1	29.86	84.1	30.59	83.8	31.95
	-13.7	-15	88.5	27.40	88.1	28.76	87.7	30.07	87.7	30.80	87.7	31.43	87.3	32.79
	-11.8	-13	92.1	28.45	92.1	29.75	91.7	31.01	91.7	31.69	91.3	32.32	91.3	33.62
	-9.8	-11	96.4	29.55	96.0	30.75	96.0	32.00	95.6	32.63	95.6	33.21	95.2	34.46
	-9.5	-10	98.8	30.07	98.4	31.27	98.0	32.47	98.0	33.10	98.0	33.68	97.6	34.88
	-8.5	-9.1	100.8	30.54	100.4	31.69	100.4	32.89	100.0	33.47	100.0	34.09	99.6	35.25
	-7	-7.6	104.4	31.32	104.4	32.47	104.0	33.57	104.0	34.15	103.6	34.72	103.6	35.82
	-5	-5.6	109.9	32.32	109.5	33.42	109.1	34.51	109.1	35.04	109.1	35.61	108.8	36.60
110%	-3	-3.7	115.1	33.31	115.1	34.36	114.7	35.35	114.7	35.82	114.3	36.40	114.3	37.39
	0	-0.7	124.2	34.72	124.2	35.66	123.8	36.60	123.8	37.08	123.4	37.55	123.4	38.49
	3	2.2	134.1	36.03	133.8	36.87	133.8	37.76	133.3	38.23	133.3	38.64	130.6	38.44
	5	4.1	140.9	36.81	140.5	37.65	140.5	38.49	140.1	38.91	140.1	39.32	130.6	36.08
	7	6	148.0	37.55	148.0	38.33	147.6	39.11	145.2	38.59	140.5	37.02	130.6	33.94
	9	7.9	155.6	38.28	155.2	39.06	150.0	37.76	145.2	36.24	140.5	34.77	130.6	31.95
	11	9.8	163.5	38.96	159.5	38.28	150.0	35.51	145.2	34.15	140.5	32.74	130.6	30.12
	13	11.8	169.4	38.59	159.5	35.93	150.0	33.31	145.2	32.06	140.5	30.80	130.6	28.34
	15	13.7	169.4	36.34	159.5	33.83	150.0	31.43	145.2	30.17	140.5	29.02	130.6	26.72
	-19.8	-20	80.1	27.09	79.8	28.39	79.4	29.75	79.4	30.43	79.4	31.11	79.0	32.47
	-18.8	-19	81.3	27.51	81.0	28.81	81.0	30.17	81.0	30.80	80.6	31.48	80.6	32.84
	-16.7	-17	84.5	28.39	84.1	29.70	85.3	31.01	83.8	31.64	83.8	32.26	83.3	33.52
	-13.7	-15	88.1	29.39	87.7	30.59	87.3	31.85	87.3	32.47	87.3	33.10	86.9	34.30
	-11.8	-13	91.7	30.38	91.7	31.53	91.3	32.68	91.3	33.31	90.9	33.89	90.9	35.09
	-9.8	-11	96.0	31.32	95.6	32.47	95.6	33.57	95.2	34.15	95.2	34.72	95.2	35.82
	-9.5	-10	98.4	31.85	98.0	32.89	97.6	34.04	97.6	34.57	97.6	35.14	97.2	36.24
	-8.5	-9.1	100.4	32.26	100.0	33.31	100.0	34.41	99.6	34.98	99.6	35.51	99.6	37.37
	-7	-7.6	104.0	33.00	104.0	33.99	103.6	35.04	103.6	35.56	103.6	36.08	103.2	37.13
	-5	-5.6	109.5	33.94	109.1	34.93	108.8	35.87	108.8	36.40	108.8	36.87	108.3	37.91
	-3	-3.7	114.7	34.77	114.7	35.72	114.3	36.66	114.3	37.13	113.9	37.60	113.9	38.54
	0	-0.7	123.8	36.08	123.8	36.97	123.4	37.86	123.4	38.28	123.4	38.70	119.9	37.96
	3	2.2	133.8	37.28	133.3	38.07	133.3	38.91	132.9	39.27	128.6	37.65	119.9	34.57
	5	4.1	140.5	38.02	140.5	38.80	137.7	38.44	132.9	36.87	128.6	35.40	119.9	32.47
	7	6	147.6	38.70	146.4	38.96	137.7	36.08	132.9	34.67	128.6	33.31	119.9	30.59
	9	7.9	155.1	39.32	146.4	36.60	137.7	33.94	132.9	32.63	128.6	31.32	119.9	28.81
	11	9.8	155.1	37.02	146.4	34.46	137.7	31.95	132.9	30.75	128.6	29.55	119.9	27.19
	13	11.8	155.1	34.72	146.4	32.32	137.7	30.02	132.9	28.92	128.6	27.77	119.9	25.62
	15	13.7	155.1	30.80	146.4	30.49	137.7	28.34	132.9	27.30	128.6	26.25	119.9	24.21

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1115W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	79.8	29.23	79.4	30.43	79.4	31.69	79.0	32.32	79.0	32.89	78.6	34.15
	-18.8	-19	81.0	29.60	81.0	30.80	80.6	32.06	80.6	32.68	80.2	33.31	80.2	34.51
	-16.7	-17	84.1	30.43	83.7	31.64	83.7	32.79	83.3	33.36	83.3	33.94	83.3	35.14
	-13.7	-15	87.7	31.32	87.3	32.47	86.9	33.57	86.9	34.15	86.9	34.72	86.5	35.82
	-11.8	-13	91.3	32.26	91.3	33.31	90.9	34.36	90.9	34.93	90.9	35.45	90.5	36.55
	-9.8	-11	95.6	33.10	95.2	34.15	95.2	35.19	95.2	35.72	94.8	36.19	94.8	37.23
	-9.5	-10	98.0	33.57	97.6	34.57	97.6	35.56	97.2	36.08	97.2	36.60	96.8	37.60
	-8.5	-9.1	100.0	33.94	99.6	34.98	99.6	35.93	99.6	36.40	99.2	36.92	99.2	37.86
	-7	-7.6	103.6	34.62	103.6	35.56	103.2	36.50	103.2	37.02	103.2	37.44	102.8	38.44
	-5	-5.6	109.1	35.51	108.7	36.40	108.7	37.28	108.3	37.70	108.3	38.17	107.9	39.11
	-3	-3.7	114.3	36.29	114.3	37.24	113.9	38.02	113.9	38.44	113.9	38.85	109.1	37.23
	0	-0.7	123.4	37.44	123.4	38.28	123.0	39.06	121.0	38.44	117.1	36.81	109.1	33.78
	3	2.2	133.3	38.54	132.9	39.27	125.0	36.34	121.0	34.93	117.1	33.52	109.1	30.80
	5	4.1	140.1	39.27	132.9	36.87	125.0	34.15	121.0	32.89	117.1	31.58	109.1	29.02
	7	6	140.9	37.23	132.9	34.67	125.00	32.16	121.0	30.96	117.1	29.75	109.1	27.35
90%	9	7.9	140.9	34.98	132.9	32.63	125.0	30.28	121.0	28.76	117.1	28.03	109.1	25.83
	11	9.8	140.9	32.94	132.9	30.75	125.0	28.55	121.0	27.51	117.1	26.46	109.1	24.37
	13	11.8	140.9	30.96	132.9	28.92	125.0	26.88	121.0	25.88	117.1	24.94	109.1	23.01
	15	13.7	140.9	29.18	132.9	27.30	125.0	25.41	121.0	24.47	117.1	23.53	109.1	21.81
	-19.8	-20	79.2	31.43	78.8	32.47	78.8	33.62	78.4	34.15	78.4	34.72	78.4	35.82
	-18.8	-19	80.4	31.74	80.4	32.89	80.0	33.94	80.0	34.51	80.0	35.04	79.6	36.13
	-16.7	-17	83.6	32.53	83.2	33.57	83.2	34.62	83.2	35.14	82.8	35.66	82.8	36.71
	-13.7	-15	87.1	33.31	86.8	34.36	86.8	35.35	86.3	35.82	86.3	36.34	86.3	37.34
	-11.8	-13	90.7	34.15	90.7	35.09	90.3	36.03	90.3	36.55	90.3	37.02	89.9	37.96
	-9.8	-11	95.1	34.93	95.1	35.82	94.7	36.76	94.7	37.23	94.7	37.70	94.3	38.64
	-9.5	-10	97.5	35.35	97.0	36.24	97.0	37.13	96.7	37.60	96.7	38.07	96.7	38.91
	-8.5	-9.1	99.4	35.72	99.4	36.60	99.0	37.44	99.0	37.86	99.0	38.33	97.8	38.70
	-7	-7.6	103.0	36.29	103.0	37.13	102.6	38.02	102.6	38.44	102.6	38.85	97.8	36.97
	-5	-5.6	108.5	37.08	108.1	37.86	108.1	38.70	107.7	39.11	105.0	37.86	97.8	34.72
	-3	-3.7	113.7	37.81	113.7	38.54	112.5	38.70	108.5	37.18	105.0	35.66	97.8	32.74
	0	-0.7	123.2	38.91	119.6	37.91	112.5	35.14	108.5	33.73	105.0	32.42	97.8	29.75
80%	3	2.2	126.8	37.02	119.6	34.51	112.5	32.00	108.5	30.80	105.0	29.55	97.8	27.24
	5	4.1	126.8	34.83	119.6	32.47	112.5	30.17	108.5	28.97	105.0	27.92	97.8	25.68
	7	6	126.8	32.74	119.6	30.59	112.5	28.39	108.5	27.35	105.0	26.30	97.8	24.26
	9	7.9	126.8	30.85	119.6	28.76	112.5	26.77	108.5	25.83	105.0	24.84	97.8	22.96
	11	9.8	126.8	29.07	119.6	27.14	112.5	25.31	108.5	24.37	105.0	23.48	97.8	21.70
	13	11.8	126.8	27.35	119.6	25.62	112.5	23.85	108.5	23.01	105.0	22.17	97.8	20.50
	15	13.7	126.8	25.83	119.6	24.16	112.5	22.59	108.5	21.81	105.0	21.02	97.8	19.45
	-19.8	-20	79.0	33.57	78.6	34.57	78.6	35.56	78.6	36.03	78.1	36.55	78.1	37.49
	-18.8	-19	80.1	33.89	80.1	34.88	79.8	35.82	79.8	36.34	79.8	36.81	79.4	37.81
	-16.7	-17	83.3	34.57	83.0	35.51	83.0	36.45	83.0	36.92	83.0	37.39	82.5	38.28
	-13.7	-15	86.9	35.30	86.5	36.19	86.5	37.08	86.5	37.49	86.1	37.96	86.1	38.91
	-11.8	-13	90.5	35.98	90.5	36.87	90.1	37.70	90.1	38.12	90.1	38.59	87.3	37.55
	-9.8	-11	94.9	36.71	94.9	37.55	94.4	38.38	94.4	38.75	93.7	38.70	87.3	35.45
	-9.5	-10	97.2	37.08	96.8	37.86	96.9	38.70	96.9	39.11	93.7	37.55	87.3	34.41
	-8.5	-9.1	99.2	37.44	92.2	38.23	98.8	38.96	96.9	38.07	93.7	36.55	87.3	33.52
	-7	-7.6	102.8	37.96	102.8	38.70	100.0	37.86	96.9	36.40	93.7	34.93	87.3	32.06
	-5	-5.6	108.3	38.64	106.3	38.44	100.0	35.56	96.9	34.20	93.7	32.84	87.3	30.17
	-3	-3.7	112.7	38.85	106.3	36.19	100.0	33.52	96.9	32.26	93.7	30.96	87.3	28.50
	0	-0.7	112.7	35.25	106.3	32.84	100.0	30.49	96.9	29.34	93.7	28.19	87.3	25.99
	3	2.2	112.7	32.11	106.3	29.96	100.0	27.87	96.9	26.83	93.7	25.83	87.3	23.79
	5	4.1	112.7	30.23	106.3	28.24	100.0	26.25	96.9	25.31	93.7	24.37	87.3	22.49
	7	6	112.7	28.50	106.3	26.67	100.0	24.79	96.9	23.95	93.7	23.06	87.3	21.28
	9	7.9	112.7	26.88	106.3	25.15	100.0	23.43	96.9	22.59	93.7	21.81	87.3	20.18
	11	9.8	112.7	25.41	106.3	23.74	100.0	22.17	96.9	21.39	93.7	20.66	87.3	19.14
	13	11.8	112.7	23.95	106.3	22.43	100.0	20.97	96.9	20.24	93.7	19.51	87.3	18.09
	15	13.7	112.7	22.64	106.3	21.28	100.0	19.87	96.9	19.19	93.7	18.51	87.3	17.20

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-V1115W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	78.4	35.77	78.0	36.60	78.0	37.44	78.0	37.86	78.0	38.33	76.0	37.91
	-18.8	-19	79.6	36.03	79.6	36.87	79.2	37.70	79.2	38.12	79.2	38.59	76.0	37.13
	-16.7	-17	82.7	36.60	82.7	37.44	82.4	38.28	82.4	38.70	81.6	34.46	76.0	35.40
	-13.7	-15	86.3	37.23	85.9	38.07	85.9	38.85	84.4	38.28	81.6	36.71	76.0	33.68
	-11.8	-13	89.9	37.86	89.9	38.64	87.5	37.70	84.4	36.24	81.6	34.77	76.0	31.90
	-9.8	-11	94.2	38.49	93.1	38.49	87.5	35.61	84.4	34.25	81.6	32.89	76.0	30.17
	-9.5	-10	96.6	38.85	93.1	37.34	87.5	34.57	84.4	33.26	81.6	31.95	76.0	29.34
	-8.5	-9.1	98.6	39.06	93.1	36.34	87.5	33.68	84.4	32.37	81.6	31.11	76.0	28.60
	-7	-7.6	98.6	37.28	93.1	34.72	87.5	32.21	84.4	31.01	81.6	29.75	76.0	27.40
	-5	-5.6	98.6	35.04	93.1	32.68	87.5	30.33	84.4	29.13	81.6	34.46	76.0	25.83
	-3	-3.7	98.6	33.00	93.1	30.80	87.5	28.60	84.4	27.51	81.6	26.46	76.0	24.42
	0	-0.7	98.6	30.02	93.1	28.08	87.5	26.09	84.4	25.15	81.6	24.21	76.0	22.38
	3	2.2	98.6	27.45	93.1	25.68	87.5	23.95	84.4	23.06	81.6	22.22	76.0	20.55
	5	4.1	98.6	25.88	93.1	24.21	87.5	22.64	84.4	21.81	81.6	21.02	76.0	19.45
	7	6	98.6	24.47	93.1	22.90	87.5	21.39	84.4	20.66	81.6	19.92	76.0	18.46
	9	7.9	98.6	23.11	93.1	21.70	87.5	20.24	84.4	19.56	81.6	18.88	76.0	17.52
	11	9.8	98.6	21.86	93.1	20.50	87.5	19.19	84.4	18.56	81.6	17.94	76.0	16.63
	13	11.8	98.6	20.66	93.1	19.40	87.5	18.15	84.4	17.57	81.6	16.94	76.0	15.79
60%	15	13.7	98.6	19.61	93.1	18.41	87.5	17.26	84.4	16.68	81.6	16.11	76.0	15.06
	-19.8	-20	78.2	37.91	77.8	38.64	75.0	37.18	72.6	35.72	70.2	34.30	65.5	31.43
	-18.8	-19	79.4	38.17	79.4	38.91	75.0	36.40	72.6	34.93	70.2	33.52	65.5	30.80
	-16.7	-17	82.5	38.70	79.8	37.44	75.0	34.72	72.6	33.36	70.2	32.06	65.5	29.44
	-13.7	-15	84.5	38.28	79.8	35.56	75.0	33.00	72.6	31.74	70.2	30.49	65.5	28.03
	-11.8	-13	84.5	36.19	79.8	33.68	75.0	31.27	72.6	30.12	70.2	28.92	65.5	26.77
	-9.8	-11	84.5	34.20	79.8	31.85	75.0	29.60	72.6	28.50	70.2	27.40	65.5	25.26
	-9.5	-10	84.5	33.26	79.8	31.01	75.0	28.76	72.6	27.72	70.2	26.67	65.5	24.58
	-8.5	-9.1	84.5	32.37	79.8	30.17	75.0	28.08	72.6	27.04	70.2	25.99	65.5	23.95
	-7	-7.6	84.5	30.96	79.8	28.92	75.0	26.88	72.6	25.88	70.2	24.89	65.5	23.01
	-5	-5.6	84.5	29.13	79.8	27.24	75.0	25.36	72.6	24.42	70.2	23.53	65.5	21.75
	-3	-3.7	84.5	27.51	79.8	25.73	75.0	23.95	72.6	23.11	70.2	22.28	65.5	20.60
	0	-0.7	84.5	25.15	79.8	23.53	75.0	21.96	72.6	21.23	70.2	20.45	65.5	18.93
	3	2.2	84.5	23.06	79.8	21.65	75.0	20.24	72.6	19.51	70.2	18.83	65.5	17.47
	5	4.1	84.5	21.81	79.8	20.45	75.0	19.14	72.6	18.51	70.2	17.83	65.5	16.58
	7	6	84.5	20.66	79.8	19.40	75.0	18.15	72.6	17.52	70.2	16.94	65.5	15.74
	9	7.9	84.5	19.56	79.8	18.35	75.0	17.20	72.6	16.68	70.2	16.05	65.5	15.01
	11	9.8	84.5	18.56	79.8	17.47	75.0	16.37	72.6	15.84	70.2	15.27	65.5	14.28
	13	11.8	84.5	17.52	79.8	16.52	75.0	15.53	72.6	15.06	70.2	14.54	65.5	13.60
50%	15	13.7	84.5	16.68	79.8	15.69	75.0	14.80	72.6	14.33	70.2	13.86	65.5	12.97
	-19.8	-20	70.4	34.51	66.4	32.11	62.5	29.81	60.1	28.71	58.1	27.61	54.2	25.41
	-18.8	-19	70.4	33.73	66.4	31.43	62.5	29.23	60.1	28.13	58.1	27.04	54.2	24.94
	-16.7	-17	70.4	32.21	66.4	30.02	62.5	27.92	60.1	26.88	58.1	25.88	54.2	23.90
	-13.7	-15	70.4	30.64	66.4	28.60	62.5	26.62	60.1	25.62	58.1	24.68	54.2	22.80
	-11.8	-13	70.4	29.13	66.4	27.19	62.5	25.31	60.1	24.37	58.1	23.48	54.2	21.70
	-9.8	-11	70.4	27.56	66.4	25.78	62.5	24.00	60.1	23.11	58.1	22.28	54.2	20.66
	-9.5	-10	70.4	26.83	66.4	25.05	62.5	23.37	60.1	22.54	58.1	21.70	54.2	20.08
	-8.5	-9.1	70.4	26.15	66.4	24.47	62.5	22.80	60.1	22.02	58.1	21.23	54.2	19.61
	-7	-7.6	70.4	25.05	66.4	23.48	62.5	21.86	60.1	21.13	58.1	20.39	54.2	18.88
	-5	-5.6	70.4	23.64	66.4	22.17	62.5	20.71	60.1	20.03	58.1	19.30	54.2	17.88
	-3	-3.7	70.4	22.38	66.4	21.02	62.5	19.61	60.1	18.98	58.1	18.30	54.2	17.00
	0	-0.7	70.4	20.55	66.4	19.30	62.5	18.09	60.1	17.47	58.1	16.89	54.2	15.69
	3	2.2	70.4	18.93	66.4	17.78	62.5	16.68	60.1	16.11	58.1	15.58	54.2	14.54
	5	4.1	70.4	17.94	66.4	16.89	62.5	15.84	60.1	15.32	58.1	14.85	54.2	13.81
	7	6	70.4	17.05	66.4	16.05	62.5	15.06	60.1	14.59	58.1	14.12	54.2	13.18
	9	7.9	70.4	16.16	66.4	15.27	62.5	14.33	60.1	13.91	58.1	13.44	54.2	12.55
	11	9.8	70.4	15.37	66.4	14.49	62.5	13.65	60.1	13.23	58.1	12.81	54.2	11.98
	13	11.8	70.4	14.64	66.4	13.81	62.5	12.97	60.1	12.60	58.1	12.18	54.2	11.45
	15	13.7	70.4	13.91	66.4	13.18	62.5	12.39	60.1	12.03	58.1	11.66	54.2	10.93

42HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1180W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	85.5	24.11	85.1	25.84	84.7	27.56	84.7	28.39	84.2	29.23	84.2	30.95
	-18.8	-19	86.7	24.67	86.3	26.34	86.3	28.06	85.9	28.89	85.9	29.67	85.5	31.39
	-16.7	-17	90.1	25.84	89.7	27.45	89.3	29.06	89.3	29.84	89.3	30.67	88.8	32.28
	-13.7	-15	93.9	27.00	93.5	28.56	93.0	30.11	93.0	30.89	92.6	31.67	92.6	33.23
	-11.8	-13	97.6	28.22	97.6	29.73	97.2	31.17	96.8	31.95	96.8	32.73	96.4	34.17
	-9.8	-11	102.3	29.45	101.8	30.89	101.4	32.28	101.4	33.00	101.4	33.73	101.0	35.17
	-9.5	-10	104.8	30.11	104.3	31.45	103.9	32.84	103.9	33.56	103.5	34.23	103.5	35.61
	-8.5	-9.1	106.9	30.61	106.4	31.95	106.4	33.34	106.0	34.00	106.0	34.67	105.6	36.06
	-7	-7.6	110.6	31.50	110.6	32.84	110.2	34.11	110.2	34.78	109.8	35.39	109.4	36.73
	-5	-5.6	116.5	32.73	116.1	33.95	115.7	35.17	115.7	35.84	115.2	36.39	115.2	37.61
	-3	-3.7	121.9	33.78	121.5	34.95	121.5	36.11	121.1	36.73	121.1	37.34	120.7	38.45
	0	-0.7	131.6	35.39	131.6	36.50	131.2	37.56	131.2	38.00	130.7	38.67	130.7	39.78
	3	2.2	142.0	36.89	141.6	37.89	141.2	38.89	141.2	39.39	141.2	39.95	140.8	40.89
	5	4.1	149.2	37.78	148.8	38.78	148.8	39.73	148.3	40.23	148.3	40.67	147.9	41.62
120%	7	6	156.7	38.73	156.3	39.56	156.3	40.50	155.9	40.95	155.9	41.39	149.6	39.78
	9	7.9	164.7	39.50	164.3	40.39	164.3	41.23	163.8	41.67	160.5	40.78	149.6	37.34
	11	9.8	173.1	40.28	172.6	41.12	171.8	41.62	165.9	40.00	160.5	38.34	149.6	35.17
	13	11.8	182.3	41.06	181.9	41.84	171.8	39.00	165.9	37.45	160.5	36.00	149.6	33.00
	15	13.7	191.1	41.78	182.7	39.61	171.8	36.73	165.9	35.34	160.5	33.89	149.6	31.17
	-19.8	-20	85.1	26.45	84.6	28.00	84.2	29.61	84.2	30.34	84.2	31.17	83.8	32.73
	-18.8	-19	86.3	26.95	85.9	28.50	85.9	30.06	85.5	30.78	85.5	31.61	85.1	33.17
	-16.7	-17	89.7	28.00	89.3	29.50	88.7	30.95	88.8	31.73	88.8	32.50	88.4	33.95
	-13.7	-15	93.5	29.11	93.0	30.56	92.6	31.95	92.6	32.73	92.6	33.39	92.2	34.84
	-11.8	-13	97.2	30.23	97.2	31.61	96.8	32.95	96.8	33.67	96.4	34.34	96.4	35.73
	-9.8	-11	101.8	31.39	101.4	32.67	101.4	34.00	101.0	34.67	101.0	35.28	100.6	36.61
	-9.5	-10	104.4	31.95	103.9	33.23	103.5	34.50	103.5	35.17	103.5	35.78	103.1	37.06
	-8.5	-9.1	106.4	32.45	106.0	33.67	106.0	34.95	105.6	35.56	105.6	36.23	105.2	37.45
	-7	-7.6	110.2	33.28	110.2	34.50	109.8	35.67	109.8	36.28	109.4	36.89	109.4	38.06
	-5	-5.6	116.1	34.34	115.7	35.50	115.2	36.67	115.2	37.23	115.2	37.84	114.8	38.89
110%	-3	-3.7	121.5	35.39	121.5	36.50	121.1	37.56	121.1	38.06	120.7	38.67	120.7	39.73
	0	-0.7	131.2	36.89	131.2	37.89	130.7	38.89	130.7	39.39	130.3	39.89	130.3	40.89
	3	2.2	141.6	38.28	141.2	39.17	141.2	40.12	140.8	40.62	140.8	41.06	137.9	40.84
	5	4.1	148.8	39.11	148.3	40.00	148.3	40.89	147.9	41.34	147.9	41.78	137.9	38.34
	7	6	156.3	39.89	156.3	40.73	155.9	41.56	153.4	41.00	148.3	39.34	137.9	36.06
	9	7.9	164.3	40.67	163.9	41.50	158.4	40.12	153.4	38.50	148.3	36.95	137.9	33.95
	11	9.8	172.6	41.39	168.5	40.67	158.4	37.73	153.4	36.28	148.3	34.78	137.9	32.00
	13	11.8	178.9	41.00	168.5	38.17	158.4	35.39	153.4	34.06	148.3	32.73	137.9	30.11
	15	13.7	178.9	38.61	168.5	35.95	158.4	33.39	153.4	32.06	148.3	30.84	137.9	28.39
	-19.8	-20	84.6	28.78	84.2	30.17	83.8	31.61	83.8	32.34	83.8	33.06	83.4	34.50
	-18.8	-19	85.9	29.23	85.5	30.61	85.5	32.06	85.5	32.73	85.1	33.45	85.1	34.89
	-16.7	-17	89.3	30.17	88.8	31.56	90.1	32.95	88.4	33.61	88.4	34.28	88.0	35.61
	-13.7	-15	93.0	31.23	92.6	32.50	92.2	33.84	92.2	34.50	92.2	35.17	91.8	36.45
	-11.8	-13	96.8	32.28	96.8	33.50	96.4	34.73	96.4	35.39	96.0	36.00	96.0	37.28
	-9.8	-11	101.4	33.28	101.0	34.50	101.0	35.67	100.6	36.28	100.6	36.89	100.6	38.06
	-9.5	-10	103.9	33.84	103.5	34.95	103.1	36.17	103.1	36.73	103.1	37.34	102.7	38.50
	-8.5	-9.1	106.0	34.28	105.6	35.39	105.6	36.56	105.2	37.17	105.2	37.73	105.2	34.39
	-7	-7.6	109.8	35.06	109.8	36.11	109.4	37.23	109.4	37.78	109.4	38.34	109.0	39.45
	-5	-5.6	115.7	36.06	115.2	37.11	114.8	38.11	114.8	38.67	114.8	39.17	114.4	40.28
	-3	-3.7	121.1	36.95	121.1	37.95	120.7	38.95	120.7	39.45	120.3	39.95	120.3	40.95
	0	-0.7	130.7	38.34	130.7	39.28	130.3	40.23	130.3	40.67	130.3	41.12	126.6	40.34
	3	2.2	141.2	39.61	140.8	40.45	140.8	41.34	140.4	41.73	135.8	40.00	126.6	36.73
	5	4.1	148.3	40.39	148.3	41.23	145.4	40.84	140.4	39.17	135.8	37.61	126.6	34.50
	7	6	155.9	41.12	154.6	41.39	145.4	38.34	140.4	36.84	135.8	35.39	126.6	32.50
	9	7.9	163.8	41.78	154.6	38.89	145.4	36.06	140.4	34.67	135.8	33.28	126.6	30.61
	11	9.8	163.8	39.34	154.6	36.61	145.4	33.95	140.4	32.67	135.8	31.39	126.6	28.89
	13	11.8	163.8	36.89	154.6	34.34	145.4	31.89	140.4	30.73	135.8	29.50	126.6	27.22
	15	13.7	163.8	32.73	154.6	32.39	145.4	30.11	140.4	29.00	135.8	27.89	126.6	25.72

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1180W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	84.2	31.06	83.8	32.34	83.8	33.67	83.4	34.34	83.4	34.95	83.0	36.28
	-18.8	-19	85.5	31.45	85.5	32.73	85.1	34.06	85.1	34.73	84.7	35.39	84.7	36.67
	-16.7	-17	88.8	32.34	88.4	33.61	88.4	34.84	88.0	35.45	88.0	36.06	88.0	37.34
	-13.7	-15	92.6	33.28	92.2	34.50	91.8	35.67	91.8	36.28	91.8	36.89	91.4	38.06
	-11.8	-13	96.4	34.28	96.4	35.39	96.0	36.50	96.0	37.11	96.0	37.67	95.5	38.84
	-9.8	-11	101.0	35.17	100.6	36.28	100.6	37.39	100.6	37.95	100.1	38.45	100.1	39.56
	-9.5	-10	103.5	35.67	103.1	36.73	103.1	37.78	102.7	38.34	102.7	38.89	102.2	39.95
	-8.5	-9.1	105.6	36.06	105.2	37.17	105.2	38.17	105.2	38.67	104.8	39.23	104.8	40.23
	-7	-7.6	109.4	36.78	109.4	37.78	109.0	38.78	109.0	39.34	109.0	39.78	108.5	40.84
	-5	-5.6	115.2	37.73	114.8	38.67	114.8	39.61	114.4	40.06	114.4	40.56	114.0	41.56
	-3	-3.7	120.7	38.56	120.7	35.00	120.3	40.39	120.3	40.84	120.3	41.28	115.2	39.56
	0	-0.7	130.3	39.78	130.3	40.67	129.9	41.50	127.8	40.84	123.6	39.11	115.2	35.89
	3	2.2	140.8	40.95	140.4	41.73	132.0	38.61	127.8	37.11	123.6	35.61	115.2	32.73
	5	4.1	147.9	41.73	140.4	39.17	132.0	36.28	127.8	34.95	123.6	33.56	115.2	30.84
	7	6	148.8	39.56	140.4	36.84	132.00	34.17	127.8	32.89	123.6	31.61	115.2	29.06
90%	9	7.9	148.8	37.17	140.4	34.67	132.0	32.17	127.8	30.56	123.6	29.78	115.2	27.45
	11	9.8	148.8	35.00	140.4	32.67	132.0	30.34	127.8	29.23	123.6	28.11	115.2	25.89
	13	11.8	148.8	32.89	140.4	30.73	132.0	28.56	127.8	27.50	123.6	26.50	115.2	24.45
	15	13.7	148.8	31.00	140.4	29.00	132.0	27.00	127.8	26.00	123.6	25.00	115.2	23.17
	-19.8	-20	83.6	33.39	83.3	34.50	83.3	35.73	82.8	36.28	82.8	36.89	82.8	38.06
	-18.8	-19	84.9	33.73	84.9	34.95	84.5	36.06	84.5	36.67	84.5	37.23	84.1	38.39
	-16.7	-17	88.2	34.56	87.9	35.67	87.9	36.78	87.9	37.34	87.4	37.89	87.4	39.00
	-13.7	-15	92.0	35.39	91.6	36.50	91.6	37.56	91.2	38.06	91.2	38.61	91.2	39.67
	-11.8	-13	95.8	36.28	95.8	37.28	95.4	38.28	95.4	38.84	95.4	39.34	94.9	40.34
	-9.8	-11	100.4	37.11	100.4	38.06	100.0	39.06	100.0	39.56	100.0	40.06	99.5	41.06
	-9.5	-10	102.9	37.56	102.5	38.50	102.5	39.45	102.1	39.95	102.1	40.45	102.1	41.34
	-8.5	-9.1	105.0	37.95	105.0	38.89	104.6	39.78	104.6	40.23	104.6	40.73	103.3	41.12
	-7	-7.6	108.8	38.56	108.8	39.45	108.3	40.39	108.3	40.84	108.3	41.28	103.3	39.28
	-5	-5.6	114.6	39.39	114.2	40.23	114.2	41.12	113.8	41.56	110.8	40.23	103.3	36.89
	-3	-3.7	120.1	40.17	120.1	40.95	118.8	41.12	114.6	39.50	110.8	37.89	103.3	34.78
80%	0	-0.7	130.1	41.34	126.3	40.28	118.8	37.34	114.6	35.84	110.8	34.45	103.3	31.61
	3	2.2	133.9	39.34	126.3	36.67	118.8	34.00	114.6	32.73	110.8	31.39	103.3	28.95
	5	4.1	133.9	37.00	126.3	34.50	118.8	32.06	114.6	30.78	110.8	29.67	103.3	27.28
	7	6	133.9	34.78	126.3	32.50	118.8	30.17	114.6	29.06	110.8	27.95	103.3	25.78
	9	7.9	133.9	32.78	126.3	30.56	118.8	28.45	114.6	27.45	110.8	26.39	103.3	24.39
	11	9.8	133.9	30.89	126.3	28.84	118.8	26.89	114.6	25.89	110.8	24.95	103.3	23.06
	13	11.8	133.9	29.06	126.3	27.22	118.8	25.34	114.6	24.45	110.8	23.56	103.3	21.78
	15	13.7	133.9	27.45	126.3	25.67	118.8	24.00	114.6	23.17	110.8	22.34	103.3	20.67
	-19.8	-20	83.4	35.67	83.0	36.73	83.0	37.78	83.0	38.28	82.5	38.84	82.5	39.84
	-18.8	-19	84.6	36.00	84.6	37.06	84.2	38.06	84.2	38.61	84.2	39.11	83.8	40.17
	-16.7	-17	88.0	36.73	87.6	37.73	87.6	38.73	87.6	39.23	87.6	39.73	87.2	40.67
	-13.7	-15	91.8	37.50	91.4	38.45	91.4	39.39	91.4	39.84	90.9	40.34	90.9	41.34
	-11.8	-13	95.5	38.23	95.5	39.17	95.1	40.06	95.1	40.50	95.1	41.00	92.2	39.89
	-9.8	-11	100.2	39.00	100.2	39.89	99.7	40.78	99.7	41.17	98.9	41.12	92.2	37.67
	-9.5	-10	102.7	39.39	102.2	40.23	102.3	41.12	102.3	41.56	98.9	39.89	92.2	36.56
	-8.5	-9.1	104.8	39.78	97.4	40.62	104.3	41.39	102.3	40.45	98.9	38.84	92.2	35.61

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1180W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	82.8	38.00	82.4	38.89	82.4	39.78	82.4	40.23	82.4	40.73	80.3	40.28
	-18.8	-19	84.0	38.28	84.0	39.17	83.6	40.06	83.6	40.50	83.6	41.00	80.3	39.45
	-16.7	-17	87.4	38.89	87.4	39.78	87.0	40.67	87.0	41.12	86.1	36.61	80.3	37.61
	-13.7	-15	91.1	39.56	90.7	40.45	90.7	41.28	89.1	40.67	86.1	39.00	80.3	35.78
	-11.8	-13	94.9	40.23	94.9	41.06	92.4	40.06	89.1	38.50	86.1	36.95	80.3	33.89
	-9.8	-11	99.5	40.89	98.3	40.89	92.4	37.84	89.1	36.39	86.1	34.95	80.3	32.06
	-9.5	-10	102.0	41.28	98.3	39.67	92.4	36.73	89.1	35.34	86.1	33.95	80.3	31.17
	-8.5	-9.1	104.1	41.50	98.3	38.61	92.4	35.78	89.1	34.39	86.1	33.06	80.3	30.39
	-7	-7.6	104.1	39.61	98.3	36.89	92.4	34.23	89.1	32.95	86.1	31.61	80.3	29.11
	-5	-5.6	104.1	37.23	98.3	34.73	92.4	32.23	89.1	30.95	86.1	36.61	80.3	27.45
	-3	-3.7	104.1	35.06	98.3	32.73	92.4	30.39	89.1	29.23	86.1	28.11	80.3	25.95
	0	-0.7	104.1	31.89	98.3	29.84	92.4	27.72	89.1	26.72	86.1	25.72	80.3	23.78
	3	2.2	104.1	29.17	98.3	27.28	92.4	25.45	89.1	24.50	86.1	23.61	80.3	21.84
	5	4.1	104.1	27.50	98.3	25.72	92.4	24.06	89.1	23.17	86.1	22.34	80.3	20.67
	7	6	104.1	26.00	98.3	24.34	92.4	22.72	89.1	21.95	86.1	21.17	80.3	19.61
60%	9	7.9	104.1	24.56	98.3	23.06	92.4	21.50	89.1	20.78	86.1	20.06	80.3	18.61
	11	9.8	104.1	23.22	98.3	21.78	92.4	20.39	89.1	19.72	86.1	19.06	80.3	17.67
	13	11.8	104.1	21.95	98.3	20.61	92.4	19.28	89.1	18.67	86.1	18.00	80.3	16.78
	15	13.7	104.1	20.84	98.3	19.56	92.4	18.34	89.1	17.72	86.1	17.11	80.3	16.00
	-19.8	-20	82.6	40.28	82.1	41.06	79.2	39.50	76.7	37.95	74.2	36.45	69.1	33.39
	-18.8	-19	83.8	40.56	83.8	41.34	79.2	38.67	76.7	37.11	74.2	35.61	69.1	32.73
	-16.7	-17	87.2	41.12	84.2	39.78	79.2	36.89	76.7	35.45	74.2	34.06	69.1	31.28
	-13.7	-15	89.3	40.67	84.2	37.78	79.2	35.06	76.7	33.73	74.2	32.39	69.1	29.78
	-11.8	-13	89.3	38.45	84.2	35.78	79.2	33.23	76.7	32.00	74.2	30.73	69.1	28.45
	-9.8	-11	89.3	36.34	84.2	33.84	79.2	31.45	76.7	30.28	74.2	29.11	69.1	26.84
	-9.5	-10	89.3	35.34	84.2	32.95	79.2	30.56	76.7	29.45	74.2	28.34	69.1	26.11
	-8.5	-9.1	89.3	34.39	84.2	32.06	79.2	29.84	76.7	28.73	74.2	27.61	69.1	25.45
	-7	-7.6	89.3	32.89	84.2	30.73	79.2	28.56	76.7	27.50	74.2	26.45	69.1	24.45
	-5	-5.6	89.3	30.95	84.2	28.95	79.2	26.95	76.7	25.95	74.2	25.00	69.1	23.11
	-3	-3.7	89.3	29.23	84.2	27.34	79.2	25.45	76.7	24.56	74.2	23.67	69.1	21.89
50%	0	-0.7	89.3	26.72	84.2	25.00	79.2	23.34	76.7	22.56	74.2	21.72	69.1	20.11
	3	2.2	89.3	24.50	84.2	23.00	79.2	21.50	76.7	20.72	74.2	20.00	69.1	18.56
	5	4.1	89.3	23.17	84.2	21.72	79.2	20.34	76.7	19.67	74.2	18.95	69.1	17.61
	7	6	89.3	21.95	84.2	20.61	79.2	19.28	76.7	18.61	74.2	18.00	69.1	16.72
	9	7.9	89.3	20.78	84.2	19.50	79.2	18.28	76.7	17.72	74.2	17.06	69.1	15.95
	11	9.8	89.3	19.72	84.2	18.56	79.2	17.39	76.7	16.83	74.2	16.22	69.1	15.17
	13	11.8	89.3	18.61	84.2	17.56	79.2	16.50	76.7	16.00	74.2	15.45	69.1	14.45
	15	13.7	89.3	17.72	84.2	16.67	79.2	15.72	76.7	15.22	74.2	14.72	69.1	13.78
	-19.8	-20	74.4	36.67	70.2	34.11	66.0	31.67	63.5	30.50	61.4	29.34	57.2	27.00
	-18.8	-19	74.4	35.84	70.2	33.39	66.0	31.06	63.5	29.89	61.4	28.73	57.2	26.50
	-16.7	-17	74.4	34.23	70.2	31.89	66.0	29.67	63.5	28.56	61.4	27.50	57.2	25.39
	-13.7	-15	74.4	32.56	70.2	30.39	66.0	28.28	63.5	27.22	61.4	26.22	57.2	24.22
	-11.8	-13	74.4	30.95	70.2	28.89	66.0	26.89	63.5	25.89	61.4	24.95	57.2	23.06
	-9.8	-11	74.4	29.28	70.2	27.39	66.0	25.50	63.5	24.56	61.4	23.67	57.2	21.95
	-9.5	-10	74.4	28.50	70.2	26.61	66.0	24.84	63.5	23.95	61.4	23.06	57.2	21.34
	-8.5	-9.1	74.4	27.78	70.2	26.00	66.0	24.22	63.5	23.39	61.4	22.56	57.2	20.84
	-7	-7.6	74.4	26.61	70.2	24.95	66.0	23.22	63.5	22.45	61.4	21.67	57.2	20.06
	-5	-5.6	74.4	25.11	70.2	23.56	66.0	22.00	63.5	21.28	61.4	20.50	57.2	19.00
	-3	-3.7	74.4	23.78	70.2	22.34	66.0	20.84	63.5	20.17	61.4	19.45	57.2	18.06
	0	-0.7	74.4	21.84	70.2	20.50	66.0	19.22	63.5	18.56	61.4	17.95	57.2	16.67
	3	2.2	74.4	20.11	70.2	18.89	66.0	17.72	63.5	17.11	61.4	16.56	57.2	15.45
	5	4.1	74.4	19.06	70.2	17.95	66.0	16.83	63.5	16.28	61.4	15.78	57.2	14.67
	7	6	74.4	18.11	70.2	17.06	66.0	16.00	63.5	15.50	61.4	15.00	57.2	14.00
	9	7.9	74.4	17.17	70.2	16.22	66.0	15.22	63.5	14.78	61.4	14.28	57.2	13.33
	11	9.8	74.4	16.33	70.2	15.39	66.0	14.50	63.5	14.06	61.4	13.61	57.2	12.72
	13	11.8	74.4	15.56	70.2	14.67	66.0	13.78	63.5	13.39	61.4	12.95	57.2	12.17
	15	13.7	74.4	14.78	70.2	14.00	66.0	13.17	63.5	12.78	61.4	12.39	57.2	11.61

44HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1235W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	89.3	25.43	88.9	27.24	88.5	29.06	88.5	29.94	88.1	30.82	88.1	32.63
	-18.8	-19	90.7	26.01	90.3	27.77	90.3	29.59	89.8	30.46	89.8	31.28	89.3	33.10
	-16.7	-17	94.2	27.24	93.7	28.94	93.3	30.64	93.3	31.46	93.3	32.34	92.9	34.04
	-13.7	-15	98.1	28.47	97.7	30.11	97.3	31.75	97.3	32.57	96.8	33.39	96.8	35.03
	-11.8	-13	102.1	29.76	102.1	31.34	101.7	32.87	101.2	33.69	101.2	34.51	100.7	36.03
	-9.8	-11	106.9	31.05	106.5	32.57	106.0	34.04	106.0	34.80	106.0	35.56	105.6	37.08
	-9.5	-10	109.5	31.75	109.1	33.16	108.7	34.62	108.7	35.39	108.2	36.09	108.2	37.55
	-8.5	-9.1	111.7	32.28	111.3	33.69	111.3	35.15	110.9	35.85	110.9	36.56	110.4	38.02
	-7	-7.6	115.7	33.22	115.7	34.62	115.2	35.97	115.2	36.67	114.8	37.32	114.3	38.72
	-5	-5.6	121.8	34.51	121.3	35.80	120.9	37.08	120.9	37.79	120.5	38.37	120.5	39.66
	-3	-3.7	127.5	35.62	127.1	36.85	127.1	38.08	126.6	38.72	126.6	39.37	126.1	40.54
	0	-0.7	137.5	37.32	137.5	38.49	137.1	39.60	137.1	40.07	136.7	40.78	136.7	41.95
	3	2.2	148.5	38.90	148.1	39.96	147.7	41.01	147.7	41.54	147.7	42.12	147.2	43.12
	5	4.1	155.9	39.84	155.5	40.89	155.5	41.89	155.1	42.42	155.1	42.88	154.7	43.88
120%	7	6	163.9	40.83	163.4	41.71	163.4	42.71	162.9	43.18	162.9	43.65	156.4	41.95
	9	7.9	172.1	41.65	171.7	42.59	171.7	43.47	171.3	43.94	167.8	43.00	156.4	39.37
	11	9.8	180.9	42.47	180.5	43.35	179.6	43.88	173.5	42.18	167.8	40.42	156.4	37.08
	13	11.8	190.5	43.29	190.1	44.11	179.6	41.13	173.5	39.49	167.8	37.96	156.4	34.80
	15	13.7	199.7	44.06	191.0	41.77	179.6	38.72	173.5	37.26	167.8	35.74	156.4	32.87
	-19.8	-20	88.9	27.89	88.5	29.53	88.1	31.23	88.1	31.99	88.1	32.87	87.6	34.51
	-18.8	-19	90.3	28.41	89.8	30.05	89.8	31.69	89.4	32.46	89.4	33.34	88.9	34.98
	-16.7	-17	93.7	29.53	93.3	31.11	92.7	32.63	92.9	33.45	92.9	34.27	92.5	35.80
	-13.7	-15	97.7	30.70	97.3	32.22	96.8	33.69	96.8	34.51	96.8	35.21	96.4	36.73
	-11.8	-13	101.7	31.87	101.7	33.34	101.2	34.74	101.2	35.50	100.8	36.21	100.8	37.67
	-9.8	-11	106.5	33.10	106.0	34.45	106.0	35.85	105.6	36.56	105.6	37.20	105.1	38.61
	-9.5	-10	109.1	33.69	108.7	35.03	108.2	36.38	108.2	37.08	108.2	37.73	107.8	39.08
	-8.5	-9.1	111.3	34.21	110.9	35.50	110.9	36.85	110.4	37.49	110.4	38.20	109.9	39.49
	-7	-7.6	115.2	35.09	115.2	36.38	114.8	37.61	114.8	38.26	114.3	38.90	114.3	40.13
	-5	-5.6	121.3	36.21	120.9	37.44	120.5	38.67	120.5	39.25	120.5	39.90	120.1	41.01
110%	-3	-3.7	127.1	37.32	127.1	38.49	126.6	39.60	126.6	40.13	126.2	40.78	126.2	41.89
	0	-0.7	137.1	38.90	137.1	39.96	136.7	41.01	136.7	41.54	136.3	42.06	136.3	43.12
	3	2.2	148.1	40.37	147.7	41.30	147.7	42.30	147.2	42.83	147.2	43.29	144.1	43.06
	5	4.1	155.5	41.24	155.1	42.18	155.1	43.12	154.7	43.59	154.7	44.06	144.1	40.42
	7	6	163.4	42.06	163.4	42.94	163.0	43.82	160.3	43.24	155.1	41.48	144.1	38.02
	9	7.9	171.7	42.88	171.3	43.76	165.6	42.30	160.3	40.60	155.1	38.96	144.1	35.80
	11	9.8	180.5	43.65	176.1	42.88	165.6	39.78	160.3	38.26	155.1	36.67	144.1	33.75
	13	11.8	187.1	43.24	176.1	40.25	165.6	37.32	160.3	35.91	155.1	34.51	144.1	31.75
	15	13.7	187.1	40.72	176.1	37.90	165.6	35.21	160.3	33.80	155.1	32.51	144.1	29.94
	-19.8	-20	88.5	30.35	88.1	31.81	87.6	33.34	87.6	34.10	87.7	34.86	87.2	36.38
	-18.8	-19	89.8	30.82	89.4	32.28	89.4	33.80	89.4	34.51	88.9	35.27	88.9	36.79
	-16.7	-17	93.3	31.81	92.9	33.28	94.2	34.74	92.5	35.44	92.5	36.15	92.0	37.55
	-13.7	-15	97.3	32.92	96.9	34.27	96.4	35.68	96.4	36.38	96.4	37.08	95.9	38.43
	-11.8	-13	101.2	34.04	101.2	35.33	100.7	36.62	100.7	37.32	100.3	37.96	100.3	39.31
	-9.8	-11	106.0	35.09	105.6	36.38	105.6	37.61	105.1	38.26	105.1	38.90	105.1	40.13
	-9.5	-10	108.7	35.68	108.2	36.85	107.7	38.14	107.7	38.72	107.7	39.37	107.3	40.60
	-8.5	-9.1	110.9	36.15	110.4	37.32	110.4	38.55	109.9	39.19	109.9	39.78	109.9	40.60
	-7	-7.6	114.8	36.97	114.8	38.08	114.3	39.25	114.3	39.84	114.3	40.42	113.9	41.60
	-5	-5.6	120.9	38.02	120.5	39.14	120.1	40.19	120.1	40.78	120.1	41.30	119.6	42.47
	-3	-3.7	126.6	38.96	126.6	40.01	126.2	41.07	126.2	41.60	125.7	42.12	125.7	43.18
	0	-0.7	136.7	40.42	136.7	41.42	136.3	42.42	136.3	42.88	136.3	43.35	132.3	42.53
	3	2.2	147.7	41.77	147.2	42.65	147.2	43.59	146.7	44.00	141.9	42.18	132.3	38.72
	5	4.1	155.1	42.59	155.1	43.47	152.0	43.06	146.7	41.30	141.9	39.66	132.3	36.38
	7	6	162.9	43.35	161.7	43.65	152.0	40.42	146.7	38.84	141.9	37.32	132.3	34.27
	9	7.9	171.3	44.06	161.7	41.01	152.0	38.02	146.7	36.56	141.9	35.09	132.3	32.28
	11	9.8	171.3	41.48	161.7	38.61	152.0	35.80	146.7	34.45	141.9	33.10	132.3	30.46
	13	11.8	171.3	38.90	161.7	36.21	152.0	33.63	146.7	32.40	141.9	31.11	132.3	28.71
	15	13.7	171.3	34.51	161.7	34.16	152.0	31.75	146.7	30.58	141.9	29.41	132.3	27.13

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1235W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	88.1	32.75	87.6	34.10	87.6	35.50	87.2	36.21	87.2	36.85	86.7	38.26
	-18.8	-19	89.4	33.16	89.4	34.51	88.9	35.91	88.9	36.62	88.5	37.32	88.5	38.67
	-16.7	-17	92.9	34.10	92.4	35.44	92.4	36.73	92.0	37.38	92.0	38.02	92.0	39.37
	-13.7	-15	96.8	35.09	96.4	36.38	95.9	37.61	95.9	38.26	95.9	38.90	95.5	40.13
	-11.8	-13	100.8	36.15	100.8	37.32	100.3	38.49	100.3	39.14	100.3	39.72	99.9	40.95
	-9.8	-11	105.6	37.08	105.1	38.26	105.1	39.43	105.1	40.01	104.7	40.54	104.7	41.71
	-9.5	-10	108.2	37.61	107.8	38.72	107.8	39.84	107.3	40.42	107.3	41.01	106.9	42.12
	-8.5	-9.1	110.4	38.02	109.9	39.19	109.9	40.25	109.9	40.78	109.5	41.36	109.5	42.42
	-7	-7.6	114.3	38.78	114.3	39.84	113.9	40.89	113.9	41.48	113.9	41.95	113.5	43.06
	-5	-5.6	120.5	39.78	120.0	40.78	120.0	41.77	119.6	42.24	119.6	42.77	119.1	43.82
	-3	-3.7	126.2	40.66	126.2	36.91	125.7	42.59	125.7	43.06	125.7	43.53	120.5	41.71
	0	-0.7	136.3	41.95	136.3	42.88	135.8	43.76	133.6	43.06	129.3	41.24	120.5	37.85
	3	2.2	147.2	43.18	146.7	44.00	138.0	40.72	133.6	39.14	129.3	37.55	120.5	34.51
	5	4.1	154.7	44.00	146.7	41.30	138.0	38.26	133.6	36.85	129.3	35.39	120.5	32.51
90%	7	6	155.5	41.71	146.7	38.84	138.00	36.03	133.6	34.68	129.3	33.34	120.5	30.64
	9	7.9	155.5	39.19	146.7	36.56	138.0	33.92	133.6	32.22	129.3	31.40	120.5	28.94
	11	9.8	155.5	36.91	146.7	34.45	138.0	31.99	133.6	30.82	129.3	29.64	120.5	27.30
	13	11.8	155.5	34.68	146.7	32.40	138.0	30.11	133.6	29.00	129.3	27.95	120.5	25.78
	15	13.7	155.5	32.69	146.7	30.58	138.0	28.47	133.6	27.42	129.3	26.36	120.5	24.43
	-19.8	-20	87.5	35.21	87.0	36.38	87.0	37.67	86.6	38.26	86.6	38.90	86.6	40.13
	-18.8	-19	88.8	35.56	88.8	36.85	88.3	38.02	88.3	38.67	88.3	39.25	87.9	40.48
	-16.7	-17	92.3	36.44	91.8	37.61	91.8	38.78	91.8	39.37	91.4	39.96	91.4	41.13
	-13.7	-15	96.2	37.32	95.8	38.49	95.8	39.60	95.3	40.13	95.3	40.72	95.3	41.83
	-11.8	-13	100.1	38.26	100.1	39.31	99.7	40.37	99.7	40.95	99.7	41.48	99.3	42.53
	-9.8	-11	105.0	39.14	105.0	40.13	104.5	41.19	104.5	41.71	104.5	42.24	104.1	43.29
	-9.5	-10	107.6	39.60	107.1	40.60	107.1	41.60	106.7	42.12	106.7	42.65	106.7	43.59
	-8.5	-9.1	109.8	40.01	109.8	41.01	109.3	41.95	109.3	42.42	109.3	42.94	108.0	43.35
	-7	-7.6	113.7	40.66	113.7	41.60	113.3	42.59	113.3	43.06	113.3	43.53	108.0	41.42
80%	-5	-5.6	119.8	41.54	119.4	42.42	119.4	43.35	118.9	43.82	115.9	42.42	108.0	38.90
	-3	-3.7	125.5	42.36	125.5	43.18	124.2	43.35	119.8	41.65	115.9	39.96	108.0	36.67
	0	-0.7	136.0	43.59	132.1	42.47	124.2	39.37	119.8	37.79	115.9	36.32	108.0	33.34
	3	2.2	139.9	41.48	132.1	38.67	124.2	35.85	119.8	34.51	115.9	33.10	108.0	30.52
	5	4.1	139.9	39.02	132.1	36.38	124.2	33.80	119.8	32.46	115.9	31.28	108.0	28.77
	7	6	139.9	36.67	132.1	34.27	124.2	31.81	119.8	30.64	115.9	29.47	108.0	27.18
	9	7.9	139.9	34.57	132.1	32.22	124.2	30.00	119.8	28.94	115.9	27.83	108.0	25.72
	11	9.8	139.9	32.57	132.1	30.41	124.2	28.36	119.8	27.30	115.9	26.30	108.0	24.31
	13	11.8	139.9	30.64	132.1	28.71	124.2	26.71	119.8	25.78	115.9	24.84	108.0	22.97
	15	13.7	139.9	28.94	132.1	27.07	124.2	25.31	119.8	24.43	115.9	23.55	108.0	21.79
	-19.8	-20	87.2	37.61	86.7	38.72	86.7	39.84	86.7	40.37	86.3	40.95	86.3	42.01
	-18.8	-19	88.5	37.96	88.5	39.08	88.1	40.13	88.1	40.72	88.1	41.24	87.6	42.36
	-16.7	-17	92.0	38.72	91.6	39.78	91.6	40.83	91.6	41.36	91.6	41.89	91.1	42.88
	-13.7	-15	95.9	39.55	95.5	40.54	95.5	41.54	95.5	42.01	95.1	42.53	95.1	43.59
	-11.8	-13	99.9	40.31	99.9	41.30	99.5	42.24	99.5	42.71	99.5	43.24	96.4	42.06
	-9.8	-11	104.7	41.13	104.7	42.06	104.3	43.00	104.3	43.41	103.4	43.35	96.4	39.72
	-9.5	-10	107.3	41.54	106.9	42.42	106.9	43.35	106.9	43.82	103.4	42.06	96.4	38.55
	-8.5	-9.1	109.5	41.95	101.8	42.83	109.1	43.65	106.9	42.65	103.4	40.95	96.4	37.55
	-7	-7.6	113.5	42.53	113.5	43.35	110.4	42.42	106.9	40.78	103.4	39.14	96.4	35.91
	-5	-5.6	119.6	43.29	117.4	43.06	110.4	39.84	106.9	38.31	103.4	36.79	96.4	33.80
	-3	-3.7	124.4	43.53	117.4	40.54	110.4	37.55	106.9	36.15	103.4	34.68	96.4	31.93
	0	-0.7	124.4	39.49	117.4	36.79	110.4	34.16	106.9	32.87	103.4	31.58	96.4	29.12
	3	2.2	124.4	35.97	117.4	33.57	110.4	31.23	106.9	30.05	103.4	28.94	96.4	26.66
	5	4.1	124.4	33.86	117.4	31.64	110.4	29.41	106.9	28.36	103.4	27.30	96.4	25.19
	7	6	124.4	31.93	117.4	29.88	110.4	27.77	106.9	26.83	103.4	25.84	96.4	23.84
	9	7.9	124.4	30.11	117.4	28.18	110.4	26.25	106.9	25.31	103.4	24.43	96.4	22.61
	11	9.8	124.4	28.47	117.4	26.60	110.4	24.84	106.9	23.96	103.4	23.14	96.4	21.44
	13	11.8	124.4	26.83	117.4	25.13	110.4	23.49	106.9	22.67	103.4	21.85	96.4	20.27
	15	13.7	124.4	25.37	117.4	23.84	110.4	22.26	106.9	21.50	103.4	20.74	96.4	19.27

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1235W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	86.5	40.07	86.1	41.01	86.1	41.95	86.1	42.42	86.1	42.94	83.9	42.47
	-18.8	-19	87.9	40.37	87.9	41.30	87.4	42.24	87.4	42.71	87.4	43.24	83.9	41.60
	-16.7	-17	91.3	41.01	91.3	41.95	90.9	42.88	90.9	43.35	90.1	38.61	83.9	39.66
	-13.7	-15	95.3	41.71	94.9	42.65	94.9	43.53	93.1	42.88	90.1	41.13	83.9	37.73
	-11.8	-13	99.2	42.42	99.2	43.29	96.6	42.24	93.1	40.60	90.1	38.96	83.9	35.74
	-9.8	-11	104.0	43.12	102.7	43.12	96.6	39.90	93.1	38.37	90.1	36.85	83.9	33.80
	-9.5	-10	106.7	43.53	102.7	41.83	96.6	38.72	93.1	37.26	90.1	35.80	83.9	32.87
	-8.5	-9.1	108.8	43.76	102.7	40.72	96.6	37.73	93.1	36.26	90.1	34.86	83.9	32.05
	-7	-7.6	108.8	41.77	102.7	38.90	96.6	36.09	93.1	34.74	90.1	33.34	83.9	30.70
	-5	-5.6	108.8	39.25	102.7	36.62	96.6	33.98	93.1	32.63	90.1	38.61	83.9	28.94
	-3	-3.7	108.8	36.97	102.7	34.51	96.6	32.05	93.1	30.82	90.1	29.64	83.9	27.36
	0	-0.7	108.8	33.63	102.7	31.46	96.6	29.23	93.1	28.18	90.1	27.13	83.9	25.07
	3	2.2	108.8	30.76	102.7	28.77	96.6	26.83	93.1	25.84	90.1	24.90	83.9	23.02
	5	4.1	108.8	29.00	102.7	27.13	96.6	25.37	93.1	24.43	90.1	23.55	83.9	21.79
	7	6	108.8	27.42	102.7	25.66	96.6	23.96	93.1	23.14	90.1	22.32	83.9	20.68
60%	9	7.9	108.8	25.89	102.7	24.31	96.6	22.67	93.1	21.91	90.1	21.15	83.9	19.63
	11	9.8	108.8	24.49	102.7	22.97	96.6	21.50	93.1	20.80	90.1	20.09	83.9	18.63
	13	11.8	108.8	23.14	102.7	21.74	96.6	20.33	93.1	19.68	90.1	18.98	83.9	17.69
	15	13.7	108.8	21.97	102.7	20.62	96.6	19.33	93.1	18.69	90.1	18.04	83.9	16.87
	-19.8	-20	86.3	42.47	85.9	43.29	82.8	41.65	80.2	40.01	77.5	38.43	72.3	35.21
	-18.8	-19	87.6	42.77	87.6	43.59	82.8	40.78	80.2	39.14	77.5	37.55	72.3	34.51
	-16.7	-17	91.1	43.35	88.1	41.95	82.8	38.90	80.2	37.38	77.5	35.91	72.3	32.98
	-13.7	-15	93.3	42.88	88.1	39.84	82.8	36.97	80.2	35.56	77.5	34.16	72.3	31.40
	-11.8	-13	93.3	40.54	88.1	37.73	82.8	35.03	80.2	33.75	77.5	32.40	72.3	30.00
	-9.8	-11	93.3	38.31	88.1	35.68	82.8	33.16	80.2	31.93	77.5	30.70	72.3	28.30
	-9.5	-10	93.3	37.26	88.1	34.74	82.8	32.22	80.2	31.05	77.5	29.88	72.3	27.54
	-8.5	-9.1	93.3	36.26	88.1	33.80	82.8	31.46	80.2	30.29	77.5	29.12	72.3	26.83
	-7	-7.6	93.3	34.68	88.1	32.40	82.8	30.11	80.2	29.00	77.5	27.89	72.3	25.78
	-5	-5.6	93.3	32.63	88.1	30.52	82.8	28.41	80.2	27.36	77.5	26.36	72.3	24.37
	-3	-3.7	93.3	30.82	88.1	28.82	82.8	26.83	80.2	25.89	77.5	24.96	72.3	23.08
	0	-0.7	93.3	28.18	88.1	26.36	82.8	24.61	80.2	23.79	77.5	22.91	72.3	21.21
50%	3	2.2	93.3	25.84	88.1	24.25	82.8	22.67	80.2	21.85	77.5	21.09	72.3	19.57
	5	4.1	93.3	24.43	88.1	22.91	82.8	21.44	80.2	20.74	77.5	19.98	72.3	18.57
	7	6	93.3	23.14	88.1	21.74	82.8	20.33	80.2	19.63	77.5	18.98	72.3	17.63
	9	7.9	93.3	21.91	88.1	20.56	82.8	19.27	80.2	18.69	77.5	17.99	72.3	16.81
	11	9.8	93.3	20.80	88.1	19.57	82.8	18.34	80.2	17.75	77.5	17.11	72.3	15.99
	13	11.8	93.3	19.63	88.1	18.51	82.8	17.40	80.2	16.87	77.5	16.29	72.3	15.23
	15	13.7	93.3	18.69	88.1	17.58	82.8	16.58	80.2	16.05	77.5	15.53	72.3	14.53
	-19.8	-20	77.7	38.67	73.3	35.97	69.0	33.39	66.4	32.16	64.2	30.93	59.9	28.47
	-18.8	-19	77.7	37.79	73.3	35.21	69.0	32.75	66.4	31.52	64.2	30.29	59.9	27.95
	-16.7	-17	77.7	36.09	73.3	33.63	69.0	31.28	66.4	30.11	64.2	29.00	59.9	26.77
	-13.7	-15	77.7	34.33	73.3	32.05	69.0	29.82	66.4	28.71	64.2	27.65	59.9	25.54
	-11.8	-13	77.7	32.63	73.3	30.46	69.0	28.36	66.4	27.30	64.2	26.30	59.9	24.31
	-9.8	-11	77.7	30.87	73.3	28.88	69.0	26.89	66.4	25.89	64.2	24.96	59.9	23.14
	-9.5	-10	77.7	30.05	73.3	28.06	69.0	26.19	66.4	25.25	64.2	24.31	59.9	22.50
	-8.5	-9.1	77.7	29.29	73.3	27.42	69.0	25.54	66.4	24.66	64.2	23.79	59.9	21.97
	-7	-7.6	77.7	28.06	73.3	26.30	69.0	24.49	66.4	23.67	64.2	22.85	59.9	21.15
	-5	-5.6	77.7	26.48	73.3	24.84	69.0	23.20	66.4	22.44	64.2	21.62	59.9	20.04
	-3	-3.7	77.7	25.07	73.3	23.55	69.0	21.97	66.4	21.27	64.2	20.50	59.9	19.04
	0	-0.7	77.7	23.02	73.3	21.62	69.0	20.27	66.4	19.57	64.2	18.92	59.9	17.58
	3	2.2	77.7	21.21	73.3	19.92	69.0	18.69	66.4	18.04	64.2	17.46	59.9	16.29
	5	4.1	77.7	20.09	73.3	18.92	69.0	17.75	66.4	17.17	64.2	16.64	59.9	15.47
	7	6	77.7	19.10	73.3	17.99	69.0	16.87	66.4	16.35	64.2	15.82	59.9	14.76
	9	7.9	77.7	18.10	73.3	17.11	69.0	16.05	66.4	15.58	64.2	15.06	59.9	14.06
	11	9.8	77.7	17.22	73.3	16.23	69.0	15.29	66.4	14.82	64.2	14.35	59.9	13.42
	13	11.8	77.7	16.40	73.3	15.47	69.0	14.53	66.4	14.12	64.2	13.65	59.9	12.83
	15	13.7	77.7	15.58	73.3	14.76	69.0	13.88	66.4	13.47	64.2	13.06	59.9	12.24

46HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1285W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	92.9	25.06	92.5	26.85	92.1	28.64	92.1	29.51	91.6	30.37	91.6	32.16
	-18.8	-19	94.3	25.64	93.9	27.37	93.9	29.16	93.4	30.02	93.4	30.83	92.9	32.62
	-16.7	-17	98.0	26.85	97.5	28.52	97.0	30.20	97.0	31.01	97.0	31.87	96.6	33.55
	-13.7	-15	102.0	28.06	101.6	29.68	101.1	31.29	101.1	32.10	100.7	32.91	100.7	34.53
	-11.8	-13	106.1	29.33	106.1	30.89	105.7	32.39	105.2	33.20	105.2	34.01	104.8	35.51
	-9.8	-11	111.2	30.60	110.7	32.10	110.2	33.55	110.2	34.30	110.2	35.05	109.8	36.55
	-9.5	-10	113.9	31.29	113.4	32.68	113.0	34.12	113.0	34.87	112.5	35.57	112.5	37.01
	-8.5	-9.1	116.2	31.81	115.7	33.20	115.7	34.64	115.3	35.34	115.3	36.03	114.8	37.47
	-7	-7.6	120.3	32.74	120.3	34.12	119.8	35.45	119.8	36.15	119.4	36.78	118.9	38.17
	-5	-5.6	126.7	34.01	126.2	35.28	125.7	36.55	125.7	37.24	125.3	37.82	125.3	39.09
	-3	-3.7	132.6	35.11	132.1	36.32	132.1	37.53	131.6	38.17	131.6	38.80	131.2	39.96
	0	-0.7	143.0	36.78	143.0	37.94	142.6	39.03	142.6	39.49	142.1	40.19	142.1	41.34
	3	2.2	154.4	38.34	154.0	39.38	153.5	40.42	153.5	40.94	153.5	41.51	153.1	42.50
	5	4.1	162.2	39.26	161.7	40.30	161.7	41.28	161.3	41.80	161.3	42.27	160.8	43.25
	7	6	170.4	40.24	169.9	41.11	169.9	42.09	169.4	42.55	169.4	43.02	162.6	41.34
120%	9	7.9	179.0	41.05	178.6	41.98	178.6	42.84	178.1	43.30	174.5	42.38	162.6	38.80
	11	9.8	188.1	41.86	187.7	42.73	186.8	43.25	180.4	41.57	174.5	39.84	162.6	36.55
	13	11.8	198.1	42.67	197.7	43.48	186.8	40.53	180.4	38.92	174.5	37.42	162.6	34.30
	15	13.7	207.7	43.42	198.6	41.17	186.8	38.17	180.4	36.72	174.5	35.22	162.6	32.39
	-19.8	-20	92.5	27.48	92.0	29.10	91.6	30.78	91.6	31.53	91.6	32.39	91.1	34.01
	-18.8	-19	93.9	28.00	93.4	29.62	93.4	31.24	93.0	31.99	93.0	32.85	92.5	34.47
	-16.7	-17	97.5	29.10	97.0	30.66	96.4	32.16	96.6	32.97	96.6	33.78	96.1	35.28
	-13.7	-15	101.6	30.26	101.1	31.76	100.7	33.20	100.7	34.01	100.7	34.70	100.2	36.20
	-11.8	-13	105.7	31.41	105.7	32.85	105.2	34.24	105.2	34.99	104.8	35.68	104.8	37.13
	-9.8	-11	110.7	32.62	110.2	33.95	110.2	35.34	109.8	36.03	109.8	36.66	109.3	38.05
	-9.5	-10	113.5	33.20	113.0	34.53	112.5	35.86	112.5	36.55	112.5	37.18	112.1	38.51
	-8.5	-9.1	115.7	33.72	115.3	34.99	115.3	36.32	114.8	36.95	114.8	37.65	114.3	38.92
	-7	-7.6	119.8	34.59	119.8	35.86	119.4	37.07	119.4	37.70	118.9	38.34	118.9	39.55
	-5	-5.6	126.2	35.68	125.7	36.90	125.3	38.11	125.3	38.69	125.3	39.32	124.8	40.42
	-3	-3.7	132.1	36.78	132.1	37.94	131.6	39.03	131.6	39.55	131.2	40.19	131.2	41.28
110%	0	-0.7	142.6	38.34	142.6	39.38	142.1	40.42	142.1	40.94	141.7	41.46	141.7	42.50
	3	2.2	154.0	39.78	153.5	40.71	153.5	41.69	153.1	42.21	153.1	42.67	149.9	42.44
	5	4.1	161.7	40.65	161.3	41.57	161.3	42.50	160.8	42.96	160.8	43.42	149.9	39.84
	7	6	169.9	41.46	169.9	42.32	169.5	43.19	166.7	42.61	161.3	40.88	149.9	37.47
	9	7.9	178.6	42.27	178.2	43.13	172.2	41.69	166.7	40.01	161.3	38.40	149.9	35.28
	11	9.8	187.7	43.02	183.1	42.27	172.2	39.21	166.7	37.70	161.3	36.15	149.9	33.26
	13	11.8	194.5	42.61	183.1	39.67	172.2	36.78	166.7	35.39	161.3	34.01	149.9	31.29
	15	13.7	194.5	40.13	183.1	37.36	172.2	34.70	166.7	33.32	161.3	32.05	149.9	29.51
	-19.8	-20	92.0	29.91	91.6	31.35	91.1	32.85	91.1	33.60	91.1	34.36	90.7	35.86
	-18.8	-19	93.4	30.37	93.0	31.81	93.0	33.32	93.0	34.01	92.5	34.76	92.5	36.26
	-16.7	-17	97.0	31.35	96.6	32.80	98.0	34.24	96.1	34.93	96.1	35.63	95.7	37.01
	-13.7	-15	101.1	32.45	100.7	33.78	100.2	35.16	100.2	35.86	100.2	36.55	99.8	37.88
	-11.8	-13	105.2	33.55	105.2	34.82	104.8	36.09	104.8	36.78	104.3	37.42	104.3	38.74
	-9.8	-11	110.2	34.59	109.8	35.86	109.8	37.07	109.3	37.70	109.3	38.34	109.3	39.55
	-9.5	-10	113.0	35.16	112.5	36.32	112.0	37.59	112.0	38.17	112.0	38.80	111.6	40.01
	-8.5	-9.1	115.3	35.63	114.8	36.78	114.8	37.99	114.3	38.63	114.3	39.21	114.3	35.74
	-7	-7.6	119.4	36.43	119.4	37.53	118.9	38.69	118.9	39.26	118.9	39.84	118.5	41.00
	-5	-5.6	125.7	37.47	125.3	38.57	124.8	39.61	124.8	40.19	124.8	40.71	124.4	41.86
	-3	-3.7	131.6	38.40	131.6	39.44	131.2	40.48	131.2	41.00	130.7	41.51	130.7	42.55
	0	-0.7	142.1	39.84	142.1	40.82	141.7	41.80	141.7	42.27	141.7	42.73	137.6	41.92
	3	2.2	153.5	41.17	153.1	42.03	153.1	42.96	152.6	43.36	147.6	41.57	137.6	38.17
	5	4.1	161.3	41.98	161.3	42.84	158.1	42.44	152.6	40.71	147.6	39.09	137.6	35.86
	7	6	169.4	42.73	168.1	43.02	158.1	39.84	152.6	38.28	147.6	36.78	137.6	33.78
	9	7.9	178.1	43.42	168.1	40.42	158.1	37.47	152.6	36.03	147.6	34.59	137.6	31.81
	11	9.8	178.1	40.88	168.1	38.05	158.1	35.28	152.6	33.95	147.6	32.62	137.6	30.02
	13	11.8	178.1	38.34	168.1	35.68	158.1	33.14	152.6	31.93	147.6	30.66	137.6	28.29
	15	13.7	178.1	34.01	168.1	33.66	158.1	31.29	152.6	30.14	147.6	28.99	137.6	26.73

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1285W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
			TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
	°C DB	°C WB	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	-19.8	-20	91.6	32.28	91.1	33.60	91.1	34.99	90.7	35.68	90.7	36.32	90.2	37.7
	-18.8	-19	93.0	32.68	93.0	34.01	92.5	35.39	92.5	36.09	92.1	36.78	92.1	38.11
	-16.7	-17	96.6	33.60	96.1	34.93	96.1	36.20	95.7	36.84	95.7	37.47	95.7	38.8
	-13.7	-15	100.7	34.59	100.2	35.86	99.8	37.07	99.8	37.70	99.8	38.34	99.3	39.55
	-11.8	-13	104.8	35.63	104.8	36.78	104.3	37.94	104.3	38.57	104.3	39.15	103.9	40.36
	-9.8	-11	109.8	36.55	109.3	37.70	109.3	38.86	109.3	39.44	108.8	39.96	108.8	41.1
	-9.5	-10	112.5	37.07	112.1	38.17	112.1	39.26	111.6	39.84	111.6	40.42	111.1	41.51
	-8.5	-9.1	114.8	37.47	114.3	38.63	114.3	39.67	114.3	40.19	113.9	40.76	113.9	41.8
	-7	-7.6	118.9	38.22	118.9	39.26	118.5	40.30	118.5	40.88	118.5	41.34	118	42.44
	-5	-5.6	125.3	39.21	124.8	40.19	124.8	41.17	124.4	41.63	124.4	42.15	123.9	43.19
	-3	-3.7	131.2	40.07	131.2	36.38	130.7	41.98	130.7	42.44	130.7	42.90	125.3	41.11
	0	-0.7	141.7	41.34	141.7	42.27	141.2	43.13	138.9	42.44	134.4	40.65	125.3	37.30
	3	2.2	153.1	42.55	152.6	43.36	143.5	40.13	138.9	38.57	134.4	37.01	125.3	34.01
	5	4.1	160.8	43.36	152.6	40.71	143.5	37.70	138.9	36.32	134.4	34.87	125.3	32.05
	7	6	161.7	41.11	152.6	38.28	143.50	35.51	138.9	34.18	134.4	32.85	125.3	30.20
	9	7.9	161.7	38.63	152.6	36.03	143.5	33.43	138.9	31.76	134.4	30.95	125.3	28.52
90%	11	9.8	161.7	36.38	152.6	33.95	143.5	31.53	138.9	30.37	134.4	29.22	125.3	26.91
	13	11.8	161.7	34.18	152.6	31.93	143.5	29.68	138.9	28.58	134.4	27.54	125.3	25.41
	15	13.7	161.7	32.22	152.6	30.14	143.5	28.06	138.9	27.02	134.4	25.98	125.3	24.8
	-19.8	-20	90.9	34.70	90.5	35.86	90.5	37.13	90.0	37.70	90.0	38.34	90.0	39.55
	-18.8	-19	92.3	35.05	92.3	36.32	91.8	37.47	91.8	38.11	91.8	38.69	91.4	39.90
	-16.7	-17	95.9	35.91	95.5	37.07	95.5	38.22	95.5	38.80	95.0	39.38	95.0	40.53
	-13.7	-15	100.0	36.78	99.6	37.94	99.6	39.03	99.1	39.55	99.1	40.13	99.1	41.23
	-11.8	-13	104.1	37.70	104.1	38.74	103.7	39.78	103.7	40.36	103.7	40.88	103.2	41.92
	-9.8	-11	109.2	38.57	109.2	39.55	108.7	40.59	108.7	41.11	108.7	41.63	108.2	42.67
	-9.5	-10	111.9	39.03	111.4	40.01	111.4	41.00	111.0	41.51	111.0	42.03	111.0	42.96
	-8.5	-9.1	114.2	39.44	114.2	40.42	113.7	41.34	113.7	41.80	113.7	42.32	112.3	42.73
	-7	-7.6	118.3	40.07	118.3	41.00	117.8	41.98	117.8	42.44	117.8	42.90	112.3	40.82
	-5	-5.6	124.6	40.94	124.2	41.80	124.2	42.73	123.7	43.19	120.5	41.80	112.3	38.34
	-3	-3.7	130.5	41.75	130.5	42.55	129.2	42.73	124.6	41.05	120.5	39.38	112.3	36.15
	0	-0.7	141.4	42.96	137.3	41.86	129.2	38.80	124.6	37.24	120.5	35.80	112.3	32.85
	3	2.2	145.5	40.88	137.3	38.11	129.2	35.34	124.6	34.01	120.5	32.62	112.3	30.08
5	4.1	145.5	38.45	137.3	35.86	129.2	33.32	124.6	31.99	120.5	30.83	112.3	28.35	
7	6	145.5	36.15	137.3	33.78	129.2	31.35	124.6	30.20	120.5	29.04	112.3	26.79	
9	7.9	145.5	34.07	137.3	31.76	129.2	29.56	124.6	28.52	120.5	27.43	112.3	25.35	
11	9.8	145.5	32.10	137.3	29.97	129.2	27.95	124.6	26.91	120.5	25.93	112.3	23.96	
13	11.8	145.5	30.20	137.3	28.29	129.2	26.33	124.6	25.41	120.5	24.48	112.3	22.63	
15	13.7	145.5	28.52	137.3	26.68	129.2	24.94	124.6	24.08	120.5	23.21	112.3	21.48	
80%	-19.8	-20	90.7	37.07	90.2	38.17	90.2	39.26	90.2	39.78	89.7	40.36	89.7	41.40
	-18.8	-19	92.0	37.42	92.0	38.51	91.6	39.55	91.6	40.13	91.6	40.65	91.1	41.75
	-16.7	-17	95.7	38.17	95.2	39.21	95.2	40.24	95.2	40.76	95.2	41.28	94.8	42.27
	-13.7	-15	99.8	38.97	99.3	39.96	99.3	40.94	99.3	41.40	98.9	41.92	98.9	42.96
	-11.8	-13	103.9	39.73	103.9	40.71	103.4	41.63	103.4	42.09	103.4	42.61	100.2	41.46
	-9.8	-11	108.9	40.53	108.9	41.46	108.4	42.38	108.4	42.79	107.5	42.73	100.2	39.15
	-9.5	-10	111.6	40.94	111.1	41.80	111.2	42.73	111.2	43.19	107.5	41.46	100.2	37.99
	-8.5	-9.1	113.9	41.34	105.9	42.21	113.4	43.02	111.2	42.03	107.5	40.36	100.2	37.01
	-7	-7.6	118.0	41.92	118.0	42.73	114.8	41.80	111.2	40.19	107.5	38.57	100.2	35.39
	-5	-5.6	124.4	42.67	122.1	42.44	114.8	39.26	111.2	37.76	107.5	36.26	100.2	33.32
	-3	-3.7	129.4	42.90	122.1	39.96	114.8	37.01	111.2	35.63	107.5	34.18	100.2	31.47
	0	-0.7	129.4	38.92	122.1	36.26	114.8	33.66	111.2	32.39	107.5	31.12	100.2	28.70
	3	2.2	129.4	35.45	122.1	33.08	114.8	30.78	111.2	29.62	107.5	28.52	100.2	26.27
	5	4.1	129.4	33.37	122.1	31.18	114.8	28.99	111.2	27.95	107.5	26.91	100.2	24.83
	7	6	129.4	31.47	122.1	29.45	114.8	27.37	111.2	26.44	107.5	25.46	100.2	23.50
	9	7.9	129.4	29.68	122.1	27.77	114.8	25.87	111.2	24.94	107.5	24.08	100.2	22.29
	11	9.8	129.4	28.06	122.1	26.21	114.8	24.48	111.2	23.62	107.5	22.81	100.2	21.13
	13	11.8	129.4	26.44	122.1	24.77	114.8	23.15	111.2	22.35	107.5	21.54	100.2	19.98
	15	13.7	129.4	25.00	122.1	23.50	114.8	21.94	111.2	21.19	107.5	20.44	100.2	19.00

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1285W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	90.0	39.49	89.6	40.42	89.6	41.34	89.6	41.80	89.6	42.32	87.3	41.86
	-18.8	-19	91.4	39.78	91.4	40.71	90.9	41.63	90.9	42.09	90.9	42.61	87.3	41.00
	-16.7	-17	95.0	40.42	95.0	41.34	94.6	42.27	94.6	42.73	93.6	38.05	87.3	39.09
	-13.7	-15	99.1	41.11	98.6	42.03	98.6	42.90	96.8	42.27	93.6	40.53	87.3	37.18
	-11.8	-13	103.2	41.80	103.2	42.67	100.5	41.63	96.8	40.01	93.6	38.40	87.3	35.22
	-9.8	-11	108.2	42.50	106.8	42.50	100.5	39.32	96.8	37.82	93.6	36.32	87.3	33.32
	-9.5	-10	110.9	42.90	106.8	41.23	100.5	38.17	96.8	36.72	93.6	35.28	87.3	32.39
	-8.5	-9.1	113.2	43.13	106.8	40.13	100.5	37.18	96.8	35.74	93.6	34.36	87.3	31.58
	-7	-7.6	113.2	41.17	106.8	38.34	100.5	35.57	96.8	34.24	93.6	32.85	87.3	30.26
	-5	-5.6	113.2	38.69	106.8	36.09	100.5	33.49	96.8	32.16	93.6	30.05	87.3	28.52
	-3	-3.7	113.2	36.43	106.8	34.01	100.5	31.58	96.8	30.37	93.6	29.22	87.3	26.96
	0	-0.7	113.2	33.14	106.8	31.01	100.5	28.81	96.8	27.77	93.6	26.73	87.3	24.71
	3	2.2	113.2	30.31	106.8	28.35	100.5	26.44	96.8	25.46	93.6	24.54	87.3	22.69
	5	4.1	113.2	28.58	106.8	26.73	100.5	25.00	96.8	24.08	93.6	23.21	87.3	21.48
	7	6	113.2	27.02	106.8	25.29	100.5	23.62	96.8	22.81	93.6	22.00	87.3	20.38
	9	7.9	113.2	25.52	106.8	23.96	100.5	22.35	96.8	21.59	93.6	20.84	87.3	19.34
	11	9.8	113.2	24.14	106.8	22.63	100.5	21.19	96.8	20.50	93.6	19.80	87.3	18.36
	13	11.8	113.2	22.81	106.8	21.42	100.5	20.04	96.8	19.40	93.6	18.71	87.3	17.44
60%	15	13.7	113.2	21.65	106.8	20.32	100.5	19.05	96.8	18.42	93.6	17.78	87.3	16.63
	-19.8	-20	89.8	41.86	89.3	42.67	86.1	41.05	83.4	39.44	80.6	37.88	75.2	34.70
	-18.8	-19	91.1	42.15	91.1	42.96	86.1	40.19	83.4	38.57	80.6	37.01	75.2	34.01
	-16.7	-17	94.8	42.73	91.6	41.34	86.1	38.34	83.4	36.84	80.6	35.39	75.2	32.51
	-13.7	-15	97.0	42.27	91.6	39.26	86.1	36.43	83.4	35.05	80.6	33.66	75.2	30.95
	-11.8	-13	97.0	39.96	91.6	37.18	86.1	34.53	83.4	33.26	80.6	31.93	75.2	29.56
	-9.8	-11	97.0	37.76	91.6	35.16	86.1	32.68	83.4	31.47	80.6	30.26	75.2	27.89
	-9.5	-10	97.0	36.72	91.6	34.24	86.1	31.76	83.4	30.60	80.6	29.45	75.2	27.14
	-8.5	-9.1	97.0	35.74	91.6	33.32	86.1	31.01	83.4	29.85	80.6	28.70	75.2	26.44
	-7	-7.6	97.0	34.18	91.6	31.93	86.1	29.68	83.4	28.58	80.6	27.48	75.2	25.41
	-5	-5.6	97.0	32.16	91.6	30.08	86.1	28.00	83.4	26.96	80.6	25.98	75.2	24.02
	-3	-3.7	97.0	30.37	91.6	28.41	86.1	26.44	83.4	25.52	80.6	24.60	75.2	22.75
	0	-0.7	97.0	27.77	91.6	25.98	86.1	24.25	83.4	23.44	80.6	22.58	75.2	20.90
	3	2.2	97.0	25.46	91.6	23.90	86.1	22.35	83.4	21.54	80.6	20.79	75.2	19.29
	5	4.1	97.0	24.08	91.6	22.58	86.1	21.13	83.4	20.44	80.6	19.69	75.2	18.30
	7	6	97.0	22.81	91.6	21.42	86.1	20.04	83.4	19.34	80.6	18.71	75.2	17.38
	9	7.9	97.0	21.59	91.6	20.27	86.1	19.00	83.4	18.42	80.6	17.73	75.2	16.57
	11	9.8	97.0	20.50	91.6	19.29	86.1	18.07	83.4	17.50	80.6	16.86	75.2	15.76
50%	13	11.8	97.0	19.34	91.6	18.25	86.1	17.15	83.4	16.63	80.6	16.05	75.2	15.01
	15	13.7	97.0	18.42	91.6	17.32	86.1	16.34	83.4	15.82	80.6	15.30	75.2	14.32
	-19.8	-20	80.8	38.11	76.3	35.45	71.8	32.91	69.0	31.70	66.8	30.49	62.2	28.06
	-18.8	-19	80.8	37.24	76.3	34.70	71.8	32.28	69.0	31.06	66.8	29.85	62.2	27.54
	-16.7	-17	80.8	35.57	76.3	33.14	71.8	30.83	69.0	29.68	66.8	28.58	62.2	26.39
	-13.7	-15	80.8	33.84	76.3	31.58	71.8	29.39	69.0	28.29	66.8	27.25	62.2	25.17
	-11.8	-13	80.8	32.16	76.3	30.02	71.8	27.95	69.0	26.91	66.8	25.93	62.2	23.96
	-9.8	-11	80.8	30.43	76.3	28.47	71.8	26.50	69.0	25.52	66.8	24.60	62.2	22.81
	-9.5	-10	80.8	29.62	76.3	27.66	71.8	25.81	69.0	24.89	66.8	23.96	62.2	22.17
	-8.5	-9.1	80.8	28.87	76.3	27.02	71.8	25.17	69.0	24.31	66.8	23.44	62.2	21.65
	-7	-7.6	80.8	27.66	76.3	25.93	71.8	24.14	69.0	23.33	66.8	22.52	62.2	20.84
	-5	-5.6	80.8	26.10	76.3	24.48	71.8	22.86	69.0	22.11	66.8	21.31	62.2	19.75
	-3	-3.7	80.8	24.71	76.3	23.21	71.8	21.65	69.0	20.96	66.8	20.21	62.2	18.77
	0	-0.7	80.8	22.69	76.3	21.31	71.8	19.98	69.0	19.29	66.8	18.65	62.2	17.32
	3	2.2	80.8	20.90	76.3	19.63	71.8	18.42	69.0	17.78	66.8	17.21	62.2	16.05
	5	4.1	80.8	19.80	76.3	18.65	71.8	17.50	69.0	16.92	66.8	16.40	62.2	15.24
	7	6	80.8	18.82	76.3	17.73	71.8	16.63	69.0	16.11	66.8	15.59	62.2	14.55
	9	7.9	80.8	17.84	76.3	16.86	71.8	15.82	69.0	15.36	66.8	14.84	62.2	13.86
	11	9.8	80.8	16.98	76.3	15.99	71.8	15.07	69.0	14.61	66.8	14.15	62.2	13.22
	13	11.8	80.8	16.17	76.3	15.24	71.8	14.32	69.0	13.92	66.8	13.45	62.2	12.65
	15	13.7	80.8	15.36	76.3	14.55	71.8	13.68	69.0	13.28	66.8	12.88	62.2	12.07

48HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1350W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	97.1	26.60	96.7	28.50	96.2	30.40	96.2	31.32	95.7	32.24	95.7	34.14
	-18.8	-19	98.6	27.21	98.1	29.05	98.1	30.95	97.6	31.87	97.6	32.73	97.1	34.63
	-16.7	-17	102.4	28.50	101.9	30.27	101.4	32.05	101.4	32.91	101.4	33.83	100.9	35.61
	-13.7	-15	106.7	29.78	106.2	31.50	105.7	33.22	105.7	34.07	105.2	34.93	105.2	36.65
	-11.8	-13	110.9	31.13	110.9	32.79	110.5	34.38	110.0	35.24	110.0	36.10	109.5	37.69
	-9.8	-11	116.2	32.48	115.7	34.07	115.2	35.61	115.2	36.40	115.2	37.20	114.8	38.79
	-9.5	-10	119.1	33.22	118.6	34.69	118.1	36.22	118.1	37.02	117.6	37.75	117.6	39.28
	-8.5	-9.1	121.4	33.77	120.9	35.24	120.9	36.77	120.5	37.51	120.5	38.24	120.0	39.77
	-7	-7.6	125.7	34.75	125.7	36.22	125.2	37.63	125.2	38.36	124.8	39.04	124.3	40.51
	-5	-5.6	132.4	36.10	131.9	37.44	131.4	38.79	131.4	39.53	130.9	40.14	130.9	41.49
	-3	-3.7	138.6	37.26	138.1	38.55	138.1	39.83	137.6	40.51	137.6	41.18	137.1	42.41
	0	-0.7	149.5	39.04	149.5	40.26	149.1	41.43	149.1	41.92	148.6	42.65	148.6	43.88
	3	2.2	161.4	40.69	160.9	41.80	160.5	42.90	160.5	43.45	160.5	44.06	160.0	45.11
	5	4.1	169.5	41.67	169.1	42.78	169.1	43.82	168.6	44.37	168.6	44.86	168.1	45.90
	7	6	178.1	42.72	177.6	43.63	177.6	44.68	177.1	45.17	177.1	45.66	176.6	46.88
120%	9	7.9	187.1	43.57	186.7	44.55	186.7	45.47	186.2	45.96	186.2	46.45	185.7	47.37
	11	9.8	196.7	44.43	196.2	45.35	195.2	45.90	188.6	44.12	182.4	42.29	170.0	38.79
	13	11.8	207.1	45.29	206.7	46.15	195.2	43.02	188.6	41.31	182.4	39.71	170.0	36.40
	15	13.7	217.1	46.09	207.6	43.70	195.2	40.51	188.6	38.98	182.4	37.38	170.0	34.38
	-19.8	-20	96.7	29.17	96.2	30.89	95.7	32.66	95.7	33.46	95.7	34.38	95.2	36.10
	-18.8	-19	98.1	29.72	97.6	31.44	97.6	33.15	97.2	33.95	97.2	34.87	96.7	36.59
	-16.7	-17	101.9	30.89	101.4	32.54	100.8	34.14	100.9	34.99	100.9	35.85	100.5	37.44
	-13.7	-15	106.2	32.11	105.7	33.71	105.2	35.24	105.2	36.10	105.2	36.83	104.8	38.43
	-11.8	-13	110.5	33.34	110.5	34.87	110.0	36.34	110.0	37.14	109.6	37.87	109.6	39.41
	-9.8	-11	115.7	34.63	115.2	36.04	115.2	37.51	114.8	38.24	114.8	38.92	114.3	40.39
	-9.5	-10	118.6	35.24	118.1	36.65	117.6	38.06	117.6	38.79	117.6	39.47	117.2	40.88
	-8.5	-9.1	120.9	35.79	120.5	37.14	120.5	38.55	120.0	39.22	120.0	39.96	119.5	41.31
	-7	-7.6	125.2	36.71	125.2	38.06	124.8	39.34	124.8	40.02	124.3	40.69	124.3	41.98
	-5	-5.6	131.9	37.87	131.4	39.16	130.9	40.45	130.9	41.06	130.9	41.73	130.5	42.90
	-3	-3.7	138.1	39.04	138.1	40.26	137.6	41.43	137.6	41.98	137.2	42.65	137.2	43.82
	0	-0.7	149.1	40.69	149.1	41.80	148.6	42.90	148.6	43.45	148.1	44.00	148.1	45.11
110%	3	2.2	160.9	42.23	160.5	43.21	160.5	44.25	160.0	44.80	160.0	45.29	156.7	45.04
	5	4.1	169.1	43.14	168.6	44.12	168.6	45.11	168.1	45.60	168.1	46.09	156.7	42.29
	7	6	177.6	44.00	177.6	44.92	177.2	45.84	174.3	45.23	168.6	43.39	156.7	39.77
	9	7.9	186.7	44.86	186.2	45.78	180.0	44.25	174.3	42.47	168.6	40.75	156.7	37.44
	11	9.8	196.2	45.66	191.4	44.86	180.0	41.61	174.3	40.02	168.6	38.36	156.7	35.30
	13	11.8	203.3	45.23	191.4	42.10	180.0	39.04	174.3	37.57	168.6	36.10	156.7	33.22
	15	13.7	203.3	42.59	191.4	39.65	180.0	36.83	174.3	35.36	168.6	34.01	156.7	31.32
	-19.8	-20	96.2	31.75	95.7	33.28	95.2	34.87	95.2	35.67	95.3	36.46	94.8	38.06
	-18.8	-19	97.6	32.24	97.2	33.77	97.2	35.36	97.2	36.10	96.7	36.89	96.7	38.49
	-16.7	-17	101.4	33.28	100.9	34.81	102.4	36.34	100.5	37.08	100.5	37.81	100.0	39.28
	-13.7	-15	105.7	34.44	105.3	35.85	104.8	37.32	104.8	38.06	104.8	38.79	104.3	40.20
	-11.8	-13	110.0	35.61	110.0	36.95	109.5	38.30	109.5	39.04	109.1	39.71	109.1	41.12
	-9.8	-11	115.2	36.71	114.8	38.06	114.8	39.34	114.3	40.02	114.3	40.69	114.3	41.98
	-9.5	-10	118.1	37.32	117.6	38.55	117.1	39.90	117.1	40.51	117.1	41.18	116.7	42.47
	-8.5	-9.1	120.5	37.81	120.0	39.04	120.0	40.33	119.5	41.00	119.5	41.61	119.5	37.94
	-7	-7.6	124.8	38.67	124.8	39.83	124.3	41.06	124.3	41.67	124.3	42.29	123.8	43.51
	-5	-5.6	131.4	39.77	130.9	40.94	130.5	42.04	130.5	42.65	130.5	43.21	130.0	44.43
	-3	-3.7	137.6	40.75	137.6	41.86	137.2	42.96	137.2	43.51	136.7	44.06	136.7	45.17
	0	-0.7	148.6	42.29	148.6	43.33	148.1	44.37	148.1	44.86	148.1	45.35	143.8	44.49
	3	2.2	160.5	43.70	160.0	44.62	160.0	45.60	159.5	46.02	154.3	44.12	143.8	40.51
	5	4.1	168.6	44.55	168.6	45.47	165.2	45.04	159.5	43.21	154.3	41.49	143.8	38.06
	7	6	177.1	45.35	175.7	45.66	165.2	42.29	159.5	40.63	154.3	39.04	143.8	35.85
	9	7.9	186.2	46.09	175.7	42.90	165.2	39.77	159.5	38.24	154.3	36.71	143.8	33.77
	11	9.8	186.2	43.39	175.7	40.39	165.2	37.44	159.5	36.04	154.3	34.63	143.8	31.87
	13	11.8	186.2	40.69	175.7	37.87	165.2	35.18	159.5	33.89	154.3	32.54	143.8	30.03
	15	13.7	186.2	36.10	175.7	35.73	165.2	33.22	159.5	31.99	154.3	30.76	143.8	28.37

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1350W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	95.7	34.26	95.2	35.67	95.2	37.14	94.8	37.87	94.8	38.55	94.3	40.02
	-18.8	-19	97.2	34.69	97.2	36.10	96.7	37.57	96.7	38.30	96.2	39.04	96.2	40.45
	-16.7	-17	100.9	35.67	100.4	37.08	100.4	38.43	100.0	39.10	100.0	39.77	100.0	41.18
	-13.7	-15	105.2	36.71	104.8	38.06	104.3	39.34	104.3	40.02	104.3	40.69	103.8	41.98
	-11.8	-13	109.6	37.81	109.6	39.04	109.1	40.26	109.1	40.94	109.1	41.55	108.6	42.84
	-9.8	-11	114.8	38.79	114.3	40.02	114.3	41.24	114.3	41.86	113.8	42.41	113.8	43.63
	-9.5	-10	117.6	39.34	117.2	40.51	117.2	41.67	116.7	42.29	116.7	42.90	116.2	44.06
	-8.5	-9.1	120.0	39.77	119.5	41.00	119.5	42.10	119.5	42.65	119.1	43.27	119.1	44.37
	-7	-7.6	124.3	40.57	124.3	41.67	123.8	42.78	123.8	43.39	123.8	43.88	123.3	45.04
	-5	-5.6	130.9	41.61	130.4	42.65	130.4	43.70	130.0	44.19	130.0	44.74	129.5	45.84
	-3	-3.7	137.2	42.53	137.2	38.61	136.7	44.55	136.7	45.04	136.7	45.53	130.9	43.63
	0	-0.7	148.1	43.88	148.1	44.86	147.6	45.78	145.2	45.04	140.5	43.14	130.9	39.59
	3	2.2	160.0	45.17	159.5	46.02	150.0	42.59	145.2	40.94	140.5	39.28	130.9	36.10
	5	4.1	168.1	46.02	159.5	43.21	150.0	40.02	145.2	38.55	140.5	37.02	130.9	34.01
	7	6	169.1	43.63	159.5	40.63	150.00	37.69	145.2	36.28	140.5	34.87	130.9	32.05
	9	7.9	169.1	41.00	159.5	38.24	150.0	35.48	145.2	33.71	140.5	32.85	130.9	30.27
	11	9.8	169.1	38.61	159.5	36.04	150.0	33.46	145.2	32.24	140.5	31.01	130.9	28.56
	13	11.8	169.1	36.28	159.5	33.89	150.0	31.50	145.2	30.34	140.5	29.23	130.9	26.97
	15	13.7	169.1	34.20	159.5	31.99	150.0	29.78	145.2	28.68	140.5	27.58	130.9	25.56
90%	-19.8	-20	95.1	36.83	94.6	38.06	94.6	39.41	94.1	40.02	94.1	40.69	94.1	41.98
	-18.8	-19	96.5	37.20	96.5	38.55	96.0	39.77	96.0	40.45	96.0	41.06	95.6	42.35
	-16.7	-17	100.3	38.12	99.8	39.34	99.8	40.57	99.8	41.18	99.3	41.80	99.3	43.02
	-13.7	-15	104.6	39.04	104.1	40.26	104.1	41.43	103.6	41.98	103.6	42.59	103.6	43.76
	-11.8	-13	108.8	40.02	108.8	41.12	108.4	42.23	108.4	42.84	108.4	43.39	107.9	44.49
	-9.8	-11	114.1	40.94	114.1	41.98	113.6	43.08	113.6	43.63	113.6	44.19	113.1	45.29
	-9.5	-10	116.9	41.43	116.4	42.47	116.4	43.51	116.0	44.06	116.0	44.62	116.0	45.60
	-8.5	-9.1	119.3	41.86	119.3	42.90	118.8	43.88	118.8	44.37	118.8	44.92	117.4	45.35
	-7	-7.6	123.6	42.53	123.6	43.51	123.1	44.55	123.1	45.04	123.1	45.53	117.4	43.33
	-5	-5.6	130.2	43.45	129.8	44.37	129.8	45.35	129.3	45.84	125.9	44.37	117.4	40.69
	-3	-3.7	136.4	44.31	136.4	45.17	135.0	45.35	130.2	43.57	125.9	41.80	117.4	38.36
	0	-0.7	147.8	45.60	143.6	44.43	135.0	41.18	130.2	39.53	125.9	38.00	117.4	34.87
	3	2.2	152.1	43.39	143.6	40.45	135.0	37.51	130.2	36.10	125.9	34.63	117.4	31.93
	5	4.1	152.1	40.82	143.6	38.06	135.0	35.36	130.2	33.95	125.9	32.73	117.4	30.09
	7	6	152.1	38.36	143.6	35.85	135.0	33.28	130.2	32.05	125.9	30.83	117.4	28.44
	9	7.9	152.1	36.16	143.6	33.71	135.0	31.38	130.2	30.27	125.9	29.11	117.4	26.90
	11	9.8	152.1	34.07	143.6	31.81	135.0	29.66	130.2	28.56	125.9	27.52	117.4	25.43
	13	11.8	152.1	32.05	143.6	30.03	135.0	27.95	130.2	26.97	125.9	25.98	117.4	24.02
	15	13.7	152.1	30.27	143.6	28.31	135.0	26.47	130.2	25.56	125.9	24.64	117.4	22.80
80%	-19.8	-20	94.8	39.34	94.3	40.51	94.3	41.67	94.3	42.23	93.8	42.84	93.8	43.94
	-18.8	-19	96.2	39.71	96.2	40.88	95.7	41.98	95.7	42.59	95.7	43.14	95.2	44.31
	-16.7	-17	100.0	40.51	99.6	41.61	99.6	42.72	99.6	43.27	99.6	43.82	99.1	44.86
	-13.7	-15	104.3	41.37	103.8	42.41	103.8	43.45	103.8	43.94	103.3	44.49	103.3	45.60
	-11.8	-13	108.6	42.16	108.6	43.21	108.1	44.19	108.1	44.68	108.1	45.23	104.8	44.00
	-9.8	-11	113.8	43.02	113.8	44.00	113.3	44.98	113.3	45.41	112.4	45.35	104.8	41.55
	-9.5	-10	116.7	43.45	116.2	44.37	116.2	45.35	116.2	45.84	112.4	44.00	104.8	40.33
	-8.5	-9.1	119.1	43.88	110.7	44.80	118.6	45.66	116.2	44.62	112.4	42.84	104.8	39.28
	-7	-7.6	123.3	44.49	123.3	45.35	120.0	44.37	116.2	42.65	112.4	40.94	104.8	37.57
	-5	-5.6	130.0	45.29	127.6	45.04	120.0	41.67	116.2	40.08	112.4	38.49	104.8	35.36
	-3	-3.7	135.2	45.53	127.6	42.41	120.0	39.28	116.2	37.81	112.4	36.28	104.8	33.40
	0	-0.7	135.2	41.31	127.6	38.49	120.0	35.73	116.2	34.38	112.4	33.03	104.8	30.46
	3	2.2	135.2	37.63	127.6	35.12	120.0	32.66	116.2	31.44	112.4	30.27	104.8	27.88
	5	4.1	135.2	35.42	127.6	33.09	120.0	30.76	116.2	29.66	112.4	28.56	104.8	26.35
	7	6	135.2	33.40	127.6	31.26	120.0	29.05	116.2	28.07	112.4	27.03	104.8	24.94
	9	7.9	135.2	31.50	127.6	29.48	120.0	27.46	116.2	26.47	112.4	25.56	104.8	23.66
	11	9.8	135.2	29.78	127.6	27.82	120.0	25.98	116.2	25.07	112.4	24.21	104.8	22.43
	13	11.8	135.2	28.07	127.6	26.29	120.0	24.58	116.2	23.72	112.4	22.86	104.8	21.20
	15	13.7	135.2	26.54	127.6	24.94	120.0	23.29	116.2	22.49	112.4	21.69	104.8	20.16

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1350W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	94.1	41.92	93.6	42.90	93.6	43.88	93.6	44.37	93.6	44.92	91.2	44.43
	-18.8	-19	95.5	42.23	95.5	43.21	95.0	44.19	95.0	44.68	95.0	45.23	91.2	43.51
	-16.7	-17	99.3	42.90	99.3	43.88	98.8	44.86	98.8	45.35	97.9	40.39	91.2	41.49
	-13.7	-15	103.6	43.63	103.1	44.62	103.1	45.53	101.2	44.86	97.9	43.02	91.2	39.47
	-11.8	-13	107.8	44.37	107.8	45.29	105.0	44.19	101.2	42.47	97.9	40.75	91.2	37.38
	-9.8	-11	113.1	45.11	111.7	45.11	105.0	41.73	101.2	40.14	97.9	38.55	91.2	35.36
	-9.5	-10	115.9	45.53	111.7	43.76	105.0	40.51	101.2	38.98	97.9	37.44	91.2	34.38
	-8.5	-9.1	118.3	45.78	111.7	42.59	105.0	39.47	101.2	37.94	97.9	36.46	91.2	33.52
	-7	-7.6	118.3	43.70	111.7	40.69	105.0	37.75	101.2	36.34	97.9	34.87	91.2	32.11
	-5	-5.6	118.3	41.06	111.7	38.30	105.0	35.55	101.2	34.14	97.9	40.39	91.2	30.27
	-3	-3.7	118.3	38.67	111.7	36.10	105.0	33.52	101.2	32.24	97.9	31.01	91.2	28.62
	0	-0.7	118.3	35.18	111.7	32.91	105.0	30.58	101.2	29.48	97.9	28.37	91.2	26.23
	3	2.2	118.3	32.17	111.7	30.09	105.0	28.07	101.2	27.03	97.9	26.05	91.2	24.08
	5	4.1	118.3	30.34	111.7	28.37	105.0	26.54	101.2	25.56	97.9	24.64	91.2	22.80
	7	6	118.3	28.68	111.7	26.84	105.0	25.07	101.2	24.21	97.9	23.35	91.2	21.63
60%	9	7.9	118.3	27.09	111.7	25.43	105.0	23.72	101.2	22.92	97.9	22.12	91.2	20.53
	11	9.8	118.3	25.62	111.7	24.02	105.0	22.49	101.2	21.76	97.9	21.02	91.2	19.49
	13	11.8	118.3	24.21	111.7	22.74	105.0	21.27	101.2	20.59	97.9	19.86	91.2	18.51
	15	13.7	118.3	22.98	111.7	21.57	105.0	20.22	101.2	19.55	97.9	18.88	91.2	17.65
	-19.8	-20	93.8	44.43	93.3	45.29	90.0	43.57	87.2	41.86	84.3	40.20	78.6	36.83
	-18.8	-19	95.2	44.74	95.2	45.60	90.0	42.65	87.2	40.94	84.3	39.28	78.6	36.10
	-16.7	-17	99.1	45.35	95.7	43.88	90.0	40.69	87.2	39.10	84.3	37.57	78.6	34.50
	-13.7	-15	101.4	44.86	95.7	41.67	90.0	38.67	87.2	37.20	84.3	35.73	78.6	32.85
	-11.8	-13	101.4	42.41	95.7	39.47	90.0	36.65	87.2	35.30	84.3	33.89	78.6	31.38
	-9.8	-11	101.4	40.08	95.7	37.32	90.0	34.69	87.2	33.40	84.3	32.11	78.6	29.60
	-9.5	-10	101.4	38.98	95.7	36.34	90.0	33.71	87.2	32.48	84.3	31.26	78.6	28.80
	-8.5	-9.1	101.4	37.94	95.7	35.36	90.0	32.91	87.2	31.68	84.3	30.46	78.6	28.07
	-7	-7.6	101.4	36.28	95.7	33.89	90.0	31.50	87.2	30.34	84.3	29.17	78.6	26.97
	-5	-5.6	101.4	34.14	95.7	31.93	90.0	29.72	87.2	28.62	84.3	27.58	78.6	25.49
	-3	-3.7	101.4	32.24	95.7	30.15	90.0	28.07	87.2	27.09	84.3	26.11	78.6	24.15
50%	0	-0.7	101.4	29.48	95.7	27.58	90.0	25.74	87.2	24.88	84.3	23.96	78.6	22.19
	3	2.2	101.4	27.03	95.7	25.37	90.0	23.72	87.2	22.86	84.3	22.06	78.6	20.47
	5	4.1	101.4	25.56	95.7	23.96	90.0	22.43	87.2	21.69	84.3	20.90	78.6	19.43
	7	6	101.4	24.21	95.7	22.74	90.0	21.27	87.2	20.53	84.3	19.86	78.6	18.45
	9	7.9	101.4	22.92	95.7	21.51	90.0	20.16	87.2	19.55	84.3	18.81	78.6	17.59
	11	9.8	101.4	21.76	95.7	20.47	90.0	19.18	87.2	18.57	84.3	17.90	78.6	16.73
	13	11.8	101.4	20.53	95.7	19.37	90.0	18.20	87.2	17.65	84.3	17.04	78.6	15.93
	15	13.7	101.4	19.55	95.7	18.39	90.0	17.34	87.2	16.79	84.3	16.24	78.6	15.20
	-19.8	-20	84.5	40.45	79.7	37.63	75.0	34.93	72.2	33.65	69.8	32.36	65.1	29.78
	-18.8	-19	84.5	39.53	79.7	36.83	75.0	34.26	72.2	32.97	69.8	31.68	65.1	29.23
	-16.7	-17	84.5	37.75	79.7	35.18	75.0	32.73	72.2	31.50	69.8	30.34	65.1	28.01
	-13.7	-15	84.5	35.91	79.7	33.52	75.0	31.19	72.2	30.03	69.8	28.93	65.1	26.72
	-11.8	-13	84.5	34.14	79.7	31.87	75.0	29.66	72.2	28.56	69.8	27.52	65.1	25.43
	-9.8	-11	84.5	32.30	79.7	30.21	75.0	28.13	72.2	27.09	69.8	26.11	65.1	24.21
	-9.5	-10	84.5	31.44	79.7	29.36	75.0	27.39	72.2	26.41	69.8	25.43	65.1	23.53
	-8.5	-9.1	84.5	30.64	79.7	28.68	75.0	26.72	72.2	25.80	69.8	24.88	65.1	22.98
	-7	-7.6	84.5	29.36	79.7	27.52	75.0	25.62	72.2	24.76	69.8	23.90	65.1	22.12
	-5	-5.6	84.5	27.70	79.7	25.98	75.0	24.27	72.2	23.47	69.8	22.61	65.1	20.96
	-3	-3.7	84.5	26.23	79.7	24.64	75.0	22.98	72.2	22.25	69.8	21.45	65.1	19.92
	0	-0.7	84.5	24.08	79.7	22.61	75.0	21.20	72.2	20.47	69.8	19.79	65.1	18.39
	3	2.2	84.5	22.19	79.7	20.84	75.0	19.55	72.2	18.88	69.8	18.26	65.1	17.04
	5	4.1	84.5	21.02	79.7	19.79	75.0	18.57	72.2	17.96	69.8	17.40	65.1	16.18
	7	6	84.5	19.98	79.7	18.81	75.0	17.65	72.2	17.10	69.8	16.55	65.1	15.44
	9	7.9	84.5	18.94	79.7	17.90	75.0	16.79	72.2	16.30	69.8	15.75	65.1	14.71
	11	9.8	84.5	18.02	79.7	16.98	75.0	16.00	72.2	15.50	69.8	15.01	65.1	14.03
	13	11.8	84.5	17.16	79.7	16.18	75.0	15.20	72.2	14.77	69.8	14.28	65.1	13.42
	15	13.7	84.5	16.30	79.7	15.44	75.0	14.52	72.2	14.10	69.8	13.67	65.1	12.81

50HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1400W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	101.3	27.79	100.9	29.78	100.4	31.76	100.4	32.72	99.9	33.68	99.9	35.67
	-18.8	-19	102.8	28.43	102.4	30.35	102.4	32.34	101.8	33.30	101.8	34.19	101.3	36.18
	-16.7	-17	106.8	29.78	106.3	31.63	105.8	33.49	105.8	34.39	105.8	35.35	105.3	37.20
	-13.7	-15	111.3	31.12	110.8	32.91	110.3	34.71	110.3	35.60	109.8	36.50	109.8	38.29
	-11.8	-13	115.8	32.53	115.8	34.26	115.3	35.92	114.8	36.82	114.8	37.72	114.2	39.38
	-9.8	-11	121.3	33.94	120.7	35.60	120.2	37.20	120.2	38.04	120.2	38.87	119.8	40.53
	-9.5	-10	124.2	34.71	123.7	36.24	123.2	37.84	123.2	38.68	122.7	39.44	122.7	41.04
	-8.5	-9.1	126.7	35.28	126.2	36.82	126.2	38.42	125.7	39.19	125.7	39.96	125.2	41.56
	-7	-7.6	131.2	36.31	131.2	37.84	130.6	39.32	130.6	40.08	130.2	40.79	129.7	42.33
	-5	-5.6	138.1	37.72	137.6	39.12	137.1	40.53	137.1	41.30	136.6	41.94	136.6	43.35
	-3	-3.7	144.6	38.93	144.1	40.28	144.1	41.62	143.6	42.33	143.6	43.03	143.1	44.31
	0	-0.7	156.0	40.79	156.0	42.07	155.5	43.29	155.5	43.80	155.0	44.57	155.0	45.85
	3	2.2	168.4	42.52	167.9	43.67	167.5	44.82	167.5	45.40	167.5	46.04	166.9	47.13
	5	4.1	176.8	43.54	176.4	44.69	176.4	45.78	175.9	46.36	175.9	46.87	175.4	47.96
	7	6	185.8	44.63	185.3	45.59	185.3	46.68	184.8	47.19	184.8	47.70	177.4	45.85
	9	7.9	195.2	45.53	194.8	46.55	194.8	47.51	194.2	48.02	190.3	47.00	177.4	43.03
	11	9.8	205.2	46.42	204.7	47.38	203.7	47.96	196.7	46.10	190.3	44.18	177.4	40.53
120%	13	11.8	216.1	47.32	215.6	48.22	203.7	44.95	196.7	43.16	190.3	41.49	177.4	38.04
	15	13.7	226.5	48.15	216.6	45.66	203.7	42.33	196.7	40.72	190.3	39.06	177.4	35.92
	-19.8	-20	100.9	30.48	100.3	32.27	99.9	34.13	99.9	34.96	99.9	35.92	99.3	37.72
	-18.8	-19	102.4	31.06	101.8	32.85	101.8	34.64	101.4	35.47	101.4	36.43	100.9	38.23
	-16.7	-17	106.3	32.27	105.8	34.00	105.1	35.67	105.3	36.56	105.3	37.46	104.9	39.12
	-13.7	-15	110.8	33.55	110.3	35.22	109.8	36.82	109.8	37.72	109.8	38.48	109.3	40.15
	-11.8	-13	115.3	34.83	115.3	36.43	114.8	37.97	114.8	38.80	114.3	39.57	114.3	41.17
	-9.8	-11	120.7	36.18	120.2	37.65	120.2	39.19	119.8	39.96	119.8	40.66	119.2	42.20
	-9.5	-10	123.8	36.82	123.2	38.29	122.7	39.76	122.7	40.53	122.7	41.24	122.2	42.71
	-8.5	-9.1	126.2	37.39	125.7	38.80	125.7	40.28	125.2	40.98	125.2	41.75	124.7	43.16
	-7	-7.6	130.6	38.36	130.6	39.76	130.2	41.11	130.2	41.81	129.7	42.52	129.7	43.86
	-5	-5.6	137.6	39.57	137.1	40.92	136.6	42.26	136.6	42.90	136.6	43.61	136.2	44.82
	-3	-3.7	144.1	40.79	144.1	42.07	143.6	43.29	143.6	43.86	143.1	44.57	143.1	45.78
	0	-0.7	155.5	42.52	155.5	43.67	155.0	44.82	155.0	45.40	154.5	45.98	154.5	47.13
	3	2.2	167.9	44.12	167.5	45.14	167.5	46.23	166.9	46.81	166.9	47.32	163.5	47.06
	5	4.1	176.4	45.08	175.9	46.10	175.9	47.13	175.4	47.64	175.4	48.15	163.5	44.18
	7	6	185.3	45.98	185.3	46.94	184.8	47.90	181.8	47.26	175.9	45.34	163.5	41.56
	9	7.9	194.8	46.87	194.3	47.83	187.8	46.23	181.8	44.37	175.9	42.58	163.5	39.12
110%	11	9.8	204.7	47.70	199.7	46.87	187.8	43.48	181.8	41.81	175.9	40.08	163.5	36.88
	13	11.8	212.1	47.26	199.7	43.99	187.8	40.79	181.8	39.25	175.9	37.72	163.5	34.71
	15	13.7	212.1	44.50	199.7	41.43	187.8	38.48	181.8	36.95	175.9	35.54	163.5	32.72
	-19.8	-20	100.3	33.17	99.9	34.77	99.3	36.43	99.3	37.27	99.4	38.10	98.9	39.76
	-18.8	-19	101.8	33.68	101.4	35.28	101.4	36.95	101.4	37.72	100.9	38.55	100.9	40.21
	-16.7	-17	105.8	34.77	105.3	36.37	106.8	37.97	104.9	38.74	104.9	39.51	104.3	41.04
	-13.7	-15	110.3	35.99	109.8	37.46	109.3	39.00	109.3	39.76	109.3	40.53	108.8	42.01
	-11.8	-13	114.8	37.20	114.8	38.61	114.2	40.02	114.2	40.79	113.8	41.49	113.8	42.97
	-9.8	-11	120.2	38.36	119.8	39.76	119.8	41.11	119.2	41.81	119.2	42.52	119.2	43.86
	-9.5	-10	123.2	39.00	122.7	40.28	122.2	41.69	122.2	42.33	122.2	43.03	121.7	44.37
	-8.5	-9.1	125.7	39.51	125.2	40.79	125.2	42.13	124.7	42.84	124.7	43.48	124.7	45.46
	-7	-7.6	130.2	40.40	130.2	41.62	129.7	42.90	129.7	43.54	129.7	44.18	129.2	45.46
	-5	-5.6	137.1	41.56	136.6	42.77	136.2	43.93	136.2	44.57	136.2	45.14	135.6	46.42
	-3	-3.7	143.6	42.58	143.6	43.73	143.1	44.89	143.1	45.46	142.6	46.04	142.6	47.19
	0	-0.7	155.0	44.18	155.0	45.27	154.5	46.36	154.5	46.87	154.5	47.38	150.1	46.49
	3	2.2	167.5	45.66	166.9	46.62	166.9	47.64	166.4	48.09	161.0	46.10	150.1	42.33
	5	4.1	175.9	46.55	175.9	47.51	172.4	47.06	166.4	45.14	161.0	43.35	150.1	39.76
	7	6	184.8	47.38	183.3	47.70	172.4	44.18	166.4	42.45	161.0	40.79	150.1	37.46
	9	7.9	194.2	48.15	183.3	44.82	172.4	41.56	166.4	39.96	161.0	38.36	150.1	35.28
	11	9.8	194.2	45.34	183.3	42.20	172.4	39.12	166.4	37.65	161.0	36.18	150.1	33.30
	13	11.8	194.2	42.52	183.3	39.57	172.4	36.75	166.4	35.41	161.0	34.00	150.1	31.38
	15	13.7	194.2	37.72	183.3	37.33	172.4	34.71	166.4	33.42	161.0	32.14	150.1	29.65

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1400W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	99.9	35.79	99.3	37.27	99.3	38.80	98.9	39.57	98.9	40.28	98.4	41.81
	-18.8	-19	101.4	36.24	101.4	37.72	100.9	39.25	100.9	40.02	100.4	40.79	100.4	42.26
	-16.7	-17	105.3	37.27	104.8	38.74	104.8	40.15	104.3	40.85	104.3	41.56	104.3	43.03
	-13.7	-15	109.8	38.36	109.3	39.76	108.8	41.11	108.8	41.81	108.8	42.52	108.3	43.86
	-11.8	-13	114.3	39.51	114.3	40.79	113.8	42.07	113.8	42.77	113.8	43.41	113.3	44.76
	-9.8	-11	119.8	40.53	119.2	41.81	119.2	43.09	119.2	43.73	118.7	44.31	118.7	45.59
	-9.5	-10	122.7	41.11	122.2	42.33	122.2	43.54	121.7	44.18	121.7	44.82	121.2	46.04
	-8.5	-9.1	125.2	41.56	124.7	42.84	124.7	43.99	124.7	44.57	124.2	45.21	124.2	46.36
	-7	-7.6	129.7	42.39	129.7	43.54	129.2	44.69	129.2	45.34	129.2	45.85	128.7	47.06
	-5	-5.6	136.6	43.48	136.1	44.57	136.1	45.66	135.6	46.17	135.6	46.74	135.1	47.90
	-3	-3.7	143.1	44.44	143.1	45.34	142.6	46.55	142.6	47.06	142.6	47.58	136.6	45.59
	0	-0.7	154.5	45.85	154.5	46.87	154.0	47.83	151.5	47.06	146.6	45.08	136.6	41.37
	3	2.2	166.9	47.19	166.4	48.09	156.5	44.50	151.5	42.77	146.6	41.04	136.6	37.72
	5	4.1	175.4	48.09	166.4	45.14	156.5	41.81	151.5	40.28	146.6	38.68	136.6	35.54
90%	7	6	176.4	45.59	166.4	42.45	156.50	39.38	151.5	37.91	146.6	36.43	136.6	33.49
	9	7.9	176.4	42.84	166.4	39.96	156.5	37.07	151.5	35.22	146.6	34.32	136.6	31.63
	11	9.8	176.4	40.34	166.4	37.65	156.5	34.96	151.5	33.68	146.6	32.40	136.6	29.84
	13	11.8	176.4	37.91	166.4	35.41	156.5	32.91	151.5	31.70	146.6	30.54	136.6	28.17
	15	13.7	176.4	35.73	166.4	33.42	156.5	31.12	151.5	29.97	146.6	28.81	136.6	26.70
	-19.8	-20	99.2	38.48	98.7	39.76	98.7	41.17	98.2	41.81	98.2	42.52	98.2	43.86
	-18.8	-19	100.7	38.87	100.7	40.28	100.2	41.56	100.2	42.26	100.2	42.90	99.7	44.25
	-16.7	-17	104.6	39.83	104.2	41.11	104.2	42.39	104.2	43.03	103.6	43.67	103.6	44.95
	-13.7	-15	109.1	40.79	108.6	42.07	108.6	43.29	108.1	43.86	108.1	44.50	108.1	45.72
	-11.8	-13	113.5	41.81	113.5	42.97	113.1	44.12	113.1	44.76	113.1	45.34	112.6	46.49
	-9.8	-11	119.1	42.77	119.1	43.86	118.5	45.01	118.5	45.59	118.5	46.17	118.0	47.32
	-9.5	-10	122.0	43.29	121.5	44.37	121.5	45.46	121.0	46.04	121.0	46.62	121.0	47.64
	-8.5	-9.1	124.5	43.73	124.5	44.82	124.0	45.85	124.0	46.36	124.0	46.94	122.5	47.38
	-7	-7.6	129.0	44.44	129.0	45.46	128.4	46.55	128.4	47.06	128.4	47.58	122.5	45.27
80%	-5	-5.6	135.9	45.40	135.4	46.36	135.4	47.38	134.9	47.90	131.4	46.36	122.5	42.52
	-3	-3.7	142.4	46.30	142.4	47.19	140.9	47.38	135.9	45.53	131.4	43.67	122.5	40.08
	0	-0.7	154.2	47.64	149.8	46.42	140.9	43.03	135.9	41.30	131.4	39.70	122.5	36.43
	3	2.2	158.7	45.34	149.8	42.26	140.9	39.19	135.9	37.72	131.4	36.18	122.5	33.36
	5	4.1	158.7	42.65	149.8	39.76	140.9	36.95	135.9	35.47	131.4	34.19	122.5	31.44
	7	6	158.7	40.08	149.8	37.46	140.9	34.77	135.9	33.49	131.4	32.21	122.5	29.71
	9	7.9	158.7	37.78	149.8	35.22	140.9	32.78	135.9	31.63	131.4	30.42	122.5	28.11
	11	9.8	158.7	35.60	149.8	33.23	140.9	30.99	135.9	29.84	131.4	28.75	122.5	26.57
	13	11.8	158.7	33.49	149.8	31.38	140.9	29.20	135.9	28.17	131.4	27.15	122.5	25.10
	15	13.7	158.7	31.63	149.8	29.58	140.9	27.66	135.9	26.70	131.4	25.74	122.5	23.82
	-19.8	-20	98.9	41.11	98.4	42.33	98.4	43.54	98.4	44.12	97.8	44.76	97.8	45.91
	-18.8	-19	100.3	41.49	100.3	42.71	99.9	43.86	99.9	44.50	99.9	45.08	99.3	46.30
	-16.7	-17	104.3	42.33	103.9	43.48	103.9	44.63	103.9	45.21	103.9	45.78	103.3	46.87
	-13.7	-15	108.8	43.22	108.3	44.31	108.3	45.40	108.3	45.91	107.8	46.49	107.8	47.64
	-11.8	-13	113.3	44.05	113.3	45.14	112.8	46.17	112.8	46.68	112.8	47.26	109.3	45.98
	-9.8	-11	118.8	44.95	118.8	45.98	118.2	47.00	118.2	47.45	117.3	47.38	109.3	43.41
	-9.5	-10	121.7	45.40	121.2	46.36	121.3	47.38	121.3	47.90	117.3	45.98	109.3	42.13
	-8.5	-9.1	124.2	45.85	115.5	46.81	123.7	47.70	121.3	46.62	117.3	44.76	109.3	41.04
	-7	-7.6	128.7	46.49	128.7	47.38	125.2	46.36	121.3	44.57	117.3	42.77	109.3	39.25
	-5	-5.6	135.6	47.32	133.1	47.06	125.2	43.54	121.3	41.88	117.3	40.21	109.3	36.95
	-3	-3.7	141.1	47.58	133.1	44.31	125.2	41.04	121.3	39.51	117.3	37.91	109.3	34.90
	0	-0.7	141.1	43.16	133.1	40.21	125.2	37.33	121.3	35.92	117.3	34.51	109.3	31.82
	3	2.2	141.1	39.32	133.1	36.69	125.2	34.13	121.3	32.85	117.3	31.63	109.3	29.13
	5	4.1	141.1	37.01	133.1	34.58	125.2	32.14	121.3	30.99	117.3	29.84	109.3	27.53
	7	6	141.1	34.90	133.1	32.66	125.2	30.35	121.3	29.33	117.3	28.24	109.3	26.06
	9	7.9	141.1	32.91	133.1	30.80	125.2	28.69	121.3	27.66	117.3	26.70	109.3	24.72
	11	9.8	141.1	31.12	133.1	29.07	125.2	27.15	121.3	26.19	117.3	25.29	109.3	23.44
	13	11.8	141.1	29.33	133.1	27.47	125.2	25.68	121.3	24.78	117.3	23.88	109.3	22.16
	15	13.7	141.1	27.73	133.1	26.06	125.2	24.33	121.3	23.50	117.3	22.67	109.3	21.07

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1400W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	98.1	43.80	97.7	44.82	97.7	45.85	97.7	46.36	97.7	46.94	95.2	46.42
	-18.8	-19	99.6	44.12	99.6	45.14	99.1	46.17	99.1	46.68	99.1	47.26	95.2	45.46
	-16.7	-17	103.6	44.82	103.6	45.85	103.1	46.87	103.1	47.38	102.1	42.20	95.2	43.35
	-13.7	-15	108.0	45.59	107.6	46.62	107.6	47.58	105.6	46.87	102.1	44.95	95.2	41.24
	-11.8	-13	112.5	46.36	112.5	47.32	109.6	46.17	105.6	44.37	102.1	42.58	95.2	39.06
	-9.8	-11	118.0	47.13	116.5	47.13	109.6	43.61	105.6	41.94	102.1	40.28	95.2	36.95
	-9.5	-10	121.0	47.58	116.5	45.72	109.6	42.33	105.6	40.72	102.1	39.12	95.2	35.92
	-8.5	-9.1	123.4	47.83	116.5	44.50	109.6	41.24	105.6	39.64	102.1	38.10	95.2	35.03
	-7	-7.6	123.4	45.66	116.5	42.52	109.6	39.44	105.6	37.97	102.1	36.43	95.2	33.55
	-5	-5.6	123.4	42.90	116.5	40.02	109.6	37.14	105.6	35.67	102.1	42.20	95.2	31.63
	-3	-3.7	123.4	40.40	116.5	37.72	109.6	35.03	105.6	33.68	102.1	32.40	95.2	29.90
	0	-0.7	123.4	36.75	116.5	34.39	109.6	31.95	105.6	30.80	102.1	29.65	95.2	27.41
	3	2.2	123.4	33.62	116.5	31.44	109.6	29.33	105.6	28.24	102.1	27.21	95.2	25.16
	5	4.1	123.4	31.70	116.5	29.65	109.6	27.73	105.6	26.70	102.1	25.74	95.2	23.82
	7	6	123.4	29.97	116.5	28.05	109.6	26.19	105.6	25.29	102.1	24.40	95.2	22.60
60%	9	7.9	123.4	28.30	116.5	26.57	109.6	24.78	105.6	23.95	102.1	23.12	95.2	21.45
	11	9.8	123.4	26.77	116.5	25.10	109.6	23.50	105.6	22.73	102.1	21.96	95.2	20.36
	13	11.8	123.4	25.29	116.5	23.76	109.6	22.22	105.6	21.51	102.1	20.75	95.2	19.34
	15	13.7	123.4	24.01	116.5	22.54	109.6	21.13	105.6	20.43	102.1	19.72	95.2	18.44
	-19.8	-20	97.9	46.42	97.4	47.32	93.9	45.53	90.9	43.73	87.9	42.01	82.0	38.48
	-18.8	-19	99.3	46.74	99.3	47.64	93.9	44.57	90.9	42.77	87.9	41.04	82.0	37.72
	-16.7	-17	103.3	47.38	99.9	45.85	93.9	42.52	90.9	40.85	87.9	39.25	82.0	36.05
	-13.7	-15	105.8	46.87	99.9	43.54	93.9	40.40	90.9	38.87	87.9	37.33	82.0	34.32
	-11.8	-13	105.8	44.31	99.9	41.24	93.9	38.29	90.9	36.88	87.9	35.41	82.0	32.78
	-9.8	-11	105.8	41.88	99.9	39.00	93.9	36.24	90.9	34.90	87.9	33.55	82.0	30.93
	-9.5	-10	105.8	40.72	99.9	37.97	93.9	35.22	90.9	33.94	87.9	32.66	82.0	30.10
	-8.5	-9.1	105.8	39.64	99.9	36.95	93.9	34.39	90.9	33.10	87.9	31.82	82.0	29.33
	-7	-7.6	105.8	37.91	99.9	35.41	93.9	32.91	90.9	31.70	87.9	30.48	82.0	28.17
	-5	-5.6	105.8	35.67	99.9	33.36	93.9	31.06	90.9	29.90	87.9	28.81	82.0	26.64
	-3	-3.7	105.8	33.68	99.9	31.50	93.9	29.33	90.9	28.30	87.9	27.28	82.0	25.23
	0	-0.7	105.8	30.80	99.9	28.81	93.9	26.89	90.9	26.00	87.9	25.04	82.0	23.18
50%	3	2.2	105.8	28.24	99.9	26.51	93.9	24.78	90.9	23.88	87.9	23.05	82.0	21.39
	5	4.1	105.8	26.70	99.9	25.04	93.9	23.44	90.9	22.67	87.9	21.84	82.0	20.30
	7	6	105.8	25.29	99.9	23.76	93.9	22.22	90.9	21.45	87.9	20.75	82.0	19.27
	9	7.9	105.8	23.95	99.9	22.48	93.9	21.07	90.9	20.43	87.9	19.66	82.0	18.38
	11	9.8	105.8	22.73	99.9	21.39	93.9	20.04	90.9	19.40	87.9	18.70	82.0	17.48
	13	11.8	105.8	21.45	99.9	20.23	93.9	19.02	90.9	18.44	87.9	17.80	82.0	16.65
	15	13.7	105.8	20.43	99.9	19.21	93.9	18.12	90.9	17.54	87.9	16.97	82.0	15.88
	-19.8	-20	88.2	42.26	83.2	39.32	78.3	36.50	75.3	35.15	72.8	33.81	67.9	31.12
	-18.8	-19	88.2	41.30	83.2	38.48	78.3	35.79	75.3	34.45	72.8	33.10	67.9	30.54
	-16.7	-17	88.2	39.44	83.2	36.75	78.3	34.19	75.3	32.91	72.8	31.70	67.9	29.26
	-13.7	-15	88.2	37.52	83.2	35.03	78.3	32.59	75.3	31.38	72.8	30.22	67.9	27.92
	-11.8	-13	88.2	35.67	83.2	33.30	78.3	30.99	75.3	29.84	72.8	28.75	67.9	26.57
	-9.8	-11	88.2	33.75	83.2	31.57	78.3	29.39	75.3	28.30	72.8	27.28	67.9	25.29
	-9.5	-10	88.2	32.85	83.2	30.67	78.3	28.62	75.3	27.60	72.8	26.57	67.9	24.59
	-8.5	-9.1	88.2	32.02	83.2	29.97	78.3	27.92	75.3	26.96	72.8	26.00	67.9	24.01
	-7	-7.6	88.2	30.67	83.2	28.75	78.3	26.77	75.3	25.87	72.8	24.97	67.9	23.12
	-5	-5.6	88.2	28.94	83.2	27.15	78.3	25.36	75.3	24.52	72.8	23.63	67.9	21.90
	-3	-3.7	88.2	27.41	83.2	25.74	78.3	24.01	75.3	23.24	72.8	22.41	67.9	20.81
	0	-0.7	88.2	25.16	83.2	23.63	78.3	22.16	75.3	21.39	72.8	20.68	67.9	19.21
	3	2.2	88.2	23.18	83.2	21.77	78.3	20.43	75.3	19.72	72.8	19.08	67.9	17.80
	5	4.1	88.2	21.96	83.2	20.68	78.3	19.40	75.3	18.76	72.8	18.19	67.9	16.90
	7	6	88.2	20.87	83.2	19.66	78.3	18.44	75.3	17.87	72.8	17.29	67.9	16.14
	9	7.9	88.2	19.79	83.2	18.70	78.3	17.54	75.3	17.03	72.8	16.46	67.9	15.37
	11	9.8	88.2	18.83	83.2	17.74	78.3	16.71	75.3	16.20	72.8	15.69	67.9	14.66
	13	11.8	88.2	17.93	83.2	16.90	78.3	15.88	75.3	15.43	72.8	14.92	67.9	14.02
	15	13.7	88.2	17.03	83.2	16.14	78.3	15.18	75.3	14.73	72.8	14.28	67.9	13.38

52HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1450W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	104.9	28.83	104.4	30.89	103.9	32.95	103.9	33.94	103.4	34.94	103.4	37.00
	-18.8	-19	106.4	29.49	106.0	31.48	106.0	33.54	105.4	34.54	105.4	35.47	104.9	37.53
	-16.7	-17	110.6	30.89	110.0	32.81	109.6	34.74	109.6	35.67	109.6	36.67	109.0	38.59
	-13.7	-15	115.2	32.28	114.7	34.14	114.2	36.00	114.2	36.93	113.6	37.86	113.6	39.72
	-11.8	-13	119.8	33.74	119.8	35.54	119.3	37.26	118.8	38.19	118.8	39.12	118.3	40.85
	-9.8	-11	125.5	35.20	125.0	36.93	124.4	38.59	124.4	39.46	124.4	40.32	124.0	42.05
	-9.5	-10	128.6	36.00	128.0	37.60	127.6	39.26	127.6	40.12	127.0	40.92	127.0	42.58
	-8.5	-9.1	131.2	36.60	130.6	38.19	130.6	39.85	130.1	40.65	130.1	41.45	129.6	43.11
	-7	-7.6	135.8	37.66	135.8	39.26	135.2	40.78	135.2	41.58	134.8	42.31	134.2	43.91
	-5	-5.6	143.0	39.12	142.4	40.58	142.0	42.05	142.0	42.84	141.4	43.51	141.4	44.97
	-3	-3.7	149.6	40.39	149.2	41.78	149.2	43.17	148.6	43.91	148.6	44.64	148.1	45.96
	0	-0.7	161.5	42.31	161.5	43.64	161.0	44.90	161.0	45.43	160.4	46.23	160.4	47.56
	3	2.2	174.3	44.10	173.8	45.30	173.3	46.50	173.3	47.09	173.3	47.76	172.8	48.89
	5	4.1	183.1	45.17	182.6	46.36	182.6	47.49	182.0	48.09	182.0	48.62	181.6	49.75
120%	7	6	192.4	46.30	191.8	47.29	191.8	48.42	191.3	48.95	191.3	49.48	183.6	47.56
	9	7.9	202.1	47.23	201.6	48.29	201.6	49.29	201.1	49.82	197.0	48.75	183.6	44.64
	11	9.8	212.4	48.16	211.9	49.15	210.8	49.75	203.6	47.82	197.0	45.83	183.6	42.05
	13	11.8	223.7	49.09	223.2	50.02	210.8	46.63	203.6	44.77	197.0	43.04	183.6	39.46
	15	13.7	234.5	49.95	224.2	47.36	210.8	43.91	203.6	42.24	197.0	40.52	183.6	37.26
	-19.8	-20	104.4	31.62	103.9	33.48	103.4	35.40	103.4	36.27	103.4	37.26	102.8	39.12
	-18.8	-19	106.0	32.22	105.4	34.07	105.4	35.93	104.9	36.80	104.9	37.79	104.4	39.65
	-16.7	-17	110.0	33.48	109.6	35.27	108.8	37.00	109.0	37.93	109.0	38.86	108.5	40.58
	-13.7	-15	114.7	34.81	114.2	36.53	113.6	38.19	113.6	39.12	113.6	39.92	113.2	41.65
	-11.8	-13	119.3	36.13	119.3	37.79	118.8	39.39	118.8	40.25	118.3	41.05	118.3	42.71
	-9.8	-11	125.0	37.53	124.4	39.06	124.4	40.65	124.0	41.45	124.0	42.18	123.4	43.77
	-9.5	-10	128.1	38.19	127.6	39.72	127.0	41.25	127.0	42.05	127.0	42.78	126.5	44.30
	-8.5	-9.1	130.6	38.79	130.1	40.25	130.1	41.78	129.6	42.51	129.6	43.31	129.1	44.77
	-7	-7.6	135.2	39.79	135.2	41.25	134.8	42.64	134.8	43.37	134.2	44.10	134.2	45.50
	-5	-5.6	142.4	41.05	142.0	42.44	141.4	43.84	141.4	44.50	141.4	45.23	140.9	46.50
110%	-3	-3.7	149.2	42.31	149.2	43.64	148.6	44.90	148.6	45.50	148.1	46.23	148.1	47.49
	0	-0.7	161.0	44.10	161.0	45.30	160.4	46.50	160.4	47.09	160.0	47.69	160.0	48.89
	3	2.2	173.8	45.77	173.3	46.83	173.3	47.96	172.8	48.56	172.8	49.09	169.2	48.82
	5	4.1	182.6	46.76	182.0	47.82	182.0	48.89	181.6	49.42	181.6	49.95	169.2	45.83
	7	6	191.8	47.69	191.8	48.69	191.3	49.68	188.2	49.02	182.0	47.03	169.2	43.11
	9	7.9	201.6	48.62	201.1	49.62	194.4	47.96	188.2	46.03	182.0	44.17	169.2	40.58
	11	9.8	211.9	49.48	206.8	48.62	194.4	45.10	188.2	43.37	182.0	41.58	169.2	38.26
	13	11.8	219.6	49.02	206.8	45.63	194.4	42.31	188.2	40.72	182.0	39.12	169.2	36.00
	15	13.7	219.6	46.16	206.8	42.98	194.4	39.92	188.2	38.33	182.0	36.86	169.2	33.94
	-19.8	-20	103.9	34.41	103.4	36.07	102.8	37.79	102.8	38.66	102.9	39.52	102.4	41.25
	-18.8	-19	105.4	34.94	104.9	36.60	104.9	38.33	104.9	39.12	104.4	39.99	104.4	41.71
	-16.7	-17	109.6	36.07	109.0	37.73	110.6	39.39	108.5	40.19	108.5	40.98	108.0	42.58
	-13.7	-15	114.2	37.33	113.7	38.86	113.2	40.45	113.2	41.25	113.2	42.05	112.6	43.57
	-11.8	-13	118.8	38.59	118.8	40.05	118.3	41.51	118.3	42.31	117.8	43.04	117.8	44.57
	-9.8	-11	124.4	39.79	124.0	41.25	124.0	42.64	123.4	43.37	123.4	44.10	123.4	45.50
	-9.5	-10	127.6	40.45	127.0	41.78	126.5	43.24	126.5	43.91	126.5	44.64	126.0	46.03
	-8.5	-9.1	130.1	40.98	129.6	42.31	129.6	43.71	129.1	44.44	129.1	45.10	129.1	41.12
	-7	-7.6	134.8	41.91	134.8	43.17	134.2	44.50	134.2	45.17	134.2	45.83	133.7	47.16
	-5	-5.6	142.0	43.11	141.4	44.37	140.9	45.57	140.9	46.23	140.9	46.83	140.4	48.16
	-3	-3.7	148.6	44.17	148.6	45.37	148.1	46.56	148.1	47.16	147.6	47.76	147.6	48.95
	0	-0.7	160.4	45.83	160.4	46.96	160.0	48.09	160.0	48.62	160.0	49.15	155.3	48.22
	3	2.2	173.3	47.36	172.8	48.36	172.8	49.42	172.3	49.88	166.6	47.82	155.3	43.91
	5	4.1	182.0	48.29	182.0	49.29	178.4	48.82	172.3	46.83	166.6	44.97	155.3	41.25
	7	6	191.3	49.15	189.8	49.48	178.4	45.83	172.3	44.04	166.6	42.31	155.3	38.86
	9	7.9	201.1	49.95	189.8	46.50	178.4	43.11	172.3	41.45	166.6	39.79	155.3	36.60
	11	9.8	201.1	47.03	189.8	43.77	178.4	40.58	172.3	39.06	166.6	37.53	155.3	34.54
	13	11.8	201.1	44.10	189.8	41.05	178.4	38.13	172.3	36.73	166.6	35.27	155.3	32.55
	15	13.7	201.1	39.12	189.8	38.72	178.4	36.00	172.3	34.67	166.6	33.34	155.3	30.75

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1450W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	103.4	37.13	102.8	38.66	102.8	40.25	102.4	41.05	102.4	41.78	101.8	43.37
	-18.8	-19	104.9	37.60	104.9	39.12	104.4	40.72	104.4	41.51	103.9	42.31	103.9	43.84
	-16.7	-17	109.0	38.66	108.5	40.19	108.5	41.65	108.0	42.38	108.0	43.11	108.0	44.64
	-13.7	-15	113.6	39.79	113.2	41.25	112.6	42.64	112.6	43.37	112.6	44.10	112.1	45.50
	-11.8	-13	118.3	40.98	118.3	42.31	117.8	43.64	117.8	44.37	117.8	45.03	117.2	46.43
	-9.8	-11	124.0	42.05	123.4	43.37	123.4	44.70	123.4	45.37	122.9	45.96	122.9	47.29
	-9.5	-10	127.0	42.64	126.5	43.91	126.5	45.17	126.0	45.83	126.0	46.50	125.5	47.76
	-8.5	-9.1	129.6	43.11	129.1	44.44	129.1	45.63	129.1	46.23	128.6	46.89	128.6	48.09
	-7	-7.6	134.2	43.97	134.2	45.17	133.7	46.36	133.7	47.03	133.7	47.56	133.2	48.82
	-5	-5.6	141.4	45.10	140.9	46.23	140.9	47.36	140.4	47.89	140.4	48.49	139.9	49.68
	-3	-3.7	148.1	46.10	148.1	47.85	147.6	48.29	147.6	48.82	147.6	49.35	141.4	47.29
	0	-0.7	160.0	47.56	160.0	48.62	159.4	49.62	156.8	48.82	151.7	46.76	141.4	42.91
	3	2.2	172.8	48.95	172.3	49.88	162.0	46.16	156.8	44.37	151.7	42.58	141.4	39.12
	5	4.1	181.6	49.88	172.3	46.83	162.0	43.37	156.8	41.78	151.7	40.12	141.4	36.86
90%	7	6	182.6	47.29	172.3	44.04	162.0	40.85	156.8	39.32	151.7	37.79	141.4	34.74
	9	7.9	182.6	44.44	172.3	41.45	162.0	38.46	156.8	36.53	151.7	35.60	141.4	32.81
	11	9.8	182.6	41.85	172.3	39.06	162.0	36.27	156.8	34.94	151.7	33.61	141.4	30.95
	13	11.8	182.6	39.32	172.3	36.73	162.0	34.14	156.8	32.88	151.7	31.68	141.4	29.23
	15	13.7	182.6	37.06	172.3	34.67	162.0	32.28	156.8	31.09	151.7	29.89	141.4	27.70
	-19.8	-20	102.7	39.92	102.2	41.25	102.2	42.71	101.6	43.37	101.6	44.10	101.6	45.50
	-18.8	-19	104.2	40.32	104.2	41.78	103.7	43.11	103.7	43.84	103.7	44.50	103.2	45.90
	-16.7	-17	108.3	41.31	107.8	42.64	107.8	43.97	107.8	44.64	107.3	45.30	107.3	46.63
	-13.7	-15	112.9	42.31	112.4	43.64	112.4	44.90	111.9	45.50	111.9	46.16	111.9	47.43
	-11.8	-13	117.5	43.37	117.5	44.57	117.1	45.77	117.1	46.43	117.1	47.03	116.5	48.22
	-9.8	-11	123.2	44.37	123.2	45.50	122.7	46.70	122.7	47.29	122.7	47.89	122.2	49.09
	-9.5	-10	126.3	44.90	125.8	46.03	125.8	47.16	125.3	47.76	125.3	48.36	125.3	49.42
	-8.5	-9.1	128.9	45.37	128.9	46.50	128.3	47.56	128.3	48.09	128.3	48.69	126.8	49.15
	-7	-7.6	133.5	46.10	133.5	47.16	133.0	48.29	133.0	48.82	133.0	49.35	126.8	46.96
80%	-5	-5.6	140.6	47.09	140.2	48.09	140.2	49.15	139.6	49.68	136.0	48.09	126.8	44.10
	-3	-3.7	147.4	48.02	147.4	48.95	145.8	49.15	140.6	47.23	136.0	45.30	126.8	41.58
	0	-0.7	159.7	49.42	155.0	48.16	145.8	44.64	140.6	42.84	136.0	41.18	126.8	37.79
	3	2.2	164.3	47.03	155.0	43.84	145.8	40.65	140.6	39.12	136.0	37.53	126.8	34.61
	5	4.1	164.3	44.24	155.0	41.25	145.8	38.33	140.6	36.80	136.0	35.47	126.8	32.61
	7	6	164.3	41.58	155.0	38.86	145.8	36.07	140.6	34.74	136.0	33.41	126.8	30.82
	9	7.9	164.3	39.19	155.0	36.53	145.8	34.01	140.6	32.81	136.0	31.55	126.8	29.16
	11	9.8	164.3	36.93	155.0	34.47	145.8	32.15	140.6	30.95	136.0	29.82	126.8	27.57
	13	11.8	164.3	34.74	155.0	32.55	145.8	30.29	140.6	29.23	136.0	28.16	126.8	26.04
	15	13.7	164.3	32.81	155.0	30.69	145.8	28.69	140.6	27.70	136.0	26.70	126.8	24.71
	-19.8	-20	102.4	42.64	101.8	43.91	101.8	45.17	101.8	45.77	101.3	46.43	101.3	47.63
	-18.8	-19	103.9	43.04	103.9	44.30	103.4	45.50	103.4	46.16	103.4	46.76	102.8	48.02
	-16.7	-17	108.0	43.91	107.5	45.10	107.5	46.30	107.5	46.89	107.5	47.49	107.0	48.62
	-13.7	-15	112.6	44.84	112.1	45.96	112.1	47.09	112.1	47.63	111.6	48.22	111.6	49.42
	-11.8	-13	117.2	45.70	117.2	46.83	116.8	47.89	116.8	48.42	116.8	49.02	113.2	47.69
	-9.8	-11	122.9	46.63	122.9	47.69	122.4	48.75	122.4	49.22	121.4	49.15	113.2	45.03
	-9.5	-10	126.0	47.09	125.5	48.09	125.5	49.15	125.5	49.68	121.4	47.69	113.2	43.71
	-8.5	-9.1	128.6	47.56	119.5	48.56	128.0	49.48	125.5	48.36	121.4	46.43	113.2	42.58
	-7	-7.6	133.2	48.22	133.2	49.15	129.6	48.09	125.5	46.23	121.4	44.37	113.2	40.72
	-5	-5.6	140.4	49.09	137.8	48.82	129.6	45.17	125.5	43.44	121.4	41.71	113.2	38.33
	-3	-3.7	146.0	49.35	137.8	45.96	129.6	42.58	125.5	40.98	121.4	39.32	113.2	36.20
	0	-0.7	146.0	44.77	137.8	41.71	129.6	38.72	125.5	37.26	121.4	35.80	113.2	33.01
	3	2.2	146.0	40.78	137.8	38.06	129.6	35.40	125.5	34.07	121.4	32.81	113.2	30.22
	5	4.1	146.0	38.39	137.8	35.87	129.6	33.34	125.5	32.15	121.4	30.95	113.2	28.56
	7	6	146.0	36.20	137.8	33.88	129.6	31.48	125.5	30.42	121.4	29.29	113.2	27.03
	9	7.9	146.0	34.14	137.8	31.95	129.6	29.76	125.5	28.69	121.4	27.70	113.2	25.64
	11	9.8	146.0	32.28	137.8	30.16	129.6	28.16	125.5	27.17	121.4	26.24	113.2	24.31
	13	11.8	146.0	30.42	137.8	28.50	129.6	26.64	125.5	25.71	121.4	24.78	113.2	22.98
	15	13.7	146.0	28.76	137.8	27.03	129.6	25.24	125.5	24.38	121.4	23.51	113.2	21.85

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1450W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	101.6	45.43	101.1	46.50	101.1	47.56	101.1	48.09	101.1	48.69	98.5	48.16
	-18.8	-19	103.1	45.77	103.1	46.83	102.6	47.89	102.6	48.42	102.6	49.02	98.5	47.16
	-16.7	-17	107.2	46.50	107.2	47.56	106.7	48.62	106.7	49.15	105.7	43.77	98.5	44.97
	-13.7	-15	111.8	47.29	111.4	48.36	111.4	49.35	109.3	48.62	105.7	46.63	98.5	42.78
	-11.8	-13	116.5	48.09	116.5	49.09	113.4	47.89	109.3	46.03	105.7	44.17	98.5	40.52
	-9.8	-11	122.1	48.89	120.6	48.89	113.4	45.23	109.3	43.51	105.7	41.78	98.5	38.33
	-9.5	-10	125.2	49.35	120.6	47.43	113.4	43.91	109.3	42.24	105.7	40.58	98.5	37.26
	-8.5	-9.1	127.7	49.62	120.6	46.16	113.4	42.78	109.3	41.12	105.7	39.52	98.5	36.33
	-7	-7.6	127.7	47.36	120.6	44.10	113.4	40.92	109.3	39.39	105.7	37.79	98.5	34.81
	-5	-5.6	127.7	44.50	120.6	41.51	113.4	38.53	109.3	37.00	105.7	34.77	98.5	32.81
	-3	-3.7	127.7	41.91	120.6	39.12	113.4	36.33	109.3	34.94	105.7	33.61	98.5	31.02
	0	-0.7	127.7	38.13	120.6	35.67	113.4	33.14	109.3	31.95	105.7	30.75	98.5	28.43
	3	2.2	127.7	34.87	120.6	32.61	113.4	30.42	109.3	29.29	105.7	28.23	98.5	26.10
	5	4.1	127.7	32.88	120.6	30.75	113.4	28.76	109.3	27.70	105.7	26.70	98.5	24.71
60%	7	6	127.7	31.09	120.6	29.09	113.4	27.17	109.3	26.24	105.7	25.31	98.5	23.45
	9	7.9	127.7	29.36	120.6	27.57	113.4	25.71	109.3	24.84	105.7	23.98	98.5	22.25
	11	9.8	127.7	27.76	120.6	26.04	113.4	24.38	109.3	23.58	105.7	22.78	98.5	21.12
	13	11.8	127.7	26.24	120.6	24.64	113.4	23.05	109.3	22.32	105.7	21.52	98.5	20.06
	15	13.7	127.7	24.91	120.6	23.38	113.4	21.92	109.3	21.19	105.7	20.46	98.5	19.13
	-19.8	-20	101.3	48.16	100.8	49.09	97.2	47.23	94.1	45.37	91.0	43.57	84.8	39.92
	-18.8	-19	102.8	48.49	102.8	49.42	97.2	46.23	94.1	44.37	91.0	42.58	84.8	39.12
	-16.7	-17	107.0	49.15	103.4	47.56	97.2	44.10	94.1	42.38	91.0	40.72	84.8	37.40
	-13.7	-15	109.6	48.62	103.4	45.17	97.2	41.91	94.1	40.32	91.0	38.72	84.8	35.60
	-11.8	-13	109.6	45.96	103.4	42.78	97.2	39.72	94.1	38.26	91.0	36.73	84.8	34.01
	-9.8	-11	109.6	43.44	103.4	40.45	97.2	37.60	94.1	36.20	91.0	34.81	84.8	32.08
	-9.5	-10	109.6	42.24	103.4	39.39	97.2	36.53	94.1	35.20	91.0	33.88	84.8	31.22
	-8.5	-9.1	109.6	41.12	103.4	38.33	97.2	35.67	94.1	34.34	91.0	33.01	84.8	30.42
	-7	-7.6	109.6	39.32	103.4	36.73	97.2	34.14	94.1	32.88	91.0	31.62	84.8	29.23
	-5	-5.6	109.6	37.00	103.4	34.61	97.2	32.22	94.1	31.02	91.0	29.89	84.8	27.63
50%	-3	-3.7	109.6	34.94	103.4	32.68	97.2	30.42	94.1	29.36	91.0	28.30	84.8	26.17
	0	-0.7	109.6	31.95	103.4	29.89	97.2	27.90	94.1	26.97	91.0	25.97	84.8	24.05
	3	2.2	109.6	29.29	103.4	27.50	97.2	25.71	94.1	24.78	91.0	23.91	84.8	22.19
	5	4.1	109.6	27.70	103.4	25.97	97.2	24.31	94.1	23.51	91.0	22.65	84.8	21.06
	7	6	109.6	26.24	103.4	24.64	97.2	23.05	94.1	22.25	91.0	21.52	84.8	19.99
	9	7.9	109.6	24.84	103.4	23.31	97.2	21.85	94.1	21.19	91.0	20.39	84.8	19.06
	11	9.8	109.6	23.58	103.4	22.19	97.2	20.79	94.1	20.13	91.0	19.40	84.8	18.13
	13	11.8	109.6	22.25	103.4	20.99	97.2	19.73	94.1	19.13	91.0	18.47	84.8	17.27
	15	13.7	109.6	21.19	103.4	19.93	97.2	18.80	94.1	18.20	91.0	17.60	84.8	16.47
	-19.8	-20	91.3	43.84	86.1	40.78	81.0	37.86	77.9	36.47	75.4	35.07	70.3	32.28
	-18.8	-19	91.3	42.84	86.1	39.92	81.0	37.13	77.9	35.74	75.4	34.34	70.3	31.68
	-16.7	-17	91.3	40.92	86.1	38.13	81.0	35.47	77.9	34.14	75.4	32.88	70.3	30.36
	-13.7	-15	91.3	38.92	86.1	36.33	81.0	33.81	77.9	32.55	75.4	31.35	70.3	28.96
	-11.8	-13	91.3	37.00	86.1	34.54	81.0	32.15	77.9	30.95	75.4	29.82	70.3	27.57
	-9.8	-11	91.3	35.00	86.1	32.75	81.0	30.49	77.9	29.36	75.4	28.30	70.3	26.24
	-9.5	-10	91.3	34.07	86.1	31.82	81.0	29.69	77.9	28.63	75.4	27.57	70.3	25.51
	-8.5	-9.1	91.3	33.21	86.1	31.09	81.0	28.96	77.9	27.96	75.4	26.97	70.3	24.91
	-7	-7.6	91.3	31.82	86.1	29.82	81.0	27.76	77.9	26.83	75.4	25.90	70.3	23.98
	-5	-5.6	91.3	30.02	86.1	28.16	81.0	26.30	77.9	25.44	75.4	24.51	70.3	22.72
	-3	-3.7	91.3	28.43	86.1	26.70	81.0	24.91	77.9	24.11	75.4	23.25	70.3	21.59
	0	-0.7	91.3	26.10	86.1	24.51	81.0	22.98	77.9	22.19	75.4	21.45	70.3	19.93
	3	2.2	91.3	24.05	86.1	22.58	81.0	21.19	77.9	20.46	75.4	19.79	70.3	18.47
	5	4.1	91.3	22.78	86.1	21.45	81.0	20.13	77.9	19.46	75.4	18.86	70.3	17.54
	7	6	91.3	21.65	86.1	20.39	81.0	19.13	77.9	18.53	75.4	17.93	70.3	16.74
	9	7.9	91.3	20.52	86.1	19.40	81.0	18.20	77.9	17.67	75.4	17.07	70.3	15.94
	11	9.8	91.3	19.53	86.1	18.40	81.0	17.34	77.9	16.80	75.4	16.27	70.3	15.21
	13	11.8	91.3	18.60	86.1	17.54	81.0	16.47	77.9	16.01	75.4	15.48	70.3	14.55
	15	13.7	91.3	17.67	86.1	16.74	81.0	15.74	77.9	15.28	75.4	14.81	70.3	13.88

54HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1500W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	109.4	30.44	108.9	32.62	108.4	34.79	108.4	35.84	107.8	36.90	107.8	39.07
	-18.8	-19	111.0	31.14	110.5	33.25	110.5	35.42	110.0	36.48	110.0	37.46	109.4	39.63
	-16.7	-17	115.4	32.62	114.8	34.65	114.3	36.69	114.3	37.67	114.3	38.72	113.7	40.76
	-13.7	-15	120.2	34.09	119.7	36.06	119.1	38.02	119.1	39.00	118.6	39.98	118.6	41.95
	-11.8	-13	125.0	35.63	125.0	37.53	124.5	39.35	123.9	40.33	123.9	41.32	123.4	43.14
	-9.8	-11	130.9	37.18	130.4	39.00	129.8	40.76	129.8	41.67	129.8	42.58	129.3	44.40
	-9.5	-10	134.1	38.02	133.6	39.70	133.1	41.46	133.1	42.37	132.5	43.21	132.5	44.96
	-8.5	-9.1	136.8	38.65	136.3	40.33	136.3	42.09	135.8	42.93	135.8	43.77	135.2	45.52
	-7	-7.6	141.6	39.77	141.6	41.46	141.1	43.07	141.1	43.91	140.6	44.68	140.0	46.37
	-5	-5.6	149.2	41.32	148.6	42.86	148.1	44.40	148.1	45.24	147.5	45.95	147.5	47.49
	-3	-3.7	156.1	42.65	155.6	44.12	155.6	45.60	155.0	46.37	155.0	47.14	154.5	48.54
	0	-0.7	168.4	44.68	168.4	46.09	167.9	47.42	167.9	47.98	167.4	48.82	167.4	50.22
	3	2.2	181.8	46.58	181.3	47.84	180.8	49.10	180.8	49.73	180.8	50.44	180.3	51.63
	5	4.1	191.0	47.70	190.5	48.96	190.5	50.15	189.9	50.79	189.9	51.35	189.4	52.54
120%	7	6	200.7	48.89	200.1	49.94	200.1	51.14	199.5	51.70	199.5	52.26	191.5	50.22
	9	7.9	210.8	49.87	210.3	51.00	210.3	52.05	209.7	52.61	205.5	51.49	191.5	47.14
	11	9.8	221.6	50.86	221.0	51.91	220.0	52.54	212.4	50.51	205.5	48.40	191.5	44.40
	13	11.8	233.3	51.84	232.8	52.82	220.0	49.24	212.4	47.28	205.5	45.45	191.5	41.67
	15	13.7	244.6	52.75	233.9	50.01	220.0	46.37	212.4	44.61	205.5	42.79	191.5	39.35
	-19.8	-20	108.9	33.39	108.3	35.35	107.8	37.39	107.8	38.30	107.8	39.35	107.3	41.32
	-18.8	-19	110.5	34.02	110.0	35.99	110.0	37.95	109.5	38.86	109.5	39.91	108.9	41.88
	-16.7	-17	114.8	35.35	114.3	37.25	113.5	39.07	113.7	40.05	113.7	41.04	113.2	42.86
	-13.7	-15	119.7	36.76	119.1	38.58	118.6	40.33	118.6	41.32	118.6	42.16	118.0	43.98
	-11.8	-13	124.5	38.16	124.5	39.91	123.9	41.60	123.9	42.51	123.4	43.35	123.4	45.10
	-9.8	-11	130.4	39.63	129.8	41.25	129.8	42.93	129.3	43.77	129.3	44.54	128.8	46.23
	-9.5	-10	133.6	40.33	133.1	41.95	132.5	43.56	132.5	44.40	132.5	45.17	132.0	46.79
	-8.5	-9.1	136.3	40.97	135.8	42.51	135.8	44.12	135.2	44.89	135.2	45.74	134.6	47.28
	-7	-7.6	141.1	42.02	141.1	43.56	140.6	45.03	140.6	45.81	140.0	46.58	140.0	48.05
	-5	-5.6	148.6	43.35	148.1	44.82	147.5	46.30	147.5	47.00	147.5	47.77	147.0	49.10
110%	-3	-3.7	155.6	44.68	155.6	46.09	155.0	47.42	155.0	48.05	154.5	48.82	154.5	50.15
	0	-0.7	167.9	46.58	167.9	47.84	167.4	49.10	167.4	49.73	166.9	50.37	166.9	51.63
	3	2.2	181.3	48.33	180.8	49.45	180.8	50.65	180.3	51.28	180.3	51.84	176.5	51.56
	5	4.1	190.5	49.38	189.9	50.51	189.9	51.63	189.4	52.19	189.4	52.75	176.5	48.40
	7	6	200.1	50.37	200.1	51.42	199.6	52.47	196.4	51.77	189.9	49.66	176.5	45.52
	9	7.9	210.3	51.35	209.8	52.40	202.8	50.65	196.4	48.61	189.9	46.65	176.5	42.86
	11	9.8	221.0	52.26	215.7	51.35	202.8	47.63	196.4	45.81	189.9	43.91	176.5	40.40
	13	11.8	229.1	51.77	215.7	48.19	202.8	44.68	196.4	43.00	189.9	41.32	176.5	38.02
	15	13.7	229.1	48.75	215.7	45.38	202.8	42.16	196.4	40.47	189.9	38.93	176.5	35.84
	-19.8	-20	108.3	36.34	107.8	38.09	107.3	39.91	107.3	40.83	107.3	41.74	106.8	43.56
	-18.8	-19	110.0	36.90	109.5	38.65	109.5	40.47	109.5	41.32	108.9	42.23	108.9	44.05
	-16.7	-17	114.3	38.09	113.7	39.84	115.4	41.60	113.2	42.44	113.2	43.28	112.7	44.96
	-13.7	-15	119.1	39.42	118.6	41.04	118.0	42.72	118.0	43.56	118.0	44.40	117.5	46.02
	-11.8	-13	123.9	40.76	123.9	42.30	123.4	43.84	123.4	44.68	122.9	45.45	122.9	47.07
	-9.8	-11	129.8	42.02	129.3	43.56	129.3	45.03	128.8	45.81	128.8	46.58	128.8	48.05
	-9.5	-10	133.1	42.72	132.5	44.12	131.9	45.67	131.9	46.37	131.9	47.14	131.4	48.61
	-8.5	-9.1	135.8	43.28	135.2	44.68	135.2	46.16	134.6	46.93	134.6	47.63	134.6	49.42
	-7	-7.6	140.6	44.26	140.6	45.60	140.0	47.00	140.0	47.70	140.0	48.40	139.5	49.80
	-5	-5.6	148.1	45.52	147.5	46.86	147.0	48.12	147.0	48.82	147.0	49.45	146.5	50.86
	-3	-3.7	155.0	46.65	155.0	47.91	154.5	49.17	154.5	49.80	154.0	50.44	154.0	51.70
	0	-0.7	167.4	48.40	167.4	49.59	166.9	50.79	166.9	51.35	166.9	51.91	162.1	50.93
	3	2.2	180.8	50.01	180.3	51.07	180.3	52.19	179.7	52.68	173.8	50.51	162.1	46.37
	5	4.1	189.9	51.00	189.9	52.05	186.2	51.56	179.7	49.45	173.8	47.49	162.1	43.56
	7	6	199.5	51.91	198.0	52.26	186.2	48.40	179.7	46.51	173.8	44.68	162.1	41.04
	9	7.9	209.7	52.75	198.0	49.10	186.2	45.52	179.7	43.77	173.8	42.02	162.1	38.65
	11	9.8	209.7	49.66	198.0	46.23	186.2	42.86	179.7	41.25	173.8	39.63	162.1	36.48
	13	11.8	209.7	46.58	198.0	43.35	186.2	40.26	179.7	38.79	173.8	37.25	162.1	34.37
	15	13.7	209.7	41.32	198.0	40.90	186.2	38.02	179.7	36.62	173.8	35.21	162.1	32.48

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1500W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	107.8	39.21	107.3	40.83	107.3	42.51	106.8	43.35	106.8	44.12	106.2	45.81
	-18.8	-19	109.5	39.70	109.5	41.32	108.9	43.00	108.9	43.84	108.4	44.68	108.4	46.30
	-16.7	-17	113.7	40.83	113.2	42.44	113.2	43.98	112.7	44.75	112.7	45.52	112.7	47.14
	-13.7	-15	118.6	42.02	118.0	43.56	117.5	45.03	117.5	45.81	117.5	46.58	117.0	48.05
	-11.8	-13	123.4	43.28	123.4	44.68	122.9	46.09	122.9	46.86	122.9	47.56	122.3	49.03
	-9.8	-11	129.3	44.40	128.8	45.81	128.8	47.21	128.8	47.91	128.2	48.54	128.2	49.94
	-9.5	-10	132.5	45.03	132.0	46.37	132.0	47.70	131.4	48.40	131.4	49.10	130.9	50.44
	-8.5	-9.1	135.2	45.52	134.6	46.93	134.6	48.19	134.6	48.82	134.1	49.52	134.1	50.79
	-7	-7.6	140.0	46.44	140.0	47.70	139.5	48.96	139.5	49.66	139.5	50.22	139.0	51.56
	-5	-5.6	147.5	47.63	147.0	48.82	147.0	50.01	146.5	50.58	146.5	51.21	145.9	52.47
	-3	-3.7	154.5	48.68	154.5	44.19	154.0	51.00	154.0	51.56	154.0	52.12	147.5	49.94
	0	-0.7	166.9	50.22	166.9	51.35	166.3	52.40	163.6	51.56	158.3	49.38	147.5	45.31
	3	2.2	180.3	51.70	179.7	52.68	169.0	48.75	163.6	46.86	158.3	44.96	147.5	41.32
	5	4.1	189.4	52.68	179.7	49.45	169.0	45.81	163.6	44.12	158.3	42.37	147.5	38.93
90%	7	6	190.5	49.94	179.7	46.51	169.00	43.14	163.6	41.53	158.3	39.91	147.5	36.69
	9	7.9	190.5	46.93	179.7	43.77	169.0	40.61	163.6	38.58	158.3	37.60	147.5	34.65
	11	9.8	190.5	44.19	179.7	41.25	169.0	38.30	163.6	36.90	158.3	35.49	147.5	32.69
	13	11.8	190.5	41.53	179.7	38.79	169.0	36.06	163.6	34.72	158.3	33.46	147.5	30.86
	15	13.7	190.5	39.14	179.7	36.62	169.0	34.09	163.6	32.83	158.3	31.57	147.5	29.25
	-19.8	-20	107.1	42.16	106.6	43.56	106.6	45.10	106.0	45.81	106.0	46.58	106.0	48.05
	-18.8	-19	108.7	42.58	108.7	44.12	108.2	45.52	108.2	46.30	108.2	47.00	107.7	48.47
	-16.7	-17	113.0	43.63	112.5	45.03	112.5	46.44	112.5	47.14	111.9	47.84	111.9	49.24
	-13.7	-15	117.8	44.68	117.3	46.09	117.3	47.42	116.7	48.05	116.7	48.75	116.7	50.08
	-11.8	-13	122.6	45.81	122.6	47.07	122.1	48.33	122.1	49.03	122.1	49.66	121.6	50.93
	-9.8	-11	128.6	46.86	128.6	48.05	128.0	49.31	128.0	49.94	128.0	50.58	127.4	51.84
	-9.5	-10	131.8	47.42	131.2	48.61	131.2	49.80	130.7	50.44	130.7	51.07	130.7	52.19
	-8.5	-9.1	134.4	47.91	134.4	49.10	133.9	50.22	133.9	50.79	133.9	51.42	132.3	51.91
	-7	-7.6	139.3	48.68	139.3	49.80	138.7	51.00	138.7	51.56	138.7	52.12	132.3	49.59
	-5	-5.6	146.7	49.73	146.2	50.79	146.2	51.91	145.7	52.47	141.9	50.79	132.3	46.58
80%	-3	-3.7	153.7	50.72	153.7	51.70	152.1	51.91	146.7	49.87	141.9	47.84	132.3	43.91
	0	-0.7	166.6	52.19	161.7	50.86	152.1	47.14	146.7	45.24	141.9	43.49	132.3	39.91
	3	2.2	171.4	49.66	161.7	46.30	152.1	42.93	146.7	41.32	141.9	39.63	132.3	36.55
	5	4.1	171.4	46.72	161.7	43.56	152.1	40.47	146.7	38.86	141.9	37.46	132.3	34.44
	7	6	171.4	43.91	161.7	41.04	152.1	38.09	146.7	36.69	141.9	35.28	132.3	32.55
	9	7.9	171.4	41.39	161.7	38.58	152.1	35.91	146.7	34.65	141.9	33.32	132.3	30.79
	11	9.8	171.4	39.00	161.7	36.41	152.1	33.95	146.7	32.69	141.9	31.50	132.3	29.11
	13	11.8	171.4	36.69	161.7	34.37	152.1	31.99	146.7	30.86	141.9	29.74	132.3	27.50
	15	13.7	171.4	34.65	161.7	32.41	152.1	30.30	146.7	29.25	141.9	28.20	132.3	26.09
	-19.8	-20	106.8	45.03	106.2	46.37	106.2	47.70	106.2	48.33	105.7	49.03	105.7	50.29
	-18.8	-19	108.3	45.45	108.3	46.79	107.8	48.05	107.8	48.75	107.8	49.38	107.3	50.72
	-16.7	-17	112.7	46.37	112.2	47.63	112.2	48.89	112.2	49.52	112.2	50.15	111.6	51.35
	-13.7	-15	117.5	47.35	117.0	48.54	117.0	49.73	117.0	50.29	116.4	50.93	116.4	52.19
	-11.8	-13	122.3	48.26	122.3	49.45	121.8	50.58	121.8	51.14	121.8	51.77	118.0	50.37
	-9.8	-11	128.3	49.24	128.3	50.37	127.7	51.49	127.7	51.98	126.6	51.91	118.0	47.56
	-9.5	-10	131.4	49.73	130.9	50.79	130.9	51.91	130.9	52.47	126.6	50.37	118.0	46.16
	-8.5	-9.1	134.1	50.22	124.7	51.28	133.6	52.26	130.9	51.07	126.6	49.03	118.0	44.96
	-7	-7.6	139.0	50.93	139.0	51.91	135.2	50.79	130.9	48.82	126.6	46.86	118.0	43.00
	-5	-5.6	146.5	51.84	143.8	51.56	135.2	47.70	130.9	45.88	126.6	44.05	118.0	40.47
	-3	-3.7	152.4	52.12	143.8	48.54	135.2	44.96	130.9	43.28	126.6	41.53	118.0	38.23
	0	-0.7	152.4	47.28	143.8	44.05	135.2	40.90	130.9	39.35	126.6	37.81	118.0	34.86
	3	2.2	152.4	43.07	143.8	40.19	135.2	37.39	130.9	35.99	126.6	34.65	118.0	31.92
	5	4.1	152.4	40.54	143.8	37.88	135.2	35.21	130.9	33.95	126.6	32.69	118.0	30.16
	7	6	152.4	38.23	143.8	35.77	135.2	33.25	130.9	32.13	126.6	30.93	118.0	28.55
	9	7.9	152.4	36.06	143.8	33.74	135.2	31.43	130.9	30.30	126.6	29.25	118.0	27.08
	11	9.8	152.4	34.09	143.8	31.85	135.2	29.74	130.9	28.69	126.6	27.71	118.0	25.67
	13	11.8	152.4	32.13	143.8	30.09	135.2	28.13	130.9	27.15	126.6	26.16	118.0	24.27
	15	13.7	152.4	30.37	143.8	28.55	135.2	26.66	130.9	25.74	126.6	24.83	118.0	23.08

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1500W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	106.0	47.98	105.5	49.10	105.5	50.22	105.5	50.79	105.5	51.42	102.8	50.86
	-18.8	-19	107.6	48.33	107.6	49.45	107.0	50.58	107.0	51.14	107.0	51.77	102.8	49.80
	-16.7	-17	111.9	49.10	111.9	50.22	111.4	51.35	111.4	51.91	110.3	46.23	102.8	47.49
	-13.7	-15	116.7	49.94	116.2	51.07	116.2	52.12	114.0	51.35	110.3	49.24	102.8	45.17
	-11.8	-13	121.5	50.79	121.5	51.84	118.3	50.58	114.0	48.61	110.3	46.65	102.8	42.79
	-9.8	-11	127.4	51.63	125.8	51.63	118.3	47.77	114.0	45.95	110.3	44.12	102.8	40.47
	-9.5	-10	130.6	52.12	125.8	50.08	118.3	46.37	114.0	44.61	110.3	42.86	102.8	39.35
	-8.5	-9.1	133.3	52.40	125.8	48.75	118.3	45.17	114.0	43.42	110.3	41.74	102.8	38.37
	-7	-7.6	133.3	50.01	125.8	46.58	118.3	43.21	114.0	41.60	110.3	39.91	102.8	36.76
	-5	-5.6	133.3	47.00	125.8	43.84	118.3	40.68	114.0	39.07	110.3	46.23	102.8	34.65
	-3	-3.7	133.3	44.26	125.8	41.32	118.3	38.37	114.0	36.90	110.3	35.49	102.8	32.76
	0	-0.7	133.3	40.26	125.8	37.67	118.3	35.00	114.0	33.74	110.3	32.48	102.8	30.02
	3	2.2	133.3	36.83	125.8	34.44	118.3	32.13	114.0	30.93	110.3	29.81	102.8	27.57
	5	4.1	133.3	34.72	125.8	32.48	118.3	30.37	114.0	29.25	110.3	28.20	102.8	26.09
60%	7	6	133.3	32.83	125.8	30.72	118.3	28.69	114.0	27.71	110.3	26.73	102.8	24.76
	9	7.9	133.3	31.00	125.8	29.11	118.3	27.15	114.0	26.23	110.3	25.32	102.8	23.50
	11	9.8	133.3	29.32	125.8	27.50	118.3	25.74	114.0	24.90	110.3	24.06	102.8	22.31
	13	11.8	133.3	27.71	125.8	26.02	118.3	24.34	114.0	23.57	110.3	22.73	102.8	21.18
	15	13.7	133.3	26.30	125.8	24.69	118.3	23.15	114.0	22.38	110.3	21.61	102.8	20.20
	-19.8	-20	105.7	50.86	105.2	51.84	101.4	49.87	98.2	47.91	95.0	46.02	88.5	42.16
	-18.8	-19	107.3	51.21	107.3	52.19	101.4	48.82	98.2	46.86	95.0	44.96	88.5	41.32
	-16.7	-17	111.6	51.91	107.8	50.22	101.4	46.58	98.2	44.75	95.0	43.00	88.5	39.49
	-13.7	-15	114.3	51.35	107.8	47.70	101.4	44.26	98.2	42.58	95.0	40.90	88.5	37.60
	-11.8	-13	114.3	48.54	107.8	45.17	101.4	41.95	98.2	40.40	95.0	38.79	88.5	35.91
	-9.8	-11	114.3	45.88	107.8	42.72	101.4	39.70	98.2	38.23	95.0	36.76	88.5	33.88
	-9.5	-10	114.3	44.61	107.8	41.60	101.4	38.58	98.2	37.18	95.0	35.77	88.5	32.97
	-8.5	-9.1	114.3	43.42	107.8	40.47	101.4	37.67	98.2	36.27	95.0	34.86	88.5	32.13
	-7	-7.6	114.3	41.53	107.8	38.79	101.4	36.06	98.2	34.72	95.0	33.39	88.5	30.86
	-5	-5.6	114.3	39.07	107.8	36.55	101.4	34.02	98.2	32.76	95.0	31.57	88.5	29.18
50%	-3	-3.7	114.3	36.90	107.8	34.51	101.4	32.13	98.2	31.00	95.0	29.88	88.5	27.64
	0	-0.7	114.3	33.74	107.8	31.57	101.4	29.46	98.2	28.48	95.0	27.43	88.5	25.39
	3	2.2	114.3	30.93	107.8	29.04	101.4	27.15	98.2	26.16	95.0	25.25	88.5	23.43
	5	4.1	114.3	29.25	107.8	27.43	101.4	25.67	98.2	24.83	95.0	23.92	88.5	22.24
	7	6	114.3	27.71	107.8	26.02	101.4	24.34	98.2	23.50	95.0	22.73	88.5	21.11
	9	7.9	114.3	26.23	107.8	24.62	101.4	23.08	98.2	22.38	95.0	21.53	88.5	20.13
	11	9.8	114.3	24.90	107.8	23.43	101.4	21.96	98.2	21.25	95.0	20.48	88.5	19.15
	13	11.8	114.3	23.50	107.8	22.17	101.4	20.83	98.2	20.20	95.0	19.50	88.5	18.24
	15	13.7	114.3	22.38	107.8	21.04	101.4	19.85	98.2	19.22	95.0	18.59	88.5	17.40
	-19.8	-20	95.2	46.30	89.8	43.07	84.5	39.98	81.3	38.51	78.6	37.04	73.3	34.09
	-18.8	-19	95.2	45.24	89.8	42.16	84.5	39.21	81.3	37.74	78.6	36.27	73.3	33.46
	-16.7	-17	95.2	43.21	89.8	40.26	84.5	37.46	81.3	36.06	78.6	34.72	73.3	32.06
	-13.7	-15	95.2	41.11	89.8	38.37	84.5	35.70	81.3	34.37	78.6	33.11	73.3	30.58
	-11.8	-13	95.2	39.07	89.8	36.48	84.5	33.95	81.3	32.69	78.6	31.50	73.3	29.11
	-9.8	-11	95.2	36.97	89.8	34.58	84.5	32.20	81.3	31.00	78.6	29.88	73.3	27.71
	-9.5	-10	95.2	35.99	89.8	33.60	84.5	31.36	81.3	30.23	78.6	29.11	73.3	26.94
	-8.5	-9.1	95.2	35.07	89.8	32.83	84.5	30.58	81.3	29.53	78.6	28.48	73.3	26.30
	-7	-7.6	95.2	33.60	89.8	31.50	84.5	29.32	81.3	28.34	78.6	27.36	73.3	25.32
	-5	-5.6	95.2	31.71	89.8	29.74	84.5	27.78	81.3	26.87	78.6	25.88	73.3	23.99
	-3	-3.7	95.2	30.02	89.8	28.20	84.5	26.30	81.3	25.46	78.6	24.55	73.3	22.80
	0	-0.7	95.2	27.57	89.8	25.88	84.5	24.27	81.3	23.43	78.6	22.66	73.3	21.04
	3	2.2	95.2	25.39	89.8	23.85	84.5	22.38	81.3	21.61	78.6	20.90	73.3	19.50
	5	4.1	95.2	24.06	89.8	22.66	84.5	21.25	81.3	20.55	78.6	19.92	73.3	18.52
	7	6	95.2	22.87	89.8	21.53	84.5	20.20	81.3	19.57	78.6	18.94	73.3	17.68
	9	7.9	95.2	21.68	89.8	20.48	84.5	19.22	81.3	18.66	78.6	18.03	73.3	16.84
	11	9.8	95.2	20.62	89.8	19.43	84.5	18.31	81.3	17.75	78.6	17.19	73.3	16.06
	13	11.8	95.2	19.64	89.8	18.52	84.5	17.40	81.3	16.91	78.6	16.34	73.3	15.36
	15	13.7	95.2	18.66	89.8	17.68	84.5	16.62	81.3	16.13	78.6	15.64	73.3	14.66

56HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1580W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	113.3	31.56	112.8	33.81	112.3	36.07	112.3	37.16	111.7	38.25	111.7	40.50
	-18.8	-19	115.0	32.29	114.5	34.47	114.5	36.72	113.9	37.81	113.9	38.83	113.3	41.08
	-16.7	-17	119.5	33.81	118.9	35.92	118.4	38.03	118.4	39.05	118.4	40.14	117.8	42.25
	-13.7	-15	124.4	35.34	123.9	37.38	123.3	39.41	123.3	40.43	122.8	41.45	122.8	43.48
	-11.8	-13	129.4	36.94	129.4	38.90	128.9	40.79	128.3	41.81	128.3	42.83	127.8	44.72
	-9.8	-11	135.6	38.54	135.0	40.43	134.4	42.25	134.4	43.19	134.4	44.14	133.9	46.03
	-9.5	-10	138.9	39.41	138.3	41.16	137.8	42.97	137.8	43.92	137.2	44.79	137.2	46.61
	-8.5	-9.1	141.7	40.07	141.1	41.81	141.1	43.63	140.6	44.50	140.6	45.37	140.0	47.19
	-7	-7.6	146.7	41.23	146.7	42.97	146.1	44.65	146.1	45.52	145.6	46.32	145.0	48.06
	-5	-5.6	154.5	42.83	153.9	44.43	153.4	46.03	153.4	46.90	152.8	47.63	152.8	49.23
	-3	-3.7	161.6	44.21	161.1	45.74	161.1	47.27	160.5	48.06	160.5	48.86	160.0	50.32
	0	-0.7	174.4	46.32	174.4	47.77	173.9	49.16	173.9	49.74	173.3	50.61	173.3	52.06
	3	2.2	188.3	48.28	187.8	49.59	187.3	50.90	187.3	51.56	187.3	52.28	186.7	53.52
	5	4.1	197.8	49.45	197.2	50.76	197.2	51.99	196.6	52.65	196.6	53.23	196.1	54.46
120%	7	6	207.8	50.68	207.2	51.77	207.2	53.01	206.6	53.59	206.6	54.17	198.3	52.06
	9	7.9	218.3	51.70	217.8	52.86	217.8	53.95	217.2	54.54	212.8	53.37	198.3	48.86
	11	9.8	229.4	52.72	228.9	53.81	227.8	54.46	220.0	52.36	212.8	50.17	198.3	46.03
	13	11.8	241.6	53.74	241.1	54.75	227.8	51.05	220.0	49.01	212.8	47.12	198.3	43.19
	15	13.7	253.3	54.68	242.2	51.85	227.8	48.06	220.0	46.25	212.8	44.36	198.3	40.79
	-19.8	-20	112.8	34.61	112.2	36.65	111.7	38.76	111.7	39.70	111.7	40.79	111.1	42.83
	-18.8	-19	114.5	35.27	113.9	37.30	113.9	39.34	113.4	40.28	113.4	41.38	112.8	43.41
	-16.7	-17	118.9	36.65	118.4	38.61	117.6	40.50	117.8	41.52	117.8	42.54	117.3	44.43
	-13.7	-15	123.9	38.10	123.3	39.99	122.8	41.81	122.8	42.83	122.8	43.70	122.2	45.59
	-11.8	-13	128.9	39.56	128.9	41.38	128.3	43.12	128.3	44.07	127.8	44.94	127.8	46.76
	-9.8	-11	135.0	41.08	134.4	42.76	134.4	44.50	133.9	45.37	133.9	46.17	133.3	47.92
	-9.5	-10	138.4	41.81	137.8	43.48	137.2	45.16	137.2	46.03	137.2	46.83	136.7	48.50
	-8.5	-9.1	141.1	42.47	140.6	44.07	140.6	45.74	140.0	46.54	140.0	47.41	139.4	49.01
	-7	-7.6	146.1	43.56	146.1	45.16	145.6	46.68	145.6	47.48	145.0	48.28	145.0	49.81
	-5	-5.6	153.9	44.94	153.4	46.47	152.8	47.99	152.8	48.72	152.8	49.52	152.3	50.90
110%	-3	-3.7	161.1	46.32	161.1	47.77	160.5	49.16	160.5	49.81	160.0	50.61	160.0	51.99
	0	-0.7	173.9	48.28	173.9	49.59	173.3	50.90	173.3	51.56	172.8	52.21	172.8	53.52
	3	2.2	187.8	50.10	187.3	51.26	187.3	52.50	186.7	53.15	186.7	53.74	182.8	53.45
	5	4.1	197.2	51.19	196.6	52.36	196.6	53.52	196.1	54.10	196.1	54.68	182.8	50.17
	7	6	207.2	52.21	207.2	53.30	206.7	54.39	203.3	53.66	196.6	51.48	182.8	47.19
	9	7.9	217.8	53.23	217.3	54.32	210.0	52.50	203.3	50.39	196.6	48.36	182.8	44.43
	11	9.8	228.9	54.17	223.4	53.23	210.0	49.37	203.3	47.48	196.6	45.52	182.8	41.88
	13	11.8	237.2	55.66	223.4	49.96	210.0	46.32	203.3	44.57	196.6	42.83	182.8	39.41
	15	13.7	237.2	50.54	223.4	47.05	210.0	43.70	203.3	41.96	196.6	40.36	182.8	37.16
	-19.8	-20	112.2	37.67	111.7	39.48	111.1	41.38	111.1	42.32	111.2	43.27	110.6	45.16
	-18.8	-19	113.9	38.25	113.4	40.07	113.4	41.96	113.4	42.83	112.8	43.77	112.8	45.67
	-16.7	-17	118.4	39.48	117.8	41.30	119.5	43.12	117.3	43.99	117.3	44.87	116.7	46.61
	-13.7	-15	123.3	40.87	122.8	42.54	122.2	44.28	122.2	45.16	122.2	46.03	121.7	47.70
	-11.8	-13	128.3	42.25	128.3	43.85	127.8	45.45	127.8	46.32	127.2	47.12	127.2	48.79
	-9.8	-11	134.4	43.56	133.9	45.16	133.9	46.68	133.3	47.48	133.3	48.28	133.3	49.81
	-9.5	-10	137.8	44.28	137.2	45.74	136.6	47.34	136.6	48.06	136.6	48.86	136.1	50.39
	-8.5	-9.1	140.6	44.87	140.0	46.32	140.0	47.85	139.4	48.65	139.4	49.37	139.4	45.01
	-7	-7.6	145.6	45.88	145.6	47.27	145.0	48.72	145.0	49.45	145.0	50.17	144.5	51.63
	-5	-5.6	153.4	47.19	152.8	48.57	152.3	49.88	152.3	50.61	152.3	51.26	151.7	52.72
	-3	-3.7	160.5	48.36	160.5	49.66	160.0	50.97	160.0	51.63	159.4	52.28	159.4	53.59
	0	-0.7	173.3	50.17	173.3	51.41	172.8	52.65	172.8	53.23	172.8	53.81	167.8	52.79
	3	2.2	187.3	51.85	186.7	52.94	186.7	54.10	186.1	54.61	180.0	52.36	167.8	48.06
	5	4.1	196.6	52.86	196.6	53.95	192.8	53.45	186.1	51.26	180.0	49.23	167.8	45.16
	7	6	206.6	53.81	205.0	54.17	192.8	50.17	186.1	48.21	180.0	46.32	167.8	42.54
	9	7.9	217.2	54.68	205.0	50.90	192.8	47.19	186.1	45.37	180.0	43.56	167.8	40.07
	11	9.8	217.2	51.48	205.0	47.92	192.8	44.43	186.1	42.76	180.0	41.08	167.8	37.81
	13	11.8	217.2	48.28	205.0	44.94	192.8	41.74	186.1	40.21	180.0	38.61	167.8	35.63
	15	13.7	217.2	42.83	205.0	42.39	192.8	39.41	186.1	37.96	180.0	36.50	167.8	33.67

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1580W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	111.7	40.65	111.1	42.32	111.1	44.07	110.6	44.94	110.6	45.74	110.0	47.48
	-18.8	-19	113.4	41.16	113.4	42.83	112.8	44.57	112.8	45.45	112.3	46.32	112.3	47.99
	-16.7	-17	117.8	42.32	117.2	43.99	117.2	45.59	116.7	46.39	116.7	47.19	116.7	48.86
	-13.7	-15	122.8	43.56	122.2	45.16	121.7	46.68	121.7	47.48	121.7	48.28	121.1	49.81
	-11.8	-13	127.8	44.87	127.8	46.32	127.2	47.77	127.2	48.57	127.2	49.30	126.6	50.83
	-9.8	-11	133.9	46.03	133.3	47.48	133.3	48.94	133.3	49.66	132.7	50.32	132.7	51.77
	-9.5	-10	137.2	46.68	136.7	48.06	136.7	49.45	136.1	50.17	136.1	50.90	135.5	52.28
	-8.5	-9.1	140.0	47.19	139.4	48.65	139.4	49.96	139.4	50.61	138.9	51.34	138.9	52.65
	-7	-7.6	145.0	48.14	145.0	49.45	144.5	50.76	144.5	51.48	144.5	52.06	143.9	53.45
	-5	-5.6	152.8	49.37	152.2	50.61	152.2	51.85	151.7	52.43	151.7	53.08	151.1	54.39
	-3	-3.7	160.0	50.46	160.0	45.81	159.4	52.86	159.4	53.45	159.4	54.03	152.8	51.77
	0	-0.7	172.8	52.06	172.8	53.23	172.2	54.32	169.4	53.45	163.9	51.19	152.8	46.97
	3	2.2	186.7	53.59	186.1	54.61	175.0	50.54	169.4	48.57	163.9	46.61	152.8	42.83
	5	4.1	196.1	54.61	186.1	51.26	175.0	47.48	169.4	45.74	163.9	43.92	152.8	40.36
	7	6	197.2	51.77	186.1	48.21	175.00	44.72	169.4	43.05	163.9	41.38	152.8	38.03
	9	7.9	197.2	48.65	186.1	45.37	175.0	42.10	169.4	39.99	163.9	38.98	152.8	35.92
	11	9.8	197.2	45.81	186.1	42.76	175.0	39.70	169.4	38.25	163.9	36.79	152.8	33.89
90%	13	11.8	197.2	43.05	186.1	40.21	175.0	37.38	169.4	35.99	163.9	34.69	152.8	31.99
	15	13.7	197.2	40.58	186.1	37.96	175.0	35.34	169.4	34.03	163.9	32.72	152.8	30.32
	-19.8	-20	110.9	43.70	110.4	45.16	110.4	46.76	109.8	47.48	109.8	48.28	109.8	49.81
	-18.8	-19	112.6	44.14	112.6	45.74	112.0	47.19	112.0	47.99	112.0	48.72	111.5	50.25
	-16.7	-17	117.0	45.23	116.5	46.68	116.5	48.14	116.5	48.86	115.9	49.59	115.9	51.05
	-13.7	-15	122.0	46.32	121.5	47.77	121.5	49.16	120.9	49.81	120.9	50.54	120.9	51.92
	-11.8	-13	127.0	47.48	127.0	48.79	126.5	50.10	126.5	50.83	126.5	51.48	125.9	52.79
	-9.8	-11	133.1	48.57	133.1	49.81	132.5	51.12	132.5	51.77	132.5	52.43	132.0	53.74
	-9.5	-10	136.4	49.16	135.9	50.39	135.9	51.63	135.3	52.28	135.3	52.94	135.3	54.10
	-8.5	-9.1	139.2	49.66	139.2	50.90	138.6	52.06	138.6	52.65	138.6	53.30	137.0	53.81
	-7	-7.6	144.2	50.46	144.2	51.63	143.6	52.86	143.6	53.45	143.6	54.03	137.0	51.41
	-5	-5.6	151.9	51.56	151.4	52.65	151.4	53.81	150.8	54.39	146.9	52.65	137.0	48.28
	-3	-3.7	159.2	52.57	159.2	53.59	157.5	53.81	151.9	51.70	146.9	49.59	137.0	45.52
	0	-0.7	172.5	54.10	167.5	52.72	157.5	48.86	151.9	46.90	146.9	45.08	137.0	41.38
	3	2.2	177.5	51.48	167.5	47.99	157.5	44.50	151.9	42.83	146.9	41.08	137.0	37.88
	5	4.1	177.5	48.43	167.5	45.16	157.5	41.96	151.9	40.28	146.9	38.83	137.0	35.70
	7	6	177.5	45.52	167.5	42.54	157.5	39.48	151.9	38.03	146.9	36.58	137.0	33.74
80%	9	7.9	177.5	42.90	167.5	39.99	157.5	37.23	151.9	35.92	146.9	34.54	137.0	31.92
	11	9.8	177.5	40.43	167.5	37.74	157.5	35.19	151.9	33.89	146.9	32.65	137.0	30.18
	13	11.8	177.5	38.03	167.5	35.63	157.5	33.16	151.9	31.99	146.9	30.83	137.0	28.50
	15	13.7	177.5	35.92	167.5	33.59	157.5	31.41	151.9	30.32	146.9	29.23	137.0	27.05
	-19.8	-20	110.6	46.68	110.0	48.06	110.0	49.45	110.0	50.10	109.4	50.83	109.4	52.14
	-18.8	-19	112.2	47.12	112.2	48.50	111.7	49.81	111.7	50.54	111.7	51.19	111.1	52.57
	-16.7	-17	116.7	48.06	116.1	49.37	116.1	50.68	116.1	51.34	116.1	51.99	115.6	53.23
	-13.7	-15	121.7	49.08	121.1	50.32	121.1	51.56	121.1	52.14	120.6	52.79	120.6	54.10
	-11.8	-13	126.6	50.03	126.6	51.26	126.1	52.43	126.1	53.01	126.1	53.66	122.2	52.21
	-9.8	-11	132.8	51.05	132.8	52.21	132.2	53.37	132.2	53.88	131.1	53.81	122.2	49.30
	-9.5	-10	136.1	51.56	135.5	52.65	135.6	53.81	135.6	54.39	131.1	52.21	122.2	47.85
	-8.5	-9.1	138.9	52.06	129.1	53.15	138.3	54.17	135.6	52.94	131.1	50.83	122.2	46.61
	-7	-7.6	143.9	52.79	143.9	53.81	140.0	52.65	135.6	50.61	131.1	48.57	122.2	44.57
	-5	-5.6	151.7	53.74	148.9	53.45	140.0	49.45	135.6	47.56	131.1	45.67	122.2	41.96
	-3	-3.7	157.8	54.03	148.9	50.32	140.0	46.61	135.6	44.87	131.1	43.05	122.2	39.63
	0	-0.7	157.8	49.01	148.9	45.67	140.0	42.39	135.6	40.79	131.1	39.19	122.2	36.14
	3	2.2	157.8	44.65	148.9	41.67	140.0	38.76	135.6	37.30	131.1	35.92	122.2	33.09
	5	4.1	157.8	42.03	148.9	39.27	140.0	36.50	135.6	35.19	131.1	33.89	122.2	31.27
	7	6	157.8	39.63	148.9	37.08	140.0	34.47	135.6	33.30	131.1	32.07	122.2	29.60
	9	7.9	157.8	37.38	148.9	34.98	140.0	32.58	135.6	31.41	131.1	30.32	122.2	28.07
	11	9.8	157.8	35.34	148.9	33.01	140.0	30.83	135.6	29.74	131.1	28.72	122.2	26.61
	13	11.8	157.8	33.30	148.9	31.19	140.0	29.16	135.6	28.14	131.1	27.12	122.2	25.16
	15	13.7	157.8	31.49	148.9	29.60	140.0	27.63	135.6	26.69	131.1	25.74	122.2	23.92

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1580W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	-19.8	-20	109.7	49.74	109.2	50.90	109.2	52.06	109.2	52.65	109.2	53.30	106.4	52.72
	-18.8	-19	111.4	50.10	111.4	51.26	110.8	52.43	110.8	53.01	110.8	53.66	106.4	51.63
	-16.7	-17	115.8	50.90	115.8	52.06	115.3	53.23	115.3	53.81	114.2	47.92	106.4	49.23
	-13.7	-15	120.8	51.77	120.3	52.94	120.3	54.03	118.1	53.23	114.2	51.05	106.4	46.83
	-11.8	-13	125.8	52.65	125.8	53.74	122.5	52.43	118.1	50.39	114.2	48.36	106.4	44.36
	-9.8	-11	131.9	53.52	130.3	53.52	122.5	49.52	118.1	47.63	114.2	45.74	106.4	41.96
	-9.5	-10	135.3	54.03	130.3	51.92	122.5	48.06	118.1	46.25	114.2	44.43	106.4	40.79
	-8.5	-9.1	138.0	54.32	130.3	50.54	122.5	46.83	118.1	45.01	114.2	43.27	106.4	39.78
	-7	-7.6	138.0	51.85	130.3	48.28	122.5	44.79	118.1	43.12	114.2	41.38	106.4	38.10
	-5	-5.6	138.0	48.72	130.3	45.45	122.5	42.17	118.1	40.50	114.2	47.92	106.4	35.92
	-3	-3.7	138.0	45.88	130.3	42.83	122.5	39.78	118.1	38.25	114.2	36.79	106.4	33.96
	0	-0.7	138.0	41.74	130.3	39.05	122.5	36.29	118.1	34.98	114.2	33.67	106.4	31.12
	3	2.2	138.0	38.18	130.3	35.70	122.5	33.30	118.1	32.07	114.2	30.90	106.4	28.58
	5	4.1	138.0	35.99	130.3	33.67	122.5	31.49	118.1	30.32	114.2	29.23	106.4	27.05
	7	6	138.0	34.03	130.3	31.85	122.5	29.74	118.1	28.72	114.2	27.70	106.4	25.67
	9	7.9	138.0	32.14	130.3	30.18	122.5	28.14	118.1	27.20	114.2	26.25	106.4	24.36
	11	9.8	138.0	30.40	130.3	28.50	122.5	26.69	118.1	25.81	114.2	24.94	106.4	23.12
	13	11.8	138.0	28.72	130.3	26.98	122.5	25.23	118.1	24.43	114.2	23.56	106.4	21.96
	15	13.7	138.0	27.27	130.3	25.60	122.5	24.00	118.1	23.20	114.2	22.40	106.4	20.94
60%	-19.8	-20	109.5	52.72	108.9	53.74	105.0	51.70	101.7	49.66	98.3	47.70	91.6	43.70
	-18.8	-19	111.1	53.08	111.1	54.10	105.0	50.61	101.7	48.57	98.3	46.61	91.6	42.83
	-16.7	-17	115.6	53.81	111.7	52.06	105.0	48.28	101.7	46.39	98.3	44.57	91.6	40.94
	-13.7	-15	118.4	53.23	111.7	49.45	105.0	45.88	101.7	44.14	98.3	42.39	91.6	38.98
	-11.8	-13	118.4	50.32	111.7	46.83	105.0	43.48	101.7	41.88	98.3	40.21	91.6	37.23
	-9.8	-11	118.4	47.56	111.7	44.28	105.0	41.16	101.7	39.63	98.3	38.10	91.6	35.12
	-9.5	-10	118.4	46.25	111.7	43.12	105.0	39.99	101.7	38.54	98.3	37.08	91.6	34.18
	-8.5	-9.1	118.4	45.01	111.7	41.96	105.0	39.05	101.7	37.59	98.3	36.14	91.6	33.30
	-7	-7.6	118.4	43.05	111.7	40.21	105.0	37.38	101.7	35.99	98.3	34.61	91.6	31.99
	-5	-5.6	118.4	40.50	111.7	37.88	105.0	35.27	101.7	33.96	98.3	32.72	91.6	30.25
	-3	-3.7	118.4	38.25	111.7	35.78	105.0	33.30	101.7	32.14	98.3	30.98	91.6	28.65
	0	-0.7	118.4	34.98	111.7	32.72	105.0	30.54	101.7	29.52	98.3	28.43	91.6	26.32
	3	2.2	118.4	32.07	111.7	30.10	105.0	28.14	101.7	27.12	98.3	26.18	91.6	24.29
	5	4.1	118.4	30.32	111.7	28.43	105.0	26.61	101.7	25.74	98.3	24.80	91.6	23.05
	7	6	118.4	28.72	111.7	26.98	105.0	25.23	101.7	24.36	98.3	23.56	91.6	21.89
	9	7.9	118.4	27.20	111.7	25.52	105.0	23.92	101.7	23.20	98.3	22.32	91.6	20.87
	11	9.8	118.4	25.81	111.7	24.29	105.0	22.76	101.7	22.03	98.3	21.23	91.6	19.85
	13	11.8	118.4	24.36	111.7	22.98	105.0	21.60	101.7	20.94	98.3	20.21	91.6	18.91
	15	13.7	118.4	23.20	111.7	21.81	105.0	20.58	101.7	19.92	98.3	19.27	91.6	18.03
50%	-19.8	-20	98.6	47.99	93.0	44.65	87.5	41.45	84.2	39.92	81.4	38.39	75.9	35.34
	-18.8	-19	98.6	46.90	93.0	43.70	87.5	40.65	84.2	39.12	81.4	37.59	75.9	34.69
	-16.7	-17	98.6	44.79	93.0	41.74	87.5	38.83	84.2	37.38	81.4	35.99	75.9	33.23
	-13.7	-15	98.6	42.61	93.0	39.78	87.5	37.01	84.2	35.63	81.4	34.32	75.9	31.70
	-11.8	-13	98.6	40.50	93.0	37.81	87.5	35.19	84.2	33.89	81.4	32.65	75.9	30.18
	-9.8	-11	98.6	38.32	93.0	35.85	87.5	33.38	84.2	32.14	81.4	30.98	75.9	28.72
	-9.5	-10	98.6	37.30	93.0	34.83	87.5	32.50	84.2	31.34	81.4	30.18	75.9	27.92
	-8.5	-9.1	98.6	36.36	93.0	34.03	87.5	31.70	84.2	30.61	81.4	29.52	75.9	27.27
	-7	-7.6	98.6	34.83	93.0	32.65	87.5	30.40	84.2	29.38	81.4	28.36	75.9	26.25
	-5	-5.6	98.6	32.87	93.0	30.83	87.5	28.80	84.2	27.85	81.4	26.83	75.9	24.87
	-3	-3.7	98.6	31.12	93.0	29.23	87.5	27.27	84.2	26.40	81.4	25.45	75.9	23.63
	0	-0.7	98.6	28.58	93.0	26.83	87.5	25.16	84.2	24.29	81.4	23.49	75.9	21.81
	3	2.2	98.6	26.32	93.0	24.72	87.5	23.20	84.2	22.40	81.4	21.67	75.9	20.21
	5	4.1	98.6	24.94	93.0	23.49	87.5	22.03	84.2	21.31	81.4	20.65	75.9	19.20
	7	6	98.6	23.71	93.0	22.32	87.5	20.94	84.2	20.29	81.4	19.63	75.9	18.32
	9	7.9	98.6	22.47	93.0	21.23	87.5	19.92	84.2	19.34	81.4	18.69	75.9	17.45
	11	9.8	98.6	21.38	93.0	20.14	87.5	18.98	84.2	18.40	81.4	17.82	75.9	16.65
	13	11.8	98.6	20.36	93.0	19.20	87.5	18.03	84.2	17.52	81.4	16.94	75.9	15.92
	15	13.7	98.6	19.34	93.0	18.32	87.5	17.23	84.2	16.72	81.4	16.22	75.9	15.20

58HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1630W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	117.2	32.67	116.6	35.01	116.1	37.34	116.1	38.47	115.5	39.60	115.5	41.93
	-18.8	-19	118.9	33.43	118.4	35.68	118.4	38.02	117.8	39.15	117.8	40.20	117.2	42.54
	-16.7	-17	123.5	35.01	122.9	37.19	122.4	39.37	122.4	40.43	122.4	41.56	121.8	43.74
	-13.7	-15	128.7	36.59	128.2	38.70	127.6	40.80	127.6	41.86	127.0	42.91	127.0	45.02
	-11.8	-13	133.9	38.24	133.9	40.28	133.3	42.23	132.7	43.29	132.7	44.34	132.1	46.30
	-9.8	-11	140.2	39.90	139.6	41.86	139.0	43.74	139.0	44.72	139.0	45.70	138.5	47.66
	-9.5	-10	143.7	40.80	143.1	42.61	142.5	44.49	142.5	45.47	141.9	46.38	141.9	48.26
	-8.5	-9.1	146.5	41.48	145.9	43.29	145.9	45.17	145.4	46.07	145.4	46.98	144.8	48.86
	-7	-7.6	151.7	42.69	151.7	44.49	151.1	46.22	151.1	47.13	150.6	47.96	150.0	49.76
	-5	-5.6	159.7	44.34	159.1	46.00	158.6	47.66	158.6	48.56	158.0	49.31	158.0	50.97
	-3	-3.7	167.2	45.77	166.7	47.35	166.7	48.93	166.1	49.76	166.1	50.59	165.4	52.10
	0	-0.7	180.4	47.96	180.4	49.46	179.9	50.89	179.9	51.49	179.3	52.40	179.3	53.90
	3	2.2	194.7	49.99	194.2	51.34	193.7	52.70	193.7	53.38	193.7	54.13	193.1	55.41
	5	4.1	204.5	51.19	204.0	52.55	204.0	53.83	203.4	54.51	203.4	55.11	202.9	56.39
	7	6	214.9	52.47	214.3	53.60	214.3	54.88	213.7	55.48	213.7	56.09	205.1	53.90
	9	7.9	225.8	53.53	225.2	54.73	225.2	55.86	224.6	56.46	220.1	55.26	205.1	50.59
	11	9.8	237.3	54.58	236.7	55.71	235.6	56.39	227.5	54.20	220.1	51.95	205.1	47.66
	13	11.8	249.9	55.64	249.4	56.69	235.6	52.85	227.5	50.74	220.1	48.78	205.1	44.72
120%	15	13.7	262.0	56.61	250.5	53.68	235.6	49.76	227.5	47.88	220.1	45.92	205.1	42.23
	-19.8	-20	116.6	35.84	116.0	37.94	115.5	40.13	115.5	41.11	115.5	42.23	114.9	44.34
	-18.8	-19	118.4	36.51	117.8	38.62	117.8	40.73	117.2	41.71	117.2	42.84	116.6	44.94
	-16.7	-17	122.9	37.94	122.4	39.98	121.6	41.93	121.8	42.99	121.8	44.04	121.3	46.00
	-13.7	-15	128.2	39.45	127.6	41.41	127.0	43.29	127.0	44.34	127.0	45.25	126.4	47.20
	-11.8	-13	133.3	40.95	133.3	42.84	132.7	44.64	132.7	45.62	132.2	46.53	132.2	48.41
	-9.8	-11	139.6	42.54	139.0	44.27	139.0	46.07	138.5	46.98	138.5	47.81	137.9	49.61
	-9.5	-10	143.1	43.29	142.5	45.02	141.9	46.75	141.9	47.66	141.9	48.48	141.4	50.21
	-8.5	-9.1	145.9	43.97	145.4	45.62	145.4	47.35	144.8	48.18	144.8	49.09	144.2	50.74
	-7	-7.6	151.1	45.10	151.1	46.75	150.6	48.33	150.6	49.16	150.0	49.99	150.0	51.57
	-5	-5.6	159.1	46.53	158.6	48.11	158.0	49.69	158.0	50.44	158.0	51.27	157.5	52.70
	-3	-3.7	166.7	47.96	166.7	49.46	166.1	50.89	166.1	51.57	165.5	52.40	165.5	53.83
	0	-0.7	179.9	49.99	179.9	51.34	179.3	52.70	179.3	53.38	178.7	54.05	178.7	55.41
	3	2.2	194.2	51.87	193.7	53.08	193.7	54.36	193.1	55.03	193.1	55.64	189.0	55.33
	5	4.1	204.0	53.00	203.4	54.20	203.4	55.41	202.9	56.01	202.9	56.61	189.0	51.95
	7	6	214.3	54.05	214.3	55.18	213.8	56.31	210.3	55.56	203.4	53.30	189.0	48.86
	9	7.9	225.2	55.11	224.7	56.24	217.2	54.36	210.3	52.17	203.4	50.06	189.0	46.00
	11	9.8	236.7	56.09	231.0	55.11	217.2	51.12	210.3	49.16	203.4	47.13	189.0	43.36
	13	11.8	245.4	55.56	231.0	51.72	217.2	47.96	210.3	46.15	203.4	44.34	189.0	40.80
110%	15	13.7	245.4	52.32	231.0	48.71	217.2	45.25	210.3	43.44	203.4	41.78	189.0	38.47
	-19.8	-20	116.0	39.00	115.5	40.88	114.9	42.84	114.9	43.82	115.0	44.79	114.4	46.75
	-18.8	-19	117.8	39.60	117.2	41.48	117.2	43.44	117.2	44.34	116.6	45.32	116.6	47.28
	-16.7	-17	122.4	40.88	121.8	42.76	123.5	44.64	121.3	45.55	121.3	46.45	120.7	48.26
	-13.7	-15	127.6	42.31	127.0	44.04	126.4	45.85	126.4	46.75	126.4	47.66	125.8	49.39
	-11.8	-13	132.7	43.74	132.7	45.40	132.1	47.05	132.1	47.96	131.6	48.78	131.6	50.52
	-9.8	-11	139.0	45.10	138.5	46.75	138.5	48.33	137.9	49.16	137.9	49.99	137.9	51.57
	-9.5	-10	142.5	45.85	141.9	47.35	141.3	49.01	141.3	49.76	141.3	50.59	140.8	52.17
	-8.5	-9.1	145.4	46.45	144.8	47.96	144.8	49.54	144.2	50.37	144.2	51.12	144.2	46.60
	-7	-7.6	150.6	47.50	150.6	48.93	150.0	50.44	150.0	51.19	150.0	51.95	149.4	53.45
	-5	-5.6	158.6	48.86	158.0	50.29	157.5	51.65	157.5	52.40	157.5	53.08	156.9	54.58
	-3	-3.7	166.1	50.06	166.1	51.42	165.5	52.77	165.5	53.45	164.9	54.13	164.9	55.48
	0	-0.7	179.3	51.95	179.3	53.23	178.7	54.51	178.7	55.11	178.7	55.71	173.6	54.66
	3	2.2	193.7	53.68	193.1	54.81	193.1	56.01	192.5	56.54	186.2	54.20	173.6	49.76
	5	4.1	203.4	54.73	203.4	55.86	199.4	55.33	192.5	53.08	186.2	50.97	173.6	46.75
	7	6	213.7	55.71	212.0	56.09	199.4	51.95	192.5	49.91	186.2	47.96	173.6	44.04
	9	7.9	224.6	56.61	212.0	52.70	199.4	48.86	192.5	46.98	186.2	45.10	173.6	41.48
	11	9.8	224.6	53.30	212.0	49.61	199.4	46.00	192.5	44.27	186.2	42.54	173.6	39.15
	13	11.8	224.6	49.99	212.0	46.53	199.4	43.21	192.5	41.63	186.2	39.98	173.6	36.89
	15	13.7	224.6	44.34	212.0	43.89	199.4	40.80	192.5	39.30	186.2	37.79	173.6	34.86

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1630W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	115.5	42.08	114.9	43.82	114.9	45.62	114.4	46.53	114.4	47.35	113.8	49.16
	-18.8	-19	117.2	42.61	117.2	44.34	116.6	46.15	116.6	47.05	116.1	47.96	116.1	49.69
	-16.7	-17	121.8	43.82	121.2	45.55	121.2	47.20	120.7	48.03	120.7	48.86	120.7	50.59
	-13.7	-15	127.0	45.10	126.4	46.75	125.8	48.33	125.8	49.16	125.8	49.99	125.3	51.57
	-11.8	-13	132.2	46.45	132.2	47.96	131.6	49.46	131.6	50.29	131.6	51.04	131.0	52.62
	-9.8	-11	138.5	47.66	137.9	49.16	137.9	50.67	137.9	51.42	137.3	52.10	137.3	53.60
	-9.5	-10	141.9	48.33	141.4	49.76	141.4	51.19	140.8	51.95	140.8	52.70	140.2	54.13
	-8.5	-9.1	144.8	48.86	144.2	50.37	144.2	51.72	144.2	52.40	143.7	53.15	143.7	54.51
	-7	-7.6	150.0	49.84	150.0	51.19	149.4	52.55	149.4	53.30	149.4	53.90	148.8	55.33
	-5	-5.6	158.0	51.12	157.4	52.40	157.4	53.68	156.9	54.28	156.9	54.96	156.3	56.31
	-3	-3.7	165.5	52.25	165.5	47.43	164.9	54.73	164.9	55.33	164.9	55.94	158.0	53.60
	0	-0.7	178.7	53.90	178.7	55.11	178.1	56.24	175.2	55.33	169.5	53.00	158.0	48.63
	3	2.2	193.1	55.48	192.5	56.54	181.0	52.32	175.2	50.29	169.5	48.26	158.0	44.34
	5	4.1	202.9	56.54	192.5	53.08	181.0	49.16	175.2	47.35	169.5	45.47	158.0	41.78
	7	6	204.0	53.60	192.5	49.91	181.0	46.30	175.2	44.57	169.5	42.84	158.0	39.37
90%	9	7.9	204.0	50.37	192.5	46.98	181.0	43.59	175.2	41.41	169.5	40.35	158.0	37.19
	11	9.8	204.0	47.43	192.5	44.27	181.0	41.11	175.2	39.60	169.5	38.09	158.0	35.08
	13	11.8	204.0	44.57	192.5	41.63	181.0	38.70	175.2	37.27	169.5	35.91	158.0	33.13
	15	13.7	204.0	42.01	192.5	39.30	181.0	36.59	175.2	35.23	169.5	33.88	158.0	31.39
	-19.8	-20	114.7	45.25	114.2	46.75	114.2	48.41	113.6	49.16	113.6	49.99	113.6	51.57
	-18.8	-19	116.4	45.70	116.4	47.35	115.8	48.86	115.8	49.69	115.8	50.44	115.3	52.02
	-16.7	-17	121.0	46.83	120.5	48.33	120.5	49.84	120.5	50.59	119.9	51.34	119.9	52.85
	-13.7	-15	126.2	47.96	125.6	49.46	125.6	50.89	125.0	51.57	125.0	52.32	125.0	53.75
	-11.8	-13	131.3	49.16	131.3	50.52	130.8	51.87	130.8	52.62	130.8	53.30	130.2	54.66
	-9.8	-11	137.7	50.29	137.7	51.57	137.1	52.93	137.1	53.60	137.1	54.28	136.5	55.64
	-9.5	-10	141.1	50.89	140.5	52.17	140.5	53.45	140.0	54.13	140.0	54.81	140.0	56.01
	-8.5	-9.1	144.0	51.42	144.0	52.70	143.4	53.90	143.4	54.51	143.4	55.18	141.6	55.71
	-7	-7.6	149.2	52.25	149.2	53.45	148.6	54.73	148.6	55.33	148.6	55.94	141.6	53.23
	-5	-5.6	157.1	53.38	156.6	54.51	156.6	55.71	156.0	56.31	152.0	54.51	141.6	49.99
	-3	-3.7	164.6	54.43	164.6	55.48	162.9	55.71	157.1	53.53	152.0	51.34	141.6	47.13
	0	-0.7	178.4	56.01	173.2	54.58	162.9	50.59	157.1	48.56	152.0	46.68	141.6	42.84
80%	3	2.2	183.5	53.30	173.2	49.69	162.9	46.07	157.1	44.34	152.0	42.54	141.6	39.22
	5	4.1	183.5	50.14	173.2	46.75	162.9	43.44	157.1	41.71	152.0	40.20	141.6	36.96
	7	6	183.5	47.13	173.2	44.04	162.9	40.88	157.1	39.37	152.0	37.87	141.6	34.93
	9	7.9	183.5	44.42	173.2	41.41	162.9	38.55	157.1	37.19	152.0	35.76	141.6	33.05
	11	9.8	183.5	41.86	173.2	39.07	162.9	36.44	157.1	35.08	152.0	33.80	141.6	31.24
	13	11.8	183.5	39.37	173.2	36.89	162.9	34.33	157.1	33.13	152.0	31.92	141.6	29.51
	15	13.7	183.5	37.19	173.2	34.78	162.9	32.52	157.1	31.39	152.0	30.26	141.6	28.01
	-19.8	-20	114.4	48.33	113.8	49.76	113.8	51.19	113.8	51.87	113.2	52.62	113.2	53.98
	-18.8	-19	116.0	48.78	116.0	50.21	115.5	51.57	115.5	52.32	115.5	53.00	114.9	54.43
	-16.7	-17	120.7	49.76	120.1	51.12	120.1	52.47	120.1	53.15	120.1	53.83	119.5	55.11
	-13.7	-15	125.8	50.82	125.3	52.10	125.3	53.38	125.3	53.98	124.7	54.66	124.7	56.01
	-11.8	-13	131.0	51.80	131.0	53.08	130.5	54.28	130.5	54.88	130.5	55.56	126.4	54.05
	-9.8	-11	137.4	52.85	137.4	54.05	136.8	55.26	136.8	55.79	135.6	55.71	126.4	51.04
	-9.5	-10	140.8	53.38	140.2	54.51	140.2	55.71	140.2	56.31	135.6	54.05	126.4	49.54
	-8.5	-9.1	143.7	53.90	133.5	55.03	143.1	56.09	140.2	54.81	135.6	52.62	126.4	48.26
	-7	-7.6	148.8	54.66	148.8	55.71	144.8	54.51	140.2	52.40	135.6	50.29	126.4	46.15
	-5	-5.6	156.9	55.64	154.0	55.33	144.8	51.19	140.2	49.24	135.6	47.28	126.4	43.44
	-3	-3.7	163.2	55.94	154.0	52.10	144.8	48.26	140.2	46.45	135.6	44.57	126.4	41.03
	0	-0.7	163.2	50.74	154.0	47.28	144.8	43.89	140.2	42.23	135.6	40.58	126.4	37.42
	3	2.2	163.2	46.22	154.0	43.14	144.8	40.13	140.2	38.62	135.6	37.19	126.4	34.25
	5	4.1	163.2	43.51	154.0	40.65	144.8	37.79	140.2	36.44	135.6	35.08	126.4	32.37
	7	6	163.2	41.03	154.0	38.40	144.8	35.68	140.2	34.48	135.6	33.20	126.4	30.64
	9	7.9	163.2	38.70	154.0	36.21	144.8	33.73	140.2	32.52	135.6	31.39	126.4	29.06
	11	9.8	163.2	36.59	154.0	34.18	144.8	31.92	140.2	30.79	135.6	29.74	126.4	27.55
	13	11.8	163.2	34.48	154.0	32.30	144.8	30.19	140.2	29.14	135.6	28.08	126.4	26.05
	15	13.7	163.2	32.60	154.0	30.64	144.8	28.61	140.2	27.63	135.6	26.65	126.4	24.77

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1630W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	113.5	51.49	113.0	52.70	113.0	53.90	113.0	54.51	113.0	55.18	110.1	54.58
	-18.8	-19	115.2	51.87	115.2	53.08	114.6	54.28	114.6	54.88	114.6	55.56	110.1	53.45
	-16.7	-17	119.8	52.70	119.8	53.90	119.3	55.11	119.3	55.71	118.1	49.61	110.1	50.97
	-13.7	-15	125.0	53.60	124.4	54.81	124.4	55.94	122.1	55.11	118.1	52.85	110.1	48.48
	-11.8	-13	130.1	54.51	130.1	55.64	126.7	54.28	122.1	52.17	118.1	50.06	110.1	45.92
	-9.8	-11	136.4	55.41	134.7	55.41	126.7	51.27	122.1	49.31	118.1	47.35	110.1	43.44
	-9.5	-10	139.9	55.94	134.7	53.75	126.7	49.76	122.1	47.88	118.1	46.00	110.1	42.23
	-8.5	-9.1	142.7	56.24	134.7	52.32	126.7	48.48	122.1	46.60	118.1	44.79	110.1	41.18
	-7	-7.6	142.7	53.68	134.7	49.99	126.7	46.38	122.1	44.64	118.1	42.84	110.1	39.45
	-5	-5.6	142.7	50.44	134.7	47.05	126.7	43.67	122.1	41.93	118.1	49.61	110.1	37.19
	-3	-3.7	142.7	47.50	134.7	44.34	126.7	41.18	122.1	39.60	118.1	38.09	110.1	35.16
	0	-0.7	142.7	43.21	134.7	40.43	126.7	37.57	122.1	36.21	118.1	34.86	110.1	32.22
	3	2.2	142.7	39.52	134.7	36.96	126.7	34.48	122.1	33.20	118.1	32.00	110.1	29.59
	5	4.1	142.7	37.27	134.7	34.86	126.7	32.60	122.1	31.39	118.1	30.26	110.1	28.01
	7	6	142.7	35.23	134.7	32.97	126.7	30.79	122.1	29.74	118.1	28.68	110.1	26.58
	9	7.9	142.7	33.28	134.7	31.24	126.7	29.14	122.1	28.16	118.1	27.18	110.1	25.22
	11	9.8	142.7	31.47	134.7	29.51	126.7	27.63	122.1	26.73	118.1	25.82	110.1	23.94
	13	11.8	142.7	29.74	134.7	27.93	126.7	26.12	122.1	25.30	118.1	24.39	110.1	22.74
60%	15	13.7	142.7	28.23	134.7	26.50	126.7	24.84	122.1	24.02	118.1	23.19	110.1	21.68
	-19.8	-20	113.2	54.58	112.6	55.64	108.6	53.53	105.2	51.42	101.7	49.39	94.8	45.25
	-18.8	-19	114.9	54.96	114.9	56.01	108.6	52.40	105.2	50.29	101.7	48.26	94.8	44.34
	-16.7	-17	119.5	55.71	115.5	53.90	108.6	49.99	105.2	48.03	101.7	46.15	94.8	42.39
	-13.7	-15	122.4	55.11	115.5	51.19	108.6	47.50	105.2	45.70	101.7	43.89	94.8	40.35
	-11.8	-13	122.4	52.10	115.5	48.48	108.6	45.02	105.2	43.36	101.7	41.63	94.8	38.55
	-9.8	-11	122.4	49.24	115.5	45.85	108.6	42.61	105.2	41.03	101.7	39.45	94.8	36.36
	-9.5	-10	122.4	47.88	115.5	44.64	108.6	41.41	105.2	39.90	101.7	38.40	94.8	35.38
	-8.5	-9.1	122.4	46.60	115.5	43.44	108.6	40.43	105.2	38.92	101.7	37.42	94.8	34.48
	-7	-7.6	122.4	44.57	115.5	41.63	108.6	38.70	105.2	37.27	101.7	35.84	94.8	33.13
	-5	-5.6	122.4	41.93	115.5	39.22	108.6	36.51	105.2	35.16	101.7	33.88	94.8	31.32
	-3	-3.7	122.4	39.60	115.5	37.04	108.6	34.48	105.2	33.28	101.7	32.07	94.8	29.66
	0	-0.7	122.4	36.21	115.5	33.88	108.6	31.62	105.2	30.57	101.7	29.44	94.8	27.25
	3	2.2	122.4	33.20	115.5	31.17	108.6	29.14	105.2	28.08	101.7	27.10	94.8	25.15
	5	4.1	122.4	31.39	115.5	29.44	108.6	27.55	105.2	26.65	101.7	25.67	94.8	23.87
	7	6	122.4	29.74	115.5	27.93	108.6	26.12	105.2	25.22	101.7	24.39	94.8	22.66
	9	7.9	122.4	28.16	115.5	26.42	108.6	24.77	105.2	24.02	101.7	23.11	94.8	21.61
	11	9.8	122.4	26.73	115.5	25.15	108.6	23.56	105.2	22.81	101.7	21.98	94.8	20.55
	13	11.8	122.4	25.22	115.5	23.79	108.6	22.36	105.2	21.68	101.7	20.93	94.8	19.57
50%	15	13.7	122.4	24.02	115.5	22.59	108.6	21.31	105.2	20.63	101.7	19.95	94.8	18.67
	-19.8	-20	102.0	49.69	96.2	46.22	90.5	42.91	87.1	41.33	84.2	39.75	78.5	36.59
	-18.8	-19	102.0	48.56	96.2	45.25	90.5	42.08	87.1	40.50	84.2	38.92	78.5	35.91
	-16.7	-17	102.0	46.38	96.2	43.21	90.5	40.20	87.1	38.70	84.2	37.27	78.5	34.41
	-13.7	-15	102.0	44.12	96.2	41.18	90.5	38.32	87.1	36.89	84.2	35.53	78.5	32.82
	-11.8	-13	102.0	41.93	96.2	39.15	90.5	36.44	87.1	35.08	84.2	33.80	78.5	31.24
	-9.8	-11	102.0	39.67	96.2	37.12	90.5	34.56	87.1	33.28	84.2	32.07	78.5	29.74
	-9.5	-10	102.0	38.62	96.2	36.06	90.5	33.65	87.1	32.45	84.2	31.24	78.5	28.91
	-8.5	-9.1	102.0	37.64	96.2	35.23	90.5	32.82	87.1	31.69	84.2	30.57	78.5	28.23
	-7	-7.6	102.0	36.06	96.2	33.80	90.5	31.47	87.1	30.41	84.2	29.36	78.5	27.18
	-5	-5.6	102.0	34.03	96.2	31.92	90.5	29.81	87.1	28.83	84.2	27.78	78.5	25.75
	-3	-3.7	102.0	32.22	96.2	30.26	90.5	28.23	87.1	27.33	84.2	26.35	78.5	24.47
	0	-0.7	102.0	29.59	96.2	27.78	90.5	26.05	87.1	25.15	84.2	24.32	78.5	22.59
	3	2.2	102.0	27.25	96.2	25.60	90.5	24.02	87.1	23.19	84.2	22.43	78.5	20.93
	5	4.1	102.0	25.82	96.2	24.32	90.5	22.81	87.1	22.06	84.2	21.38	78.5	19.88
	7	6	102.0	24.54	96.2	23.11	90.5	21.68	87.1	21.00	84.2	20.33	78.5	18.97
	9	7.9	102.0	23.26	96.2	21.98	90.5	20.63	87.1	20.03	84.2	19.35	78.5	18.07
	11	9.8	102.0	22.13	96.2	20.85	90.5	19.65	87.1	19.05	84.2	18.44	78.5	17.24
	13	11.8	102.0	21.08	96.2	19.88	90.5	18.67	87.1	18.14	84.2	17.54	78.5	16.49
	15	13.7	102.0	20.03	96.2	18.97	90.5	17.84	87.1	17.32	84.2	16.79	78.5	15.73

60HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1685W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	121.7	34.29	121.2	36.74	120.6	39.19	120.6	40.37	120.0	41.56	120.0	44.01
	-18.8	-19	123.5	35.08	123.0	37.45	123.0	39.90	122.3	41.08	122.3	42.19	121.7	44.64
	-16.7	-17	128.3	36.74	127.7	39.03	127.1	41.32	127.1	42.43	127.1	43.61	126.5	45.90
	-13.7	-15	133.7	38.40	133.1	40.61	132.5	42.82	132.5	43.93	131.9	45.03	131.9	47.25
	-11.8	-13	139.1	40.14	139.1	42.27	138.5	44.32	137.9	45.43	137.9	46.54	137.2	48.59
	-9.8	-11	145.7	41.87	145.0	43.93	144.4	45.90	144.4	46.93	144.4	47.96	143.9	50.01
	-9.5	-10	149.2	42.82	148.6	44.72	148.0	46.69	148.0	47.72	147.4	48.67	147.4	50.64
	-8.5	-9.1	152.2	43.53	151.6	45.43	151.6	47.40	151.0	48.35	151.0	49.30	150.4	51.28
	-7	-7.6	157.6	44.80	157.6	46.69	156.9	48.51	156.9	49.46	156.4	50.33	155.8	52.22
	-5	-5.6	165.9	46.54	165.3	48.27	164.7	50.01	164.7	50.96	164.1	51.75	164.1	53.49
	-3	-3.7	173.7	48.04	173.1	49.70	173.1	51.36	172.5	52.22	172.5	53.09	171.8	54.67
	0	-0.7	187.4	50.33	187.4	51.91	186.8	53.41	186.8	54.04	186.2	54.99	186.2	56.57
	3	2.2	202.3	52.46	201.7	53.88	201.2	55.31	201.2	56.02	201.2	56.81	200.5	58.15
	5	4.1	212.4	53.73	211.9	55.15	211.9	56.49	211.3	57.20	211.3	57.83	210.7	59.18
	7	6	223.2	55.07	222.6	56.25	222.6	57.60	222.0	58.23	222.0	58.86	213.1	56.57
	9	7.9	234.5	56.17	234.0	57.44	234.0	58.62	233.3	59.26	228.6	57.99	213.1	53.09
	11	9.8	246.5	57.28	245.9	58.47	244.7	59.18	236.3	56.89	228.6	54.52	213.1	50.01
	13	11.8	259.6	58.39	259.0	59.49	244.7	55.46	236.3	53.25	228.6	51.20	213.1	46.93
	15	13.7	272.1	59.41	260.2	56.33	244.7	52.22	236.3	50.25	228.6	48.19	213.1	44.32
120%	-19.8	-20	121.2	37.61	120.5	39.82	120.0	42.11	120.0	43.14	120.0	44.32	119.3	46.54
	-18.8	-19	123.0	38.32	122.3	40.53	122.3	42.74	121.8	43.77	121.8	44.96	121.2	47.17
	-16.7	-17	127.7	39.82	127.1	41.95	126.3	44.01	126.5	45.11	126.5	46.22	126.0	48.27
	-13.7	-15	133.1	41.40	132.5	43.45	131.9	45.43	131.9	46.54	131.9	47.48	131.3	49.54
	-11.8	-13	138.5	42.98	138.5	44.96	137.9	46.85	137.9	47.88	137.3	48.83	137.3	50.80
	-9.8	-11	145.0	44.64	144.4	46.46	144.4	48.35	143.9	49.30	143.9	50.17	143.2	52.07
	-9.5	-10	148.7	45.43	148.0	47.25	147.4	49.06	147.4	50.01	147.4	50.88	146.8	52.70
	-8.5	-9.1	151.6	46.14	151.0	47.88	151.0	49.70	150.4	50.57	150.4	51.51	149.8	53.25
	-7	-7.6	156.9	47.33	156.9	49.06	156.4	50.72	156.4	51.59	155.8	52.46	155.8	54.12
	-5	-5.6	165.3	48.83	164.7	50.49	164.1	52.15	164.1	52.94	164.1	53.80	163.6	55.31
	-3	-3.7	173.1	50.33	173.1	51.91	172.5	53.41	172.5	54.12	171.9	54.99	171.9	56.49
	0	-0.7	186.8	52.46	186.8	53.88	186.2	55.31	186.2	56.02	185.6	56.73	185.6	58.15
	3	2.2	201.7	54.44	201.2	55.70	201.2	57.04	200.5	57.75	200.5	58.39	196.4	58.07
	5	4.1	211.9	55.62	211.3	56.89	211.3	58.15	210.7	58.78	210.7	59.41	196.4	54.52
	7	6	222.6	56.73	222.6	57.91	222.0	59.10	218.4	58.31	211.3	55.94	196.4	51.28
	9	7.9	234.0	57.83	233.4	59.02	225.6	57.04	218.4	54.75	211.3	52.54	196.4	48.27
	11	9.8	245.9	58.86	239.9	57.83	225.6	53.65	218.4	51.59	211.3	49.46	196.4	45.51
	13	11.8	254.8	58.31	239.9	54.28	225.6	50.33	218.4	48.43	211.3	46.54	196.4	42.82
	15	13.7	254.8	54.91	239.9	51.12	225.6	47.48	218.4	45.59	211.3	43.85	196.4	40.37
110%	-19.8	-20	120.5	40.93	120.0	42.90	119.3	44.96	119.3	45.98	119.4	47.01	118.8	49.06
	-18.8	-19	122.3	41.56	121.8	43.53	121.8	45.59	121.8	46.54	121.2	47.56	121.2	49.62
	-16.7	-17	127.1	42.90	126.5	44.88	128.3	46.85	126.0	47.80	126.0	48.75	125.3	50.64
	-13.7	-15	132.5	44.40	131.9	46.22	131.3	48.12	131.3	49.06	131.3	50.01	130.7	51.83
	-11.8	-13	137.9	45.90	137.9	47.64	137.2	49.38	137.2	50.33	136.7	51.20	136.7	53.01
	-9.8	-11	144.4	47.33	143.9	49.06	143.9	50.72	143.2	51.59	143.2	52.46	143.2	54.12
	-9.5	-10	148.0	48.12	147.4	49.70	146.8	51.43	146.8	52.22	146.8	53.09	146.2	54.75
	-8.5	-9.1	151.0	48.75	150.4	50.33	150.4	51.99	149.8	52.86	149.8	53.65	149.8	48.91
	-7	-7.6	156.4	49.85	156.4	51.36	155.8	52.94	155.8	53.73	155.8	54.52	155.2	56.10
	-5	-5.6	164.7	51.28	164.1	52.78	163.6	54.20	163.6	54.99	163.6	55.70	162.9	57.28
	-3	-3.7	172.5	52.54	172.5	53.96	171.9	55.38	171.9	56.10	171.3	56.81	171.3	58.23
	0	-0.7	186.2	54.52	186.2	55.86	185.6	57.20	185.6	57.83	185.6	58.47	180.3	57.36
	3	2.2	201.2	56.33	200.5	57.52	200.5	58.78	199.9	59.34	193.4	56.89	180.3	52.22
	5	4.1	211.3	57.44	211.3	58.62	207.1	58.07	199.9	55.70	193.4	53.49	180.3	49.06
	7	6	222.0	58.47	220.2	58.86	207.1	54.52	199.9	52.38	193.4	50.33	180.3	46.22
	9	7.9	233.3	59.41	220.2	55.31	207.1	51.28	199.9	49.30	193.4	47.33	180.3	43.53
	11	9.8	233.3	55.94	220.2	52.07	207.1	48.27	199.9	46.46	193.4	44.64	180.3	41.08
	13	11.8	233.3	52.46	220.2	48.83	207.1	45.35	199.9	43.69	193.4	41.95	180.3	38.71
	15	13.7	233.3	46.54	220.2	46.06	207.1	42.82	199.9	41.24	193.4	39.66	180.3	36.58

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1685W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	120.0	44.17	119.3	45.98	119.3	47.88	118.8	48.83	118.8	49.70	118.2	51.59
	-18.8	-19	121.8	44.72	121.8	46.54	121.2	48.43	121.2	49.38	120.6	50.33	120.6	52.15
	-16.7	-17	126.5	45.98	125.9	47.80	125.9	49.54	125.3	50.41	125.3	51.28	125.3	53.09
	-13.7	-15	131.9	47.33	131.3	49.06	130.7	50.72	130.7	51.59	130.7	52.46	130.1	54.12
	-11.8	-13	137.3	48.75	137.3	50.33	136.7	51.91	136.7	52.78	136.7	53.57	136.1	55.23
	-9.8	-11	143.9	50.01	143.2	51.59	143.2	53.17	143.2	53.96	142.6	54.67	142.6	56.25
	-9.5	-10	147.4	50.72	146.8	52.22	146.8	53.73	146.2	54.52	146.2	55.31	145.6	56.81
	-8.5	-9.1	150.4	51.28	149.8	52.86	149.8	54.28	149.8	54.99	149.2	55.78	149.2	57.20
	-7	-7.6	155.8	52.30	155.8	53.73	155.2	55.15	155.2	55.94	155.2	56.57	154.6	58.07
	-5	-5.6	164.1	53.65	163.5	54.99	163.5	56.33	162.9	56.96	162.9	57.68	162.3	59.10
	-3	-3.7	171.9	54.83	171.9	49.78	171.3	57.44	171.3	58.07	171.3	58.70	164.1	56.25
	0	-0.7	185.6	56.57	185.6	57.83	185.0	59.02	182.0	58.07	176.1	55.62	164.1	51.04
	3	2.2	200.5	58.23	199.9	59.34	188.0	54.91	182.0	52.78	176.1	50.64	164.1	46.54
	5	4.1	210.7	59.34	199.9	55.70	188.0	51.59	182.0	49.70	176.1	47.72	164.1	43.85
	7	6	211.9	56.25	199.9	52.38	188.00	48.59	182.0	46.77	176.1	44.96	164.1	41.32
90%	9	7.9	211.9	52.86	199.9	49.30	188.0	45.75	182.0	43.45	176.1	42.35	164.1	39.03
	11	9.8	211.9	49.78	199.9	46.46	188.0	43.14	182.0	41.56	176.1	39.98	164.1	36.82
	13	11.8	211.9	46.77	199.9	43.69	188.0	40.61	182.0	39.11	176.1	37.69	164.1	34.76
	15	13.7	211.9	44.09	199.9	41.24	188.0	38.40	182.0	36.98	176.1	35.55	164.1	32.95
	-19.8	-20	119.1	47.48	118.6	49.06	118.6	50.80	118.0	51.59	118.0	52.46	118.0	54.12
	-18.8	-19	120.9	47.96	120.9	49.70	120.3	51.28	120.3	52.15	120.3	52.94	119.8	54.59
	-16.7	-17	125.7	49.14	125.1	50.72	125.1	52.30	125.1	53.09	124.5	53.88	124.5	55.46
	-13.7	-15	131.0	50.33	130.5	51.91	130.5	53.41	129.9	54.12	129.9	54.91	129.9	56.41
	-11.8	-13	136.4	51.59	136.4	53.01	135.8	54.44	135.8	55.23	135.8	55.94	135.2	57.36
	-9.8	-11	143.0	52.78	143.0	54.12	142.4	55.54	142.4	56.25	142.4	56.96	141.8	58.39
	-9.5	-10	146.6	53.41	145.9	54.75	145.9	56.10	145.4	56.81	145.4	57.52	145.4	58.78
	-8.5	-9.1	149.6	53.96	149.6	55.31	148.9	56.57	148.9	57.20	148.9	57.91	147.1	58.47
	-7	-7.6	154.9	54.83	154.9	56.10	154.3	57.44	154.3	58.07	154.3	58.70	147.1	55.86
	-5	-5.6	163.2	56.02	162.7	57.20	162.7	58.47	162.0	59.10	157.9	57.20	147.1	52.46
	-3	-3.7	171.0	57.12	171.0	58.23	169.2	58.47	163.2	56.17	157.9	53.88	147.1	49.46
80%	0	-0.7	185.3	58.78	179.9	57.28	169.2	53.09	163.2	50.96	157.9	48.99	147.1	44.96
	3	2.2	190.6	55.94	179.9	52.15	169.2	48.35	163.2	46.54	157.9	44.64	147.1	41.16
	5	4.1	190.6	52.62	179.9	49.06	169.2	45.59	163.2	43.77	157.9	42.19	147.1	38.79
	7	6	190.6	49.46	179.9	46.22	169.2	42.90	163.2	41.32	157.9	39.74	147.1	36.66
	9	7.9	190.6	46.61	179.9	43.45	169.2	40.45	163.2	39.03	157.9	37.53	147.1	34.68
	11	9.8	190.6	43.93	179.9	41.01	169.2	38.24	163.2	36.82	157.9	35.47	147.1	32.79
	13	11.8	190.6	41.32	179.9	38.71	169.2	36.03	163.2	34.76	157.9	33.50	147.1	30.97
	15	13.7	190.6	39.03	179.9	36.50	169.2	34.13	163.2	32.95	157.9	31.76	147.1	29.39
	-19.8	-20	118.8	50.72	118.2	52.22	118.2	53.73	118.2	54.44	117.5	55.23	117.5	56.65
	-18.8	-19	120.5	51.20	120.5	52.70	120.0	54.12	120.0	54.91	120.0	55.62	119.3	57.12
	-16.7	-17	125.3	52.22	124.8	53.65	124.8	55.07	124.8	55.78	124.8	56.49	124.1	57.83
	-13.7	-15	130.7	53.33	130.1	54.67	130.1	56.02	130.1	56.65	129.5	57.36	129.5	58.78
	-11.8	-13	136.1	54.36	136.1	55.70	135.5	56.96	135.5	57.60	135.5	58.31	131.3	56.73
	-9.8	-11	142.7	55.46	142.7	56.73	142.0	57.99	142.0	58.55	140.9	58.47	131.3	53.57
	-9.5	-10	146.2	56.02	145.6	57.20	145.7	58.47	145.7	59.10	140.9	56.73	131.3	51.99
	-8.5	-9.1	149.2	56.57	138.7	57.75	148.6	58.86	145.7	57.52	140.9	55.23	131.3	50.64
	-7	-7.6	154.6	57.36	154.6	58.47	150.4	57.20	145.7	54.99	140.9	52.78	131.3	48.43
	-5	-5.6	162.9	58.39	159.9	58.07	150.4	53.73	145.7	51.67	140.9	49.62	131.3	45.59
	-3	-3.7	169.5	58.70	159.9	54.67	150.4	50.64	145.7	48.75	140.9	46.77	131.3	43.06
	0	-0.7	169.5	53.25	159.9	49.62	150.4	46.06	145.7	44.32	140.9	42.59	131.3	39.27
	3	2.2	169.5	48.51	159.9	45.27	150.4	42.11	145.7	40.53	140.9	39.03	131.3	35.95
	5	4.1	169.5	45.67	159.9	42.66	150.4	39.66	145.7	38.24	140.9	36.82	131.3	33.97
	7	6	169.5	43.06	159.9	40.29	150.4	37.45	145.7	36.19	140.9	34.84	131.3	32.16
	9	7.9	169.5	40.61	159.9	38.00	150.4	35.40	145.7	34.13	140.9	32.95	131.3	30.50
	11	9.8	169.5	38.40	159.9	35.87	150.4	33.50	145.7	32.31	140.9	31.21	131.3	28.92
	13	11.8	169.5	36.19	159.9	33.89	150.4	31.68	145.7	30.58	140.9	29.47	131.3	27.34
	15	13.7	169.5	34.21	159.9	32.16	150.4	30.02	145.7	29.00	140.9	27.97	131.3	25.99

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1685W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	-19.8	-20	117.9	54.04	117.3	55.31	117.3	56.57	117.3	57.20	117.3	57.91	114.3	57.28
	-18.8	-19	119.7	54.44	119.7	55.70	119.1	56.96	119.1	57.60	119.1	58.31	114.3	56.10
	-16.7	-17	124.4	55.31	124.4	56.57	123.9	57.83	123.9	58.47	122.7	52.07	114.3	53.49
	-13.7	-15	129.8	56.25	129.2	57.52	129.2	58.70	126.9	57.83	122.7	55.46	114.3	50.88
	-11.8	-13	135.2	57.20	135.2	58.39	131.6	56.96	126.9	54.75	122.7	52.54	114.3	48.19
	-9.8	-11	141.7	58.15	140.0	58.15	131.6	53.80	126.9	51.75	122.7	49.70	114.3	45.59
	-9.5	-10	145.3	58.70	140.0	56.41	131.6	52.22	126.9	50.25	122.7	48.27	114.3	44.32
	-8.5	-9.1	148.2	59.02	140.0	54.91	131.6	50.88	126.9	48.91	122.7	47.01	114.3	43.22
	-7	-7.6	148.2	56.33	140.0	52.46	131.6	48.67	126.9	46.85	122.7	44.96	114.3	41.40
	-5	-5.6	148.2	52.94	140.0	49.38	131.6	45.82	126.9	44.01	122.7	52.07	114.3	39.03
	-3	-3.7	148.2	49.85	140.0	46.54	131.6	43.22	126.9	41.56	122.7	39.98	114.3	36.90
	0	-0.7	148.2	45.35	140.0	42.43	131.6	39.43	126.9	38.00	122.7	36.58	114.3	33.82
	3	2.2	148.2	41.48	140.0	38.79	131.6	36.19	126.9	34.84	122.7	33.58	114.3	31.05
	5	4.1	148.2	39.11	140.0	36.58	131.6	34.21	126.9	32.95	122.7	31.76	114.3	29.39
	7	6	148.2	36.98	140.0	34.61	131.6	32.31	126.9	31.21	122.7	30.10	114.3	27.89
60%	9	7.9	148.2	34.92	140.0	32.79	131.6	30.58	126.9	29.55	122.7	28.52	114.3	26.47
	11	9.8	148.2	33.03	140.0	30.97	131.6	29.00	126.9	28.05	122.7	27.10	114.3	25.12
	13	11.8	148.2	31.21	140.0	29.31	131.6	27.42	126.9	26.55	122.7	25.60	114.3	23.86
	15	13.7	148.2	29.63	140.0	27.81	131.6	26.07	126.9	25.20	122.7	24.33	114.3	22.75
	-19.8	-20	117.6	57.28	117.0	58.39	112.8	56.17	109.2	53.96	105.6	51.83	98.5	47.48
	-18.8	-19	119.3	57.68	119.3	58.78	112.8	54.99	109.2	52.78	105.6	50.64	98.5	46.54
	-16.7	-17	124.1	58.47	120.0	56.57	112.8	52.46	109.2	50.41	105.6	48.43	98.5	44.48
	-13.7	-15	127.1	57.83	120.0	53.73	112.8	49.85	109.2	47.96	105.6	46.06	98.5	42.35
	-11.8	-13	127.1	54.67	120.0	50.88	112.8	47.25	109.2	45.51	105.6	43.69	98.5	40.45
	-9.8	-11	127.1	51.67	120.0	48.12	112.8	44.72	109.2	43.06	105.6	41.40	98.5	38.16
	-9.5	-10	127.1	50.25	120.0	46.85	112.8	43.45	109.2	41.87	105.6	40.29	98.5	37.13
	-8.5	-9.1	127.1	48.91	120.0	45.59	112.8	42.43	109.2	40.85	105.6	39.27	98.5	36.19
	-7	-7.6	127.1	46.77	120.0	43.69	112.8	40.61	109.2	39.11	105.6	37.61	98.5	34.76
	-5	-5.6	127.1	44.01	120.0	41.16	112.8	38.32	109.2	36.90	105.6	35.55	98.5	32.87
	-3	-3.7	127.1	41.56	120.0	38.87	112.8	36.19	109.2	34.92	105.6	33.66	98.5	31.13
50%	0	-0.7	127.1	38.00	120.0	35.55	112.8	33.18	109.2	32.08	105.6	30.89	98.5	28.60
	3	2.2	127.1	34.84	120.0	32.71	112.8	30.58	109.2	29.47	105.6	28.44	98.5	26.39
	5	4.1	127.1	32.95	120.0	30.89	112.8	28.92	109.2	27.97	105.6	26.94	98.5	25.05
	7	6	127.1	31.21	120.0	29.31	112.8	27.42	109.2	26.47	105.6	25.60	98.5	23.78
	9	7.9	127.1	29.55	120.0	27.73	112.8	25.99	109.2	25.20	105.6	24.26	98.5	22.68
	11	9.8	127.1	28.05	120.0	26.39	112.8	24.73	109.2	23.94	105.6	23.07	98.5	21.57
	13	11.8	127.1	26.47	120.0	24.97	112.8	23.47	109.2	22.75	105.6	21.96	98.5	20.54
	15	13.7	127.1	25.20	120.0	23.70	112.8	22.36	109.2	21.65	105.6	20.94	98.5	19.59
	-19.8	-20	105.9	52.15	99.9	48.51	94.0	45.03	90.4	43.38	87.5	41.72	81.5	38.40
	-18.8	-19	105.9	50.96	99.9	47.48	94.0	44.17	90.4	42.51	87.5	40.85	81.5	37.69
	-16.7	-17	105.9	48.67	99.9	45.35	94.0	42.19	90.4	40.61	87.5	39.11	81.5	36.11
	-13.7	-15	105.9	46.30	99.9	43.22	94.0	40.22	90.4	38.71	87.5	37.29	81.5	34.45
	-11.8	-13	105.9	44.01	99.9	41.08	94.0	38.24	90.4	36.82	87.5	35.47	81.5	32.79
	-9.8	-11	105.9	41.64	99.9	38.95	94.0	36.26	90.4	34.92	87.5	33.66	81.5	31.21
	-9.5	-10	105.9	40.53	99.9	37.84	94.0	35.32	90.4	34.05	87.5	32.79	81.5	30.34
	-8.5	-9.1	105.9	39.50	99.9	36.98	94.0	34.45	90.4	33.26	87.5	32.08	81.5	29.63
	-7	-7.6	105.9	37.84	99.9	35.47	94.0	33.03	90.4	31.92	87.5	30.81	81.5	28.52
	-5	-5.6	105.9	35.71	99.9	33.50	94.0	31.29	90.4	30.26	87.5	29.15	81.5	27.02
	-3	-3.7	105.9	33.82	99.9	31.76	94.0	29.63	90.4	28.68	87.5	27.65	81.5	25.68
	0	-0.7	105.9	31.05	99.9	29.15	94.0	27.34	90.4	26.39	87.5	25.52	81.5	23.70
	3	2.2	105.9	28.60	99.9	26.86	94.0	25.20	90.4	24.33	87.5	23.54	81.5	21.96
	5	4.1	105.9	27.10	99.9	25.52	94.0	23.94	90.4	23.15	87.5	22.44	81.5	20.86
	7	6	105.9	25.76	99.9	24.26	94.0	22.75	90.4	22.04	87.5	21.33	81.5	19.91
	9	7.9	105.9	24.41	99.9	23.07	94.0	21.65	90.4	21.02	87.5	20.31	81.5	18.96
	11	9.8	105.9	23.23	99.9	21.89	94.0	20.62	90.4	19.99	87.5	19.36	81.5	18.09
	13	11.8	105.9	22.12	99.9	20.86	94.0	19.59	90.4	19.04	87.5	18.41	81.5	17.30
	15	13.7	105.9	21.02	99.9	19.91	94.0	18.72	90.4	18.17	87.5	17.62	81.5	16.51

62HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1735W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	125.6	35.40	125.0	37.93	124.4	40.46	124.4	41.69	123.8	42.91	123.8	45.44
	-18.8	-19	127.5	36.22	126.9	38.67	126.9	41.20	126.2	42.42	126.2	43.56	125.6	46.09
	-16.7	-17	132.4	37.93	131.8	40.30	131.2	42.66	131.2	43.81	131.2	45.03	130.6	47.40
	-13.7	-15	138.0	39.65	137.4	41.93	136.7	44.21	136.7	45.36	136.1	46.50	136.1	48.78
	-11.8	-13	143.5	41.44	143.5	43.64	142.9	45.76	142.3	46.91	142.3	48.05	141.6	50.17
	-9.8	-11	150.3	43.24	149.7	45.36	149.0	47.40	149.0	48.46	149.0	49.52	148.4	51.64
	-9.5	-10	154.0	44.21	153.3	46.17	152.8	48.21	152.8	49.27	152.1	50.25	152.1	52.29
	-8.5	-9.1	157.1	44.95	156.4	46.91	156.4	48.95	155.8	49.93	155.8	50.90	155.2	52.94
	-7	-7.6	162.6	46.25	162.6	48.21	162.0	50.09	162.0	51.07	161.4	51.96	160.7	53.92
	-5	-5.6	171.2	48.05	170.6	49.84	170.0	51.64	170.0	52.62	169.4	53.43	169.4	55.23
	-3	-3.7	179.2	49.60	178.6	51.31	178.6	53.03	178.0	53.92	178.0	54.82	177.3	56.45
	0	-0.7	193.4	51.96	193.4	53.60	192.8	55.15	192.8	55.80	192.1	56.78	192.1	58.41
	3	2.2	208.7	54.17	208.2	55.64	207.6	57.10	207.6	57.84	207.6	58.65	206.9	60.04
	5	4.1	219.2	55.47	218.6	56.94	218.6	58.33	218.0	59.06	218.0	59.71	217.4	61.10
	7	6	230.4	56.86	229.7	58.08	229.7	59.47	229.1	60.12	229.1	60.78	219.9	58.41
	9	7.9	242.0	58.00	241.4	59.31	241.4	60.53	240.8	61.18	235.9	59.88	219.9	54.82
	11	9.8	254.4	59.14	253.7	60.37	252.5	61.10	243.9	58.74	235.9	56.29	219.9	51.64
	13	11.8	267.9	60.29	267.3	61.43	252.5	57.27	243.9	54.98	235.9	52.86	219.9	48.46
	15	13.7	280.8	61.35	268.5	58.16	252.5	53.92	243.9	51.88	235.9	49.76	219.9	45.76
120%	-19.8	-20	125.0	38.83	124.4	41.11	123.8	43.48	123.8	44.54	123.8	45.76	123.2	48.05
	-18.8	-19	126.9	39.56	126.2	41.85	126.2	44.13	125.7	45.19	125.7	46.42	125.0	48.70
	-16.7	-17	131.8	41.11	131.2	43.32	130.3	45.44	130.6	46.58	130.6	47.72	130.0	49.84
	-13.7	-15	137.4	42.75	136.7	44.87	136.1	46.91	136.1	48.05	136.1	49.03	135.5	51.15
	-11.8	-13	142.9	44.38	142.9	46.42	142.3	48.38	142.3	49.44	141.7	50.41	141.7	52.45
	-9.8	-11	149.7	46.09	149.0	47.97	149.0	49.93	148.4	50.90	148.4	51.80	147.8	53.76
	-9.5	-10	153.4	46.91	152.8	48.78	152.1	50.66	152.1	51.64	152.1	52.54	151.5	54.41
	-8.5	-9.1	156.4	47.64	155.8	49.44	155.8	51.31	155.2	52.21	155.2	53.19	154.6	54.98
	-7	-7.6	162.0	48.86	162.0	50.66	161.4	52.37	161.4	53.27	160.7	54.17	160.7	55.88
	-5	-5.6	170.6	50.41	170.0	52.13	169.4	53.84	169.4	54.66	169.4	55.55	168.8	57.10
	-3	-3.7	178.6	51.96	178.6	53.60	178.0	55.15	178.0	55.88	177.4	56.78	177.4	58.33
	0	-0.7	192.8	54.17	192.8	55.64	192.1	57.10	192.1	57.84	191.6	58.57	191.6	60.04
	3	2.2	208.2	56.21	207.6	57.51	207.6	58.90	206.9	59.63	206.9	60.29	202.6	59.96
	5	4.1	218.6	57.43	218.0	58.74	218.0	60.04	217.4	60.69	217.4	61.35	202.6	56.29
	7	6	229.7	58.57	229.7	59.80	229.1	61.02	225.4	60.20	218.0	57.76	202.6	52.94
	9	7.9	241.4	59.71	240.8	60.94	232.8	58.90	225.4	56.53	218.0	54.25	202.6	49.84
	11	9.8	253.7	60.78	247.6	59.71	232.8	55.39	225.4	53.27	218.0	51.07	202.6	46.99
	13	11.8	263.0	60.20	247.6	56.04	232.8	51.96	225.4	50.01	218.0	48.05	202.6	44.21
	15	13.7	263.0	56.70	247.6	52.78	232.8	49.03	225.4	47.07	218.0	45.28	202.6	41.69
110%	-19.8	-20	124.4	42.26	123.8	44.30	123.2	46.42	123.2	47.48	123.2	48.54	122.6	50.66
	-18.8	-19	126.2	42.91	125.7	44.95	125.7	47.07	125.7	48.05	125.0	49.11	125.0	51.23
	-16.7	-17	131.2	44.30	130.6	46.34	132.4	48.38	130.0	49.35	130.0	50.33	129.3	52.29
	-13.7	-15	136.7	45.85	136.2	47.72	135.5	49.68	135.5	50.66	135.5	51.64	134.9	53.51
	-11.8	-13	142.3	47.40	142.3	49.19	141.6	50.99	141.6	51.96	141.0	52.86	141.0	54.74
	-9.8	-11	149.0	48.86	148.4	50.66	148.4	52.37	147.8	53.27	147.8	54.17	147.8	55.88
	-9.5	-10	152.8	49.68	152.1	51.31	151.5	53.11	151.5	53.92	151.5	54.82	150.9	56.53
	-8.5	-9.1	155.8	50.33	155.2	51.96	155.2	53.68	154.6	54.58	154.6	55.39	154.6	50.50
	-7	-7.6	161.4	51.48	161.4	53.03	160.7	54.66	160.7	55.47	160.7	56.29	160.2	57.92
	-5	-5.6	170.0	52.94	169.4	54.49	168.8	55.96	168.8	56.78	168.8	57.51	168.1	59.14
	-3	-3.7	178.0	54.25	178.0	55.72	177.4	57.19	177.4	57.92	176.8	58.65	176.8	60.12
	0	-0.7	192.1	56.29	192.1	57.68	191.6	59.06	191.6	59.71	191.6	60.37	186.0	59.23
	3	2.2	207.6	58.16	206.9	59.39	206.9	60.69	206.3	61.26	199.5	58.74	186.0	53.92
	5	4.1	218.0	59.31	218.0	60.53	213.7	59.96	206.3	57.51	199.5	55.23	186.0	50.66
	7	6	229.1	60.37	227.3	60.78	213.7	56.29	206.3	54.09	199.5	51.96	186.0	47.72
	9	7.9	240.8	61.35	227.3	57.10	213.7	52.94	206.3	50.90	199.5	48.86	186.0	44.95
	11	9.8	240.8	57.76	227.3	53.76	213.7	49.84	206.3	47.97	199.5	46.09	186.0	42.42
	13	11.8	240.8	54.17	227.3	50.41	213.7	46.83	206.3	45.11	199.5	43.32	186.0	39.97
	15	13.7	240.8	48.05	227.3	47.56	213.7	44.21	206.3	42.58	199.5	40.95	186.0	37.77

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1735W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	123.8	45.60	123.2	47.48	123.2	49.44	122.6	50.41	122.6	51.31	121.9	53.27
	-18.8	-19	125.7	46.17	125.7	48.05	125.0	50.01	125.0	50.99	124.4	51.96	124.4	53.84
	-16.7	-17	130.6	47.48	129.9	49.35	129.9	51.15	129.3	52.05	129.3	52.94	129.3	54.82
	-13.7	-15	136.1	48.86	135.5	50.66	134.9	52.37	134.9	53.27	134.9	54.17	134.3	55.88
	-11.8	-13	141.7	50.33	141.7	51.96	141.0	53.60	141.0	54.49	141.0	55.31	140.4	57.02
	-9.8	-11	148.4	51.64	147.8	53.27	147.8	54.90	147.8	55.72	147.2	56.45	147.2	58.08
	-9.5	-10	152.1	52.37	151.5	53.92	151.5	55.47	150.9	56.29	150.9	57.10	150.2	58.65
	-8.5	-9.1	155.2	52.94	154.6	54.58	154.6	56.04	154.6	56.78	154.0	57.59	154.0	59.06
	-7	-7.6	160.7	54.00	160.7	55.47	160.2	56.94	160.2	57.76	160.2	58.41	159.5	59.96
	-5	-5.6	169.4	55.39	168.7	56.78	168.7	58.16	168.1	58.82	168.1	59.55	167.5	61.02
	-3	-3.7	177.4	56.61	177.4	51.39	176.8	59.31	176.8	59.96	176.8	60.61	169.4	58.08
	0	-0.7	191.6	58.41	191.6	59.71	190.9	60.94	187.8	59.96	181.7	57.43	169.4	52.70
	3	2.2	206.9	60.12	206.3	61.26	194.0	56.70	187.8	54.49	181.7	52.29	169.4	48.05
	5	4.1	217.4	61.26	206.3	57.51	194.0	53.27	187.8	51.31	181.7	49.27	169.4	45.28
	7	6	218.6	58.08	206.3	54.09	194.00	50.17	187.8	48.29	181.7	46.42	169.4	42.66
	9	7.9	218.6	54.58	206.3	50.90	194.0	47.23	187.8	44.87	181.7	43.73	169.4	40.30
	11	9.8	218.6	51.39	206.3	47.97	194.0	44.54	187.8	42.91	181.7	41.28	169.4	38.01
	13	11.8	218.6	48.29	206.3	45.11	194.0	41.93	187.8	40.38	181.7	38.91	169.4	35.89
90%	15	13.7	218.6	45.52	206.3	42.58	194.0	39.65	187.8	38.18	181.7	36.71	169.4	34.02
	-19.8	-20	122.9	49.03	122.4	50.66	122.4	52.45	121.7	53.27	121.7	54.17	121.7	55.88
	-18.8	-19	124.8	49.52	124.8	51.31	124.2	52.94	124.2	53.84	124.2	54.66	123.6	56.37
	-16.7	-17	129.7	50.74	129.1	52.37	129.1	54.00	129.1	54.82	128.5	55.64	128.5	57.27
	-13.7	-15	135.2	51.96	134.7	53.60	134.7	55.15	134.0	55.88	134.0	56.70	134.0	58.25
	-11.8	-13	140.8	53.27	140.8	54.74	140.2	56.21	140.2	57.02	140.2	57.76	139.5	59.23
	-9.8	-11	147.6	54.49	147.6	55.88	146.9	57.35	146.9	58.08	146.9	58.82	146.3	60.29
	-9.5	-10	151.2	55.15	150.6	56.53	150.6	57.92	150.0	58.65	150.0	59.39	150.0	60.69
	-8.5	-9.1	154.3	55.72	154.3	57.10	153.7	58.41	153.7	59.06	153.7	59.80	151.8	60.37
	-7	-7.6	159.9	56.61	159.9	57.92	159.2	59.31	159.2	59.96	159.2	60.61	151.8	57.68
	-5	-5.6	168.4	57.84	167.8	59.06	167.8	60.37	167.2	61.02	162.9	59.06	151.8	54.17
	-3	-3.7	176.5	58.98	176.5	60.12	174.6	60.37	168.4	58.00	162.9	55.64	151.8	51.07
	0	-0.7	191.2	60.69	185.7	59.14	174.6	54.82	168.4	52.62	162.9	50.58	151.8	46.42
	3	2.2	196.7	57.76	185.7	53.84	174.6	49.93	168.4	48.05	162.9	46.09	151.8	42.50
	5	4.1	196.7	54.33	185.7	50.66	174.6	47.07	168.4	45.19	162.9	43.56	151.8	40.05
	7	6	196.7	51.07	185.7	47.72	174.6	44.30	168.4	42.66	162.9	41.03	151.8	37.85
	9	7.9	196.7	48.13	185.7	44.87	174.6	41.77	168.4	40.30	162.9	38.75	151.8	35.81
	11	9.8	196.7	45.36	185.7	42.34	174.6	39.48	168.4	38.01	162.9	36.63	151.8	33.85
	13	11.8	196.7	42.66	185.7	39.97	174.6	37.20	168.4	35.89	162.9	34.59	151.8	31.98
80%	15	13.7	196.7	40.30	185.7	37.69	174.6	35.24	168.4	34.02	162.9	32.79	151.8	30.35
	-19.8	-20	122.6	52.37	121.9	53.92	121.9	55.47	121.9	56.21	121.3	57.02	121.3	58.49
	-18.8	-19	124.4	52.86	124.4	54.41	123.8	55.88	123.8	56.70	123.8	57.43	123.2	58.98
	-16.7	-17	129.3	53.92	128.8	55.39	128.8	56.86	128.8	57.59	128.8	58.33	128.1	59.71
	-13.7	-15	134.9	55.06	134.3	56.45	134.3	57.84	134.3	58.49	133.6	59.23	133.6	60.69
	-11.8	-13	140.4	56.13	140.4	57.51	139.8	58.82	139.8	59.47	139.8	60.20	135.5	58.57
	-9.8	-11	147.2	57.27	147.2	58.57	146.6	59.88	146.6	60.45	145.4	60.37	135.5	55.31
	-9.5	-10	150.9	57.84	150.2	59.06	150.3	60.37	150.3	61.02	145.4	58.57	135.5	53.68
	-8.5	-9.1	154.0	58.41	143.1	59.63	153.3	60.78	150.3	59.39	145.4	57.02	135.5	52.29
	-7	-7.6	159.5	59.23	159.5	60.37	155.2	59.06	150.3	56.78	145.4	54.49	135.5	50.01
	-5	-5.6	168.1	60.29	165.0	59.96	155.2	55.47	150.3	53.35	145.4	51.23	135.5	47.07
	-3	-3.7	174.9	60.61	165.0	56.45	155.2	52.29	150.3	50.33	145.4	48.29	135.5	44.46
	0	-0.7	174.9	54.98	165.0	51.23	155.2	47.56	150.3	45.76	145.4	43.97	135.5	40.54
	3	2.2	174.9	50.09	165.0	46.74	155.2	43.48	150.3	41.85	145.4	40.30	135.5	37.12
	5	4.1	174.9	47.15	165.0	44.05	155.2	40.95	150.3	39.48	145.4	38.01	135.5	35.08
	7	6	174.9	44.46	165.0	41.60	155.2	38.67	150.3	37.36	145.4	35.98	135.5	33.20
	9	7.9	174.9	41.93	165.0	39.24	155.2	36.55	150.3	35.24	145.4	34.02	135.5	31.49
	11	9.8	174.9	39.65	165.0	37.04	155.2	34.59	150.3	33.37	145.4	32.22	135.5	29.86
	13	11.8	174.9	37.36	165.0	35.00	155.2	32.71	150.3	31.57	145.4	30.43	135.5	28.23
	15	13.7	174.9	35.32	165.0	33.20	155.2	31.00	150.3	29.94	145.4	28.88	135.5	26.84

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1735W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	121.6	55.80	121.1	57.10	121.1	58.41	121.1	59.06	121.1	59.80	118.0	59.14
	-18.8	-19	123.5	56.21	123.5	57.51	122.9	58.82	122.9	59.47	122.9	60.20	118.0	57.92
	-16.7	-17	128.4	57.10	128.4	58.41	127.8	59.71	127.8	60.37	126.6	53.76	118.0	55.23
	-13.7	-15	133.9	58.08	133.4	59.39	133.4	60.61	130.9	59.71	126.6	57.27	118.0	52.54
	-11.8	-13	139.5	59.06	139.5	60.29	135.8	58.82	130.9	56.53	126.6	54.25	118.0	49.76
	-9.8	-11	146.2	60.04	144.4	60.04	135.8	55.55	130.9	53.43	126.6	51.31	118.0	47.07
	-9.5	-10	150.0	60.61	144.4	58.25	135.8	53.92	130.9	51.88	126.6	49.84	118.0	45.76
	-8.5	-9.1	153.0	60.94	144.4	56.70	135.8	52.54	130.9	50.50	126.6	48.54	118.0	44.62
	-7	-7.6	153.0	58.16	144.4	54.17	135.8	50.25	130.9	48.38	126.6	46.42	118.0	42.75
	-5	-5.6	153.0	54.66	144.4	50.99	135.8	47.31	130.9	45.44	126.6	53.76	118.0	40.30
	-3	-3.7	153.0	51.48	144.4	48.05	135.8	44.62	130.9	42.91	126.6	41.28	118.0	38.10
	0	-0.7	153.0	46.83	144.4	43.81	135.8	40.71	130.9	39.24	126.6	37.77	118.0	34.92
	3	2.2	153.0	42.83	144.4	40.05	135.8	37.36	130.9	35.98	126.6	34.67	118.0	32.06
	5	4.1	153.0	40.38	144.4	37.77	135.8	35.32	130.9	34.02	126.6	32.79	118.0	30.35
60%	7	6	153.0	38.18	144.4	35.73	135.8	33.37	130.9	32.22	126.6	31.08	118.0	28.80
	9	7.9	153.0	36.06	144.4	33.85	135.8	31.57	130.9	30.51	126.6	29.45	118.0	27.33
	11	9.8	153.0	34.10	144.4	31.98	135.8	29.94	130.9	28.96	126.6	27.98	118.0	25.94
	13	11.8	153.0	32.22	144.4	30.27	135.8	28.31	130.9	27.41	126.6	26.43	118.0	24.64
	15	13.7	153.0	30.59	144.4	28.72	135.8	26.92	130.9	26.02	126.6	25.13	118.0	23.49
	-19.8	-20	121.4	59.14	120.7	60.29	116.4	58.00	112.7	55.72	109.0	53.51	101.6	49.03
	-18.8	-19	123.2	59.55	123.2	60.69	116.4	56.78	112.7	54.49	109.0	52.29	101.6	48.05
	-16.7	-17	128.1	60.37	123.8	58.41	116.4	54.17	112.7	52.05	109.0	50.01	101.6	45.93
	-13.7	-15	131.2	59.71	123.8	55.47	116.4	51.48	112.7	49.52	109.0	47.56	101.6	43.73
	-11.8	-13	131.2	56.45	123.8	52.54	116.4	48.78	112.7	46.99	109.0	45.11	101.6	41.77
	-9.8	-11	131.2	53.35	123.8	49.68	116.4	46.17	112.7	44.46	109.0	42.75	101.6	39.40
	-9.5	-10	131.2	51.88	123.8	48.38	116.4	44.87	112.7	43.24	109.0	41.60	101.6	38.34
	-8.5	-9.1	131.2	50.50	123.8	47.07	116.4	43.81	112.7	42.18	109.0	40.54	101.6	37.36
	-7	-7.6	131.2	48.29	123.8	45.11	116.4	41.93	112.7	40.38	109.0	38.83	101.6	35.89
50%	-5	-5.6	131.2	45.44	123.8	42.50	116.4	39.56	112.7	38.10	109.0	36.71	101.6	33.94
	-3	-3.7	131.2	42.91	123.8	40.14	116.4	37.36	112.7	36.06	109.0	34.75	101.6	32.14
	0	-0.7	131.2	39.24	123.8	36.71	116.4	34.26	112.7	33.12	109.0	31.90	101.6	29.53
	3	2.2	131.2	35.98	123.8	33.77	116.4	31.57	112.7	30.43	109.0	29.37	101.6	27.25
	5	4.1	131.2	34.02	123.8	31.90	116.4	29.86	112.7	28.88	109.0	27.82	101.6	25.86
	7	6	131.2	32.22	123.8	30.27	116.4	28.31	112.7	27.33	109.0	26.43	101.6	24.55
	9	7.9	131.2	30.51	123.8	28.63	116.4	26.84	112.7	26.02	109.0	25.04	101.6	23.41
	11	9.8	131.2	28.96	123.8	27.25	116.4	25.53	112.7	24.72	109.0	23.82	101.6	22.27
	13	11.8	131.2	27.33	123.8	25.78	116.4	24.23	112.7	23.49	109.0	22.68	101.6	21.21
	15	13.7	131.2	26.02	123.8	24.47	116.4	23.09	112.7	22.35	109.0	21.62	101.6	20.23
	-19.8	-20	109.3	53.84	103.1	50.09	97.0	46.50	93.3	44.79	90.2	43.07	84.1	39.65
	-18.8	-19	109.3	52.62	103.1	49.03	97.0	45.60	93.3	43.89	90.2	42.18	84.1	38.91
	-16.7	-17	109.3	50.25	103.1	46.83	97.0	43.56	93.3	41.93	90.2	40.38	84.1	37.28
	-13.7	-15	109.3	47.80	103.1	44.62	97.0	41.52	93.3	39.97	90.2	38.50	84.1	35.57
50%	-11.8	-13	109.3	45.44	103.1	42.42	97.0	39.48	93.3	38.01	90.2	36.63	84.1	33.85
	-9.8	-11	109.3	42.99	103.1	40.22	97.0	37.44	93.3	36.06	90.2	34.75	84.1	32.22
	-9.5	-10	109.3	41.85	103.1	39.08	97.0	36.47	93.3	35.16	90.2	33.85	84.1	31.33
	-8.5	-9.1	109.3	40.79	103.1	38.18	97.0	35.57	93.3	34.34	90.2	33.12	84.1	30.59
	-7	-7.6	109.3	39.08	103.1	36.63	97.0	34.10	93.3	32.96	90.2	31.82	84.1	29.45
	-5	-5.6	109.3	36.87	103.1	34.59	97.0	32.30	93.3	31.24	90.2	30.10	84.1	27.90
	-3	-3.7	109.3	34.92	103.1	32.79	97.0	30.59	93.3	29.61	90.2	28.55	84.1	26.51
	0	-0.7	109.3	32.06	103.1	30.10	97.0	28.23	93.3	27.25	90.2	26.35	84.1	24.47
	3	2.2	109.3	29.53	103.1	27.74	97.0	26.02	93.3	25.13	90.2	24.31	84.1	22.68
	5	4.1	109.3	27.98	103.1	26.35	97.0	24.72	93.3	23.90	90.2	23.17	84.1	21.54
	7	6	109.3	26.59	103.1	25.04	97.0	23.49	93.3	22.76	90.2	22.03	84.1	20.56
	9	7.9	109.3	25.21	103.1	23.82	97.0	22.35	93.3	21.70	90.2	20.97	84.1	19.58
	11	9.8	109.3	23.98	103.1	22.60	97.0	21.29	93.3	20.64	90.2	19.99	84.1	18.68
	13	11.8	109.3	22.84	103.1	21.54	97.0	20.23	93.3	19.66	90.2	19.01	84.1	17.87
	15	13.7	109.3	21.70	103.1	20.56	97.0	19.33	93.3	18.76	90.2	18.19	84.1	17.05

64HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1800W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	130.1	36.83	129.5	39.46	128.9	42.09	128.9	43.36	128.3	44.64	128.3	47.27
	-18.8	-19	132.1	37.68	131.5	40.22	131.5	42.86	130.8	44.13	130.8	45.32	130.1	47.95
	-16.7	-17	137.2	39.46	136.5	41.92	135.9	44.38	135.9	45.57	135.9	46.84	135.3	49.30
	-13.7	-15	142.9	41.24	142.3	43.62	141.7	46.00	141.7	47.18	141.0	48.37	141.0	50.75
	-11.8	-13	148.7	43.11	148.7	45.40	148.1	47.61	147.4	48.80	147.4	49.98	146.7	52.19
	-9.8	-11	155.7	44.98	155.1	47.18	154.4	49.30	154.4	50.41	154.4	51.51	153.8	53.72
	-9.5	-10	159.5	46.00	158.9	48.03	158.3	50.15	158.3	51.26	157.6	52.27	157.6	54.40
	-8.5	-9.1	162.7	46.76	162.1	48.80	162.1	50.92	161.5	51.94	161.5	52.95	160.8	55.08
	-7	-7.6	168.5	48.12	168.5	50.15	167.8	52.11	167.8	53.12	167.2	54.06	166.5	56.09
	-5	-5.6	177.4	49.98	176.7	51.85	176.1	53.72	176.1	54.74	175.5	55.58	175.5	57.45
	-3	-3.7	185.7	51.60	185.1	53.38	185.1	55.16	184.4	56.09	184.4	57.03	183.7	58.72
	0	-0.7	200.3	54.06	200.3	55.75	199.7	57.37	199.7	58.05	199.1	59.06	199.1	60.76
	3	2.2	216.3	56.35	215.7	57.88	215.1	59.40	215.1	60.17	215.1	61.02	214.4	62.46
	5	4.1	227.1	57.71	226.5	59.23	226.5	60.68	225.9	61.44	225.9	62.12	225.3	63.56
	7	6	238.7	59.15	238.0	60.42	238.0	61.86	237.3	62.54	237.3	63.22	227.8	60.76
	9	7.9	250.7	60.34	250.1	61.69	250.1	62.97	249.5	63.65	244.4	62.29	227.8	57.03
	11	9.8	263.5	61.52	262.9	62.80	261.6	63.56	252.7	61.10	244.4	58.55	227.8	53.72
	13	11.8	277.5	62.71	276.9	63.90	261.6	59.57	252.7	57.20	244.4	54.99	227.8	50.41
	15	13.7	290.9	63.82	278.2	60.51	261.6	56.09	252.7	53.97	244.4	51.77	227.8	47.61
120%	-19.8	-20	129.5	40.39	128.9	42.77	128.3	45.23	128.3	46.33	128.3	47.61	127.6	49.98
	-18.8	-19	131.5	41.16	130.8	43.53	130.8	45.91	130.2	47.01	130.2	48.29	129.5	50.66
	-16.7	-17	136.5	42.77	135.9	45.06	135.0	47.27	135.3	48.46	135.3	49.64	134.7	51.85
	-13.7	-15	142.3	44.47	141.7	46.67	141.0	48.80	141.0	49.98	141.0	51.00	140.4	53.21
	-11.8	-13	148.1	46.16	148.1	48.29	147.4	50.32	147.4	51.43	146.8	52.44	146.8	54.57
	-9.8	-11	155.1	47.95	154.4	49.90	154.4	51.94	153.8	52.95	153.8	53.89	153.1	55.92
	-9.5	-10	158.9	48.80	158.3	50.75	157.6	52.70	157.6	53.72	157.6	54.65	157.0	56.60
	-8.5	-9.1	162.1	49.56	161.5	51.43	161.5	53.38	160.8	54.31	160.8	55.33	160.1	57.20
	-7	-7.6	167.8	50.83	167.8	52.70	167.2	54.48	167.2	55.41	166.5	56.35	166.5	58.13
	-5	-5.6	176.7	52.44	176.1	54.23	175.5	56.01	175.5	56.86	175.5	57.79	174.9	59.40
	-3	-3.7	185.1	54.06	185.1	55.75	184.4	57.37	184.4	58.13	183.8	59.06	183.8	60.68
	0	-0.7	199.7	56.35	199.7	57.88	199.1	59.40	199.1	60.17	198.5	60.93	198.5	62.46
	3	2.2	215.7	58.47	215.1	59.83	215.1	61.27	214.4	62.03	214.4	62.71	209.9	62.37
	5	4.1	226.5	59.74	225.9	61.10	225.9	62.46	225.3	63.14	225.3	63.82	209.9	58.55
	7	6	238.0	60.93	238.0	62.20	237.4	63.48	233.5	62.63	225.9	60.08	209.9	55.08
	9	7.9	250.1	62.12	249.5	63.39	241.2	61.27	233.5	58.81	225.9	56.43	209.9	51.85
	11	9.8	262.9	63.22	256.5	62.12	241.2	57.62	233.5	55.41	225.9	53.12	209.9	48.88
	13	11.8	272.5	62.63	256.5	58.30	241.2	54.06	233.5	52.02	225.9	49.98	209.9	46.00
	15	13.7	272.5	58.98	256.5	54.91	241.2	51.00	233.5	48.97	225.9	47.10	209.9	43.36
110%	-19.8	-20	128.9	43.96	128.3	46.08	127.6	48.29	127.6	49.39	127.7	50.49	127.0	52.70
	-18.8	-19	130.8	44.64	130.2	46.76	130.2	48.97	130.2	49.98	129.5	51.09	129.5	53.29
	-16.7	-17	135.9	46.08	135.3	48.20	137.2	50.32	134.7	51.34	134.7	52.36	134.0	54.40
	-13.7	-15	141.7	47.69	141.1	49.64	140.4	51.68	140.4	52.70	140.4	53.72	139.7	55.67
	-11.8	-13	147.4	49.30	147.4	51.17	146.7	53.04	146.7	54.06	146.1	54.99	146.1	56.94
	-9.8	-11	154.4	50.83	153.8	52.70	153.8	54.48	153.1	55.41	153.1	56.35	153.1	58.13
	-9.5	-10	158.3	51.68	157.6	53.38	156.9	55.25	156.9	56.09	156.9	57.03	156.3	58.81
	-8.5	-9.1	161.5	52.36	160.8	54.06	160.8	55.84	160.1	56.77	160.1	57.62	160.1	59.53
	-7	-7.6	167.2	53.55	167.2	55.16	166.5	56.86	166.5	57.71	166.5	58.55	165.9	60.25
	-5	-5.6	176.1	55.08	175.5	56.69	174.9	58.22	174.9	59.06	174.9	59.83	174.2	61.52
	-3	-3.7	184.4	56.43	184.4	57.96	183.8	59.49	183.8	60.25	183.1	61.02	183.1	62.54
	0	-0.7	199.1	58.55	199.1	60.00	198.5	61.44	198.5	62.12	198.5	62.80	192.7	61.61
	3	2.2	215.1	60.51	214.4	61.78	214.4	63.14	213.7	63.73	206.7	61.10	192.7	56.09
	5	4.1	225.9	61.69	225.9	62.97	221.4	62.37	213.7	59.83	206.7	57.45	192.7	52.70
	7	6	237.3	62.80	235.5	63.22	221.4	58.55	213.7	56.26	206.7	54.06	192.7	49.64
	9	7.9	249.5	63.82	235.5	59.40	221.4	55.08	213.7	52.95	206.7	50.83	192.7	46.76
	11	9.8	249.5	60.08	235.5	55.92	221.4	51.85	213.7	49.90	206.7	47.95	192.7	44.13
	13	11.8	249.5	56.35	235.5	52.44	221.4	48.71	213.7	46.93	206.7	45.06	192.7	41.58
	15	13.7	249.5	49.98	235.5	49.47	221.4	46.00	213.7	44.30	206.7	42.60	192.7	39.29

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1800W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	128.3	47.44	127.6	49.39	127.6	51.43	127.0	52.44	127.0	53.38	126.3	55.41
	-18.8	-19	130.2	48.03	130.2	49.98	129.5	52.02	129.5	53.04	128.9	54.06	128.9	56.01
	-16.7	-17	135.3	49.39	134.6	51.34	134.6	53.21	134.0	54.14	134.0	55.08	134.0	57.03
	-13.7	-15	141.0	50.83	140.4	52.70	139.7	54.48	139.7	55.41	139.7	56.35	139.1	58.13
	-11.8	-13	146.8	52.36	146.8	54.06	146.1	55.75	146.1	56.69	146.1	57.54	145.5	59.32
	-9.8	-11	153.8	53.72	153.1	55.41	153.1	57.11	153.1	57.96	152.5	58.72	152.5	60.42
	-9.5	-10	157.6	54.48	157.0	56.09	157.0	57.71	156.3	58.55	156.3	59.40	155.7	61.02
	-8.5	-9.1	160.8	55.08	160.1	56.77	160.1	58.30	160.1	59.06	159.5	59.91	159.5	61.44
	-7	-7.6	166.5	56.18	166.5	57.71	165.9	59.23	165.9	60.08	165.9	60.76	165.3	62.37
	-5	-5.6	175.5	57.62	174.8	59.06	174.8	60.51	174.2	61.19	174.2	61.95	173.5	63.48
	-3	-3.7	183.8	58.89	183.8	53.46	183.1	61.69	183.1	62.37	183.1	63.05	175.5	60.42
	0	-0.7	198.5	60.76	198.5	62.12	197.8	63.39	194.6	62.37	188.3	59.74	175.5	54.82
	3	2.2	214.4	62.54	213.7	63.73	201.0	58.98	194.6	56.69	188.3	54.40	175.5	49.98
	5	4.1	225.3	63.73	213.7	59.83	201.0	55.41	194.6	53.38	188.3	51.26	175.5	47.10
	7	6	226.5	60.42	213.7	56.26	201.00	52.19	194.6	50.24	188.3	48.29	175.5	44.38
	9	7.9	226.5	56.77	213.7	52.95	201.0	49.13	194.6	46.67	188.3	45.49	175.5	41.92
90%	11	9.8	226.5	53.46	213.7	49.90	201.0	46.33	194.6	44.64	188.3	42.94	175.5	39.55
	13	11.8	226.5	50.24	213.7	46.93	201.0	43.62	194.6	42.01	188.3	40.48	175.5	37.34
	15	13.7	226.5	47.35	213.7	44.30	201.0	41.24	194.6	39.72	188.3	38.19	175.5	35.39
	-19.8	-20	127.4	51.00	126.8	52.70	126.8	54.57	126.1	55.41	126.1	56.35	126.1	58.13
	-18.8	-19	129.3	51.51	129.3	53.38	128.6	55.08	128.6	56.01	128.6	56.86	128.0	58.64
	-16.7	-17	134.4	52.78	133.8	54.48	133.8	56.18	133.8	57.03	133.1	57.88	133.1	59.57
	-13.7	-15	140.1	54.06	139.5	55.75	139.5	57.37	138.8	58.13	138.8	58.98	138.8	60.59
	-11.8	-13	145.8	55.41	145.8	56.94	145.2	58.47	145.2	59.32	145.2	60.08	144.6	61.61
	-9.8	-11	152.9	56.69	152.9	58.13	152.2	59.66	152.2	60.42	152.2	61.19	151.6	62.71
	-9.5	-10	156.7	57.37	156.0	58.81	156.0	60.25	155.4	61.02	155.4	61.78	155.4	63.14
	-8.5	-9.1	159.9	57.96	159.9	59.40	159.2	60.76	159.2	61.44	159.2	62.20	157.3	62.80
	-7	-7.6	165.6	58.89	165.6	60.25	165.0	61.69	165.0	62.37	165.0	63.05	157.3	60.00
	-5	-5.6	174.5	60.17	173.9	61.44	173.9	62.80	173.2	63.48	168.8	61.44	157.3	56.35
	-3	-3.7	182.8	61.36	182.8	62.54	180.9	62.80	174.5	60.34	168.8	57.88	157.3	53.12
	0	-0.7	198.1	63.14	192.4	61.52	180.9	57.03	174.5	54.74	168.8	52.61	157.3	48.29
	3	2.2	203.8	60.08	192.4	56.01	180.9	51.94	174.5	49.98	168.8	47.95	157.3	44.21
80%	5	4.1	203.8	56.52	192.4	52.70	180.9	48.97	174.5	47.01	168.8	45.32	157.3	41.67
	7	6	203.8	53.12	192.4	49.64	180.9	46.08	174.5	44.38	168.8	42.69	157.3	39.38
	9	7.9	203.8	50.07	192.4	46.67	180.9	43.45	174.5	41.92	168.8	40.31	157.3	37.25
	11	9.8	203.8	47.18	192.4	44.04	180.9	41.07	174.5	39.55	168.8	38.10	157.3	35.22
	13	11.8	203.8	44.38	192.4	41.58	180.9	38.70	174.5	37.34	168.8	35.98	157.3	33.27
	15	13.7	203.8	41.92	192.4	39.21	180.9	36.66	174.5	35.39	168.8	34.11	157.3	31.57
	-19.8	-20	127.0	54.48	126.3	56.09	126.3	57.71	126.3	58.47	125.7	59.32	125.7	60.85
	-18.8	-19	128.9	54.99	128.9	56.60	128.3	58.13	128.3	58.98	128.3	59.74	127.6	61.36
	-16.7	-17	134.0	56.09	133.4	57.62	133.4	59.15	133.4	59.91	133.4	60.68	132.7	62.12
	-13.7	-15	139.7	57.28	139.1	58.72	139.1	60.17	139.1	60.85	138.5	61.61	138.5	63.14
	-11.8	-13	145.5	58.38	145.5	59.83	144.9	61.19	144.9	61.86	144.9	62.63	140.4	60.93
	-9.8	-11	152.5	59.57	152.5	60.93	151.9	62.29	151.9	62.88	150.6	62.80	140.4	57.54
	-9.5	-10	156.3	60.17	155.7	61.44	155.7	62.80	155.7	63.48	150.6	60.93	140.4	55.84
	-8.5	-9.1	159.5	60.76	148.3	62.03	158.9	63.22	155.7	61.78	150.6	59.32	140.4	54.40
	-7	-7.6	165.3	61.61	165.3	62.80	160.8	61.44	155.7	59.06	150.6	56.69	140.4	52.02
	-5	-5.6	174.2	62.71	171.0	62.37	160.8	57.71	155.7	55.50	150.6	53.29	140.4	48.97
	-3	-3.7	181.2	63.05	171.0	58.72	160.8	54.40	155.7	52.36	150.6	50.24	140.4	46.25
	0	-0.7	181.2	57.20	171.0	53.29	160.8	49.47	155.7	47.61	150.6	45.74	140.4	42.18
	3	2.2	181.2	52.11	171.0	48.63	160.8	45.23	155.7	43.53	150.6	41.92	140.4	38.61
	5	4.1	181.2	49.05	171.0	45.83	160.8	42.60	155.7	41.07	150.6	39.55	140.4	36.49
	7	6	181.2	46.25	171.0	43.28	160.8	40.22	155.7	38.87	150.6	37.42	140.4	34.54
	9	7.9	181.2	43.62	171.0	40.82	160.8	38.02	155.7	36.66	150.6	35.39	140.4	32.76
	11	9.8	181.2	41.24	171.0	38.53	160.8	35.98	155.7	34.71	150.6	33.52	140.4	31.06
	13	11.8	181.2	38.87	171.0	36.41	160.8	34.03	155.7	32.84	150.6	31.65	140.4	29.36
	15	13.7	181.2	36.75	171.0	34.54	160.8	32.25	155.7	31.14	150.6	30.04	140.4	27.92

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1800W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	126.0	58.05	125.4	59.40	125.4	60.76	125.4	61.44	125.4	62.20	122.2	61.52
	-18.8	-19	128.0	58.47	128.0	59.83	127.3	61.19	127.3	61.86	127.3	62.63	122.2	60.25
	-16.7	-17	133.0	59.40	133.0	60.76	132.4	62.12	132.4	62.80	131.2	55.92	122.2	57.45
	-13.7	-15	138.8	60.42	138.2	61.78	138.2	63.05	135.6	62.12	131.2	59.57	122.2	54.65
	-11.8	-13	144.5	61.44	144.5	62.71	140.7	61.19	135.6	58.81	131.2	56.43	122.2	51.77
	-9.8	-11	151.5	62.46	149.6	62.46	140.7	57.79	135.6	55.58	131.2	53.38	122.2	48.97
	-9.5	-10	155.4	63.05	149.6	60.59	140.7	56.09	135.6	53.97	131.2	51.85	122.2	47.61
	-8.5	-9.1	158.5	63.39	149.6	58.98	140.7	54.65	135.6	52.53	131.2	50.49	122.2	46.42
	-7	-7.6	158.5	60.51	149.6	56.35	140.7	52.27	135.6	50.32	131.2	48.29	122.2	44.47
	-5	-5.6	158.5	56.86	149.6	53.04	140.7	49.22	135.6	47.27	131.2	55.92	122.2	41.92
	-3	-3.7	158.5	53.55	149.6	49.98	140.7	46.42	135.6	44.64	131.2	42.94	122.2	39.63
	0	-0.7	158.5	48.71	149.6	45.57	140.7	42.35	135.6	40.82	131.2	39.29	122.2	36.32
	3	2.2	158.5	44.55	149.6	41.67	140.7	38.87	135.6	37.42	131.2	36.07	122.2	33.35
	5	4.1	158.5	42.01	149.6	39.29	140.7	36.75	135.6	35.39	131.2	34.11	122.2	31.57
	7	6	158.5	39.72	149.6	37.17	140.7	34.71	135.6	33.52	131.2	32.33	122.2	29.96
	9	7.9	158.5	37.51	149.6	35.22	140.7	32.84	135.6	31.74	131.2	30.64	122.2	28.43
	11	9.8	158.5	35.47	149.6	33.27	140.7	31.14	135.6	30.13	131.2	29.11	122.2	26.99
	13	11.8	158.5	33.52	149.6	31.48	140.7	29.45	135.6	28.51	131.2	27.50	122.2	25.63
	15	13.7	158.5	31.82	149.6	29.87	140.7	28.00	135.6	27.07	131.2	26.14	122.2	24.44
60%	-19.8	-20	125.7	61.52	125.1	62.71	120.6	60.34	116.8	57.96	112.9	55.67	105.3	51.00
	-18.8	-19	127.6	61.95	127.6	63.14	120.6	59.06	116.8	56.69	112.9	54.40	105.3	49.98
	-16.7	-17	132.7	62.80	128.3	60.76	120.6	56.35	116.8	54.14	112.9	52.02	105.3	47.78
	-13.7	-15	135.9	62.12	128.3	57.71	120.6	53.55	116.8	51.51	112.9	49.47	105.3	45.49
	-11.8	-13	135.9	58.72	128.3	54.65	120.6	50.75	116.8	48.88	112.9	46.93	105.3	43.45
	-9.8	-11	135.9	55.50	128.3	51.68	120.6	48.03	116.8	46.25	112.9	44.47	105.3	40.99
	-9.5	-10	135.9	53.97	128.3	50.32	120.6	46.67	116.8	44.98	112.9	43.28	105.3	39.89
	-8.5	-9.1	135.9	52.53	128.3	48.97	120.6	45.57	116.8	43.87	112.9	42.18	105.3	38.87
	-7	-7.6	135.9	50.24	128.3	46.93	120.6	43.62	116.8	42.01	112.9	40.39	105.3	37.34
	-5	-5.6	135.9	47.27	128.3	44.21	120.6	41.16	116.8	39.63	112.9	38.19	105.3	35.30
	-3	-3.7	135.9	44.64	128.3	41.75	120.6	38.87	116.8	37.51	112.9	36.15	105.3	33.44
	0	-0.7	135.9	40.82	128.3	38.19	120.6	35.64	116.8	34.45	112.9	33.18	105.3	30.72
	3	2.2	135.9	37.42	128.3	35.13	120.6	32.84	116.8	31.65	112.9	30.55	105.3	28.34
	5	4.1	135.9	35.39	128.3	33.18	120.6	31.06	116.8	30.04	112.9	28.94	105.3	26.90
	7	6	135.9	33.52	128.3	31.48	120.6	29.45	116.8	28.43	112.9	27.50	105.3	25.54
	9	7.9	135.9	31.74	128.3	29.79	120.6	27.92	116.8	27.07	112.9	26.05	105.3	24.36
	11	9.8	135.9	30.13	128.3	28.34	120.6	26.56	116.8	25.71	112.9	24.78	105.3	23.17
	13	11.8	135.9	28.43	128.3	26.82	120.6	25.20	116.8	24.44	112.9	23.59	105.3	22.06
	15	13.7	135.9	27.07	128.3	25.46	120.6	24.02	116.8	23.25	112.9	22.49	105.3	21.05
50%	-19.8	-20	113.2	56.01	106.8	52.11	100.5	48.37	96.7	46.59	93.5	44.81	87.2	41.24
	-18.8	-19	113.2	54.74	106.8	51.00	100.5	47.44	96.7	45.66	93.5	43.87	87.2	40.48
	-16.7	-17	113.2	52.27	106.8	48.71	100.5	45.32	96.7	43.62	93.5	42.01	87.2	38.78
	-13.7	-15	113.2	49.73	106.8	46.42	100.5	43.19	96.7	41.58	93.5	40.05	87.2	37.00
	-11.8	-13	113.2	47.27	106.8	44.13	100.5	41.07	96.7	39.55	93.5	38.10	87.2	35.22
	-9.8	-11	113.2	44.72	106.8	41.84	100.5	38.95	96.7	37.51	93.5	36.15	87.2	33.52
	-9.5	-10	113.2	43.53	106.8	40.65	100.5	37.93	96.7	36.58	93.5	35.22	87.2	32.59
	-8.5	-9.1	113.2	42.43	106.8	39.72	100.5	37.00	96.7	35.73	93.5	34.45	87.2	31.82
	-7	-7.6	113.2	40.65	106.8	38.10	100.5	35.47	96.7	34.28	93.5	33.10	87.2	30.64
	-5	-5.6	113.2	38.36	106.8	35.98	100.5	33.61	96.7	32.50	93.5	31.31	87.2	29.02
	-3	-3.7	113.2	36.32	106.8	34.11	100.5	31.82	96.7	30.80	93.5	29.70	87.2	27.58
	0	-0.7	113.2	33.35	106.8	31.31	100.5	29.36	96.7	28.34	93.5	27.41	87.2	25.46
	3	2.2	113.2	30.72	106.8	28.85	100.5	27.07	96.7	26.14	93.5	25.29	87.2	23.59
	5	4.1	113.2	29.11	106.8	27.41	100.5	25.71	96.7	24.86	93.5	24.10	87.2	22.40
	7	6	113.2	27.66	106.8	26.05	100.5	24.44	96.7	23.68	93.5	22.91	87.2	21.39
	9	7.9	113.2	26.22	106.8	24.78	100.5	23.25	96.7	22.57	93.5	21.81	87.2	20.37
	11	9.8	113.2	24.95	106.8	23.51	100.5	22.15	96.7	21.47	93.5	20.79	87.2	19.43
	13	11.8	113.2	23.76	106.8	22.40	100.5	21.05	96.7	20.45	93.5	19.77	87.2	18.58
	15	13.7	113.2	22.57	106.8	21.39	100.5	20.11	96.7	19.52	93.5	18.92	87.2	17.74

66HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-V1850W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	134.0	38.14	133.4	40.87	132.8	43.59	132.8	44.91	132.1	46.23	132.1	48.95
	-18.8	-19	136.0	39.02	135.4	41.66	135.4	44.38	134.7	45.70	134.7	46.93	134.0	49.66
	-16.7	-17	141.3	40.87	140.6	43.42	140.0	45.96	140.0	47.19	140.0	48.51	139.3	51.06
	-13.7	-15	147.2	42.71	146.6	45.17	145.9	47.63	145.9	48.86	145.2	50.10	145.2	52.56
	-11.8	-13	153.1	44.65	153.1	47.02	152.5	49.30	151.8	50.53	151.8	51.76	151.1	54.05
	-9.8	-11	160.4	46.58	159.7	48.86	159.0	51.06	159.0	52.20	159.0	53.35	158.4	55.63
	-9.5	-10	164.3	47.63	163.6	49.74	163.0	51.94	163.0	53.08	162.3	54.14	162.3	56.34
	-8.5	-9.1	167.6	48.43	166.9	50.53	166.9	52.73	166.3	53.79	166.3	54.84	165.6	57.04
	-7	-7.6	173.5	49.83	173.5	51.94	172.8	53.96	172.8	55.02	172.2	55.98	171.5	58.09
	-5	-5.6	182.7	51.76	182.0	53.70	181.4	55.63	181.4	56.69	180.7	57.57	180.7	59.50
	-3	-3.7	191.2	53.43	190.6	55.28	190.6	57.13	189.9	58.09	189.9	59.06	189.2	60.82
	0	-0.7	206.3	55.98	206.3	57.74	205.7	59.41	205.7	60.11	205.0	61.17	205.0	62.93
	3	2.2	222.7	58.36	222.1	59.94	221.5	61.52	221.5	62.31	221.5	63.19	220.8	64.68
	5	4.1	233.9	59.76	233.3	61.34	233.3	62.84	232.6	63.63	232.6	64.33	232.0	65.83
	7	6	245.8	61.26	245.1	62.57	245.1	64.07	244.4	64.77	244.4	65.48	234.6	62.93
	9	7.9	258.2	62.49	257.6	63.89	257.6	65.21	256.9	65.91	251.7	64.51	234.6	59.06
	11	9.8	271.4	63.72	270.7	65.04	269.4	65.83	260.2	63.28	251.7	60.64	234.6	55.63
	13	11.8	285.8	64.95	285.2	66.18	269.4	61.70	260.2	59.24	251.7	56.95	234.6	52.20
	15	13.7	299.6	66.09	286.5	62.66	269.4	58.09	260.2	55.90	251.7	53.61	234.6	49.30
120%	-19.8	-20	133.4	41.83	132.7	44.29	132.1	46.84	132.1	47.99	132.1	49.30	131.4	51.76
	-18.8	-19	135.4	42.62	134.7	45.09	134.7	47.55	134.1	48.69	134.1	50.01	133.4	52.47
	-16.7	-17	140.6	44.29	140.0	46.67	139.1	48.95	139.3	50.18	139.3	51.41	138.7	53.70
	-13.7	-15	146.6	46.05	145.9	48.34	145.2	50.53	145.2	51.76	145.2	52.82	144.6	55.10
	-11.8	-13	152.5	47.81	152.5	50.01	151.8	52.12	151.8	53.26	151.2	54.31	151.2	56.51
	-9.8	-11	159.7	49.66	159.0	51.68	159.0	53.79	158.4	54.84	158.4	55.81	157.7	57.92
	-9.5	-10	163.7	50.53	163.0	52.56	162.3	54.58	162.3	55.63	162.3	56.60	161.7	58.62
	-8.5	-9.1	166.9	51.33	166.3	53.26	166.3	55.28	165.6	56.25	165.6	57.30	164.9	59.24
	-7	-7.6	172.8	52.64	172.8	54.58	172.2	56.42	172.2	57.39	171.5	58.36	171.5	60.20
	-5	-5.6	182.0	54.31	181.4	56.16	180.7	58.00	180.7	58.88	180.7	59.85	180.1	61.52
	-3	-3.7	190.6	55.98	190.6	57.74	189.9	59.41	189.9	60.20	189.3	61.17	189.3	62.84
	0	-0.7	205.7	58.36	205.7	59.94	205.0	61.52	205.0	62.31	204.4	63.10	204.4	64.68
	3	2.2	222.1	60.55	221.5	61.96	221.5	63.45	220.8	64.24	220.8	64.95	216.2	64.60
	5	4.1	233.3	61.87	232.6	63.28	232.6	64.68	232.0	65.39	232.0	66.09	216.2	60.64
	7	6	245.1	63.10	245.1	64.42	244.5	65.74	240.5	64.86	232.6	62.22	216.2	57.04
	9	7.9	257.6	64.33	257.0	65.65	248.4	63.45	240.5	60.91	232.6	58.44	216.2	53.70
	11	9.8	270.7	65.48	264.2	64.33	248.4	59.67	240.5	57.39	232.6	55.02	216.2	50.62
	13	11.8	280.6	64.86	264.2	60.38	248.4	55.98	240.5	53.87	232.6	51.76	216.2	47.63
	15	13.7	280.6	61.08	264.2	56.86	248.4	52.82	240.5	50.71	232.6	48.78	216.2	44.91
110%	-19.8	-20	132.7	45.53	132.1	47.72	131.4	50.01	131.4	51.15	131.5	52.29	130.8	54.58
	-18.8	-19	134.7	46.23	134.1	48.43	134.1	50.71	134.1	51.76	133.4	52.91	133.4	55.19
	-16.7	-17	140.0	47.72	139.3	49.92	141.3	52.12	138.7	53.17	138.7	54.23	138.0	56.34
	-13.7	-15	145.9	49.39	145.3	51.41	144.6	53.52	144.6	54.58	144.6	55.63	143.9	57.65
	-11.8	-13	151.8	51.06	151.8	53.00	151.1	54.93	151.1	55.98	150.5	56.95	150.5	58.97
	-9.8	-11	159.0	52.64	158.4	54.58	158.4	56.42	157.7	57.39	157.7	58.36	157.7	60.20
	-9.5	-10	163.0	53.52	162.3	55.28	161.6	57.21	161.6	58.09	161.6	59.06	161.0	60.91
	-8.5	-9.1	166.3	54.23	165.6	55.98	165.6	57.83	164.9	58.80	164.9	59.67	164.9	61.40
	-7	-7.6	172.2	55.46	172.2	57.13	171.5	58.88	171.5	59.76	171.5	60.64	170.9	62.40
	-5	-5.6	181.4	57.04	180.7	58.71	180.1	60.29	180.1	61.17	180.1	61.96	179.4	63.72
	-3	-3.7	189.9	58.44	189.9	60.03	189.3	61.61	189.3	62.40	188.6	63.19	188.6	64.77
	0	-0.7	205.0	60.64	205.0	62.14	204.4	63.63	204.4	64.33	204.4	65.04	198.5	63.81
	3	2.2	221.5	62.66	220.8	63.98	220.8	65.39	220.1	66.00	212.9	63.28	198.5	58.09
	5	4.1	232.6	63.89	232.6	65.21	228.0	64.60	220.1	61.96	212.9	59.50	198.5	54.58
	7	6	244.4	65.04	242.5	65.48	228.0	60.64	220.1	58.27	212.9	55.98	198.5	51.41
	9	7.9	256.9	66.09	242.5	61.52	228.0	57.04	220.1	54.84	212.9	52.64	198.5	48.43
	11	9.8	256.9	62.22	242.5	57.92	228.0	53.70	220.1	51.68	212.9	49.66	198.5	45.70
	13	11.8	256.9	58.36	242.5	54.31	228.0	50.45	220.1	48.60	212.9	46.67	198.5	43.06
	15	13.7	256.9	51.76	242.5	51.24	228.0	47.63	220.1	45.88	212.9	44.12	198.5	40.69

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1850W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	132.1	49.13	131.4	51.15	131.4	53.26	130.8	54.31	130.8	55.28	130.1	57.39
	-18.8	-19	134.1	49.74	134.1	51.76	133.4	53.87	133.4	54.93	132.8	55.98	132.8	58.00
	-16.7	-17	139.3	51.15	138.6	53.17	138.6	55.10	138.0	56.07	138.0	57.04	138.0	59.06
	-13.7	-15	145.2	52.64	144.6	54.58	143.9	56.42	143.9	57.39	143.9	58.36	143.3	60.20
	-11.8	-13	151.2	54.23	151.2	55.98	150.5	57.74	150.5	58.71	150.5	59.59	149.8	61.43
	-9.8	-11	158.4	55.63	157.7	57.39	157.7	59.15	157.7	60.03	157.0	60.82	157.0	62.57
	-9.5	-10	162.3	56.42	161.7	58.09	161.7	59.76	161.0	60.64	161.0	61.52	160.3	63.19
	-8.5	-9.1	165.6	57.04	164.9	58.80	164.9	60.38	164.9	61.17	164.3	62.05	164.3	63.63
	-7	-7.6	171.5	58.18	171.5	59.76	170.9	61.34	170.9	62.22	170.9	62.93	170.2	64.60
	-5	-5.6	180.7	59.67	180.0	61.17	180.0	62.66	179.4	63.37	179.4	64.16	178.7	65.74
	-3	-3.7	189.3	60.99	189.3	55.37	188.6	63.89	188.6	64.60	188.6	65.30	180.7	62.57
	0	-0.7	204.4	62.93	204.4	64.33	203.7	65.65	200.4	64.60	193.9	61.87	180.7	56.77
	3	2.2	220.8	64.77	220.1	66.00	207.0	61.08	200.4	58.71	193.9	56.34	180.7	51.76
	5	4.1	232.0	66.00	220.1	61.96	207.0	57.39	200.4	55.28	193.9	53.08	180.7	48.78
	7	6	233.3	62.57	220.1	58.27	207.0	54.05	200.4	52.03	193.9	50.01	180.7	45.96
	9	7.9	233.3	58.80	220.1	54.84	207.0	50.89	200.4	48.34	193.9	47.11	180.7	43.42
	11	9.8	233.3	55.37	220.1	51.68	207.0	47.99	200.4	46.23	193.9	44.47	180.7	40.95
	13	11.8	233.3	52.03	220.1	48.60	207.0	45.17	200.4	43.50	193.9	41.92	180.7	38.67
90%	15	13.7	233.3	49.04	220.1	45.88	207.0	42.71	200.4	41.13	193.9	39.55	180.7	36.65
	-19.8	-20	131.2	52.82	130.6	54.58	130.6	56.51	129.9	57.39	129.9	58.36	129.9	60.20
	-18.8	-19	133.2	53.35	133.2	55.28	132.5	57.04	132.5	58.00	132.5	58.88	131.9	60.73
	-16.7	-17	138.4	54.67	137.8	56.42	137.8	58.18	137.8	59.06	137.1	59.94	137.1	61.70
	-13.7	-15	144.3	55.98	143.7	57.74	143.7	59.41	143.0	60.20	143.0	61.08	143.0	62.75
	-11.8	-13	150.2	57.39	150.2	58.97	149.6	60.55	149.6	61.43	149.6	62.22	148.9	63.81
	-9.8	-11	157.5	58.71	157.5	60.20	156.8	61.78	156.8	62.57	156.8	63.37	156.1	64.95
	-9.5	-10	161.4	59.41	160.7	60.91	160.7	62.40	160.1	63.19	160.1	63.98	160.1	65.39
	-8.5	-9.1	164.7	60.03	164.7	61.52	164.0	62.93	164.0	63.63	164.0	64.42	162.0	65.04
	-7	-7.6	170.6	60.99	170.6	62.40	169.9	63.89	169.9	64.60	169.9	65.30	162.0	62.14
	-5	-5.6	179.7	62.31	179.1	63.63	179.1	65.04	178.4	65.74	173.8	63.63	162.0	58.36
	-3	-3.7	188.3	63.54	188.3	64.77	186.3	65.04	179.7	62.49	173.8	59.94	162.0	55.02
	0	-0.7	204.0	65.39	198.1	63.72	186.3	59.06	179.7	56.69	173.8	54.49	162.0	50.01
	3	2.2	209.9	62.22	198.1	58.00	186.3	53.79	179.7	51.76	173.8	49.66	162.0	45.79
	5	4.1	209.9	58.53	198.1	54.58	186.3	50.71	179.7	48.69	173.8	46.93	162.0	43.15
	7	6	209.9	55.02	198.1	51.41	186.3	47.72	179.7	45.96	173.8	44.21	162.0	40.78
	9	7.9	209.9	51.85	198.1	48.34	186.3	45.00	179.7	43.42	173.8	41.75	162.0	38.58
	11	9.8	209.9	48.86	198.1	45.61	186.3	42.54	179.7	40.95	173.8	39.46	162.0	36.47
	13	11.8	209.9	45.96	198.1	43.06	186.3	40.08	179.7	38.67	173.8	37.26	162.0	34.45
80%	15	13.7	209.9	43.42	198.1	40.60	186.3	37.97	179.7	36.65	173.8	35.33	162.0	32.69
	-19.8	-20	130.8	56.42	130.1	58.09	130.1	59.76	130.1	60.55	129.4	61.43	129.4	63.01
	-18.8	-19	132.7	56.95	132.7	58.62	132.1	60.20	132.1	61.08	132.1	61.87	131.4	63.54
	-16.7	-17	138.0	58.09	137.4	59.67	137.4	61.26	137.4	62.05	137.4	62.84	136.7	64.33
	-13.7	-15	143.9	59.32	143.3	60.82	143.3	62.31	143.3	63.01	142.6	63.81	142.6	65.39
	-11.8	-13	149.8	60.47	149.8	61.96	149.2	63.37	149.2	64.07	149.2	64.86	144.6	63.10
	-9.8	-11	157.1	61.70	157.1	63.10	156.4	64.51	156.4	65.12	155.1	65.04	144.6	59.59
	-9.5	-10	161.0	62.31	160.3	63.63	160.4	65.04	160.4	65.74	155.1	63.10	144.6	57.83
	-8.5	-9.1	164.3	62.93	162.7	64.24	163.6	65.48	160.4	63.98	155.1	61.43	144.6	56.34
	-7	-7.6	170.2	63.81	170.2	65.04	165.6	63.63	160.4	61.17	155.1	58.71	144.6	53.87
	-5	-5.6	179.4	64.95	176.1	64.60	165.6	59.76	160.4	57.48	155.1	55.19	144.6	50.71
	-3	-3.7	186.6	65.30	176.1	60.82	165.6	56.34	160.4	54.23	155.1	52.03	144.6	47.90
	0	-0.7	186.6	59.24	176.1	55.19	165.6	51.24	160.4	49.30	155.1	47.37	144.6	43.68
	3	2.2	186.6	53.96	176.1	50.36	165.6	46.84	160.4	45.09	155.1	43.42	144.6	39.99
	5	4.1	186.6	50.80	176.1	47.46	165.6	44.12	160.4	42.54	155.1	40.95	144.6	37.79
	7	6	186.6	47.90	176.1	44.82	165.6	41.66	160.4	40.25	155.1	38.76	144.6	35.77
	9	7.9	186.6	45.17	176.1	42.27	165.6	39.37	160.4	37.97	155.1	36.65	144.6	33.92
	11	9.8	186.6	42.71	176.1	39.90	165.6	37.26	160.4	35.95	155.1	34.72	144.6	32.17
	13	11.8	186.6	40.25	176.1	37.70	165.6	35.24	160.4	34.01	155.1	32.78	144.6	30.41
	15	13.7	186.6	38.05	176.1	35.77	165.6	33.40	160.4	32.25	155.1	31.11	144.6	28.91

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1850W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	129.8	60.11	129.2	61.52	129.2	62.93	129.2	63.63	129.2	64.42	125.9	63.72
	-18.8	-19	131.8	60.55	131.8	61.96	131.1	63.37	131.1	64.07	131.1	64.86	125.9	62.40
	-16.7	-17	137.0	61.52	137.0	62.93	136.4	64.33	136.4	65.04	135.1	57.92	125.9	59.50
	-13.7	-15	142.9	62.57	142.3	63.98	142.3	65.30	139.7	64.33	135.1	61.70	125.9	56.60
	-11.8	-13	148.8	63.63	148.8	64.95	144.9	63.37	139.7	60.91	135.1	58.44	125.9	53.61
	-9.8	-11	156.0	64.68	154.1	64.68	144.9	59.85	139.7	57.57	135.1	55.28	125.9	50.71
	-9.5	-10	160.0	65.30	154.1	62.75	144.9	58.09	139.7	55.90	135.1	53.70	125.9	49.30
	-8.5	-9.1	163.2	65.65	154.1	61.08	144.9	56.60	139.7	54.40	135.1	52.29	125.9	48.07
	-7	-7.6	163.2	62.66	154.1	58.36	144.9	54.14	139.7	52.12	135.1	50.01	125.9	46.05
	-5	-5.6	163.2	58.88	154.1	54.93	144.9	50.97	139.7	48.95	135.1	57.92	125.9	43.42
	-3	-3.7	163.2	55.46	154.1	51.76	144.9	48.07	139.7	46.23	135.1	44.47	125.9	41.04
	0	-0.7	163.2	50.45	154.1	47.19	144.9	43.86	139.7	42.27	135.1	40.69	125.9	37.62
	3	2.2	163.2	46.14	154.1	43.15	144.9	40.25	139.7	38.76	135.1	37.35	125.9	34.54
	5	4.1	163.2	43.50	154.1	40.69	144.9	38.05	139.7	36.65	135.1	35.33	125.9	32.69
60%	7	6	163.2	41.13	154.1	38.49	144.9	35.95	139.7	34.72	135.1	33.48	125.9	31.02
	9	7.9	163.2	38.85	154.1	36.47	144.9	34.01	139.7	32.87	135.1	31.73	125.9	29.44
	11	9.8	163.2	36.74	154.1	34.45	144.9	32.25	139.7	31.20	135.1	30.14	125.9	27.95
	13	11.8	163.2	34.72	154.1	32.61	144.9	30.50	139.7	29.53	135.1	28.48	125.9	26.54
	15	13.7	163.2	32.96	154.1	30.94	144.9	29.00	139.7	28.04	135.1	27.07	125.9	25.31
	-19.8	-20	129.5	63.72	128.8	64.95	124.2	62.49	120.3	60.03	116.3	57.65	108.4	52.82
	-18.8	-19	131.4	64.16	131.4	65.39	124.2	61.17	120.3	58.71	116.3	56.34	108.4	51.76
	-16.7	-17	136.7	65.04	132.1	62.93	124.2	58.36	120.3	56.07	116.3	53.87	108.4	49.48
	-13.7	-15	140.0	64.33	132.1	59.76	124.2	55.46	120.3	53.35	116.3	51.24	108.4	47.11
	-11.8	-13	140.0	60.82	132.1	56.60	124.2	52.56	120.3	50.62	116.3	48.60	108.4	45.00
	-9.8	-11	140.0	57.48	132.1	53.52	124.2	49.74	120.3	47.90	116.3	46.05	108.4	42.45
	-9.5	-10	140.0	55.90	132.1	52.12	124.2	48.34	120.3	46.58	116.3	44.82	108.4	41.31
	-8.5	-9.1	140.0	54.40	132.1	50.71	124.2	47.19	120.3	45.44	116.3	43.68	108.4	40.25
	-7	-7.6	140.0	52.03	132.1	48.60	124.2	45.17	120.3	43.50	116.3	41.83	108.4	38.67
	-5	-5.6	140.0	48.95	132.1	45.79	124.2	42.62	120.3	41.04	116.3	39.55	108.4	36.56
50%	-3	-3.7	140.0	46.23	132.1	43.24	124.2	40.25	120.3	38.85	116.3	37.44	108.4	34.63
	0	-0.7	140.0	42.27	132.1	39.55	124.2	36.91	120.3	35.68	116.3	34.36	108.4	31.81
	3	2.2	140.0	38.76	132.1	36.38	124.2	34.01	120.3	32.78	116.3	31.64	108.4	29.35
	5	4.1	140.0	36.65	132.1	34.36	124.2	32.17	120.3	31.11	116.3	29.97	108.4	27.86
	7	6	140.0	34.72	132.1	32.61	124.2	30.50	120.3	29.44	116.3	28.48	108.4	26.45
	9	7.9	140.0	32.87	132.1	30.85	124.2	28.91	120.3	28.04	116.3	26.98	108.4	25.22
	11	9.8	140.0	31.20	132.1	29.35	124.2	27.51	120.3	26.63	116.3	25.66	108.4	23.99
	13	11.8	140.0	29.44	132.1	27.77	124.2	26.10	120.3	25.31	116.3	24.43	108.4	22.85
	15	13.7	140.0	28.04	132.1	26.37	124.2	24.87	120.3	24.08	116.3	23.29	108.4	21.80
	-19.8	-20	116.6	58.00	110.0	53.96	103.5	50.10	99.6	48.25	96.3	46.40	89.8	42.71
	-18.8	-19	116.6	56.69	110.0	52.82	103.5	49.13	99.6	47.28	96.3	45.44	89.8	41.92
	-16.7	-17	116.6	54.14	110.0	50.45	103.5	46.93	99.6	45.17	96.3	43.50	89.8	40.16
	-13.7	-15	116.6	51.50	110.0	48.07	103.5	44.73	99.6	43.06	96.3	41.48	89.8	38.32
	-11.8	-13	116.6	48.95	110.0	45.70	103.5	42.54	99.6	40.95	96.3	39.46	89.8	36.47
	-9.8	-11	116.6	46.32	110.0	43.33	103.5	40.34	99.6	38.85	96.3	37.44	89.8	34.72
	-9.5	-10	116.6	45.09	110.0	42.10	103.5	39.29	99.6	37.88	96.3	36.47	89.8	33.75
	-8.5	-9.1	116.6	43.94	110.0	41.13	103.5	38.32	99.6	37.00	96.3	35.68	89.8	32.96
	-7	-7.6	116.6	42.10	110.0	39.46	103.5	36.74	99.6	35.51	96.3	34.28	89.8	31.73
	-5	-5.6	116.6	39.72	110.0	37.26	103.5	34.80	99.6	33.66	96.3	32.43	89.8	30.06
	-3	-3.7	116.6	37.62	110.0	35.33	103.5	32.96	99.6	31.90	96.3	30.76	89.8	28.56
	0	-0.7	116.6	34.54	110.0	32.43	103.5	30.41	99.6	29.35	96.3	28.39	89.8	26.37
	3	2.2	116.6	31.81	110.0	29.88	103.5	28.04	99.6	27.07	96.3	26.19	89.8	24.43
	5	4.1	116.6	30.14	110.0	28.39	103.5	26.63	99.6	25.75	96.3	24.96	89.8	23.20
	7	6	116.6	28.65	110.0	26.98	103.5	25.31	99.6	24.52	96.3	23.73	89.8	22.15
	9	7.9	116.6	27.16	110.0	25.66	103.5	24.08	99.6	23.38	96.3	22.59	89.8	21.09
	11	9.8	116.6	25.84	110.0	24.34	103.5	22.94	99.6	22.24	96.3	21.53	89.8	20.13
	13	11.8	116.6	24.61	110.0	23.20	103.5	21.80	99.6	21.18	96.3	20.48	89.8	19.25
	15	13.7	116.6	23.38	110.0	22.15	103.5	20.83	99.6	20.21	96.3	19.60	89.8	18.37

68HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1900W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	137.3	37.69	136.6	40.38	136.0	43.08	136.0	44.38	135.3	45.68	135.3	48.37
	-18.8	-19	139.3	38.56	138.7	41.16	138.7	43.86	138.0	45.16	138.0	46.38	137.3	49.07
	-16.7	-17	144.7	40.38	144.0	42.90	143.4	45.42	143.4	46.64	143.4	47.94	142.7	50.46
	-13.7	-15	150.8	42.21	150.1	44.64	149.4	47.07	149.4	48.29	148.7	49.50	148.7	51.93
	-11.8	-13	156.8	44.12	156.8	46.46	156.2	48.72	155.5	49.94	155.5	51.15	154.8	53.41
	-9.8	-11	164.3	46.03	163.6	48.29	162.8	50.46	162.8	51.59	162.8	52.72	162.2	54.97
	-9.5	-10	168.3	47.07	167.6	49.15	166.9	51.33	166.9	52.45	166.2	53.50	166.2	55.67
	-8.5	-9.1	171.6	47.85	170.9	49.94	170.9	52.11	170.3	53.15	170.3	54.19	169.6	56.36
	-7	-7.6	177.7	49.24	177.7	51.33	177.0	53.32	177.0	54.37	176.4	55.32	175.6	57.40
	-5	-5.6	187.1	51.15	186.4	53.06	185.8	54.97	185.8	56.02	185.1	56.88	185.1	58.79
	-3	-3.7	195.8	52.80	195.2	54.63	195.2	56.45	194.5	57.40	194.5	58.36	193.8	60.10
	0	-0.7	211.3	55.32	211.3	57.06	210.7	58.71	210.7	59.40	210.0	60.44	210.0	62.18
	3	2.2	228.1	57.67	227.5	59.23	226.8	60.79	226.8	61.57	226.8	62.44	226.1	63.92
	5	4.1	239.6	59.05	238.9	60.62	238.9	62.09	238.2	62.88	238.2	63.57	237.6	65.05
	7	6	251.7	60.53	251.0	61.83	251.0	63.31	250.3	64.01	250.3	64.70	240.3	62.18
	9	7.9	264.5	61.75	263.8	63.14	263.8	64.44	263.1	65.13	257.8	63.74	240.3	58.36
	11	9.8	278.0	62.96	277.2	64.27	275.9	65.05	266.5	62.53	257.8	59.92	240.3	54.97
	13	11.8	292.7	64.18	292.1	65.39	275.9	60.97	266.5	58.53	257.8	56.28	240.3	51.59
120%	15	13.7	306.9	65.31	293.4	61.92	275.9	57.40	266.5	55.23	257.8	52.98	240.3	48.72
	-19.8	-20	136.6	41.34	135.9	43.77	135.3	46.29	135.3	47.42	135.3	48.72	134.6	51.15
	-18.8	-19	138.7	42.12	138.0	44.55	138.0	46.98	137.3	48.11	137.3	49.42	136.6	51.85
	-16.7	-17	144.0	43.77	143.4	46.11	142.4	48.37	142.7	49.59	142.7	50.80	142.0	53.06
	-13.7	-15	150.1	45.51	149.4	47.77	148.7	49.94	148.7	51.15	148.7	52.19	148.1	54.45
	-11.8	-13	156.2	47.24	156.2	49.42	155.5	51.50	155.5	52.63	154.8	53.67	154.8	55.84
	-9.8	-11	163.6	49.07	162.8	51.07	162.8	53.15	162.2	54.19	162.2	55.15	161.5	57.23
	-9.5	-10	167.6	49.94	166.9	51.93	166.2	53.93	166.2	54.97	166.2	55.93	165.6	57.93
	-8.5	-9.1	170.9	50.72	170.3	52.63	170.3	54.63	169.6	55.58	169.6	56.62	168.9	58.53
	-7	-7.6	177.0	52.02	177.0	53.93	176.4	55.75	176.4	56.71	175.6	57.67	175.6	59.49
	-5	-5.6	186.4	53.67	185.8	55.49	185.1	57.32	185.1	58.19	185.1	59.14	184.4	60.79
	-3	-3.7	195.2	55.32	195.2	57.06	194.5	58.71	194.5	59.49	193.9	60.44	193.9	62.09
	0	-0.7	210.7	57.67	210.7	59.23	210.0	60.79	210.0	61.57	209.3	62.36	209.3	63.92
	3	2.2	227.5	59.84	226.8	61.23	226.8	62.70	226.1	63.48	226.1	64.18	221.4	63.83
	5	4.1	238.9	61.14	238.2	62.53	238.2	63.92	237.6	64.61	237.6	65.31	221.4	59.92
	7	6	251.0	62.36	251.0	63.66	250.4	64.96	246.3	64.09	238.2	61.49	221.4	56.36
	9	7.9	263.8	63.57	263.2	64.87	254.4	62.70	246.3	60.18	238.2	57.75	221.4	53.06
	11	9.8	277.2	64.70	270.6	63.57	254.4	58.97	246.3	56.71	238.2	54.37	221.4	50.02
	13	11.8	287.4	64.09	270.6	59.66	254.4	55.32	246.3	53.24	238.2	51.15	221.4	47.07
110%	15	13.7	287.4	60.36	270.6	56.19	254.4	52.19	246.3	50.11	238.2	48.20	221.4	44.38
	-19.8	-20	135.9	44.99	135.3	47.16	134.6	49.42	134.6	50.54	134.7	51.67	134.0	53.93
	-18.8	-19	138.0	45.68	137.3	47.85	137.3	50.11	137.3	51.15	136.6	52.28	136.6	54.54
	-16.7	-17	143.4	47.16	142.7	49.33	144.7	51.50	142.0	52.54	142.0	53.58	141.3	55.67
	-13.7	-15	149.4	48.81	148.8	50.80	148.1	52.89	148.1	53.93	148.1	54.97	147.4	56.97
	-11.8	-13	155.5	50.46	155.5	52.37	154.8	54.28	154.8	55.32	154.1	56.28	154.1	58.27
	-9.8	-11	162.8	52.02	162.2	53.93	162.2	55.75	161.5	56.71	161.5	57.67	161.5	59.49
	-9.5	-10	166.9	52.89	166.2	54.63	165.5	56.54	165.5	57.40	165.5	58.36	164.9	60.18
	-8.5	-9.1	170.3	53.58	169.6	55.32	169.6	57.14	168.9	58.10	168.9	58.97	168.9	61.66
	-7	-7.6	176.4	54.80	176.4	56.45	175.6	58.19	175.6	59.05	175.6	59.92	175.0	61.66
	-5	-5.6	185.8	56.36	185.1	58.01	184.4	59.58	184.4	60.44	184.4	61.23	183.7	62.96
	-3	-3.7	194.5	57.75	194.5	59.32	193.9	60.88	193.9	61.66	193.2	62.44	193.2	64.01
	0	-0.7	210.0	59.92	210.0	61.40	209.3	62.88	209.3	63.57	209.3	64.27	203.3	63.05
	3	2.2	226.8	61.92	226.1	63.22	226.1	64.61	225.4	65.22	218.0	62.53	203.3	57.40
	5	4.1	238.2	63.14	238.2	64.44	233.5	63.83	225.4	61.23	218.0	58.79	203.3	53.93
	7	6	250.3	64.27	248.4	64.70	233.5	59.92	225.4	57.58	218.0	55.32	203.3	50.80
	9	7.9	263.1	65.31	248.4	60.79	233.5	56.36	225.4	54.19	218.0	52.02	203.3	47.85
	11	9.8	263.1	61.49	248.4	57.23	233.5	53.06	225.4	51.07	218.0	49.07	203.3	45.16
	13	11.8	263.1	57.67	248.4	53.67	233.5	49.85	225.4	48.03	218.0	46.11	203.3	42.55
	15	13.7	263.1	51.15	248.4	50.63	233.5	47.07	225.4	45.33	218.0	43.60	203.3	40.21

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1900W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrošтная teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	135.3	48.55	134.6	50.54	134.6	52.63	134.0	53.67	134.0	54.63	133.2	56.71
	-18.8	-19	137.3	49.15	137.3	51.15	136.6	53.24	136.6	54.28	136.0	55.32	136.0	57.32
	-16.7	-17	142.7	50.54	142.0	52.54	142.0	54.45	141.3	55.41	141.3	56.36	141.3	58.36
	-13.7	-15	148.7	52.02	148.1	53.93	147.4	55.75	147.4	56.71	147.4	57.67	146.8	59.49
	-11.8	-13	154.8	53.58	154.8	55.32	154.1	57.06	154.1	58.01	154.1	58.88	153.4	60.71
	-9.8	-11	162.2	54.97	161.5	56.71	161.5	58.45	161.5	59.32	160.8	60.10	160.8	61.83
	-9.5	-10	166.2	55.75	165.6	57.40	165.6	59.05	164.9	59.92	164.9	60.79	164.2	62.44
	-8.5	-9.1	169.6	56.36	168.9	58.10	168.9	59.66	168.9	60.44	168.3	61.31	168.3	62.88
	-7	-7.6	175.6	57.49	175.6	59.05	175.0	60.62	175.0	61.49	175.0	62.18	174.3	63.83
	-5	-5.6	185.1	58.97	184.4	60.44	184.4	61.92	183.7	62.62	183.7	63.40	183.0	64.96
	-3	-3.7	193.9	60.27	193.9	61.71	193.2	63.14	193.2	63.83	193.2	64.53	185.1	61.83
	0	-0.7	209.3	62.18	209.3	63.57	208.6	64.87	205.2	63.83	198.6	61.14	185.1	56.10
	3	2.2	226.1	64.01	225.4	65.22	212.0	60.36	205.2	58.01	198.6	55.67	185.1	51.15
	5	4.1	237.6	65.22	225.4	61.23	212.0	56.71	205.2	54.63	198.6	52.45	185.1	48.20
	7	6	238.9	61.83	225.4	57.58	212.0	53.41	205.2	51.41	198.6	49.42	185.1	45.42
	9	7.9	238.9	58.10	225.4	54.19	212.0	50.28	205.2	47.77	198.6	46.55	185.1	42.90
	11	9.8	238.9	54.71	225.4	51.07	212.0	47.42	205.2	45.68	198.6	43.94	185.1	40.47
	13	11.8	238.9	51.41	225.4	48.03	212.0	44.64	205.2	42.99	198.6	41.43	185.1	38.21
	15	13.7	238.9	48.46	225.4	45.33	212.0	42.21	205.2	40.64	198.6	39.08	185.1	36.21
90%	-19.8	-20	134.3	52.19	133.7	53.93	133.7	55.84	133.0	56.71	133.0	57.67	133.0	59.49
	-18.8	-19	136.4	52.72	136.4	54.63	135.7	56.36	135.7	57.32	135.7	58.19	135.1	60.01
	-16.7	-17	141.7	54.02	141.1	55.75	141.1	57.49	141.1	58.36	140.4	59.23	140.4	60.97
	-13.7	-15	147.8	55.32	147.1	57.06	147.1	58.71	146.4	59.49	146.4	60.36	146.4	62.01
	-11.8	-13	153.8	56.71	153.8	58.27	153.2	59.84	153.2	60.71	153.2	61.49	152.5	63.05
	-9.8	-11	161.3	58.01	161.3	59.49	160.6	61.05	160.6	61.83	160.6	62.62	159.9	64.18
	-9.5	-10	165.3	58.71	164.6	60.18	164.6	61.66	163.9	62.44	163.9	63.22	163.9	64.61
	-8.5	-9.1	168.7	59.32	168.7	60.79	168.0	62.18	168.0	62.88	168.0	63.66	165.9	64.27
	-7	-7.6	174.7	60.27	174.7	61.66	174.0	63.14	174.0	63.83	174.0	64.53	165.9	61.40
	-5	-5.6	184.0	61.57	183.4	62.88	183.4	64.27	182.7	64.96	178.0	62.88	165.9	57.67
	-3	-3.7	192.8	62.79	192.8	64.01	190.8	64.27	184.0	61.75	178.0	59.23	165.9	54.37
	0	-0.7	208.9	64.61	202.9	62.96	190.8	58.36	184.0	56.02	178.0	53.84	165.9	49.42
	3	2.2	215.0	61.49	202.9	57.32	190.8	53.15	184.0	51.15	178.0	49.07	165.9	45.25
	5	4.1	215.0	57.84	202.9	53.93	190.8	50.11	184.0	48.11	178.0	46.38	165.9	42.64
	7	6	215.0	54.37	202.9	50.80	190.8	47.16	184.0	45.42	178.0	43.68	165.9	40.30
	9	7.9	215.0	51.24	202.9	47.77	190.8	44.46	184.0	42.90	178.0	41.25	165.9	38.13
	11	9.8	215.0	48.29	202.9	45.07	190.8	42.03	184.0	40.47	178.0	38.99	165.9	36.04
	13	11.8	215.0	45.42	202.9	42.55	190.8	39.60	184.0	38.21	178.0	36.82	165.9	34.04
	15	13.7	215.0	42.90	202.9	40.12	190.8	37.52	184.0	36.21	178.0	34.91	165.9	32.31
80%	-19.8	-20	134.0	55.75	133.2	57.40	133.2	59.05	133.2	59.84	132.5	60.71	132.5	62.27
	-18.8	-19	135.9	56.28	135.9	57.93	135.3	59.49	135.3	60.36	135.3	61.14	134.6	62.79
	-16.7	-17	141.3	57.40	140.7	58.97	140.7	60.53	140.7	61.31	140.7	62.09	140.0	63.57
	-13.7	-15	147.4	58.62	146.8	60.10	146.8	61.57	146.8	62.27	146.0	63.05	146.0	64.61
	-11.8	-13	153.4	59.75	153.4	61.23	152.8	62.62	152.8	63.31	152.8	64.09	148.1	62.36
	-9.8	-11	160.9	60.97	160.9	62.36	160.2	63.74	160.2	64.35	158.8	64.27	148.1	58.88
	-9.5	-10	164.9	61.57	164.2	62.88	164.3	64.27	164.3	64.96	158.8	62.36	148.1	57.14
	-8.5	-9.1	168.3	62.18	156.4	63.48	167.6	64.70	164.3	63.22	158.8	60.71	148.1	55.67
	-7	-7.6	174.3	63.05	174.3	64.27	169.6	62.88	164.3	60.44	158.8	58.01	148.1	53.24
	-5	-5.6	183.7	64.18	180.4	63.83	169.6	59.05	164.3	56.80	158.8	54.54	148.1	50.11
	-3	-3.7	191.1	64.53	180.4	60.10	169.6	55.67	164.3	53.58	158.8	51.41	148.1	47.33
	0	-0.7	191.1	58.53	180.4	54.54	169.6	50.63	164.3	48.72	158.8	46.81	148.1	43.16
	3	2.2	191.1	53.32	180.4	49.76	169.6	46.29	164.3	44.55	158.8	42.90	148.1	39.51
	5	4.1	191.1	50.20	180.4	46.90	169.6	43.60	164.3	42.03	158.8	40.47	148.1	37.34
	7	6	191.1	47.33	180.4	44.29	169.6	41.16	164.3	39.78	158.8	38.30	148.1	35.35
	9	7.9	191.1	44.64	180.4	41.77	169.6	38.91	164.3	37.52	158.8	36.21	148.1	33.52
	11	9.8	191.1	42.21	180.4	39.43	169.6	36.82	164.3	35.52	158.8	34.30	148.1	31.79
	13	11.8	191.1	39.78	180.4	37.26	169.6	34.83	164.3	33.61	158.8	32.39	148.1	30.05
	15	13.7	191.1	37.60	180.4	35.35	169.6	33.00	164.3	31.87	158.8	30.74	148.1	28.57

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1900W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	132.9	59.40	132.3	60.79	132.3	62.18	132.3	62.88	132.3	63.66	128.9	62.96
	-18.8	-19	135.0	59.84	135.0	61.23	134.3	62.62	134.3	63.31	134.3	64.09	128.9	61.66
	-16.7	-17	140.3	60.79	140.3	62.18	139.7	63.57	139.7	64.27	138.3	57.23	128.9	58.79
	-13.7	-15	146.4	61.83	145.7	63.22	145.7	64.53	143.1	63.57	138.3	60.97	128.9	55.93
	-11.8	-13	152.4	62.88	152.4	64.18	148.4	62.62	143.1	60.18	138.3	57.75	128.9	52.98
	-9.8	-11	159.8	63.92	157.8	63.92	148.4	59.14	143.1	56.88	138.3	54.63	128.9	50.11
	-9.5	-10	163.9	64.53	157.8	62.01	148.4	57.40	143.1	55.23	138.3	53.06	128.9	48.72
	-8.5	-9.1	167.2	64.87	157.8	60.36	148.4	55.93	143.1	53.76	138.3	51.67	128.9	47.50
	-7	-7.6	167.2	61.92	157.8	57.67	148.4	53.50	143.1	51.50	138.3	49.42	128.9	45.51
	-5	-5.6	167.2	58.19	157.8	54.28	148.4	50.37	143.1	48.37	138.3	57.23	128.9	42.90
	-3	-3.7	167.2	54.80	157.8	51.15	148.4	47.50	143.1	45.68	138.3	43.94	128.9	40.56
	0	-0.7	167.2	49.85	157.8	46.64	148.4	43.34	143.1	41.77	138.3	40.21	128.9	37.17
	3	2.2	167.2	45.59	157.8	42.64	148.4	39.78	143.1	38.30	138.3	36.91	128.9	34.13
	5	4.1	167.2	42.99	157.8	40.21	148.4	37.60	143.1	36.21	138.3	34.91	128.9	32.31
60%	7	6	167.2	40.64	157.8	38.04	148.4	35.52	143.1	34.30	138.3	33.09	128.9	30.66
	9	7.9	167.2	38.39	157.8	36.04	148.4	33.61	143.1	32.48	138.3	31.35	128.9	29.09
	11	9.8	167.2	36.30	157.8	34.04	148.4	31.87	143.1	30.83	138.3	29.79	128.9	27.62
	13	11.8	167.2	34.30	157.8	32.22	148.4	30.14	143.1	29.18	138.3	28.14	128.9	26.23
	15	13.7	167.2	32.57	157.8	30.57	148.4	28.66	143.1	27.70	138.3	26.75	128.9	25.01
	-19.8	-20	132.6	62.96	131.9	64.18	127.2	61.75	123.2	59.32	119.1	56.97	111.0	52.19
	-18.8	-19	134.6	63.40	134.6	64.61	127.2	60.44	123.2	58.01	119.1	55.67	111.0	51.15
	-16.7	-17	140.0	64.27	135.3	62.18	127.2	57.67	123.2	55.41	119.1	53.24	111.0	48.89
	-13.7	-15	143.4	63.57	135.3	59.05	127.2	54.80	123.2	52.72	119.1	50.63	111.0	46.55
	-11.8	-13	143.4	60.10	135.3	55.93	127.2	51.93	123.2	50.02	119.1	48.03	111.0	44.46
	-9.8	-11	143.4	56.80	135.3	52.89	127.2	49.15	123.2	47.33	119.1	45.51	111.0	41.95
	-9.5	-10	143.4	55.23	135.3	51.50	127.2	47.77	123.2	46.03	119.1	44.29	111.0	40.82
	-8.5	-9.1	143.4	53.76	135.3	50.11	127.2	46.64	123.2	44.90	119.1	43.16	111.0	39.78
	-7	-7.6	143.4	51.41	135.3	48.03	127.2	44.64	123.2	42.99	119.1	41.34	111.0	38.21
50%	-5	-5.6	143.4	48.37	135.3	45.25	127.2	42.12	123.2	40.56	119.1	39.08	111.0	36.13
	-3	-3.7	143.4	45.68	135.3	42.73	127.2	39.78	123.2	38.39	119.1	37.00	111.0	34.22
	0	-0.7	143.4	41.77	135.3	39.08	127.2	36.48	123.2	35.26	119.1	33.96	111.0	31.44
	3	2.2	143.4	38.30	135.3	35.95	127.2	33.61	123.2	32.39	119.1	31.26	111.0	29.01
	5	4.1	143.4	36.21	135.3	33.96	127.2	31.79	123.2	30.74	119.1	29.61	111.0	27.53
	7	6	143.4	34.30	135.3	32.22	127.2	30.14	123.2	29.09	119.1	28.14	111.0	26.14
	9	7.9	143.4	32.48	135.3	30.48	127.2	28.57	123.2	27.70	119.1	26.66	111.0	24.92
	11	9.8	143.4	30.83	135.3	29.01	127.2	27.18	123.2	26.31	119.1	25.36	111.0	23.71
	13	11.8	143.4	29.09	135.3	27.44	127.2	25.79	123.2	25.01	119.1	24.14	111.0	22.58
	15	13.7	143.4	27.70	135.3	26.05	127.2	24.58	123.2	23.80	119.1	23.01	111.0	21.54
	-19.8	-20	119.4	57.32	112.7	53.32	106.0	49.50	102.0	47.68	98.6	45.85	91.9	42.21
	-18.8	-19	119.4	56.02	112.7	52.19	106.0	48.55	102.0	46.72	98.6	44.90	91.9	41.43
	-16.7	-17	119.4	53.50	112.7	49.85	106.0	46.38	102.0	44.64	98.6	42.99	91.9	39.69
	-13.7	-15	119.4	50.89	112.7	47.50	106.0	44.20	102.0	42.55	98.6	40.99	91.9	37.86
	-11.8	-13	119.4	48.37	112.7	45.16	106.0	42.03	102.0	40.47	98.6	38.99	91.9	36.04
	-9.8	-11	119.4	45.77	112.7	42.81	106.0	39.86	102.0	38.39	98.6	37.00	91.9	34.30
	-9.5	-10	119.4	44.55	112.7	41.60	106.0	38.82	102.0	37.43	98.6	36.04	91.9	33.35
	-8.5	-9.1	119.4	43.42	112.7	40.64	106.0	37.86	102.0	36.56	98.6	35.26	91.9	32.57
	-7	-7.6	119.4	41.60	112.7	38.99	106.0	36.30	102.0	35.09	98.6	33.87	91.9	31.35
	-5	-5.6	119.4	39.25	112.7	36.82	106.0	34.39	102.0	33.26	98.6	32.05	91.9	29.70
	-3	-3.7	119.4	37.17	112.7	34.91	106.0	32.57	102.0	31.52	98.6	30.40	91.9	28.22
	0	-0.7	119.4	34.13	112.7	32.05	106.0	30.05	102.0	29.01	98.6	28.05	91.9	26.05
	3	2.2	119.4	31.44	112.7	29.53	106.0	27.70	102.0	26.75	98.6	25.88	91.9	24.14
	5	4.1	119.4	29.79	112.7	28.05	106.0	26.31	102.0	25.45	98.6	24.66	91.9	22.93
	7	6	119.4	28.31	112.7	26.66	106.0	25.01	102.0	24.23	98.6	23.45	91.9	21.89
	9	7.9	119.4	26.84	112.7	25.36	106.0	23.80	102.0	23.10	98.6	22.32	91.9	20.84
	11	9.8	119.4	25.53	112.7	24.06	106.0	22.67	102.0	21.97	98.6	21.28	91.9	19.89
	13	11.8	119.4	24.32	112.7	22.93	106.0	21.54	102.0	20.93	98.6	20.24	91.9	19.02
	15	13.7	119.4	23.10	112.7	21.89	106.0	20.58	102.0	19.97	98.6	19.37	91.9	18.15

70HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1950W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	141.1	38.81	140.5	41.58	139.8	44.35	139.8	45.69	139.1	47.03	139.1	49.80
	-18.8	-19	143.2	39.70	142.6	42.38	142.6	45.15	141.9	46.50	141.9	47.75	141.1	50.52
	-16.7	-17	148.8	41.58	148.1	44.17	147.4	46.76	147.4	48.02	147.4	49.36	146.7	51.95
	-13.7	-15	155.0	43.46	154.4	45.96	153.6	48.46	153.6	49.71	152.9	50.97	152.9	53.47
	-11.8	-13	161.2	45.42	161.2	47.84	160.6	50.16	159.9	51.41	159.9	52.67	159.1	54.99
	-9.8	-11	168.9	47.39	168.2	49.71	167.5	51.95	167.5	53.11	167.5	54.27	166.8	56.60
	-9.5	-10	173.0	48.46	172.3	50.61	171.7	52.84	171.7	54.01	170.9	55.08	170.9	57.31
	-8.5	-9.1	176.5	49.27	175.8	51.41	175.8	53.65	175.1	54.72	175.1	55.79	174.4	58.03
	-7	-7.6	182.7	50.70	182.7	52.84	182.0	54.90	182.0	55.97	181.3	56.96	180.6	59.10
	-5	-5.6	192.4	52.67	191.7	54.63	191.0	56.60	191.0	57.67	190.3	58.57	190.3	60.53
	-3	-3.7	201.4	54.36	200.7	56.24	200.7	58.12	200.0	59.10	200.0	60.09	199.3	61.87
	0	-0.7	217.3	56.96	217.3	58.75	216.6	60.44	216.6	61.16	215.9	62.23	215.9	64.02
	3	2.2	234.6	59.37	233.9	60.98	233.3	62.59	233.3	63.39	233.3	64.29	232.5	65.81
	5	4.1	246.3	60.80	245.7	62.41	245.7	63.93	245.0	64.74	245.0	65.45	244.3	66.97
	7	6	258.9	62.32	258.1	63.66	258.1	65.18	257.4	65.90	257.4	66.61	247.1	64.02
120%	9	7.9	271.9	63.57	271.3	65.00	271.3	66.35	270.6	67.06	265.1	65.63	247.1	60.09
	11	9.8	285.8	64.83	285.1	66.17	283.7	66.97	274.0	64.38	265.1	61.70	247.1	56.60
	13	11.8	301.0	66.08	300.4	67.33	283.7	62.77	274.0	60.27	265.1	57.94	247.1	53.11
	15	13.7	315.5	67.24	301.7	63.75	283.7	59.10	274.0	56.87	265.1	54.54	247.1	50.16
	-19.8	-20	140.5	42.56	139.8	45.06	139.1	47.66	139.1	48.82	139.1	50.16	138.4	52.67
	-18.8	-19	142.6	43.37	141.9	45.87	141.9	48.37	141.2	49.54	141.2	50.88	140.5	53.38
	-16.7	-17	148.1	45.06	147.4	47.48	146.5	49.80	146.7	51.06	146.7	52.31	146.1	54.63
	-13.7	-15	154.4	46.85	153.6	49.18	152.9	51.41	152.9	52.67	152.9	53.74	152.3	56.06
	-11.8	-13	160.6	48.64	160.6	50.88	159.9	53.02	159.9	54.19	159.2	55.26	159.2	57.49
	-9.8	-11	168.2	50.52	167.5	52.58	167.5	54.72	166.8	55.79	166.8	56.78	166.1	58.92
	-9.5	-10	172.4	51.41	171.7	53.47	170.9	55.53	170.9	56.60	170.9	57.58	170.3	59.64
	-8.5	-9.1	175.8	52.22	175.1	54.19	175.1	56.24	174.4	57.23	174.4	58.30	173.7	60.27
	-7	-7.6	182.0	53.56	182.0	55.53	181.3	57.40	181.3	58.39	180.6	59.37	180.6	61.25
	-5	-5.6	191.7	55.26	191.0	57.14	190.3	59.01	190.3	59.91	190.3	60.89	189.7	62.59
	-3	-3.7	200.7	56.96	200.7	58.75	200.0	60.44	200.0	61.25	199.3	62.23	199.3	63.93
	0	-0.7	216.6	59.37	216.6	60.98	215.9	62.59	215.9	63.39	215.3	64.20	215.3	65.81
110%	3	2.2	233.9	61.61	233.3	63.04	233.3	64.56	232.5	65.36	232.5	66.08	227.7	65.72
	5	4.1	245.7	62.95	245.0	64.38	245.0	65.81	244.3	66.52	244.3	67.24	227.7	61.70
	7	6	258.1	64.20	258.1	65.54	257.5	66.88	253.3	65.99	245.0	63.31	227.7	58.03
	9	7.9	271.3	65.45	270.6	66.79	261.6	64.56	253.3	61.96	245.0	59.46	227.7	54.63
	11	9.8	285.1	66.61	278.2	65.45	261.6	60.71	253.3	58.39	245.0	55.97	227.7	51.50
	13	11.8	295.5	65.99	278.2	61.43	261.6	56.96	253.3	54.81	245.0	52.67	227.7	48.46
	15	13.7	295.5	62.14	278.2	57.85	261.6	53.74	253.3	51.59	245.0	49.63	227.7	45.69
	-19.8	-20	139.8	46.32	139.1	48.55	138.4	50.88	138.4	52.04	138.5	53.20	137.7	55.53
	-18.8	-19	141.9	47.03	141.2	49.27	141.2	51.59	141.2	52.67	140.5	53.83	140.5	56.15
	-16.7	-17	147.4	48.55	146.7	50.79	148.8	53.02	146.1	54.10	146.1	55.17	145.3	57.31
	-13.7	-15	153.6	50.25	153.0	52.31	152.3	54.45	152.3	55.53	152.3	56.60	151.6	58.66
	-11.8	-13	159.9	51.95	159.9	53.92	159.1	55.88	159.1	56.96	158.5	57.94	158.5	60.00
	-9.8	-11	167.5	53.56	166.8	55.53	166.8	57.40	166.1	58.39	166.1	59.37	166.1	61.25
	-9.5	-10	171.7	54.45	170.9	56.24	170.2	58.21	170.2	59.10	170.2	60.09	169.6	61.96
	-8.5	-9.1	175.1	55.17	174.4	56.96	174.4	58.83	173.7	59.82	173.7	60.71	173.7	63.48
	-7	-7.6	181.3	56.42	181.3	58.12	180.6	59.91	180.6	60.80	180.6	61.70	180.0	63.48
	-5	-5.6	191.0	58.03	190.3	59.73	189.7	61.34	189.7	62.23	189.7	63.04	188.9	64.83
	-3	-3.7	200.0	59.46	200.0	61.07	199.3	62.68	199.3	63.48	198.6	64.29	198.6	65.90
	0	-0.7	215.9	61.70	215.9	63.22	215.3	64.74	215.3	65.45	215.3	66.17	209.0	64.92
	3	2.2	233.3	63.75	232.5	65.09	232.5	66.52	231.8	67.15	224.2	64.38	209.0	59.10
	5	4.1	245.0	65.00	245.0	66.35	240.1	65.72	231.8	63.04	224.2	60.53	209.0	55.53
	7	6	257.4	66.17	255.4	66.61	240.1	61.70	231.8	59.28	224.2	56.96	209.0	52.31
	9	7.9	270.6	67.24	255.4	62.59	240.1	58.03	231.8	55.79	224.2	53.56	209.0	49.27
	11	9.8	270.6	63.31	255.4	58.92	240.1	54.63	231.8	52.58	224.2	50.52	209.0	46.50
	13	11.8	270.6	59.37	255.4	55.26	240.1	51.32	231.8	49.45	224.2	47.48	209.0	43.81
	15	13.7	270.6	52.67	255.4	52.13	240.1	48.46	231.8	46.67	224.2	44.89	209.0	41.40

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V1950W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	139.1	49.98	138.4	52.04	138.4	54.19	137.7	55.26	137.7	56.24	137.0	58.39
	-18.8	-19	141.2	50.61	141.2	52.67	140.5	54.81	140.5	55.88	139.8	56.96	139.8	59.01
	-16.7	-17	146.7	52.04	146.0	54.10	146.0	56.06	145.3	57.05	145.3	58.03	145.3	60.09
	-13.7	-15	152.9	53.56	152.3	55.53	151.6	57.40	151.6	58.39	151.6	59.37	150.9	61.25
	-11.8	-13	159.2	55.17	159.2	56.96	158.5	58.75	158.5	59.73	158.5	60.62	157.8	62.50
	-9.8	-11	166.8	56.60	166.1	58.39	166.1	60.18	166.1	61.07	165.4	61.87	165.4	63.66
	-9.5	-10	170.9	57.40	170.3	59.10	170.3	60.80	169.6	61.70	169.6	62.59	168.8	64.29
	-8.5	-9.1	174.4	58.03	173.7	59.82	173.7	61.43	173.7	62.23	173.0	63.13	173.0	64.74
	-7	-7.6	180.6	59.19	180.6	60.80	180.0	62.41	180.0	63.31	180.0	64.02	179.2	65.72
	-5	-5.6	190.3	60.71	189.6	62.23	189.6	63.75	188.9	64.47	188.9	65.27	188.2	66.88
	-3	-3.7	199.3	62.05	199.3	63.33	198.6	65.00	198.6	65.72	198.6	66.44	190.3	63.66
	0	-0.7	215.3	64.02	215.3	65.45	214.5	66.79	211.1	65.72	204.2	62.95	190.3	57.76
	3	2.2	232.5	65.90	231.8	67.15	218.0	62.14	211.1	59.73	204.2	57.31	190.3	52.67
	5	4.1	244.3	67.15	231.8	63.04	218.0	58.39	211.1	56.24	204.2	54.01	190.3	49.63
	7	6	245.7	63.66	231.8	59.28	218.0	54.99	211.1	52.93	204.2	50.88	190.3	46.76
	9	7.9	245.7	59.82	231.8	55.79	218.0	51.77	211.1	49.18	204.2	47.93	190.3	44.17
	11	9.8	245.7	56.33	231.8	52.58	218.0	48.82	211.1	47.03	204.2	45.24	190.3	41.67
	13	11.8	245.7	52.93	231.8	49.45	218.0	45.96	211.1	44.26	204.2	42.65	190.3	39.34
	15	13.7	245.7	49.89	231.8	46.67	218.0	43.46	211.1	41.85	204.2	40.24	190.3	37.29
90%	-19.8	-20	138.1	53.74	137.5	55.53	137.5	57.49	136.8	58.39	136.8	59.37	136.8	61.25
	-18.8	-19	140.2	54.27	140.2	56.24	139.5	58.03	139.5	59.01	139.5	59.91	138.9	61.79
	-16.7	-17	145.7	55.62	145.1	57.40	145.1	59.19	145.1	60.09	144.4	60.98	144.4	62.77
	-13.7	-15	152.0	56.96	151.3	58.75	151.3	60.44	150.6	61.25	150.6	62.14	150.6	63.84
	-11.8	-13	158.2	58.39	158.2	60.00	157.5	61.61	157.5	62.50	157.5	63.31	156.8	64.92
	-9.8	-11	165.8	59.73	165.8	61.25	165.1	62.86	165.1	63.66	165.1	64.47	164.4	66.08
	-9.5	-10	170.0	60.44	169.2	61.96	169.2	63.48	168.6	64.29	168.6	65.09	168.6	66.52
	-8.5	-9.1	173.4	61.07	173.4	62.59	172.7	64.02	172.7	64.74	172.7	65.54	170.6	66.17
	-7	-7.6	179.6	62.05	179.6	63.48	178.9	65.00	178.9	65.72	178.9	66.44	170.6	63.22
	-5	-5.6	189.3	63.39	188.6	64.74	188.6	66.17	187.9	66.88	183.0	64.74	170.6	59.37
	-3	-3.7	198.3	64.65	198.3	65.90	196.2	66.17	189.3	63.57	183.0	60.98	170.6	55.97
	0	-0.7	214.9	66.52	208.6	64.83	196.2	60.09	189.3	57.67	183.0	55.44	170.6	50.88
	3	2.2	221.1	63.31	208.6	59.01	196.2	54.72	189.3	52.67	183.0	50.52	170.6	46.59
	5	4.1	221.1	59.55	208.6	55.53	196.2	51.59	189.3	49.54	183.0	47.75	170.6	43.90
	7	6	221.1	55.97	208.6	52.31	196.2	48.55	189.3	46.76	183.0	44.98	170.6	41.49
	9	7.9	221.1	52.75	208.6	49.18	196.2	45.78	189.3	44.17	183.0	42.47	170.6	39.25
	11	9.8	221.1	49.71	208.6	46.41	196.2	43.28	189.3	41.67	183.0	40.15	170.6	37.11
	13	11.8	221.1	46.76	208.6	43.81	196.2	40.77	189.3	39.34	183.0	37.91	170.6	35.05
	15	13.7	221.1	44.17	208.6	41.31	196.2	38.63	189.3	37.29	183.0	35.94	170.6	33.26
80%	-19.8	-20	137.7	57.40	137.0	59.10	137.0	60.80	137.0	61.61	136.3	62.50	136.3	64.11
	-18.8	-19	139.8	57.94	139.8	59.64	139.1	61.25	139.1	62.14	139.1	62.95	138.4	64.65
	-16.7	-17	145.3	59.10	144.7	60.71	144.7	62.32	144.7	63.13	144.7	63.93	144.0	65.45
	-13.7	-15	151.6	60.35	150.9	61.87	150.9	63.39	150.9	64.11	150.2	64.92	150.2	66.52
	-11.8	-13	157.8	61.52	157.8	63.04	157.1	64.47	157.1	65.18	157.1	65.99	152.3	64.20
	-9.8	-11	165.4	62.77	165.4	64.20	164.7	65.63	164.7	66.26	163.3	66.17	152.3	60.62
	-9.5	-10	169.6	63.39	168.8	64.74	168.9	66.17	168.9	66.88	163.3	64.20	152.3	58.83
	-8.5	-9.1	173.0	64.02	160.8	65.36	172.3	66.61	168.9	65.09	163.3	62.50	152.3	57.31
	-7	-7.6	179.2	64.92	179.2	66.17	174.4	64.74	168.9	62.23	163.3	59.73	152.3	54.81
	-5	-5.6	188.9	66.08	185.5	65.72	174.4	60.80	168.9	58.48	163.3	56.15	152.3	51.59
	-3	-3.7	196.5	66.44	185.5	61.87	174.4	57.31	168.9	55.17	163.3	52.93	152.3	48.73
	0	-0.7	196.5	60.27	185.5	56.15	174.4	52.13	168.9	50.16	163.3	48.19	152.3	44.44
	3	2.2	196.5	54.90	185.5	51.23	174.4	47.66	168.9	45.87	163.3	44.17	152.3	40.68
	5	4.1	196.5	51.68	185.5	48.28	174.4	44.89	168.9	43.28	163.3	41.67	152.3	38.45
	7	6	196.5	48.73	185.5	45.60	174.4	42.38	168.9	40.95	163.3	39.43	152.3	36.39
	9	7.9	196.5	45.96	185.5	43.01	174.4	40.06	168.9	38.63	163.3	37.29	152.3	34.51
	11	9.8	196.5	43.46	185.5	40.59	174.4	37.91	168.9	36.57	163.3	35.32	152.3	32.73
	13	11.8	196.5	40.95	185.5	38.36	174.4	35.86	168.9	34.60	163.3	33.35	152.3	30.94
	15	13.7	196.5	38.72	185.5	36.39	174.4	33.98	168.9	32.82	163.3	31.65	152.3	29.42

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V1950W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	136.7	61.16	136.0	62.59	136.0	64.02	136.0	64.74	136.0	65.54	132.6	64.83
	-18.8	-19	138.8	61.61	138.8	63.04	138.1	64.47	138.1	65.18	138.1	65.99	132.6	63.48
	-16.7	-17	144.3	62.59	144.3	64.02	143.6	65.45	143.6	66.17	142.3	58.92	132.6	60.53
	-13.7	-15	150.5	63.66	149.9	65.09	149.9	66.44	147.1	65.45	142.3	62.77	132.6	57.58
	-11.8	-13	156.7	64.74	156.7	66.08	152.6	64.47	147.1	61.96	142.3	59.46	132.6	54.54
	-9.8	-11	164.3	65.81	162.3	65.81	152.6	60.89	147.1	58.57	142.3	56.24	132.6	51.59
	-9.5	-10	168.5	66.44	162.3	63.84	152.6	59.10	147.1	56.87	142.3	54.63	132.6	50.16
	-8.5	-9.1	171.9	66.79	162.3	62.14	152.6	57.58	147.1	55.35	142.3	53.20	132.6	48.91
	-7	-7.6	171.9	63.75	162.3	59.37	152.6	55.08	147.1	53.02	142.3	50.88	132.6	46.85
	-5	-5.6	171.9	59.91	162.3	55.88	152.6	51.86	147.1	49.80	142.3	58.92	132.6	44.17
	-3	-3.7	171.9	56.42	162.3	52.67	152.6	48.91	147.1	47.03	142.3	45.24	132.6	41.76
	0	-0.7	171.9	51.32	162.3	48.02	152.6	44.62	147.1	43.01	142.3	41.40	132.6	38.27
	3	2.2	171.9	46.94	162.3	43.90	152.6	40.95	147.1	39.43	142.3	38.00	132.6	35.14
	5	4.1	171.9	44.26	162.3	41.40	152.6	38.72	147.1	37.29	142.3	35.94	132.6	33.26
60%	7	6	171.9	41.85	162.3	39.16	152.6	36.57	147.1	35.32	142.3	34.07	132.6	31.56
	9	7.9	171.9	39.52	162.3	37.11	152.6	34.60	147.1	33.44	142.3	32.28	132.6	29.95
	11	9.8	171.9	37.38	162.3	35.05	152.6	32.82	147.1	31.74	142.3	30.67	132.6	28.43
	13	11.8	171.9	35.32	162.3	33.17	152.6	31.03	147.1	30.04	142.3	28.97	132.6	27.00
	15	13.7	171.9	33.53	162.3	31.47	152.6	29.51	147.1	28.52	142.3	27.54	132.6	25.75
	-19.8	-20	136.4	64.83	135.6	66.08	130.8	63.57	126.7	61.07	122.5	58.66	114.2	53.74
	-18.8	-19	138.4	65.27	138.4	66.52	130.8	62.23	126.7	59.73	122.5	57.31	114.2	52.67
	-16.7	-17	144.0	66.17	139.1	64.02	130.8	59.37	126.7	57.05	122.5	54.81	114.2	50.34
	-13.7	-15	147.4	65.45	139.1	60.80	130.8	56.42	126.7	54.27	122.5	52.13	114.2	47.93
	-11.8	-13	147.4	61.87	139.1	57.58	130.8	53.47	126.7	51.50	122.5	49.45	114.2	45.78
	-9.8	-11	147.4	58.48	139.1	54.45	130.8	50.61	126.7	48.73	122.5	46.85	114.2	43.19
	-9.5	-10	147.4	56.87	139.1	53.02	130.8	49.18	126.7	47.39	122.5	45.60	114.2	42.02
	-8.5	-9.1	147.4	55.35	139.1	51.59	130.8	48.02	126.7	46.23	122.5	44.44	114.2	40.95
	-7	-7.6	147.4	52.93	139.1	49.45	130.8	45.96	126.7	44.26	122.5	42.56	114.2	39.34
	-5	-5.6	147.4	49.80	139.1	46.59	130.8	43.37	126.7	41.76	122.5	40.24	114.2	37.20
50%	-3	-3.7	147.4	47.03	139.1	43.99	130.8	40.95	126.7	39.52	122.5	38.09	114.2	35.23
	0	-0.7	147.4	43.01	139.1	40.24	130.8	37.55	126.7	36.30	122.5	34.96	114.2	32.37
	3	2.2	147.4	39.43	139.1	37.02	130.8	34.60	126.7	33.35	122.5	32.19	114.2	29.86
	5	4.1	147.4	37.29	139.1	34.96	130.8	32.73	126.7	31.65	122.5	30.49	114.2	28.34
	7	6	147.4	35.32	139.1	33.17	130.8	31.03	126.7	29.95	122.5	28.97	114.2	26.91
	9	7.9	147.4	33.44	139.1	31.38	130.8	29.42	126.7	28.52	122.5	27.45	114.2	25.66
	11	9.8	147.4	31.74	139.1	29.86	130.8	27.99	126.7	27.09	122.5	26.11	114.2	24.41
	13	11.8	147.4	29.95	139.1	28.26	130.8	26.56	126.7	25.75	122.5	24.86	114.2	23.25
	15	13.7	147.4	28.52	139.1	26.82	130.8	25.30	126.7	24.50	122.5	23.69	114.2	22.17
	-19.8	-20	122.8	59.01	115.9	54.90	109.0	50.97	104.9	49.09	101.4	47.21	94.5	43.46
	-18.8	-19	122.8	57.67	115.9	53.74	109.0	49.98	104.9	48.11	101.4	46.23	94.5	42.65
	-16.7	-17	122.8	55.08	115.9	51.32	109.0	47.75	104.9	45.96	101.4	44.26	94.5	40.86
	-13.7	-15	122.8	52.40	115.9	48.91	109.0	45.51	104.9	43.81	101.4	42.20	94.5	38.98
	-11.8	-13	122.8	49.80	115.9	46.50	109.0	43.28	104.9	41.67	101.4	40.15	94.5	37.11
	-9.8	-11	122.8	47.12	115.9	44.08	109.0	41.04	104.9	39.52	101.4	38.09	94.5	35.32
	-9.5	-10	122.8	45.87	115.9	42.83	109.0	39.97	104.9	38.54	101.4	37.11	94.5	34.34
	-8.5	-9.1	122.8	44.71	115.9	41.85	109.0	38.98	104.9	37.64	101.4	36.30	94.5	33.53
	-7	-7.6	122.8	42.83	115.9	40.15	109.0	37.38	104.9	36.12	101.4	34.87	94.5	32.28
	-5	-5.6	122.8	40.42	115.9	37.91	109.0	35.41	104.9	34.25	101.4	32.99	94.5	30.58
	-3	-3.7	122.8	38.27	115.9	35.94	109.0	33.53	104.9	32.46	101.4	31.30	94.5	29.06
	0	-0.7	122.8	35.14	115.9	32.99	109.0	30.94	104.9	29.86	101.4	28.88	94.5	26.82
	3	2.2	122.8	32.37	115.9	30.40	109.0	28.52	104.9	27.54	101.4	26.65	94.5	24.86
	5	4.1	122.8	30.67	115.9	28.88	109.0	27.09	104.9	26.20	101.4	25.39	94.5	23.61
	7	6	122.8	29.15	115.9	27.45	109.0	25.75	104.9	24.95	101.4	24.14	94.5	22.53
	9	7.9	122.8	27.63	115.9	26.11	109.0	24.50	104.9	23.78	101.4	22.98	94.5	21.46
	11	9.8	122.8	26.29	115.9	24.77	109.0	23.34	104.9	22.62	101.4	21.91	94.5	20.48
	13	11.8	122.8	25.04	115.9	23.61	109.0	22.17	104.9	21.55	101.4	20.83	94.5	19.58
	15	13.7	122.8	23.78	115.9	22.53	109.0	21.19	104.9	20.57	101.4	19.94	94.5	18.69

72HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2000W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	145.0	39.92	144.4	42.77	143.7	45.62	143.7	47.00	142.9	48.38	142.9	51.23
	-18.8	-19	147.2	40.84	146.5	43.60	146.5	46.45	145.8	47.83	145.8	49.12	145.0	51.97
	-16.7	-17	152.9	42.77	152.2	45.44	151.5	48.11	151.5	49.40	151.5	50.78	150.7	53.44
	-13.7	-15	159.3	44.70	158.6	47.28	157.9	49.86	157.9	51.14	157.1	52.43	157.1	55.01
	-11.8	-13	165.7	46.73	165.7	49.21	165.0	51.60	164.3	52.89	164.3	54.18	163.5	56.57
	-9.8	-11	173.6	48.75	172.8	51.14	172.1	53.44	172.1	54.64	172.1	55.83	171.4	58.23
	-9.5	-10	177.8	49.86	177.0	52.06	176.4	54.36	176.4	55.56	175.6	56.66	175.6	58.96
	-8.5	-9.1	181.4	50.68	180.6	52.89	180.6	55.19	179.9	56.29	179.9	57.40	179.2	59.70
	-7	-7.6	187.7	52.15	187.7	54.36	187.0	56.48	187.0	57.58	186.3	58.59	185.6	60.80
	-5	-5.6	197.7	54.18	197.0	56.20	196.3	58.23	196.3	59.33	195.5	60.25	195.5	62.27
	-3	-3.7	206.9	55.93	206.2	57.86	206.2	59.79	205.5	60.80	205.5	61.81	204.8	63.65
	0	-0.7	223.3	58.59	223.3	60.43	222.6	62.18	222.6	62.92	221.8	64.02	221.8	65.86
	3	2.2	241.0	61.08	240.3	62.73	239.7	64.39	239.7	65.22	239.7	66.14	238.9	67.70
	5	4.1	253.1	62.55	252.5	64.20	252.5	65.77	251.7	66.60	251.7	67.33	251.0	68.90
	7	6	266.0	64.11	265.2	65.49	265.2	67.06	264.5	67.79	264.5	68.53	253.9	65.86
	9	7.9	279.4	65.40	278.8	66.87	278.8	68.25	278.0	68.99	272.4	67.52	253.9	61.81
	11	9.8	293.7	66.69	292.9	68.07	291.5	68.90	281.6	66.23	272.4	63.47	253.9	58.23
	13	11.8	309.3	67.98	308.6	69.26	291.5	64.57	281.6	62.00	272.4	59.61	253.9	54.64
	15	13.7	324.2	69.17	310.0	70.58	291.5	60.80	281.6	58.50	272.4	56.11	253.9	51.60
120%	-19.8	-20	144.4	43.78	143.6	46.36	142.9	49.03	142.9	50.22	142.9	51.60	142.2	54.18
	-18.8	-19	146.5	44.61	145.8	47.19	145.8	49.76	145.1	50.96	145.1	52.34	144.4	54.91
	-16.7	-17	152.2	46.36	151.5	48.84	150.5	51.23	150.7	52.52	150.7	53.81	150.1	56.20
	-13.7	-15	158.6	48.20	157.9	50.59	157.1	52.89	157.1	54.18	157.1	55.28	156.5	57.67
	-11.8	-13	165.0	50.04	165.0	52.34	164.3	54.55	164.3	55.74	163.6	56.85	163.6	59.15
	-9.8	-11	172.8	51.97	172.1	54.09	172.1	56.29	171.4	57.40	171.4	58.41	170.7	60.62
	-9.5	-10	177.1	52.89	176.4	55.01	175.6	57.12	175.6	58.23	175.6	59.24	175.0	61.35
	-8.5	-9.1	180.6	53.72	179.9	55.74	179.9	57.86	179.2	58.87	179.2	59.97	178.5	62.00
	-7	-7.6	187.0	55.10	187.0	57.12	186.3	59.05	186.3	60.07	185.6	61.08	185.6	63.01
	-5	-5.6	197.0	56.85	196.3	58.78	195.5	60.71	195.5	61.63	195.5	62.64	194.9	64.39
	-3	-3.7	206.2	58.59	206.2	60.43	205.5	62.18	205.5	63.01	204.8	64.02	204.8	65.77
	0	-0.7	222.6	61.08	222.6	62.73	221.8	64.39	221.8	65.22	221.2	66.04	221.2	67.70
	3	2.2	240.3	63.38	239.7	64.85	239.7	66.41	238.9	67.24	238.9	67.98	234.0	67.61
	5	4.1	252.5	64.76	251.7	66.23	251.7	67.70	251.0	68.44	251.0	69.17	234.0	63.47
	7	6	265.2	66.04	265.2	67.42	264.6	68.80	260.3	67.88	251.7	65.12	234.0	59.70
	9	7.9	278.8	67.33	278.1	68.71	268.8	66.41	260.3	63.74	251.7	61.17	234.0	56.20
	11	9.8	292.9	68.53	285.9	67.33	268.8	62.46	260.3	60.07	251.7	57.58	234.0	52.98
	13	11.8	303.6	67.88	285.9	63.19	268.8	58.59	260.3	56.39	251.7	54.18	234.0	49.86
	15	13.7	303.6	63.93	285.9	59.51	268.8	55.28	260.3	53.07	251.7	51.05	234.0	47.00
110%	-19.8	-20	143.6	47.65	142.9	49.95	142.2	52.34	142.2	53.53	142.3	54.73	141.5	57.12
	-18.8	-19	145.8	48.38	145.1	50.68	145.1	53.07	145.1	54.18	144.4	55.37	144.4	57.77
	-16.7	-17	151.5	49.95	150.7	52.25	152.9	54.55	150.1	55.65	150.1	56.75	149.3	58.96
	-13.7	-15	157.9	51.69	157.2	53.81	156.5	56.02	156.5	57.12	156.5	58.23	155.7	60.34
	-11.8	-13	164.3	53.44	164.3	55.47	163.5	57.49	163.5	58.59	162.9	59.61	162.9	61.72
	-9.8	-11	172.1	55.10	171.4	57.12	171.4	59.05	170.7	60.07	170.7	61.08	170.7	63.01
	-9.5	-10	176.4	56.02	175.6	57.86	174.9	59.88	174.9	60.80	174.9	61.81	174.2	63.74
	-8.5	-9.1	179.9	56.75	179.2	58.59	179.2	60.53	178.5	61.54	178.5	62.46	178.5	65.94
	-7	-7.6	186.3	58.04	186.3	59.79	185.6	61.63	185.6	62.55	185.6	63.47	184.9	65.31
	-5	-5.6	196.3	59.70	195.5	61.45	194.9	63.10	194.9	64.02	194.9	64.85	194.1	66.69
	-3	-3.7	205.5	61.17	205.5	62.82	204.8	64.48	204.8	65.31	204.1	66.14	204.1	67.79
	0	-0.7	221.8	63.47	221.8	65.03	221.2	66.60	221.2	67.33	221.2	68.07	214.8	66.78
	3	2.2	239.7	65.58	238.9	66.96	238.9	68.44	238.2	69.08	230.4	66.23	214.8	60.80
	5	4.1	251.7	66.87	251.7	68.25	246.7	67.61	238.2	64.85	230.4	62.27	214.8	57.12
	7	6	264.5	68.07	262.4	68.53	246.7	63.47	238.2	60.99	230.4	58.59	214.8	53.81
	9	7.9	278.0	69.17	262.4	64.39	246.7	59.70	238.2	57.40	230.4	55.10	214.8	50.68
	11	9.8	278.0	65.12	262.4	60.62	246.7	56.20	238.2	54.09	230.4	51.97	214.8	47.83
	13	11.8	278.0	61.08	262.4	56.85	246.7	52.80	238.2	50.87	230.4	48.84	214.8	45.07
	15	13.7	278.0	54.18	262.4	53.63	246.7	49.86	238.2	48.02	230.4	46.18	214.8	42.59

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2000W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	142.9	51.42	142.2	53.53	142.2	55.74	141.5	56.85	141.5	57.86	140.8	60.07
	-18.8	-19	145.1	52.06	145.1	54.18	144.4	56.39	144.4	57.49	143.7	58.59	143.7	60.71
	-16.7	-17	150.7	53.53	150.0	55.65	150.0	57.67	149.3	58.69	149.3	59.70	149.3	61.81
	-13.7	-15	157.1	55.10	156.5	57.12	155.7	59.05	155.7	60.07	155.7	61.08	155.1	63.01
	-11.8	-13	163.6	56.75	163.6	58.59	162.9	60.43	162.9	61.45	162.9	62.36	162.1	64.30
	-9.8	-11	171.4	58.23	170.7	60.07	170.7	61.91	170.7	62.82	169.9	63.65	169.9	65.49
	-9.5	-10	175.6	59.05	175.0	60.80	175.0	62.55	174.2	63.47	174.2	64.39	173.5	66.14
	-8.5	-9.1	179.2	59.70	178.5	61.54	178.5	63.19	178.5	64.02	177.8	64.94	177.8	66.60
	-7	-7.6	185.6	60.89	185.6	62.55	184.9	64.20	184.9	65.12	184.9	65.86	184.2	67.61
	-5	-5.6	195.5	62.46	194.8	64.02	194.8	65.58	194.1	66.32	194.1	67.15	193.4	68.80
	-3	-3.7	204.8	63.84	204.8	65.95	204.1	66.87	204.1	67.61	204.1	68.34	195.5	65.49
	0	-0.7	221.2	65.86	221.2	67.33	220.4	68.71	216.9	67.61	209.8	64.76	195.5	59.42
	3	2.2	238.9	67.79	238.2	69.08	224.0	63.93	216.9	61.45	209.8	58.96	195.5	54.18
	5	4.1	251.0	69.08	238.2	64.85	224.0	60.07	216.9	57.86	209.8	55.56	195.5	51.05
	7	6	252.5	65.49	238.2	60.99	224.0	56.57	216.9	54.45	209.8	52.34	195.5	48.11
90%	9	7.9	252.5	61.54	238.2	57.40	224.0	53.26	216.9	50.59	209.8	49.30	195.5	45.44
	11	9.8	252.5	57.95	238.2	54.09	224.0	50.22	216.9	48.38	209.8	46.54	195.5	42.86
	13	11.8	252.5	54.45	238.2	50.87	224.0	47.28	216.9	45.53	209.8	43.88	195.5	40.47
	15	13.7	252.5	51.33	238.2	48.02	224.0	44.70	216.9	43.05	209.8	41.39	195.5	38.36
	-19.8	-20	141.9	55.28	141.3	57.12	141.3	59.15	140.5	60.07	140.5	61.08	140.5	63.01
	-18.8	-19	144.1	55.83	144.1	57.86	143.4	59.70	143.4	60.71	143.4	61.63	142.7	63.56
	-16.7	-17	149.7	57.21	149.1	59.05	149.1	60.89	149.1	61.81	148.3	62.73	148.3	64.57
	-13.7	-15	156.1	58.59	155.5	60.43	155.5	62.18	154.7	63.01	154.7	63.93	154.7	65.68
	-11.8	-13	162.5	60.07	162.5	61.72	161.9	63.38	161.9	64.30	161.9	65.12	161.1	66.78
	-9.8	-11	170.4	61.45	170.4	63.01	169.7	64.66	169.7	65.49	169.7	66.32	168.9	67.98
	-9.5	-10	174.6	62.18	173.9	63.74	173.9	65.31	173.2	66.14	173.2	66.96	173.2	68.44
	-8.5	-9.1	178.2	62.82	178.2	64.39	177.5	65.86	177.5	66.60	177.5	67.42	175.3	68.07
	-7	-7.6	184.6	63.84	184.6	65.31	183.8	66.87	183.8	67.61	183.8	68.34	175.3	65.03
	-5	-5.6	194.5	65.22	193.8	66.60	193.8	68.07	193.1	68.80	188.1	66.60	175.3	61.08
	-3	-3.7	203.8	66.50	203.8	67.79	201.6	68.07	194.5	65.40	188.1	62.73	175.3	57.58
	0	-0.7	220.8	68.44	214.4	66.69	201.6	61.81	194.5	59.33	188.1	57.03	175.3	52.34
80%	3	2.2	227.2	65.12	214.4	60.71	201.6	56.29	194.5	54.18	188.1	51.97	175.3	47.92
	5	4.1	227.2	61.26	214.4	57.12	201.6	53.07	194.5	50.96	188.1	49.12	175.3	45.16
	7	6	227.2	57.58	214.4	53.81	201.6	49.95	194.5	48.11	188.1	46.27	175.3	42.68
	9	7.9	227.2	54.27	214.4	50.59	201.6	47.10	194.5	45.44	188.1	43.69	175.3	40.38
	11	9.8	227.2	51.14	214.4	47.74	201.6	44.52	194.5	42.86	188.1	41.30	175.3	38.17
	13	11.8	227.2	48.11	214.4	45.07	201.6	41.94	194.5	40.47	188.1	39.00	175.3	36.06
	15	13.7	227.2	45.44	214.4	42.50	201.6	39.74	194.5	38.36	188.1	36.98	175.3	34.22
	-19.8	-20	141.5	59.05	140.8	60.80	140.8	62.55	140.8	63.38	140.0	64.30	140.0	65.95
	-18.8	-19	143.6	59.61	143.6	61.35	142.9	63.01	142.9	63.93	142.9	64.76	142.2	66.50
	-16.7	-17	149.3	60.80	148.7	62.46	148.7	64.11	148.7	64.94	148.7	65.77	147.9	67.33
	-13.7	-15	155.7	62.09	155.1	63.65	155.1	65.22	155.1	65.95	154.3	66.78	154.3	68.44
	-11.8	-13	162.1	63.28	162.1	64.85	161.4	66.32	161.4	67.06	161.4	67.88	156.5	66.04
	-9.8	-11	170.0	64.57	170.0	66.04	169.2	67.52	169.2	68.16	167.8	68.07	156.5	62.36
	-9.5	-10	174.2	65.22	173.5	66.60	173.6	68.07	173.6	68.80	167.8	66.04	156.5	60.53
	-8.5	-9.1	177.8	65.86	165.3	67.24	177.0	68.53	173.6	66.96	167.8	64.30	156.5	58.96
	-7	-7.6	184.2	66.78	184.2	68.07	179.2	66.60	173.6	64.02	167.8	61.45	156.5	56.39
	-5	-5.6	194.1	67.98	190.6	67.61	179.2	62.55	173.6	60.16	167.8	57.77	156.5	53.07
	-3	-3.7	201.9	68.34	190.6	63.65	179.2	58.96	173.6	56.75	167.8	54.45	156.5	50.13
	0	-0.7	201.9	62.00	190.6	57.77	179.2	53.63	173.6	51.60	167.8	49.58	156.5	45.72
	3	2.2	201.9	56.48	190.6	52.71	179.2	49.03	173.6	47.19	167.8	45.44	156.5	41.85
	5	4.1	201.9	53.17	190.6	49.67	179.2	46.18	173.6	44.52	167.8	42.86	156.5	39.55
	7	6	201.9	50.13	190.6	46.91	179.2	43.60	173.6	42.13	167.8	40.56	156.5	37.44
	9	7.9	201.9	47.28	190.6	44.24	179.2	41.21	173.6	39.74	167.8	38.36	156.5	35.51
	11	9.8	201.9	44.70	190.6	41.76	179.2	39.00	173.6	37.62	167.8	36.33	156.5	33.67
	13	11.8	201.9	42.13	190.6	39.46	179.2	36.89	173.6	35.60	167.8	34.31	156.5	31.83
	15	13.7	201.9	39.83	190.6	37.44	179.2	34.95	173.6	33.76	167.8	32.56	156.5	30.26

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2000W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	140.5	62.92	139.8	64.39	139.8	65.86	139.8	66.60	139.8	67.42	136.2	66.69
	-18.8	-19	142.6	63.38	142.6	64.85	141.9	66.32	141.9	67.06	141.9	67.88	136.2	65.31
	-16.7	-17	148.3	64.39	148.3	65.86	147.6	67.33	147.6	68.07	146.2	60.62	136.2	62.27
	-13.7	-15	154.6	65.49	154.0	66.96	154.0	68.34	151.2	67.33	146.2	64.57	136.2	59.24
	-11.8	-13	161.0	66.60	161.0	67.98	156.8	66.32	151.2	63.74	146.2	61.17	136.2	56.11
	-9.8	-11	168.8	67.70	166.8	67.70	156.8	62.64	151.2	60.25	146.2	57.86	136.2	53.07
	-9.5	-10	173.1	68.34	166.8	65.68	156.8	60.80	151.2	58.50	146.2	56.20	136.2	51.60
	-8.5	-9.1	176.6	68.71	166.8	63.93	156.8	59.24	151.2	56.94	146.2	54.73	136.2	50.32
	-7	-7.6	176.6	65.58	166.8	61.08	156.8	56.66	151.2	54.55	146.2	52.34	136.2	48.20
	-5	-5.6	176.6	61.63	166.8	57.49	156.8	53.35	151.2	51.23	146.2	60.62	136.2	45.44
	-3	-3.7	176.6	58.04	166.8	54.18	156.8	50.32	151.2	48.38	146.2	46.54	136.2	42.96
	0	-0.7	176.6	52.80	166.8	49.40	156.8	45.90	151.2	44.24	146.2	42.59	136.2	39.37
	3	2.2	176.6	48.29	166.8	45.16	156.8	42.13	151.2	40.56	146.2	39.09	136.2	36.15
	5	4.1	176.6	45.53	166.8	42.59	156.8	39.83	151.2	38.36	146.2	36.98	136.2	34.22
60%	7	6	176.6	43.05	166.8	40.29	156.8	37.62	151.2	36.33	146.2	35.05	136.2	32.47
	9	7.9	176.6	40.66	166.8	38.17	156.8	35.60	151.2	34.40	146.2	33.21	136.2	30.81
	11	9.8	176.6	38.45	166.8	36.06	156.8	33.76	151.2	32.65	146.2	31.55	136.2	29.25
	13	11.8	176.6	36.33	166.8	34.13	156.8	31.92	151.2	30.91	146.2	29.80	136.2	27.78
	15	13.7	176.6	34.49	166.8	32.38	156.8	30.35	151.2	29.34	146.2	28.33	136.2	26.49
	-19.8	-20	140.1	66.69	139.4	67.98	134.4	65.40	130.2	62.82	125.9	60.34	117.3	55.28
	-18.8	-19	142.2	67.15	142.2	68.44	134.4	64.02	130.2	61.45	125.9	58.96	117.3	54.18
	-16.7	-17	147.9	68.07	142.9	65.86	134.4	61.08	130.2	58.69	125.9	56.39	117.3	51.79
	-13.7	-15	151.5	67.33	142.9	62.55	134.4	58.04	130.2	55.83	125.9	53.63	117.3	49.30
	-11.8	-13	151.5	63.65	142.9	59.24	134.4	55.01	130.2	52.98	125.9	50.87	117.3	47.10
	-9.8	-11	151.5	60.16	142.9	56.02	134.4	52.06	130.2	50.13	125.9	48.20	117.3	44.43
	-9.5	-10	151.5	58.50	142.9	54.55	134.4	50.59	130.2	48.75	125.9	46.91	117.3	43.23
	-8.5	-9.1	151.5	56.94	142.9	53.07	134.4	49.40	130.2	47.56	125.9	45.72	117.3	42.13
	-7	-7.6	151.5	54.45	142.9	50.87	134.4	47.28	130.2	45.53	125.9	43.78	117.3	40.47
	-5	-5.6	151.5	51.23	142.9	47.92	134.4	44.61	130.2	42.96	125.9	41.39	117.3	38.27
50%	-3	-3.7	151.5	48.38	142.9	45.26	134.4	42.13	130.2	40.66	125.9	39.19	117.3	36.24
	0	-0.7	151.5	44.24	142.9	41.39	134.4	38.63	130.2	37.35	125.9	35.97	117.3	33.30
	3	2.2	151.5	40.56	142.9	38.08	134.4	35.60	130.2	34.31	125.9	33.11	117.3	30.72
	5	4.1	151.5	38.36	142.9	35.97	134.4	33.67	130.2	32.56	125.9	31.37	117.3	29.16
	7	6	151.5	36.33	142.9	34.13	134.4	31.92	130.2	30.81	125.9	29.80	117.3	27.69
	9	7.9	151.5	34.40	142.9	32.29	134.4	30.26	130.2	29.34	125.9	28.24	117.3	26.40
	11	9.8	151.5	32.65	142.9	30.72	134.4	28.79	130.2	27.87	125.9	26.86	117.3	25.11
	13	11.8	151.5	30.81	142.9	29.07	134.4	27.32	130.2	26.49	125.9	25.57	117.3	23.92
	15	13.7	151.5	29.34	142.9	27.60	134.4	26.03	130.2	25.20	125.9	24.38	117.3	22.81
	-19.8	-20	126.2	60.71	119.1	56.48	112.0	52.43	107.8	50.50	104.2	48.57	97.1	44.70
	-18.8	-19	126.2	59.33	119.1	55.28	112.0	51.42	107.8	49.49	104.2	47.56	97.1	43.88
	-16.7	-17	126.2	56.66	119.1	52.80	112.0	49.12	107.8	47.28	104.2	45.53	97.1	42.04
	-13.7	-15	126.2	53.90	119.1	50.32	112.0	46.82	107.8	45.07	104.2	43.42	97.1	40.10
	-11.8	-13	126.2	51.23	119.1	47.83	112.0	44.52	107.8	42.86	104.2	41.30	97.1	38.17
	-9.8	-11	126.2	48.48	119.1	45.35	112.0	42.22	107.8	40.66	104.2	39.19	97.1	36.33
	-9.5	-10	126.2	47.19	119.1	44.06	112.0	41.12	107.8	39.64	104.2	38.17	97.1	35.32
	-8.5	-9.1	126.2	45.99	119.1	43.05	112.0	40.10	107.8	38.73	104.2	37.35	97.1	34.49
	-7	-7.6	126.2	44.06	119.1	41.30	112.0	38.45	107.8	37.16	104.2	35.87	97.1	33.21
	-5	-5.6	126.2	41.58	119.1	39.00	112.0	36.43	107.8	35.23	104.2	33.94	97.1	31.46
	-3	-3.7	126.2	39.37	119.1	36.98	112.0	34.49	107.8	33.39	104.2	32.19	97.1	29.89
	0	-0.7	126.2	36.15	119.1	33.94	112.0	31.83	107.8	30.72	104.2	29.71	97.1	27.60
	3	2.2	126.2	33.30	119.1	31.27	112.0	29.34	107.8	28.33	104.2	27.41	97.1	25.57
	5	4.1	126.2	31.55	119.1	29.71	112.0	27.87	107.8	26.95	104.2	26.12	97.1	24.28
	7	6	126.2	29.99	119.1	28.24	112.0	26.49	107.8	25.66	104.2	24.84	97.1	23.18
	9	7.9	126.2	28.42	119.1	26.86	112.0	25.20	107.8	24.47	104.2	23.64	97.1	22.08
	11	9.8	126.2	27.04	119.1	25.48	112.0	24.01	107.8	23.27	104.2	22.54	97.1	21.06
	13	11.8	126.2	25.76	119.1	24.28	112.0	22.81	107.8	22.17	104.2	21.43	97.1	20.14
	15	13.7	126.2	24.47	119.1	23.18	112.0	21.80	107.8	21.16	104.2	20.51	97.1	19.22

74HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2050W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	15.0	41.62	14.9	44.59	14.9	47.57	14.9	49.01	14.8	50.44	14.8	53.42
	-18.8	-19	15.2	42.58	15.1	45.46	15.1	48.43	15.1	49.87	15.1	51.21	15.0	54.18
	-16.7	-17	15.8	44.59	15.7	47.38	15.7	50.16	15.7	51.50	15.7	52.94	15.6	55.72
	-13.7	-15	16.5	46.61	16.4	49.29	16.3	51.98	16.3	53.32	16.2	54.66	16.2	57.35
	-11.8	-13	17.1	48.72	17.1	51.31	17.1	53.80	17.0	55.14	17.0	56.49	16.9	58.98
	-9.8	-11	17.9	50.83	17.9	53.32	17.8	55.72	17.8	56.97	17.8	58.21	17.7	60.71
	-9.5	-10	18.4	51.98	18.3	54.28	18.2	56.68	18.2	57.93	18.2	59.08	18.2	61.47
	-8.5	-9.1	18.7	52.84	18.7	55.14	18.7	57.54	18.6	58.69	18.6	59.84	18.5	62.24
	-7	-7.6	19.4	54.38	19.4	56.68	19.3	58.88	19.3	60.03	19.3	61.09	19.2	63.39
	-5	-5.6	20.4	56.49	20.4	58.60	20.3	60.71	20.3	61.86	20.2	62.82	20.2	64.93
	-3	-3.7	21.4	58.31	21.3	60.32	21.3	62.34	21.2	63.39	21.2	64.45	21.2	66.36
	0	-0.7	23.1	61.09	23.1	63.01	23.0	64.83	23.0	65.60	22.9	66.75	22.9	68.67
	3	2.2	24.9	63.68	24.8	65.41	24.8	67.13	24.8	67.99	24.8	68.95	24.7	70.58
	5	4.1	26.2	65.21	26.1	66.94	26.1	68.57	26.0	69.43	26.0	70.20	25.9	71.83
120%	7	6	27.5	66.84	27.4	68.28	27.4	69.91	27.3	70.68	27.3	71.45	26.2	68.67
	9	7.9	28.9	68.19	28.8	69.72	28.8	71.16	28.7	71.93	28.1	70.39	26.2	64.45
	11	9.8	30.4	69.53	30.3	70.97	30.1	71.83	29.1	69.05	28.1	66.17	26.2	60.71
	13	11.8	32.0	70.87	31.9	72.21	30.1	67.32	29.1	64.64	28.1	62.14	26.2	56.97
	15	13.7	33.5	72.12	32.0	68.38	30.1	63.39	29.1	60.99	28.1	58.50	26.2	53.80
	-19.8	-20	14.9	45.65	14.8	48.33	14.8	51.12	14.8	52.36	14.8	53.80	14.7	56.49
	-18.8	-19	15.1	46.51	15.1	49.20	15.1	51.88	15.0	53.13	15.0	54.57	14.9	57.25
	-16.7	-17	15.7	48.33	15.7	50.92	15.6	53.42	15.6	54.76	15.6	56.10	15.5	58.60
	-13.7	-15	16.4	50.25	16.3	52.75	16.2	55.14	16.2	56.49	16.2	57.64	16.2	60.13
	-11.8	-13	17.1	52.17	17.1	54.57	17.0	56.87	17.0	58.12	16.9	59.27	16.9	61.67
	-9.8	-11	17.9	54.18	17.8	56.39	17.8	58.69	17.7	59.84	17.7	60.90	17.6	63.20
	-9.5	-10	18.3	55.14	18.2	57.35	18.2	59.56	18.2	60.71	18.2	61.76	18.1	63.97
	-8.5	-9.1	18.7	56.01	18.6	58.12	18.6	60.32	18.5	61.38	18.5	62.53	18.4	64.64
	-7	-7.6	19.3	57.45	19.3	59.56	19.3	61.57	19.3	62.62	19.2	63.68	19.2	65.69
	-5	-5.6	20.4	59.27	20.3	61.28	20.2	63.30	20.2	64.25	20.2	65.31	20.1	67.13
110%	-3	-3.7	21.3	61.09	21.3	63.01	21.2	64.83	21.2	65.69	21.2	66.75	21.2	68.57
	0	-0.7	23.0	63.68	23.0	65.41	22.9	67.13	22.9	67.99	22.9	68.86	22.9	70.58
	3	2.2	24.8	66.08	24.8	67.61	24.8	69.24	24.7	70.10	24.7	70.87	24.2	70.49
	5	4.1	26.1	67.52	26.0	69.05	26.0	70.58	25.9	71.35	25.9	72.12	24.2	66.17
	7	6	27.4	68.86	27.4	70.30	27.3	71.74	26.9	70.78	26.0	67.90	24.2	62.24
	9	7.9	28.8	70.20	28.7	71.64	27.8	69.24	26.9	66.46	26.0	63.78	24.2	58.60
	11	9.8	30.3	71.45	29.5	70.20	27.8	65.12	26.9	62.62	26.0	60.03	24.2	55.24
	13	11.8	31.4	70.78	29.5	65.88	27.8	61.09	26.9	58.79	26.0	56.49	24.2	51.98
	15	13.7	31.4	66.65	29.5	62.05	27.8	57.64	26.9	55.34	26.0	53.23	24.2	49.01
	-19.8	-20	14.8	49.68	14.8	52.08	14.7	54.57	14.7	55.82	14.7	57.06	14.6	59.56
	-18.8	-19	15.1	50.44	15.0	52.84	15.0	55.34	15.0	56.49	14.9	57.73	14.9	60.23
	-16.7	-17	15.7	52.08	15.6	54.47	15.8	56.87	15.5	58.02	15.5	59.17	15.4	61.47
	-13.7	-15	16.3	53.90	16.2	56.10	16.2	58.40	16.2	59.56	16.2	60.71	16.1	62.91
	-11.8	-13	17.0	55.72	17.0	57.83	16.9	59.94	16.9	61.09	16.8	62.14	16.8	64.35
	-9.8	-11	17.8	57.45	17.7	59.56	17.7	61.57	17.6	62.62	17.6	63.68	17.6	65.69

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2050W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	14.8	53.61	14.7	55.82	14.7	58.12	14.6	59.27	14.6	60.32	14.6	62.62
	-18.8	-19	15.0	54.28	15.0	56.49	14.9	58.79	14.9	59.94	14.9	61.09	14.9	63.30
	-16.7	-17	15.6	55.82	15.5	58.02	15.5	60.13	15.4	61.19	15.4	62.24	15.4	64.45
	-13.7	-15	16.2	57.45	16.2	59.56	16.1	61.57	16.1	62.62	16.1	63.68	16.0	65.69
	-11.8	-13	16.9	59.17	16.9	61.09	16.8	63.01	16.8	64.06	16.8	65.02	16.8	67.04
	-9.8	-11	17.7	60.71	17.6	62.62	17.6	64.54	17.6	65.50	17.6	66.36	17.6	68.28
	-9.5	-10	18.2	61.57	18.1	63.39	18.1	65.21	18.0	66.17	18.0	67.13	17.9	68.95
	-8.5	-9.1	18.5	62.24	18.4	64.16	18.4	65.88	18.4	66.75	18.4	67.71	18.4	69.43
	-7	-7.6	19.2	63.49	19.2	65.21	19.1	66.94	19.1	67.90	19.1	68.67	19.0	70.49
	-5	-5.6	20.2	65.12	20.1	66.75	20.1	68.38	20.1	69.15	20.1	70.01	20.0	71.74
	-3	-3.7	21.2	66.56	21.2	68.42	21.1	69.72	21.1	70.49	21.1	71.26	20.2	68.28
	0	-0.7	22.9	68.67	22.9	70.20	22.8	71.64	22.4	70.49	21.7	67.52	20.2	61.95
	3	2.2	24.7	70.68	24.6	72.02	23.2	66.65	22.4	64.06	21.7	61.47	20.2	56.49
	5	4.1	25.9	72.02	24.6	67.61	23.2	62.62	22.4	60.32	21.7	57.93	20.2	53.23
	7	6	26.1	68.28	24.6	63.58	23.15	58.98	22.4	56.77	21.7	54.57	20.2	50.16
	9	7.9	26.1	64.16	24.6	59.84	23.2	55.53	22.4	52.75	21.7	51.40	20.2	47.38
	11	9.8	26.1	60.42	24.6	56.39	23.2	52.36	22.4	50.44	21.7	48.53	20.2	44.69
	13	11.8	26.1	56.77	24.6	53.03	23.2	49.29	22.4	47.47	21.7	45.75	20.2	42.20
	15	13.7	26.1	53.51	24.6	50.06	23.2	46.61	22.4	44.88	21.7	43.16	20.2	39.99
90%	-19.8	-20	14.7	57.64	14.6	59.56	14.6	61.67	14.5	62.62	14.5	63.68	14.5	65.69
	-18.8	-19	14.9	58.21	14.9	60.32	14.8	62.24	14.8	63.30	14.8	64.25	14.7	66.27
	-16.7	-17	15.5	59.65	15.4	61.57	15.4	63.49	15.4	64.45	15.3	65.41	15.3	67.32
	-13.7	-15	16.1	61.09	16.1	63.01	16.1	64.83	16.0	65.69	16.0	66.65	16.0	68.47
	-11.8	-13	16.8	62.62	16.8	64.35	16.7	66.08	16.7	67.04	16.7	67.90	16.7	69.63
	-9.8	-11	17.6	64.06	17.6	65.69	17.5	67.42	17.5	68.28	17.5	69.15	17.5	70.87
	-9.5	-10	18.0	64.83	18.0	66.46	18.0	68.09	17.9	68.95	17.9	69.82	17.9	71.35
	-8.5	-9.1	18.4	65.50	18.4	67.13	18.3	68.67	18.3	69.43	18.3	70.30	18.1	70.97
	-7	-7.6	19.1	66.56	19.1	68.09	19.0	69.72	19.0	70.49	19.0	71.26	18.1	67.80
	-5	-5.6	20.1	67.99	20.0	69.43	20.0	70.97	20.0	71.74	19.4	69.43	18.1	63.68
	-3	-3.7	21.1	69.34	21.1	70.68	20.8	70.97	20.1	68.19	19.4	65.41	18.1	60.03
	0	-0.7	22.8	71.35	22.2	69.53	20.8	64.45	20.1	61.86	19.4	59.46	18.1	54.57
	3	2.2	23.5	67.90	22.2	63.30	20.8	58.69	20.1	56.49	19.4	54.18	18.1	49.97
	5	4.1	23.5	63.87	22.2	59.56	20.8	55.34	20.1	53.13	19.4	51.21	18.1	47.09
	7	6	23.5	60.03	22.2	56.10	20.8	52.08	20.1	50.16	19.4	48.24	18.1	44.50
	9	7.9	23.5	56.58	22.2	52.75	20.8	49.10	20.1	47.38	19.4	45.55	18.1	42.10
	11	9.8	23.5	53.32	22.2	49.77	20.8	46.42	20.1	44.69	19.4	43.06	18.1	39.80
	13	11.8	23.5	50.16	22.2	46.99	20.8	43.73	20.1	42.20	19.4	40.66	18.1	37.59
	15	13.7	23.5	47.38	22.2	44.31	20.8	41.43	20.1	39.99	19.4	38.55	18.1	35.68
80%	-19.8	-20	14.6	61.57	14.6	63.39	14.6	65.21	14.6	66.08	14.5	67.04	14.5	68.76
	-18.8	-19	14.8	62.14	14.8	63.97	14.8	65.69	14.8	66.65	14.8	67.52	14.7	69.34
	-16.7	-17	15.4	63.39	15.4	65.12	15.4	66.84	15.4	67.71	15.4	68.57	15.3	70.20
	-13.7	-15	16.1	64.73	16.0	66.36	16.0	67.99	16.0	68.76	15.9	69.63	15.9	71.35
	-11.8	-13	16.8	65.98	16.8	67.61	16.7	69.15	16.7	69.91	16.7	70.78	16.2	68.86
	-9.8	-11	17.6	67.32	17.6	68.86	17.5	70.39	17.5	71.06	17.3	70.97	16.2	65.02
	-9.5	-10	18.0	67.99	17.9	69.43	17.9	70.97	17.9	71.74	17.3	68.86	16.2	63.10
	-8.5	-9.1	18.4	68.67	17.1	70.10	18.3	71.45	17.9	69.82	17.3	67.04	16.2	61.47
	-7	-7.6	19.0	69.63	19.0	70.97	18.5	69.43	17.9	66.75	17.3	64.06	16.2	58.79
	-5	-5.6	20.1	70.87	19.7	70.49	18.5	65.21	17.9	62.72	17.3	60.23	16.2	55.34
	-3	-3.7	20.9	71.26	19.7	66.36	18.5	61.47	17.9	59.17	17.3	56.77	16.2	52.27
	0	-0.7	20.9	64.64	19.7	60.23	18.5	55.91	17.9	53.80	17.3	51.69	16.2	47.66
	3	2.2	20.9	58.88	19.7	54.95	18.5	51.12	17.9	49.20	17.3	47.38	16.2	43.64
	5	4.1	20.9	55.43	19.7	51.79	18.5	48.14	17.9	46.42	17.3	44.69	16.2	41.24
	7	6	20.9	52.27	19.7	48.91	18.5	45.46	17.9	43.92	17.3	42.29	16.2	39.03
	9	7.9	20.9	49.29	19.7	46.13	18.5	42.96	17.9	41.43	17.3	39.99	16.2	37.02
	11	9.8	20.9	46.61	19.7	43.54	18.5	40.66	17.9	39.22	17.3	37.88	16.2	35.10
	13	11.8	20.9	43.92	19.7	41.14	18.5	38.46	17.9	37.11	17.3	35.77	16.2	33.18
	15	13.7	20.9	41.53	19.7	39.03	18.5	36.44	17.9	35.20	17.3	33.95	16.2	31.55

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2050W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	14.5	65.60	14.4	67.13	14.4	68.67	14.4	69.43	14.4	70.30	14.1	69.53
	-18.8	-19	14.7	66.08	14.7	67.61	14.7	69.15	14.7	69.91	14.7	70.78	14.1	68.09
	-16.7	-17	15.3	67.13	15.3	68.67	15.3	70.20	15.3	70.97	15.1	63.20	14.1	64.93
	-13.7	-15	16.0	68.28	15.9	69.82	15.9	71.26	15.6	70.20	15.1	67.32	14.1	61.76
	-11.8	-13	16.6	69.43	16.6	70.87	16.2	69.15	15.6	66.46	15.1	63.78	14.1	58.50
	-9.8	-11	17.4	70.58	17.2	70.58	16.2	65.31	15.6	62.82	15.1	60.32	14.1	55.34
	-9.5	-10	17.9	71.26	17.2	68.47	16.2	63.39	15.6	60.99	15.1	58.60	14.1	53.80
	-8.5	-9.1	18.3	71.64	17.2	66.65	16.2	61.76	15.6	59.36	15.1	57.06	14.1	52.46
	-7	-7.6	18.3	68.38	17.2	63.68	16.2	59.08	15.6	56.87	15.1	54.57	14.1	50.25
	-5	-5.6	18.3	64.25	17.2	59.94	16.2	55.62	15.6	53.42	15.1	63.20	14.1	47.38
	-3	-3.7	18.3	60.51	17.2	56.49	16.2	52.46	15.6	50.44	15.1	48.53	14.1	44.79
	0	-0.7	18.3	55.05	17.2	51.50	16.2	47.86	15.6	46.13	15.1	44.40	14.1	41.05
	3	2.2	18.3	50.35	17.2	47.09	16.2	43.92	15.6	42.29	15.1	40.76	14.1	37.69
	5	4.1	18.3	47.47	17.2	44.40	16.2	41.53	15.6	39.99	15.1	38.55	14.1	35.68
	7	6	18.3	44.88	17.2	42.01	16.2	39.22	15.6	37.88	15.1	36.54	14.1	33.85
60%	9	7.9	18.3	42.39	17.2	39.80	16.2	37.11	15.6	35.87	15.1	34.62	14.1	32.13
	11	9.8	18.3	40.09	17.2	37.59	16.2	35.20	15.6	34.05	15.1	32.89	14.1	30.50
	13	11.8	18.3	37.88	17.2	35.58	16.2	33.28	15.6	32.22	15.1	31.07	14.1	28.96
	15	13.7	18.3	35.96	17.2	33.76	16.2	31.65	15.6	30.59	15.1	29.54	14.1	27.62
	-19.8	-20	14.5	69.53	14.4	70.87	13.9	68.19	13.5	65.50	13.0	62.91	12.1	57.64
	-18.8	-19	14.7	70.01	14.7	71.35	13.9	66.75	13.5	64.06	13.0	61.47	12.1	56.49
	-16.7	-17	15.3	70.97	14.8	68.67	13.9	63.68	13.5	61.19	13.0	58.79	12.1	53.99
	-13.7	-15	15.7	70.20	14.8	65.21	13.9	60.51	13.5	58.21	13.0	55.91	12.1	51.40
	-11.8	-13	15.7	66.36	14.8	61.76	13.9	57.35	13.5	55.24	13.0	53.03	12.1	49.10
	-9.8	-11	15.7	62.72	14.8	58.40	13.9	54.28	13.5	52.27	13.0	50.25	12.1	46.32
	-9.5	-10	15.7	60.99	14.8	56.87	13.9	52.75	13.5	50.83	13.0	48.91	12.1	45.07
	-8.5	-9.1	15.7	59.36	14.8	55.34	13.9	51.50	13.5	49.58	13.0	47.66	12.1	43.92
	-7	-7.6	15.7	56.77	14.8	53.03	13.9	49.29	13.5	47.47	13.0	45.65	12.1	42.20
	-5	-5.6	15.7	53.42	14.8	49.97	13.9	46.51	13.5	44.79	13.0	43.16	12.1	39.90
	-3	-3.7	15.7	50.44	14.8	47.18	13.9	43.92	13.5	42.39	13.0	40.85	12.1	37.79
50%	0	-0.7	15.7	46.13	14.8	43.16	13.9	40.28	13.5	38.94	13.0	37.50	12.1	34.72
	3	2.2	15.7	42.29	14.8	39.70	13.9	37.11	13.5	35.77	13.0	34.52	12.1	32.03
	5	4.1	15.7	39.99	14.8	37.50	13.9	35.10	13.5	33.95	13.0	32.70	12.1	30.40
	7	6	15.7	37.88	14.8	35.58	13.9	33.28	13.5	32.13	13.0	31.07	12.1	28.87
	9	7.9	15.7	35.87	14.8	33.66	13.9	31.55	13.5	30.59	13.0	29.44	12.1	27.52
	11	9.8	15.7	34.05	14.8	32.03	13.9	30.02	13.5	29.06	13.0	28.00	12.1	26.18
	13	11.8	15.7	32.13	14.8	30.31	13.9	28.48	13.5	27.62	13.0	26.66	12.1	24.93
	15	13.7	15.7	30.59	14.8	28.77	13.9	27.14	13.5	26.28	13.0	25.41	12.1	23.78
	-19.8	-20	13.0	63.30	12.3	58.88	11.6	54.66	11.1	52.65	10.8	50.64	10.0	46.61
	-18.8	-19	13.0	61.86	12.3	57.64	11.6	53.61	11.1	51.60	10.8	49.58	10.0	45.75
	-16.7	-17	13.0	59.08	12.3	55.05	11.6	51.21	11.1	49.29	10.8	47.47	10.0	43.83
	-13.7	-15	13.0	56.20	12.3	52.46	11.6	48.81	11.1	46.99	10.8	45.27	10.0	41.81
	-11.8	-13	13.0	53.42	12.3	49.87	11.6	46.42	11.1	44.69	10.8	43.06	10.0	39.80
	-9.8	-11	13.0	50.54	12.3	47.28	11.6	44.02	11.1	42.39	10.8	40.85	10.0	37.88
	-9.5	-10	13.0	49.20	12.3	45.94	11.6	42.87	11.1	41.33	10.8	39.80	10.0	36.83
	-8.5	-9.1	13.0	47.95	12.3	44.88	11.6	41.81	11.1	40.37	10.8	38.94	10.0	35.96

76HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2100W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	154.1	43.16	153.4	46.24	152.7	49.33	152.7	50.82	151.9	52.31	151.9	55.39
	-18.8	-19	156.4	44.15	155.7	47.14	155.7	50.22	154.9	51.71	154.9	53.10	154.1	56.19
	-16.7	-17	162.5	46.24	161.7	49.13	161.0	52.01	161.0	53.40	161.0	54.89	160.2	57.78
	-13.7	-15	169.2	48.33	168.5	51.12	167.7	53.90	167.7	55.29	167.0	56.68	167.0	59.47
	-11.8	-13	176.0	50.52	176.0	53.20	175.3	55.79	174.5	57.18	174.5	58.57	173.7	61.16
	-9.8	-11	184.4	52.71	183.6	55.29	182.8	57.78	182.8	59.07	182.8	60.36	182.1	62.95
	-9.5	-10	188.9	53.90	188.1	56.29	187.4	58.77	187.4	60.07	186.6	61.26	186.6	63.75
	-8.5	-9.1	192.7	54.80	191.9	57.18	191.9	59.67	191.2	60.86	191.2	62.06	190.4	64.54
	-7	-7.6	199.5	56.39	199.5	58.77	198.7	61.06	198.7	62.25	198.0	63.35	197.2	65.73
	-5	-5.6	210.1	58.57	209.3	60.76	208.6	62.95	208.6	64.14	207.8	65.14	207.8	67.33
	-3	-3.7	219.8	60.46	219.1	62.55	219.1	64.64	218.3	65.73	218.3	66.83	217.5	68.82
	0	-0.7	237.2	63.35	237.2	65.34	236.5	67.23	236.5	68.02	235.7	69.22	235.7	71.20
	3	2.2	256.1	66.03	255.4	67.82	254.7	69.61	254.7	70.51	254.7	71.50	253.9	73.19
	5	4.1	268.9	67.62	268.2	69.41	268.2	71.10	267.4	72.00	267.4	72.80	266.7	74.49
	7	6	282.6	69.31	281.8	70.81	281.8	72.50	281.0	73.29	281.0	74.09	269.7	71.20
120%	9	7.9	296.9	70.71	296.2	72.30	296.2	73.79	295.4	74.59	289.4	72.99	269.7	66.83
	11	9.8	312.0	72.10	311.3	73.59	309.8	74.49	299.2	71.60	289.4	68.62	269.7	62.95
	13	11.8	328.6	73.49	327.9	74.88	309.8	69.81	299.2	67.03	289.4	64.44	269.7	59.07
	15	13.7	344.5	74.78	329.4	70.91	309.8	65.73	299.2	63.25	289.4	60.66	269.7	55.79
	-19.8	-20	153.4	47.34	152.6	50.12	151.9	53.01	151.9	54.30	151.9	55.79	151.1	58.57
	-18.8	-19	155.7	48.23	154.9	51.02	154.9	53.80	154.2	55.09	154.2	56.59	153.4	59.37
	-16.7	-17	161.7	50.12	161.0	52.81	159.9	55.39	160.2	56.78	160.2	58.18	159.5	60.76
	-13.7	-15	168.5	52.11	167.7	54.70	167.0	57.18	167.0	58.57	167.0	59.77	166.2	62.35
	-11.8	-13	175.3	54.10	175.3	56.59	174.5	58.97	174.5	60.26	173.8	61.46	173.8	63.94
	-9.8	-11	183.6	56.19	182.8	58.47	182.8	60.86	182.1	62.06	182.1	63.15	181.3	65.54
	-9.5	-10	188.2	57.18	187.4	59.47	186.6	61.76	186.6	62.95	186.6	64.04	185.9	66.33
	-8.5	-9.1	191.9	58.08	191.2	60.26	191.2	62.55	190.4	63.65	190.4	64.84	189.6	67.03
	-7	-7.6	198.7	59.57	198.7	61.76	198.0	63.85	198.0	64.94	197.2	66.03	197.2	68.12
	-5	-5.6	209.3	61.46	208.6	63.55	207.8	65.64	207.8	66.63	207.8	67.72	207.1	69.61
	-3	-3.7	219.1	63.35	219.1	65.34	218.3	67.23	218.3	68.12	217.6	69.22	217.6	71.10
	0	-0.7	236.5	66.03	236.5	67.82	235.7	69.61	235.7	70.51	235.0	71.40	235.0	73.19
110%	3	2.2	255.4	68.52	254.7	70.11	254.7	71.80	253.9	72.70	253.9	73.49	248.6	73.09
	5	4.1	268.2	70.01	267.4	71.60	267.4	73.19	266.7	73.99	266.7	74.78	248.6	68.62
	7	6	281.8	71.40	281.8	72.89	281.1	74.39	276.5	73.39	267.4	70.41	248.6	64.54
	9	7.9	296.2	72.80	295.5	74.29	285.6	71.80	276.5	68.92	267.4	66.13	248.6	60.76
	11	9.8	311.3	74.09	303.8	72.80	285.6	67.52	276.5	64.94	267.4	62.25	248.6	57.28
	13	11.8	322.6	73.39	303.8	68.32	285.6	63.35	276.5	60.96	267.4	58.57	248.6	53.90
	15	13.7	322.6	69.12	303.8	64.34	285.6	59.77	276.5	57.38	267.4	55.19	248.6	50.82
	-19.8	-20	152.6	51.51	151.9	54.00	151.1	56.59	151.1	57.88	151.2	59.17	150.4	61.76
	-18.8	-19	154.9	52.31	154.2	54.80	154.2	57.38	154.2	58.57	153.4	59.87	153.4	62.45
	-16.7	-17	161.0	54.00	160.2	56.49	162.5	58.97	159.5	60.17	159.5	61.36	158.7	63.75
	-13.7	-15	167.7	55.89	167.0	58.18	166.2	60.56	166.2	61.76	166.2	62.95	165.5	65.24
	-11.8	-13	174.5	57.78	174.5	59.97	173.7	62.15	173.7	63.35	173.0	64.44	173.0	66.73
	-9.8	-11	182.8	59.57	182.1	61.76	182.1	63.85	181.3	64.94	181.3	66.03	181.3	68.12
	-9.5	-10	187.4	60.56	186.6	62.55	185.8	64.74	185.8	65.73	185.8	66.83	185.1	68.92
	-8.5	-9.1	191.2	61.36	190.4	63.35	190.4	65.44	189.6	66.53	189.6	67.52	189.6	70.61
	-7	-7.6	198.0	62.75	198.0	64.64	197.2	66.63	197.2	67.62	197.2	68.62	196.5	70.61

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2100W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	151.9	55.59	151.1	57.88	151.1	60.26	150.4	61.46	150.4	62.55	149.6	64.94
	-18.8	-19	154.2	56.29	154.2	58.57	153.4	60.96	153.4	62.15	152.7	63.35	152.7	65.64
	-16.7	-17	160.2	57.88	159.4	60.17	159.4	62.35	158.7	63.45	158.7	64.54	158.7	66.83
	-13.7	-15	167.0	59.57	166.2	61.76	165.5	63.85	165.5	64.94	165.5	66.03	164.7	68.12
	-11.8	-13	173.8	61.36	173.8	63.35	173.0	65.34	173.0	66.43	173.0	67.43	172.2	69.51
	-9.8	-11	182.1	62.95	181.3	64.94	181.3	66.93	181.3	67.92	180.5	68.82	180.5	70.81
	-9.5	-10	186.6	63.85	185.9	65.73	185.9	67.62	185.1	68.62	185.1	69.61	184.3	71.50
	-8.5	-9.1	190.4	64.54	189.6	66.53	189.6	68.32	189.6	69.22	188.9	70.21	188.9	72.00
	-7	-7.6	197.2	65.83	197.2	67.62	196.5	69.41	196.5	70.41	196.5	71.20	195.7	73.09
	-5	-5.6	207.8	67.52	207.0	69.22	207.0	70.91	206.3	71.70	206.3	72.60	205.5	74.39
	-3	-3.7	217.6	69.02	217.6	70.65	216.8	72.30	216.8	73.09	216.8	73.89	207.8	70.81
	0	-0.7	235.0	71.20	235.0	72.80	234.2	74.29	230.4	73.09	222.9	70.01	207.8	64.24
	3	2.2	253.9	73.29	253.1	74.68	238.0	69.12	230.4	66.43	222.9	63.75	207.8	58.57
	5	4.1	266.7	74.68	253.1	70.11	238.0	64.94	230.4	62.55	222.9	60.07	207.8	55.19
	7	6	268.2	70.81	253.1	65.93	238.0	61.16	230.4	58.87	222.9	56.59	207.8	52.01
	9	7.9	268.2	66.53	253.1	62.06	238.0	57.58	230.4	54.70	222.9	53.30	207.8	49.13
	11	9.8	268.2	62.65	253.1	58.47	238.0	54.30	230.4	52.31	222.9	50.32	207.8	46.34
	13	11.8	268.2	58.87	253.1	54.99	238.0	51.12	230.4	49.23	222.9	47.44	207.8	43.76
	15	13.7	268.2	55.49	253.1	51.91	238.0	48.33	230.4	46.54	222.9	44.75	207.8	41.47
90%	-19.8	-20	150.8	59.77	150.1	61.76	150.1	63.94	149.3	64.94	149.3	66.03	149.3	68.12
	-18.8	-19	153.1	60.36	153.1	62.55	152.3	64.54	152.3	65.64	152.3	66.63	151.6	68.72
	-16.7	-17	159.1	61.86	158.4	63.85	158.4	65.83	158.4	66.83	157.6	67.82	157.6	69.81
	-13.7	-15	165.9	63.35	165.2	65.34	165.2	67.23	164.4	68.12	164.4	69.12	164.4	71.01
	-11.8	-13	172.7	64.94	172.7	66.73	172.0	68.52	172.0	69.51	172.0	70.41	171.2	72.20
	-9.8	-11	181.1	66.43	181.1	68.12	180.3	69.91	180.3	70.81	180.3	71.70	179.5	73.49
	-9.5	-10	185.6	67.23	184.8	68.92	184.8	70.61	184.1	71.50	184.1	72.40	184.1	73.99
	-8.5	-9.1	189.3	67.92	189.3	69.61	188.5	71.20	188.5	72.00	188.5	72.89	186.3	73.59
	-7	-7.6	196.1	69.02	196.1	70.61	195.3	72.30	195.3	73.09	195.3	73.89	186.3	70.31
	-5	-5.6	206.6	70.51	205.9	72.00	205.9	73.59	205.1	74.39	199.8	72.00	186.3	66.03
	-3	-3.7	216.5	71.90	216.5	73.29	214.2	73.59	206.6	70.71	199.8	67.82	186.3	62.25
	0	-0.7	234.6	73.99	227.8	72.10	214.2	66.83	206.6	64.14	199.8	61.66	186.3	56.59
	3	2.2	241.3	70.41	227.8	65.64	214.2	60.86	206.6	58.57	199.8	56.19	186.3	51.81
	5	4.1	241.3	66.23	227.8	61.76	214.2	57.38	206.6	55.09	199.8	53.10	186.3	48.83
	7	6	241.3	62.25	227.8	58.18	214.2	54.00	206.6	52.01	199.8	50.02	186.3	46.14
	9	7.9	241.3	58.67	227.8	54.70	214.2	50.92	206.6	49.13	199.8	47.24	186.3	43.66
	11	9.8	241.3	55.29	227.8	51.61	214.2	48.13	206.6	46.34	199.8	44.65	186.3	41.27
	13	11.8	241.3	52.01	227.8	48.73	214.2	45.35	206.6	43.76	199.8	42.17	186.3	38.98
	15	13.7	241.3	49.13	227.8	45.94	214.2	42.96	206.6	41.47	199.8	39.98	186.3	36.99
80%	-19.8	-20	150.4	63.85	149.6	65.73	149.6	67.62	149.6	68.52	148.8	69.51	148.8	71.30
	-18.8	-19	152.6	64.44	152.6	66.33	151.9	68.12	151.9	69.12	151.9	70.01	151.1	71.90
	-16.7	-17	158.7	65.73	158.0	67.52	158.0	69.31	158.0	70.21	158.0	71.10	157.2	72.80
	-13.7	-15	165.5	67.13	164.7	68.82	164.7	70.51	164.7	71.30	164.0	72.20	164.0	73.99
	-11.8	-13	172.2	68.42	172.2	70.11	171.5	71.70	171.5	72.50	171.5	73.39	166.2	71.40
	-9.8	-11	180.6	69.81	180.6	71.40	179.8	72.99	179.8	73.69	178.3	73.59	166.2	67.43
	-9.5	-10	185.1	70.51	184.3	72.00	184.4	73.59	184.4	74.39	178.3	71.40	166.2	65.44
	-8.5	-9.1	188.9	71.20	175.6	72.70	188.1	74.09	184.4	72.40	178.3	69.51	166.2	63.75
	-7	-7.6	195.7	72.20	195.7	73.59	190.4	72.00	184.4	69.22	178.3	66.43	166.2	60.96
	-5	-5.6	206.3	73.49	202.5	73.09	190.4	67.62	184.4	65.04	178.3	62.45	166.2	57.38
	-3	-3.7	214.6	73.89	202.5	68.82	190.4	63.75	184.4	61.36	178.3	58.87	166.2	54.20
	0	-0.7	214.6	67.03	202.5	62.45	190.4	57.98	184.4	55.79	178.3	53.60	166.2	49.43
	3	2.2	214.6	61.06	202.5	56.98	190.4	53.01	184.4	51.02	178.3	49.13	166.2	45.25
	5	4.1	214.6	57.48	202.5	53.70	190.4	49.92	184.4	48.13	178.3	46.34	166.2	42.76
	7	6	214.6	54.20	202.5	50.72	190.4	47.14	184.4	45.55	178.3	43.86	166.2	40.47
	9	7.9	214.6	51.12	202.5	47.83	190.4	44.55	184.4	42.96	178.3	41.47	166.2	38.39
	11	9.8	214.6	48.33	202.5	45.15	190.4	42.17	184.4	40.67	178.3	39.28	166.2	36.40
	13	11.8	214.6	45.55	202.5	42.66	190.4	39.88	184.4	38.49	178.3	37.09	166.2	34.41
	15	13.7	214.6	43.06	202.5	40.47	190.4	37.79	184.4	36.50	178.3	35.20	166.2	32.72

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2100W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	149.2	68.02	148.5	69.61	148.5	71.20	148.5	72.00	148.5	72.89	144.7	72.10
	-18.8	-19	151.5	68.52	151.5	70.11	150.7	71.70	150.7	72.50	150.7	73.39	144.7	70.61
	-16.7	-17	157.5	69.61	157.5	71.20	156.8	72.80	156.8	73.59	155.3	65.54	144.7	67.33
	-13.7	-15	164.3	70.81	163.6	72.40	163.6	73.89	160.6	72.80	155.3	69.81	144.7	64.04
	-11.8	-13	171.1	72.00	171.1	73.49	166.6	71.70	160.6	68.92	155.3	66.13	144.7	60.66
	-9.8	-11	179.4	73.19	177.2	73.19	166.6	67.72	160.6	65.14	155.3	62.55	144.7	57.38
	-9.5	-10	184.0	73.89	177.2	71.01	166.6	65.73	160.6	63.25	155.3	60.76	144.7	55.79
	-8.5	-9.1	187.7	74.29	177.2	69.12	166.6	64.04	160.6	61.56	155.3	59.17	144.7	54.40
	-7	-7.6	187.7	70.91	177.2	66.03	166.6	61.26	160.6	58.97	155.3	56.59	144.7	52.11
	-5	-5.6	187.7	66.63	177.2	62.15	166.6	57.68	160.6	55.39	155.3	55.54	144.7	49.13
	-3	-3.7	187.7	62.75	177.2	58.57	166.6	54.40	160.6	52.31	155.3	50.32	144.7	46.44
	0	-0.7	187.7	57.08	177.2	53.40	166.6	49.62	160.6	47.83	155.3	46.04	144.7	42.56
	3	2.2	187.7	52.21	177.2	48.83	166.6	45.55	160.6	43.86	155.3	42.27	144.7	39.08
	5	4.1	187.7	49.23	177.2	46.04	166.6	43.06	160.6	41.47	155.3	39.98	144.7	36.99
60%	7	6	187.7	46.54	177.2	43.56	166.6	40.67	160.6	39.28	155.3	37.89	144.7	35.10
	9	7.9	187.7	43.96	177.2	41.27	166.6	38.49	160.6	37.19	155.3	35.90	144.7	33.31
	11	9.8	187.7	41.57	177.2	38.98	166.6	36.50	160.6	35.30	155.3	34.11	144.7	31.62
	13	11.8	187.7	39.28	177.2	36.89	166.6	34.51	160.6	33.41	155.3	32.22	144.7	30.03
	15	13.7	187.7	37.29	177.2	35.01	166.6	32.82	160.6	31.72	155.3	30.63	144.7	28.64
	-19.8	-20	148.9	72.10	148.1	73.49	142.8	70.71	138.3	67.92	133.7	65.24	124.6	59.77
	-18.8	-19	151.1	72.60	151.1	73.99	142.8	69.22	138.3	66.43	133.7	63.75	124.6	58.57
	-16.7	-17	157.2	73.59	151.9	71.20	142.8	66.03	138.3	63.45	133.7	60.96	124.6	55.99
	-13.7	-15	161.0	72.80	151.9	67.62	142.8	62.75	138.3	60.36	133.7	57.98	124.6	53.30
	-11.8	-13	161.0	68.82	151.9	64.04	142.8	59.47	138.3	57.28	133.7	54.99	124.6	50.92
	-9.8	-11	161.0	65.04	151.9	60.56	142.8	56.29	138.3	54.20	133.7	52.11	124.6	48.03
	-9.5	-10	161.0	63.25	151.9	58.97	142.8	54.70	138.3	52.71	133.7	50.72	124.6	46.74
	-8.5	-9.1	161.0	61.56	151.9	57.38	142.8	53.40	138.3	51.41	133.7	49.43	124.6	45.55
	-7	-7.6	161.0	58.87	151.9	54.99	142.8	51.12	138.3	49.23	133.7	47.34	124.6	43.76
50%	-5	-5.6	161.0	55.39	151.9	51.81	142.8	48.23	138.3	46.44	133.7	44.75	124.6	41.37
	-3	-3.7	161.0	52.31	151.9	48.93	142.8	45.55	138.3	43.96	133.7	42.36	124.6	39.18
	0	-0.7	161.0	47.83	151.9	44.75	142.8	41.77	138.3	40.38	133.7	38.88	124.6	36.00
	3	2.2	161.0	43.86	151.9	41.17	142.8	38.49	138.3	37.09	133.7	35.80	124.6	33.22
	5	4.1	161.0	41.47	151.9	38.88	142.8	36.40	138.3	35.20	133.7	33.91	124.6	31.52
	7	6	161.0	39.28	151.9	36.89	142.8	34.51	138.3	33.31	133.7	32.22	124.6	29.93
	9	7.9	161.0	37.19	151.9	34.91	142.8	32.72	138.3	31.72	133.7	30.53	124.6	28.54
	11	9.8	161.0	35.30	151.9	33.22	142.8	31.13	138.3	30.13	133.7	29.04	124.6	27.15
	13	11.8	161.0	33.31	151.9	31.43	142.8	29.54	138.3	28.64	133.7	27.65	124.6	25.86
	15	13.7	161.0	31.72	151.9	29.83	142.8	28.14	138.3	27.25	133.7	26.35	124.6	24.66
	-19.8	-20	134.1	65.64	126.5	61.06	119.0	56.68	114.5	54.60	110.7	52.51	103.2	48.33
	-18.8	-19	134.1	64.14	126.5	59.77	119.0	55.59	114.5	53.50	110.7	51.41	103.2	47.44
	-16.7	-17	134.1	61.26	126.5	57.08	119.0	53.10	114.5	51.12	110.7	49.23	103.2	45.45
	-13.7	-15	134.1	58.28	126.5	54.40	119.0	50.62	114.5	48.73	110.7	46.94	103.2	43.36
	-11.8	-13	134.1	55.39	126.5	51.71	119.0	48.13	114.5	46.34	110.7	44.65	103.2	41.27
	-9.8	-11	134.1	52.41	126.5	49.03	119.0	45.65	114.5	43.96	110.7	42.36	103.2	39.28
	-9.5	-10	134.1	51.02	126.5	47.64	119.0	44.45	114.5	42.86	110.7	41.27	103.2	38.19
	-8.5	-9.1	134.1	49.72	126.5	46.54	119.0	43.36	114.5	41.87	110.7	40.38	103.2	37.29
	-7	-7.6	134.1	47.64	126.5	44.65	119.0	41.57	114.5	40.18	110.7	38.78	103.2	35.90
	-5	-5.6	134.1	44.95	126.5	42.17	119.0	39.38	114.5	38.09	110.7	36.70	103.2	34.01
	-3	-3.7	134.1	42.56	126.5	39.98	119.0	37.29	114.5	36.10	110.7	34.81	103.2	32.32
	0	-0.7	134.1	39.08	126.5	36.70	119.0	34.41	114.5	33.22	110.7	32.12	103.2	29.83
	3	2.2	134.1	36.00	126.5	33.81	119.0	31.72	114.5	30.63	110.7	29.64	103.2	27.65
	5	4.1	134.1	34.11	126.5	32.12	119.0	30.13	114.5	29.14	110.7	28.24	103.2	26.25
	7	6	134.1	32.42	126.5	30.53	119.0	28.64	114.5	27.75	110.7	26.85	103.2	25.06
	9	7.9	134.1	30.73	126.5	29.04	119.0	27.25	114.5	26.45	110.7	25.56	103.2	23.87
	11	9.8	134.1	29.24	126.5	27.55	119.0	25.96	114.5	25.16	110.7	24.36	103.2	22.77
	13	11.8	134.1	27.85	126.5	26.25	119.0	24.66	114.5	23.97	110.7	23.17	103.2	21.78
	15	13.7	134.1	26.45	126.5	25.06	119.0	23.57	114.5	22.87	110.7	22.18	103.2	20.78

78HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2150W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	158.0	44.28	157.2	47.44	156.5	50.60	156.5	52.13	155.7	53.66	155.7	56.82
	-18.8	-19	160.3	45.30	159.6	48.36	159.6	51.52	158.8	53.05	158.8	54.48	158.0	57.64
	-16.7	-17	166.6	47.44	165.7	50.40	165.0	53.35	165.0	54.78	165.0	56.31	164.2	59.27
	-13.7	-15	173.5	49.58	172.8	52.44	172.0	55.29	172.0	56.72	171.2	58.15	171.2	61.01
	-11.8	-13	180.5	51.82	180.5	54.58	179.7	57.23	178.9	58.66	178.9	60.09	178.1	62.74
	-9.8	-11	189.1	54.07	188.2	56.72	187.4	59.27	187.4	60.60	187.4	61.92	186.7	64.58
	-9.5	-10	193.7	55.29	192.9	57.74	192.1	60.29	192.1	61.62	191.3	62.84	191.3	65.39
	-8.5	-9.1	197.5	56.21	196.7	58.66	196.7	61.21	196.0	62.43	196.0	63.66	195.2	66.21
	-7	-7.6	204.5	57.84	204.5	60.29	203.7	62.64	203.7	63.86	203.0	64.98	202.2	67.43
	-5	-5.6	215.4	60.09	214.5	62.33	213.8	64.58	213.8	65.80	213.0	66.82	213.0	69.07
	-3	-3.7	225.4	62.03	224.7	64.17	224.7	66.31	223.8	67.43	223.8	68.55	223.0	70.60
	0	-0.7	243.2	64.98	243.2	67.02	242.5	68.96	242.5	69.78	241.7	71.00	241.7	73.04
	3	2.2	262.5	67.74	261.8	69.58	261.1	71.41	261.1	72.33	261.1	73.35	260.3	75.08
	5	4.1	275.7	69.37	275.0	71.21	275.0	72.94	274.2	73.86	274.2	74.68	273.5	76.41
	7	6	289.7	71.11	288.9	72.64	288.9	74.37	288.1	75.19	288.1	76.00	276.5	73.04
	9	7.9	304.4	72.53	303.6	74.17	303.6	75.70	302.8	76.51	296.7	74.88	276.5	68.55
	11	9.8	319.9	73.96	319.1	75.49	317.6	76.41	306.7	73.45	296.7	70.39	276.5	64.58
	13	11.8	336.9	75.39	336.2	76.82	317.6	71.62	306.7	68.76	296.7	66.11	276.5	60.60
	15	13.7	353.2	76.72	337.7	72.74	317.6	67.43	306.7	64.88	296.7	62.23	276.5	57.23
120%	-19.8	-20	157.2	48.56	156.4	51.42	155.7	54.37	155.7	55.70	155.7	57.23	154.9	60.09
	-18.8	-19	159.6	49.48	158.8	52.33	158.8	55.19	158.1	56.52	158.1	58.05	157.2	60.90
	-16.7	-17	165.7	51.42	165.0	54.17	163.9	56.82	164.2	58.25	164.2	59.68	163.5	62.33
	-13.7	-15	172.8	53.46	172.0	56.11	171.2	58.66	171.2	60.09	171.2	61.31	170.4	63.96
	-11.8	-13	179.7	55.50	179.7	58.05	178.9	60.50	178.9	61.82	178.2	63.05	178.2	65.60
	-9.8	-11	188.2	57.64	187.4	59.99	187.4	62.43	186.7	63.66	186.7	64.78	185.9	67.23
	-9.5	-10	192.9	58.66	192.1	61.01	191.3	63.35	191.3	64.58	191.3	65.70	190.6	68.04
	-8.5	-9.1	196.7	59.58	196.0	61.82	196.0	64.17	195.2	65.29	195.2	66.51	194.4	68.76
	-7	-7.6	203.7	61.11	203.7	63.35	203.0	65.49	203.0	66.62	202.2	67.74	202.2	69.88
	-5	-5.6	214.5	63.05	213.8	65.19	213.0	67.33	213.0	68.35	213.0	69.47	212.3	71.41
	-3	-3.7	224.7	64.98	224.7	67.02	223.8	68.96	223.8	69.88	223.1	71.00	223.1	72.94
	0	-0.7	242.5	67.74	242.5	69.58	241.7	71.41	241.7	72.33	240.9	73.25	240.9	75.08
	3	2.2	261.8	70.29	261.1	71.92	261.1	73.66	260.3	74.57	260.3	75.39	254.8	74.98
	5	4.1	275.0	71.82	274.2	73.45	274.2	75.08	273.5	75.90	273.5	76.72	254.8	70.39
	7	6	288.9	73.25	288.9	74.78	288.2	76.31	283.5	75.29	274.2	72.23	254.8	66.21
	9	7.9	303.6	74.68	302.9	76.21	292.8	73.66	283.5	70.70	274.2	67.84	254.8	62.33
	11	9.8	319.1	76.00	311.4	74.68	292.8	69.27	283.5	66.62	274.2	63.86	254.8	58.76
	13	11.8	330.8	75.29	311.4	70.09	292.8	64.98	283.5	62.54	274.2	60.09	254.8	55.29
	15	13.7	330.8	70.90	311.4	66.00	292.8	61.31	283.5	58.86	274.2	56.62	254.8	52.13
110%	-19.8	-20	156.4	52.84	155.7	55.39	154.9	58.05	154.9	59.37	155.0	60.70	154.2	63.35
	-18.8	-19	158.8	53.66	158.1	56.21	158.1	58.86	158.1	60.09	157.2	61.41	157.2	64.07
	-16.7	-17	165.0	55.39	164.2	57.95	166.6	60.50	163.5	61.72	163.5	62.94	162.7	65.39
	-13.7	-15	172.0	57.33	171.3	59.68	170.4	62.13	170.4	63.35	170.4	64.58	169.6	66.92
	-11.8	-13	178.9	59.27	178.9	61.52	178.1	63.76	178.1	64.98	177.4	66.11	177.4	68.45
	-9.8	-11	187.4	61.11	186.7	63.35	186.7	65.49	185.9	66.62	185.9	67.74	185.9	69.88
	-9.5	-10	192.1	62.13	191.3	64.17	190.5	66.41	190.5	67.43	190.5	68.55	189.8	70.70
	-8.5	-9.1	196.0	62.94	195.2	64.98	195.2	67.13	194.4	68.25	194.4	69.27	194.4	73.15
	-7	-7.6	203.0	64.37	203.0	66.31	202.2	68.35	202.2	69.37	202.2	70.39	201.4	72.43
	-5	-5.6	213.8	66.21	213.0	68.15	212.3	69.98	212.3	71.00	212.3	71.92	211.5	73.96
	-3	-3.7	223.8	67.84	223.8	69.68	223.1	71.51	223.1	72.43	222.3	73.35	222.3	75.19
	0	-0.7	241.7	70.39	241.7	72.13	240.9	73.86	240.9	74.68	240.9	75.49	234.0	74.06
	3	2.2	261.1	72.74	260.3	74.27	260.3	75.90	259.5	76.61	251.0	73.45	234.0	67.43
	5	4.1	274.2	74.17	274.2	75.70	268.8	74.98	259.5	71.92	251.0	69.07	234.0	63.35
	7	6	288.1	75.49	285.8	76.00	268.8	70.39	259.5	67.64	251.0	64.98	234.0	59.68
	9	7.9	302.8	76.72	285.8	71.41	268.8	66.21	259.5	63.66	251.0	61.11	234.0	56.21
	11	9.8	302.8	72.23	285.8	67.23	268.8	62.33	259.5	59.99	251.0	57.64	234.0	53.05
	13	11.8	302.8	67.74	285.8	63.05	268.8	58.56	259.5	56.41	251.0	54.17	234.0	49.99
	15	13.7	302.8	60.09	285.8	59.48	268.8	55.29	259.5	53.25	251.0	51.21	234.0	47.23

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2150W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	155.7	57.03	154.9	59.37	154.9	61.82	154.2	63.05	154.2	64.17	153.4	66.62
	-18.8	-19	158.1	57.74	158.1	60.09	157.2	62.54	157.2	63.76	156.5	64.98	156.5	67.33
	-16.7	-17	164.2	59.37	163.4	61.72	163.4	63.96	162.7	65.09	162.7	66.21	162.7	68.55
	-13.7	-15	171.2	61.11	170.4	63.35	169.6	65.49	169.6	66.62	169.6	67.74	168.9	69.88
	-11.8	-13	178.2	62.94	178.2	64.98	177.4	67.02	177.4	68.15	177.4	69.17	176.6	71.31
	-9.8	-11	186.7	64.58	185.9	66.62	185.9	68.66	185.9	69.68	185.1	70.60	185.1	72.64
	-9.5	-10	191.3	65.49	190.6	67.43	190.6	69.37	189.8	70.39	189.8	71.41	189.0	73.35
	-8.5	-9.1	195.2	66.21	194.4	68.25	194.4	70.09	194.4	71.00	193.7	72.02	193.7	73.86
	-7	-7.6	202.2	67.53	202.2	69.37	201.4	71.21	201.4	72.23	201.4	73.04	200.6	74.98
	-5	-5.6	213.0	69.27	212.2	71.00	212.2	72.74	211.5	73.55	211.5	74.47	210.7	76.31
	-3	-3.7	223.1	70.80	223.1	72.43	222.3	74.17	222.3	74.98	222.3	75.80	213.0	72.64
	0	-0.7	240.9	73.04	240.9	74.68	240.1	76.21	236.2	74.98	228.5	71.82	213.0	65.90
	3	2.2	260.3	75.19	259.5	76.61	244.0	70.90	236.2	68.15	228.5	65.39	213.0	60.09
	5	4.1	273.5	76.61	259.5	71.92	244.0	66.62	236.2	64.17	228.5	61.62	213.0	56.62
	7	6	275.0	72.64	259.5	67.64	244.00	62.74	236.2	60.39	228.5	58.05	213.0	53.35
	9	7.9	275.0	68.25	259.5	63.66	244.0	59.07	236.2	56.11	228.5	54.68	213.0	50.40
	11	9.8	275.0	64.27	259.5	59.99	244.0	55.70	236.2	53.66	228.5	51.62	213.0	47.54
90%	13	11.8	275.0	60.39	259.5	56.41	244.0	52.44	236.2	50.50	228.5	48.66	213.0	44.89
	15	13.7	275.0	56.93	259.5	53.25	244.0	49.58	236.2	47.74	228.5	45.91	213.0	42.54
	-19.8	-20	154.6	61.31	153.9	63.35	153.9	65.60	153.1	66.62	153.1	67.74	153.1	69.88
	-18.8	-19	157.0	61.92	157.0	64.17	156.2	66.21	156.2	67.33	156.2	68.35	155.4	70.49
	-16.7	-17	163.1	63.45	162.4	65.49	162.4	67.53	162.4	68.55	161.6	69.58	161.6	71.62
	-13.7	-15	170.1	64.98	169.4	67.02	169.4	68.96	168.5	69.88	168.5	70.90	168.5	72.84
	-11.8	-13	177.0	66.62	177.0	68.45	176.3	70.29	176.3	71.31	176.3	72.23	175.5	74.06
	-9.8	-11	185.6	68.15	185.6	69.88	184.8	71.72	184.8	72.64	184.8	73.55	184.0	75.39
	-9.5	-10	190.2	68.96	189.4	70.70	189.4	72.43	188.7	73.35	188.7	74.27	188.7	75.90
	-8.5	-9.1	194.1	69.68	194.1	71.41	193.3	73.04	193.3	73.86	193.3	74.78	191.0	75.49
	-7	-7.6	201.1	70.80	201.1	72.43	200.3	74.17	200.3	74.98	200.3	75.80	191.0	72.13
	-5	-5.6	211.8	72.33	211.1	73.86	211.1	75.49	210.3	76.31	204.9	73.86	191.0	67.74
	-3	-3.7	221.9	73.76	221.9	75.19	219.6	75.49	211.8	72.53	204.9	69.58	191.0	63.86
	0	-0.7	240.5	75.90	233.5	73.96	219.6	68.55	211.8	65.80	204.9	63.25	191.0	58.05
	3	2.2	247.4	72.23	233.5	67.33	219.6	62.43	211.8	60.09	204.9	57.64	191.0	53.15
	5	4.1	247.4	67.94	233.5	63.35	219.6	58.86	211.8	56.52	204.9	54.48	191.0	50.09
	7	6	247.4	63.86	233.5	59.68	219.6	55.39	211.8	53.35	204.9	51.31	191.0	47.34
80%	9	7.9	247.4	60.19	233.5	56.11	219.6	52.23	211.8	50.40	204.9	48.46	191.0	44.79
	11	9.8	247.4	56.72	233.5	52.95	219.6	49.38	211.8	47.54	204.9	45.81	191.0	42.34
	13	11.8	247.4	53.35	233.5	49.99	219.6	46.52	211.8	44.89	204.9	43.25	191.0	39.99
	15	13.7	247.4	50.40	233.5	47.13	219.6	44.07	211.8	42.54	204.9	41.01	191.0	37.95
	-19.8	-20	154.2	65.49	153.4	67.43	153.4	69.37	153.4	70.29	152.5	71.31	152.5	73.15
	-18.8	-19	156.4	66.11	156.4	68.04	155.7	69.88	155.7	70.90	155.7	71.82	154.9	73.76
	-16.7	-17	162.7	67.43	161.9	69.27	161.9	71.11	161.9	72.02	161.9	72.94	161.1	74.68
	-13.7	-15	169.6	68.86	168.9	70.60	168.9	72.33	168.9	73.15	168.1	74.06	168.1	75.90
	-11.8	-13	176.6	70.19	176.6	71.92	175.9	73.55	175.9	74.37	175.9	75.29	170.4	73.25
	-9.8	-11	185.2	71.62	185.2	73.25	184.4	74.88	184.4	75.59	182.8	75.49	170.4	69.17
	-9.5	-10	189.8	72.33	189.0	73.86	189.1	75.49	189.1	76.31	182.8	73.25	170.4	67.13
	-8.5	-9.1	193.7	73.04	180.0	74.57	192.9	76.00	189.1	74.27	182.8	71.31	170.4	65.39
	-7	-7.6	200.6	74.06	200.6	75.49	195.2	73.86	189.1	71.00	182.8	68.15	170.4	62.54
	-5	-5.6	211.5	75.39	207.6	74.98	195.2	69.37	189.1	66.72	182.8	64.07	170.4	58.86
	-3	-3.7	220.0	75.80	207.6	70.60	195.2	65.39	189.1	62.94	182.8	60.39	170.4	55.60
	0	-0.7	220.0	68.76	207.6	64.07	195.2	59.48	189.1	57.23	182.8	54.99	170.4	50.70
	3	2.2	220.0	62.64	207.6	58.46	195.2	54.37	189.1	52.33	182.8	50.40	170.4	46.42
	5	4.1	220.0	58.97	207.6	55.09	195.2	51.21	189.1	49.38	182.8	47.54	170.4	43.87
	7	6	220.0	55.60	207.6	52.03	195.2	48.36	189.1	46.72	182.8	44.99	170.4	41.52
	9	7.9	220.0	52.44	207.6	49.07	195.2	45.70	189.1	44.07	182.8	42.54	170.4	39.38
	11	9.8	220.0	49.58	207.6	46.32	195.2	43.25	189.1	41.72	182.8	40.30	170.4	37.34
	13	11.8	220.0	46.72	207.6	43.76	195.2	40.91	189.1	39.48	182.8	38.05	170.4	35.30
	15	13.7	220.0	44.17	207.6	41.52	195.2	38.77	189.1	37.44	182.8	36.11	170.4	33.56

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2150W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	153.0	69.78	152.3	71.41	152.3	73.04	152.3	73.86	152.3	74.78	148.4	73.96
	-18.8	-19	155.3	70.29	155.3	71.92	154.5	73.55	154.5	74.37	154.5	75.29	148.4	72.43
	-16.7	-17	161.5	71.41	161.5	73.04	160.8	74.68	160.8	75.49	159.2	76.23	148.4	69.07
	-13.7	-15	168.5	72.64	167.7	74.27	167.7	75.80	164.7	74.68	159.2	71.62	148.4	65.70
	-11.8	-13	175.4	73.86	175.4	75.39	170.8	73.55	164.7	70.70	159.2	67.84	148.4	62.23
	-9.8	-11	183.9	75.08	181.6	75.08	170.8	69.47	164.7	66.82	159.2	64.17	148.4	58.86
	-9.5	-10	188.6	75.80	181.6	72.84	170.8	67.43	164.7	64.88	159.2	62.33	148.4	57.23
	-8.5	-9.1	192.4	76.21	181.6	70.90	170.8	65.70	164.7	63.15	159.2	60.70	148.4	55.80
	-7	-7.6	192.4	72.74	181.6	67.74	170.8	62.84	164.7	60.50	159.2	58.05	148.4	53.46
	-5	-5.6	192.4	68.35	181.6	63.76	170.8	59.17	164.7	56.82	159.2	67.23	148.4	50.40
	-3	-3.7	192.4	64.37	181.6	60.09	170.8	55.80	164.7	53.66	159.2	51.62	148.4	47.64
	0	-0.7	192.4	58.56	181.6	54.78	170.8	50.91	164.7	49.07	159.2	47.23	148.4	43.66
	3	2.2	192.4	53.56	181.6	50.09	170.8	46.72	164.7	44.99	159.2	43.36	148.4	40.09
	5	4.1	192.4	50.50	181.6	47.23	170.8	44.17	164.7	42.54	159.2	41.01	148.4	37.95
60%	7	6	192.4	47.74	181.6	44.68	170.8	41.72	164.7	40.30	159.2	38.87	148.4	36.01
	9	7.9	192.4	45.09	181.6	42.34	170.8	39.48	164.7	38.15	159.2	36.83	148.4	34.18
	11	9.8	192.4	42.64	181.6	39.99	170.8	37.44	164.7	36.22	159.2	34.99	148.4	32.44
	13	11.8	192.4	40.30	181.6	37.85	170.8	35.40	164.7	34.28	159.2	33.05	148.4	30.81
	15	13.7	192.4	38.26	181.6	35.91	170.8	33.67	164.7	32.54	159.2	31.42	148.4	29.38
	-19.8	-20	152.6	73.96	151.8	75.39	146.4	72.53	141.8	69.68	137.1	66.92	127.8	61.31
	-18.8	-19	154.9	74.47	154.9	75.90	146.4	71.00	141.8	68.15	137.1	65.39	127.8	60.09
	-16.7	-17	161.1	75.49	155.7	73.04	146.4	67.74	141.8	65.09	137.1	62.54	127.8	57.44
	-13.7	-15	165.0	74.68	155.7	69.37	146.4	64.37	141.8	61.92	137.1	59.48	127.8	54.68
	-11.8	-13	165.0	70.60	155.7	65.70	146.4	61.01	141.8	58.76	137.1	56.41	127.8	52.23
	-9.8	-11	165.0	66.72	155.7	62.13	146.4	57.74	141.8	55.60	137.1	53.46	127.8	49.27
	-9.5	-10	165.0	64.88	155.7	60.50	146.4	56.11	141.8	54.07	137.1	52.03	127.8	47.95
	-8.5	-9.1	165.0	63.15	155.7	58.86	146.4	54.78	141.8	52.74	137.1	50.70	127.8	46.72
	-7	-7.6	165.0	60.39	155.7	56.41	146.4	52.44	141.8	50.50	137.1	48.56	127.8	44.89
50%	-5	-5.6	165.0	56.82	155.7	53.15	146.4	49.48	141.8	47.64	137.1	45.91	127.8	42.44
	-3	-3.7	165.0	53.66	155.7	50.19	146.4	46.72	141.8	45.09	137.1	43.46	127.8	40.19
	0	-0.7	165.0	49.07	155.7	45.91	146.4	42.85	141.8	41.42	137.1	39.89	127.8	36.93
	3	2.2	165.0	44.99	155.7	42.23	146.4	39.48	141.8	38.05	137.1	36.73	127.8	34.07
	5	4.1	165.0	42.54	155.7	39.89	146.4	37.34	141.8	36.11	137.1	34.79	127.8	32.34
	7	6	165.0	40.30	155.7	37.85	146.4	35.40	141.8	34.18	137.1	33.05	127.8	30.71
	9	7.9	165.0	38.15	155.7	35.81	146.4	33.56	141.8	32.54	137.1	31.32	127.8	29.28
	11	9.8	165.0	36.22	155.7	34.07	146.4	31.93	141.8	30.91	137.1	29.79	127.8	27.85
	13	11.8	165.0	34.18	155.7	32.24	146.4	30.30	141.8	29.38	137.1	28.36	127.8	26.52
	15	13.7	165.0	32.54	155.7	30.60	146.4	28.87	141.8	27.95	137.1	27.03	127.8	25.30
	-19.8	-20	137.5	67.33	129.7	62.64	122.0	58.15	117.4	56.01	113.5	53.86	105.8	49.58
	-18.8	-19	137.5	65.80	129.7	61.31	122.0	57.03	117.4	54.88	113.5	52.74	105.8	48.66
	-16.7	-17	137.5	62.84	129.7	58.56	122.0	54.48	117.4	52.44	113.5	50.50	105.8	46.62
	-13.7	-15	137.5	59.78	129.7	55.80	122.0	51.93	117.4	49.99	113.5	48.15	105.8	44.48
	-11.8	-13	137.5	56.82	129.7	53.05	122.0	49.38	117.4	47.54	113.5	45.81	105.8	42.34
	-9.8	-11	137.5	53.76	129.7	50.29	122.0	46.83	117.4	45.09	113.5	43.46	105.8	40.30
	-9.5	-10	137.5	52.33	129.7	48.87	122.0	45.60	117.4	43.97	113.5	42.34	105.8	39.17
	-8.5	-9.1	137.5	51.01	129.7	47.74	122.0	44.48	117.4	42.95	113.5	41.42	105.8	38.26
	-7	-7.6	137.5	48.87	129.7	45.81	122.0	42.64	117.4	41.21	113.5	39.79	105.8	36.83
	-5	-5.6	137.5	46.11	129.7	43.25	122.0	40.40	117.4	39.07	113.5	37.64	105.8	34.89
	-3	-3.7	137.5	43.66	129.7	41.01	122.0	38.26	117.4	37.03	113.5	35.71	105.8	33.16
	0	-0.7	137.5	40.09	129.7	37.64	122.0	35.30	117.4	34.07	113.5	32.95	105.8	30.60
	3	2.2	137.5	36.93	129.7	34.69	122.0	32.54	117.4	31.42	113.5	30.40	105.8	28.36
	5	4.1	137.5	34.99	129.7	32.95	122.0	30.91	117.4	29.89	113.5	28.97	105.8	26.93
	7	6	137.5	33.26	129.7	31.32	122.0	29.38	117.4	28.46	113.5	27.54	105.8	25.71
	9	7.9	137.5	31.52	129.7	29.79	122.0	27.95	117.4	27.14	113.5	26.22	105.8	24.48
	11	9.8	137.5	29.99	129.7	28.26	122.0	26.63	117.4	25.81	113.5	24.99	105.8	23.36
	13	11.8	137.5	28.56	129.7	26.93	122.0	25.30	117.4	24.59	113.5	23.77	105.8	22.34
	15	13.7	137.5	27.14	129.7	25.71	122.0	24.18	117.4	23.46	113.5	22.75	105.8	21.32

80HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2200W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	16.2	45.38	16.1	48.62	16.0	51.87	16.0	53.43	16.0	55.00	16.0	58.24
	-18.8	-19	16.4	46.43	16.4	49.57	16.4	52.81	16.3	54.38	16.3	55.84	16.2	59.08
	-16.7	-17	17.1	48.62	17.0	51.66	16.9	54.69	16.9	56.15	16.9	57.72	16.8	60.75
	-13.7	-15	17.8	50.82	17.7	53.75	17.6	56.68	17.6	58.14	17.5	59.60	17.5	62.53
	-11.8	-13	18.5	53.12	18.5	55.94	18.4	58.66	18.3	60.13	18.3	61.59	18.3	64.31
	-9.8	-11	19.4	55.42	19.3	58.14	19.2	60.75	19.2	62.11	19.2	63.47	19.1	66.19
	-9.5	-10	19.8	56.68	19.8	59.19	19.7	61.80	19.7	63.16	19.6	64.41	19.6	67.03
	-8.5	-9.1	20.2	57.62	20.2	60.13	20.2	62.74	20.1	64.00	20.1	65.25	20.0	67.87
	-7	-7.6	21.0	59.29	21.0	61.80	20.9	64.21	20.9	65.46	20.8	66.61	20.7	69.12
	-5	-5.6	22.1	61.59	22.0	63.89	21.9	66.19	21.9	67.45	21.8	68.49	21.8	70.79
	-3	-3.7	23.1	63.58	23.0	65.77	23.0	67.97	22.9	69.12	22.9	70.27	22.9	72.36
	0	-0.7	24.9	66.61	24.9	68.70	24.8	70.69	24.8	71.53	24.8	72.78	24.8	74.87
	3	2.2	26.9	69.43	26.8	71.32	26.8	73.20	26.8	74.14	26.8	75.19	26.7	76.96
	5	4.1	28.3	71.11	28.2	72.99	28.2	74.77	28.1	75.71	28.1	76.54	28.0	78.32
	7	6	29.7	72.88	29.6	74.45	29.6	76.23	29.5	77.07	29.5	77.90	28.3	74.87
120%	9	7.9	31.2	74.35	31.1	76.02	31.1	77.59	31.0	78.43	30.4	76.75	28.3	70.27
	11	9.8	32.8	75.81	32.7	77.38	32.5	78.32	31.4	75.29	30.4	72.15	28.3	66.19
	13	11.8	34.5	77.28	34.4	78.74	32.5	73.41	31.4	70.48	30.4	67.76	28.3	62.11
	15	13.7	36.2	78.64	34.6	74.56	32.5	69.12	31.4	66.51	30.4	63.79	28.3	58.66
	-19.8	-20	16.1	49.77	16.0	52.70	16.0	55.74	16.0	57.09	16.0	58.66	15.9	61.59
	-18.8	-19	16.4	50.72	16.3	53.64	16.3	56.57	16.2	57.93	16.2	59.50	16.1	62.43
	-16.7	-17	17.0	52.70	16.9	55.53	16.8	58.24	16.8	59.71	16.8	61.17	16.8	63.89
	-13.7	-15	17.7	54.79	17.6	57.51	17.5	60.13	17.5	61.59	17.5	62.85	17.5	65.56
	-11.8	-13	18.4	56.89	18.4	59.50	18.3	62.01	18.3	63.37	18.3	64.62	18.3	67.24
	-9.8	-11	19.3	59.08	19.2	61.49	19.2	64.00	19.1	65.25	19.1	66.40	19.0	68.91
	-9.5	-10	19.8	60.13	19.7	62.53	19.6	64.94	19.6	66.19	19.6	67.34	19.5	69.75
	-8.5	-9.1	20.2	61.07	20.1	63.37	20.1	65.77	20.0	66.92	20.0	68.18	19.9	70.48
	-7	-7.6	20.9	62.64	20.9	64.94	20.8	67.13	20.8	68.28	20.7	69.43	20.7	71.63
	-5	-5.6	22.0	64.62	21.9	66.82	21.8	69.02	21.8	70.06	21.8	71.21	21.8	73.20
	-3	-3.7	23.0	66.61	23.0	68.70	22.9	70.69	22.9	71.63	22.9	72.78	22.9	74.77
	0	-0.7	24.8	69.43	24.8	71.32	24.8	73.20	24.8	74.14	24.7	75.08	24.7	76.96
110%	3	2.2	26.8	72.05	26.8	73.72	26.8	75.50	26.7	76.44	26.7	77.28	26.1	76.86
	5	4.1	28.2	73.62	28.1	75.29	28.1	76.96	28.0	77.80	28.0	78.64	26.1	72.15
	7	6	29.6	75.08	29.6	76.65	29.5	78.22	29.0	77.17	28.1	74.03	26.1	67.87
	9	7.9	31.1	76.54	31.0	78.11	30.0	75.50	29.0	72.47	28.1	69.54	26.1	63.89
	11	9.8	32.7	77.90	31.9	76.54	30.0	71.00	29.0	68.28	28.1	65.46	26.1	60.23
	13	11.8	33.9	77.17	31.9	71.84	30.0	66.61	29.0	64.10	28.1	61.59	26.1	56.68
	15	13.7	33.9	72.68	31.9	67.66	30.0	62.85	29.0	60.34	28.1	58.04	26.1	53.43
	-19.8	-20	16.0	54.17	16.0	56.78	15.9	59.50	15.9	60.86	15.9	62.22	15.8	64.94
	-18.8	-19	16.3	55.00	16.2	57.62	16.2	60.34	16.2	61.59	16.1	62.95	16.1	65.67
	-16.7	-17	16.9	56.78	16.8	59.40	17.1	62.01	16.8	63.26	16.8	64.52	16.7	67.03
	-13.7	-15	17.6	58.77	17.5	61.17	17.5	63.68	17.5	64.94	17.5	66.19	17.4	68.60
	-11.8	-13	18.3	60.75	18.3	63.06	18.3	65.36	18.3	66.61	18.2	67.76	18.2	70.17
	-9.8	-11	19.2	62.64	19.1	64.94	19.1	67.13	19.0	68.28	19.0	69.43	19.0	71.63
	-9.5	-10	19.7	63.68	19.6	65.77	19.5	68.07	19.5	69.12	19.5	70.27	19.4	72.47
	-8.5	-9.1	20.1	64.52	20.0	66.61	20.0	68.81	19.9	69.96	19.9	71.00	19.9	72.73
	-7	-7.6	20.8	65.98	20.8	67.97	20.7	70.06	20.7	71.11	20.7	72.15	20.6	74.24

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2200W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	16.0	58.45	15.9	60.86	15.9	63.37	15.8	64.62	15.8	65.77	15.7	68.28
	-18.8	-19	16.2	59.19	16.2	61.59	16.1	64.10	16.1	65.36	16.0	66.61	16.0	69.02
	-16.7	-17	16.8	60.86	16.7	63.26	16.7	65.56	16.7	66.72	16.7	67.87	16.7	70.27
	-13.7	-15	17.5	62.64	17.5	64.94	17.4	67.13	17.4	68.28	17.4	69.43	17.3	71.63
	-11.8	-13	18.3	64.52	18.3	66.61	18.2	68.70	18.2	69.85	18.2	70.90	18.1	73.09
	-9.8	-11	19.1	66.19	19.0	68.28	19.0	70.38	19.0	71.42	19.0	72.36	19.0	74.45
	-9.5	-10	19.6	67.13	19.5	69.12	19.5	71.11	19.4	72.15	19.4	73.20	19.4	75.19
	-8.5	-9.1	20.0	67.87	19.9	69.96	19.9	71.84	19.9	72.78	19.8	73.83	19.8	75.71
	-7	-7.6	20.7	69.22	20.7	71.11	20.6	72.99	20.6	74.03	20.6	74.87	20.6	76.86
	-5	-5.6	21.8	71.00	21.7	72.78	21.7	74.56	21.7	75.39	21.7	76.34	21.6	78.22
	-3	-3.7	22.9	72.57	22.9	74.88	22.8	76.02	22.8	76.86	22.8	77.69	21.8	74.45
	0	-0.7	24.7	74.87	24.7	76.54	24.6	78.11	24.2	76.86	23.4	73.62	21.8	67.55
	3	2.2	26.7	77.07	26.6	78.53	25.0	72.68	24.2	69.85	23.4	67.03	21.8	61.59
	5	4.1	28.0	78.53	26.6	73.72	25.0	68.28	24.2	65.77	23.4	63.16	21.8	58.04
	7	6	28.2	74.45	26.6	69.33	25.00	64.31	24.2	61.90	23.4	59.50	21.8	54.69
	9	7.9	28.2	69.96	26.6	65.25	25.0	60.55	24.2	57.51	23.4	56.05	21.8	51.66
	11	9.8	28.2	65.88	26.6	61.49	25.0	57.09	24.2	55.00	23.4	52.91	21.8	48.73
	13	11.8	28.2	61.90	26.6	57.83	25.0	53.75	24.2	51.76	23.4	49.88	21.8	46.01
90%	15	13.7	28.2	58.35	26.6	54.59	25.0	50.82	24.2	48.94	23.4	47.06	21.8	43.61
	-19.8	-20	15.8	62.85	15.8	64.94	15.8	67.24	15.7	68.28	15.7	69.43	15.7	71.63
	-18.8	-19	16.1	63.47	16.1	65.77	16.0	67.87	16.0	69.02	16.0	70.06	15.9	72.26
	-16.7	-17	16.7	65.04	16.6	67.13	16.6	69.22	16.6	70.27	16.6	71.32	16.6	73.41
	-13.7	-15	17.4	66.61	17.4	68.70	17.4	70.69	17.3	71.63	17.3	72.68	17.3	74.66
	-11.8	-13	18.1	68.28	18.1	70.17	18.1	72.05	18.1	73.09	18.1	74.03	18.0	75.92
	-9.8	-11	19.0	69.85	19.0	71.63	18.9	73.51	18.9	74.45	18.9	75.39	18.9	77.28
	-9.5	-10	19.5	70.69	19.4	72.47	19.4	74.24	19.3	75.19	19.3	76.13	19.3	77.80
	-8.5	-9.1	19.9	71.42	19.9	73.20	19.8	74.87	19.8	75.71	19.8	76.65	19.6	77.38
	-7	-7.6	20.6	72.57	20.6	74.24	20.5	76.02	20.5	76.86	20.5	77.69	19.6	73.93
	-5	-5.6	21.7	74.14	21.6	75.71	21.6	77.38	21.5	78.22	21.0	75.71	19.6	69.43
	-3	-3.7	22.7	75.60	22.7	77.07	22.5	77.38	21.7	74.35	21.0	71.32	19.6	65.46
	0	-0.7	24.6	77.80	23.9	75.81	22.5	70.27	21.7	67.45	21.0	64.83	19.6	59.50
	3	2.2	25.4	74.03	23.9	69.02	22.5	64.00	21.7	61.59	21.0	59.08	19.6	54.48
	5	4.1	25.4	69.64	23.9	64.94	22.5	60.34	21.7	57.93	21.0	55.84	19.6	51.34
	7	6	25.4	65.46	23.9	61.17	22.5	56.78	21.7	54.69	21.0	52.60	19.6	48.52
	9	7.9	25.4	61.70	23.9	57.51	22.5	53.54	21.7	51.66	21.0	49.67	19.6	45.91
	11	9.8	25.4	58.14	23.9	54.27	22.5	50.61	21.7	48.73	21.0	46.95	19.6	43.40
80%	13	11.8	25.4	54.69	23.9	51.24	22.5	47.68	21.7	46.01	21.0	44.34	19.6	40.99
	15	13.7	25.4	51.66	23.9	48.31	22.5	45.17	21.7	43.61	21.0	42.04	19.6	38.90
	-19.8	-20	15.8	67.13	15.7	69.12	15.7	71.11	15.7	72.05	15.6	73.09	15.6	74.98
	-18.8	-19	16.0	67.76	16.0	69.75	16.0	71.63	16.0	72.68	16.0	73.62	15.9	75.60
	-16.7	-17	16.7	69.12	16.6	71.00	16.6	72.88	16.6	73.83	16.6	74.77	16.5	76.54
	-13.7	-15	17.4	70.58	17.3	72.36	17.3	74.14	17.3	74.98	17.2	75.92	17.2	77.80
	-11.8	-13	18.1	71.94	18.1	73.72	18.0	75.39	18.0	76.23	18.0	77.17	17.5	75.08
	-9.8	-11	19.0	73.41	19.0	75.08	18.9	76.75	18.9	77.49	18.7	77.38	17.5	70.90
	-9.5	-10	19.4	74.14	19.4	75.71	19.4	77.38	19.4	78.22	18.7	75.08	17.5	68.81
	-8.5	-9.1	19.8	74.87	18.4	76.44	19.8	77.90	19.4	76.13	18.7	73.09	17.5	67.03
	-7	-7.6	20.6	75.92	20.6	77.38	20.0	75.71	19.4	72.78	18.7	69.85	17.5	64.10
	-5	-5.6	21.7	77.28	21.3	76.86	20.0	71.11	19.4	68.39	18.7	65.67	17.5	60.34
	-3	-3.7	22.5	77.69	21.3	72.36	20.0	67.03	19.4	64.52	18.7	61.90	17.5	56.99
	0	-0.7	22.5	70.48	21.3	65.67	20.0	60.96	19.4	58.66	18.7	56.36	17.5	51.97
	3	2.2	22.5	64.21	21.3	59.92	20.0	55.74	19.4	53.64	18.7	51.66	17.5	47.58
	5	4.1	22.5	60.44	21.3	56.47	20.0	52.49	19.4	50.61	18.7	48.73	17.5	44.96
	7	6	22.5	56.99	21.3	53.33	20.0	49.57	19.4	47.89	18.7	46.11	17.5	42.56
	9	7.9	22.5	53.75	21.3	50.30	20.0	46.85	19.4	45.17	18.7	43.61	17.5	40.36
	11	9.8	22.5	50.82	21.3	47.47	20.0	44.34	19.4	42.77	18.7	41.30	17.5	38.27
	13	11.8	22.5	47.89	21.3	44.86	20.0	41.93	19.4	40.47	18.7	39.00	17.5	36.18
	15	13.7	22.5	45.28	21.3	42.56	20.0	39.74	19.4	38.38	18.7	37.02	17.5	34.40

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2200W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	15.7	71.53	15.6	73.20	15.6	74.87	15.6	75.71	15.6	76.65	15.2	75.81
	-18.8	-19	15.9	72.05	15.9	73.72	15.8	75.39	15.8	76.23	15.8	77.17	15.2	74.24
	-16.7	-17	16.5	73.20	16.5	74.87	16.5	76.54	16.5	77.38	16.3	68.91	15.2	70.79
	-13.7	-15	17.3	74.45	17.2	76.13	17.2	77.69	16.9	76.54	16.3	73.41	15.2	67.34
	-11.8	-13	18.0	75.71	18.0	77.28	17.5	75.39	16.9	72.47	16.3	69.54	15.2	63.79
	-9.8	-11	18.8	76.96	18.6	76.96	17.5	71.21	16.9	68.49	16.3	65.77	15.2	60.34
	-9.5	-10	19.3	77.69	18.6	74.66	17.5	69.12	16.9	66.51	16.3	63.89	15.2	58.66
	-8.5	-9.1	19.7	78.11	18.6	72.68	17.5	67.34	16.9	64.73	16.3	62.22	15.2	57.20
	-7	-7.6	19.7	74.56	18.6	69.43	17.5	64.41	16.9	62.01	16.3	59.50	15.2	54.79
	-5	-5.6	19.7	70.06	18.6	65.36	17.5	60.65	16.9	58.24	16.3	58.91	15.2	51.66
	-3	-3.7	19.7	65.98	18.6	61.59	17.5	57.20	16.9	55.00	16.3	52.91	15.2	48.83
	0	-0.7	19.7	60.02	18.6	56.15	17.5	52.18	16.9	50.30	16.3	48.42	15.2	44.76
	3	2.2	19.7	54.90	18.6	51.34	17.5	47.89	16.9	46.11	16.3	44.44	15.2	41.10
	5	4.1	19.7	51.76	18.6	48.42	17.5	45.28	16.9	43.61	16.3	42.04	15.2	38.90
	7	6	19.7	48.94	18.6	45.80	17.5	42.77	16.9	41.30	16.3	39.84	15.2	36.91
60%	9	7.9	19.7	46.22	18.6	43.40	17.5	40.47	16.9	39.11	16.3	37.75	15.2	35.03
	11	9.8	19.7	43.71	18.6	40.99	17.5	38.38	16.9	37.12	16.3	35.87	15.2	33.25
	13	11.8	19.7	41.30	18.6	38.80	17.5	36.29	16.9	35.14	16.3	33.88	15.2	31.58
	15	13.7	19.7	39.21	18.6	36.81	17.5	34.51	16.9	33.36	16.3	32.21	15.2	30.12
	-19.8	-20	15.6	75.81	15.6	77.28	15.0	74.35	14.5	71.42	14.0	68.60	13.1	62.85
	-18.8	-19	15.9	76.34	15.9	77.80	15.0	72.78	14.5	69.85	14.0	67.03	13.1	61.59
	-16.7	-17	16.5	77.38	16.0	74.87	15.0	69.43	14.5	66.72	14.0	64.10	13.1	58.87
	-13.7	-15	16.9	76.54	16.0	71.11	15.0	65.98	14.5	63.47	14.0	60.96	13.1	56.05
	-11.8	-13	16.9	72.36	16.0	67.34	15.0	62.53	14.5	60.23	14.0	57.83	13.1	53.54
	-9.8	-11	16.9	68.39	16.0	63.68	15.0	59.19	14.5	56.99	14.0	54.79	13.1	50.51
	-9.5	-10	16.9	66.51	16.0	62.01	15.0	57.51	14.5	55.42	14.0	53.33	13.1	49.15
	-8.5	-9.1	16.9	64.73	16.0	60.34	15.0	56.15	14.5	54.06	14.0	51.97	13.1	47.89
	-7	-7.6	16.9	61.90	16.0	57.83	15.0	53.75	14.5	51.76	14.0	49.77	13.1	46.01
	-5	-5.6	16.9	58.24	16.0	54.48	15.0	50.72	14.5	48.83	14.0	47.06	13.1	43.50
	-3	-3.7	16.9	55.00	16.0	51.45	15.0	47.89	14.5	46.22	14.0	44.55	13.1	41.20
50%	0	-0.7	16.9	50.30	16.0	47.06	15.0	43.92	14.5	42.46	14.0	40.89	13.1	37.85
	3	2.2	16.9	46.11	16.0	43.29	15.0	40.47	14.5	39.00	14.0	37.64	13.1	34.93
	5	4.1	16.9	43.61	16.0	40.89	15.0	38.27	14.5	37.02	14.0	35.66	13.1	33.15
	7	6	16.9	41.30	16.0	38.80	15.0	36.29	14.5	35.03	14.0	33.88	13.1	31.48
	9	7.9	16.9	39.11	16.0	36.70	15.0	34.40	14.5	33.36	14.0	32.10	13.1	30.01
	11	9.8	16.9	37.12	16.0	34.93	15.0	32.73	14.5	31.68	14.0	30.53	13.1	28.55
	13	11.8	16.9	35.03	16.0	33.04	15.0	31.06	14.5	30.12	14.0	29.07	13.1	27.19
	15	13.7	16.9	33.36	16.0	31.37	15.0	29.59	14.5	28.65	14.0	27.71	13.1	25.93
	-19.8	-20	14.1	69.02	13.3	64.21	12.5	59.60	12.0	57.41	11.6	55.21	10.8	50.82
	-18.8	-19	14.1	67.45	13.3	62.85	12.5	58.45	12.0	56.26	11.6	54.06	10.8	49.88
	-16.7	-17	14.1	64.41	13.3	60.02	12.5	55.84	12.0	53.75	11.6	51.76	10.8	47.79
	-13.7	-15	14.1	61.28	13.3	57.20	12.5	53.23	12.0	51.24	11.6	49.36	10.8	45.59
	-11.8	-13	14.1	58.24	13.3	54.38	12.5	50.61	12.0	48.73	11.6	46.95	10.8	43.40
	-9.8	-11	14.1	55.11	13.3	51.55	12.5	48.00	12.0	46.22	11.6	44.55	10.8	41.30
	-9.5	-10	14.1	53.64	13.3	50.09	12.5	46.74	12.0	45.07	11.6	43.40	10.8	40.15
	-8.5	-9.1	14.1	52.28	13.3	48.94	12.5	45.59	12.0	44.02	11.6	42.46	10.8	39.21
	-7	-7.6	14.1	50.09	13.3	46.95	12.5	43.71	12.0	42.25	11.6	40.78	10.8	37.75
	-5	-5.6	14.1	47.27	13.3	44.34	12.5	41.41	12.0	40.05	11.6	38.59	10.8	35.76
	-3	-3.7	14.1	44.76	13.3	42.04	12.5	39.21	12.0	37.96	11.6	36.60	10.8	33.98
	0	-0.7	14.1	41.10	13.3	38.59	12.5	36.18	12.0	34.93	11.6	33.78	10.8	31.37
	3	2.2	14.1	37.85	13.3	35.55	12.5	33.36	12.0	32.21	11.6	31.16	10.8	29.07
	5	4.1	14.1	35.87	13.3	33.78	12.5	31.68	12.0	30.64	11.6	29.70	10.8	27.61
	7	6	14.1	34.09	13.3	32.10	12.5	30.12	12.0	29.17	11.6	28.23	10.8	26.35
	9	7.9	14.1	32.31	13.3	30.53	12.5	28.65	12.0	27.82	11.6	26.87	10.8	25.10
	11	9.8	14.1	30.74	13.3	28.97	12.5	27.29	12.0	26.46	11.6	25.62	10.8	23.95
	13	11.8	14.1	29.28	13.3	27.61	12.5	25.93	12.0	25.20	11.6	24.36	10.8	22.90
	15	13.7	14.1	27.82	13.3	26.35	12.5	24.78	12.0	24.05	11.6	23.32	10.8	21.85

82HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2250W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	16.6	47.01	16.6	50.36	16.5	53.72	16.5	55.35	16.4	56.97	16.4	60.33
	-18.8	-19	16.9	48.09	16.8	51.34	16.8	54.70	16.7	56.32	16.7	57.84	16.6	61.19
	-16.7	-17	17.5	50.36	17.5	53.50	17.4	56.65	17.4	58.16	17.4	59.79	17.3	62.93
	-13.7	-15	18.3	52.64	18.2	55.67	18.1	58.70	18.1	60.22	18.0	61.74	18.0	64.77
	-11.8	-13	19.0	55.02	19.0	57.95	18.9	60.76	18.8	62.28	18.8	63.79	18.8	66.61
	-9.8	-11	19.9	57.40	19.8	60.22	19.7	62.93	19.7	64.34	19.7	65.74	19.7	68.56
	-9.5	-10	20.4	58.70	20.3	61.30	20.2	64.01	20.2	65.42	20.2	66.72	20.2	69.43
	-8.5	-9.1	20.8	59.68	20.7	62.28	20.7	64.99	20.6	66.29	20.6	67.58	20.6	70.29
	-7	-7.6	21.5	61.41	21.5	64.01	21.5	66.50	21.5	67.80	21.4	68.99	21.3	71.59
	-5	-5.6	22.7	63.79	22.6	66.18	22.5	68.56	22.5	69.86	22.4	70.94	22.4	73.33
	-3	-3.7	23.7	65.85	23.7	68.13	23.7	70.40	23.6	71.59	23.6	72.78	23.5	74.95
	0	-0.7	25.6	68.99	25.6	71.16	25.5	73.22	25.5	74.08	25.5	75.38	25.5	77.55
	3	2.2	27.7	71.92	27.6	73.87	27.5	75.82	27.5	76.79	27.5	77.87	27.4	79.72
	5	4.1	29.0	73.65	29.0	75.60	29.0	77.44	28.9	78.42	28.9	79.28	28.8	81.12
	7	6	30.5	75.49	30.4	77.12	30.4	78.96	30.3	79.82	30.3	80.69	29.1	77.55
	9	7.9	32.1	77.01	32.0	78.74	32.0	80.37	31.9	81.23	31.2	79.50	29.1	72.78
	11	9.8	33.7	78.52	33.6	80.15	33.4	81.12	32.3	77.98	31.2	74.73	29.1	68.56
	13	11.8	35.5	80.04	35.4	81.56	33.4	76.03	32.3	73.00	31.2	70.18	29.1	64.34
	15	13.7	37.2	81.45	35.6	77.22	33.4	71.59	32.3	68.88	31.2	66.07	29.1	60.76
120%	-19.8	-20	16.6	51.56	16.5	54.59	16.4	57.73	16.4	59.14	16.4	60.76	16.3	63.79
	-18.8	-19	16.8	52.53	16.7	55.56	16.7	58.60	16.6	60.00	16.6	61.63	16.6	64.66
	-16.7	-17	17.5	54.59	17.4	57.51	17.3	60.33	17.3	61.84	17.3	63.36	17.2	66.18
	-13.7	-15	18.2	56.75	18.1	59.57	18.0	62.28	18.0	63.79	18.0	65.09	18.0	67.91
	-11.8	-13	18.9	58.92	18.9	61.63	18.8	64.23	18.8	65.64	18.8	66.93	18.8	69.64
	-9.8	-11	19.8	61.19	19.7	63.69	19.7	66.29	19.7	67.58	19.7	68.78	19.6	71.38
	-9.5	-10	20.3	62.28	20.2	64.77	20.2	67.26	20.2	68.56	20.2	69.75	20.1	72.24
	-8.5	-9.1	20.7	63.25	20.6	65.64	20.6	68.13	20.6	69.32	20.6	70.62	20.5	73.00
	-7	-7.6	21.5	64.88	21.5	67.26	21.4	69.53	21.4	70.73	21.3	71.92	21.3	74.19
	-5	-5.6	22.6	66.93	22.5	69.21	22.4	71.48	22.4	72.57	22.4	73.76	22.4	75.82
	-3	-3.7	23.7	68.99	23.7	71.16	23.6	73.22	23.6	74.19	23.5	75.38	23.5	77.44
	0	-0.7	25.5	71.92	25.5	73.87	25.5	75.82	25.5	76.79	25.4	77.77	25.4	79.72
	3	2.2	27.6	74.62	27.5	76.36	27.5	78.20	27.4	79.17	27.4	80.04	26.8	79.61
	5	4.1	29.0	76.25	28.9	77.98	28.9	79.72	28.8	80.58	28.8	81.45	26.8	74.73
	7	6	30.4	77.77	30.4	79.39	30.4	81.02	29.9	79.93	28.9	76.68	26.8	70.29
	9	7.9	32.0	79.28	31.9	80.91	30.8	78.20	29.9	75.06	28.9	72.03	26.8	66.18
	11	9.8	33.6	80.69	32.8	79.28	30.8	73.54	29.9	70.73	28.9	67.80	26.8	62.39
	13	11.8	34.8	79.93	32.8	74.41	30.8	68.99	29.9	66.39	28.9	63.79	26.8	58.70
	15	13.7	34.8	75.27	32.8	70.08	30.8	65.09	29.9	62.49	28.9	60.11	26.8	55.35
110%	-19.8	-20	16.5	56.10	16.4	58.81	16.3	61.63	16.3	63.04	16.3	64.44	16.2	67.26
	-18.8	-19	16.7	56.97	16.6	59.68	16.6	62.49	16.6	63.79	16.6	65.20	16.6	68.02
	-16.7	-17	17.4	58.81	17.3	61.52	17.5	64.23	17.2	65.53	17.2	66.83	17.1	69.43
	-13.7	-15	18.1	60.87	18.0	63.36	18.0	65.96	18.0	67.26	18.0	68.56	17.9	71.05
	-11.8	-13	18.8	62.93	18.8	65.31	18.8	67.69	18.8	68.99	18.7	70.18	18.7	72.68
	-9.8	-11	19.7	64.88	19.7	67.26	19.7	69.53	19.6	70.73	19.6	71.92	19.6	74.19
	-9.5	-10	20.2	65.96	20.2	68.13	20.1	70.51	20.1	71.59	20.1	72.78	20.0	75.06
	-8.5	-9.1	20.6	66.83	20.6	68.99	20.6	71.27	20.5	72.46	20.5	73.54	20.5	76.04
	-7	-7.6	21.4	68.34	21.4	70.40	21.3	72.57	21.3	73.65	21.3	74.73	21.2	76.90
	-5	-5.6	22.5	70.29	22.4	72.35	22.4	74.30	22.4	75.38	22.4	76.36	22.3	78.52
	-3	-3.7	23.6	72.03	23.6	73.98	23.5	75.92	23.5	76.90	23.4	77.87	23.4	79.82
	0	-0.7	25.5	74.73	25.5	76.57	25.4	78.42	25.4	79.28	25.4	80.15	24.6	78.63
	3	2.2	27.5	77.22	27.4	78.85	27.4	80.58	27.3	81.34	26.4	77.98	24.6	71.59
	5	4.1	28.9	78.74	28.9	80.37	28.3	79.61	27.3	76.36	26.4	73.33	24.6	67.26
	7	6	30.3	80.15	30.1	80.69	28.3	74.73	27.3	71.81	26.4	68.99	24.6	63.36
	9	7.9	31.9	81.45	30.1	75.82	28.3	70.29	27.3	67.58	26.4	64.88	24.6	59.68
	11	9.8	31.9	76.68	30.1	71.38	28.3	66.18	27.3	63.69	26.4	61.19	24.6	56.32
	13	11.8	31.9	71.92	30.1	66.93	28.3	62.17	27.3	59.89	26.4	57.51	24.6	53.07
	15	13.7	31.9	63.79	30.1	63.14	28.3	58.70	27.3	56.54	26.4	54.37	24.6	50.15

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2250W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	16.4	60.54	16.3	63.04	16.3	65.64	16.2	66.93	16.2	68.13	16.2	70.73
	-18.8	-19	16.6	61.30	16.6	63.79	16.6	66.39	16.6	67.69	16.5	68.99	16.5	71.48
	-16.7	-17	17.3	63.04	17.2	65.53	17.2	67.91	17.1	69.10	17.1	70.29	17.1	72.78
	-13.7	-15	18.0	64.88	18.0	67.26	17.9	69.53	17.9	70.73	17.9	71.92	17.8	74.19
	-11.8	-13	18.8	66.83	18.8	68.99	18.7	71.16	18.7	72.35	18.7	73.43	18.6	75.71
	-9.8	-11	19.7	68.56	19.6	70.73	19.6	72.89	19.6	73.98	19.5	74.95	19.5	77.12
	-9.5	-10	20.2	69.53	20.1	71.59	20.1	73.65	20.0	74.73	20.0	75.82	19.9	77.87
	-8.5	-9.1	20.6	70.29	20.5	72.46	20.5	74.41	20.5	75.38	20.4	76.47	20.4	78.42
	-7	-7.6	21.3	71.70	21.3	73.65	21.2	75.60	21.2	76.68	21.2	77.55	21.1	79.61
	-5	-5.6	22.4	73.54	22.3	75.38	22.3	77.22	22.3	78.09	22.3	79.07	22.2	81.02
	-3	-3.7	23.5	75.17	23.5	76.23	23.4	78.74	23.4	79.61	23.4	80.47	22.4	77.12
	0	-0.7	25.4	77.55	25.4	79.28	25.3	80.91	24.9	79.61	24.1	76.25	22.4	69.97
	3	2.2	27.4	79.82	27.3	81.34	25.7	75.27	24.9	72.35	24.1	69.43	22.4	63.79
	5	4.1	28.8	81.34	27.3	76.36	25.7	70.73	24.9	68.13	24.1	65.42	22.4	60.11
	7	6	29.0	77.12	27.3	71.81	25.7	66.61	24.9	64.12	24.1	61.63	22.4	56.65
90%	9	7.9	29.0	72.46	27.3	67.58	25.7	62.71	24.9	59.57	24.1	58.05	22.4	53.50
	11	9.8	29.0	68.23	27.3	63.69	25.7	59.14	24.9	56.97	24.1	54.80	22.4	50.47
	13	11.8	29.0	64.12	27.3	59.89	25.7	55.67	24.9	53.61	24.1	51.66	22.4	47.66
	15	13.7	29.0	60.44	27.3	56.54	25.7	52.64	24.9	50.69	24.1	48.74	22.4	45.16
	-19.8	-20	16.3	65.09	16.2	67.26	16.2	69.64	16.1	70.73	16.1	71.92	16.1	74.19
	-18.8	-19	16.5	65.74	16.5	68.13	16.4	70.29	16.4	71.48	16.4	72.57	16.4	74.84
	-16.7	-17	17.2	67.37	17.1	69.53	17.1	71.70	17.1	72.78	17.0	73.87	17.0	76.03
	-13.7	-15	17.9	68.99	17.8	71.16	17.8	73.22	17.8	74.19	17.8	75.27	17.8	77.33
	-11.8	-13	18.6	70.73	18.6	72.68	18.6	74.62	18.6	75.71	18.6	76.68	18.5	78.63
	-9.8	-11	19.6	72.35	19.6	74.19	19.5	76.14	19.5	77.12	19.5	78.09	19.4	80.04
	-9.5	-10	20.0	73.22	20.0	75.06	20.0	76.90	19.9	77.87	19.9	78.85	19.9	80.58
	-8.5	-9.1	20.4	73.98	20.4	75.82	20.4	77.55	20.4	78.42	20.4	79.39	20.1	80.15
	-7	-7.6	21.2	75.17	21.2	76.90	21.1	78.74	21.1	79.61	21.1	80.47	20.1	76.57
	-5	-5.6	22.3	76.79	22.2	78.42	22.2	80.15	22.1	81.02	21.6	78.42	20.1	71.92
	-3	-3.7	23.4	78.31	23.4	79.82	23.1	80.15	22.3	77.01	21.6	73.87	20.1	67.80
	0	-0.7	25.3	80.58	24.6	78.52	23.1	72.78	22.3	69.86	21.6	67.15	20.1	61.63
80%	3	2.2	26.1	76.68	24.6	71.48	23.1	66.29	22.3	63.79	21.6	61.19	20.1	56.43
	5	4.1	26.1	72.13	24.6	67.26	23.1	62.49	22.3	60.00	21.6	57.84	20.1	53.18
	7	6	26.1	67.80	24.6	63.36	23.1	58.81	22.3	56.65	21.6	54.48	20.1	50.26
	9	7.9	26.1	63.90	24.6	59.57	23.1	55.45	22.3	53.50	21.6	51.45	20.1	47.55
	11	9.8	26.1	60.22	24.6	56.21	23.1	52.42	22.3	50.47	21.6	48.63	20.1	44.95
	13	11.8	26.1	56.65	24.6	53.07	23.1	49.39	22.3	47.66	21.6	45.92	20.1	42.46
	15	13.7	26.1	53.50	24.6	50.04	23.1	46.79	22.3	45.16	21.6	43.54	20.1	40.29
	-19.8	-20	16.2	69.53	16.2	71.59	16.2	73.65	16.2	74.62	16.1	75.71	16.1	77.66
	-18.8	-19	16.5	70.18	16.5	72.24	16.4	74.19	16.4	75.27	16.4	76.25	16.3	78.31
	-16.7	-17	17.1	71.59	17.1	73.54	17.1	75.49	17.1	76.47	17.1	77.44	17.0	79.28
	-13.7	-15	17.9	73.11	17.8	74.95	17.8	76.79	17.8	77.66	17.7	78.63	17.7	80.58
	-11.8	-13	18.6	74.52	18.6	76.36	18.5	78.09	18.5	78.96	18.5	79.93	18.0	77.77
	-9.8	-11	19.5	76.03	19.5	77.77	19.4	79.50	19.4	80.26	19.3	80.15	18.0	73.43
	-9.5	-10	20.0	76.79	19.9	78.42	19.9	80.15	19.9	81.02	19.3	77.77	18.0	71.27
	-8.5	-9.1	20.4	77.55	19.0	79.17	20.3	80.69	19.9	78.85	19.3	75.71	18.0	69.43
	-7	-7.6	21.1	78.63	21.1	80.15	20.6	78.42	19.9	75.38	19.3	72.35	18.0	66.39
	-5	-5.6	22.3	80.04	21.9	79.61	20.6	73.65	19.9	70.83	19.3	68.02	18.0	62.49
	-3	-3.7	23.2	80.47	21.9	74.95	20.6	69.43	19.9	66.83	19.3	64.12	18.0	59.03
	0	-0.7	23.2	73.00	21.9	68.02	20.6	63.14	19.9	60.76	19.3	58.38	18.0	53.83
	3	2.2	23.2	66.50	21.9	62.06	20.6	57.73	19.9	55.56	19.3	53.50	18.0	49.28
	5	4.1	23.2	62.60	21.9	58.49	20.6	54.37	19.9	52.42	19.3	50.47	18.0	46.57
	7	6	23.2	59.03	21.9	55.24	20.6	51.34	19.9	49.61	19.3	47.76	18.0	44.08
	9	7.9	23.2	55.67	21.9	52.10	20.6	48.52	19.9	46.79	19.3	45.16	18.0	41.81
	11	9.8	23.2	52.64	21.9	49.17	20.6	45.92	19.9	44.30	19.3	42.78	18.0	39.64
	13	11.8	23.2	49.61	21.9	46.46	20.6	43.43	19.9	41.92	19.3	40.40	18.0	37.47
	15	13.7	23.2	46.90	21.9	44.08	20.6	41.16	19.9	39.75	19.3	38.34	18.0	35.63

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2250W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	16.1	74.08	16.0	75.82	16.0	77.55	16.0	78.42	16.0	79.39	15.6	78.52
	-18.8	-19	16.4	74.62	16.4	76.36	16.3	78.09	16.3	78.96	16.3	79.93	15.6	76.90
	-16.7	-17	17.0	75.82	17.0	77.55	16.9	79.28	16.9	80.15	16.8	81.02	15.6	73.33
	-13.7	-15	17.7	77.12	17.7	78.85	17.7	80.47	17.3	79.28	16.8	76.03	15.6	69.75
	-11.8	-13	18.5	78.42	18.5	80.04	18.0	78.09	17.3	75.06	16.8	72.03	15.6	66.07
	-9.8	-11	19.4	79.72	19.1	79.72	18.0	73.76	17.3	70.94	16.8	68.13	15.6	62.49
	-9.5	-10	19.9	80.47	19.1	77.33	18.0	71.59	17.3	68.88	16.8	66.18	15.6	60.76
	-8.5	-9.1	20.3	80.91	19.1	75.27	18.0	69.75	17.3	67.04	16.8	64.44	15.6	59.24
	-7	-7.6	20.3	77.22	19.1	71.92	18.0	66.72	17.3	64.23	16.8	61.63	15.6	56.75
	-5	-5.6	20.3	72.57	19.1	67.69	18.0	62.82	17.3	60.33	16.8	57.38	15.6	53.50
	-3	-3.7	20.3	68.34	19.1	63.79	18.0	59.24	17.3	56.97	16.8	54.80	15.6	50.58
	0	-0.7	20.3	62.17	19.1	58.16	18.0	54.05	17.3	52.10	16.8	50.15	15.6	46.36
	3	2.2	20.3	56.86	19.1	53.18	18.0	49.61	17.3	47.76	16.8	46.03	15.6	42.57
	5	4.1	20.3	53.61	19.1	50.15	18.0	46.90	17.3	45.16	16.8	43.54	15.6	40.29
60%	7	6	20.3	50.69	19.1	47.44	18.0	44.30	17.3	42.78	16.8	41.27	15.6	38.23
	9	7.9	20.3	47.87	19.1	44.95	18.0	41.92	17.3	40.51	16.8	39.10	15.6	36.28
	11	9.8	20.3	45.27	19.1	42.46	18.0	39.75	17.3	38.45	16.8	37.15	15.6	34.44
	13	11.8	20.3	42.78	19.1	40.18	18.0	37.58	17.3	36.39	16.8	35.09	15.6	32.71
	15	13.7	20.3	40.62	19.1	38.12	18.0	35.74	17.3	34.55	16.8	33.36	15.6	31.19
	-19.8	-20	16.1	78.52	16.0	80.04	15.4	77.01	14.9	73.98	14.4	71.05	13.5	65.09
	-18.8	-19	16.3	79.07	16.3	80.58	15.4	75.38	14.9	72.35	14.4	69.43	13.5	63.79
	-16.7	-17	17.0	80.15	16.4	77.55	15.4	71.92	14.9	69.10	14.4	66.39	13.5	60.98
	-13.7	-15	17.4	79.28	16.4	73.65	15.4	68.34	14.9	65.74	14.4	63.14	13.5	58.05
	-11.8	-13	17.4	74.95	16.4	69.75	15.4	64.77	14.9	62.39	14.4	59.89	13.5	55.45
	-9.8	-11	17.4	70.83	16.4	65.96	15.4	61.30	14.9	59.03	14.4	56.75	13.5	52.31
	-9.5	-10	17.4	68.88	16.4	64.23	15.4	59.57	14.9	57.40	14.4	55.24	13.5	50.91
	-8.5	-9.1	17.4	67.04	16.4	62.49	15.4	58.16	14.9	56.00	14.4	53.83	13.5	49.61
	-7	-7.6	17.4	64.12	16.4	59.89	15.4	55.67	14.9	53.61	14.4	51.56	13.5	47.66
50%	-5	-5.6	17.4	60.33	16.4	56.43	15.4	52.53	14.9	50.58	14.4	48.74	13.5	45.06
	-3	-3.7	17.4	56.97	16.4	53.29	15.4	49.61	14.9	47.87	14.4	46.14	13.5	42.67
	0	-0.7	17.4	52.10	16.4	48.74	15.4	45.49	14.9	43.97	14.4	42.35	13.5	39.21
	3	2.2	17.4	47.76	16.4	44.84	15.4	41.92	14.9	40.40	14.4	38.99	13.5	36.18
	5	4.1	17.4	45.16	16.4	42.35	15.4	39.64	14.9	38.34	14.4	36.93	13.5	34.33
	7	6	17.4	42.78	16.4	40.18	15.4	37.58	14.9	36.28	14.4	35.09	13.5	32.60
	9	7.9	17.4	40.51	16.4	38.02	15.4	35.63	14.9	34.55	14.4	33.25	13.5	31.08
	11	9.8	17.4	38.45	16.4	36.18	15.4	33.90	14.9	32.82	14.4	31.63	13.5	29.57
	13	11.8	17.4	36.28	16.4	34.23	15.4	32.17	14.9	31.19	14.4	30.11	13.5	28.16
	15	13.7	17.4	34.55	16.4	32.49	15.4	30.65	14.9	29.68	14.4	28.70	13.5	26.86
	-19.8	-20	14.5	71.48	13.7	66.50	12.9	61.74	12.4	59.46	12.0	57.19	11.1	52.64
	-18.8	-19	14.5	69.86	13.7	65.09	12.9	60.54	12.4	58.27	12.0	56.00	11.1	51.66
	-16.7	-17	14.5	66.72	13.7	62.17	12.9	57.84	12.4	55.67	12.0	53.61	11.1	49.50
	-13.7	-15	14.5	63.47	13.7	59.24	12.9	55.13	12.4	53.07	12.0	51.12	11.1	47.22
50%	-11.8	-13	14.5	60.33	13.7	56.32	12.9	52.42	12.4	50.47	12.0	48.63	11.1	44.95
	-9.8	-11	14.5	57.08	13.7	53.40	12.9	49.71	12.4	47.87	12.0	46.14	11.1	42.78
	-9.5	-10	14.5	55.56	13.7	51.88	12.9	48.41	12.4	46.68	12.0	44.95	11.1	41.59
	-8.5	-9.1	14.5	54.15	13.7	50.69	12.9	47.22	12.4	45.60	12.0	43.97	11.1	40.62
	-7	-7.6	14.5	51.88	13.7	48.63	12.9	45.27	12.4	43.76	12.0	42.24	11.1	39.10
	-5	-5.6	14.5	48.96	13.7	45.92	12.9	42.89	12.4	41.48	12.0	39.97	11.1	37.04
	-3	-3.7	14.5	46.36	13.7	43.54	12.9	40.62	12.4	39.32	12.0	37.91	11.1	35.20
	0	-0.7	14.5	42.57	13.7	39.97	12.9	37.47	12.4	36.18	12.0	34.98	11.1	32.49
	3	2.2	14.5	39.21	13.7	36.83	12.9	34.55	12.4	33.36	12.0	32.28	11.1	30.11
	5	4.1	14.5	37.15	13.7	34.98	12.9	32.82	12.4	31.73	12.0	30.76	11.1	28.59
	7	6	14.5	35.31	13.7	33.25	12.9	31.19	12.4	30.22	12.0	29.24	11.1	27.29
	9	7.9	14.5	33.47	13.7	31.63	12.9	29.68	12.4	28.81	12.0	27.84	11.1	25.99
	11	9.8	14.5	31.84	13.7	30.00	12.9	28.27	12.4	27.40	12.0	26.54	11.1	24.80
	13	11.8	14.5	30.33	13.7	28.59	12.9	26.86	12.4	26.10	12.0	25.24	11.1	23.72
	15	13.7	14.5	28.81	13.7	27.29	12.9	25.67	12.4	24.91	12.0	24.15	11.1	22.64

84HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2300W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	170.3	48.12	169.5	51.56	168.7	55.00	168.7	56.66	167.8	58.32	167.8	61.76
	-18.8	-19	172.8	49.23	172.0	52.56	172.0	55.99	171.1	57.66	171.1	59.21	170.3	62.65
	-16.7	-17	179.5	51.56	178.6	54.77	177.9	57.99	177.9	59.54	177.9	61.20	177.0	64.42
	-13.7	-15	187.0	53.89	186.2	56.99	185.4	60.10	185.4	61.65	184.5	63.20	184.5	66.31
	-11.8	-13	194.5	56.33	194.5	59.32	193.7	62.20	192.9	63.75	192.9	65.31	192.0	68.19
	-9.8	-11	203.8	58.77	202.9	61.65	202.0	64.42	202.0	65.86	202.0	67.30	201.2	70.19
	-9.5	-10	208.7	60.10	207.9	62.76	207.1	65.53	207.1	66.97	206.2	68.30	206.2	71.07
	-8.5	-9.1	212.9	61.09	212.1	63.75	212.1	66.53	211.3	67.86	211.3	69.19	210.4	71.96
	-7	-7.6	220.4	62.87	220.4	65.53	219.6	68.08	219.6	69.41	218.8	70.63	217.9	73.29
	-5	-5.6	232.1	65.31	231.2	67.75	230.5	70.19	230.5	71.52	229.6	72.63	229.6	75.06
	-3	-3.7	242.9	67.41	242.2	69.74	242.2	72.07	241.3	73.29	241.3	74.51	240.4	76.73
	0	-0.7	262.1	70.63	262.1	72.85	261.3	74.95	261.3	75.84	260.5	77.17	260.5	79.39
	3	2.2	283.0	73.62	282.2	75.62	281.4	77.61	281.4	78.61	281.4	79.72	280.5	81.61
	5	4.1	297.2	75.40	296.4	77.39	296.4	79.28	295.5	80.28	295.5	81.16	294.8	83.05
	7	6	312.3	77.28	311.4	78.95	311.4	80.83	310.5	81.72	310.5	82.60	298.1	79.39
120%	9	7.9	328.1	78.83	327.3	80.61	327.3	82.27	326.4	83.16	319.8	81.38	298.1	74.51
	11	9.8	344.8	80.39	343.9	82.05	342.3	83.05	330.6	79.83	319.8	76.51	298.1	70.19
	13	11.8	363.1	81.94	362.4	83.49	342.3	77.84	330.6	74.73	319.8	71.85	298.1	65.86
	15	13.7	380.7	83.38	364.0	79.06	342.3	73.29	330.6	70.52	319.8	67.64	298.1	62.20
	-19.8	-20	169.5	52.78	168.6	55.88	167.8	59.10	167.8	60.54	167.8	62.20	167.0	65.31
	-18.8	-19	172.0	53.78	171.1	56.88	171.1	59.99	170.4	61.43	170.4	63.09	169.5	66.19
	-16.7	-17	178.6	55.88	177.9	58.88	176.7	61.76	177.0	63.31	177.0	64.86	176.2	67.75
	-13.7	-15	186.2	58.10	185.4	60.98	184.5	63.75	184.5	65.31	184.5	66.64	183.7	69.52
	-11.8	-13	193.7	60.32	193.7	63.09	192.9	65.75	192.9	67.19	192.1	68.52	192.1	71.29
	-9.8	-11	202.9	62.65	202.0	65.20	202.0	67.86	201.2	69.19	201.2	70.41	200.4	73.07
	-9.5	-10	208.0	63.75	207.1	66.31	206.2	68.86	206.2	70.19	206.2	71.41	205.4	73.96
	-8.5	-9.1	212.1	64.75	211.3	67.19	211.3	69.74	210.4	70.96	210.4	72.29	209.5	74.73
	-7	-7.6	219.6	66.42	219.6	68.86	218.8	71.18	218.8	72.40	217.9	73.62	217.9	75.95
	-5	-5.6	231.2	68.52	230.5	70.85	229.6	73.18	229.6	74.29	229.6	75.51	228.8	77.61
	-3	-3.7	242.2	70.63	242.2	72.85	241.3	74.95	241.3	75.95	240.5	77.17	240.5	79.28
	0	-0.7	261.3	73.62	261.3	75.62	260.5	77.61	260.5	78.61	259.7	79.61	259.7	81.61
110%	3	2.2	282.2	76.39	281.4	78.17	281.4	80.05	280.5	81.05	280.5	81.94	274.7	81.50
	5	4.1	296.4	78.06	295.5	79.83	295.5	81.61	294.8	82.49	294.8	83.38	274.7	76.51
	7	6	311.4	79.61	311.4	81.27	310.6	82.94	305.6	81.83	295.5	78.50	274.7	71.96
	9	7.9	327.3	81.16	326.5	82.83	315.6	80.05	305.6	76.84	295.5	73.73	274.7	67.75
	11	9.8	343.9	82.60	335.7	81.16	315.6	75.29	305.6	72.40	295.5	69.41	274.7	63.87
	13	11.8	356.5	81.83	335.7	76.17	315.6	70.63	305.6	67.97	295.5	65.31	274.7	60.10
	15	13.7	356.5	77.06	335.7	71.74	315.6	66.64	305.6	63.98	295.5	61.54	274.7	56.66
	-19.8	-20	168.6	57.43	167.8	60.21	167.0	63.09	167.0	64.53	167.1	65.97	166.2	68.86
	-18.8	-19	171.1	58.32	170.4	61.09	170.4	63.98	170.4	65.31	169.5	66.75	169.5	69.63
	-16.7	-17	177.9	60.21	177.0	62.98	179.5	65.75	176.2	67.08	176.2	68.41	175.3	71.07
	-13.7	-15	185.4	62.31	184.6	64.86	183.7	67.52	183.7	68.86	183.7	70.19	182.8	72.74
	-11.8	-13	192.9	64.42	192.9	66.86	192.0	69.30	192.0	70.63	191.2	71.85	191.2	74.40
	-9.8	-11	202.0	66.42	201.2	68.86	201.2	71.18	200.4	72.40	200.4	73.62	200.4	75.95
	-9.5	-10	207.1	67.52	206.2	69.74	205.3	72.18	205.3	73.29	205.3	74.51	204.6	76.84
	-8.5	-9.1	211.3	68.41	210.4	70.63	210.4	72.96	209.5	74.18	209.5	75.29	209.5	78.63
	-7	-7.6	218.8	69.96	218.8	72.07	217.9	74.29	217.9	75.40	217.9	76.51	217.1	78.72

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2300W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	167.8	61.98	167.0	64.53	167.0	67.19	166.2	68.52	166.2	69.74	165.3	72.40
	-18.8	-19	170.4	62.76	170.4	65.31	169.5	67.97	169.5	69.30	168.7	70.63	168.7	73.18
	-16.7	-17	177.0	64.53	176.1	67.08	176.1	69.52	175.3	70.74	175.3	71.96	175.3	74.51
	-13.7	-15	184.5	66.42	183.7	68.86	182.8	71.18	182.8	72.40	182.8	73.62	182.1	75.95
	-11.8	-13	192.1	68.41	192.1	70.63	191.2	72.85	191.2	74.07	191.2	75.18	190.3	77.50
	-9.8	-11	201.2	70.19	200.4	72.40	200.4	74.62	200.4	75.73	199.5	76.73	199.5	78.95
	-9.5	-10	206.2	71.18	205.4	73.29	205.4	75.40	204.6	76.51	204.6	77.61	203.7	79.72
	-8.5	-9.1	210.4	71.96	209.5	74.18	209.5	76.17	209.5	77.17	208.7	78.28	208.7	80.28
	-7	-7.6	217.9	73.40	217.9	75.40	217.1	77.39	217.1	78.50	217.1	79.39	216.2	81.50
	-5	-5.6	229.6	75.29	228.7	77.17	228.7	79.06	227.9	79.94	227.9	80.94	227.1	82.94
	-3	-3.7	240.5	76.95	240.5	69.85	239.6	80.61	239.6	81.50	239.6	82.38	229.6	78.95
	0	-0.7	259.7	79.39	259.7	81.16	258.8	82.83	254.6	81.50	246.3	78.06	229.6	71.63
	3	2.2	280.5	81.72	279.7	83.27	263.0	77.06	254.6	74.07	246.3	71.07	229.6	65.31
	5	4.1	294.8	83.27	279.7	78.17	263.0	72.40	254.6	69.74	246.3	66.97	229.6	61.54
	7	6	296.4	78.95	279.7	73.51	263.00	68.19	254.6	65.64	246.3	63.09	229.6	57.99
90%	9	7.9	296.4	74.18	279.7	69.19	263.0	64.20	254.6	60.98	246.3	59.43	229.6	54.77
	11	9.8	296.4	69.85	279.7	65.20	263.0	60.54	254.6	58.32	246.3	56.10	229.6	51.67
	13	11.8	296.4	65.64	279.7	61.32	263.0	56.99	254.6	54.88	246.3	52.89	229.6	48.79
	15	13.7	296.4	61.87	279.7	57.88	263.0	53.89	254.6	51.89	246.3	49.90	229.6	46.24
	-19.8	-20	166.7	66.64	165.9	68.86	165.9	71.29	165.0	72.40	165.0	73.62	165.0	75.95
	-18.8	-19	169.2	67.30	169.2	69.74	168.3	71.96	168.3	73.18	168.3	74.29	167.5	76.62
	-16.7	-17	175.8	68.97	175.0	71.18	175.0	73.40	175.0	74.51	174.2	75.62	174.2	77.84
	-13.7	-15	183.3	70.63	182.5	72.85	182.5	74.95	181.7	75.95	181.7	77.06	181.7	79.17
	-11.8	-13	190.8	72.40	190.8	74.40	190.0	76.39	190.0	77.50	190.0	78.50	189.2	80.50
	-9.8	-11	200.1	74.07	200.1	75.95	199.2	77.95	199.2	78.95	199.2	79.94	198.3	81.94
	-9.5	-10	205.0	74.95	204.2	76.84	204.2	78.72	203.4	79.72	203.4	80.72	203.4	82.49
	-8.5	-9.1	209.2	75.73	209.2	77.61	208.4	79.39	208.4	80.28	208.4	81.27	205.8	82.05
	-7	-7.6	216.7	76.95	216.7	78.72	215.9	80.61	215.9	81.50	215.9	82.38	205.8	78.39
	-5	-5.6	228.3	78.61	227.5	80.28	227.5	82.05	226.7	82.94	220.8	80.28	205.8	73.62
	-3	-3.7	239.2	80.16	239.2	81.72	236.7	82.05	228.3	78.83	220.8	75.62	205.8	69.41
80%	0	-0.7	259.2	82.49	251.7	80.39	236.7	74.51	228.3	71.52	220.8	68.74	205.8	63.09
	3	2.2	266.7	78.50	251.7	73.18	236.7	67.86	228.3	65.31	220.8	62.65	205.8	57.77
	5	4.1	266.7	73.84	251.7	68.86	236.7	63.98	228.3	61.43	220.8	59.21	205.8	54.44
	7	6	266.7	69.41	251.7	64.86	236.7	60.21	228.3	57.99	220.8	55.77	205.8	51.45
	9	7.9	266.7	65.42	251.7	60.98	236.7	56.77	228.3	54.77	220.8	52.67	205.8	48.68
	11	9.8	266.7	61.65	251.7	57.55	236.7	53.66	228.3	51.67	220.8	49.78	205.8	46.01
	13	11.8	266.7	57.99	251.7	54.33	236.7	50.56	228.3	48.79	220.8	47.01	205.8	43.46
	15	13.7	266.7	54.77	251.7	51.23	236.7	47.90	228.3	46.24	220.8	44.57	205.8	41.25
	-19.8	-20	166.2	71.18	165.3	73.29	165.3	75.40	165.3	76.39	164.4	77.50	164.4	79.50
	-18.8	-19	168.6	71.85	168.6	73.96	167.8	75.95	167.8	77.06	167.8	78.06	167.0	80.16
	-16.7	-17	175.3	73.29	174.6	75.29	174.6	77.28	174.6	78.28	174.6	79.28	173.7	81.16
	-13.7	-15	182.8	74.84	182.1	76.73	182.1	78.61	182.1	79.50	181.2	80.50	181.2	82.49
	-11.8	-13	190.3	76.28	190.3	78.17	189.6	79.94	189.6	80.83	189.6	81.83	183.7	79.61
	-9.8	-11	199.6	77.84	199.6	79.61	198.7	81.38	198.7	82.16	197.1	82.05	183.7	75.18
	-9.5	-10	204.6	78.61	203.7	80.28	203.8	82.05	203.8	82.94	197.1	79.61	183.7	72.96
	-8.5	-9.1	208.7	79.39	194.0	81.05	207.9	82.60	203.8	80.72	197.1	77.50	183.7	71.07
	-7	-7.6	216.2	80.50	216.2	82.05	210.4	80.28	203.8	77.17	197.1	74.07	183.7	67.97
	-5	-5.6	227.9	81.94	223.7	81.50	210.4	75.40	203.8	72.51	197.1	69.63	183.7	63.98
	-3	-3.7	237.1	82.38	223.7	76.73	210.4	71.07	203.8	68.41	197.1	65.64	183.7	60.43
	0	-0.7	237.1	74.73	223.7	69.63	210.4	64.64	203.8	62.20	197.1	59.76	183.7	55.11
	3	2.2	237.1	68.08	223.7	63.53	210.4	59.10	203.8	56.88	197.1	54.77	183.7	50.45
	5	4.1	237.1	64.09	223.7	59.87	210.4	55.66	203.8	53.66	197.1	51.67	183.7	47.68
	7	6	237.1	60.43	223.7	56.55	210.4	52.56	203.8	50.78	197.1	48.90	183.7	45.13
	9	7.9	237.1	56.99	223.7	53.33	210.4	49.67	203.8	47.90	197.1	46.24	183.7	42.80
	11	9.8	237.1	53.89	223.7	50.34	210.4	47.01	203.8	45.35	197.1	43.80	183.7	40.58
	13	11.8	237.1	50.78	223.7	47.57	210.4	44.46	203.8	42.91	197.1	41.36	183.7	38.36
	15	13.7	237.1	48.01	223.7	45.13	210.4	42.13	203.8	40.69	197.1	39.25	183.7	36.48

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2300W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	164.9	75.84	164.1	77.61	164.1	79.39	164.1	80.28	164.1	81.27	159.9	80.39
	-18.8	-19	167.4	76.39	167.4	78.17	166.6	79.94	166.6	80.83	166.6	81.83	159.9	78.72
	-16.7	-17	174.1	77.61	174.1	79.39	173.3	81.16	173.3	82.05	171.6	73.07	159.9	75.06
	-13.7	-15	181.6	78.95	180.8	80.72	180.8	82.38	177.5	81.16	171.6	77.84	159.9	71.41
	-11.8	-13	189.1	80.28	189.1	81.94	184.1	79.94	177.5	76.84	171.6	73.73	159.9	67.64
	-9.8	-11	198.2	81.61	195.8	81.61	184.1	75.51	177.5	72.63	171.6	69.74	159.9	63.98
	-9.5	-10	203.3	82.38	195.8	79.17	184.1	73.29	177.5	70.52	171.6	67.75	159.9	62.20
	-8.5	-9.1	207.4	82.83	195.8	77.06	184.1	71.41	177.5	68.63	171.6	65.97	159.9	60.65
	-7	-7.6	207.4	79.06	195.8	73.62	184.1	68.30	177.5	65.75	171.6	63.09	159.9	58.10
	-5	-5.6	207.4	74.29	195.8	69.30	184.1	64.31	177.5	61.76	171.6	58.07	159.9	54.77
	-3	-3.7	207.4	69.96	195.8	65.31	184.1	60.65	177.5	58.32	171.6	56.10	159.9	51.78
	0	-0.7	207.4	63.64	195.8	59.54	184.1	55.33	177.5	53.33	171.6	51.34	159.9	47.46
	3	2.2	207.4	58.21	195.8	54.44	184.1	50.78	177.5	48.90	171.6	47.12	159.9	43.58
	5	4.1	207.4	54.88	195.8	51.34	184.1	48.01	177.5	46.24	171.6	44.57	159.9	41.25
60%	7	6	207.4	51.89	195.8	48.56	184.1	45.35	177.5	43.80	171.6	42.24	159.9	39.14
	9	7.9	207.4	49.01	195.8	46.01	184.1	42.91	177.5	41.47	171.6	40.03	159.9	37.14
	11	9.8	207.4	46.35	195.8	43.46	184.1	40.69	177.5	39.36	171.6	38.03	159.9	35.26
	13	11.8	207.4	43.80	195.8	41.14	184.1	38.47	177.5	37.26	171.6	35.92	159.9	33.49
	15	13.7	207.4	41.58	195.8	39.03	184.1	36.59	177.5	35.37	171.6	34.15	159.9	31.93
	-19.8	-20	164.5	80.39	163.6	81.94	157.8	78.83	152.8	75.73	147.8	72.74	137.7	66.64
	-18.8	-19	167.0	80.94	167.0	82.49	157.8	77.17	152.8	74.07	147.8	71.07	137.7	65.31
	-16.7	-17	173.7	82.05	167.8	79.39	157.8	73.62	152.8	70.74	147.8	67.97	137.7	62.42
	-13.7	-15	177.9	81.16	167.8	75.40	157.8	69.96	152.8	67.30	147.8	64.64	137.7	59.43
	-11.8	-13	177.9	76.73	167.8	71.41	157.8	66.31	152.8	63.87	147.8	61.32	137.7	56.77
	-9.8	-11	177.9	72.51	167.8	67.52	157.8	62.76	152.8	60.43	147.8	58.10	137.7	53.55
	-9.5	-10	177.9	70.52	167.8	65.75	157.8	60.98	152.8	58.77	147.8	56.55	137.7	52.11
	-8.5	-9.1	177.9	68.63	167.8	63.98	157.8	59.54	152.8	57.32	147.8	55.11	137.7	50.78
	-7	-7.6	177.9	65.64	167.8	61.32	157.8	56.99	152.8	54.88	147.8	52.78	137.7	48.79
50%	-5	-5.6	177.9	61.76	167.8	57.77	157.8	53.78	152.8	51.78	147.8	49.90	137.7	46.13
	-3	-3.7	177.9	58.32	167.8	54.55	157.8	50.78	152.8	49.01	147.8	47.23	137.7	43.69
	0	-0.7	177.9	53.33	167.8	49.90	157.8	46.57	152.8	45.02	147.8	43.35	137.7	40.14
	3	2.2	177.9	48.90	167.8	45.90	157.8	42.91	152.8	41.36	147.8	39.92	137.7	37.03
	5	4.1	177.9	46.24	167.8	43.35	157.8	40.58	152.8	39.25	147.8	37.81	137.7	35.15
	7	6	177.9	43.80	167.8	41.14	157.8	38.47	152.8	37.14	147.8	35.92	137.7	33.37
	9	7.9	177.9	41.47	167.8	38.92	157.8	36.48	152.8	35.37	147.8	34.04	137.7	31.82
	11	9.8	177.9	39.36	167.8	37.03	157.8	34.70	152.8	33.60	147.8	32.38	137.7	30.27
	13	11.8	177.9	37.14	167.8	35.04	157.8	32.93	152.8	31.93	147.8	30.82	137.7	28.83
	15	13.7	177.9	35.37	167.8	33.26	157.8	31.38	152.8	30.38	147.8	29.38	137.7	27.50
	-19.8	-20	148.2	73.18	139.8	68.08	131.5	63.20	126.5	60.87	122.3	58.54	114.1	53.89
	-18.8	-19	148.2	71.52	139.8	66.64	131.5	61.98	126.5	59.65	122.3	57.32	114.1	52.89
	-16.7	-17	148.2	68.30	139.8	63.64	131.5	59.21	126.5	56.99	122.3	54.88	114.1	50.67
	-13.7	-15	148.2	64.97	139.8	60.65	131.5	56.44	126.5	54.33	122.3	52.33	114.1	48.34
	-11.8	-13	148.2	61.76	139.8	57.66	131.5	53.66	126.5	51.67	122.3	49.78	114.1	46.01
	-9.8	-11	148.2	58.43	139.8	54.66	131.5	50.89	126.5	49.01	122.3	47.23	114.1	43.80
	-9.5	-10	148.2	56.88	139.8	53.11	131.5	49.56	126.5	47.79	122.3	46.01	114.1	42.58
	-8.5	-9.1	148.2	55.44	139.8	51.89	131.5	48.34	126.5	46.68	122.3	45.02	114.1	41.58
	-7	-7.6	148.2	53.11	139.8	49.78	131.5	46.35	126.5	44.79	122.3	43.24	114.1	40.03
	-5	-5.6	148.2	50.12	139.8	47.01	131.5	43.91	126.5	42.47	122.3	40.91	114.1	37.92
	-3	-3.7	148.2	47.46	139.8	44.57	131.5	41.58	126.5	40.25	122.3	38.81	114.1	36.04
	0	-0.7	148.2	43.58	139.8	40.91	131.5	38.36	126.5	37.03	122.3	35.81	114.1	33.26
	3	2.2	148.2	40.14	139.8	37.70	131.5	35.37	126.5	34.15	122.3	33.04	114.1	30.82
	5	4.1	148.2	38.03	139.8	35.81	131.5	33.60	126.5	32.49	122.3	31.49	114.1	29.27
	7	6	148.2	36.15	139.8	34.04	131.5	31.93	126.5	30.93	122.3	29.94	114.1	27.94
	9	7.9	148.2	34.26	139.8	32.38	131.5	30.38	126.5	29.49	122.3	28.50	114.1	26.61
	11	9.8	148.2	32.60	139.8	30.71	131.5	28.94	126.5	28.05	122.3	27.17	114.1	25.39
	13	11.8	148.2	31.05	139.8	29.27	131.5	27.50	126.5	26.72	122.3	25.83	114.1	24.28
	15	13.7	148.2	29.49	139.8	27.94	131.5	26.28	126.5	25.50	122.3	24.73	114.1	23.17

86HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2350W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	-19.8	-20	174.8	49.54	174.0	53.08	173.2	56.62	173.2	58.33	172.3	60.04	172.3	63.58
	-18.8	-19	177.4	50.68	176.6	54.11	176.6	57.64	175.7	59.36	175.7	60.95	174.8	64.49
	-16.7	-17	184.3	53.08	183.4	56.39	182.6	59.70	182.6	61.30	182.6	63.01	181.7	66.32
	-13.7	-15	192.0	55.48	191.2	58.67	190.3	61.87	190.3	63.47	189.4	65.06	189.4	68.26
	-11.8	-13	199.7	57.99	199.7	61.07	198.9	64.04	198.0	65.63	198.0	67.23	197.1	70.20
	-9.8	-11	209.2	60.50	208.3	63.47	207.4	66.32	207.4	67.80	207.4	69.29	206.6	72.25
	-9.5	-10	214.3	61.87	213.4	64.61	212.6	67.46	212.6	68.94	211.7	70.31	211.7	73.17
	-8.5	-9.1	218.6	62.89	217.7	65.63	217.7	68.49	216.9	69.86	216.9	71.23	216.0	74.08
	-7	-7.6	226.3	64.72	226.3	67.46	225.4	70.09	225.4	71.46	224.6	72.71	223.7	75.45
	-5	-5.6	238.3	67.23	237.4	69.74	236.6	72.25	236.6	73.62	235.7	74.77	235.7	77.28
	-3	-3.7	249.4	69.40	248.6	71.80	248.6	74.20	247.7	75.45	247.7	76.71	246.8	78.99
	0	-0.7	269.1	72.71	269.1	74.99	268.3	77.16	268.3	78.08	267.4	79.45	267.4	81.73
	3	2.2	290.5	75.79	289.7	77.85	288.9	79.90	288.9	80.93	288.9	82.07	288.0	84.01
	5	4.1	305.1	77.62	304.3	79.67	304.3	81.61	303.4	82.64	303.4	83.56	302.6	85.50
	7	6	320.6	79.56	319.7	81.27	319.7	83.21	318.8	84.13	318.8	85.04	306.0	81.73
120%	9	7.9	336.8	81.16	336.0	82.98	336.0	84.70	335.1	85.61	328.3	83.78	306.0	76.71
	11	9.8	354.0	82.76	353.1	84.47	351.4	85.50	339.4	82.19	328.3	78.76	306.0	72.25
	13	11.8	372.8	84.35	372.0	85.95	351.4	80.13	339.4	76.93	328.3	73.97	306.0	67.80
	15	13.7	390.8	85.84	373.7	81.39	351.4	75.45	339.4	72.60	328.3	69.63	306.0	64.04
	-19.8	-20	174.0	54.33	173.1	57.53	172.3	60.84	172.3	62.32	172.3	64.04	171.4	67.23
	-18.8	-19	176.6	55.36	175.7	58.56	175.7	61.75	174.9	63.24	174.9	64.95	174.0	68.15
	-16.7	-17	183.4	57.53	182.6	60.61	181.4	63.58	181.7	65.18	181.7	66.78	180.9	69.74
	-13.7	-15	191.2	59.81	190.3	62.78	189.4	65.63	189.4	67.23	189.4	68.60	188.6	71.57
	-11.8	-13	198.9	62.10	198.9	64.95	198.0	67.69	198.0	69.17	197.2	70.54	197.2	73.40
	-9.8	-11	208.3	64.49	207.4	67.12	207.4	69.86	206.6	71.23	206.6	72.48	205.7	75.22
	-9.5	-10	213.5	65.63	212.6	68.26	211.7	70.88	211.7	72.25	211.7	73.51	210.9	76.14
	-8.5	-9.1	217.7	66.66	216.9	69.17	216.9	71.80	216.0	73.05	216.0	74.42	215.1	76.93
	-7	-7.6	225.4	68.37	225.4	70.88	224.6	73.28	224.6	74.54	223.7	75.79	223.7	78.19
	-5	-5.6	237.4	70.54	236.6	72.94	235.7	75.34	235.7	76.48	235.7	77.73	234.9	79.90
	-3	-3.7	248.6	72.71	248.6	74.99	247.7	77.16	247.7	78.19	246.9	79.45	246.9	81.61
	0	-0.7	268.3	75.79	268.3	77.85	267.4	79.90	267.4	80.93	266.6	81.96	266.6	84.01
110%	3	2.2	289.7	78.65	288.9	80.47	288.9	82.41	288.0	83.44	288.0	84.35	282.0	83.90
	5	4.1	304.3	80.36	303.4	82.19	303.4	84.01	302.6	84.92	302.6	85.84	282.0	78.76
	7	6	319.7	81.96	319.7	83.67	318.9	85.38	313.7	84.24	303.4	80.82	282.0	74.08
	9	7.9	336.0	83.56	335.2	85.27	324.0	82.41	313.7	79.10	303.4	75.91	282.0	69.74
	11	9.8	353.1	85.04	344.6	83.56	324.0	77.51	313.7	74.54	303.4	71.46	282.0	65.75
	13	11.8	366.0	84.24	344.6	78.42	324.0	72.71	313.7	69.97	303.4	67.23	282.0	61.87
	15	13.7	366.0	79.33	344.6	73.85	324.0	68.60	313.7	65.86	303.4	63.35	282.0	58.33
	-19.8	-20	173.1	59.13	172.3	61.98	171.4	64.95	171.4	66.43	171.5	67.92	170.6	70.88
	-18.8	-19	175.7	60.04	174.9	62.89	174.9	65.86	174.9	67.23	174.0	68.72	174.0	71.68
	-16.7	-17	182.6	61.98	181.7	64.84	184.3	67.69	180.9	69.06	180.9	70.43	180.0	73.17
	-13.7	-15	190.3	64.15	189.5	66.78	188.6	69.52	188.6	70.88	188.6	72.25	187.7	74.88
	-11.8	-13	198.0	66.32	198.0	68.83	197.1	71.34	197.1	72.71	196.3	73.97	196.3	76.59
	-9.8	-11	207.4	68.37	206.6	70.88	206.6	73.28	205.7	74.54	205.7	75.79	205.7	78.19
	-9.5	-10	212.6	69.52	211.7	71.80	210.8	74.31	210.8	75.45	210.8	76.71	210.0	79.10
	-8.5	-9.1	216.9	70.43	216.0	72.71	216.0	75.11	215.1	76.36	215.1	77.51	215.1	80.66
	-7	-7.6	224.6	72.03	224.6	74.20	223.7	76.48	223.7	77.62	223.7	78.76	222.9	81.04
	-5	-5.6	236.6	74.08	235.7	76.25	234.9	78.30	234.9	79.45	234.9	80.47	234.0	82.76
	-3	-3.7	247.7	75.91	247.7	77.96	246.9	80.02	246.9	81.04	246.0	82.07	246.0	84.13
	0	-0.7	267.4	78.76	267.4	80.70	266.6	82.64	266.6	83.56	266.6	84.47	258.9	82.87
	3	2.2	288.9	81.39	288.0	83.10	288.0	84.92	287.1	85.72	277.7	82.19	258.9	75.45
	5	4.1	303.4	82.98	303.4	84.70	297.4	83.90	287.1	80.47	277.7	77.28	258.9	70.88
	7	6	318.8	84.47	316.3	85.04	297.4	78.76	287.1	75.68	277.7	72.71	258.9	66.78
	9	7.9	335.1	85.84	316.3	79.90	297.4	74.08	287.1	71.23	277.7	68.37	258.9	62.89
	11	9.8	335.1	80.82	316.3	75.22	297.4	69.74	287.1	67.12	277.7	64.49	258.9	59.36
	13	11.8	335.1	75.79	316.3	70.54	297.4	65.52	287.1	63.12	277.7	60.61	258.9	55.93
	15	13.7	335.1	67.23	316.3	66.55	297.4	61.87	287.1	59.58	277.7	57.30	258.9	52.85

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2350W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	172.3	63.81	171.4	66.43	171.4	69.17	170.6	70.54	170.6	71.80	169.7	74.54
	-18.8	-19	174.9	64.61	174.9	67.23	174.0	69.97	174.0	71.34	173.2	72.71	173.2	75.34
	-16.7	-17	181.7	66.43	180.8	69.06	180.8	71.57	180.0	72.83	180.0	74.08	180.0	76.71
	-13.7	-15	189.4	68.37	188.6	70.88	187.7	73.28	187.7	74.54	187.7	75.79	186.9	78.19
	-11.8	-13	197.2	70.43	197.2	72.71	196.3	74.99	196.3	76.25	196.3	77.39	195.4	79.79
	-9.8	-11	206.6	72.25	205.7	74.54	205.7	76.82	205.7	77.96	204.8	78.99	204.8	81.27
	-9.5	-10	211.7	73.28	210.9	75.45	210.9	77.62	210.0	78.76	210.0	79.90	209.1	82.07
	-8.5	-9.1	216.0	74.08	215.1	76.36	215.1	78.42	215.1	79.45	214.3	80.59	214.3	82.64
	-7	-7.6	223.7	75.56	223.7	77.62	222.9	79.67	222.9	80.82	222.9	81.73	222.0	83.90
	-5	-5.6	235.7	77.51	234.8	79.45	234.8	81.39	234.0	82.30	234.0	83.33	233.1	85.38
	-3	-3.7	246.9	79.22	246.9	81.91	246.0	83.98	246.0	85.90	246.0	87.81	245.7	89.27
	0	-0.7	266.6	81.73	266.6	83.56	265.7	85.27	261.4	83.90	252.9	80.36	235.7	73.74
	3	2.2	288.0	84.13	287.1	85.72	270.0	79.33	261.4	76.25	252.9	73.17	235.7	67.23
	5	4.1	302.6	85.72	287.1	80.47	270.0	74.54	261.4	71.80	252.9	68.94	235.7	63.35
	7	6	304.3	81.27	287.1	75.68	270.0	70.20	261.4	67.57	252.9	64.95	235.7	59.70
	9	7.9	304.3	76.36	287.1	71.23	270.0	66.09	261.4	62.78	252.9	61.18	235.7	56.39
	11	9.8	304.3	71.91	287.1	67.12	270.0	62.32	261.4	60.04	252.9	57.76	235.7	53.19
	13	11.8	304.3	67.57	287.1	63.12	270.0	58.67	261.4	56.50	252.9	54.45	235.7	50.22
	15	13.7	304.3	63.69	287.1	59.58	270.0	55.48	261.4	53.42	252.9	51.37	235.7	47.60
90%	-19.8	-20	171.1	68.60	170.3	70.88	170.3	73.40	169.4	74.54	169.4	75.79	169.4	78.19
	-18.8	-19	173.7	69.29	173.7	71.80	172.8	74.08	172.8	75.34	172.8	76.48	172.0	78.88
	-16.7	-17	180.5	71.00	179.7	73.28	179.7	75.56	179.7	76.71	178.8	77.85	178.8	80.13
	-13.7	-15	188.2	72.71	187.4	74.99	187.4	77.16	186.5	78.19	186.5	79.33	186.5	81.50
	-11.8	-13	195.9	74.54	195.9	76.59	195.1	78.65	195.1	79.79	195.1	80.82	194.2	82.87
	-9.8	-11	205.4	76.25	205.4	78.19	204.5	80.24	204.5	81.27	204.5	82.30	203.6	84.35
	-9.5	-10	210.5	77.16	209.6	79.10	209.6	81.04	208.8	82.07	208.8	83.10	208.8	84.92
	-8.5	-9.1	214.8	77.96	214.8	79.90	213.9	81.73	213.9	82.64	213.9	83.67	211.3	84.47
	-7	-7.6	222.5	79.22	222.5	81.04	221.6	82.98	221.6	83.90	221.6	84.81	211.3	80.70
	-5	-5.6	234.4	80.93	233.6	82.64	233.6	84.47	232.7	85.38	226.7	82.64	211.3	75.79
	-3	-3.7	245.6	82.53	245.6	84.13	243.0	84.47	234.4	81.16	226.7	77.85	211.3	71.46
	0	-0.7	266.1	84.92	258.4	82.76	243.0	76.71	234.4	73.62	226.7	70.77	211.3	64.95
	3	2.2	273.8	80.82	258.4	75.34	243.0	69.86	234.4	67.23	226.7	64.49	211.3	59.47
	5	4.1	273.8	76.02	258.4	70.88	243.0	65.86	234.4	63.24	226.7	60.95	211.3	56.05
	7	6	273.8	71.46	258.4	66.78	243.0	61.98	234.4	59.70	226.7	57.42	211.3	52.96
	9	7.9	273.8	67.35	258.4	62.78	243.0	58.44	234.4	56.39	226.7	54.22	211.3	50.11
	11	9.8	273.8	63.47	258.4	59.24	243.0	55.25	234.4	53.19	226.7	51.25	211.3	47.37
	13	11.8	273.8	59.70	258.4	55.93	243.0	52.05	234.4	50.22	226.7	48.40	211.3	44.75
	15	13.7	273.8	56.39	258.4	52.74	243.0	49.31	234.4	47.60	226.7	45.89	211.3	42.46
80%	-19.8	-20	170.6	73.28	169.7	75.45	169.7	77.62	169.7	78.65	168.8	79.79	168.8	81.84
	-18.8	-19	173.1	73.97	173.1	76.14	172.3	78.19	172.3	79.33	172.3	80.36	171.4	82.53
	-16.7	-17	180.0	75.45	179.2	77.51	179.2	79.56	179.2	80.59	179.2	81.61	178.3	83.56
	-13.7	-15	187.7	77.05	186.9	78.99	186.9	80.93	186.9	81.84	186.0	82.87	186.0	84.92
	-11.8	-13	195.4	78.53	195.4	80.47	194.6	82.30	194.6	83.21	194.6	84.24	188.6	81.96
	-9.8	-11	204.9	80.13	204.9	81.96	204.0	83.78	204.0	84.58	202.3	84.47	188.6	77.39
	-9.5	-10	210.0	80.93	209.1	82.64	209.2	84.47	209.2	85.38	202.3	81.96	188.6	75.11
	-8.5	-9.1	214.3	81.73	199.2	83.44	213.4	85.04	209.2	83.10	202.3	79.79	188.6	73.17
	-7	-7.6	222.0	82.87	222.0	84.47	216.0	82.64	209.2	79.45	202.3	76.25	188.6	69.97
	-5	-5.6	234.0	84.35	229.7	83.90	216.0	77.62	209.2	74.65	202.3	71.68	188.6	65.86
	-3	-3.7	243.4	84.81	229.7	78.99	216.0	73.17	209.2	70.43	202.3	67.57	188.6	62.21
	0	-0.7	243.4	76.93	229.7	71.68	216.0	66.55	209.2	64.04	202.3	61.52	188.6	56.73
	3	2.2	243.4	70.09	229.7	65.41	216.0	60.84	209.2	58.56	202.3	56.39	188.6	51.94
	5	4.1	243.4	65.98	229.7	61.64	216.0	57.30	209.2	55.25	202.3	53.19	188.6	49.08
	7	6	243.4	62.21	229.7	58.21	216.0	54.11	209.2	52.28	202.3	50.34	188.6	46.46
	9	7.9	243.4	58.67	229.7	54.90	216.0	51.14	209.2	49.31	202.3	47.60	188.6	44.06
	11	9.8	243.4	55.48	229.7	51.82	216.0	48.40	209.2	46.69	202.3	45.09	188.6	41.78
	13	11.8	243.4	52.28	229.7	48.97	216.0	45.77	209.2	44.17	202.3	42.58	188.6	39.49
	15	13.7	243.4	49.43	229.7	46.46	216.0	43.38	209.2	41.89	202.3	40.41	188.6	37.55

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2350W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20	169.3	78.08	168.5	79.90	168.5	81.73	168.5	82.64	168.5	83.67	164.2	82.76
	-18.8	-19	171.9	78.65	171.9	80.47	171.0	82.30	171.0	83.21	171.0	84.24	164.2	81.04
	-16.7	-17	178.7	79.90	178.7	81.73	177.9	83.56	177.9	84.47	176.2	75.22	164.2	77.28
	-13.7	-15	186.4	81.27	185.6	83.10	185.6	84.81	182.2	83.56	176.2	80.13	164.2	73.51
	-11.8	-13	194.1	82.64	194.1	84.35	189.0	82.30	182.2	79.10	176.2	75.91	164.2	69.63
	-9.8	-11	203.5	84.01	201.0	84.01	189.0	77.73	182.2	74.77	176.2	71.80	164.2	65.86
	-9.5	-10	208.7	84.81	201.0	81.50	189.0	75.45	182.2	72.60	176.2	69.74	164.2	64.04
	-8.5	-9.1	212.9	85.27	201.0	79.33	189.0	73.51	182.2	70.66	176.2	67.92	164.2	62.44
	-7	-7.6	212.9	81.39	201.0	75.79	189.0	70.31	182.2	67.69	176.2	64.95	164.2	59.81
	-5	-5.6	212.9	76.48	201.0	71.34	189.0	66.20	182.2	63.58	176.2	75.22	164.2	56.39
	-3	-3.7	212.9	72.03	201.0	67.23	189.0	62.44	182.2	60.04	176.2	57.76	164.2	53.31
	0	-0.7	212.9	65.52	201.0	61.30	189.0	56.96	182.2	54.90	176.2	52.85	164.2	48.85
	3	2.2	212.9	59.93	201.0	56.05	189.0	52.28	182.2	50.34	176.2	48.51	164.2	44.86
	5	4.1	212.9	56.50	201.0	52.85	189.0	49.43	182.2	47.60	176.2	45.89	164.2	42.46
	7	6	212.9	53.42	201.0	50.00	189.0	46.69	182.2	45.09	176.2	43.49	164.2	40.29
60%	9	7.9	212.9	50.45	201.0	47.37	189.0	44.17	182.2	42.69	176.2	41.21	164.2	38.24
	11	9.8	212.9	47.71	201.0	44.75	189.0	41.89	182.2	40.52	176.2	39.15	164.2	36.30
	13	11.8	212.9	45.09	201.0	42.35	189.0	39.61	182.2	38.35	176.2	36.98	164.2	34.47
	15	13.7	212.9	42.80	201.0	40.18	189.0	37.67	182.2	36.41	176.2	35.16	164.2	32.87
	-19.8	-20	168.9	82.76	168.0	84.35	162.0	81.16	156.9	77.96	151.7	74.88	141.4	68.60
	-18.8	-19	171.4	83.33	171.4	84.92	162.0	79.45	156.9	76.25	151.7	73.17	141.4	67.23
	-16.7	-17	178.3	84.47	172.3	81.73	162.0	75.79	156.9	72.83	151.7	69.97	141.4	64.26
	-13.7	-15	182.6	83.56	172.3	77.62	162.0	72.03	156.9	69.29	151.7	66.55	141.4	61.18
	-11.8	-13	182.6	78.99	172.3	73.51	162.0	68.26	156.9	65.75	151.7	63.12	141.4	58.44
	-9.8	-11	182.6	74.65	172.3	69.52	162.0	64.61	156.9	62.21	151.7	59.81	141.4	55.13
	-9.5	-10	182.6	72.60	172.3	67.69	162.0	62.78	156.9	60.50	151.7	58.21	141.4	53.65
	-8.5	-9.1	182.6	70.66	172.3	65.86	162.0	61.30	156.9	59.01	151.7	56.73	141.4	52.28
	-7	-7.6	182.6	67.57	172.3	63.12	162.0	58.67	156.9	56.50	151.7	54.33	141.4	50.22
	-5	-5.6	182.6	63.58	172.3	59.47	162.0	55.36	156.9	53.31	151.7	51.37	141.4	47.48
	-3	-3.7	182.6	60.04	172.3	56.16	162.0	52.28	156.9	50.45	151.7	48.63	141.4	44.97
	0	-0.7	182.6	54.90	172.3	51.37	162.0	47.94	156.9	46.34	151.7	44.63	141.4	41.32
50%	3	2.2	182.6	50.34	172.3	47.26	162.0	44.17	156.9	42.58	151.7	41.09	141.4	38.12
	5	4.1	182.6	47.60	172.3	44.63	162.0	41.78	156.9	40.41	151.7	38.92	141.4	36.18
	7	6	182.6	45.09	172.3	42.35	162.0	39.61	156.9	38.24	151.7	36.98	141.4	34.36
	9	7.9	182.6	42.69	172.3	40.07	162.0	37.55	156.9	36.41	151.7	35.04	141.4	32.76
	11	9.8	182.6	40.52	172.3	38.12	162.0	35.73	156.9	34.59	151.7	33.33	141.4	31.16
	13	11.8	182.6	38.24	172.3	36.07	162.0	33.90	156.9	32.87	151.7	31.73	141.4	29.68
	15	13.7	182.6	36.41	172.3	34.24	162.0	32.30	156.9	31.28	151.7	30.25	141.4	28.31
	-19.8	-20	152.1	75.34	143.5	70.09	135.0	65.06	129.9	62.67	125.6	60.27	117.1	55.48
	-18.8	-19	152.1	73.62	143.5	68.60	135.0	63.81	129.9	61.41	125.6	59.01	117.1	54.45
	-16.7	-17	152.1	70.31	143.5	65.52	135.0	60.95	129.9	58.67	125.6	56.50	117.1	52.16
	-13.7	-15	152.1	66.89	143.5	62.44	135.0	58.10	129.9	55.93	125.6	53.88	117.1	49.77
	-11.8	-13	152.1	63.58	143.5	59.36	135.0	55.25	129.9	53.19	125.6	51.25	117.1	47.37
	-9.8	-11	152.1	60.16	143.5	56.27	135.0	52.39	129.9	50.45	125.6	48.63	117.1	45.09
	-9.5	-10	152.1	58.56	143.5	54.68	135.0	51.02	129.9	49.20	125.6	47.37	117.1	43.83
	-8.5	-9.1	152.1	57.07	143.5	53.42	135.0	49.77	129.9	48.06	125.6	46.34	117.1	42.80
	-7	-7.6	152.1	54.68	143.5	51.25	135.0	47.71	129.9	46.12	125.6	44.52	117.1	41.21
	-5	-5.6	152.1	51.59	143.5	48.40	135.0	45.20	129.9	43.72	125.6	42.12	117.1	39.04
	-3	-3.7	152.1	48.85	143.5	45.89	135.0	42.80	129.9	41.44	125.6	39.95	117.1	37.10
	0	-0.7	152.1	44.86	143.5	42.12	135.0	39.49	129.9	38.12	125.6	36.87	117.1	34.24
	3	2.2	152.1	41.32	143.5	38.81	135.0	36.41	129.9	35.16	125.6	34.02	117.1	31.73
	5	4.1	152.1	39.15	143.5	36.87	135.0	34.59	129.9	33.44	125.6	32.42	117.1	30.13
	7	6	152.1	37.21	143.5	35.04	135.0	32.87	129.9	31.85	125.6	30.82	117.1	28.76
	9	7.9	152.1	35.27	143.5	33.33	135.0	31.28	129.9	30.36	125.6	29.34	117.1	27.40
	11	9.8	152.1	33.56	143.5	31.62	135.0	29.79	129.9	28.88	125.6	27.97	117.1	26.14
	13	11.8	152.1	31.96	143.5	30.13	135.0	28.31	129.9	27.51	125.6	26.60	117.1	25.00
	15	13.7	152.1	30.36	143.5	28.76	135.0	27.05	129.9	26.25	125.6	25.45	117.1	23.86

88HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2400W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	178.7	50.85	177.9	54.48	177.0	58.12	177.0	59.87	176.1	61.63	176.1	65.26
	-18.8	-19	181.3	52.02	180.5	55.54	180.5	59.17	179.6	60.93	179.6	62.57	178.7	66.20
	-16.7	-17	188.4	54.48	187.5	57.88	186.7	61.28	186.7	62.92	186.7	64.68	185.7	68.08
	-13.7	-15	196.3	56.94	195.4	60.23	194.5	63.51	194.5	65.15	193.6	66.79	193.6	70.07
	-11.8	-13	204.1	59.52	204.1	62.69	203.3	65.73	202.4	67.37	202.4	69.01	201.5	72.06
	-9.8	-11	213.8	62.10	212.9	65.15	212.0	68.08	212.0	69.60	212.0	71.12	211.2	74.17
	-9.5	-10	219.1	63.51	218.1	66.32	217.3	69.25	217.3	70.77	216.4	72.18	216.4	75.11
	-8.5	-9.1	223.5	64.56	222.5	67.37	222.5	70.30	221.7	71.71	221.7	73.11	220.8	76.04
	-7	-7.6	231.3	66.44	231.3	69.25	230.4	71.94	230.4	73.35	229.6	74.64	228.7	77.45
	-5	-5.6	243.6	69.01	242.7	71.59	241.9	74.17	241.9	75.58	240.9	76.75	240.9	79.32
	-3	-3.7	254.9	71.24	254.1	73.70	254.1	76.16	253.2	77.45	253.2	78.74	252.3	81.08
	0	-0.7	275.1	74.64	275.1	76.98	274.3	79.21	274.3	80.14	273.3	81.55	273.3	83.89
	3	2.2	297.0	77.80	296.1	79.91	295.3	82.02	295.3	83.07	295.3	84.25	294.4	86.24
	5	4.1	311.9	79.68	311.1	81.79	311.1	83.78	310.1	84.83	310.1	85.77	309.3	87.76
	7	6	327.7	81.67	326.8	83.43	326.8	85.42	325.9	86.35	325.9	87.29	312.8	83.89
	9	7.9	344.3	83.31	343.5	85.18	343.5	86.94	342.5	87.88	335.6	86.00	312.8	78.74
	11	9.8	361.9	84.95	360.9	86.71	359.2	87.76	346.9	84.36	335.6	80.85	312.8	74.17
	13	11.8	381.1	86.59	380.3	88.23	359.2	82.25	346.9	78.97	335.6	75.93	312.8	69.60
	15	13.7	399.5	88.11	382.0	83.54	359.2	77.45	346.9	74.52	335.6	71.47	312.8	65.73
120%	-19.8	-20	177.9	55.77	176.9	59.05	176.1	62.45	176.1	63.98	176.1	65.73	175.2	69.01
	-18.8	-19	180.5	56.83	179.6	60.11	179.6	63.39	178.8	64.91	178.8	66.67	177.9	69.95
	-16.7	-17	187.5	59.05	186.7	62.22	185.4	65.26	185.7	66.90	185.7	68.54	184.9	71.59
	-13.7	-15	195.4	61.40	194.5	64.44	193.6	67.37	193.6	69.01	193.6	70.42	192.8	73.47
	-11.8	-13	203.3	63.74	203.3	66.67	202.4	69.48	202.4	71.01	201.6	72.41	201.6	75.34
	-9.8	-11	212.9	66.20	212.0	68.90	212.0	71.71	211.2	73.11	211.2	74.40	210.3	77.22
	-9.5	-10	218.2	67.37	217.3	70.07	216.4	72.76	216.4	74.17	216.4	75.46	215.6	78.15
	-8.5	-9.1	222.5	68.43	221.7	71.01	221.7	73.70	220.8	74.99	220.8	76.40	219.9	78.97
	-7	-7.6	230.4	70.19	230.4	72.76	229.6	75.22	229.6	76.51	228.7	77.80	228.7	80.26
	-5	-5.6	242.7	72.41	241.9	74.87	240.9	77.33	240.9	78.50	240.9	79.79	240.1	82.02
	-3	-3.7	254.1	74.64	254.1	76.98	253.2	79.21	253.2	80.26	252.4	81.55	252.4	83.78
	0	-0.7	274.3	77.80	274.3	79.91	273.3	82.02	273.3	83.07	272.5	84.13	272.5	86.24
	3	2.2	296.1	80.73	295.3	82.61	295.3	84.60	294.4	85.65	294.4	86.59	288.3	86.12
	5	4.1	311.1	82.49	310.1	84.36	310.1	86.24	309.3	87.18	309.3	88.11	288.3	80.85
	7	6	326.8	84.13	326.8	85.89	326.0	87.64	320.7	86.47	310.1	82.96	288.3	76.04
	9	7.9	343.5	85.77	342.6	87.53	331.2	84.60	320.7	81.20	310.1	77.92	288.3	71.59
	11	9.8	360.9	87.29	352.3	85.77	331.2	79.56	320.7	76.51	310.1	73.35	288.3	67.49
	13	11.8	374.1	86.47	352.3	80.50	331.2	74.64	320.7	71.83	310.1	69.01	288.3	63.51
	15	13.7	374.1	81.43	352.3	75.81	331.2	70.42	320.7	67.61	310.1	65.03	288.3	59.87
110%	-19.8	-20	176.9	60.69	176.1	63.62	175.2	66.67	175.2	68.19	175.3	69.72	174.4	72.76
	-18.8	-19	179.6	61.63	178.8	64.56	178.8	67.61	178.8	69.01	177.9	70.54	177.9	73.58
	-16.7	-17	186.7	63.62	185.7	66.55	188.4	69.48	184.9	70.89	184.9	72.29	184.0	75.11
	-13.7	-15	194.5	65.85	193.7	68.54	192.8	71.36	192.8	72.76	192.8	74.17	191.9	76.86
	-11.8	-13	202.4	68.08	202.4	70.65	201.5	73.23	201.5	74.64	200.7	75.93	200.7	78.62
	-9.8	-11	212.0	70.19	211.2	72.76	211.2	75.22	210.3	76.51	210.3	77.80	210.3	80.26
	-9.5	-10	217.3	71.36	216.4	73.70	215.5	76.28	215.5	77.45	215.5	78.74	214.7	81.20
	-8.5	-9.1	221.7	72.29	220.8	74.64	220.8	77.10	219.9	78.39	219.9	79.56	219.9	72.53
	-7	-7.6	229.6	73.93	229.6	76.16	228.7	78.50	228.7	79.68	228.7	80.85	227.9	83.19
	-5	-5.6	241.9	76.04	240.9	78.27	240.1	80.38	240.1	81.55	240.1	82.61	239.2	84.95
	-3	-3.7	253.2	77.92	253.2	80.03	252.4	82.14	252.4	83.19	251.5	84.25	251.5	86.35
	0	-0.7	273.3	80.85	273.3	82.84	272.5	84.83	272.5	85.77	272.5	86.71	264.7	85.07
	3	2.2	295.3	83.54	294.4	85.30	294.4	87.18	293.5	88.00	283.9	84.36	264.7	77.45
	5	4.1	310.1	85.18	310.1	86.94	304.0	86.12	293.5	82.61	283.9	79.32	264.7	72.76
	7	6	325.9	86.71	323.3	87.29	304.0	80.85	293.5	77.68	283.9	74.64	264.7	68.54
	9	7.9	342.5	88.11	323.3	82.02	304.0	76.04	293.5	73.11	283.9	70.19	264.7	64.56
	11	9.8	342.5	82.96	323.3	77.22	304.0	71.59	293.5	68.90	283.9	66.20	264.7	60.93
	13	11.8	342.5	77.80	323.3	72.41	304.0	67.26	293.5	64.80	283.9	62.22	264.7	57.41
	15	13.7	342.5	69.01	323.3	68.31	304.0	63.51	293.5	61.16	283.9	58.82	264.7	54.25

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-V2400W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútorná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	-19.8	-20	176.1	65.50	175.2	68.19	175.2	71.01	174.4	72.41	174.4	73.70	173.5	76.51
	-18.8	-19	178.8	66.32	178.8	69.01	177.9	71.83	177.9	73.23	177.0	74.64	177.0	77.33
	-16.7	-17	185.7	68.19	184.8	70.89	184.8	73.47	184.0	74.75	184.0	76.04	184.0	78.74
	-13.7	-15	193.6	70.19	192.8	72.76	191.9	75.22	191.9	76.51	191.9	77.80	191.1	80.26
	-11.8	-13	201.6	72.29	201.6	74.64	200.7	76.98	200.7	78.27	200.7	79.44	199.7	81.90
	-9.8	-11	211.2	74.17	210.3	76.51	210.3	78.86	210.3	80.03	209.4	81.08	209.4	83.43
	-9.5	-10	216.4	75.22	215.6	77.45	215.6	79.68	214.7	80.85	214.7	82.02	213.7	84.25
	-8.5	-9.1	220.8	76.04	219.9	78.39	219.9	80.50	219.9	81.55	219.1	82.72	219.1	84.83
	-7	-7.6	228.7	77.57	228.7	79.68	227.9	81.79	227.9	82.96	227.9	83.89	226.9	86.12
	-5	-5.6	240.9	79.56	240.0	81.55	240.0	83.54	239.2	84.48	239.2	85.53	238.3	87.64
	-3	-3.7	252.4	81.32	252.4	73.82	251.5	85.18	251.5	86.12	251.5	87.06	240.9	83.43
	0	-0.7	272.5	83.89	272.5	85.77	271.6	87.53	267.2	86.12	258.5	82.49	240.9	75.69
	3	2.2	294.4	86.35	293.5	88.00	276.0	81.43	267.2	78.27	258.5	75.11	240.9	69.01
	5	4.1	309.3	88.00	293.5	82.61	276.0	76.51	267.2	73.70	258.5	70.77	240.9	65.03
	7	6	311.1	83.43	293.5	77.68	276.0	72.06	267.2	69.37	258.5	66.67	240.9	61.28
	9	7.9	311.1	78.39	293.5	73.11	276.0	67.84	267.2	64.44	258.5	62.80	240.9	57.88
	11	9.8	311.1	73.82	293.5	68.90	276.0	63.98	267.2	61.63	258.5	59.29	240.9	54.60
	13	11.8	311.1	69.37	293.5	64.80	276.0	60.23	267.2	58.00	258.5	55.89	240.9	51.56
	15	13.7	311.1	65.38	293.5	61.16	276.0	56.94	267.2	54.84	258.5	52.73	240.9	48.86
90%	-19.8	-20	174.9	70.42	174.1	72.76	174.1	75.34	173.2	76.51	173.2	77.80	173.2	80.26
	-18.8	-19	177.6	71.12	177.6	73.70	176.6	76.04	176.6	77.33	176.6	78.50	175.8	80.96
	-16.7	-17	184.5	72.88	183.7	75.22	183.7	77.57	183.7	78.74	182.8	79.91	182.8	82.25
	-13.7	-15	192.4	74.64	191.6	76.98	191.6	79.21	190.6	80.26	190.6	81.43	190.6	83.66
	-11.8	-13	200.3	76.51	200.3	78.62	199.4	80.73	199.4	81.90	199.4	82.96	198.5	85.07
	-9.8	-11	210.0	78.27	210.0	80.26	209.0	82.37	209.0	83.43	209.0	84.48	208.1	86.59
	-9.5	-10	215.2	79.21	214.3	81.20	214.3	83.19	213.4	84.25	213.4	85.30	213.4	87.18
	-8.5	-9.1	219.6	80.03	219.6	82.02	218.7	83.89	218.7	84.83	218.7	85.89	216.0	86.71
	-7	-7.6	227.4	81.32	227.4	83.19	226.5	85.18	226.5	86.12	226.5	87.06	216.0	82.84
	-5	-5.6	239.6	83.07	238.8	84.83	238.8	86.71	237.9	87.64	231.7	84.83	216.0	77.80
	-3	-3.7	251.1	84.71	251.1	86.35	248.4	86.71	239.6	83.31	231.7	79.91	216.0	73.35
	0	-0.7	272.0	87.18	264.1	84.95	248.4	78.74	239.6	75.58	231.7	72.65	216.0	66.67
	3	2.2	279.9	82.96	264.1	77.33	248.4	71.71	239.6	69.01	231.7	66.20	216.0	61.05
	5	4.1	279.9	78.04	264.1	72.76	248.4	67.61	239.6	64.91	231.7	62.57	216.0	57.53
	7	6	279.9	73.35	264.1	68.54	248.4	63.62	239.6	61.28	231.7	58.94	216.0	54.37
	9	7.9	279.9	69.13	264.1	64.44	248.4	59.99	239.6	57.88	231.7	55.66	216.0	51.44
	11	9.8	279.9	65.15	264.1	60.81	248.4	56.71	239.6	54.60	231.7	52.61	216.0	48.63
	13	11.8	279.9	61.28	264.1	57.41	248.4	53.43	239.6	51.56	231.7	49.68	216.0	45.93
	15	13.7	279.9	57.88	264.1	54.13	248.4	50.62	239.6	48.86	231.7	47.10	216.0	43.59
80%	-19.8	-20	174.4	75.22	173.5	77.45	173.5	79.68	173.5	80.73	172.6	81.90	172.6	84.01
	-18.8	-19	176.9	75.93	176.9	78.15	176.1	80.26	176.1	81.43	176.1	82.49	175.2	84.71
	-16.7	-17	184.0	77.45	183.2	79.56	183.2	81.67	183.2	82.72	183.2	83.78	182.3	85.77
	-13.7	-15	191.9	79.09	191.1	81.08	191.1	83.07	191.1	84.01	190.1	85.07	190.1	87.18
	-11.8	-13	199.7	80.61	199.7	82.61	198.9	84.48	198.9	85.42	198.9	86.47	192.8	84.13
	-9.8	-11	209.5	82.25	209.5	84.13	208.5	86.00	208.5	86.82	206.8	86.71	192.8	79.44
	-9.5	-10	214.7	83.07	213.7	84.83	213.8	86.71	213.8	87.64	206.8	84.13	192.8	77.10
	-8.5	-9.1	219.1	83.89	203.6	85.65	218.1	87.29	213.8	85.30	206.8	81.90	192.8	75.11
	-7	-7.6	226.9	85.07	226.9	86.71	220.8	84.83	213.8	81.55	206.8	78.27	192.8	71.83
	-5	-5.6	239.2	86.59	234.8	86.12	220.8	79.68	213.8	76.63	206.8	73.58	192.8	67.61
	-3	-3.7	248.8	87.06	234.8	81.08	220.8	75.11	213.8	72.29	206.8	69.37	192.8	63.86
	0	-0.7	248.8	78.97	234.8	73.58	220.8	68.31	213.8	65.73	206.8	63.16	192.8	58.23
	3	2.2	248.8	71.94	234.8	67.14	220.8	62.45	213.8	60.11	206.8	57.88	192.8	53.31
	5	4.1	248.8	67.72	234.8	63.27	220.8	58.82	213.8	56.71	206.8	54.60	192.8	50.38
	7	6	248.8	63.86	234.8	59.76	220.8	55.54	213.8	53.66	206.8	51.67	192.8	47.69
	9	7.9	248.8	60.23	234.8	56.36	220.8	52.49	213.8	50.62	206.8	48.86	192.8	45.23
	11	9.8	248.8	56.94	234.8	53.20	220.8	49.68	213.8	47.92	206.8	46.28	192.8	42.88
	13	11.8	248.8	53.66	234.8	50.27	220.8	46.99	213.8	45.35	206.8	43.70	192.8	40.54
	15	13.7	248.8	50.73	234.8	47.69	220.8	44.52	213.8	43.00	206.8	41.48	192.8	38.55

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplotu

CMV-V2400W/ZR1-C														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota(°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	-19.8	-20	173.1	80.14	172.2	82.02	172.2	83.89	172.2	84.83	172.2	85.89	167.8	84.95
	-18.8	-19	175.7	80.73	175.7	82.61	174.8	84.48	174.8	85.42	174.8	86.47	167.8	83.19
	-16.7	-17	182.7	82.02	182.7	83.89	181.9	85.77	181.9	86.71	180.1	77.22	167.8	79.32
	-13.7	-15	190.5	83.43	189.7	85.30	189.7	87.06	186.2	85.77	180.1	82.25	167.8	75.46
	-11.8	-13	198.4	84.83	198.4	86.59	193.2	84.48	186.2	81.20	180.1	77.92	167.8	71.47
	-9.8	-11	208.0	86.24	205.5	86.24	193.2	79.79	186.2	76.75	180.1	73.70	167.8	67.61
	-9.5	-10	213.3	87.06	205.5	83.66	193.2	77.45	186.2	74.52	180.1	71.59	167.8	65.73
	-8.5	-9.1	217.6	87.53	205.5	81.43	193.2	75.46	186.2	72.53	180.1	69.72	167.8	64.09
	-7	-7.6	217.6	83.54	205.5	77.80	193.2	72.18	186.2	69.48	180.1	66.67	167.8	61.40
	-5	-5.6	217.6	78.50	205.5	73.23	193.2	67.96	186.2	65.26	180.1	77.22	167.8	57.88
	-3	-3.7	217.6	73.93	205.5	69.01	193.2	64.09	186.2	61.63	180.1	59.29	167.8	54.72
	0	-0.7	217.6	67.26	205.5	62.92	193.2	58.47	186.2	56.36	180.1	54.25	167.8	50.15
	3	2.2	217.6	61.51	205.5	57.53	193.2	53.66	186.2	51.67	180.1	49.80	167.8	46.05
	5	4.1	217.6	58.00	205.5	54.25	193.2	50.73	186.2	48.86	180.1	47.10	167.8	43.59
	7	6	217.6	54.84	205.5	51.32	193.2	47.92	186.2	46.28	180.1	44.64	167.8	41.36
	9	7.9	217.6	51.79	205.5	48.63	193.2	45.35	186.2	43.82	180.1	42.30	167.8	39.25
	11	9.8	217.6	48.98	205.5	45.93	193.2	43.00	186.2	41.60	180.1	40.19	167.8	37.26
	13	11.8	217.6	46.28	205.5	43.47	193.2	40.66	186.2	39.37	180.1	37.96	167.8	35.39
	15	13.7	217.6	43.94	205.5	41.24	193.2	38.67	186.2	37.38	180.1	36.09	167.8	33.75
60%	-19.8	-20	172.7	84.95	171.7	86.59	165.6	83.31	160.4	80.03	155.1	76.86	144.5	70.42
	-18.8	-19	175.2	85.53	175.2	87.18	165.6	81.55	160.4	78.27	155.1	75.11	144.5	69.01
	-16.7	-17	182.3	86.71	176.1	83.89	165.6	77.80	160.4	74.75	155.1	71.83	144.5	65.97
	-13.7	-15	186.7	85.77	176.1	79.68	165.6	73.93	160.4	71.12	155.1	68.31	144.5	62.80
	-11.8	-13	186.7	81.08	176.1	75.46	165.6	70.07	160.4	67.49	155.1	64.80	144.5	59.99
	-9.8	-11	186.7	76.63	176.1	71.36	165.6	66.32	160.4	63.86	155.1	61.40	144.5	56.59
	-9.5	-10	186.7	74.52	176.1	69.48	165.6	64.44	160.4	62.10	155.1	59.76	144.5	55.07
	-8.5	-9.1	186.7	72.53	176.1	67.61	165.6	62.92	160.4	60.58	155.1	58.23	144.5	53.66
	-7	-7.6	186.7	69.37	176.1	64.80	165.6	60.23	160.4	58.00	155.1	55.77	144.5	51.56
	-5	-5.6	186.7	65.26	176.1	61.05	165.6	56.83	160.4	54.72	155.1	52.73	144.5	48.74
	-3	-3.7	186.7	61.63	176.1	57.65	165.6	53.66	160.4	51.79	155.1	49.91	144.5	46.17
	0	-0.7	186.7	56.36	176.1	52.73	165.6	49.21	160.4	47.57	155.1	45.81	144.5	42.42
	3	2.2	186.7	51.67	176.1	48.51	165.6	45.35	160.4	43.70	155.1	42.18	144.5	39.14
	5	4.1	186.7	48.86	176.1	45.81	165.6	42.88	160.4	41.48	155.1	39.96	144.5	37.14
	7	6	186.7	46.28	176.1	43.47	165.6	40.66	160.4	39.25	155.1	37.96	144.5	35.27
	9	7.9	186.7	43.82	176.1	41.13	165.6	38.55	160.4	37.38	155.1	35.97	144.5	33.63
	11	9.8	186.7	41.60	176.1	39.14	165.6	36.67	160.4	35.50	155.1	34.21	144.5	31.99
	13	11.8	186.7	39.25	176.1	37.03	165.6	34.80	160.4	33.75	155.1	32.57	144.5	30.46
	15	13.7	186.7	37.38	176.1	35.15	165.6	33.16	160.4	32.10	155.1	31.05	144.5	29.06
50%	-19.8	-20	155.5	77.33	146.7	71.94	138.0	66.79	132.8	64.33	128.4	61.87	119.7	56.94
	-18.8	-19	155.5	75.58	146.7	70.42	138.0	65.50	132.8	63.04	128.4	60.58	119.7	55.89
	-16.7	-17	155.5	72.18	146.7	67.26	138.0	62.57	132.8	60.23	128.4	58.00	119.7	53.55
	-13.7	-15	155.5	68.66	146.7	64.09	138.0	59.64	132.8	57.41	128.4	55.30	119.7	51.09
	-11.8	-13	155.5	65.26	146.7	60.93	138.0	56.71	132.8	54.60	128.4	52.61	119.7	48.63
	-9.8	-11	155.5	61.75	146.7	57.77	138.0	53.78	132.8	51.79	128.4	49.91	119.7	46.28
	-9.5	-10	155.5	60.11	146.7	56.12	138.0	52.38	132.8	50.50	128.4	48.63	119.7	44.99
	-8.5	-9.1	155.5	58.59	146.7	54.84	138.0	51.09	132.8	49.33	128.4	47.57	119.7	43.94
	-7	-7.6	155.5	56.12	146.7	52.61	138.0	48.98	132.8	47.34	128.4	45.70	119.7	42.30
	-5	-5.6	155.5	52.96	146.7	49.68	138.0	46.40	132.8	44.88	128.4	43.24	119.7	40.07
	-3	-3.7	155.5	50.15	146.7	47.10	138.0	43.94	132.8	42.53	128.4	41.01	119.7	38.08
	0	-0.7	155.5	46.05	146.7	43.24	138.0	40.54	132.8	39.14	128.4	37.85	119.7	35.15
	3	2.2	155.5	42.42	146.7	39.84	138.0	37.38	132.8	36.09	128.4	34.92	119.7	32.57
	5	4.1	155.5	40.19	146.7	37.85	138.0	35.50	132.8	34.33	128.4	33.28	119.7	30.93
	7	6	155.5	38.20	146.7	35.97	138.0	33.75	132.8	32.69	128.4	31.64	119.7	29.53
	9	7.9	155.5	36.21	146.7	34.21	138.0	32.10	132.8	31.17	128.4	30.11	119.7	28.12
	11	9.8	155.5	34.45	146.7	32.46	138.0	30.58	132.8	29.64	128.4	28.71	119.7	26.83
	13	11.8	155.5	32.81	146.7	30.93	138.0	29.06	132.8	28.24	128.4	27.30	119.7	25.66
	15	13.7	155.5	31.17	146.7	29.53	138.0	27.77	132.8	26.95	128.4	26.13	119.7	24.49