

VÝKONOVÉ TABUĽKY – CHLADENIE

8HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D252W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	22.79	2.11	26.62	2.62	30.67	3.14	31.50	3.41	32.05	3.67	32.55	3.68	33.42	3.71
	12	22.79	2.14	26.62	2.67	30.67	3.20	31.22	3.47	31.77	3.74	32.26	3.75	33.12	3.78
	14	22.79	2.18	26.62	2.72	30.67	3.26	30.94	3.53	31.49	3.80	31.68	3.82	32.83	3.85
	16	22.79	2.22	26.62	2.77	30.40	3.32	30.67	3.59	30.92	3.87	31.40	3.89	32.53	3.92
	18	22.79	2.26	26.62	2.81	29.86	3.38	30.12	3.65	30.64	3.94	31.11	3.95	32.23	3.99
	19	22.79	2.30	26.62	2.86	29.59	3.43	29.84	3.72	30.36	4.01	30.82	4.02	31.94	4.06
	21	22.79	2.47	26.62	3.07	29.32	3.67	29.56	3.99	30.08	4.30	30.53	4.32	31.64	4.36
	23	22.79	2.64	26.62	3.29	29.05	3.94	29.29	4.27	29.80	4.60	30.24	4.62	31.35	4.66
	25	22.79	2.82	26.62	3.52	28.77	4.22	29.01	4.57	29.52	4.93	29.96	4.94	31.05	4.99
	27	22.79	3.02	26.62	3.76	28.50	4.50	28.73	4.89	29.24	5.27	29.67	5.29	30.46	5.34
	29	22.79	3.23	26.41	4.02	28.23	4.81	28.46	5.22	28.96	5.62	29.38	5.64	30.46	5.69
	31	22.79	3.44	26.33	4.29	27.96	5.13	28.18	5.56	28.68	6.00	29.09	6.02	30.16	6.08
	33	22.79	3.66	26.33	4.56	27.69	5.46	27.91	5.93	28.39	6.39	28.80	6.41	29.87	6.47
	35	22.79	3.90	26.07	4.85	27.15	5.81	27.63	6.31	28.11	6.80	28.46	6.82	29.57	6.88
	37	22.79	4.15	26.07	5.17	26.80	6.19	27.35	6.70	27.55	7.23	28.18	7.25	28.98	7.33
	39	22.79	4.16	25.70	5.19	26.60	6.21	27.08	6.73	27.27	7.26	27.91	7.29	28.69	7.36
	41	22.79	4.18	25.14	5.21	26.25	6.24	26.80	6.76	26.99	7.30	27.63	7.32	28.39	7.39
	43	22.93	4.20	24.59	5.24	25.79	6.27	26.25	6.80	26.71	7.33	27.36	7.35	28.09	7.43
	46	22.10	4.22	23.76	5.26	24.87	6.30	25.42	6.83	25.97	7.37	26.52	7.39	27.35	7.45
	48	21.55	4.24	22.93	5.29	24.04	6.33	24.59	6.86	25.14	7.40	25.70	7.42	26.52	7.49
50	21.00	4.26	22.10	5.31	23.21	6.36	23.76	6.89	24.31	7.43	24.87	7.45	25.70	7.52	
120%	10	21.40	2.08	25.49	2.59	29.40	3.11	30.44	3.38	31.53	3.63	31.96	3.64	32.97	3.68
	12	21.40	2.12	25.49	2.64	29.40	3.17	30.44	3.44	31.25	3.70	31.67	3.71	32.68	3.75
	14	21.40	2.16	25.49	2.69	29.40	3.23	30.44	3.49	30.97	3.77	31.39	3.78	32.39	3.82
	16	21.40	2.20	25.49	2.74	29.40	3.28	30.44	3.56	30.70	3.84	31.11	3.85	32.09	3.89
	18	21.40	2.24	25.49	2.79	29.40	3.34	30.17	3.62	30.42	3.90	30.83	3.92	31.80	3.95
	19	21.40	2.28	25.49	2.84	29.08	3.40	29.90	3.68	30.14	3.97	30.54	3.98	31.51	4.02
	21	21.40	2.45	25.49	3.04	28.81	3.64	29.35	3.95	29.59	4.26	30.26	4.27	31.22	4.32
	23	21.40	2.61	25.49	3.26	28.27	3.90	29.08	4.23	29.31	4.56	29.98	4.57	30.93	4.62
	25	21.40	2.80	25.49	3.48	27.99	4.18	28.54	4.52	29.04	4.88	29.69	4.89	30.64	4.94
	27	21.40	2.99	25.49	3.72	27.45	4.46	28.27	4.84	28.76	5.22	29.41	5.24	30.34	5.29
	29	21.40	3.20	25.49	3.98	27.18	4.76	27.99	5.17	28.48	5.57	29.13	5.58	30.05	5.64
	31	21.40	3.41	25.49	4.25	26.91	5.08	27.72	5.51	28.21	5.94	28.85	5.96	29.76	6.02
	33	21.40	3.62	25.49	4.52	26.64	5.42	27.45	5.87	27.93	6.33	28.56	6.35	29.47	6.41
	35	21.40	3.86	25.28	4.81	26.36	5.76	27.18	6.25	27.66	6.73	28.28	6.75	29.18	6.82
	37	21.40	4.11	25.01	5.12	26.09	6.13	26.64	6.64	27.10	7.16	27.99	7.18	28.59	7.25
	39	21.40	4.12	24.73	5.14	25.82	6.15	26.36	6.67	26.83	7.19	27.72	7.22	28.30	7.29
	41	21.40	4.14	24.21	5.16	25.55	6.18	26.09	6.70	26.55	7.23	27.45	7.25	28.01	7.32
	43	21.40	4.16	23.96	5.19	25.28	6.21	25.82	6.73	26.36	7.26	27.18	7.28	27.72	7.35
	46	20.93	4.18	23.37	5.21	24.46	6.24	25.01	6.76	25.55	7.29	26.36	7.32	26.91	7.39
	48	20.38	4.20	22.83	5.23	23.65	6.27	24.19	6.79	24.73	7.33	25.55	7.35	26.09	7.42
50	19.84	4.22	22.29	5.26	22.83	6.30	23.37	6.82	23.92	7.36	24.73	7.38	25.28	7.45	
110%	10	19.58	2.06	23.19	2.57	26.26	3.08	28.60	3.34	30.73	3.60	31.43	3.61	32.42	3.64
	12	19.58	2.10	23.19	2.62	26.26	3.14	28.60	3.41	30.46	3.66	31.15	3.67	32.14	3.71
	14	19.58	2.14	23.19	2.66	26.26	3.20	28.60	3.47	30.19	3.73	30.87	3.74	31.85	3.78
	16	19.58	2.18	23.19	2.71	26.26	3.25	28.60	3.52	29.92	3.80	30.59	3.81	31.56	3.85
	18	19.58	2.22	23.19	2.76	26.26	3.31	28.60	3.58	29.65	3.87	30.32	3.88	31.28	3.92
	19	19.58	2.26	23.19	2.81	26.26	3.37	28.60	3.65	29.37	3.93	30.04	3.94	30.99	3.98
	21	19.58	2.42	23.19	3.01	26.26	3.60	28.60	3.91	29.10	4.22	29.76	4.23	30.70	4.27
	23	19.58	2.59	23.19	3.23	26.26	3.86	28.33	4.19	28.83	4.51	29.48	4.53	30.42	4.57
	25	19.58	2.77	23.19	3.46	26.26	4.14	28.07	4.48	28.56	4.83	29.20	4.85	30.13	4.89
	27	19.58	2.96	23.19	3.69	26.26	4.42	27.80	4.79	28.29	5.17	28.92	5.18	29.84	5.24
	29	19.58	3.16	23.19	3.94	26.26	4.72	27.53	5.12	28.01	5.51	28.65	5.53	29.56	5.58
	31	19.58	3.38	23.19	4.20	26.26	5.03	27.26	5.45	27.74	5.88	28.37	5.90	29.27	5.96
	33	19.58	3.59	23.19	4.47	25.93	5.36	27.00	5.81	27.47	6.27	28.09	6.29	28.98	6.35
	35	19.58	3.82	23.19	4.76	25.66	5.70	26.73	6.19	27.20	6.66	27.81	6.68	28.69	6.75
	37	19.58	4.07	23.19	5.07	25.39	6.07	26.20	6.57	26.65	7.09	27.26	7.11	28.12	7.18
	39	19.58	4.08	23.19	5.09	25.13	6.09	25.93	6.60	26.38	7.12	26.98	7.14	27.83	7.21
	41	19.58	4.10	23.19	5.11	24.86	6.12	25.66	6.63	26.11	7.16	26.70	7.18	27.55	7.25
	43	19.58	4.12	23.19	5.13	24.59	6.15	25.39	6.66	25.84	7.19	26.42	7.21	27.26	7.28
	46	18.98	4.14	22.72	5.16	23.79	6.18	24.59	6.69	25.13	7.22	25.66	7.24	26.20	7.32
	48	18.44	4.16	22.19	5.18	22.99	6.21	23.79	6.73	24.32	7.26	24.86	7.28	25.39	7.35
50	17.91	4.18	21.65	5.21	22.19	6.23	22.99	6.76	23.52	7.29	24.06	7.31	24.59	7.38	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D252W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	10	17.45	1.93	20.6	2.40	23.75	2.87	25.2	3.12	27.44	3.36	29.37	3.37	30.54	3.41
	12	17.45	1.96	20.6	2.45	23.75	2.93	25.2	3.18	27.44	3.43	29.37	3.44	30.27	3.47
	14	17.45	2.00	20.6	2.48	23.75	2.98	25.2	3.23	27.44	3.48	29.1	3.49	30	3.52
	16	17.45	2.03	20.6	2.53	23.75	3.03	25.2	3.29	27.44	3.54	28.84	3.55	29.73	3.59
	18	17.45	2.07	20.6	2.57	23.75	3.09	25.2	3.35	27.44	3.61	28.58	3.62	29.46	3.65
	19	17.45	2.11	20.6	2.62	23.75	3.14	25.2	3.41	27.44	3.67	28.32	3.68	29.19	3.72
	21	17.45	2.26	20.6	2.81	23.75	3.37	25.2	3.65	27.44	3.94	28.06	3.95	28.91	3.99
	23	17.45	2.42	20.6	3.01	23.75	3.60	25.2	3.91	27.44	4.22	27.79	4.23	28.64	4.27
	25	17.45	2.58	20.6	3.22	23.75	3.86	25.2	4.19	27.44	4.51	27.53	4.52	28.37	4.56
	27	17.45	2.76	20.6	3.45	23.75	4.13	25.2	4.47	27.18	4.82	27.27	4.84	28.1	4.88
	29	17.45	2.95	20.6	3.67	23.75	4.41	25.2	4.77	26.92	5.15	27.01	5.17	27.83	5.22
	31	17.45	3.15	20.6	3.92	23.75	4.69	25.2	5.09	26.67	5.49	26.75	5.50	27.56	5.56
	33	17.45	3.36	20.6	4.18	23.75	5.00	25.2	5.43	26.41	5.85	26.48	5.87	27.29	5.92
	35	17.45	3.56	20.6	4.45	23.75	5.33	25.2	5.79	26.03	6.22	26.22	6.24	27.02	6.31
	37	17.45	3.79	20.6	4.72	23.75	5.66	25.2	6.00	25.64	6.61	25.96	6.63	26.48	6.70
	39	17.45	3.81	20.6	4.75	23.75	5.68	25.2	6.18	25.45	6.64	25.7	6.66	26.21	6.73
	41	17.45	3.83	20.6	4.77	23.44	5.71	24.95	6.35	25.2	6.67	25.45	6.69	25.94	6.76
	43	17.45	3.84	20.6	4.79	23.18	5.73	24.7	6.58	24.95	6.70	25.2	6.73	25.67	6.79
	46	17.45	3.86	20.19	4.81	22.43	5.76	24.44	6.82	24.7	6.74	24.95	6.76	25.45	6.82
	48	17.45	3.88	19.98	4.83	21.67	5.79	23.69	6.87	24.44	6.77	24.19	6.79	24.7	6.86
	50	17.14	3.90	19.78	4.86	20.92	5.82	22.93	7.04	23.69	6.80	23.44	6.82	23.94	6.89
90%	10	15.71	1.66	18.54	2.08	21.38	2.48	22.68	2.69	23.98	2.90	27.19	2.91	27.75	2.94
	12	15.71	1.69	18.54	2.11	21.38	2.53	22.68	2.74	23.98	2.96	27.19	2.97	27.75	3.00
	14	15.71	1.72	18.54	2.15	21.38	2.57	22.68	2.79	23.98	3.01	27.19	3.02	27.75	3.05
	16	15.71	1.76	18.54	2.19	21.38	2.62	22.68	2.84	23.98	3.07	27.19	3.08	27.75	3.11
	18	15.71	1.79	18.54	2.23	21.38	2.67	22.68	2.89	23.98	3.12	27.19	3.13	27.44	3.16
	19	15.71	1.82	18.54	2.27	21.38	2.71	22.68	2.94	23.98	3.18	26.99	3.19	27.22	3.22
	21	15.71	1.95	18.54	2.43	21.38	2.91	22.68	3.16	23.98	3.41	26.76	3.42	26.99	3.45
	23	15.71	2.09	18.54	2.60	21.38	3.12	22.68	3.38	23.98	3.64	26.54	3.65	26.76	3.69
	25	15.71	2.24	18.54	2.78	21.38	3.34	22.68	3.61	23.98	3.90	26.31	3.91	26.54	3.95
	27	15.71	2.39	18.54	2.98	21.38	3.56	22.68	3.87	23.98	4.17	26.08	4.18	26.31	4.22
	29	15.71	2.55	18.54	3.18	21.38	3.81	22.68	4.13	23.98	4.46	25.86	4.46	26.08	4.50
	31	15.71	2.72	18.54	3.39	21.38	4.06	22.68	4.41	23.98	4.74	25.63	4.76	25.86	4.81
	33	15.71	2.90	18.54	3.61	21.38	4.33	22.68	4.69	23.98	5.06	25.4	5.07	25.63	5.12
	35	15.71	3.08	18.54	3.84	21.38	4.60	22.68	4.99	23.98	5.38	25.17	5.40	25.4	5.45
	37	15.71	3.28	18.54	4.09	21.38	4.89	22.68	5.31	23.98	5.72	24.95	5.74	25.17	5.79
	39	15.71	3.30	18.54	4.11	21.38	4.91	22.68	5.33	23.81	5.74	24.72	5.76	24.95	5.82
	41	15.71	3.31	18.54	4.12	21.38	4.94	22.68	5.36	23.59	5.77	24.49	5.79	24.72	5.84
	43	15.71	3.33	18.54	4.14	21.38	4.96	22.45	5.38	23.36	5.80	24.27	5.81	24.49	5.87
	46	15.71	3.34	18.54	4.16	20.64	4.98	21.77	5.41	22.68	5.82	23.59	5.84	23.81	5.90
	48	15.71	3.36	18.54	4.18	19.96	5.01	21.09	5.43	22	5.85	22.91	5.87	23.13	5.93
	50	15.71	3.37	18.14	4.20	19.28	5.03	20.41	5.45	21.32	5.88	22.23	5.90	22.45	5.95
80%	10	13.96	1.43	16.48	1.77	19	2.12	20.16	2.30	21.32	2.48	21.78	2.48	22.25	2.51
	12	13.96	1.45	16.48	1.80	19	2.16	20.16	2.35	21.32	2.52	21.78	2.53	22.25	2.56
	14	13.96	1.48	16.48	1.84	19	2.20	20.16	2.39	21.32	2.57	21.78	2.58	22.25	2.60
	16	13.96	1.50	16.48	1.87	19	2.24	20.16	2.43	21.32	2.62	21.78	2.62	22.25	2.65
	18	13.96	1.52	16.48	1.90	19	2.28	20.16	2.48	21.32	2.66	21.78	2.67	22.25	2.70
	19	13.96	1.55	16.48	1.94	19	2.32	20.16	2.51	21.32	2.71	21.78	2.72	22.25	2.74
	21	13.96	1.66	16.48	2.08	19	2.48	20.16	2.69	21.32	2.91	21.78	2.91	22.25	2.94
	23	13.96	1.78	16.48	2.23	19	2.66	20.16	2.89	21.32	3.11	21.78	3.12	22.25	3.15
	25	13.96	1.91	16.48	2.38	19	2.85	20.16	3.09	21.32	3.33	21.78	3.35	22.25	3.38
	27	13.96	2.04	16.48	2.54	19	3.05	20.16	3.31	21.32	3.56	21.78	3.57	22.25	3.60
	29	13.96	2.18	16.48	2.71	19	3.25	20.16	3.52	21.32	3.80	21.78	3.81	22.25	3.85
	31	13.96	2.33	16.48	2.90	19	3.47	20.16	3.76	21.32	4.06	21.78	4.07	22.25	4.11
	33	13.96	2.48	16.48	3.09	19	3.69	20.16	4.01	21.32	4.32	21.78	4.34	22.25	4.38
	35	13.96	2.63	16.48	3.28	19	3.93	20.16	4.27	21.32	4.59	21.78	4.61	22.25	4.65
	37	13.96	2.80	16.48	3.49	19	4.18	20.16	4.53	21.32	4.89	21.78	4.90	21.97	4.95
	39	13.96	2.81	16.48	3.50	19	4.20	20.16	4.55	21.32	4.91	21.57	4.92	21.77	4.97
	41	13.96	2.82	16.48	3.52	19	4.22	20.16	4.57	21.17	4.93	21.37	4.95	21.57	4.99
	43	13.96	2.84	16.48	3.53	19	4.24	20.16	4.59	20.97	4.95	21.17	4.97	21.37	5.02
	46	13.96	2.85	16.53	3.55	18.95	4.26	19.56	4.61	20.36	4.98	20.56	4.99	20.36	5.04
	48	13.96	2.86	16.53	3.57	18.35	4.28	18.95	4.63	19.76	5.00	19.96	5.01	19.76	5.06
	50	13.96	2.88	16.53	3.58	17.74	4.30	18.35	4.66	19.15	5.02	19.35	5.04	19.15	5.09

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D252W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	10	12.22	1.20	14.42	1.49	16.63	1.79	17.64	1.94	18.65	2.09	19.06	2.10	19.47	2.12
	12	12.22	1.22	14.42	1.52	16.63	1.82	17.64	1.97	18.65	2.13	19.06	2.14	19.47	2.16
	14	12.22	1.24	14.42	1.54	16.63	1.85	17.64	2.01	18.65	2.17	19.06	2.18	19.47	2.20
	16	12.22	1.27	14.42	1.57	16.63	1.89	17.64	2.05	18.65	2.21	19.06	2.21	19.47	2.24
	18	12.22	1.29	14.42	1.60	16.63	1.92	17.64	2.08	18.65	2.25	19.06	2.25	19.47	2.28
	19	12.22	1.31	14.42	1.63	16.63	1.95	17.64	2.12	18.65	2.29	19.06	2.29	19.47	2.32
	21	12.22	1.41	14.42	1.75	16.63	2.09	17.64	2.27	18.65	2.45	19.06	2.46	19.47	2.48
	23	12.22	1.50	14.42	1.87	16.63	2.24	17.64	2.44	18.65	2.62	19.06	2.63	19.47	2.65
	25	12.22	1.60	14.42	2.00	16.63	2.40	17.64	2.60	18.65	2.80	19.06	2.81	19.47	2.84
	27	12.22	1.72	14.42	2.14	16.63	2.56	17.64	2.78	18.65	3.00	19.06	3.01	19.47	3.04
	29	12.22	1.83	14.42	2.29	16.63	2.74	17.64	2.97	18.65	3.20	19.06	3.21	19.47	3.25
	31	12.22	1.96	14.42	2.44	16.63	2.92	17.64	3.17	18.65	3.42	19.06	3.43	19.47	3.46
	33	12.22	2.09	14.42	2.59	16.63	3.11	17.64	3.38	18.65	3.63	19.06	3.64	19.47	3.68
	35	12.22	2.22	14.42	2.76	16.63	3.31	17.64	3.59	18.65	3.87	19.06	3.88	19.47	3.92
	37	12.22	2.36	14.42	2.94	16.63	3.52	17.64	3.82	18.65	4.12	19.06	4.13	19.47	4.17
	39	12.22	2.37	14.42	2.95	16.63	3.53	17.64	3.83	18.65	4.13	19.06	4.15	19.47	4.19
	41	12.22	2.38	14.42	2.97	16.63	3.55	17.64	3.85	18.65	4.15	19.06	4.17	19.47	4.21
	43	12.22	2.40	14.42	2.98	16.63	3.56	17.64	3.87	18.65	4.17	19.06	4.19	19.47	4.23
	46	12.22	2.41	14.42	2.99	16.63	3.58	17.64	3.89	18.35	4.19	18.7	4.21	19.05	4.25
	48	12.22	2.42	14.42	3.01	16.63	3.60	17.29	3.90	17.99	4.21	18.35	4.23	18.7	4.27
	50	12.22	2.43	14.42	3.02	16.23	3.61	16.93	3.92	17.64	4.23	17.99	4.24	18.35	4.29
60%	10	10.47	0.99	12.36	1.24	14.25	1.48	15.12	1.60	15.99	1.73	16.34	1.73	16.68	1.75
	12	10.47	1.01	12.36	1.26	14.25	1.50	15.12	1.63	15.99	1.76	16.34	1.76	16.68	1.78
	14	10.47	1.03	12.36	1.28	14.25	1.53	15.12	1.66	15.99	1.79	16.34	1.80	16.68	1.81
	16	10.47	1.05	12.36	1.31	14.25	1.56	15.12	1.69	15.99	1.82	16.34	1.83	16.68	1.85
	18	10.47	1.07	12.36	1.33	14.25	1.58	15.12	1.72	15.99	1.86	16.34	1.86	16.68	1.88
	19	10.47	1.08	12.36	1.35	14.25	1.61	15.12	1.75	15.99	1.89	16.34	1.89	16.68	1.91
	21	10.47	1.16	12.36	1.45	14.25	1.73	15.12	1.88	15.99	2.03	16.34	2.03	16.68	2.05
	23	10.47	1.25	12.36	1.55	14.25	1.85	15.12	2.01	15.99	2.17	16.34	2.18	16.68	2.20
	25	10.47	1.33	12.36	1.66	14.25	1.99	15.12	2.16	15.99	2.33	16.34	2.33	16.68	2.36
	27	10.47	1.43	12.36	1.77	14.25	2.12	15.12	2.31	15.99	2.48	16.34	2.48	16.68	2.51
	29	10.47	1.51	12.36	1.89	14.25	2.27	15.12	2.46	15.99	2.65	16.34	2.65	16.68	2.68
	31	10.47	1.62	12.36	2.02	14.25	2.42	15.12	2.62	15.99	2.82	16.34	2.83	16.68	2.86
	33	10.47	1.72	12.36	2.15	14.25	2.57	15.12	2.79	15.99	3.01	16.34	3.02	16.68	3.05
	35	10.47	1.83	12.36	2.29	14.25	2.74	15.12	2.97	15.99	3.20	16.34	3.21	16.68	3.25
	37	10.47	1.95	12.36	2.44	14.25	2.91	15.12	3.16	15.99	3.41	16.34	3.42	16.68	3.45
	39	10.47	1.96	12.36	2.45	14.25	2.93	15.12	3.18	15.99	3.43	16.34	3.44	16.68	3.47
	41	10.47	1.97	12.36	2.46	14.25	2.94	15.12	3.19	15.99	3.44	16.34	3.45	16.68	3.48
	43	10.47	1.98	12.36	2.47	14.25	2.95	15.12	3.20	15.99	3.46	16.34	3.47	16.68	3.49
	46	10.47	1.99	12.36	2.48	14.25	2.97	15.12	3.22	15.99	3.47	16.34	3.47	16.68	3.51
	48	10.47	2.00	12.36	2.48	14.25	2.98	15.12	3.23	15.72	3.48	16.03	3.49	16.33	3.52
	50	10.47	2.01	12.36	2.50	14.25	2.99	14.82	3.25	15.42	3.50	15.72	3.51	16.03	3.54
50%	10	8.73	0.80	10.3	1.00	11.88	1.20	12.6	1.30	13.32	1.41	13.61	1.41	13.9	1.42
	12	8.73	0.82	10.3	1.02	11.88	1.22	12.6	1.33	13.32	1.43	13.61	1.44	13.9	1.45
	14	8.73	0.83	10.3	1.04	11.88	1.25	12.6	1.35	13.32	1.46	13.61	1.46	13.9	1.48
	16	8.73	0.85	10.3	1.06	11.88	1.27	12.6	1.38	13.32	1.48	13.61	1.49	13.9	1.49
	18	8.73	0.86	10.3	1.08	11.88	1.29	12.6	1.40	13.32	1.50	13.61	1.50	13.9	1.52
	19	8.73	0.88	10.3	1.09	11.88	1.31	12.6	1.42	13.32	1.53	13.61	1.53	13.9	1.55
	21	8.73	0.94	10.3	1.17	11.88	1.41	12.6	1.52	13.32	1.64	13.61	1.64	13.9	1.66
	23	8.73	1.01	10.3	1.26	11.88	1.50	12.6	1.63	13.32	1.76	13.61	1.76	13.9	1.78
	25	8.73	1.08	10.3	1.35	11.88	1.61	12.6	1.74	13.32	1.88	13.61	1.89	13.9	1.90
	27	8.73	1.15	10.3	1.44	11.88	1.72	12.6	1.86	13.32	2.01	13.61	2.02	13.9	2.04
	29	8.73	1.23	10.3	1.53	11.88	1.83	12.6	1.99	13.32	2.15	13.61	2.16	13.9	2.18
	31	8.73	1.32	10.3	1.63	11.88	1.96	12.6	2.13	13.32	2.29	13.61	2.30	13.9	2.32
	33	8.73	1.40	10.3	1.74	11.88	2.09	12.6	2.27	13.32	2.44	13.61	2.45	13.9	2.48
	35	8.73	1.49	10.3	1.85	11.88	2.22	12.6	2.41	13.32	2.59	13.61	2.60	13.9	2.62
	37	8.73	1.58	10.3	1.97	11.88	2.36	12.6	2.56	13.32	2.76	13.61	2.77	13.9	2.79
	39	8.73	1.58	10.3	1.98	11.88	2.37	12.6	2.57	13.32	2.77	13.61	2.78	13.9	2.81
	41	8.73	1.59	10.3	1.99	11.88	2.39	12.6	2.58	13.32	2.78	13.61	2.79	13.9	2.82
	43	8.73	1.60	10.3	2.00	11.88	2.40	12.6	2.59	13.32	2.80	13.61	2.80	13.9	2.83
	46	8.73	1.61	10.3	2.01	11.88	2.41	12.6	2.60	13.32	2.81	13.61	2.82	13.9	2.84
	48	8.73	1.61	10.3	2.02	11.88	2.42	12.6	2.62	13.36	2.82	13.48	2.83	13.73	2.86
	50	8.73	1.62	10.3	2.03	11.88	2.43	12.6	2.63	13.23	2.83	13.36	2.84	13.61	2.87

10HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D280W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota (°C)													
		DB:20,8,WB:14		DB:23,3,WB:16		DB:25,8,WB:18		DB:27,WB:19		DB:28,2,WB:20		DB:30,7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	25.32	2.53	29.58	3.15	34.08	3.77	35.00	4.09	35.61	4.40	36.17	4.42	37.13	4.46
	12	25.32	2.57	29.58	3.21	34.08	3.84	34.69	4.17	35.30	4.49	35.84	4.51	36.80	4.55
	14	25.32	2.62	29.58	3.26	34.08	3.91	34.38	4.24	34.99	4.57	35.20	4.58	36.48	4.63
	16	25.32	2.67	29.58	3.32	33.78	3.98	34.08	4.32	34.36	4.65	34.89	4.67	36.14	4.72
	18	25.32	2.72	29.58	3.39	33.18	4.05	33.47	4.39	34.04	4.73	34.57	4.75	35.81	4.79
	19	25.32	2.76	29.58	3.44	32.88	4.12	33.16	4.47	33.73	4.82	34.24	4.83	35.49	4.88
	21	25.32	2.96	29.58	3.69	32.58	4.41	32.84	4.79	33.42	5.16	33.92	5.18	35.16	5.22
	23	25.32	3.17	29.58	3.95	32.28	4.73	32.54	5.13	33.11	5.53	33.60	5.54	34.83	5.60
	25	25.32	3.39	29.58	4.22	31.97	5.06	32.23	5.49	32.80	5.92	33.29	5.93	34.50	6.00
	27	25.32	3.63	29.58	4.52	31.67	5.41	31.92	5.87	32.49	6.33	32.97	6.35	33.84	6.40
	29	25.32	3.88	29.34	4.83	31.37	5.78	31.62	6.26	32.18	6.75	32.64	6.77	33.84	6.84
	31	25.32	4.13	29.26	5.15	31.07	6.16	31.31	6.69	31.87	7.20	32.32	7.22	33.51	7.30
	33	25.32	4.39	29.26	5.48	30.77	6.56	31.01	7.12	31.54	7.68	32.00	7.69	33.19	7.77
	35	25.32	4.68	28.97	5.83	30.17	6.98	30.70	7.57	31.23	8.17	31.62	8.19	32.86	8.27
	37	25.32	4.98	28.97	6.20	29.78	7.42	30.39	8.05	30.61	8.69	31.31	8.70	32.20	8.79
	39	25.32	5.00	28.56	6.22	29.56	7.46	30.09	8.09	30.30	8.72	31.01	8.74	31.88	8.83
	41	25.32	5.02	27.93	6.25	29.17	7.49	29.78	8.13	29.99	8.76	30.70	8.79	31.54	8.87
	43	25.48	5.05	27.32	6.28	28.66	7.53	29.17	8.17	29.68	8.80	30.40	8.83	31.21	8.91
	46	24.56	5.06	26.40	6.32	27.63	7.56	28.24	8.20	28.86	8.84	29.47	8.86	30.39	8.95
	48	23.94	5.09	25.48	6.35	26.71	7.59	27.32	8.24	27.93	8.88	28.56	8.91	29.47	9.00
	50	23.33	5.11	24.56	6.37	25.79	7.63	26.40	8.28	27.01	8.92	27.63	8.95	28.56	9.03
120%	10	23.78	2.50	28.32	3.12	32.67	3.73	33.82	4.05	35.03	4.37	35.51	4.38	36.63	4.42
	12	23.78	2.55	28.32	3.18	32.67	3.80	33.82	4.12	34.72	4.44	35.19	4.46	36.31	4.51
	14	23.78	2.59	28.32	3.23	32.67	3.88	33.82	4.20	34.41	4.53	34.88	4.55	35.99	4.58
	16	23.78	2.64	28.32	3.29	32.67	3.94	33.82	4.27	34.11	4.61	34.57	4.62	35.66	4.67
	18	23.78	2.69	28.32	3.35	32.67	4.01	33.52	4.35	33.80	4.69	34.26	4.71	35.33	4.75
	19	23.78	2.73	28.32	3.40	32.31	4.08	33.22	4.42	33.49	4.77	33.93	4.78	35.01	4.83
	21	23.78	2.93	28.32	3.65	32.01	4.38	32.61	4.74	32.88	5.11	33.62	5.13	34.69	5.18
	23	23.78	3.14	28.32	3.91	31.41	4.69	32.31	5.08	32.57	5.48	33.31	5.50	34.37	5.54
	25	23.78	3.36	28.32	4.19	31.10	5.02	31.71	5.44	32.27	5.86	32.99	5.87	34.04	5.93
	27	23.78	3.59	28.32	4.48	30.50	5.36	31.41	5.81	31.96	6.26	32.68	6.28	33.71	6.35
	29	23.78	3.84	28.32	4.78	30.20	5.72	31.10	6.20	31.64	6.69	32.37	6.71	33.39	6.77
	31	23.78	4.09	28.32	5.09	29.90	6.10	30.80	6.62	31.34	7.13	32.06	7.16	33.07	7.22
	33	23.78	4.36	28.32	5.43	29.60	6.50	30.50	7.04	31.03	7.60	31.73	7.62	32.74	7.69
	35	23.78	4.63	28.09	5.77	29.29	6.91	30.20	7.50	30.73	8.08	31.42	8.11	32.42	8.19
	37	23.78	4.93	27.79	6.14	28.99	7.36	29.60	7.98	30.11	8.60	31.10	8.63	31.77	8.70
	39	23.78	4.95	27.48	6.17	28.69	7.38	29.29	8.01	29.81	8.64	30.80	8.66	31.44	8.74
	41	23.78	4.97	26.90	6.20	28.39	7.42	28.99	8.04	29.50	8.68	30.50	8.70	31.12	8.79
	43	23.78	5.00	26.62	6.22	28.09	7.45	28.69	8.08	29.29	8.71	30.20	8.74	30.80	8.83
	46	23.26	5.02	25.97	6.25	27.18	7.49	27.79	8.12	28.39	8.75	29.29	8.78	29.90	8.86
	48	22.64	5.05	25.37	6.28	26.28	7.53	26.88	8.16	27.48	8.80	28.39	8.83	28.99	8.91
110%	50	22.04	5.06	24.77	6.31	25.37	7.55	25.97	8.19	26.58	8.84	27.48	8.86	28.09	8.95
	10	21.76	2.48	25.77	3.08	29.18	3.70	31.78	4.01	34.14	4.32	34.92	4.34	36.02	4.38
	12	21.76	2.53	25.77	3.14	29.18	3.76	31.78	4.08	33.84	4.40	34.61	4.41	35.71	4.46
	14	21.76	2.57	25.77	3.21	29.18	3.84	31.78	4.16	33.54	4.48	34.30	4.50	35.39	4.54
	16	21.76	2.61	25.77	3.26	29.18	3.90	31.78	4.23	33.24	4.56	33.99	4.57	35.07	4.62
	18	21.76	2.66	25.77	3.32	29.18	3.97	31.78	4.31	32.94	4.64	33.69	4.66	34.76	4.71
	19	21.76	2.71	25.77	3.38	29.18	4.04	31.78	4.38	32.63	4.72	33.38	4.73	34.43	4.78
	21	21.76	2.90	25.77	3.62	29.18	4.33	31.78	4.70	32.33	5.06	33.07	5.08	34.11	5.13
	23	21.76	3.11	25.77	3.88	29.18	4.64	31.48	5.04	32.03	5.42	32.76	5.44	33.80	5.49
	25	21.76	3.33	25.77	4.15	29.18	4.96	31.19	5.38	31.73	5.80	32.44	5.82	33.48	5.87
	27	21.76	3.56	25.77	4.43	29.18	5.31	30.89	5.75	31.43	6.20	32.13	6.22	33.16	6.28
	29	21.76	3.80	25.77	4.73	29.18	5.67	30.59	6.15	31.12	6.62	31.83	6.65	32.84	6.70
	31	21.76	4.05	25.77	5.05	29.18	6.04	30.29	6.55	30.82	7.06	31.52	7.08	32.52	7.16
	33	21.76	4.31	25.77	5.38	28.81	6.43	30.00	6.98	30.52	7.53	31.21	7.54	32.20	7.62
	35	21.76	4.59	25.77	5.71	28.51	6.85	29.70	7.42	30.22	8.01	30.90	8.03	31.88	8.11
	37	21.76	4.88	25.77	6.08	28.21	7.28	29.11	7.90	29.61	8.52	30.29	8.54	31.24	8.62
	39	21.76	4.90	25.77	6.11	27.92	7.32	28.81	7.93	29.31	8.55	29.98	8.58	30.92	8.66
	41	21.76	4.92	25.77	6.14	27.62	7.35	28.51	7.97	29.01	8.59	29.67	8.62	30.61	8.70
	43	21.76	4.95	25.77	6.17	27.32	7.38	28.21	8.01	28.71	8.63	29.36	8.66	30.29	8.74
	46	21.09	4.97	25.24	6.20	26.43	7.41	27.32	8.04	27.92	8.67	28.51	8.69	29.11	8.78
	48	20.49	4.99	24.66	6.22	25.54	7.45	26.43	8.08	27.02	8.71	27.62	8.73	28.21	8.82
	50	19.90	5.02	24.06	6.25	24.66	7.49	25.54	8.12	26.13	8.75	26.73	8.78	27.32	8.86

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D280W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	19.39	2.31	22.89	2.89	26.39	3.45	28.00	3.74	30.49	4.04	32.63	4.05	33.93	4.08
	12	19.39	2.36	22.89	2.93	26.39	3.52	28.00	3.81	30.49	4.11	32.63	4.12	33.63	4.16
	14	19.39	2.40	22.89	2.99	26.39	3.57	28.00	3.89	30.49	4.19	32.33	4.20	33.33	4.23
	16	19.39	2.44	22.89	3.05	26.39	3.64	28.00	3.95	30.49	4.26	32.04	4.27	33.03	4.31
	18	19.39	2.48	22.89	3.09	26.39	3.71	28.00	4.02	30.49	4.34	31.76	4.35	32.73	4.38
	19	19.39	2.53	22.89	3.15	26.39	3.77	28.00	4.09	30.49	4.40	31.47	4.42	32.43	4.46
	21	19.39	2.71	22.89	3.38	26.39	4.05	28.00	4.38	30.49	4.72	31.18	4.74	32.12	4.79
	23	19.39	2.90	22.89	3.61	26.39	4.33	28.00	4.70	30.49	5.06	30.88	5.07	31.82	5.13
	25	19.39	3.10	22.89	3.87	26.39	4.63	28.00	5.03	30.49	5.41	30.59	5.43	31.52	5.49
	27	19.39	3.32	22.89	4.14	26.39	4.95	28.00	5.38	30.20	5.79	30.30	5.81	31.22	5.87
	29	19.39	3.55	22.89	4.41	26.39	5.29	28.00	5.73	29.91	6.19	30.01	6.20	30.92	6.26
	31	19.39	3.78	22.89	4.71	26.39	5.64	28.00	6.12	29.63	6.59	29.72	6.61	30.62	6.68
	33	19.39	4.03	22.89	5.02	26.39	6.01	28.00	6.52	29.34	7.03	29.42	7.04	30.32	7.11
	35	19.39	4.28	22.89	5.34	26.39	6.39	28.00	6.93	28.92	7.47	29.13	7.50	30.02	7.56
	37	19.39	4.55	22.89	5.68	26.39	6.80	28.00	7.20	28.49	7.95	28.84	7.97	29.42	8.05
	39	19.39	4.57	22.89	5.71	26.39	6.83	28.00	7.41	28.28	7.98	28.56	8.01	29.12	8.08
	41	19.39	4.59	22.89	5.72	26.04	6.86	27.72	7.63	28.00	8.02	28.28	8.04	28.82	8.12
	43	19.39	4.62	22.89	5.75	25.76	6.89	27.44	7.84	27.72	8.05	28.00	8.08	28.52	8.16
	46	19.39	4.64	22.43	5.78	24.92	6.92	27.16	7.91	27.44	8.09	27.72	8.12	28.28	8.19
	48	19.39	4.66	22.20	5.81	24.08	6.95	26.32	8.25	27.16	8.13	26.88	8.16	27.44	8.23
	50	19.04	4.68	21.98	5.84	23.24	6.99	25.48	8.46	26.32	8.17	26.04	8.19	26.60	8.27
90%	10	17.46	2.00	20.60	2.49	23.76	2.98	25.20	3.23	26.64	3.49	30.21	3.50	30.83	3.54
	12	17.46	2.04	20.60	2.54	23.76	3.04	25.20	3.29	26.64	3.56	30.21	3.56	30.83	3.60
	14	17.46	2.07	20.60	2.58	23.76	3.09	25.20	3.36	26.64	3.62	30.21	3.63	30.83	3.66
	16	17.46	2.11	20.60	2.63	23.76	3.15	25.20	3.41	26.64	3.68	30.21	3.70	30.83	3.72
	18	17.46	2.15	20.60	2.68	23.76	3.21	25.20	3.48	26.64	3.74	30.21	3.75	30.49	3.79
	19	17.46	2.19	20.60	2.73	23.76	3.26	25.20	3.54	26.64	3.81	29.99	3.82	30.24	3.86
	21	17.46	2.34	20.60	2.91	23.76	3.50	25.20	3.79	26.64	4.08	29.73	4.10	29.99	4.14
	23	17.46	2.51	20.60	3.12	23.76	3.74	25.20	4.05	26.64	4.38	29.49	4.38	29.73	4.43
	25	17.46	2.69	20.60	3.35	23.76	4.01	25.20	4.35	26.64	4.69	29.23	4.70	29.49	4.74
	27	17.46	2.87	20.60	3.57	23.76	4.28	25.20	4.64	26.64	5.01	28.98	5.02	29.23	5.07
	29	17.46	3.06	20.60	3.82	23.76	4.57	25.20	4.96	26.64	5.35	28.73	5.37	28.98	5.41
	31	17.46	3.27	20.60	4.07	23.76	4.88	25.20	5.29	26.64	5.70	28.48	5.71	28.73	5.77
	33	17.46	3.48	20.60	4.34	23.76	5.20	25.20	5.63	26.64	6.07	28.22	6.09	28.48	6.15
	35	17.46	3.71	20.60	4.61	23.76	5.53	25.20	5.99	26.64	6.46	27.97	6.48	28.22	6.54
	37	17.46	3.94	20.60	4.90	23.76	5.87	25.20	6.37	26.64	6.87	27.72	6.89	27.97	6.96
	39	17.46	3.95	20.60	4.93	23.76	5.90	25.20	6.40	26.46	6.90	27.47	6.92	27.72	6.99
	41	17.46	3.97	20.60	4.95	23.76	5.93	25.20	6.43	26.21	6.93	27.21	6.95	27.47	7.02
	43	17.46	3.99	20.60	4.97	23.76	5.96	24.94	6.46	25.96	6.96	26.97	6.99	27.21	7.05
	46	17.46	4.01	20.60	5.00	22.93	5.98	24.19	6.49	25.20	7.00	26.21	7.02	26.46	7.08
	48	17.46	4.03	20.60	5.02	22.18	6.01	23.43	6.52	24.44	7.03	25.46	7.05	25.70	7.12
	50	17.46	4.05	20.16	5.05	21.42	6.04	22.68	6.55	23.69	7.06	24.70	7.08	24.94	7.15
80%	10	15.51	1.71	18.31	2.13	21.11	2.55	22.40	2.76	23.69	2.98	24.20	2.99	24.72	3.02
	12	15.51	1.74	18.31	2.17	21.11	2.59	22.40	2.82	23.69	3.04	24.20	3.05	24.72	3.07
	14	15.51	1.77	18.31	2.21	21.11	2.64	22.40	2.87	23.69	3.09	24.20	3.10	24.72	3.13
	16	15.51	1.80	18.31	2.24	21.11	2.69	22.40	2.91	23.69	3.15	24.20	3.16	24.72	3.19
	18	15.51	1.84	18.31	2.28	21.11	2.73	22.40	2.97	23.69	3.20	24.20	3.21	24.72	3.24
	19	15.51	1.87	18.31	2.33	21.11	2.78	22.40	3.02	23.69	3.25	24.20	3.26	24.72	3.30
	21	15.51	2.00	18.31	2.49	21.11	2.99	22.40	3.23	23.69	3.49	24.20	3.50	24.72	3.54
	23	15.51	2.14	18.31	2.67	21.11	3.20	22.40	3.47	23.69	3.73	24.20	3.75	24.72	3.78
	25	15.51	2.29	18.31	2.86	21.11	3.42	22.40	3.72	23.69	4.00	24.20	4.01	24.72	4.05
	27	15.51	2.45	18.31	3.06	21.11	3.66	22.40	3.97	23.69	4.27	24.20	4.29	24.72	4.33
	29	15.51	2.62	18.31	3.26	21.11	3.90	22.40	4.23	23.69	4.56	24.20	4.58	24.72	4.62
	31	15.51	2.79	18.31	3.48	21.11	4.17	22.40	4.52	23.69	4.87	24.20	4.88	24.72	4.93
	33	15.51	2.97	18.31	3.71	21.11	4.43	22.40	4.81	23.69	5.19	24.20	5.21	24.72	5.25
	35	15.51	3.16	18.31	3.94	21.11	4.72	22.40	5.12	23.69	5.52	24.20	5.54	24.72	5.59
	37	15.51	3.37	18.31	4.20	21.11	5.02	22.40	5.44	23.69	5.87	24.20	5.88	24.41	5.94
	39	15.51	3.38	18.31	4.21	21.11	5.05	22.40	5.47	23.69	5.89	23.97	5.91	24.19	5.97
	41	15.51	3.39	18.31	4.22	21.11	5.06	22.40	5.49	23.52	5.92	23.74	5.94	23.97	6.00
	43	15.51	3.41	18.31	4.25	21.11	5.08	22.40	5.52	23.30	5.95	23.52	5.97	23.74	6.03
	46	15.51	3.42	18.37	4.27	21.06	5.11	21.73	5.54	22.62	5.98	22.84	6.00	22.62	6.05
	48	15.51	3.44	18.37	4.29	20.39	5.13	21.06	5.57	21.96	6.01	22.18	6.03	21.96	6.08
	50	15.51	3.46	18.37	4.31	19.71	5.16	20.39	5.59	21.28	6.04	21.50	6.04	21.28	6.11

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D280W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	10	13.58	1.44	16.02	1.79	18.48	2.15	19.60	2.33	20.72	2.51	21.18	2.52	21.63	2.54
	12	13.58	1.46	16.02	1.83	18.48	2.19	19.60	2.37	20.72	2.56	21.18	2.56	21.63	2.58
	14	13.58	1.49	16.02	1.86	18.48	2.23	19.60	2.41	20.72	2.60	21.18	2.61	21.63	2.63
	16	13.58	1.52	16.02	1.90	18.48	2.26	19.60	2.46	20.72	2.65	21.18	2.66	21.63	2.68
	18	13.58	1.55	16.02	1.92	18.48	2.30	19.60	2.50	20.72	2.70	21.18	2.71	21.63	2.73
	19	13.58	1.57	16.02	1.96	18.48	2.35	19.60	2.55	20.72	2.74	21.18	2.75	21.63	2.77
	21	13.58	1.69	16.02	2.10	18.48	2.52	19.60	2.73	20.72	2.94	21.18	2.95	21.63	2.98
	23	13.58	1.80	16.02	2.24	18.48	2.70	19.60	2.92	20.72	3.15	21.18	3.16	21.63	3.19
	25	13.58	1.93	16.02	2.40	18.48	2.89	19.60	3.12	20.72	3.37	21.18	3.38	21.63	3.41
	27	13.58	2.07	16.02	2.57	18.48	3.08	19.60	3.34	20.72	3.60	21.18	3.61	21.63	3.65
	29	13.58	2.21	16.02	2.74	18.48	3.29	19.60	3.56	20.72	3.85	21.18	3.86	21.63	3.89
	31	13.58	2.35	16.02	2.93	18.48	3.51	19.60	3.80	20.72	4.10	21.18	4.11	21.63	4.15
	33	13.58	2.51	16.02	3.12	18.48	3.73	19.60	4.05	20.72	4.37	21.18	4.38	21.63	4.42
	35	13.58	2.66	16.02	3.32	18.48	3.97	19.60	4.31	20.72	4.65	21.18	4.66	21.63	4.71
	37	13.58	2.83	16.02	3.53	18.48	4.22	19.60	4.58	20.72	4.94	21.18	4.96	21.63	5.01
	39	13.58	2.85	16.02	3.55	18.48	4.24	19.60	4.60	20.72	4.96	21.18	4.98	21.63	5.03
	41	13.58	2.86	16.02	3.56	18.48	4.26	19.60	4.62	20.72	4.99	21.18	5.00	21.63	5.05
	43	13.58	2.87	16.02	3.57	18.48	4.28	19.60	4.65	20.72	5.01	21.18	5.03	21.63	5.07
	46	13.58	2.89	16.02	3.59	18.48	4.30	19.60	4.67	20.39	5.04	20.78	5.05	21.17	5.09
	48	13.58	2.90	16.02	3.61	18.48	4.32	19.21	4.69	19.99	5.05	20.39	5.07	20.78	5.12
	50	13.58	2.91	16.02	3.63	18.03	4.35	18.81	4.72	19.60	5.08	19.99	5.09	20.39	5.14
60%	10	11.63	1.19	13.73	1.48	15.83	1.77	16.80	1.92	17.77	2.07	18.16	2.08	18.53	2.10
	12	11.63	1.22	13.73	1.51	15.83	1.81	16.80	1.96	17.77	2.11	18.16	2.12	18.53	2.14
	14	11.63	1.24	13.73	1.54	15.83	1.84	16.80	2.00	17.77	2.15	18.16	2.16	18.53	2.18
	16	11.63	1.25	13.73	1.57	15.83	1.88	16.80	2.04	17.77	2.19	18.16	2.20	18.53	2.22
	18	11.63	1.28	13.73	1.59	15.83	1.90	16.80	2.07	17.77	2.23	18.16	2.23	18.53	2.26
	19	11.63	1.30	13.73	1.62	15.83	1.94	16.80	2.10	17.77	2.27	18.16	2.27	18.53	2.30
	21	11.63	1.40	13.73	1.74	15.83	2.08	16.80	2.25	17.77	2.43	18.16	2.44	18.53	2.46
	23	11.63	1.49	13.73	1.86	15.83	2.23	16.80	2.41	17.77	2.60	18.16	2.61	18.53	2.64
	25	11.63	1.59	13.73	1.99	15.83	2.39	16.80	2.58	17.77	2.79	18.16	2.80	18.53	2.82
	27	11.63	1.71	13.73	2.13	15.83	2.55	16.80	2.76	17.77	2.98	18.16	2.99	18.53	3.02
	29	11.63	1.82	13.73	2.27	15.83	2.73	16.80	2.95	17.77	3.18	18.16	3.19	18.53	3.23
	31	11.63	1.94	13.73	2.42	15.83	2.90	16.80	3.15	17.77	3.39	18.16	3.40	18.53	3.44
	33	11.63	2.07	13.73	2.58	15.83	3.09	16.80	3.36	17.77	3.61	18.16	3.63	18.53	3.66
	35	11.63	2.21	13.73	2.74	15.83	3.29	16.80	3.56	17.77	3.85	18.16	3.86	18.53	3.89
	37	11.63	2.35	13.73	2.92	15.83	3.50	16.80	3.79	17.77	4.09	18.16	4.10	18.53	4.14
	39	11.63	2.36	13.73	2.93	15.83	3.52	16.80	3.81	17.77	4.11	18.16	4.12	18.53	4.16
	41	11.63	2.37	13.73	2.95	15.83	3.53	16.80	3.83	17.77	4.13	18.16	4.14	18.53	4.18
	43	11.63	2.38	13.73	2.96	15.83	3.55	16.80	3.85	17.77	4.15	18.16	4.16	18.53	4.20
	46	11.63	2.39	13.73	2.97	15.83	3.56	16.80	3.87	17.77	4.17	18.16	4.18	18.53	4.22
	48	11.63	2.40	13.73	2.99	15.83	3.57	16.80	3.89	17.47	4.19	17.81	4.20	18.14	4.23
	50	11.63	2.41	13.73	3.00	15.83	3.59	16.47	3.89	17.13	4.21	17.47	4.22	17.81	4.25
50%	10	9.70	0.96	11.44	1.20	13.20	1.44	14.00	1.57	14.80	1.68	15.12	1.69	15.44	1.71
	12	9.70	0.98	11.44	1.23	13.20	1.46	14.00	1.59	14.80	1.72	15.12	1.72	15.44	1.74
	14	9.70	1.00	11.44	1.24	13.20	1.49	14.00	1.62	14.80	1.74	15.12	1.75	15.44	1.76
	16	9.70	1.02	11.44	1.27	13.20	1.52	14.00	1.65	14.80	1.77	15.12	1.78	15.44	1.80
	18	9.70	1.04	11.44	1.29	13.20	1.55	14.00	1.68	14.80	1.81	15.12	1.81	15.44	1.83
	19	9.70	1.06	11.44	1.31	13.20	1.57	14.00	1.71	14.80	1.84	15.12	1.85	15.44	1.86
	21	9.70	1.13	11.44	1.41	13.20	1.69	14.00	1.83	14.80	1.97	15.12	1.98	15.44	2.00
	23	9.70	1.21	11.44	1.51	13.20	1.80	14.00	1.96	14.80	2.11	15.12	2.12	15.44	2.14
	25	9.70	1.29	11.44	1.61	13.20	1.93	14.00	2.09	14.80	2.26	15.12	2.26	15.44	2.29
	27	9.70	1.39	11.44	1.73	13.20	2.07	14.00	2.24	14.80	2.41	15.12	2.42	15.44	2.44
	29	9.70	1.48	11.44	1.84	13.20	2.21	14.00	2.40	14.80	2.57	15.12	2.58	15.44	2.61
	31	9.70	1.57	11.44	1.96	13.20	2.35	14.00	2.55	14.80	2.75	15.12	2.75	15.44	2.78
	33	9.70	1.68	11.44	2.09	13.20	2.51	14.00	2.72	14.80	2.93	15.12	2.94	15.44	2.97
	35	9.70	1.78	11.44	2.23	13.20	2.67	14.00	2.89	14.80	3.11	15.12	3.12	15.44	3.16
	37	9.70	1.90	11.44	2.37	13.20	2.84	14.00	3.07	14.80	3.31	15.12	3.32	15.44	3.36
	39	9.70	1.90	11.44	2.38	13.20	2.85	14.00	3.08	14.80	3.33	15.12	3.34	15.44	3.37
	41	9.70	1.91	11.44	2.39	13.20	2.86	14.00	3.10	14.80	3.35	15.12	3.36	15.44	3.39
	43	9.70	1.92	11.44	2.40	13.20	2.88	14.00	3.11	14.80	3.36	15.12	3.37	15.44	3.40
	46	9.70	1.93	11.44	2.41	13.20	2.89	14.00	3.13	14.80	3.38	15.12	3.39	15.44	3.41
	48	9.70	1.94	11.44	2.42	13.20	2.90	14.00	3.14	14.84	3.39	14.98	3.40	15.26	3.43
	50	9.70	1.95	11.44	2.43	13.20	2.91	14.00	3.16	14.70	3.40	14.84	3.41	15.12	3.45

12HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D335W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
130%	10	30.30	3.08	35.39	3.85	40.77	4.61	41.88	5.00	42.61	5.38	43.27	5.40	44.43	5.45
	12	30.30	3.14	35.39	3.92	40.77	4.69	41.50	5.09	42.23	5.48	42.89	5.50	44.03	5.56
	14	30.30	3.20	35.39	3.99	40.77	4.77	41.13	5.18	41.86	5.59	42.11	5.60	43.64	5.66
	16	30.30	3.26	35.39	4.06	40.41	4.86	40.77	5.28	41.10	5.68	41.74	5.70	43.24	5.75
	18	30.30	3.32	35.39	4.13	39.69	4.95	40.04	5.36	40.73	5.78	41.36	5.80	42.85	5.86
	19	30.30	3.38	35.39	4.20	39.34	5.03	39.67	5.46	40.36	5.89	40.97	5.90	42.46	5.96
	21	30.30	3.62	35.39	4.50	38.98	5.39	39.30	5.85	39.99	6.31	40.59	6.32	42.06	6.39
	23	30.30	3.87	35.39	4.83	38.62	5.78	38.94	6.27	39.62	6.76	40.20	6.78	41.68	6.84
	25	30.30	4.14	35.39	5.16	38.25	6.18	38.56	6.70	39.24	7.23	39.83	7.26	41.28	7.32
	27	30.30	4.43	35.39	5.52	37.89	6.61	38.19	7.17	38.87	7.73	39.44	7.75	40.49	7.83
	29	30.30	4.73	35.11	5.90	37.53	7.06	37.83	7.65	38.50	8.25	39.06	8.27	40.49	8.36
	31	30.30	5.04	35.00	6.29	37.17	7.53	37.46	8.17	38.13	8.80	38.67	8.83	40.09	8.91
	33	30.30	5.37	35.00	6.69	36.81	8.02	37.10	8.69	37.74	9.37	38.29	9.40	39.71	9.50
	35	30.30	5.71	34.66	7.12	36.09	8.53	36.73	9.25	37.37	9.97	37.83	10.00	39.31	10.10
	37	30.30	6.08	34.66	7.58	35.63	9.07	36.36	9.84	36.62	10.60	37.46	10.64	38.53	10.74
	39	30.30	6.11	34.16	7.60	35.36	9.11	36.00	9.88	36.25	10.65	37.10	10.69	38.14	10.79
	41	30.30	6.13	33.42	7.64	34.90	9.15	35.63	9.92	35.88	10.70	36.73	10.73	37.74	10.83
	43	30.48	6.16	32.69	7.68	34.28	9.20	34.90	9.97	35.51	10.75	36.37	10.79	37.34	10.88
	46	29.38	6.19	31.59	7.71	33.06	9.23	33.79	10.02	34.52	10.80	35.25	10.83	36.36	10.94
	48	28.65	6.22	30.48	7.75	31.96	9.28	32.69	10.07	33.42	10.85	34.16	10.88	35.25	10.99
	50	27.92	6.25	29.38	7.79	30.85	9.32	31.59	10.11	32.32	10.90	33.06	10.93	34.16	11.04
120%	10	28.45	3.06	33.89	3.81	39.08	4.56	40.47	4.95	41.91	5.34	42.49	5.34	43.83	5.40
	12	28.45	3.11	33.89	3.88	39.08	4.65	40.47	5.03	41.54	5.43	42.10	5.45	43.44	5.50
	14	28.45	3.17	33.89	3.95	39.08	4.73	40.47	5.13	41.17	5.53	41.73	5.55	43.06	5.60
	16	28.45	3.23	33.89	4.03	39.08	4.81	40.47	5.22	40.81	5.63	41.36	5.65	42.66	5.70
	18	28.45	3.29	33.89	4.09	39.08	4.90	40.11	5.32	40.44	5.73	40.98	5.74	42.27	5.80
	19	28.45	3.34	33.89	4.16	38.66	4.99	39.75	5.40	40.07	5.83	40.60	5.85	41.89	5.90
	21	28.45	3.58	33.89	4.46	38.30	5.34	39.02	5.79	39.34	6.25	40.23	6.27	41.50	6.32
	23	28.45	3.83	33.89	4.78	37.58	5.72	38.66	6.21	38.96	6.69	39.85	6.71	41.12	6.78
	25	28.45	4.10	33.89	5.11	37.21	6.12	37.94	6.64	38.60	7.16	39.47	7.18	40.73	7.26
	27	28.45	4.38	33.89	5.47	36.49	6.55	37.58	7.10	38.23	7.65	39.10	7.67	40.33	7.75
	29	28.45	4.69	33.89	5.84	36.13	6.99	37.21	7.59	37.86	8.18	38.72	8.20	39.95	8.27
	31	28.45	5.00	33.89	6.23	35.77	7.46	36.85	8.09	37.50	8.72	38.35	8.74	39.56	8.83
	33	28.45	5.33	33.89	6.63	35.41	7.94	36.49	8.61	37.13	9.28	37.97	9.31	39.18	9.40
	35	28.45	5.66	33.61	7.05	35.04	8.45	36.13	9.16	36.77	9.87	37.59	9.90	38.79	10.00
	37	28.45	6.02	33.25	7.51	34.68	8.98	35.41	9.75	36.03	10.51	37.21	10.53	38.01	10.64
	39	28.45	6.05	32.88	7.54	34.32	9.02	35.04	9.79	35.67	10.55	36.85	10.58	37.62	10.69
	41	28.45	6.07	32.18	7.57	33.97	9.06	34.68	9.83	35.29	10.59	36.49	10.63	37.24	10.73
	43	28.45	6.10	31.85	7.60	33.61	9.11	34.32	9.87	35.04	10.65	36.13	10.68	36.85	10.79
	46	27.82	6.13	31.07	7.64	32.52	9.15	33.25	9.92	33.97	10.70	35.04	10.73	35.77	10.83
	48	27.09	6.16	30.35	7.67	31.44	9.19	32.16	9.97	32.88	10.75	33.97	10.78	34.68	10.88
	50	26.37	6.19	29.63	7.71	30.35	9.23	31.07	10.01	31.80	10.80	32.88	10.83	33.61	10.93
110%	10	26.03	3.03	30.83	3.77	34.91	4.52	38.02	4.90	40.85	5.28	41.78	5.30	43.10	5.34
	12	26.03	3.08	30.83	3.84	34.91	4.60	38.02	4.99	40.49	5.38	41.41	5.39	42.73	5.45
	14	26.03	3.14	30.83	3.91	34.91	4.69	38.02	5.08	40.13	5.48	41.04	5.49	42.34	5.55
	16	26.03	3.19	30.83	3.99	34.91	4.77	38.02	5.17	39.77	5.58	40.67	5.59	41.95	5.65
	18	26.03	3.25	30.83	4.05	34.91	4.85	38.02	5.26	39.42	5.67	40.31	5.69	41.58	5.74
	19	26.03	3.31	30.83	4.12	34.91	4.94	38.02	5.35	39.04	5.77	39.93	5.79	41.20	5.85
	21	26.03	3.55	30.83	4.42	34.91	5.29	38.02	5.74	38.68	6.19	39.56	6.21	40.81	6.27
	23	26.03	3.80	30.83	4.73	34.91	5.66	37.66	6.15	38.33	6.63	39.19	6.64	40.44	6.71
	25	26.03	4.06	30.83	5.06	34.91	6.06	37.32	6.58	37.97	7.09	38.82	7.11	40.05	7.18
	27	26.03	4.35	30.83	5.41	34.91	6.48	36.96	7.03	37.61	7.58	38.45	7.60	39.67	7.67
	29	26.03	4.64	30.83	5.78	34.91	6.93	36.60	7.51	37.24	8.09	38.09	8.12	39.30	8.20
	31	26.03	4.95	30.83	6.17	34.91	7.38	36.24	8.00	36.88	8.63	37.71	8.66	38.91	8.74
	33	26.03	5.27	30.83	6.57	34.47	7.87	35.89	8.53	36.52	9.20	37.34	9.22	38.53	9.31
	35	26.03	5.61	30.83	6.98	34.11	8.36	35.53	9.07	36.16	9.78	36.97	9.81	38.14	9.90
	37	26.03	5.97	30.83	7.43	33.75	8.89	34.83	9.65	35.43	10.40	36.24	10.44	37.38	10.53
	39	26.03	5.98	30.83	7.46	33.41	8.93	34.47	9.69	35.07	10.45	35.87	10.48	37.00	10.58
	41	26.03	6.01	30.83	7.50	33.05	8.97	34.11	9.74	34.71	10.50	35.49	10.52	36.62	10.63
	43	26.03	6.04	30.83	7.53	32.69	9.02	33.75	9.78	34.35	10.54	35.12	10.57	36.24	10.68
	46	25.23	6.07	30.20	7.57	31.63	9.06	32.69	9.83	33.41	10.59	34.11	10.62	34.83	10.73
	48	24.51	6.10	29.50	7.60	30.56	9.10	31.63	9.87	32.33	10.64	33.05	10.67	33.75	10.78
	50	23.81	6.13	28.78	7.63	29.50	9.15	30.56	9.91	31.27	10.69	31.98	10.72	32.69	10.83

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D335W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
100%	10	23.20	2.82	27.38	3.52	31.57	4.22	33.50	4.57	36.48	4.93	39.04	4.95	40.60	5.00
	12	23.20	2.88	27.38	3.59	31.57	4.30	33.50	4.66	36.48	5.02	39.04	5.03	40.24	5.08
	14	23.20	2.93	27.38	3.65	31.57	4.37	33.50	4.74	36.48	5.11	38.68	5.13	39.88	5.18
	16	23.20	2.99	27.38	3.72	31.57	4.45	33.50	4.83	36.48	5.20	38.34	5.22	39.52	5.27
	18	23.20	3.04	27.38	3.78	31.57	4.53	33.50	4.91	36.48	5.30	37.99	5.32	39.16	5.36
	19	23.20	3.08	27.38	3.85	31.57	4.61	33.50	5.00	36.48	5.38	37.65	5.40	38.80	5.45
	21	23.20	3.31	27.38	4.12	31.57	4.94	33.50	5.35	36.48	5.77	37.30	5.79	38.43	5.85
	23	23.20	3.55	27.38	4.41	31.57	5.29	33.50	5.73	36.48	6.19	36.94	6.21	38.07	6.27
	25	23.20	3.79	27.38	4.72	31.57	5.66	33.50	6.14	36.48	6.62	36.60	6.63	37.71	6.70
	27	23.20	4.05	27.38	5.05	31.57	6.05	33.50	6.57	36.13	7.07	36.25	7.10	37.36	7.17
	29	23.20	4.33	27.38	5.39	31.57	6.46	33.50	7.00	35.79	7.56	35.91	7.58	37.00	7.65
	31	23.20	4.62	27.38	5.75	31.57	6.89	33.50	7.47	35.45	8.06	35.56	8.08	36.64	8.16
	33	23.20	4.92	27.38	6.13	31.57	7.34	33.50	7.96	35.11	8.58	35.20	8.60	36.28	8.69
	35	23.20	5.24	27.38	6.52	31.57	7.81	33.50	8.48	34.60	9.13	34.86	9.16	35.92	9.24
	37	23.20	5.57	27.38	6.94	31.57	8.30	33.50	8.81	34.08	9.71	34.51	9.74	35.20	9.84
	39	23.20	5.59	27.38	6.96	31.57	8.34	33.50	9.06	33.83	9.75	34.16	9.78	34.84	9.87
	41	23.20	5.62	27.38	6.99	31.16	8.38	33.17	9.31	33.50	9.80	33.83	9.83	34.48	9.92
	43	23.20	5.65	27.38	7.03	30.81	8.42	32.84	9.56	33.17	9.84	33.50	9.87	34.12	9.96
	46	23.20	5.66	26.84	7.06	29.82	8.46	32.49	9.73	32.84	9.88	33.17	9.91	33.83	10.01
	48	23.20	5.69	26.56	7.09	28.81	8.50	31.49	10.08	32.49	9.93	32.16	9.96	32.84	10.06
	50	22.79	5.72	26.29	7.13	27.81	8.54	30.48	10.33	31.49	9.98	31.16	10.01	31.83	10.11
90%	10	20.88	2.44	24.65	3.05	28.42	3.65	30.15	3.96	31.88	4.26	36.15	4.28	36.89	4.32
	12	20.88	2.49	24.65	3.10	28.42	3.72	30.15	4.03	31.88	4.34	36.15	4.36	36.89	4.39
	14	20.88	2.53	24.65	3.15	28.42	3.78	30.15	4.10	31.88	4.42	36.15	4.43	36.89	4.47
	16	20.88	2.58	24.65	3.21	28.42	3.85	30.15	4.17	31.88	4.50	36.15	4.51	36.89	4.56
	18	20.88	2.63	24.65	3.27	28.42	3.92	30.15	4.25	31.88	4.58	36.15	4.59	36.48	4.64
	19	20.88	2.67	24.65	3.33	28.42	3.99	30.15	4.32	31.88	4.66	35.88	4.67	36.19	4.71
	21	20.88	2.86	24.65	3.57	28.42	4.27	30.15	4.63	31.88	5.00	35.57	5.01	35.88	5.05
	23	20.88	3.07	24.65	3.82	28.42	4.57	30.15	4.96	31.88	5.34	35.28	5.36	35.57	5.41
	25	20.88	3.28	24.65	4.08	28.42	4.89	30.15	5.31	31.88	5.72	34.98	5.74	35.28	5.79
	27	20.88	3.50	24.65	4.37	28.42	5.23	30.15	5.67	31.88	6.12	34.67	6.13	34.98	6.20
	29	20.88	3.74	24.65	4.67	28.42	5.59	30.15	6.06	31.88	6.53	34.38	6.55	34.67	6.62
	31	20.88	4.00	24.65	4.98	28.42	5.96	30.15	6.46	31.88	6.96	34.07	6.98	34.38	7.05
	33	20.88	4.25	24.65	5.30	28.42	6.34	30.15	6.88	31.88	7.42	33.77	7.44	34.07	7.52
	35	20.88	4.52	24.65	5.64	28.42	6.75	30.15	7.32	31.88	7.90	33.46	7.92	33.77	7.99
	37	20.88	4.81	24.65	5.99	28.42	7.18	30.15	7.79	31.88	8.39	33.17	8.42	33.46	8.50
	39	20.88	4.83	24.65	6.02	28.42	7.21	30.15	7.82	31.65	8.43	32.86	8.46	33.17	8.54
	41	20.88	4.85	24.65	6.05	28.42	7.25	30.15	7.86	31.36	8.47	32.56	8.50	32.86	8.57
	43	20.88	4.88	24.65	6.07	28.42	7.28	29.84	7.90	31.05	8.51	32.26	8.54	32.56	8.61
	46	20.88	4.90	24.65	6.10	27.44	7.31	28.94	7.92	30.15	8.55	31.36	8.57	31.65	8.65
	48	20.88	4.92	24.65	6.13	26.53	7.34	28.04	7.96	29.25	8.58	30.46	8.61	30.75	8.70
	50	20.88	4.95	24.11	6.16	25.63	7.38	27.13	8.00	28.34	8.62	29.55	8.65	29.84	8.74
80%	10	18.56	2.09	21.91	2.60	25.26	3.11	26.80	3.38	28.34	3.64	28.95	3.65	29.58	3.69
	12	18.56	2.12	21.91	2.65	25.26	3.17	26.80	3.44	28.34	3.71	28.95	3.72	29.58	3.75
	14	18.56	2.16	21.91	2.70	25.26	3.23	26.80	3.50	28.34	3.77	28.95	3.78	29.58	3.82
	16	18.56	2.20	21.91	2.75	25.26	3.29	26.80	3.56	28.34	3.84	28.95	3.85	29.58	3.89
	18	18.56	2.24	21.91	2.79	25.26	3.35	26.80	3.63	28.34	3.91	28.95	3.92	29.58	3.96
	19	18.56	2.28	21.91	2.84	25.26	3.40	26.80	3.69	28.34	3.98	28.95	3.99	29.58	4.03
	21	18.56	2.44	21.91	3.05	25.26	3.65	26.80	3.96	28.34	4.27	28.95	4.28	29.58	4.32
	23	18.56	2.62	21.91	3.26	25.26	3.91	26.80	4.24	28.34	4.57	28.95	4.58	29.58	4.63
	25	18.56	2.80	21.91	3.49	25.26	4.18	26.80	4.53	28.34	4.89	28.95	4.90	29.58	4.95
	27	18.56	3.00	21.91	3.73	25.26	4.47	26.80	4.85	28.34	5.23	28.95	5.24	29.58	5.29
	29	18.56	3.20	21.91	3.99	25.26	4.77	26.80	5.17	28.34	5.58	28.95	5.60	29.58	5.65
	31	18.56	3.41	21.91	4.25	25.26	5.09	26.80	5.52	28.34	5.95	28.95	5.97	29.58	6.02
	33	18.56	3.63	21.91	4.53	25.26	5.42	26.80	5.88	28.34	6.33	28.95	6.35	29.58	6.42
	35	18.56	3.86	21.91	4.81	25.26	5.76	26.80	6.26	28.34	6.74	28.95	6.76	29.58	6.83
	37	18.56	4.11	21.91	5.12	25.26	6.13	26.80	6.65	28.34	7.17	28.95	7.19	29.21	7.27
	39	18.56	4.13	21.91	5.14	25.26	6.16	26.80	6.68	28.34	7.20	28.67	7.23	28.94	7.29
	41	18.56	4.14	21.91	5.17	25.26	6.19	26.80	6.71	28.14	7.24	28.41	7.26	28.67	7.32
	43	18.56	4.16	21.91	5.19	25.26	6.22	26.80	6.74	27.88	7.27	28.14	7.28	28.41	7.36
	46	18.56	4.18	21.97	5.22	25.19	6.25	26.00	6.77	27.07	7.30	27.33	7.32	27.07	7.39
	48	18.56	4.20	21.97	5.24	24.39	6.28	25.19	6.80	26.27	7.33	26.53	7.35	26.27	7.43
	50	18.56	4.22	21.97	5.27	23.58	6.31	24.39	6.84	25.46	7.37	25.72	7.39	25.46	7.46

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D335W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	10	16.24	1.76	19.17	2.19	22.11	2.62	23.45	2.84	24.79	3.07	25.34	3.07	25.88	3.10
	12	16.24	1.79	19.17	2.23	22.11	2.67	23.45	2.90	24.79	3.12	25.34	3.13	25.88	3.16
	14	16.24	1.82	19.17	2.27	22.11	2.72	23.45	2.95	24.79	3.18	25.34	3.19	25.88	3.22
	16	16.24	1.85	19.17	2.31	22.11	2.76	23.45	3.00	24.79	3.24	25.34	3.25	25.88	3.28
	18	16.24	1.89	19.17	2.35	22.11	2.81	23.45	3.06	24.79	3.29	25.34	3.30	25.88	3.34
	19	16.24	1.92	19.17	2.40	22.11	2.86	23.45	3.10	24.79	3.35	25.34	3.36	25.88	3.40
	21	16.24	2.06	19.17	2.56	22.11	3.07	23.45	3.33	24.79	3.59	25.34	3.60	25.88	3.64
	23	16.24	2.20	19.17	2.75	22.11	3.29	23.45	3.57	24.79	3.84	25.34	3.86	25.88	3.90
	25	16.24	2.36	19.17	2.94	22.11	3.52	23.45	3.82	24.79	4.11	25.34	4.13	25.88	4.17
	27	16.24	2.52	19.17	3.14	22.11	3.76	23.45	4.08	24.79	4.40	25.34	4.41	25.88	4.45
	29	16.24	2.70	19.17	3.36	22.11	4.02	23.45	4.36	24.79	4.69	25.34	4.71	25.88	4.75
	31	16.24	2.87	19.17	3.58	22.11	4.29	23.45	4.65	24.79	5.01	25.34	5.02	25.88	5.07
	33	16.24	3.06	19.17	3.81	22.11	4.56	23.45	4.95	24.79	5.34	25.34	5.35	25.88	5.40
	35	16.24	3.25	19.17	4.05	22.11	4.86	23.45	5.27	24.79	5.67	25.34	5.69	25.88	5.75
	37	16.24	3.46	19.17	4.32	22.11	5.16	23.45	5.60	24.79	6.03	25.34	6.05	25.88	6.11
	39	16.24	3.47	19.17	4.34	22.11	5.19	23.45	5.63	24.79	6.06	25.34	6.08	25.88	6.14
	41	16.24	3.49	19.17	4.36	22.11	5.21	23.45	5.66	24.79	6.09	25.34	6.11	25.88	6.17
	43	16.24	3.51	19.17	4.37	22.11	5.24	23.45	5.67	24.79	6.12	25.34	6.14	25.88	6.20
	46	16.24	3.52	19.17	4.39	22.11	5.26	23.45	5.70	24.39	6.15	24.86	6.17	25.32	6.23
	48	16.24	3.54	19.17	4.41	22.11	5.29	22.98	5.73	23.92	6.18	24.39	6.20	24.86	6.26
	50	16.24	3.56	19.17	4.43	21.58	5.31	22.51	5.75	23.45	6.21	23.92	6.23	24.39	6.29
60%	10	13.92	1.46	16.43	1.81	18.94	2.17	20.10	2.36	21.26	2.54	21.72	2.54	22.17	2.57
	12	13.92	1.48	16.43	1.84	18.94	2.21	20.10	2.40	21.26	2.58	21.72	2.59	22.17	2.62
	14	13.92	1.51	16.43	1.88	18.94	2.25	20.10	2.44	21.26	2.63	21.72	2.64	22.17	2.67
	16	13.92	1.53	16.43	1.91	18.94	2.29	20.10	2.48	21.26	2.68	21.72	2.69	22.17	2.72
	18	13.92	1.56	16.43	1.95	18.94	2.33	20.10	2.53	21.26	2.73	21.72	2.74	22.17	2.76
	19	13.92	1.59	16.43	1.98	18.94	2.37	20.10	2.57	21.26	2.77	21.72	2.78	22.17	2.80
	21	13.92	1.71	16.43	2.12	18.94	2.54	20.10	2.75	21.26	2.97	21.72	2.98	22.17	3.01
	23	13.92	1.82	16.43	2.27	18.94	2.73	20.10	2.95	21.26	3.18	21.72	3.19	22.17	3.22
	25	13.92	1.95	16.43	2.43	18.94	2.91	20.10	3.16	21.26	3.40	21.72	3.41	22.17	3.45
	27	13.92	2.09	16.43	2.60	18.94	3.11	20.10	3.38	21.26	3.64	21.72	3.66	22.17	3.69
	29	13.92	2.23	16.43	2.77	18.94	3.33	20.10	3.61	21.26	3.89	21.72	3.90	22.17	3.94
	31	13.92	2.38	16.43	2.96	18.94	3.55	20.10	3.85	21.26	4.14	21.72	4.16	22.17	4.20
	33	13.92	2.53	16.43	3.15	18.94	3.77	20.10	4.09	21.26	4.41	21.72	4.43	22.17	4.47
	35	13.92	2.70	16.43	3.36	18.94	4.02	20.10	4.36	21.26	4.69	21.72	4.71	22.17	4.76
	37	13.92	2.86	16.43	3.57	18.94	4.28	20.10	4.64	21.26	5.00	21.72	5.01	22.17	5.06
	39	13.92	2.88	16.43	3.59	18.94	4.30	20.10	4.66	21.26	5.01	21.72	5.03	22.17	5.08
	41	13.92	2.89	16.43	3.60	18.94	4.32	20.10	4.68	21.26	5.04	21.72	5.05	22.17	5.10
	43	13.92	2.90	16.43	3.62	18.94	4.34	20.10	4.69	21.26	5.06	21.72	5.08	22.17	5.13
	46	13.92	2.92	16.43	3.64	18.94	4.36	20.10	4.72	21.26	5.09	21.72	5.10	22.17	5.15
	48	13.92	2.93	16.43	3.65	18.94	4.37	20.10	4.74	20.90	5.11	21.31	5.13	21.71	5.18
	50	13.92	2.95	16.43	3.67	18.94	4.39	19.70	4.76	20.50	5.13	20.90	5.15	21.31	5.20
50%	10	11.61	1.17	13.69	1.46	15.79	1.76	16.75	1.91	17.71	2.06	18.09	2.07	18.48	2.09
	12	11.61	1.20	13.69	1.49	15.79	1.79	16.75	1.94	17.71	2.10	18.09	2.10	18.48	2.12
	14	11.61	1.22	13.69	1.52	15.79	1.82	16.75	1.98	17.71	2.13	18.09	2.13	18.48	2.16
	16	11.61	1.24	13.69	1.55	15.79	1.85	16.75	2.02	17.71	2.17	18.09	2.17	18.48	2.20
	18	11.61	1.26	13.69	1.58	15.79	1.89	16.75	2.05	17.71	2.21	18.09	2.21	18.48	2.24
	19	11.61	1.29	13.69	1.60	15.79	1.92	16.75	2.09	17.71	2.25	18.09	2.25	18.48	2.28
	21	11.61	1.38	13.69	1.72	15.79	2.06	16.75	2.23	17.71	2.41	18.09	2.42	18.48	2.43
	23	11.61	1.47	13.69	1.84	15.79	2.20	16.75	2.40	17.71	2.58	18.09	2.59	18.48	2.61
	25	11.61	1.58	13.69	1.97	15.79	2.36	16.75	2.56	17.71	2.76	18.09	2.76	18.48	2.79
	27	11.61	1.69	13.69	2.10	15.79	2.52	16.75	2.74	17.71	2.95	18.09	2.96	18.48	2.99
	29	11.61	1.80	13.69	2.25	15.79	2.70	16.75	2.92	17.71	3.15	18.09	3.16	18.48	3.19
	31	11.61	1.93	13.69	2.40	15.79	2.87	16.75	3.11	17.71	3.36	18.09	3.37	18.48	3.40
	33	11.61	2.05	13.69	2.55	15.79	3.07	16.75	3.32	17.71	3.58	18.09	3.59	18.48	3.63
	35	11.61	2.18	13.69	2.72	15.79	3.26	16.75	3.53	17.71	3.80	18.09	3.82	18.48	3.85
	37	11.61	2.32	13.69	2.89	15.79	3.46	16.75	3.75	17.71	4.04	18.09	4.06	18.48	4.10
	39	11.61	2.33	13.69	2.90	15.79	3.48	16.75	3.77	17.71	4.06	18.09	4.07	18.48	4.12
	41	11.61	2.34	13.69	2.92	15.79	3.49	16.75	3.79	17.71	4.08	18.09	4.09	18.48	4.13
	43	11.61	2.36	13.69	2.93	15.79	3.51	16.75	3.80	17.71	4.10	18.09	4.11	18.48	4.15
	46	11.61	2.37	13.69	2.95	15.79	3.53	16.75	3.82	17.71	4.12	18.09	4.13	18.48	4.17
	48	11.61	2.38	13.69	2.96	15.79	3.54	16.75	3.84	17.76	4.14	17.92	4.15	18.25	4.19
	50	11.61	2.39	13.69	2.97	15.79	3.56	16.75	3.86	17.59	4.16	17.76	4.17	18.09	4.21

14HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D400W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	36.17	3.89	42.25	4.83	48.68	5.79	50.00	6.28	50.87	6.77	51.67	6.79	53.05	6.86
	12	36.17	3.95	42.25	4.92	48.68	5.90	49.56	6.40	50.43	6.90	51.21	6.92	52.57	6.98
	14	36.17	4.02	42.25	5.01	48.68	6.01	49.11	6.52	49.98	7.03	50.29	7.04	52.11	7.11
	16	36.17	4.10	42.25	5.11	48.25	6.12	48.68	6.63	49.08	7.14	49.84	7.17	51.63	7.23
	18	36.17	4.17	42.25	5.20	47.40	6.22	47.81	6.74	48.63	7.27	49.38	7.30	51.16	7.36
	19	36.17	4.24	42.25	5.29	46.97	6.32	47.37	6.86	48.19	7.40	48.92	7.42	50.70	7.49
	21	36.17	4.55	42.25	5.66	46.54	6.78	46.92	7.35	47.75	7.93	48.46	7.95	50.22	8.04
	23	36.17	4.87	42.25	6.07	46.11	7.26	46.49	7.88	47.30	8.49	48.00	8.52	49.76	8.60
	25	36.17	5.21	42.25	6.50	45.67	7.77	46.05	8.44	46.86	9.09	47.56	9.12	49.29	9.21
	27	36.17	5.57	42.25	6.94	45.24	8.31	45.60	9.02	46.41	9.72	47.10	9.75	48.35	9.84
	29	36.17	5.95	41.92	7.41	44.81	8.87	45.17	9.63	45.97	10.37	46.63	10.41	48.35	10.51
	31	36.17	6.34	41.79	7.91	44.38	9.46	44.73	10.26	45.52	11.07	46.17	11.10	47.87	11.20
	33	36.17	6.75	41.79	8.42	43.95	10.08	44.30	10.93	45.06	11.78	45.71	11.82	47.41	11.94
	35	36.17	7.19	41.38	8.95	43.10	10.72	43.86	11.63	44.62	12.54	45.17	12.58	46.94	12.69
	37	36.17	7.64	41.38	9.53	42.54	11.40	43.41	12.37	43.73	13.33	44.73	13.38	46.00	13.50
	39	36.17	7.68	40.79	9.56	42.22	11.46	42.98	12.42	43.29	13.40	44.30	13.43	45.54	13.57
	41	36.17	7.72	39.90	9.61	41.67	11.50	42.54	12.48	42.84	13.45	43.86	13.50	45.06	13.62
	43	36.40	7.74	39.03	9.66	40.94	11.56	41.67	12.54	42.40	13.51	43.43	13.56	44.59	13.69
	46	35.08	7.78	37.71	9.70	39.48	11.61	40.35	12.59	41.22	13.58	42.10	13.62	43.41	13.75
	48	34.21	7.82	36.40	9.75	38.16	11.67	39.03	12.66	39.90	13.64	40.79	13.69	42.10	13.81
	50	33.33	7.85	35.08	9.79	36.84	11.72	37.71	12.71	38.59	13.70	39.48	13.75	40.79	13.88
120%	10	33.97	3.84	40.46	4.79	46.67	5.73	48.32	6.22	50.05	6.71	50.73	6.72	52.33	6.79
	12	33.97	3.91	40.46	4.88	46.67	5.84	48.32	6.33	49.60	6.83	50.27	6.85	51.87	6.92
	14	33.97	3.99	40.46	4.97	46.67	5.95	48.32	6.45	49.16	6.95	49.83	6.97	51.41	7.04
	16	33.97	4.06	40.46	5.06	46.67	6.05	48.32	6.57	48.73	7.08	49.38	7.10	50.94	7.17
	18	33.97	4.13	40.46	5.14	46.67	6.16	47.89	6.68	48.29	7.20	48.94	7.23	50.48	7.30
	19	33.97	4.20	40.46	5.23	46.16	6.27	47.46	6.80	47.84	7.33	48.48	7.35	50.02	7.42
	21	33.97	4.50	40.46	5.61	45.73	6.72	46.59	7.29	46.97	7.85	48.03	7.88	49.56	7.95
	23	33.97	4.82	40.46	6.01	44.87	7.20	46.16	7.81	46.52	8.41	47.59	8.44	49.10	8.52
	25	33.97	5.16	40.46	6.43	44.43	7.70	45.30	8.35	46.10	9.00	47.13	9.03	48.63	9.12
	27	33.97	5.51	40.46	6.87	43.57	8.23	44.87	8.93	45.65	9.63	46.68	9.66	48.16	9.75
	29	33.97	5.89	40.46	7.34	43.14	8.79	44.43	9.53	45.21	10.27	46.24	10.31	47.70	10.41
	31	33.97	6.28	40.46	7.83	42.71	9.37	44.00	10.16	44.78	10.96	45.79	10.99	47.24	11.10
	33	33.97	6.69	40.46	8.34	42.29	9.98	43.57	10.83	44.33	11.68	45.33	11.71	46.78	11.82
	35	33.97	7.12	40.13	8.87	41.84	10.62	43.14	11.52	43.90	12.42	44.89	12.46	46.32	12.58
	37	33.97	7.57	39.70	9.44	41.41	11.29	42.29	12.25	43.02	13.20	44.43	13.25	45.38	13.38
	39	33.97	7.61	39.25	9.47	40.98	11.35	41.84	12.30	42.59	13.27	44.00	13.30	44.92	13.43
	41	33.97	7.63	38.43	9.52	40.56	11.39	41.41	12.36	42.14	13.32	43.57	13.37	44.46	13.50
	43	33.97	7.67	38.03	9.56	40.13	11.45	40.98	12.42	41.84	13.39	43.14	13.42	44.00	13.56
	46	33.22	7.71	37.10	9.61	38.83	11.50	39.70	12.48	40.56	13.45	41.84	13.49	42.71	13.62
	48	32.35	7.74	36.24	9.65	37.54	11.56	38.40	12.53	39.25	13.51	40.56	13.55	41.41	13.69
	50	31.49	7.78	35.38	9.69	36.24	11.61	37.10	12.59	37.97	13.57	39.25	13.61	40.13	13.75
110%	10	31.08	3.80	36.81	4.74	41.68	5.68	45.40	6.16	48.78	6.64	49.89	6.66	51.46	6.72
	12	31.08	3.88	36.81	4.83	41.68	5.79	45.40	6.27	48.35	6.76	49.44	6.78	51.02	6.85
	14	31.08	3.95	36.81	4.92	41.68	5.89	45.40	6.39	47.92	6.89	49.00	6.91	50.56	6.97
	16	31.08	4.02	36.81	5.01	41.68	6.00	45.40	6.51	47.49	7.01	48.56	7.03	50.10	7.10
	18	31.08	4.09	36.81	5.10	41.68	6.10	45.40	6.62	47.06	7.13	48.13	7.15	49.65	7.23
	19	31.08	4.16	36.81	5.18	41.68	6.21	45.40	6.73	46.62	7.25	47.68	7.28	49.19	7.34
	21	31.08	4.46	36.81	5.56	41.68	6.65	45.40	7.22	46.19	7.78	47.24	7.80	48.73	7.88
	23	31.08	4.78	36.81	5.95	41.68	7.13	44.97	7.73	45.76	8.34	46.79	8.35	48.29	8.44
	25	31.08	5.11	36.81	6.37	41.68	7.63	44.56	8.27	45.33	8.92	46.35	8.95	47.83	9.03
	27	31.08	5.46	36.81	6.81	41.68	8.15	44.13	8.84	44.90	9.53	45.90	9.56	47.37	9.66
	29	31.08	5.83	36.81	7.27	41.68	8.70	43.70	9.44	44.46	10.17	45.48	10.21	46.92	10.31
	31	31.08	6.22	36.81	7.75	41.68	9.28	43.27	10.06	44.03	10.86	45.03	10.88	46.46	10.99
	33	31.08	6.62	36.81	8.25	41.16	9.88	42.86	10.72	43.60	11.56	44.59	11.59	46.00	11.70
	35	31.08	7.05	36.81	8.78	40.73	10.52	42.43	11.41	43.17	12.29	44.14	12.33	45.54	12.46
	37	31.08	7.50	36.81	9.35	40.30	11.18	41.59	12.13	42.30	13.08	43.27	13.12	44.63	13.25
	39	31.08	7.53	36.81	9.38	39.89	11.24	41.16	12.18	41.87	13.13	42.83	13.18	44.17	13.30
	41	31.08	7.56	36.81	9.43	39.46	11.28	40.73	12.24	41.44	13.20	42.38	13.23	43.73	13.37
	43	31.08	7.60	36.81	9.47	39.03	11.34	40.30	12.29	41.02	13.26	41.94	13.30	43.27	13.42
	46	30.13	7.63	36.06	9.51	37.76	11.39	39.03	12.36	39.89	13.31	40.73	13.36	41.59	13.49
	48	29.27	7.67	35.22	9.56	36.49	11.44	37.76	12.41	38.60	13.38	39.46	13.42	40.30	13.55
	50	28.43	7.71	34.37	9.60	35.22	11.49	36.49	12.47	37.33	13.44	38.19	13.49	39.03	13.61

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D400W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	27.70	3.55	32.70	4.42	37.70	5.31	40.00	5.75	43.56	6.20	46.62	6.22	48.48	6.28
	12	27.70	3.62	32.70	4.50	37.70	5.40	40.00	5.86	43.56	6.32	46.62	6.33	48.05	6.40
	14	27.70	3.69	32.70	4.60	37.70	5.50	40.00	5.96	43.56	6.42	46.19	6.44	47.62	6.51
	16	27.70	3.75	32.70	4.68	37.70	5.60	40.00	6.07	43.56	6.54	45.78	6.56	47.19	6.62
	18	27.70	3.81	32.70	4.76	37.70	5.70	40.00	6.18	43.56	6.66	45.37	6.68	46.76	6.74
	19	27.70	3.89	32.70	4.84	37.70	5.79	40.00	6.28	43.56	6.77	44.95	6.79	46.33	6.86
	21	27.70	4.16	32.70	5.19	37.70	6.21	40.00	6.73	43.56	7.26	44.54	7.28	45.89	7.35
	23	27.70	4.46	32.70	5.55	37.70	6.65	40.00	7.22	43.56	7.78	44.11	7.80	45.46	7.87
	25	27.70	4.77	32.70	5.94	37.70	7.12	40.00	7.72	43.56	8.32	43.70	8.34	45.03	8.43
	27	27.70	5.10	32.70	6.35	37.70	7.61	40.00	8.25	43.14	8.89	43.29	8.92	44.60	9.01
	29	27.70	5.44	32.70	6.78	37.70	8.13	40.00	8.81	42.73	9.50	42.87	9.53	44.17	9.62
	31	27.70	5.81	32.70	7.23	37.70	8.66	40.00	9.40	42.33	10.13	42.46	10.16	43.75	10.26
	33	27.70	6.19	32.70	7.71	37.70	9.23	40.00	10.01	41.92	10.79	42.03	10.82	43.32	10.93
	35	27.70	6.58	32.70	8.20	37.70	9.82	40.00	10.58	41.32	11.48	41.62	11.51	42.89	11.62
	37	27.70	7.00	32.70	8.72	37.70	10.44	40.00	11.07	40.70	12.20	41.21	12.25	42.03	12.37
	39	27.70	7.03	32.70	8.75	37.70	10.48	40.00	11.39	40.40	12.26	40.79	12.29	41.60	12.42
	41	27.70	7.06	32.70	8.80	37.21	10.53	39.60	11.71	40.00	12.31	40.40	12.35	41.17	12.48
	43	27.70	7.09	32.70	8.84	36.79	10.58	39.21	12.14	39.60	12.38	40.00	12.41	40.75	12.53
	46	27.70	7.13	32.05	8.88	35.60	10.63	38.79	12.59	39.21	12.43	39.60	12.47	40.40	12.59
	48	27.70	7.16	31.71	8.92	34.40	10.68	37.60	12.67	38.79	12.49	38.40	12.52	39.21	12.65
	50	27.21	7.19	31.40	8.96	33.21	10.73	36.40	12.99	37.60	12.55	37.21	12.59	38.00	12.70
90%	10	24.94	3.08	29.43	3.83	33.94	4.59	36.00	4.97	38.06	5.36	43.16	5.38	44.05	5.42
	12	24.94	3.13	29.43	3.89	33.94	4.67	36.00	5.06	38.06	5.46	43.16	5.48	44.05	5.52
	14	24.94	3.19	29.43	3.97	33.94	4.75	36.00	5.15	38.06	5.56	43.16	5.57	44.05	5.62
	16	24.94	3.24	29.43	4.04	33.94	4.84	36.00	5.25	38.06	5.66	43.16	5.67	44.05	5.72
	18	24.94	3.30	29.43	4.11	33.94	4.92	36.00	5.34	38.06	5.75	43.16	5.77	43.56	5.83
	19	24.94	3.36	29.43	4.19	33.94	5.01	36.00	5.43	38.06	5.85	42.84	5.87	43.21	5.93
	21	24.94	3.59	29.43	4.49	33.94	5.37	36.00	5.82	38.06	6.28	42.48	6.30	42.84	6.35
	23	24.94	3.85	29.43	4.80	33.94	5.75	36.00	6.23	38.06	6.72	42.13	6.74	42.48	6.81
	25	24.94	4.12	29.43	5.14	33.94	6.15	36.00	6.67	38.06	7.20	41.76	7.22	42.13	7.29
	27	24.94	4.40	29.43	5.50	33.94	6.58	36.00	7.13	38.06	7.69	41.40	7.72	41.76	7.79
	29	24.94	4.70	29.43	5.86	33.94	7.03	36.00	7.62	38.06	8.21	41.05	8.24	41.40	8.32
	31	24.94	5.02	29.43	6.25	33.94	7.49	36.00	8.13	38.06	8.75	40.68	8.78	41.05	8.87
	33	24.94	5.35	29.43	6.66	33.94	7.98	36.00	8.65	38.06	9.33	40.32	9.35	40.68	9.45
	35	24.94	5.69	29.43	7.09	33.94	8.49	36.00	9.20	38.06	9.92	39.95	9.96	40.32	10.05
	37	24.94	6.05	29.43	7.53	33.94	9.03	36.00	9.79	38.06	10.56	39.60	10.58	39.95	10.69
	39	24.94	6.08	29.43	7.57	33.94	9.06	36.00	9.83	37.79	10.60	39.24	10.63	39.60	10.74
	41	24.94	6.11	29.43	7.61	33.94	9.11	36.00	9.87	37.44	10.65	38.87	10.68	39.24	10.78
	43	24.94	6.13	29.43	7.64	33.94	9.15	35.63	9.92	37.08	10.69	38.52	10.73	38.87	10.83
	46	24.94	6.16	29.43	7.67	32.76	9.19	34.56	9.96	36.00	10.75	37.44	10.77	37.79	10.88
	48	24.94	6.19	29.43	7.71	31.68	9.24	33.48	10.01	34.92	10.79	36.37	10.83	36.71	10.93
	50	24.94	6.22	28.79	7.74	30.60	9.27	32.40	10.06	33.84	10.85	35.29	10.87	35.63	10.98
80%	10	22.16	2.62	26.16	3.27	30.16	3.91	32.00	4.25	33.84	4.58	34.57	4.59	35.32	4.63
	12	22.16	2.68	26.16	3.33	30.16	3.99	32.00	4.32	33.84	4.66	34.57	4.68	35.32	4.72
	14	22.16	2.72	26.16	3.39	30.16	4.06	32.00	4.40	33.84	4.75	34.57	4.76	35.32	4.80
	16	22.16	2.77	26.16	3.45	30.16	4.13	32.00	4.48	33.84	4.83	34.57	4.85	35.32	4.90
	18	22.16	2.82	26.16	3.51	30.16	4.20	32.00	4.56	33.84	4.91	34.57	4.93	35.32	4.98
	19	22.16	2.87	26.16	3.58	30.16	4.28	32.00	4.64	33.84	5.01	34.57	5.01	35.32	5.07
	21	22.16	3.08	26.16	3.83	30.16	4.59	32.00	4.97	33.84	5.36	34.57	5.38	35.32	5.43
	23	22.16	3.29	26.16	4.10	30.16	4.91	32.00	5.32	33.84	5.74	34.57	5.76	35.32	5.81
	25	22.16	3.52	26.16	4.39	30.16	5.26	32.00	5.70	33.84	6.14	34.57	6.16	35.32	6.22
	27	22.16	3.77	26.16	4.70	30.16	5.61	32.00	6.10	33.84	6.57	34.57	6.59	35.32	6.65
	29	22.16	4.02	26.16	5.01	30.16	6.00	32.00	6.51	33.84	7.02	34.57	7.03	35.32	7.11
	31	22.16	4.29	26.16	5.34	30.16	6.40	32.00	6.93	33.84	7.48	34.57	7.50	35.32	7.57
	33	22.16	4.57	26.16	5.69	30.16	6.82	32.00	7.39	33.84	7.96	34.57	7.99	35.32	8.07
	35	22.16	4.86	26.16	6.05	30.16	7.25	32.00	7.86	33.84	8.47	34.57	8.50	35.32	8.58
	37	22.16	5.17	26.16	6.44	30.16	7.71	32.00	8.36	33.84	9.02	34.57	9.05	34.87	9.13
	39	22.16	5.19	26.16	6.47	30.16	7.74	32.00	8.40	33.84	9.05	34.24	9.08	34.56	9.17
	41	22.16	5.21	26.16	6.50	30.16	7.78	32.00	8.44	33.60	9.09	33.92	9.12	34.24	9.21
	43	22.16	5.24	26.16	6.52	30.16	7.82	32.00	8.47	33.29	9.14	33.60	9.16	33.92	9.25
	46	22.16	5.26	26.24	6.55	30.08	7.85	31.05	8.52	32.32	9.18	32.63	9.21	32.32	9.30
	48	22.16	5.29	26.24	6.59	29.13	7.89	30.08	8.55	31.37	9.22	31.68	9.25	31.37	9.34
	50	22.16	5.31	26.24	6.62	28.16	7.93	29.13	8.59	30.40	9.26	30.71	9.29	30.40	9.38

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D400W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	10	19.4	2.21	22.89	2.76	26.4	3.29	28	3.58	29.6	3.86	30.25	3.87	30.9	3.90
	12	19.4	2.25	22.89	2.80	26.4	3.36	28	3.64	29.6	3.92	30.25	3.94	30.9	3.98
	14	19.4	2.29	22.89	2.86	26.4	3.42	28	3.70	29.6	3.99	30.25	4.01	30.9	4.05
	16	19.4	2.33	22.89	2.90	26.4	3.48	28	3.78	29.6	4.07	30.25	4.08	30.9	4.12
	18	19.4	2.38	22.89	2.96	26.4	3.54	28	3.84	29.6	4.14	30.25	4.15	30.9	4.20
	19	19.4	2.41	22.89	3.01	26.4	3.60	28	3.90	29.6	4.21	30.25	4.22	30.9	4.27
	21	19.4	2.58	22.89	3.22	26.4	3.86	28	4.19	29.6	4.51	30.25	4.53	30.9	4.57
	23	19.4	2.78	22.89	3.46	26.4	4.13	28	4.49	29.6	4.83	30.25	4.85	30.9	4.90
	25	19.4	2.97	22.89	3.69	26.4	4.42	28	4.80	29.6	5.18	30.25	5.19	30.9	5.24
	27	19.4	3.17	22.89	3.95	26.4	4.73	28	5.13	29.6	5.53	30.25	5.55	30.9	5.61
	29	19.4	3.39	22.89	4.22	26.4	5.05	28	5.48	29.6	5.91	30.25	5.92	30.9	5.98
	31	19.4	3.61	22.89	4.50	26.4	5.39	28	5.84	29.6	6.30	30.25	6.32	30.9	6.38
	33	19.4	3.85	22.89	4.80	26.4	5.74	28	6.22	29.6	6.71	30.25	6.73	30.9	6.80
	35	19.4	4.10	22.89	5.10	26.4	6.11	28	6.62	29.6	7.13	30.25	7.16	30.9	7.23
	37	19.4	4.35	22.89	5.42	26.4	6.49	28	7.04	29.6	7.59	30.25	7.62	30.9	7.69
	39	19.4	4.37	22.89	5.44	26.4	6.52	28	7.07	29.6	7.63	30.25	7.64	30.9	7.73
	41	19.4	4.39	22.89	5.47	26.4	6.55	28	7.11	29.6	7.66	30.25	7.68	30.9	7.75
	43	19.4	4.41	22.89	5.50	26.4	6.58	28	7.13	29.6	7.69	30.25	7.72	30.9	7.79
	46	19.4	4.43	22.89	5.52	26.4	6.61	28	7.17	29.13	7.73	29.68	7.75	30.24	7.83
	48	19.4	4.45	22.89	5.55	26.4	6.64	27.44	7.21	28.56	7.76	29.13	7.79	29.68	7.86
	50	19.4	4.47	22.89	5.57	25.76	6.67	26.87	7.23	28	7.80	28.56	7.83	29.13	7.90
60%	10	16.62	1.83	19.62	2.28	22.62	2.73	24	2.96	25.38	3.19	25.94	3.20	26.48	3.23
	12	16.62	1.87	19.62	2.32	22.62	2.78	24	3.01	25.38	3.25	25.94	3.26	26.48	3.29
	14	16.62	1.89	19.62	2.37	22.62	2.83	24	3.07	25.38	3.31	25.94	3.32	26.48	3.35
	16	16.62	1.93	19.62	2.40	22.62	2.88	24	3.12	25.38	3.37	25.94	3.38	26.48	3.41
	18	16.62	1.97	19.62	2.45	22.62	2.93	24	3.18	25.38	3.43	25.94	3.44	26.48	3.47
	19	16.62	2.00	19.62	2.49	22.62	2.98	24	3.23	25.38	3.49	25.94	3.49	26.48	3.53
	21	16.62	2.14	19.62	2.67	22.62	3.19	24	3.47	25.38	3.74	25.94	3.75	26.48	3.79
	23	16.62	2.29	19.62	2.86	22.62	3.42	24	3.71	25.38	4.00	25.94	4.01	26.48	4.05
	25	16.62	2.46	19.62	3.06	22.62	3.67	24	3.98	25.38	4.29	25.94	4.30	26.48	4.34
	27	16.62	2.62	19.62	3.27	22.62	3.91	24	4.25	25.38	4.58	25.94	4.60	26.48	4.64
	29	16.62	2.80	19.62	3.49	22.62	4.18	24	4.53	25.38	4.89	25.94	4.90	26.48	4.95
	31	16.62	2.98	19.62	3.72	22.62	4.46	24	4.83	25.38	5.21	25.94	5.23	26.48	5.28
	33	16.62	3.19	19.62	3.97	22.62	4.75	24	5.15	25.38	5.55	25.94	5.57	26.48	5.62
	35	16.62	3.39	19.62	4.22	22.62	5.05	24	5.48	25.38	5.91	25.94	5.92	26.48	5.98
	37	16.62	3.60	19.62	4.49	22.62	5.38	24	5.82	25.38	6.28	25.94	6.31	26.48	6.36
	39	16.62	3.62	19.62	4.50	22.62	5.40	24	5.85	25.38	6.31	25.94	6.33	26.48	6.39
	41	16.62	3.63	19.62	4.53	22.62	5.42	24	5.88	25.38	6.34	25.94	6.36	26.48	6.42
	43	16.62	3.65	19.62	4.55	22.62	5.45	24	5.91	25.38	6.37	25.94	6.39	26.48	6.45
	46	16.62	3.67	19.62	4.57	22.62	5.47	24	5.93	25.38	6.40	25.94	6.42	26.48	6.48
	48	16.62	3.69	19.62	4.59	22.62	5.50	24	5.96	24.95	6.42	25.44	6.44	25.92	6.51
	50	16.62	3.70	19.62	4.61	22.62	5.52	23.52	5.99	24.48	6.46	24.95	6.48	25.44	6.54
50%	10	13.86	1.48	16.35	1.85	18.86	2.21	20	2.39	21.14	2.58	21.6	2.59	22.06	2.62
	12	13.86	1.51	16.35	1.88	18.86	2.25	20	2.44	21.14	2.63	21.6	2.64	22.06	2.67
	14	13.86	1.54	16.35	1.91	18.86	2.29	20	2.48	21.14	2.68	21.6	2.68	22.06	2.71
	16	13.86	1.57	16.35	1.95	18.86	2.33	20	2.53	21.14	2.73	21.6	2.74	22.06	2.77
	18	13.86	1.59	16.35	1.98	18.86	2.38	20	2.58	21.14	2.78	21.6	2.78	22.06	2.81
	19	13.86	1.62	16.35	2.02	18.86	2.41	20	2.62	21.14	2.82	21.6	2.83	22.06	2.86
	21	13.86	1.74	16.35	2.17	18.86	2.59	20	2.81	21.14	3.03	21.6	3.04	22.06	3.07
	23	13.86	1.86	16.35	2.32	18.86	2.78	20	3.01	21.14	3.24	21.6	3.25	22.06	3.29
	25	13.86	1.99	16.35	2.48	18.86	2.97	20	3.22	21.14	3.47	21.6	3.48	22.06	3.51
	27	13.86	2.13	16.35	2.65	18.86	3.18	20	3.44	21.14	3.71	21.6	3.72	22.06	3.76
	29	13.86	2.28	16.35	2.83	18.86	3.39	20	3.68	21.14	3.96	21.6	3.98	22.06	4.01
	31	13.86	2.42	16.35	3.02	18.86	3.61	20	3.92	21.14	4.22	21.6	4.24	22.06	4.28
	33	13.86	2.58	16.35	3.21	18.86	3.85	20	4.18	21.14	4.50	21.6	4.51	22.06	4.56
	35	13.86	2.75	16.35	3.42	18.86	4.10	20	4.44	21.14	4.79	21.6	4.80	22.06	4.85
	37	13.86	2.92	16.35	3.64	18.86	4.35	20	4.72	21.14	5.09	21.6	5.11	22.06	5.16
	39	13.86	2.93	16.35	3.65	18.86	4.38	20	4.74	21.14	5.11	21.6	5.13	22.06	5.18
	41	13.86	2.95	16.35	3.67	18.86	4.40	20	4.77	21.14	5.13	21.6	5.15	22.06	5.21
	43	13.86	2.96	16.35	3.69	18.86	4.41	20	4.79	21.14	5.16	21.6	5.18	22.06	5.22
	46	13.86	2.98	16.35	3.70	18.86	4.43	20	4.80	21.14	5.19	21.6	5.20	22.06	5.25
	48	13.86	2.98	16.35	3.72	18.86	4.45	20	4.83	21.21	5.21	21.4	5.22	21.79	5.28
	50	13.86	3.00	16.35	3.74	18.86	4.48	20	4.85	21	5.23	21.21	5.25	21.6	5.30

16HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D450W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	40.7	4.64	47.54	5.77	54.77	6.92	56.25	7.50	57.23	8.09	58.13	8.12	59.68	8.19
	12	40.7	4.72	47.54	5.88	54.77	7.05	55.75	7.64	56.73	8.24	57.61	8.26	59.14	8.34
	14	40.7	4.81	47.54	5.99	54.77	7.17	55.25	7.78	56.23	8.39	56.57	8.41	58.63	8.49
	16	40.7	4.90	47.54	6.09	54.29	7.30	54.77	7.92	55.21	8.54	56.07	8.56	58.09	8.65
	18	40.7	4.98	47.54	6.20	53.32	7.43	53.79	8.06	54.71	8.68	55.55	8.71	57.55	8.80
	19	40.7	5.07	47.54	6.31	52.84	7.56	53.29	8.20	54.21	8.84	55.04	8.87	57.04	8.95
	21	40.7	5.44	47.54	6.77	52.36	8.10	52.79	8.78	53.71	9.47	54.52	9.50	56.5	9.60
	23	40.7	5.82	47.54	7.25	51.88	8.67	52.3	9.42	53.21	10.15	54	10.17	55.98	10.28
	25	40.7	6.22	47.54	7.76	51.38	9.29	51.8	10.07	52.71	10.86	53.5	10.89	55.45	11.00
	27	40.7	6.65	47.54	8.29	50.89	9.93	51.3	10.77	52.21	11.61	52.98	11.64	54.39	11.76
	29	40.7	7.11	47.16	8.86	50.41	10.60	50.82	11.50	51.71	12.40	52.46	12.43	54.39	12.55
	31	40.7	7.58	47.02	9.44	49.93	11.30	50.32	12.26	51.21	13.22	51.95	13.26	53.86	13.39
	33	40.7	8.07	47.02	10.06	49.45	12.04	49.84	13.06	50.7	14.08	51.43	14.12	53.34	14.26
	35	40.7	8.58	46.55	10.70	48.48	12.81	49.34	13.89	50.2	14.98	50.82	15.02	52.8	15.17
	37	40.7	9.13	46.55	11.38	47.86	13.62	48.84	14.78	49.2	15.93	50.32	15.98	51.75	16.13
	39	40.7	9.17	45.89	11.43	47.5	13.68	48.36	14.84	48.7	16.00	49.84	16.05	51.23	16.20
	41	40.7	9.21	44.89	11.48	46.88	13.74	47.86	14.91	48.2	16.07	49.34	16.12	50.7	16.28
	43	40.95	9.26	43.91	11.53	46.05	13.81	46.88	14.98	47.7	16.15	48.86	16.20	50.16	16.35
	46	39.46	9.30	42.43	11.58	44.41	13.87	45.39	15.04	46.38	16.22	47.36	16.27	48.84	16.42
	48	38.48	9.34	40.95	11.64	42.93	13.94	43.91	15.12	44.89	16.30	45.89	16.34	47.36	16.51
	50	37.5	9.39	39.46	11.69	41.45	14.00	42.43	15.19	43.41	16.37	44.41	16.42	45.89	16.58
120%	10	38.21	4.59	45.52	5.72	52.5	6.85	54.36	7.43	56.3	8.01	57.07	8.03	58.88	8.12
	12	38.21	4.68	45.52	5.83	52.5	6.98	54.36	7.57	55.8	8.16	56.55	8.18	58.36	8.26
	14	38.21	4.76	45.52	5.93	52.5	7.10	54.36	7.70	55.3	8.31	56.05	8.34	57.84	8.41
	16	38.21	4.85	45.52	6.04	52.5	7.23	54.36	7.84	54.82	8.45	55.55	8.48	57.3	8.56
	18	38.21	4.93	45.52	6.15	52.5	7.36	53.88	7.98	54.32	8.60	55.05	8.63	56.79	8.71
	19	38.21	5.01	45.52	6.25	51.93	7.48	53.39	8.12	53.82	8.75	54.54	8.77	56.27	8.87
	21	38.21	5.38	45.52	6.70	51.45	8.02	52.41	8.70	52.84	9.38	54.04	9.42	55.75	9.50
	23	38.21	5.76	45.52	7.18	50.48	8.59	51.93	9.32	52.34	10.05	53.54	10.08	55.23	10.17
	25	38.21	6.17	45.52	7.69	49.98	9.20	50.96	9.97	51.86	10.75	53.02	10.79	54.71	10.89
	27	38.21	6.59	45.52	8.21	49.02	9.84	50.48	10.66	51.36	11.49	52.52	11.53	54.18	11.64
	29	38.21	7.04	45.52	8.77	48.54	10.50	49.98	11.38	50.86	12.27	52.02	12.32	53.66	12.43
	31	38.21	7.50	45.52	9.35	48.05	11.20	49.5	12.14	50.38	13.09	51.52	13.13	53.14	13.26
	33	38.21	8.00	45.52	9.96	47.57	11.92	49.02	12.94	49.88	13.94	51	13.99	52.63	14.12
	35	38.21	8.50	45.14	10.60	47.07	12.69	48.54	13.76	49.39	14.83	50.5	14.88	52.11	15.02
	37	38.21	9.04	44.66	11.27	46.59	13.50	47.57	14.63	48.39	15.77	49.98	15.83	51.05	15.98
	39	38.21	9.09	44.16	11.32	46.11	13.55	47.07	14.69	47.91	15.85	49.5	15.89	50.54	16.05
	41	38.21	9.12	43.23	11.36	45.63	13.62	46.59	14.77	47.41	15.91	49.02	15.97	50.02	16.12
	43	38.21	9.17	42.79	11.42	45.14	13.68	46.11	14.83	47.07	15.99	48.54	16.04	49.5	16.20
	46	37.38	9.21	41.73	11.47	43.68	13.74	44.66	14.91	45.63	16.07	47.07	16.11	48.05	16.27
	48	36.39	9.25	40.77	11.53	42.23	13.81	43.2	14.97	44.16	16.14	45.63	16.19	46.59	16.34
	50	35.43	9.30	39.8	11.58	40.77	13.86	41.73	15.04	42.71	16.21	44.16	16.26	45.14	16.42
110%	10	34.96	4.55	41.41	5.66	46.89	6.78	51.07	7.36	54.88	7.93	56.13	7.96	57.89	8.03
	12	34.96	4.63	41.41	5.77	46.89	6.91	51.07	7.49	54.39	8.08	55.63	8.11	57.39	8.18
	14	34.96	4.71	41.41	5.87	46.89	7.04	51.07	7.63	53.91	8.23	55.13	8.25	56.88	8.34
	16	34.96	4.80	41.41	5.98	46.89	7.16	51.07	7.77	53.43	8.37	54.63	8.40	56.36	8.48
	18	34.96	4.89	41.41	6.08	46.89	7.28	51.07	7.91	52.95	8.52	54.14	8.55	55.86	8.63
	19	34.96	4.97	41.41	6.19	46.89	7.41	51.07	8.04	52.45	8.67	53.64	8.69	55.34	8.77
	21	34.96	5.33	41.41	6.63	46.89	7.94	51.07	8.62	51.96	9.29	53.14	9.32	54.82	9.41
	23	34.96	5.71	41.41	7.11	46.89	8.51	50.59	9.23	51.48	9.96	52.64	9.98	54.32	10.08
	25	34.96	6.10	41.41	7.60	46.89	9.10	50.13	9.88	51	10.65	52.14	10.68	53.8	10.79
	27	34.96	6.52	41.41	8.13	46.89	9.74	49.64	10.56	50.52	11.38	51.64	11.42	53.29	11.53
	29	34.96	6.97	41.41	8.68	46.89	10.39	49.16	11.27	50.02	12.15	51.16	12.20	52.79	12.31
	31	34.96	7.43	41.41	9.26	46.89	11.09	48.68	12.02	49.54	12.97	50.66	13.00	52.27	13.13
	33	34.96	7.91	41.41	9.86	46.3	11.81	48.21	12.81	49.05	13.81	50.16	13.85	51.75	13.98
	35	34.96	8.42	41.41	10.50	45.82	12.56	47.73	13.62	48.57	14.69	49.66	14.73	51.23	14.88
	37	34.96	8.96	41.41	11.16	45.34	13.36	46.79	14.49	47.59	15.63	48.68	15.67	50.21	15.82
	39	34.96	8.99	41.41	11.21	44.88	13.42	46.3	14.56	47.11	15.69	48.18	15.74	49.7	15.89
	41	34.96	9.04	41.41	11.25	44.39	13.48	45.82	14.62	46.63	15.77	47.68	15.81	49.2	15.97
	43	34.96	9.08	41.41	11.31	43.91	13.54	45.34	14.69	46.14	15.84	47.18	15.88	48.68	16.04
	46	33.89	9.12	40.57	11.36	42.48	13.61	43.91	14.76	44.88	15.91	45.82	15.96	46.79	16.11
	48	32.93	9.16	39.63	11.42	41.05	13.67	42.48	14.82	43.43	15.99	44.39	16.03	45.34	16.19
	50	31.98	9.20	38.66	11.46	39.63	13.73	41.05	14.90	42	16.06	42.96	16.10	43.91	16.26

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D450W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	31.16	4.25	36.79	5.29	42.41	6.33	45	6.87	49	7.40	52.45	7.43	54.54	7.50
	12	31.16	4.32	36.79	5.39	42.41	6.45	45	7.00	49	7.54	52.45	7.57	54.05	7.64
	14	31.16	4.40	36.79	5.48	42.41	6.57	45	7.12	49	7.68	51.96	7.70	53.57	7.78
	16	31.16	4.48	36.79	5.58	42.41	6.69	45	7.25	49	7.81	51.5	7.84	53.09	7.91
	18	31.16	4.56	36.79	5.68	42.41	6.80	45	7.37	49	7.95	51.04	7.98	52.61	8.05
	19	31.16	4.64	36.79	5.77	42.41	6.92	45	7.50	49	8.09	50.57	8.12	52.13	8.19
	21	31.16	4.97	36.79	6.19	42.41	7.42	45	8.04	49	8.67	50.11	8.70	51.63	8.78
	23	31.16	5.33	36.79	6.63	42.41	7.94	45	8.62	49	9.29	49.63	9.31	51.14	9.41
	25	31.16	5.70	36.79	7.10	42.41	8.50	45	9.22	49	9.94	49.16	9.97	50.66	10.07
	27	31.16	6.09	36.79	7.59	42.41	9.09	45	9.85	48.54	10.62	48.7	10.66	50.18	10.76
	29	31.16	6.51	36.79	8.11	42.41	9.71	45	10.52	48.07	11.35	48.23	11.38	49.7	11.49
	31	31.16	6.94	36.79	8.65	42.41	10.35	45	11.23	47.63	12.10	47.77	12.13	49.21	12.25
	33	31.16	7.38	36.79	9.20	42.41	11.03	45	11.96	47.16	12.89	47.29	12.93	48.73	13.06
	35	31.16	7.86	36.79	9.79	42.41	11.73	45	12.71	46.48	13.71	46.82	13.75	48.25	13.89
	37	31.16	8.36	36.79	10.41	42.41	12.47	45	13.23	45.79	14.59	46.36	14.63	47.29	14.77
	39	31.16	8.40	36.79	10.46	42.41	12.53	45	13.61	45.45	14.65	45.89	14.69	46.8	14.83
	41	31.16	8.44	36.79	10.50	41.86	12.58	44.55	13.99	45	14.71	45.45	14.76	46.32	14.90
	43	31.16	8.47	36.79	10.56	41.39	12.65	44.11	14.50	44.55	14.78	45	14.82	45.84	14.97
	46	31.16	8.51	36.05	10.60	40.05	12.70	43.64	15.03	44.11	14.85	44.55	14.90	45.45	15.04
	48	31.16	8.56	35.68	10.65	38.7	12.76	42.3	15.13	43.64	14.91	43.2	14.96	44.11	15.11
	50	30.61	8.59	35.32	10.71	37.36	12.82	40.95	15.52	42.3	14.99	41.86	15.03	42.75	15.18
90%	10	28.05	3.67	33.11	4.58	38.18	5.47	40.5	5.94	42.82	6.41	48.55	6.42	49.55	6.48
	12	28.05	3.73	33.11	4.66	38.18	5.57	40.5	6.05	42.82	6.51	48.55	6.54	49.55	6.61
	14	28.05	3.81	33.11	4.74	38.18	5.67	40.5	6.16	42.82	6.63	48.55	6.66	49.55	6.73
	16	28.05	3.87	33.11	4.82	38.18	5.78	40.5	6.27	42.82	6.75	48.55	6.78	49.55	6.84
	18	28.05	3.94	33.11	4.91	38.18	5.88	40.5	6.38	42.82	6.87	48.55	6.90	49	6.96
	19	28.05	4.01	33.11	5.00	38.18	5.98	40.5	6.49	42.82	6.99	48.2	7.02	48.61	7.08
	21	28.05	4.30	33.11	5.35	38.18	6.41	40.5	6.95	42.82	7.49	47.79	7.52	48.2	7.59
	23	28.05	4.60	33.11	5.74	38.18	6.87	40.5	7.45	42.82	8.03	47.39	8.05	47.79	8.13
	25	28.05	4.92	33.11	6.14	38.18	7.35	40.5	7.97	42.82	8.59	46.98	8.62	47.39	8.70
	27	28.05	5.27	33.11	6.56	38.18	7.86	40.5	8.52	42.82	9.19	46.57	9.21	46.98	9.31
	29	28.05	5.63	33.11	7.01	38.18	8.39	40.5	9.10	42.82	9.81	46.18	9.84	46.57	9.94
	31	28.05	5.99	33.11	7.48	38.18	8.95	40.5	9.70	42.82	10.46	45.77	10.50	46.18	10.60
	33	28.05	6.39	33.11	7.96	38.18	9.53	40.5	10.34	42.82	11.14	45.36	11.17	45.77	11.28
	35	28.05	6.80	33.11	8.46	38.18	10.14	40.5	11.00	42.82	11.85	44.95	11.89	45.36	12.00
	37	28.05	7.23	33.11	9.00	38.18	10.78	40.5	11.69	42.82	12.61	44.55	12.65	44.95	12.76
	39	28.05	7.26	33.11	9.04	38.18	10.82	40.5	11.75	42.52	12.66	44.14	12.70	44.55	12.82
	41	28.05	7.29	33.11	9.09	38.18	10.88	40.5	11.79	42.13	12.72	43.73	12.76	44.14	12.88
	43	28.05	7.33	33.11	9.12	38.18	10.93	40.09	11.85	41.71	12.77	43.34	12.82	43.73	12.94
	46	28.05	7.36	33.11	9.17	36.86	10.98	38.88	11.90	40.5	12.84	42.13	12.87	42.52	13.00
	48	28.05	7.39	33.11	9.21	35.64	11.03	37.66	11.96	39.29	12.89	40.91	12.94	41.3	13.06
	50	28.05	7.43	32.39	9.25	34.43	11.08	36.45	12.01	38.07	12.96	39.7	12.99	40.09	13.12
80%	10	24.93	3.14	29.43	3.91	33.93	4.68	36	5.07	38.07	5.47	38.89	5.48	39.73	5.54
	12	24.93	3.19	29.43	3.98	33.93	4.77	36	5.17	38.07	5.57	38.89	5.58	39.73	5.64
	14	24.93	3.25	29.43	4.05	33.93	4.85	36	5.26	38.07	5.67	38.89	5.69	39.73	5.75
	16	24.93	3.31	29.43	4.13	33.93	4.93	36	5.35	38.07	5.77	38.89	5.79	39.73	5.85
	18	24.93	3.37	29.43	4.19	33.93	5.02	36	5.44	38.07	5.87	38.89	5.89	39.73	5.95
	19	24.93	3.42	29.43	4.26	33.93	5.11	36	5.54	38.07	5.97	38.89	5.99	39.73	6.05
	21	24.93	3.67	29.43	4.58	33.93	5.48	36	5.94	38.07	6.41	38.89	6.42	39.73	6.49
	23	24.93	3.93	29.43	4.90	33.93	5.87	36	6.36	38.07	6.86	38.89	6.88	39.73	6.94
	25	24.93	4.21	29.43	5.24	33.93	6.28	36	6.81	38.07	7.34	38.89	7.37	39.73	7.43
	27	24.93	4.50	29.43	5.61	33.93	6.71	36	7.27	38.07	7.85	38.89	7.87	39.73	7.95
	29	24.93	4.80	29.43	5.98	33.93	7.16	36	7.77	38.07	8.38	38.89	8.40	39.73	8.48
	31	24.93	5.12	29.43	6.38	33.93	7.64	36	8.29	38.07	8.93	38.89	8.96	39.73	9.05
	33	24.93	5.45	29.43	6.80	33.93	8.14	36	8.83	38.07	9.52	38.89	9.54	39.73	9.63
	35	24.93	5.80	29.43	7.23	33.93	8.66	36	9.39	38.07	10.13	38.89	10.16	39.73	10.26
	37	24.93	6.18	29.43	7.70	33.93	9.21	36	9.99	38.07	10.77	38.89	10.80	39.23	10.91
	39	24.93	6.20	29.43	7.72	33.93	9.25	36	10.03	38.07	10.82	38.52	10.85	38.88	10.95
	41	24.93	6.23	29.43	7.76	33.93	9.29	36	10.07	37.8	10.86	38.16	10.90	38.52	11.00
	43	24.93	6.26	29.43	7.80	33.93	9.33	36	10.13	37.45	10.92	37.8	10.94	38.16	11.05
	46	24.93	6.29	29.52	7.83	33.84	9.38	34.93	10.17	36.36	10.96	36.71	11.00	36.36	11.11
	48	24.93	6.31	29.52	7.87	32.77	9.42	33.84	10.22	35.29	11.02	35.64	11.05	35.29	11.15
	50	24.93	6.34	29.52	7.91	31.68	9.46	32.77	10.27	34.2	11.06	34.55	11.10	34.2	11.21

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D450W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	21.82	2.64	25.75	3.28	29.7	3.93	31.5	4.27	33.3	4.60	34.04	4.62	34.77	4.67
	12	21.82	2.69	25.75	3.35	29.7	4.01	31.5	4.35	33.3	4.68	34.04	4.70	34.77	4.75
	14	21.82	2.74	25.75	3.41	29.7	4.08	31.5	4.43	33.3	4.78	34.04	4.79	34.77	4.83
	16	21.82	2.78	25.75	3.47	29.7	4.15	31.5	4.51	33.3	4.86	34.04	4.88	34.77	4.92
	18	21.82	2.84	25.75	3.53	29.7	4.23	31.5	4.58	33.3	4.94	34.04	4.96	34.77	5.01
	19	21.82	2.88	25.75	3.60	29.7	4.30	31.5	4.67	33.3	5.03	34.04	5.04	34.77	5.10
	21	21.82	3.09	25.75	3.85	29.7	4.61	31.5	5.01	33.3	5.39	34.04	5.41	34.77	5.46
	23	21.82	3.31	25.75	4.13	29.7	4.94	31.5	5.36	33.3	5.77	34.04	5.79	34.77	5.85
	25	21.82	3.54	25.75	4.42	29.7	5.29	31.5	5.74	33.3	6.19	34.04	6.20	34.77	6.26
	27	21.82	3.79	25.75	4.72	29.7	5.65	31.5	6.13	33.3	6.61	34.04	6.62	34.77	6.69
	29	21.82	4.04	25.75	5.04	29.7	6.03	31.5	6.54	33.3	7.05	34.04	7.07	34.77	7.15
	31	21.82	4.31	25.75	5.37	29.7	6.43	31.5	6.98	33.3	7.52	34.04	7.55	34.77	7.62
	33	21.82	4.59	25.75	5.73	29.7	6.85	31.5	7.44	33.3	8.02	34.04	8.04	34.77	8.12
	35	21.82	4.89	25.75	6.09	29.7	7.29	31.5	7.91	33.3	8.53	34.04	8.56	34.77	8.64
	37	21.82	5.20	25.75	6.48	29.7	7.76	31.5	8.41	33.3	9.07	34.04	9.10	34.77	9.19
	39	21.82	5.22	25.75	6.51	29.7	7.79	31.5	8.45	33.3	9.10	34.04	9.13	34.77	9.22
	41	21.82	5.24	25.75	6.53	29.7	7.82	31.5	8.48	33.3	9.15	34.04	9.18	34.77	9.27
	43	21.82	5.27	25.75	6.56	29.7	7.86	31.5	8.53	33.3	9.19	34.04	9.22	34.77	9.31
	46	21.82	5.30	25.75	6.60	29.7	7.90	31.5	8.56	32.77	9.23	33.39	9.26	34.02	9.35
	48	21.82	5.32	25.75	6.62	29.7	7.93	30.88	8.60	32.13	9.28	32.77	9.31	33.39	9.40
	50	21.82	5.34	25.75	6.65	28.98	7.97	30.23	8.65	31.5	9.31	32.13	9.35	32.77	9.43
60%	10	18.7	2.19	22.07	2.72	25.45	3.26	27	3.53	28.55	3.81	29.18	3.82	29.79	3.86
	12	18.7	2.22	22.07	2.77	25.45	3.32	27	3.60	28.55	3.88	29.18	3.89	29.79	3.93
	14	18.7	2.27	22.07	2.82	25.45	3.38	27	3.67	28.55	3.95	29.18	3.96	29.79	4.00
	16	18.7	2.31	22.07	2.87	25.45	3.44	27	3.73	28.55	4.03	29.18	4.04	29.79	4.07
	18	18.7	2.34	22.07	2.93	25.45	3.50	27	3.80	28.55	4.09	29.18	4.11	29.79	4.14
	19	18.7	2.39	22.07	2.97	25.45	3.56	27	3.86	28.55	4.16	29.18	4.17	29.79	4.22
	21	18.7	2.56	22.07	3.18	25.45	3.82	27	4.14	28.55	4.47	29.18	4.47	29.79	4.52
	23	18.7	2.75	22.07	3.41	25.45	4.09	27	4.44	28.55	4.79	29.18	4.79	29.79	4.84
	25	18.7	2.94	22.07	3.65	25.45	4.37	27	4.75	28.55	5.11	29.18	5.13	29.79	5.18
	27	18.7	3.14	22.07	3.91	25.45	4.68	27	5.07	28.55	5.47	29.18	5.49	29.79	5.54
	29	18.7	3.35	22.07	4.17	25.45	5.00	27	5.42	28.55	5.84	29.18	5.86	29.79	5.91
	31	18.7	3.57	22.07	4.45	25.45	5.33	27	5.77	28.55	6.23	29.18	6.25	29.79	6.30
	33	18.7	3.81	22.07	4.74	25.45	5.67	27	6.16	28.55	6.63	29.18	6.65	29.79	6.72
	35	18.7	4.04	22.07	5.04	25.45	6.04	27	6.54	28.55	7.05	29.18	7.08	29.79	7.15
	37	18.7	4.30	22.07	5.36	25.45	6.42	27	6.96	28.55	7.50	29.18	7.53	29.79	7.60
	39	18.7	4.32	22.07	5.38	25.45	6.45	27	6.99	28.55	7.54	29.18	7.56	29.79	7.63
	41	18.7	4.34	22.07	5.41	25.45	6.48	27	7.03	28.55	7.58	29.18	7.59	29.79	7.67
	43	18.7	4.36	22.07	5.44	25.45	6.51	27	7.05	28.55	7.60	29.18	7.63	29.79	7.70
	46	18.7	4.38	22.07	5.46	25.45	6.53	27	7.09	28.55	7.64	29.18	7.67	29.79	7.74
	48	18.7	4.40	22.07	5.48	25.45	6.57	27	7.12	28.07	7.68	28.63	7.70	29.16	7.78
	50	18.7	4.42	22.07	5.51	25.45	6.60	26.46	7.16	27.54	7.71	28.07	7.74	28.63	7.81
50%	10	15.59	1.77	18.39	2.21	21.21	2.64	22.5	2.86	23.79	3.08	24.3	3.09	24.82	3.13
	12	15.59	1.80	18.39	2.24	21.21	2.69	22.5	2.92	23.79	3.15	24.3	3.16	24.82	3.18
	14	15.59	1.84	18.39	2.29	21.21	2.74	22.5	2.97	23.79	3.20	24.3	3.21	24.82	3.24
	16	15.59	1.87	18.39	2.32	21.21	2.79	22.5	3.02	23.79	3.26	24.3	3.27	24.82	3.30
	18	15.59	1.90	18.39	2.37	21.21	2.84	22.5	3.07	23.79	3.31	24.3	3.33	24.82	3.36
	19	15.59	1.93	18.39	2.41	21.21	2.88	22.5	3.13	23.79	3.38	24.3	3.39	24.82	3.41
	21	15.59	2.08	18.39	2.58	21.21	3.09	22.5	3.36	23.79	3.61	24.3	3.62	24.82	3.66
	23	15.59	2.22	18.39	2.76	21.21	3.31	22.5	3.60	23.79	3.87	24.3	3.89	24.82	3.93
	25	15.59	2.38	18.39	2.96	21.21	3.54	22.5	3.84	23.79	4.14	24.3	4.15	24.82	4.20
	27	15.59	2.54	18.39	3.17	21.21	3.79	22.5	4.11	23.79	4.43	24.3	4.45	24.82	4.48
	29	15.59	2.71	18.39	3.38	21.21	4.04	22.5	4.39	23.79	4.73	24.3	4.75	24.82	4.79
	31	15.59	2.89	18.39	3.61	21.21	4.32	22.5	4.68	23.79	5.04	24.3	5.06	24.82	5.11
	33	15.59	3.08	18.39	3.84	21.21	4.59	22.5	4.99	23.79	5.37	24.3	5.39	24.82	5.44
	35	15.59	3.28	18.39	4.08	21.21	4.89	22.5	5.31	23.79	5.72	24.3	5.74	24.82	5.79
	37	15.59	3.49	18.39	4.35	21.21	5.20	22.5	5.64	23.79	6.08	24.3	6.10	24.82	6.16
	39	15.59	3.50	18.39	4.36	21.21	5.22	22.5	5.66	23.79	6.10	24.3	6.12	24.82	6.19
	41	15.59	3.51	18.39	4.38	21.21	5.24	22.5	5.69	23.79	6.13	24.3	6.16	24.82	6.21
	43	15.59	3.53	18.39	4.40	21.21	5.27	22.5	5.72	23.79	6.17	24.3	6.19	24.82	6.24
	46	15.59	3.55	18.39	4.42	21.21	5.30	22.5	5.75	23.79	6.19	24.3	6.21	24.82	6.27
	48	15.59	3.57	18.39	4.45	21.21	5.32	22.5	5.77	23.86	6.22	24.07	6.24	24.52	6.30
	50	15.59	3.59	18.39	4.47	21.21	5.34	22.5	5.80	23.63	6.25	23.86	6.27	24.3	6.33

18HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D500W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	45.22	5.27	52.82	6.56	60.85	7.87	62.5	8.53	63.59	9.20	64.58	9.23	66.31	9.31
	12	45.22	5.37	52.82	6.69	60.85	8.01	61.94	8.69	63.04	9.36	64.01	9.39	65.71	9.49
	14	45.22	5.47	52.82	6.81	60.85	8.16	61.39	8.84	62.48	9.54	62.86	9.56	65.14	9.65
	16	45.22	5.57	52.82	6.93	60.32	8.30	60.85	9.01	61.35	9.71	62.3	9.74	64.54	9.83
	18	45.22	5.66	52.82	7.05	59.25	8.45	59.76	9.17	60.79	9.87	61.73	9.90	63.95	10.01
	19	45.22	5.76	52.82	7.18	58.71	8.59	59.21	9.32	60.24	10.05	61.15	10.08	63.37	10.17
	21	45.22	6.18	52.82	7.70	58.17	9.21	58.65	9.99	59.68	10.77	60.58	10.80	62.78	10.91
	23	45.22	6.62	52.82	8.24	57.64	9.86	58.12	10.71	59.13	11.54	60	11.57	62.2	11.68
	25	45.22	7.07	52.82	8.82	57.08	10.56	57.56	11.45	58.57	12.35	59.44	12.38	61.61	12.51
	27	45.22	7.56	52.82	9.43	56.55	11.29	57	12.24	58.02	13.20	58.87	13.23	60.44	13.37
	29	45.22	8.08	52.4	10.07	56.01	12.05	56.47	13.08	57.46	14.10	58.29	14.14	60.44	14.27
	31	45.22	8.61	52.24	10.74	55.48	12.85	55.91	13.94	56.9	15.03	57.72	15.07	59.84	15.22
	33	45.22	9.18	52.24	11.43	54.94	13.69	55.38	14.85	56.33	16.01	57.14	16.05	59.27	16.21
	35	45.22	9.76	51.73	12.16	53.87	14.56	54.82	15.79	55.77	17.03	56.47	17.08	58.67	17.25
	37	45.22	10.38	51.73	12.94	53.17	15.49	54.27	16.80	54.66	18.11	55.91	18.16	57.5	18.34
	39	45.22	10.42	50.99	12.99	52.78	15.55	53.73	16.87	54.11	18.20	55.38	18.25	56.92	18.42
	41	45.22	10.48	49.88	13.06	52.08	15.63	53.17	16.95	53.55	18.27	54.82	18.33	56.33	18.51
	43	45.5	10.53	48.79	13.11	51.17	15.70	52.08	17.03	53	18.36	54.29	18.41	55.73	18.59
	46	43.85	10.57	47.14	13.17	49.35	15.77	50.44	17.10	51.53	18.45	52.62	18.50	54.27	18.67
	48	42.76	10.62	45.5	13.23	47.7	15.84	48.79	17.19	49.88	18.53	50.99	18.58	52.62	18.77
	50	41.67	10.67	43.85	13.30	46.05	15.92	47.14	17.27	48.23	18.61	49.35	18.67	50.99	18.85
120%	10	42.46	5.22	50.58	6.50	58.33	7.79	60.4	8.45	62.56	9.10	63.41	9.13	65.42	9.23
	12	42.46	5.32	50.58	6.63	58.33	7.94	60.4	8.60	62	9.28	62.84	9.30	64.84	9.39
	14	42.46	5.41	50.58	6.74	58.33	8.07	60.4	8.76	61.45	9.45	62.28	9.48	64.27	9.56
	16	42.46	5.51	50.58	6.87	58.33	8.22	60.4	8.92	60.91	9.61	61.73	9.64	63.67	9.74
	18	42.46	5.61	50.58	6.99	58.33	8.36	59.86	9.07	60.36	9.78	61.17	9.81	63.1	9.90
	19	42.46	5.70	50.58	7.11	57.7	8.51	59.33	9.23	59.8	9.95	60.6	9.98	62.52	10.08
	21	42.46	6.12	50.58	7.62	57.16	9.12	58.23	9.89	58.71	10.66	60.04	10.71	61.94	10.80
	23	42.46	6.55	50.58	8.17	56.09	9.77	57.7	10.60	58.15	11.42	59.48	11.46	61.37	11.57
	25	42.46	7.01	50.58	8.74	55.54	10.46	56.63	11.34	57.62	12.22	58.91	12.27	60.79	12.38
	27	42.46	7.49	50.58	9.33	54.46	11.18	56.09	12.12	57.06	13.07	58.35	13.11	60.2	13.23
	29	42.46	8.00	50.58	9.97	53.93	11.93	55.54	12.94	56.51	13.95	57.8	14.00	59.62	14.14
	31	42.46	8.53	50.58	10.63	53.39	12.73	55	13.81	55.97	14.89	57.24	14.93	59.05	15.07
	33	42.46	9.09	50.58	11.32	52.86	13.56	54.46	14.71	55.42	15.86	56.67	15.91	58.47	16.05
	35	42.46	9.66	50.16	12.05	52.3	14.43	53.93	15.65	54.88	16.86	56.11	16.92	57.9	17.08
	37	42.46	10.28	49.62	12.82	51.77	15.35	52.86	16.64	53.77	17.94	55.54	18.00	56.73	18.16
	39	42.46	10.33	49.07	12.87	51.23	15.41	52.3	16.71	53.23	18.02	55	18.07	56.15	18.25
	41	42.46	10.37	48.04	12.92	50.69	15.48	51.77	16.79	52.68	18.09	54.46	18.15	55.58	18.33
	43	42.46	10.42	47.54	12.98	50.16	15.55	51.23	16.86	52.3	18.19	53.93	18.24	55	18.41
	46	41.53	10.48	46.37	13.05	48.53	15.63	49.62	16.95	50.69	18.27	52.3	18.32	53.39	18.50
	48	40.44	10.52	45.3	13.11	46.92	15.70	48	17.02	49.07	18.35	50.69	18.40	51.77	18.58
	50	39.37	10.57	44.23	13.17	45.3	15.76	46.37	17.10	47.46	18.44	49.07	18.49	50.16	18.67
110%	10	38.85	5.17	46.01	6.44	52.1	7.71	56.75	8.36	60.97	9.02	62.36	9.05	64.33	9.13
	12	38.85	5.26	46.01	6.56	52.1	7.85	56.75	8.52	60.44	9.19	61.81	9.22	63.77	9.30
	14	38.85	5.36	46.01	6.68	52.1	8.00	56.75	8.68	59.9	9.35	61.25	9.38	63.19	9.48
	16	38.85	5.46	46.01	6.80	52.1	8.15	56.75	8.83	59.37	9.52	60.69	9.55	62.62	9.64
	18	38.85	5.56	46.01	6.92	52.1	8.28	56.75	8.99	58.83	9.69	60.16	9.72	62.06	9.81
	19	38.85	5.65	46.01	7.04	52.1	8.43	56.75	9.14	58.27	9.85	59.6	9.88	61.49	9.98
	21	38.85	6.05	46.01	7.54	52.1	9.03	56.75	9.80	57.74	10.56	59.05	10.60	60.91	10.69
	23	38.85	6.49	46.01	8.08	52.1	9.68	56.21	10.50	57.2	11.32	58.49	11.35	60.36	11.46
	25	38.85	6.94	46.01	8.65	52.1	10.35	55.69	11.24	56.67	12.11	57.94	12.14	59.78	12.27
	27	38.85	7.42	46.01	9.25	52.1	11.07	55.16	12.01	56.13	12.94	57.38	12.98	59.21	13.11
	29	38.85	7.93	46.01	9.87	52.1	11.82	54.62	12.82	55.58	13.82	56.85	13.87	58.65	13.99
	31	38.85	8.45	46.01	10.53	52.1	12.61	54.09	13.67	55.04	14.74	56.29	14.78	58.08	14.93
	33	38.85	9.00	46.01	11.22	51.45	13.43	53.57	14.56	54.5	15.70	55.73	15.75	57.5	15.90
	35	38.85	9.57	46.01	11.93	50.91	14.28	53.04	15.49	53.97	16.70	55.18	16.75	56.92	16.92
	37	38.85	10.19	46.01	12.69	50.38	15.19	51.98	16.48	52.88	17.77	54.09	17.82	55.79	17.99
	39	38.85	10.23	46.01	12.74	49.86	15.26	51.45	16.55	52.34	17.84	53.53	17.89	55.22	18.07
	41	38.85	10.28	46.01	12.80	49.33	15.32	50.91	16.62	51.81	17.93	52.98	17.98	54.66	18.15
	43	38.85	10.32	46.01	12.86	48.79	15.40	50.38	16.70	51.27	18.01	52.42	18.06	54.09	18.24
	46	37.66	10.37	45.08	12.92	47.2	15.47	48.79	16.78	49.86	18.09	50.91	18.14	51.98	18.32
	48	36.59	10.41	44.03	12.98	45.62	15.54	47.2	16.85	48.25	18.18	49.33	18.23	50.38	18.40
	50	35.54	10.47	42.96	13.04	44.03	15.62	45.62	16.94	46.67	18.26	47.74	18.31	48.79	18.49

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D500W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	34.62	4.83	40.87	6.01	47.12	7.20	50	7.81	54.44	8.42	58.27	8.45	60.6	8.53
	12	34.62	4.91	40.87	6.13	47.12	7.33	50	7.96	54.44	8.57	58.27	8.60	60.06	8.69
	14	34.62	5.00	40.87	6.23	47.12	7.47	50	8.09	54.44	8.73	57.74	8.76	59.52	8.84
	16	34.62	5.10	40.87	6.35	47.12	7.60	50	8.24	54.44	8.88	57.22	8.92	58.99	9.00
	18	34.62	5.18	40.87	6.46	47.12	7.73	50	8.39	54.44	9.04	56.71	9.07	58.45	9.16
	19	34.62	5.27	40.87	6.56	47.12	7.87	50	8.53	54.44	9.20	56.19	9.23	57.92	9.31
	21	34.62	5.65	40.87	7.04	47.12	8.44	50	9.14	54.44	9.86	55.67	9.89	57.36	9.99
	23	34.62	6.05	40.87	7.54	47.12	9.03	50	9.80	54.44	10.56	55.14	10.59	56.83	10.69
	25	34.62	6.48	40.87	8.07	47.12	9.66	50	10.49	54.44	11.30	54.62	11.34	56.29	11.44
	27	34.62	6.93	40.87	8.62	47.12	10.33	50	11.20	53.93	12.08	54.11	12.12	55.75	12.23
	29	34.62	7.40	40.87	9.22	47.12	11.04	50	11.96	53.41	12.90	53.59	12.94	55.22	13.07
	31	34.62	7.89	40.87	9.83	47.12	11.77	50	12.77	52.92	13.75	53.08	13.80	54.68	13.93
	33	34.62	8.40	40.87	10.47	47.12	12.54	50	13.60	52.4	14.66	52.54	14.70	54.15	14.85
	35	34.62	8.94	40.87	11.13	47.12	13.34	50	14.45	51.65	15.58	52.02	15.64	53.61	15.79
	37	34.62	9.51	40.87	11.84	47.12	14.18	50	15.04	50.87	16.58	51.51	16.64	52.54	16.79
	39	34.62	9.55	40.87	11.89	47.12	14.24	50	15.47	50.5	16.66	50.99	16.71	52	16.86
	41	34.62	9.59	40.87	11.94	46.51	14.30	49.5	15.91	50	16.73	50.5	16.78	51.47	16.94
	43	34.62	9.63	40.87	12.01	45.99	14.38	49.01	16.49	49.5	16.80	50	16.85	50.93	17.02
	46	34.62	9.68	40.06	12.06	44.5	14.44	48.49	17.09	49.01	16.88	49.5	16.94	50.5	17.10
	48	34.62	9.73	39.64	12.11	43	14.50	47	17.21	48.49	16.96	48	17.01	49.01	17.18
	50	34.01	9.77	39.25	12.17	41.51	14.58	45.5	17.64	47	17.04	46.51	17.09	47.5	17.26
90%	10	31.17	4.17	36.79	5.20	42.42	6.22	45	6.75	47.58	7.28	53.95	7.30	55.06	7.37
	12	31.17	4.24	36.79	5.30	42.42	6.34	45	6.88	47.58	7.41	53.95	7.44	55.06	7.51
	14	31.17	4.33	36.79	5.39	42.42	6.45	45	7.00	47.58	7.54	53.95	7.57	55.06	7.65
	16	31.17	4.40	36.79	5.48	42.42	6.58	45	7.13	47.58	7.68	53.95	7.71	55.06	7.78
	18	31.17	4.48	36.79	5.59	42.42	6.69	45	7.25	47.58	7.81	53.95	7.84	54.44	7.92
	19	31.17	4.56	36.79	5.68	42.42	6.80	45	7.38	47.58	7.95	53.55	7.98	54.01	8.05
	21	31.17	4.89	36.79	6.09	42.42	7.29	45	7.91	47.58	8.52	53.1	8.55	53.55	8.63
	23	31.17	5.23	36.79	6.52	42.42	7.81	45	8.47	47.58	9.13	52.66	9.16	53.1	9.25
	25	31.17	5.60	36.79	6.98	42.42	8.35	45	9.06	47.58	9.77	52.2	9.80	52.66	9.89
	27	31.17	5.99	36.79	7.46	42.42	8.94	45	9.69	47.58	10.45	51.75	10.48	52.2	10.58
	29	31.17	6.40	36.79	7.97	42.42	9.54	45	10.34	47.58	11.15	51.31	11.18	51.75	11.30
	31	31.17	6.81	36.79	8.50	42.42	10.17	45	11.03	47.58	11.89	50.85	11.93	51.31	12.05
	33	31.17	7.26	36.79	9.05	42.42	10.83	45	11.76	47.58	12.67	50.4	12.70	50.85	12.83
	35	31.17	7.73	36.79	9.62	42.42	11.53	45	12.51	47.58	13.47	49.94	13.51	50.4	13.65
	37	31.17	8.22	36.79	10.24	42.42	12.26	45	13.30	47.58	14.34	49.5	14.38	49.94	14.51
	39	31.17	8.25	36.79	10.28	42.42	12.31	45	13.36	47.24	14.40	49.05	14.44	49.5	14.58
	41	31.17	8.29	36.79	10.33	42.42	12.37	45	13.41	46.81	14.46	48.59	14.50	49.05	14.65
	43	31.17	8.33	36.79	10.37	42.42	12.42	44.54	13.47	46.35	14.52	48.15	14.58	48.59	14.71
	46	31.17	8.36	36.79	10.42	40.95	12.48	43.19	13.54	45	14.60	46.81	14.64	47.24	14.78
	48	31.17	8.41	36.79	10.48	39.6	12.54	41.85	13.60	43.65	14.66	45.46	14.71	45.89	14.85
	50	31.17	8.45	35.99	10.52	38.25	12.60	40.5	13.66	42.3	14.73	44.11	14.77	44.54	14.92
80%	10	27.7	3.57	32.7	4.44	37.7	5.32	40	5.76	42.3	6.22	43.21	6.23	44.15	6.29
	12	27.7	3.63	32.7	4.53	37.7	5.42	40	5.88	42.3	6.34	43.21	6.35	44.15	6.41
	14	27.7	3.69	32.7	4.61	37.7	5.51	40	5.98	42.3	6.45	43.21	6.47	44.15	6.53
	16	27.7	3.77	32.7	4.69	37.7	5.61	40	6.09	42.3	6.56	43.21	6.59	44.15	6.65
	18	27.7	3.83	32.7	4.76	37.7	5.71	40	6.19	42.3	6.68	43.21	6.70	44.15	6.76
	19	27.7	3.89	32.7	4.85	37.7	5.81	40	6.30	42.3	6.79	43.21	6.81	44.15	6.88
	21	27.7	4.17	32.7	5.20	37.7	6.23	40	6.75	42.3	7.28	43.21	7.30	44.15	7.38
	23	27.7	4.47	32.7	5.57	37.7	6.67	40	7.23	42.3	7.80	43.21	7.82	44.15	7.90
	25	27.7	4.79	32.7	5.96	37.7	7.14	40	7.74	42.3	8.34	43.21	8.37	44.15	8.45
	27	27.7	5.12	32.7	6.38	37.7	7.63	40	8.27	42.3	8.93	43.21	8.95	44.15	9.04
	29	27.7	5.46	32.7	6.80	37.7	8.15	40	8.83	42.3	9.53	43.21	9.55	44.15	9.64
	31	27.7	5.83	32.7	7.25	37.7	8.69	40	9.43	42.3	10.15	43.21	10.19	44.15	10.29
	33	27.7	6.20	32.7	7.73	37.7	9.26	40	10.04	42.3	10.82	43.21	10.85	44.15	10.95
	35	27.7	6.60	32.7	8.22	37.7	9.84	40	10.67	42.3	11.52	43.21	11.55	44.15	11.66
	37	27.7	7.02	32.7	8.75	37.7	10.48	40	11.36	42.3	12.24	43.21	12.28	43.59	12.40
	39	27.7	7.05	32.7	8.78	37.7	10.52	40	11.40	42.3	12.30	42.8	12.34	43.19	12.45
	41	27.7	7.08	32.7	8.82	37.7	10.56	40	11.45	42	12.35	42.4	12.39	42.8	12.51
	43	27.7	7.12	32.7	8.86	37.7	10.61	40	11.52	41.61	12.41	42	12.44	42.4	12.57
	46	27.7	7.15	32.8	8.91	37.6	10.66	38.81	11.57	40.4	12.46	40.79	12.51	40.4	12.63
	48	27.7	7.18	32.8	8.95	36.41	10.72	37.6	11.62	39.21	12.53	39.6	12.57	39.21	12.68
	50	27.7	7.21	32.8	8.99	35.2	10.76	36.41	11.67	38	12.58	38.39	12.62	38	12.74

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D500W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	24.25	3.00	28.61	3.73	33	4.47	35	4.86	37	5.23	37.82	5.25	38.63	5.31
	12	24.25	3.06	28.61	3.81	33	4.56	35	4.94	37	5.33	37.82	5.35	38.63	5.40
	14	24.25	3.11	28.61	3.88	33	4.64	35	5.04	37	5.43	37.82	5.44	38.63	5.49
	16	24.25	3.16	28.61	3.94	33	4.72	35	5.13	37	5.52	37.82	5.55	38.63	5.60
	18	24.25	3.23	28.61	4.02	33	4.81	35	5.21	37	5.62	37.82	5.64	38.63	5.69
	19	24.25	3.28	28.61	4.09	33	4.89	35	5.31	37	5.72	37.82	5.73	38.63	5.79
	21	24.25	3.52	28.61	4.38	33	5.24	35	5.69	37	6.13	37.82	6.15	38.63	6.21
	23	24.25	3.77	28.61	4.69	33	5.62	35	6.10	37	6.56	37.82	6.59	38.63	6.65
	25	24.25	4.03	28.61	5.02	33	6.01	35	6.52	37	7.03	37.82	7.05	38.63	7.12
	27	24.25	4.31	28.61	5.37	33	6.43	35	6.97	37	7.51	37.82	7.53	38.63	7.60
	29	24.25	4.60	28.61	5.73	33	6.86	35	7.44	37	8.02	37.82	8.04	38.63	8.13
	31	24.25	4.90	28.61	6.11	33	7.31	35	7.94	37	8.55	37.82	8.58	38.63	8.67
	33	24.25	5.22	28.61	6.51	33	7.79	35	8.46	37	9.11	37.82	9.14	38.63	9.23
	35	24.25	5.56	28.61	6.93	33	8.29	35	8.99	37	9.70	37.82	9.73	38.63	9.82
	37	24.25	5.91	28.61	7.37	33	8.82	35	9.56	37	10.31	37.82	10.34	38.63	10.45
	39	24.25	5.94	28.61	7.40	33	8.85	35	9.60	37	10.35	37.82	10.38	38.63	10.49
	41	24.25	5.96	28.61	7.43	33	8.90	35	9.64	37	10.40	37.82	10.43	38.63	10.54
	43	24.25	5.99	28.61	7.46	33	8.94	35	9.70	37	10.45	37.82	10.49	38.63	10.58
	46	24.25	6.02	28.61	7.50	33	8.98	35	9.74	36.41	10.50	37.1	10.53	37.8	10.63
	48	24.25	6.04	28.61	7.53	33	9.02	34.31	9.78	35.69	10.55	36.41	10.58	37.1	10.68
	50	24.25	6.08	28.61	7.56	32.2	9.06	33.59	9.83	35	10.59	35.69	10.63	36.41	10.73
60%	10	20.77	2.49	24.52	3.09	28.27	3.70	30	4.02	31.73	4.33	32.42	4.35	33.1	4.39
	12	20.77	2.53	24.52	3.15	28.27	3.78	30	4.09	31.73	4.41	32.42	4.42	33.1	4.47
	14	20.77	2.58	24.52	3.20	28.27	3.84	30	4.17	31.73	4.49	32.42	4.50	33.1	4.55
	16	20.77	2.62	24.52	3.27	28.27	3.91	30	4.24	31.73	4.58	32.42	4.59	33.1	4.63
	18	20.77	2.66	24.52	3.33	28.27	3.98	30	4.32	31.73	4.65	32.42	4.67	33.1	4.71
	19	20.77	2.72	24.52	3.38	28.27	4.05	30	4.39	31.73	4.73	32.42	4.74	33.1	4.80
	21	20.77	2.91	24.52	3.62	28.27	4.34	30	4.71	31.73	5.08	32.42	5.09	33.1	5.14
	23	20.77	3.12	24.52	3.88	28.27	4.65	30	5.05	31.73	5.44	32.42	5.45	33.1	5.50
	25	20.77	3.34	24.52	4.15	28.27	4.97	30	5.40	31.73	5.82	32.42	5.84	33.1	5.89
	27	20.77	3.57	24.52	4.44	28.27	5.32	30	5.76	31.73	6.22	32.42	6.24	33.1	6.29
	29	20.77	3.81	24.52	4.74	28.27	5.68	30	6.16	31.73	6.64	32.42	6.66	33.1	6.72
	31	20.77	4.06	24.52	5.06	28.27	6.05	30	6.56	31.73	7.08	32.42	7.11	33.1	7.17
	33	20.77	4.33	24.52	5.39	28.27	6.45	30	7.00	31.73	7.54	32.42	7.56	33.1	7.64
	35	20.77	4.60	24.52	5.73	28.27	6.87	30	7.44	31.73	8.02	32.42	8.05	33.1	8.13
	37	20.77	4.89	24.52	6.10	28.27	7.30	30	7.92	31.73	8.53	32.42	8.56	33.1	8.65
	39	20.77	4.91	24.52	6.12	28.27	7.33	30	7.95	31.73	8.57	32.42	8.59	33.1	8.68
	41	20.77	4.93	24.52	6.15	28.27	7.37	30	7.99	31.73	8.61	32.42	8.63	33.1	8.72
	43	20.77	4.96	24.52	6.18	28.27	7.40	30	8.02	31.73	8.65	32.42	8.68	33.1	8.76
	46	20.77	4.98	24.52	6.21	28.27	7.43	30	8.06	31.73	8.69	32.42	8.72	33.1	8.80
	48	20.77	5.00	24.52	6.23	28.27	7.47	30	8.09	31.19	8.73	31.81	8.76	32.4	8.84
	50	20.77	5.02	24.52	6.26	28.27	7.50	29.4	8.14	30.6	8.77	31.19	8.80	31.81	8.88
50%	10	17.32	2.01	20.44	2.51	23.57	3.01	25	3.26	26.43	3.51	27	3.52	27.58	3.56
	12	17.32	2.05	20.44	2.55	23.57	3.06	25	3.32	26.43	3.58	27	3.59	27.58	3.62
	14	17.32	2.09	20.44	2.60	23.57	3.11	25	3.38	26.43	3.64	27	3.65	27.58	3.68
	16	17.32	2.12	20.44	2.64	23.57	3.17	25	3.43	26.43	3.70	27	3.71	27.58	3.76
	18	17.32	2.16	20.44	2.69	23.57	3.23	25	3.50	26.43	3.77	27	3.79	27.58	3.82
	19	17.32	2.20	20.44	2.74	23.57	3.28	25	3.56	26.43	3.84	27	3.85	27.58	3.88
	21	17.32	2.36	20.44	2.93	23.57	3.52	25	3.82	26.43	4.11	27	4.12	27.58	4.16
	23	17.32	2.53	20.44	3.14	23.57	3.77	25	4.09	26.43	4.40	27	4.42	27.58	4.46
	25	17.32	2.70	20.44	3.37	23.57	4.03	25	4.37	26.43	4.71	27	4.72	27.58	4.78
	27	17.32	2.89	20.44	3.60	23.57	4.31	25	4.67	26.43	5.04	27	5.06	27.58	5.10
	29	17.32	3.08	20.44	3.84	23.57	4.60	25	4.99	26.43	5.38	27	5.40	27.58	5.45
	31	17.32	3.29	20.44	4.10	23.57	4.91	25	5.33	26.43	5.73	27	5.75	27.58	5.81
	33	17.32	3.51	20.44	4.37	23.57	5.22	25	5.67	26.43	6.11	27	6.13	27.58	6.19
	35	17.32	3.72	20.44	4.64	23.57	5.56	25	6.03	26.43	6.50	27	6.52	27.58	6.59
	37	17.32	3.96	20.44	4.94	23.57	5.91	25	6.41	26.43	6.92	27	6.94	27.58	7.00
	39	17.32	3.98	20.44	4.96	23.57	5.94	25	6.44	26.43	6.94	27	6.96	27.58	7.03
	41	17.32	3.99	20.44	4.98	23.57	5.96	25	6.47	26.43	6.97	27	7.00	27.58	7.06
	43	17.32	4.02	20.44	5.00	23.57	5.99	25	6.50	26.43	7.01	27	7.03	27.58	7.10
	46	17.32	4.04	20.44	5.02	23.57	6.02	25	6.53	26.43	7.04	27	7.06	27.58	7.13
	48	17.32	4.06	20.44	5.06	23.57	6.04	25	6.56	26.51	7.07	26.75	7.10	27.24	7.17
	50	17.32	4.08	20.44	5.08	23.57	6.08	25	6.60	26.25	7.11	26.51	7.13	27	7.20

20HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D560W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	50.64	5.05	59.16	6.30	68.16	7.54	70	8.19	71.22	8.81	72.33	8.85	74.27	8.92
	12	50.64	5.15	59.16	6.41	68.16	7.68	69.38	8.34	70.6	8.98	71.69	9.02	73.6	9.09
	14	50.64	5.24	59.16	6.53	68.16	7.83	68.76	8.49	69.98	9.15	70.4	9.17	72.96	9.26
	16	50.64	5.34	59.16	6.64	67.56	7.96	68.16	8.64	68.71	9.30	69.78	9.34	72.29	9.43
	18	50.64	5.43	59.16	6.77	66.36	8.09	66.93	8.79	68.09	9.47	69.13	9.51	71.62	9.58
	19	50.64	5.53	59.16	6.88	65.76	8.24	66.31	8.94	67.47	9.64	68.49	9.66	70.98	9.75
	21	50.64	5.92	59.16	7.37	65.16	8.83	65.69	9.58	66.84	10.32	67.84	10.35	70.31	10.45
	23	50.64	6.34	59.16	7.90	64.56	9.47	65.09	10.26	66.22	11.05	67.2	11.09	69.67	11.20
	25	50.64	6.79	59.16	8.45	63.93	10.13	64.47	10.98	65.6	11.84	66.58	11.86	69	11.99
	27	50.64	7.26	59.16	9.03	63.33	10.83	63.84	11.73	64.98	12.66	65.93	12.69	67.69	12.81
	29	50.64	7.75	58.69	9.66	62.73	11.56	63.24	12.52	64.36	13.50	65.29	13.54	67.69	13.67
	31	50.64	8.26	58.51	10.30	62.13	12.32	62.62	13.37	63.73	14.41	64.64	14.45	67.02	14.60
	33	50.64	8.79	58.51	10.96	61.53	13.13	62.02	14.24	63.09	15.35	64	15.39	66.38	15.54
	35	50.64	9.35	57.93	11.66	60.33	13.96	61.4	15.14	62.47	16.33	63.24	16.37	65.71	16.54
	37	50.64	9.96	57.93	12.41	59.56	14.84	60.78	16.11	61.22	17.37	62.62	17.41	64.4	17.58
	39	50.64	10.00	57.11	12.45	59.11	14.92	60.18	16.18	60.6	17.45	62.02	17.48	63.76	17.65
	41	50.64	10.03	55.87	12.50	58.33	14.97	59.56	16.26	59.98	17.52	61.4	17.58	63.09	17.75
	43	50.96	10.09	54.64	12.56	57.31	15.05	58.33	16.33	59.36	17.60	60.8	17.65	62.42	17.82
	46	49.11	10.13	52.8	12.64	55.27	15.13	56.49	16.41	57.71	17.67	58.93	17.73	60.78	17.90
	48	47.89	10.18	50.96	12.69	53.42	15.18	54.64	16.48	55.87	17.77	57.11	17.82	58.93	17.99
	50	46.67	10.22	49.11	12.75	51.58	15.26	52.8	16.56	54.02	17.84	55.27	17.90	57.11	18.07
120%	10	47.56	5.00	56.64	6.24	65.33	7.47	67.64	8.09	70.07	8.73	71.02	8.75	73.27	8.85
	12	47.56	5.09	56.64	6.36	65.33	7.60	67.64	8.24	69.44	8.88	70.38	8.92	72.62	9.02
	14	47.56	5.19	56.64	6.47	65.33	7.75	67.64	8.39	68.82	9.05	69.76	9.09	71.98	9.17
	16	47.56	5.28	56.64	6.58	65.33	7.88	67.64	8.54	68.22	9.22	69.13	9.24	71.31	9.34
	18	47.56	5.38	56.64	6.70	65.33	8.02	67.04	8.69	67.6	9.37	68.51	9.41	70.67	9.51
	19	47.56	5.47	56.64	6.81	64.62	8.17	66.44	8.85	66.98	9.54	67.87	9.56	70.02	9.66
	21	47.56	5.87	56.64	7.30	64.02	8.75	65.22	9.49	65.76	10.22	67.24	10.26	69.38	10.35
	23	47.56	6.28	56.64	7.83	62.82	9.37	64.62	10.17	65.13	10.96	66.62	11.00	68.73	11.09
	25	47.56	6.71	56.64	8.37	62.2	10.03	63.42	10.88	64.53	11.71	65.98	11.75	68.09	11.86
	27	47.56	7.19	56.64	8.96	61	10.71	62.82	11.62	63.91	12.52	65.36	12.56	67.42	12.69
	29	47.56	7.68	56.64	9.56	60.4	11.45	62.2	12.41	63.29	13.37	64.73	13.43	66.78	13.54
	31	47.56	8.19	56.64	10.18	59.8	12.20	61.6	13.24	62.69	14.26	64.11	14.31	66.13	14.45
	33	47.56	8.71	56.64	10.86	59.2	12.99	61	14.09	62.07	15.20	63.47	15.24	65.49	15.39
	35	47.56	9.26	56.18	11.54	58.58	13.82	60.4	14.99	61.47	16.16	62.84	16.22	64.84	16.37
	37	47.56	9.86	55.58	12.28	57.98	14.71	59.2	15.96	60.22	17.20	62.2	17.26	63.53	17.41
	39	47.56	9.90	54.96	12.33	57.38	14.77	58.58	16.01	59.62	17.28	61.6	17.31	62.89	17.48
	41	47.56	9.94	53.8	12.39	56.78	14.84	57.98	16.09	59	17.35	61	17.41	62.24	17.58
	43	47.56	10.00	53.24	12.45	56.18	14.90	57.38	16.16	58.58	17.43	60.4	17.48	61.6	17.65
	46	46.51	10.03	51.93	12.50	54.36	14.97	55.58	16.24	56.78	17.50	58.58	17.56	59.8	17.73
	48	45.29	10.09	50.73	12.56	52.56	15.05	53.76	16.31	54.96	17.60	56.78	17.65	57.98	17.82
	50	44.09	10.13	49.53	12.62	50.73	15.11	51.93	16.39	53.16	17.67	54.96	17.73	56.18	17.90
110%	10	43.51	4.96	51.53	6.17	58.36	7.39	63.56	8.02	68.29	8.64	69.84	8.68	72.04	8.75
	12	43.51	5.05	51.53	6.28	58.36	7.53	63.56	8.17	67.69	8.81	69.22	8.83	71.42	8.92
	14	43.51	5.15	51.53	6.41	58.36	7.68	63.56	8.32	67.09	8.96	68.6	9.00	70.78	9.07
	16	43.51	5.22	51.53	6.53	58.36	7.81	63.56	8.47	66.49	9.13	67.98	9.15	70.13	9.24
	18	43.51	5.32	51.53	6.64	58.36	7.94	63.56	8.62	65.89	9.28	67.38	9.32	69.51	9.41
	19	43.51	5.41	51.53	6.75	58.36	8.07	63.56	8.77	65.27	9.45	66.76	9.47	68.87	9.56
	21	43.51	5.81	51.53	7.24	58.36	8.66	63.56	9.39	64.67	10.13	66.13	10.17	68.22	10.26
	23	43.51	6.22	51.53	7.75	58.36	9.28	62.96	10.07	64.07	10.84	65.51	10.88	67.6	10.98
	25	43.51	6.66	51.53	8.30	58.36	9.92	62.38	10.77	63.47	11.60	64.89	11.64	66.96	11.75
	27	43.51	7.11	51.53	8.86	58.36	10.62	61.78	11.50	62.87	12.41	64.27	12.45	66.31	12.56
	29	43.51	7.60	51.53	9.47	58.36	11.33	61.18	12.30	62.24	13.24	63.67	13.30	65.69	13.41
	31	43.51	8.09	51.53	10.09	58.36	12.09	60.58	13.11	61.64	14.13	63.04	14.16	65.04	14.31
	33	43.51	8.62	51.53	10.75	57.62	12.86	60	13.96	61.04	15.05	62.42	15.09	64.4	15.24
	35	43.51	9.18	51.53	11.43	57.02	13.69	59.4	14.84	60.44	16.01	61.8	16.07	63.76	16.22
	37	43.51	9.77	51.53	12.16	56.42	14.56	58.22	15.80	59.22	17.03	60.58	17.09	62.49	17.24
	39	43.51	9.81	51.53	12.22	55.84	14.64	57.62	15.86	58.62	17.11	59.96	17.16	61.84	17.31
	41	43.51	9.84	51.53	12.28	55.24	14.69	57.02	15.94	58.02	17.18	59.33	17.24	61.22	17.41
	43	43.51	9.90	51.53	12.33	54.64	14.77	56.42	16.01	57.42	17.26	58.71	17.31	60.58	17.48
	46	42.18	9.94	50.49	12.39	52.87	14.82	54.64	16.09	55.84	17.33	57.02	17.39	58.22	17.56
	48	40.98	9.98	49.31	12.45	51.09	14.90	52.87	16.16	54.04	17.43	55.24	17.46	56.42	17.63
	50	39.8	10.03	48.11	12.50	49.31	14.97	51.09	16.24	52.27	17.50	53.47	17.56	54.64	17.73

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D560W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	38.78	4.62	45.78	5.77	52.78	6.90	56	7.49	60.98	8.07	65.27	8.09	67.87	8.17
	12	38.78	4.72	45.78	5.87	52.78	7.03	56	7.62	60.98	8.22	65.27	8.24	67.27	8.32
	14	38.78	4.79	45.78	5.98	52.78	7.15	56	7.77	60.98	8.37	64.67	8.39	66.67	8.47
	16	38.78	4.88	45.78	6.09	52.78	7.28	56	7.90	60.98	8.52	64.09	8.54	66.07	8.62
	18	38.78	4.96	45.78	6.19	52.78	7.41	56	8.03	60.98	8.68	63.51	8.69	65.47	8.77
	19	38.78	5.05	45.78	6.30	52.78	7.54	56	8.19	60.98	8.81	62.93	8.85	64.87	8.92
	21	38.78	5.41	45.78	6.75	52.78	8.09	56	8.77	60.98	9.45	62.36	9.49	64.24	9.58
	23	38.78	5.81	45.78	7.22	52.78	8.66	56	9.39	60.98	10.13	61.76	10.15	63.64	10.26
	25	38.78	6.20	45.78	7.73	52.78	9.26	56	10.05	60.98	10.83	61.18	10.86	63.04	10.98
	27	38.78	6.64	45.78	8.28	52.78	9.90	56	10.75	60.4	11.58	60.6	11.62	62.44	11.73
	29	38.78	7.09	45.78	8.83	52.78	10.58	56	11.47	59.82	12.37	60.02	12.41	61.84	12.52
	31	38.78	7.56	45.78	9.41	52.78	11.28	56	12.24	59.27	13.18	59.44	13.22	61.24	13.35
	33	38.78	8.05	45.78	10.03	52.78	12.01	56	13.03	58.69	14.05	58.84	14.09	60.64	14.22
	35	38.78	8.56	45.78	10.67	52.78	12.79	56	13.86	57.84	14.94	58.27	14.99	60.04	15.13
	37	38.78	9.11	45.78	11.35	52.78	13.60	56	14.41	56.98	15.90	57.69	15.94	58.84	16.11
	39	38.78	9.15	45.78	11.41	52.78	13.65	56	14.82	56.56	15.96	57.11	16.01	58.24	16.16
	41	38.78	9.18	45.78	11.45	52.09	13.71	55.44	15.26	56	16.03	56.56	16.09	57.64	16.24
	43	38.78	9.24	45.78	11.50	51.51	13.79	54.89	15.67	55.44	16.11	56	16.16	57.04	16.31
	46	38.78	9.28	44.87	11.56	49.84	13.84	54.31	15.82	54.89	16.18	55.44	16.24	56.56	16.39
	48	38.78	9.32	44.4	11.62	48.16	13.90	52.64	16.50	54.31	16.26	53.76	16.31	54.89	16.46
	50	38.09	9.35	43.96	11.67	46.49	13.98	50.96	16.92	52.64	16.33	52.09	16.39	53.2	16.54
90%	10	34.91	4.00	41.2	4.98	47.51	5.96	50.4	6.47	53.29	6.98	60.42	7.00	61.67	7.07
	12	34.91	4.07	41.2	5.07	47.51	6.07	50.4	6.58	53.29	7.11	60.42	7.13	61.67	7.20
	14	34.91	4.15	41.2	5.17	47.51	6.19	50.4	6.71	53.29	7.24	60.42	7.26	61.67	7.32
	16	34.91	4.22	41.2	5.26	47.51	6.30	50.4	6.83	53.29	7.36	60.42	7.39	61.67	7.45
	18	34.91	4.30	41.2	5.36	47.51	6.41	50.4	6.96	53.29	7.49	60.42	7.51	60.98	7.58
	19	34.91	4.38	41.2	5.45	47.51	6.53	50.4	7.07	53.29	7.62	59.98	7.64	60.49	7.71
	21	34.91	4.68	41.2	5.83	47.51	7.00	50.4	7.58	53.29	8.17	59.47	8.20	59.98	8.28
	23	34.91	5.02	41.2	6.24	47.51	7.49	50.4	8.11	53.29	8.75	58.98	8.77	59.47	8.86
	25	34.91	5.38	41.2	6.70	47.51	8.02	50.4	8.69	53.29	9.37	58.47	9.39	58.98	9.49
	27	34.91	5.73	41.2	7.15	47.51	8.56	50.4	9.28	53.29	10.01	57.96	10.03	58.47	10.15
	29	34.91	6.13	41.2	7.64	47.51	9.15	50.4	9.92	53.29	10.69	57.47	10.73	57.96	10.83
	31	34.91	6.54	41.2	8.15	47.51	9.75	50.4	10.58	53.29	11.39	56.96	11.43	57.47	11.54
	33	34.91	6.96	41.2	8.68	47.51	10.39	50.4	11.26	53.29	12.15	56.44	12.18	56.96	12.30
	35	34.91	7.41	41.2	9.22	47.51	11.05	50.4	11.98	53.29	12.92	55.93	12.96	56.44	13.09
	37	34.91	7.88	41.2	9.81	47.51	11.75	50.4	12.75	53.29	13.75	55.44	13.79	55.93	13.92
	39	34.91	7.90	41.2	9.86	47.51	11.81	50.4	12.81	52.91	13.81	54.93	13.84	55.44	13.98
	41	34.91	7.94	41.2	9.90	47.51	11.86	50.4	12.86	52.42	13.86	54.42	13.90	54.93	14.03
	43	34.91	7.98	41.2	9.94	47.51	11.92	49.89	12.92	51.91	13.92	53.93	13.98	54.42	14.11
	46	34.91	8.02	41.2	10.00	45.87	11.96	48.38	12.98	50.4	13.99	52.42	14.03	52.91	14.16
	48	34.91	8.05	41.2	10.03	44.36	12.01	46.87	13.03	48.89	14.05	50.91	14.11	51.4	14.24
	50	34.91	8.09	40.31	10.09	42.84	12.07	45.36	13.11	47.38	14.13	49.4	14.16	49.89	14.30
80%	10	31.02	3.41	36.62	4.26	42.22	5.09	44.8	5.53	47.38	5.96	48.4	5.98	49.44	6.04
	12	31.02	3.47	36.62	4.34	42.22	5.19	44.8	5.64	47.38	6.07	48.4	6.09	49.44	6.15
	14	31.02	3.55	36.62	4.41	42.22	5.28	44.8	5.73	47.38	6.19	48.4	6.20	49.44	6.26
	16	31.02	3.60	36.62	4.49	42.22	5.38	44.8	5.83	47.38	6.30	48.4	6.32	49.44	6.37
	18	31.02	3.68	36.62	4.56	42.22	5.47	44.8	5.94	47.38	6.39	48.4	6.41	49.44	6.49
	19	31.02	3.73	36.62	4.66	42.22	5.56	44.8	6.04	47.38	6.51	48.4	6.53	49.44	6.60
	21	31.02	4.00	36.62	4.98	42.22	5.98	44.8	6.47	47.38	6.98	48.4	7.00	49.44	7.07
	23	31.02	4.28	36.62	5.34	42.22	6.39	44.8	6.94	47.38	7.47	48.4	7.51	49.44	7.56
	25	31.02	4.58	36.62	5.71	42.22	6.85	44.8	7.43	47.38	8.00	48.4	8.02	49.44	8.11
	27	31.02	4.90	36.62	6.11	42.22	7.32	44.8	7.94	47.38	8.54	48.4	8.58	49.44	8.66
	29	31.02	5.24	36.62	6.53	42.22	7.81	44.8	8.47	47.38	9.13	48.4	9.17	49.44	9.24
	31	31.02	5.58	36.62	6.96	42.22	8.34	44.8	9.03	47.38	9.73	48.4	9.77	49.44	9.86
	33	31.02	5.94	36.62	7.41	42.22	8.86	44.8	9.62	47.38	10.37	48.4	10.41	49.44	10.51
	35	31.02	6.32	36.62	7.88	42.22	9.43	44.8	10.24	47.38	11.03	48.4	11.07	49.44	11.18
	37	31.02	6.73	36.62	8.39	42.22	10.03	44.8	10.88	47.38	11.73	48.4	11.77	48.82	11.88
	39	31.02	6.75	36.62	8.41	42.22	10.09	44.8	10.94	47.38	11.79	47.93	11.83	48.38	11.94
	41	31.02	6.79	36.62	8.45	42.22	10.13	44.8	10.98	47.04	11.84	47.49	11.88	47.93	11.99
	43	31.02	6.83	36.62	8.51	42.22	10.17	44.8	11.03	46.6	11.90	47.04	11.94	47.49	12.05
	46	31.02	6.85	36.73	8.54	42.11	10.22	43.47	11.09	45.24	11.96	45.69	11.99	45.24	12.11
	48	31.02	6.88	36.73	8.58	40.78	10.26	42.11	11.15	43.91	12.01	44.36	12.05	43.91	12.16
	50	31.02	6.92	36.73	8.62	39.42	10.32	40.78	11.18	42.56	12.07	43	12.09	42.56	12.22

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D560W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	10	27.16	2.89	32.04	3.58	36.96	4.30	39.2	4.66	41.44	5.02	42.36	5.04	43.27	5.07
	12	27.16	2.92	32.04	3.66	36.96	4.38	39.2	4.73	41.44	5.11	42.36	5.13	43.27	5.17
	14	27.16	2.98	32.04	3.72	36.96	4.45	39.2	4.83	41.44	5.21	42.36	5.22	43.27	5.26
	16	27.16	3.04	32.04	3.79	36.96	4.53	39.2	4.92	41.44	5.30	42.36	5.32	43.27	5.36
	18	27.16	3.09	32.04	3.85	36.96	4.60	39.2	5.00	41.44	5.39	42.36	5.41	43.27	5.45
	19	27.16	3.15	32.04	3.92	36.96	4.70	39.2	5.09	41.44	5.49	42.36	5.51	43.27	5.54
	21	27.16	3.38	32.04	4.21	36.96	5.04	39.2	5.45	41.44	5.88	42.36	5.90	43.27	5.96
	23	27.16	3.60	32.04	4.49	36.96	5.39	39.2	5.85	41.44	6.30	42.36	6.32	43.27	6.37
	25	27.16	3.87	32.04	4.81	36.96	5.77	39.2	6.24	41.44	6.73	42.36	6.75	43.27	6.83
	27	27.16	4.13	32.04	5.15	36.96	6.17	39.2	6.68	41.44	7.20	42.36	7.22	43.27	7.30
	29	27.16	4.41	32.04	5.49	36.96	6.58	39.2	7.13	41.44	7.69	42.36	7.71	43.27	7.79
	31	27.16	4.70	32.04	5.87	36.96	7.02	39.2	7.60	41.44	8.20	42.36	8.22	43.27	8.30
	33	27.16	5.02	32.04	6.24	36.96	7.47	39.2	8.11	41.44	8.73	42.36	8.77	43.27	8.85
	35	27.16	5.32	32.04	6.64	36.96	7.94	39.2	8.62	41.44	9.30	42.36	9.32	43.27	9.41
	37	27.16	5.66	32.04	7.05	36.96	8.45	39.2	9.17	41.44	9.88	42.36	9.92	43.27	10.01
	39	27.16	5.70	32.04	7.09	36.96	8.49	39.2	9.20	41.44	9.92	42.36	9.96	43.27	10.05
	41	27.16	5.71	32.04	7.13	36.96	8.52	39.2	9.24	41.44	9.98	42.36	10.00	43.27	10.09
	43	27.16	5.73	32.04	7.15	36.96	8.56	39.2	9.30	41.44	10.01	42.36	10.05	43.27	10.15
	46	27.16	5.77	32.04	7.19	36.96	8.60	39.2	9.34	40.78	10.07	41.56	10.09	42.33	10.18
	48	27.16	5.79	32.04	7.22	36.96	8.64	38.42	9.37	39.98	10.11	40.78	10.15	41.56	10.24
	50	27.16	5.83	32.04	7.26	36.07	8.69	37.62	9.43	39.2	10.17	39.98	10.18	40.78	10.28
60%	10	23.27	2.38	27.47	2.96	31.67	3.55	33.6	3.85	35.53	4.15	36.31	4.17	37.07	4.21
	12	23.27	2.43	27.47	3.02	31.67	3.62	33.6	3.92	35.53	4.22	36.31	4.24	37.07	4.28
	14	23.27	2.47	27.47	3.07	31.67	3.68	33.6	4.00	35.53	4.30	36.31	4.32	37.07	4.36
	16	23.27	2.51	27.47	3.13	31.67	3.75	33.6	4.07	35.53	4.38	36.31	4.39	37.07	4.43
	18	23.27	2.56	27.47	3.19	31.67	3.81	33.6	4.13	35.53	4.47	36.31	4.47	37.07	4.53
	19	23.27	2.60	27.47	3.24	31.67	3.89	33.6	4.21	35.53	4.55	36.31	4.55	37.07	4.60
	21	23.27	2.79	27.47	3.47	31.67	4.17	33.6	4.51	35.53	4.87	36.31	4.88	37.07	4.92
	23	23.27	2.98	27.47	3.72	31.67	4.45	33.6	4.83	35.53	5.21	36.31	5.22	37.07	5.28
	25	23.27	3.19	27.47	3.98	31.67	4.77	33.6	5.17	35.53	5.58	36.31	5.60	37.07	5.64
	27	23.27	3.41	27.47	4.26	31.67	5.09	33.6	5.53	35.53	5.96	36.31	5.98	37.07	6.04
	29	23.27	3.64	27.47	4.55	31.67	5.45	33.6	5.90	35.53	6.36	36.31	6.37	37.07	6.45
	31	23.27	3.89	27.47	4.85	31.67	5.81	33.6	6.30	35.53	6.79	36.31	6.81	37.07	6.88
	33	23.27	4.15	27.47	5.17	31.67	6.19	33.6	6.71	35.53	7.22	36.31	7.26	37.07	7.32
	35	23.27	4.41	27.47	5.49	31.67	6.58	33.6	7.13	35.53	7.69	36.31	7.71	37.07	7.79
	37	23.27	4.70	27.47	5.85	31.67	7.00	33.6	7.58	35.53	8.19	36.31	8.20	37.07	8.28
	39	23.27	4.72	27.47	5.87	31.67	7.03	33.6	7.62	35.53	8.22	36.31	8.24	37.07	8.32
	41	23.27	4.73	27.47	5.90	31.67	7.05	33.6	7.66	35.53	8.26	36.31	8.28	37.07	8.35
	43	23.27	4.75	27.47	5.92	31.67	7.09	33.6	7.69	35.53	8.30	36.31	8.32	37.07	8.39
	46	23.27	4.77	27.47	5.94	31.67	7.13	33.6	7.73	35.53	8.34	36.31	8.35	37.07	8.43
	48	23.27	4.79	27.47	5.98	31.67	7.15	33.6	7.77	34.93	8.37	35.62	8.39	36.29	8.47
	50	23.27	4.83	27.47	6.00	31.67	7.19	32.93	7.79	34.27	8.41	34.93	8.43	35.62	8.51
50%	10	19.4	1.92	22.89	2.40	26.4	2.89	28	3.13	29.6	3.36	30.24	3.38	30.89	3.41
	12	19.4	1.96	22.89	2.45	26.4	2.92	28	3.19	29.6	3.43	30.24	3.43	30.89	3.47
	14	19.4	2.00	22.89	2.49	26.4	2.98	28	3.24	29.6	3.49	30.24	3.51	30.89	3.53
	16	19.4	2.04	22.89	2.55	26.4	3.04	28	3.30	29.6	3.55	30.24	3.56	30.89	3.60
	18	19.4	2.07	22.89	2.58	26.4	3.09	28	3.36	29.6	3.62	30.24	3.62	30.89	3.66
	19	19.4	2.11	22.89	2.62	26.4	3.15	28	3.41	29.6	3.68	30.24	3.70	30.89	3.72
	21	19.4	2.26	22.89	2.81	26.4	3.38	28	3.66	29.6	3.94	30.24	3.96	30.89	4.00
	23	19.4	2.41	22.89	3.02	26.4	3.60	28	3.92	29.6	4.22	30.24	4.24	30.89	4.28
	25	19.4	2.58	22.89	3.23	26.4	3.87	28	4.19	29.6	4.53	30.24	4.53	30.89	4.58
	27	19.4	2.77	22.89	3.45	26.4	4.13	28	4.49	29.6	4.83	30.24	4.85	30.89	4.88
	29	19.4	2.96	22.89	3.68	26.4	4.41	28	4.79	29.6	5.15	30.24	5.17	30.89	5.22
	31	19.4	3.15	22.89	3.92	26.4	4.70	28	5.09	29.6	5.51	30.24	5.51	30.89	5.56
	33	19.4	3.36	22.89	4.19	26.4	5.02	28	5.43	29.6	5.87	30.24	5.88	30.89	5.94
	35	19.4	3.56	22.89	4.45	26.4	5.34	28	5.77	29.6	6.22	30.24	6.24	30.89	6.32
	37	19.4	3.79	22.89	4.73	26.4	5.68	28	6.15	29.6	6.62	30.24	6.64	30.89	6.71
	39	19.4	3.81	22.89	4.75	26.4	5.70	28	6.17	29.6	6.66	30.24	6.68	30.89	6.73
	41	19.4	3.83	22.89	4.77	26.4	5.71	28	6.20	29.6	6.70	30.24	6.71	30.89	6.77
	43	19.4	3.85	22.89	4.79	26.4	5.75	28	6.22	29.6	6.71	30.24	6.73	30.89	6.81
	46	19.4	3.87	22.89	4.83	26.4	5.77	28	6.26	29.6	6.75	30.24	6.77	30.89	6.83
	48	19.4	3.89	22.89	4.85	26.4	5.79	28	6.28	29.69	6.77	29.96	6.81	30.51	6.87
	50	19.4	3.90	22.89	4.87	26.4	5.83	28	6.32	29.4	6.81	29.69	6.83	30.24	6.90

22HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D615W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	55.62	5.61	64.97	7.00	74.85	8.38	76.88	9.09	78.22	9.79	79.44	9.83	81.56	9.91
	12	55.62	5.72	64.97	7.13	74.85	8.53	76.19	9.26	77.53	9.97	78.73	10.01	80.83	10.10
	14	55.62	5.82	64.97	7.25	74.85	8.69	75.51	9.42	76.85	10.16	77.31	10.18	80.12	10.29
	16	55.62	5.93	64.97	7.38	74.19	8.84	74.85	9.60	75.46	10.33	76.63	10.37	79.39	10.47
	18	55.62	6.03	64.97	7.52	72.87	8.99	73.51	9.76	74.78	10.52	75.92	10.55	78.66	10.65
	19	55.62	6.14	64.97	7.64	72.21	9.16	72.82	9.93	74.09	10.71	75.22	10.73	77.95	10.83
	21	55.62	6.58	64.97	8.19	71.55	9.81	72.14	10.64	73.41	11.46	74.51	11.50	77.22	11.62
	23	55.62	7.04	64.97	8.78	70.9	10.52	71.48	11.40	72.73	12.29	73.8	12.33	76.51	12.44
	25	55.62	7.54	64.97	9.39	70.21	11.24	70.8	12.19	72.04	13.15	73.12	13.19	75.78	13.32
	27	55.62	8.06	64.97	10.04	69.55	12.02	70.11	13.03	71.36	14.06	72.41	14.10	74.34	14.23
	29	55.62	8.61	64.45	10.73	68.89	12.84	69.46	13.91	70.68	15.01	71.7	15.04	74.34	15.20
	31	55.62	9.17	64.26	11.43	68.24	13.68	68.77	14.85	69.99	16.00	70.99	16.05	73.6	16.21
	33	55.62	9.77	64.26	12.17	67.58	14.59	68.11	15.81	69.29	17.05	70.29	17.09	72.9	17.27
	35	55.62	10.39	63.62	12.95	66.26	15.50	67.43	16.83	68.6	18.14	69.46	18.19	72.16	18.37
	37	55.62	11.06	63.62	13.78	65.4	16.49	66.75	17.89	67.24	19.29	68.77	19.34	70.73	19.53
	39	55.62	11.11	62.72	13.83	64.92	16.57	66.09	17.98	66.55	19.37	68.11	19.43	70.02	19.61
	41	55.62	11.15	61.35	13.90	64.06	16.63	65.4	18.05	65.87	19.46	67.43	19.52	69.29	19.71
	43	55.96	11.20	60.01	13.96	62.94	16.72	64.06	18.14	65.19	19.55	66.77	19.61	68.55	19.79
	46	53.93	11.25	57.99	14.03	60.69	16.80	62.04	18.22	63.38	19.63	64.72	19.70	66.75	19.89
	48	52.59	11.31	55.96	14.10	58.67	16.87	60.01	18.31	61.35	19.74	62.72	19.79	64.72	19.99
	50	51.25	11.36	53.93	14.16	56.64	16.95	57.99	18.39	59.33	19.82	60.69	19.88	62.72	20.07
120%	10	52.23	5.55	62.21	6.93	71.75	8.29	74.29	8.99	76.95	9.70	78	9.72	80.46	9.83
	12	52.23	5.66	62.21	7.06	71.75	8.45	74.29	9.16	76.26	9.87	77.29	9.91	79.75	10.01
	14	52.23	5.77	62.21	7.18	71.75	8.61	74.29	9.33	75.58	10.06	76.61	10.09	79.05	10.18
	16	52.23	5.87	62.21	7.32	71.75	8.75	74.29	9.49	74.92	10.24	75.92	10.27	78.31	10.37
	18	52.23	5.98	62.21	7.44	71.75	8.91	73.63	9.66	74.24	10.42	75.24	10.45	77.61	10.55
	19	52.23	6.07	62.21	7.57	70.97	9.07	72.97	9.83	73.56	10.60	74.53	10.63	76.9	10.73
	21	52.23	6.51	62.21	8.11	70.31	9.72	71.63	10.53	72.21	11.36	73.85	11.40	76.19	11.50
	23	52.23	6.97	62.21	8.70	68.99	10.41	70.97	11.29	71.53	12.17	73.17	12.21	75.48	12.33
	25	52.23	7.46	62.21	9.30	68.31	11.14	69.65	12.09	70.87	13.01	72.46	13.05	74.78	13.19
	27	52.23	7.98	62.21	9.95	66.99	11.90	68.99	12.91	70.19	13.91	71.77	13.95	74.04	14.10
	29	52.23	8.52	62.21	10.62	66.33	12.72	68.31	13.79	69.5	14.86	71.09	14.91	73.34	15.04
	31	52.23	9.09	62.21	11.32	65.67	13.56	67.65	14.71	68.85	15.85	70.41	15.90	72.63	16.05
	33	52.23	9.68	62.21	12.07	65.01	14.44	66.99	15.66	68.16	16.88	69.7	16.93	71.92	17.09
	35	52.23	10.29	61.7	12.82	64.33	15.36	66.33	16.65	67.5	17.96	69.02	18.01	71.21	18.19
	37	52.23	10.96	61.04	13.65	63.67	16.34	65.01	17.73	66.14	19.11	68.31	19.16	69.77	19.34
	39	52.23	11.00	60.35	13.70	63.01	16.40	64.33	17.79	65.48	19.19	67.65	19.24	69.07	19.43
	41	52.23	11.04	59.08	13.76	62.35	16.48	63.67	17.87	64.79	19.27	66.99	19.34	68.36	19.52
	43	52.23	11.10	58.47	13.83	61.7	16.56	63.01	17.96	64.33	19.36	66.33	19.42	67.65	19.61
	46	51.08	11.15	57.03	13.90	59.69	16.63	61.04	18.04	62.35	19.45	64.33	19.51	65.67	19.70
	48	49.74	11.20	55.72	13.95	57.72	16.71	59.04	18.13	60.35	19.55	62.35	19.60	63.67	19.79
	50	48.42	11.25	54.4	14.02	55.72	16.79	57.03	18.21	58.38	19.63	60.35	19.69	61.7	19.88
110%	10	47.78	5.51	56.59	6.86	64.09	8.22	69.8	8.91	75	9.60	76.7	9.63	79.12	9.72
	12	47.78	5.61	56.59	6.98	64.09	8.36	69.8	9.07	74.34	9.79	76.02	9.81	78.44	9.91
	14	47.78	5.72	56.59	7.12	64.09	8.52	69.8	9.24	73.68	9.96	75.34	9.99	77.73	10.08
	16	47.78	5.80	56.59	7.25	64.09	8.68	69.8	9.40	73.02	10.14	74.65	10.16	77.02	10.27
	18	47.78	5.91	56.59	7.37	64.09	8.82	69.8	9.57	72.36	10.31	74	10.35	76.34	10.45
	19	47.78	6.01	56.59	7.50	64.09	8.97	69.8	9.74	71.68	10.50	73.31	10.52	75.63	10.63
	21	47.78	6.45	56.59	8.04	64.09	9.61	69.8	10.44	71.02	11.25	72.63	11.29	74.92	11.40
	23	47.78	6.91	56.59	8.61	64.09	10.30	69.14	11.19	70.36	12.05	71.95	12.09	74.24	12.20
	25	47.78	7.39	56.59	9.21	64.09	11.02	68.5	11.96	69.7	12.89	71.26	12.93	73.53	13.05
	27	47.78	7.90	56.59	9.84	64.09	11.79	67.85	12.78	69.04	13.78	70.58	13.83	72.82	13.95
	29	47.78	8.44	56.59	10.52	64.09	12.59	67.19	13.66	68.36	14.71	69.92	14.77	72.14	14.90
	31	47.78	8.99	56.59	11.21	64.09	13.43	66.53	14.56	67.7	15.70	69.24	15.74	71.43	15.90
	33	47.78	9.58	56.59	11.94	63.28	14.30	65.89	15.50	67.04	16.72	68.55	16.77	70.73	16.93
	35	47.78	10.20	56.59	12.70	62.62	15.21	65.23	16.49	66.38	17.78	67.87	17.84	70.02	18.01
	37	47.78	10.85	56.59	13.51	61.96	16.17	63.94	17.55	65.04	18.91	66.53	18.98	68.63	19.15
	39	47.78	10.89	56.59	13.57	61.33	16.25	63.28	17.62	64.38	19.00	65.84	19.06	67.92	19.24
	41	47.78	10.94	56.59	13.64	60.67	16.32	62.62	17.71	63.72	19.09	65.16	19.14	67.24	19.34
	43	47.78	10.99	56.59	13.69	60.01	16.40	61.96	17.78	63.06	19.17	64.48	19.23	66.53	19.42
	46	46.32	11.04	55.45	13.76	58.06	16.47	60.01	17.87	61.33	19.26	62.62	19.32	63.94	19.51
	48	45	11.09	54.15	13.83	56.11	16.55	58.06	17.96	59.35	19.35	60.67	19.40	61.96	19.59
	50	43.71	11.15	52.84	13.89	54.15	16.63	56.11	18.03	57.4	19.44	58.72	19.50	60.01	19.69

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D615W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	42.59	5.13	50.27	6.41	57.96	7.67	61.5	8.31	66.97	8.96	71.68	8.99	74.53	9.08
	12	42.59	5.24	50.27	6.52	57.96	7.81	61.5	8.47	66.97	9.14	71.68	9.16	73.87	9.24
	14	42.59	5.32	50.27	6.64	57.96	7.95	61.5	8.63	66.97	9.30	71.02	9.33	73.21	9.41
	16	42.59	5.43	50.27	6.76	57.96	8.09	61.5	8.78	66.97	9.46	70.38	9.49	72.56	9.58
	18	42.59	5.52	50.27	6.88	57.96	8.24	61.5	8.93	66.97	9.63	69.75	9.66	71.9	9.75
	19	42.59	5.61	50.27	7.00	57.96	8.38	61.5	9.09	66.97	9.79	69.11	9.83	71.24	9.91
	21	42.59	6.01	50.27	7.50	57.96	8.98	61.5	9.74	66.97	10.50	68.48	10.53	70.55	10.64
	23	42.59	6.45	50.27	8.03	57.96	9.61	61.5	10.43	66.97	11.25	67.82	11.28	69.9	11.40
	25	42.59	6.90	50.27	8.59	57.96	10.29	61.5	11.17	66.97	12.03	67.19	12.07	69.24	12.19
	27	42.59	7.37	50.27	9.19	57.96	11.00	61.5	11.94	66.33	12.86	66.55	12.91	68.58	13.03
	29	42.59	7.87	50.27	9.81	57.96	11.75	61.5	12.74	65.7	13.74	65.92	13.78	67.92	13.91
	31	42.59	8.40	50.27	10.46	57.96	12.53	61.5	13.59	65.09	14.65	65.28	14.69	67.26	14.83
	33	42.59	8.94	50.27	11.15	57.96	13.35	61.5	14.48	64.45	15.61	64.62	15.65	66.6	15.80
	35	42.59	9.52	50.27	11.86	57.96	14.20	61.5	15.41	63.53	16.60	63.99	16.65	65.94	16.81
	37	42.59	10.12	50.27	12.61	57.96	15.10	61.5	16.01	62.57	17.66	63.35	17.71	64.62	17.89
	39	42.59	10.16	50.27	12.67	57.96	15.17	61.5	16.47	62.11	17.73	62.72	17.78	63.96	17.96
	41	42.59	10.21	50.27	12.72	57.2	15.24	60.89	16.94	61.5	17.81	62.11	17.87	63.31	18.04
	43	42.59	10.27	50.27	12.78	56.57	15.31	60.28	17.40	60.89	17.89	61.5	17.96	62.65	18.12
	46	42.59	10.30	49.27	12.84	54.74	15.38	59.65	17.64	60.28	17.98	60.89	18.03	62.11	18.21
	48	42.59	10.35	48.76	12.90	52.89	15.45	57.81	18.33	59.65	18.06	59.04	18.12	60.28	18.29
	50	41.83	10.40	48.27	12.97	51.05	15.52	55.96	18.79	57.81	18.15	57.2	18.21	58.43	18.38
90%	10	38.34	4.44	45.25	5.54	52.18	6.63	55.35	7.19	58.52	7.75	66.36	7.78	67.72	7.85
	12	38.34	4.53	45.25	5.64	52.18	6.75	55.35	7.32	58.52	7.89	66.36	7.92	67.72	8.00
	14	38.34	4.61	45.25	5.74	52.18	6.88	55.35	7.46	58.52	8.04	66.36	8.06	67.72	8.13
	16	38.34	4.69	45.25	5.84	52.18	7.00	55.35	7.58	58.52	8.18	66.36	8.21	67.72	8.28
	18	38.34	4.78	45.25	5.95	52.18	7.13	55.35	7.73	58.52	8.32	66.36	8.34	66.97	8.43
	19	38.34	4.86	45.25	6.05	52.18	7.25	55.35	7.85	58.52	8.47	65.87	8.48	66.43	8.57
	21	38.34	5.20	45.25	6.48	52.18	7.77	55.35	8.42	58.52	9.08	65.31	9.11	65.87	9.19
	23	38.34	5.57	45.25	6.94	52.18	8.31	55.35	9.01	58.52	9.72	64.77	9.75	65.31	9.84
	25	38.34	5.97	45.25	7.43	52.18	8.90	55.35	9.65	58.52	10.41	64.21	10.44	64.77	10.53
	27	38.34	6.37	45.25	7.94	52.18	9.51	55.35	10.31	58.52	11.13	63.65	11.15	64.21	11.27
	29	38.34	6.81	45.25	8.48	52.18	10.16	55.35	11.02	58.52	11.87	63.11	11.91	63.65	12.03
	31	38.34	7.27	45.25	9.05	52.18	10.83	55.35	11.75	58.52	12.66	62.55	12.70	63.11	12.82
	33	38.34	7.73	45.25	9.63	52.18	11.54	55.35	12.51	58.52	13.49	61.99	13.53	62.55	13.67
	35	38.34	8.23	45.25	10.25	52.18	12.28	55.35	13.31	58.52	14.36	61.43	14.39	61.99	14.54
	37	38.34	8.75	45.25	10.90	52.18	13.05	55.35	14.16	58.52	15.26	60.89	15.31	61.43	15.46
	39	38.34	8.78	45.25	10.96	52.18	13.11	55.35	14.22	58.11	15.33	60.33	15.38	60.89	15.52
	41	38.34	8.82	45.25	11.00	52.18	13.18	55.35	14.29	57.57	15.40	59.77	15.45	60.33	15.59
	43	38.34	8.87	45.25	11.04	52.18	13.23	54.79	14.36	57.01	15.47	59.23	15.52	59.77	15.67
	46	38.34	8.91	45.25	11.10	50.37	13.29	53.13	14.41	55.35	15.54	57.57	15.59	58.11	15.73
	48	38.34	8.94	45.25	11.15	48.71	13.35	51.47	14.48	53.69	15.61	55.91	15.67	56.45	15.82
	50	38.34	8.99	44.27	11.20	47.05	13.42	49.81	14.56	52.03	15.69	54.25	15.73	54.79	15.89
80%	10	34.07	3.79	40.22	4.73	46.37	5.66	49.2	6.14	52.03	6.62	53.15	6.64	54.3	6.70
	12	34.07	3.86	40.22	4.82	46.37	5.77	49.2	6.26	52.03	6.74	53.15	6.76	54.3	6.83
	14	34.07	3.94	40.22	4.90	46.37	5.87	49.2	6.37	52.03	6.87	53.15	6.89	54.3	6.95
	16	34.07	4.00	40.22	4.99	46.37	5.98	49.2	6.47	52.03	6.99	53.15	7.01	54.3	7.08
	18	34.07	4.08	40.22	5.08	46.37	6.08	49.2	6.60	52.03	7.11	53.15	7.13	54.3	7.20
	19	34.07	4.15	40.22	5.17	46.37	6.19	49.2	6.70	52.03	7.23	53.15	7.25	54.3	7.33
	21	34.07	4.44	40.22	5.54	46.37	6.64	49.2	7.19	52.03	7.76	53.15	7.78	54.3	7.85
	23	34.07	4.76	40.22	5.93	46.37	7.11	49.2	7.71	52.03	8.30	53.15	8.33	54.3	8.41
	25	34.07	5.09	40.22	6.35	46.37	7.60	49.2	8.25	52.03	8.89	53.15	8.91	54.3	9.00
	27	34.07	5.45	40.22	6.79	46.37	8.13	49.2	8.82	52.03	9.50	53.15	9.53	54.3	9.61
	29	34.07	5.82	40.22	7.25	46.37	8.68	49.2	9.40	52.03	10.14	53.15	10.18	54.3	10.27
	31	34.07	6.21	40.22	7.73	46.37	9.26	49.2	10.04	52.03	10.81	53.15	10.85	54.3	10.96
	33	34.07	6.60	40.22	8.24	46.37	9.85	49.2	10.69	52.03	11.52	53.15	11.56	54.3	11.67
	35	34.07	7.02	40.22	8.75	46.37	10.48	49.2	11.38	52.03	12.26	53.15	12.30	54.3	12.42
	37	34.07	7.48	40.22	9.32	46.37	11.15	49.2	12.10	52.03	13.03	53.15	13.07	53.62	13.21
	39	34.07	7.51	40.22	9.35	46.37	11.20	49.2	12.15	52.03	13.09	52.64	13.14	53.13	13.26
	41	34.07	7.54	40.22	9.39	46.37	11.25	49.2	12.20	51.66	13.16	52.15	13.20	52.64	13.32
	43	34.07	7.57	40.22	9.44	46.37	11.30	49.2	12.26	51.18	13.22	51.66	13.25	52.15	13.39
	46	34.07	7.60	40.34	9.49	46.25	11.36	47.74	12.32	49.69	13.28	50.18	13.32	49.69	13.45
	48	34.07	7.64	40.34	9.53	44.78	11.41	46.25	12.37	48.22	13.34	48.71	13.38	48.22	13.51
	50	34.07	7.68	40.34	9.58	43.29	11.46	44.78	12.43	46.74	13.41	47.22	13.44	46.74	13.57

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D615W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	29.82	3.20	35.19	3.98	40.59	4.77	43.05	5.17	45.51	5.57	46.52	5.59	47.52	5.64
	12	29.82	3.26	35.19	4.06	40.59	4.86	43.05	5.27	45.51	5.68	46.52	5.70	47.52	5.75
	14	29.82	3.31	35.19	4.13	40.59	4.94	43.05	5.36	45.51	5.78	46.52	5.80	47.52	5.85
	16	29.82	3.37	35.19	4.20	40.59	5.03	43.05	5.46	45.51	5.89	46.52	5.91	47.52	5.96
	18	29.82	3.44	35.19	4.27	40.59	5.11	43.05	5.55	45.51	5.99	46.52	6.00	47.52	6.06
	19	29.82	3.50	35.19	4.36	40.59	5.21	43.05	5.65	45.51	6.09	46.52	6.11	47.52	6.17
	21	29.82	3.74	35.19	4.66	40.59	5.59	43.05	6.05	45.51	6.53	46.52	6.55	47.52	6.62
	23	29.82	4.00	35.19	4.99	40.59	5.99	43.05	6.49	45.51	6.99	46.52	7.02	47.52	7.09
	25	29.82	4.29	35.19	5.34	40.59	6.41	43.05	6.94	45.51	7.48	46.52	7.51	47.52	7.58
	27	29.82	4.59	35.19	5.72	40.59	6.85	43.05	7.42	45.51	8.01	46.52	8.03	47.52	8.10
	29	29.82	4.90	35.19	6.10	40.59	7.31	43.05	7.92	45.51	8.54	46.52	8.57	47.52	8.65
	31	29.82	5.22	35.19	6.51	40.59	7.80	43.05	8.45	45.51	9.11	46.52	9.14	47.52	9.22
	33	29.82	5.56	35.19	6.93	40.59	8.29	43.05	9.00	45.51	9.70	46.52	9.74	47.52	9.83
	35	29.82	5.91	35.19	7.37	40.59	8.83	43.05	9.58	45.51	10.32	46.52	10.35	47.52	10.46
	37	29.82	6.29	35.19	7.84	40.59	9.39	43.05	10.18	45.51	10.97	46.52	11.01	47.52	11.12
	39	29.82	6.32	35.19	7.88	40.59	9.43	43.05	10.23	45.51	11.02	46.52	11.06	47.52	11.17
	41	29.82	6.35	35.19	7.92	40.59	9.47	43.05	10.28	45.51	11.08	46.52	11.11	47.52	11.21
	43	29.82	6.38	35.19	7.95	40.59	9.52	43.05	10.32	45.51	11.13	46.52	11.17	47.52	11.27
	46	29.82	6.41	35.19	7.99	40.59	9.56	43.05	10.37	44.78	11.19	45.64	11.21	46.49	11.32
	48	29.82	6.44	35.19	8.03	40.59	9.61	42.2	10.42	43.9	11.23	44.78	11.27	45.64	11.38
	50	29.82	6.47	35.19	8.06	39.61	9.65	41.32	10.47	43.05	11.29	43.9	11.32	44.78	11.42
60%	10	25.55	2.64	30.16	3.29	34.78	3.95	36.9	4.28	39.02	4.62	39.88	4.63	40.71	4.67
	12	25.55	2.70	30.16	3.35	34.78	4.02	36.9	4.36	39.02	4.69	39.88	4.71	40.71	4.76
	14	25.55	2.75	30.16	3.42	34.78	4.09	36.9	4.44	39.02	4.78	39.88	4.80	40.71	4.85
	16	25.55	2.79	30.16	3.48	34.78	4.17	36.9	4.52	39.02	4.86	39.88	4.88	40.71	4.93
	18	25.55	2.84	30.16	3.54	34.78	4.23	36.9	4.60	39.02	4.96	39.88	4.97	40.71	5.03
	19	25.55	2.89	30.16	3.60	34.78	4.31	36.9	4.67	39.02	5.05	39.88	5.06	40.71	5.10
	21	25.55	3.10	30.16	3.86	34.78	4.63	36.9	5.01	39.02	5.40	39.88	5.42	40.71	5.47
	23	25.55	3.31	30.16	4.13	34.78	4.95	36.9	5.36	39.02	5.78	39.88	5.80	40.71	5.86
	25	25.55	3.54	30.16	4.42	34.78	5.30	36.9	5.75	39.02	6.20	39.88	6.22	40.71	6.27
	27	25.55	3.79	30.16	4.73	34.78	5.66	36.9	6.14	39.02	6.62	39.88	6.65	40.71	6.70
	29	25.55	4.05	30.16	5.05	34.78	6.05	36.9	6.56	39.02	7.07	39.88	7.09	40.71	7.16
	31	25.55	4.32	30.16	5.38	34.78	6.45	36.9	7.00	39.02	7.54	39.88	7.57	40.71	7.64
	33	25.55	4.61	30.16	5.74	34.78	6.87	36.9	7.45	39.02	8.03	39.88	8.06	40.71	8.13
	35	25.55	4.90	30.16	6.10	34.78	7.31	36.9	7.92	39.02	8.54	39.88	8.57	40.71	8.66
	37	25.55	5.21	30.16	6.49	34.78	7.78	36.9	8.43	39.02	9.09	39.88	9.12	40.71	9.20
	39	25.55	5.24	30.16	6.52	34.78	7.81	36.9	8.47	39.02	9.13	39.88	9.16	40.71	9.24
	41	25.55	5.26	30.16	6.55	34.78	7.84	36.9	8.50	39.02	9.17	39.88	9.19	40.71	9.28
	43	25.55	5.28	30.16	6.58	34.78	7.88	36.9	8.54	39.02	9.21	39.88	9.24	40.71	9.33
	46	25.55	5.31	30.16	6.61	34.78	7.92	36.9	8.59	39.02	9.26	39.88	9.28	40.71	9.37
	48	25.55	5.32	30.16	6.64	34.78	7.95	36.9	8.63	38.36	9.30	39.12	9.33	39.85	9.41
	50	25.55	5.36	30.16	6.67	34.78	7.99	36.17	8.66	37.63	9.34	38.36	9.37	39.12	9.45
50%	10	21.31	2.14	25.14	2.66	28.99	3.20	30.75	3.48	32.51	3.73	33.21	3.75	33.92	3.79
	12	21.31	2.18	25.14	2.72	28.99	3.26	30.75	3.53	32.51	3.81	33.21	3.82	33.92	3.86
	14	21.31	2.22	25.14	2.77	28.99	3.31	30.75	3.60	32.51	3.88	33.21	3.89	33.92	3.93
	16	21.31	2.26	25.14	2.83	28.99	3.37	30.75	3.67	32.51	3.95	33.21	3.96	33.92	4.00
	18	21.31	2.30	25.14	2.87	28.99	3.44	30.75	3.73	32.51	4.02	33.21	4.02	33.92	4.07
	19	21.31	2.35	25.14	2.91	28.99	3.50	30.75	3.79	32.51	4.09	33.21	4.10	33.92	4.14
	21	21.31	2.51	25.14	3.12	28.99	3.74	30.75	4.06	32.51	4.38	33.21	4.40	33.92	4.43
	23	21.31	2.68	25.14	3.35	28.99	4.00	30.75	4.36	32.51	4.69	33.21	4.71	33.92	4.75
	25	21.31	2.87	25.14	3.58	28.99	4.29	30.75	4.65	32.51	5.03	33.21	5.03	33.92	5.09
	27	21.31	3.07	25.14	3.83	28.99	4.59	30.75	4.98	32.51	5.36	33.21	5.38	33.92	5.43
	29	21.31	3.28	25.14	4.09	28.99	4.90	30.75	5.31	32.51	5.73	33.21	5.75	33.92	5.80
	31	21.31	3.51	25.14	4.36	28.99	5.22	30.75	5.66	32.51	6.11	33.21	6.12	33.92	6.19
	33	21.31	3.73	25.14	4.64	28.99	5.57	30.75	6.03	32.51	6.51	33.21	6.53	33.92	6.60
	35	21.31	3.96	25.14	4.94	28.99	5.93	30.75	6.42	32.51	6.91	33.21	6.94	33.92	7.01
	37	21.31	4.21	25.14	5.26	28.99	6.30	30.75	6.83	32.51	7.35	33.21	7.38	33.92	7.46
	39	21.31	4.23	25.14	5.28	28.99	6.33	30.75	6.86	32.51	7.39	33.21	7.41	33.92	7.49
	41	21.31	4.25	25.14	5.31	28.99	6.35	30.75	6.90	32.51	7.43	33.21	7.45	33.92	7.52
	43	21.31	4.28	25.14	5.32	28.99	6.39	30.75	6.91	32.51	7.46	33.21	7.48	33.92	7.56
	46	21.31	4.30	25.14	5.36	28.99	6.42	30.75	6.95	32.51	7.50	33.21	7.52	33.92	7.58
	48	21.31	4.32	25.14	5.38	28.99	6.44	30.75	6.98	32.6	7.53	32.9	7.56	33.51	7.62
	50	21.31	4.34	25.14	5.40	28.99	6.47	30.75	7.02	32.29	7.57	32.6	7.58	33.21	7.66

24HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D680W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútročná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	61.5	6.41	71.83	7.98	82.76	9.56	85	10.37	86.48	11.17	87.83	11.21	90.18	11.32
	12	61.5	6.52	71.83	8.13	82.76	9.73	84.24	10.57	85.73	11.39	87.05	11.42	89.37	11.52
	14	61.5	6.64	71.83	8.28	82.76	9.92	83.49	10.76	84.97	11.60	85.49	11.63	88.59	11.74
	16	61.5	6.76	71.83	8.42	82.03	10.09	82.76	10.95	83.43	11.79	84.73	11.84	87.78	11.95
	18	61.5	6.88	71.83	8.58	80.57	10.26	81.28	11.14	82.68	12.00	83.95	12.05	86.97	12.15
	19	61.5	7.00	71.83	8.73	79.85	10.45	80.52	11.33	81.92	12.22	83.17	12.24	86.19	12.36
	21	61.5	7.51	71.83	9.35	79.12	11.19	79.77	12.14	81.17	13.08	82.38	13.13	85.38	13.26
	23	61.5	8.04	71.83	10.02	78.39	12.00	79.04	13.01	80.41	14.02	81.6	14.06	84.6	14.20
	25	61.5	8.61	71.83	10.72	77.63	12.84	78.28	13.92	79.66	15.01	80.84	15.05	83.79	15.21
	27	61.5	9.20	71.83	11.46	76.9	13.72	77.53	14.88	78.9	16.05	80.06	16.09	82.19	16.24
	29	61.5	9.83	71.27	12.24	76.18	14.65	76.8	15.89	78.15	17.13	79.28	17.18	82.19	17.35
	31	61.5	10.47	71.05	13.06	75.45	15.62	76.04	16.95	77.39	18.27	78.5	18.33	81.38	18.50
	33	61.5	11.15	71.05	13.90	74.72	16.65	75.31	18.05	76.61	19.46	77.71	19.52	80.6	19.71
	35	61.5	11.87	70.35	14.78	73.26	17.70	74.56	19.20	75.85	20.71	76.8	20.76	79.79	20.96
	37	61.5	12.62	70.35	15.73	72.32	18.82	73.8	20.42	74.34	22.02	76.04	22.08	78.2	22.29
	39	61.5	12.68	69.35	15.79	71.78	18.92	73.07	20.51	73.59	22.12	75.31	22.17	77.42	22.39
	41	61.5	12.73	67.84	15.86	70.83	18.99	72.32	20.60	72.83	22.21	74.56	22.28	76.61	22.50
	43	61.87	12.79	66.35	15.94	69.59	19.08	70.83	20.71	72.07	22.31	73.83	22.39	75.8	22.60
	46	59.63	12.84	64.11	16.02	67.11	19.17	68.59	20.80	70.08	22.41	71.56	22.49	73.8	22.70
	48	58.15	12.91	61.87	16.09	64.87	19.26	66.35	20.90	67.84	22.52	69.35	22.60	71.56	22.81
	50	56.67	12.96	59.63	16.17	62.63	19.35	64.11	20.99	65.6	22.63	67.11	22.70	69.35	22.91
120%	10	57.75	6.34	68.78	7.91	79.33	9.47	82.14	10.27	85.08	11.07	86.24	11.10	88.97	11.21
	12	57.75	6.46	68.78	8.06	79.33	9.64	82.14	10.45	84.33	11.28	85.46	11.31	88.18	11.42
	14	57.75	6.58	68.78	8.20	79.33	9.83	82.14	10.65	83.57	11.48	84.7	11.52	87.4	11.63
	16	57.75	6.70	68.78	8.35	79.33	9.99	82.14	10.84	82.84	11.69	83.95	11.72	86.59	11.84
	18	57.75	6.82	68.78	8.49	79.33	10.17	81.41	11.03	82.09	11.88	83.19	11.93	85.81	12.05
	19	57.75	6.94	68.78	8.64	78.47	10.35	80.68	11.22	81.33	12.10	82.41	12.13	85.03	12.24
	21	57.75	7.44	68.78	9.26	77.74	11.09	79.2	12.03	79.85	12.96	81.65	13.01	84.24	13.13
	23	57.75	7.96	68.78	9.92	76.28	11.88	78.47	12.89	79.09	13.89	80.9	13.93	83.46	14.06
	25	57.75	8.52	68.78	10.62	75.53	12.72	77.01	13.79	78.36	14.86	80.12	14.90	82.68	15.05
	27	57.75	9.11	68.78	11.35	74.07	13.58	76.28	14.74	77.61	15.89	79.36	15.94	81.87	16.09
	29	57.75	9.73	68.78	12.12	73.34	14.51	75.53	15.73	76.85	16.96	78.6	17.02	81.09	17.18
	31	57.75	10.37	68.78	12.92	72.61	15.47	74.8	16.78	76.12	18.09	77.85	18.15	80.3	18.33
	33	57.75	11.05	68.78	13.77	71.89	16.48	74.07	17.87	75.37	19.28	77.07	19.33	79.52	19.52
	35	57.75	11.75	68.22	14.64	71.13	17.53	73.34	19.02	74.64	20.50	76.31	20.57	78.74	20.76
	37	57.75	12.50	67.49	15.58	70.4	18.65	71.89	20.23	73.13	21.80	75.53	21.88	77.15	22.08
	39	57.75	12.56	66.73	15.64	69.67	18.73	71.13	20.31	72.4	21.91	74.8	21.96	76.37	22.17
	41	57.75	12.60	65.33	15.71	68.94	18.81	70.4	20.40	71.64	22.00	74.07	22.07	75.58	22.28
	43	57.75	12.67	64.65	15.79	68.22	18.90	69.67	20.50	71.13	22.10	73.34	22.16	74.8	22.39
	46	56.48	12.72	63.06	15.86	66	18.99	67.49	20.60	68.94	22.20	71.13	22.27	72.61	22.49
	48	54.99	12.79	61.6	15.93	63.82	19.08	65.27	20.69	66.73	22.31	68.94	22.38	70.4	22.60
	50	53.54	12.84	60.15	16.00	61.6	19.17	63.06	20.79	64.55	22.40	66.73	22.48	68.22	22.70
110%	10	52.83	6.28	62.58	7.82	70.86	9.37	77.17	10.17	82.92	10.96	84.81	11.00	87.48	11.10
	12	52.83	6.40	62.58	7.97	70.86	9.55	77.17	10.35	82.19	11.17	84.06	11.19	86.73	11.31
	14	52.83	6.52	62.58	8.13	70.86	9.73	77.17	10.55	81.47	11.37	83.3	11.41	85.94	11.51
	16	52.83	6.63	62.58	8.27	70.86	9.90	77.17	10.74	80.74	11.57	82.54	11.61	85.16	11.72
	18	52.83	6.75	62.58	8.42	70.86	10.07	77.17	10.93	80.01	11.77	81.82	11.81	84.41	11.93
	19	52.83	6.87	62.58	8.55	70.86	10.24	77.17	11.12	79.25	11.98	81.06	12.01	83.62	12.12
	21	52.83	7.36	62.58	9.18	70.86	10.98	77.17	11.91	78.52	12.84	80.3	12.88	82.84	13.01
	23	52.83	7.89	62.58	9.83	70.86	11.76	76.45	12.76	77.8	13.76	79.55	13.79	82.09	13.92
	25	52.83	8.44	62.58	10.52	70.86	12.59	75.74	13.66	77.07	14.72	78.79	14.76	81.3	14.90
	27	52.83	9.02	62.58	11.24	70.86	13.46	75.02	14.59	76.34	15.73	78.04	15.78	80.52	15.94
	29	52.83	9.63	62.58	12.00	70.86	14.37	74.29	15.59	75.58	16.79	77.31	16.86	79.77	17.02
	31	52.83	10.27	62.58	12.80	70.86	15.33	73.56	16.62	74.85	17.92	76.55	17.97	78.98	18.15
	33	52.83	10.93	62.58	13.63	69.97	16.31	72.86	17.70	74.13	19.08	75.8	19.14	78.2	19.32
	35	52.83	11.64	62.58	14.50	69.24	17.37	72.13	18.83	73.4	20.30	75.04	20.36	77.42	20.57
	37	52.83	12.38	62.58	15.43	68.51	18.46	70.7	20.03	71.91	21.59	73.56	21.67	75.88	21.87
	39	52.83	12.44	62.58	15.49	67.81	18.56	69.97	20.12	71.18	21.68	72.8	21.76	75.1	21.96
	41	52.83	12.48	62.58	15.57	67.08	18.63	69.24	20.21	70.46	21.79	72.05	21.85	74.34	22.07
	43	52.83	12.55	62.58	15.64	66.35	18.72	68.51	20.30	69.73	21.89	71.29	21.95	73.56	22.16
	46	51.22	12.60	61.31	15.71	64.2	18.81	66.35	20.40	67.81	21.98	69.24	22.05	70.7	22.27
	48	49.76	12.66	59.88	15.78	62.04	18.89	64.2	20.49	65.63	22.09	67.08	22.15	68.51	22.37
	50	48.33	12.72	58.42	15.85	59.88	18.98	62.04	20.59	63.47	22.19	64.92	22.27	66.35	22.48

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D680W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	47.09	5.86	55.59	7.31	64.09	8.76	68	9.49	74.04	10.23	79.25	10.26	82.41	10.36
	12	47.09	5.98	55.59	7.44	64.09	8.91	68	9.67	74.04	10.43	79.25	10.45	81.68	10.56
	14	47.09	6.08	55.59	7.58	64.09	9.07	68	9.85	74.04	10.61	78.52	10.64	80.95	10.74
	16	47.09	6.19	55.59	7.72	64.09	9.24	68	10.02	74.04	10.81	77.82	10.83	80.22	10.93
	18	47.09	6.29	55.59	7.85	64.09	9.40	68	10.20	74.04	11.00	77.12	11.03	79.5	11.13
	19	47.09	6.41	55.59	7.99	64.09	9.56	68	10.37	74.04	11.17	76.42	11.21	78.77	11.32
	21	47.09	6.87	55.59	8.56	64.09	10.25	68	11.12	74.04	11.99	75.72	12.02	78.01	12.14
	23	47.09	7.36	55.59	9.16	64.09	10.98	68	11.91	74.04	12.84	74.99	12.87	77.28	13.00
	25	47.09	7.87	55.59	9.81	64.09	11.75	68	12.74	74.04	13.73	74.29	13.78	76.55	13.91
	27	47.09	8.42	55.59	10.49	64.09	12.56	68	13.63	73.34	14.68	73.59	14.73	75.83	14.87
	29	47.09	8.99	55.59	11.19	64.09	13.42	68	14.54	72.64	15.69	72.88	15.73	75.1	15.88
	31	47.09	9.59	55.59	11.94	64.09	14.30	68	15.52	71.97	16.72	72.18	16.77	74.37	16.93
	33	47.09	10.21	55.59	12.72	64.09	15.23	68	16.53	71.27	17.82	71.45	17.86	73.64	18.04
	35	47.09	10.86	55.59	13.54	64.09	16.21	68	17.51	70.24	18.94	70.75	19.01	72.91	19.18
	37	47.09	11.55	55.59	14.39	64.09	17.24	68	18.28	69.19	20.15	70.05	20.22	71.45	20.42
	39	47.09	11.60	55.59	14.46	64.09	17.31	68	18.81	68.67	20.24	69.35	20.30	70.73	20.50
	41	47.09	11.65	55.59	14.52	63.25	17.38	67.33	19.34	68	20.33	68.67	20.39	70	20.60
	43	47.09	11.71	55.59	14.59	62.55	17.48	66.65	19.98	67.33	20.43	68	20.49	69.27	20.69
	46	47.09	11.76	54.48	14.66	60.53	17.55	65.95	20.50	66.65	20.52	67.33	20.59	68.67	20.78
	48	47.09	11.82	53.91	14.73	58.47	17.63	63.93	20.92	65.95	20.61	65.27	20.68	66.65	20.88
	50	46.25	11.87	53.37	14.80	56.45	17.72	61.87	21.44	63.93	20.72	63.25	20.78	64.6	20.97
90%	10	42.39	5.07	50.03	6.32	57.69	7.57	61.2	8.20	64.71	8.85	73.37	8.88	74.88	8.96
	12	42.39	5.17	50.03	6.43	57.69	7.70	61.2	8.35	64.71	9.02	73.37	9.04	74.88	9.13
	14	42.39	5.26	50.03	6.55	57.69	7.84	61.2	8.51	64.71	9.18	73.37	9.20	74.88	9.28
	16	42.39	5.35	50.03	6.67	57.69	7.99	61.2	8.66	64.71	9.34	73.37	9.37	74.88	9.45
	18	42.39	5.45	50.03	6.79	57.69	8.13	61.2	8.82	64.71	9.49	73.37	9.52	74.04	9.62
	19	42.39	5.55	50.03	6.91	57.69	8.27	61.2	8.97	64.71	9.66	72.83	9.69	73.45	9.79
	21	42.39	5.93	50.03	7.40	57.69	8.87	61.2	9.61	64.71	10.36	72.21	10.40	72.83	10.49
	23	42.39	6.36	50.03	7.93	57.69	9.49	61.2	10.29	64.71	11.10	71.62	11.13	72.21	11.24
	25	42.39	6.81	50.03	8.49	57.69	10.16	61.2	11.02	64.71	11.88	71	11.91	71.62	12.03
	27	42.39	7.27	50.03	9.07	57.69	10.86	61.2	11.77	64.71	12.70	70.37	12.73	71	12.86
	29	42.39	7.77	50.03	9.68	57.69	11.60	61.2	12.58	64.71	13.56	69.78	13.60	70.37	13.73
	31	42.39	8.30	50.03	10.33	57.69	12.36	61.2	13.42	64.71	14.45	69.16	14.50	69.78	14.64
	33	42.39	8.83	50.03	11.00	57.69	13.18	61.2	14.28	64.71	15.40	68.54	15.45	69.16	15.59
	35	42.39	9.39	50.03	11.70	57.69	14.02	61.2	15.19	64.71	16.38	67.92	16.43	68.54	16.59
	37	42.39	9.99	50.03	12.44	57.69	14.90	61.2	16.17	64.71	17.43	67.33	17.48	67.92	17.65
	39	42.39	10.03	50.03	12.50	57.69	14.97	61.2	16.23	64.25	17.50	66.7	17.55	67.33	17.73
	41	42.39	10.08	50.03	12.56	57.69	15.04	61.2	16.30	63.66	17.58	66.08	17.63	66.7	17.80
	43	42.39	10.12	50.03	12.61	57.69	15.11	60.58	16.38	63.03	17.65	65.49	17.72	66.08	17.88
	46	42.39	10.17	50.03	12.67	55.7	15.17	58.74	16.45	61.2	17.74	63.66	17.79	64.25	17.97
	48	42.39	10.21	50.03	12.72	53.86	15.24	56.91	16.53	59.37	17.82	61.82	17.88	62.41	18.05
	50	42.39	10.26	48.95	12.79	52.03	15.31	55.07	16.62	57.53	17.91	59.99	17.96	60.58	18.13
80%	10	37.67	4.33	44.47	5.40	51.27	6.46	54.4	7.01	57.53	7.56	58.77	7.58	60.04	7.65
	12	37.67	4.41	44.47	5.50	51.27	6.58	54.4	7.14	57.53	7.70	58.77	7.72	60.04	7.80
	14	37.67	4.49	44.47	5.60	51.27	6.70	54.4	7.27	57.53	7.84	58.77	7.86	60.04	7.94
	16	37.67	4.57	44.47	5.69	51.27	6.82	54.4	7.39	57.53	7.98	58.77	8.01	60.04	8.08
	18	37.67	4.66	44.47	5.79	51.27	6.94	54.4	7.53	57.53	8.11	58.77	8.14	60.04	8.22
	19	37.67	4.73	44.47	5.91	51.27	7.06	54.4	7.66	57.53	8.26	58.77	8.28	60.04	8.37
	21	37.67	5.07	44.47	6.32	51.27	7.58	54.4	8.20	57.53	8.85	58.77	8.88	60.04	8.97
	23	37.67	5.43	44.47	6.77	51.27	8.11	54.4	8.79	57.53	9.48	58.77	9.51	60.04	9.60
	25	37.67	5.81	44.47	7.24	51.27	8.68	54.4	9.41	57.53	10.14	58.77	10.17	60.04	10.28
	27	37.67	6.22	44.47	7.75	51.27	9.27	54.4	10.07	57.53	10.84	58.77	10.88	60.04	10.98
	29	37.67	6.64	44.47	8.28	51.27	9.90	54.4	10.74	57.53	11.58	58.77	11.62	60.04	11.73
	31	37.67	7.08	44.47	8.82	51.27	10.57	54.4	11.45	57.53	12.35	58.77	12.38	60.04	12.50
	33	37.67	7.54	44.47	9.39	51.27	11.25	54.4	12.20	57.53	13.15	58.77	13.20	60.04	13.32
	35	37.67	8.02	44.47	9.99	51.27	11.97	54.4	12.98	57.53	13.99	58.77	14.03	60.04	14.17
	37	37.67	8.54	44.47	10.64	51.27	12.72	54.4	13.80	57.53	14.88	58.77	14.93	59.28	15.07
	39	37.67	8.56	44.47	10.68	51.27	12.79	54.4	13.87	57.53	14.95	58.2	14.99	58.74	15.14
	41	37.67	8.61	44.47	10.72	51.27	12.84	54.4	13.92	57.13	15.01	57.67	15.06	58.2	15.21
	43	37.67	8.66	44.47	10.78	51.27	12.90	54.4	13.99	56.59	15.09	57.13	15.13	57.67	15.28
	46	37.67	8.68	44.6	10.82	51.13	12.96	52.78	14.06	54.94	15.16	55.48	15.21	54.94	15.35
	48	37.67	8.73	44.6	10.88	49.52	13.02	51.13	14.13	53.32	15.23	53.86	15.27	53.32	15.42
	50	37.67	8.78	44.6	10.93	47.87	13.08	49.52	14.18	51.67	15.30	52.21	15.34	51.67	15.49

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D680W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	32.97	3.65	38.91	4.55	44.87	5.44	47.6	5.91	50.33	6.37	51.43	6.39	52.54	6.44
	12	32.97	3.71	38.91	4.63	44.87	5.55	47.6	6.01	50.33	6.48	51.43	6.51	52.54	6.56
	14	32.97	3.78	38.91	4.72	44.87	5.65	47.6	6.12	50.33	6.60	51.43	6.63	52.54	6.68
	16	32.97	3.85	38.91	4.80	44.87	5.74	47.6	6.24	50.33	6.72	51.43	6.74	52.54	6.80
	18	32.97	3.92	38.91	4.88	44.87	5.84	47.6	6.34	50.33	6.84	51.43	6.86	52.54	6.92
	19	32.97	3.99	38.91	4.97	44.87	5.95	47.6	6.45	50.33	6.96	51.43	6.98	52.54	7.04
	21	32.97	4.27	38.91	5.32	44.87	6.38	47.6	6.91	50.33	7.46	51.43	7.48	52.54	7.55
	23	32.97	4.58	38.91	5.70	44.87	6.83	47.6	7.41	50.33	7.98	51.43	8.01	52.54	8.08
	25	32.97	4.90	38.91	6.10	44.87	7.31	47.6	7.92	50.33	8.54	51.43	8.56	52.54	8.66
	27	32.97	5.23	38.91	6.52	44.87	7.82	47.6	8.47	50.33	9.14	51.43	9.16	52.54	9.26
	29	32.97	5.59	38.91	6.97	44.87	8.34	47.6	9.04	50.33	9.75	51.43	9.78	52.54	9.87
	31	32.97	5.96	38.91	7.43	44.87	8.90	47.6	9.64	50.33	10.40	51.43	10.43	52.54	10.53
	33	32.97	6.36	38.91	7.92	44.87	9.48	47.6	10.28	50.33	11.07	51.43	11.12	52.54	11.22
	35	32.97	6.75	38.91	8.42	44.87	10.08	47.6	10.93	50.33	11.78	51.43	11.82	52.54	11.93
	37	32.97	7.18	38.91	8.95	44.87	10.71	47.6	11.63	50.33	12.53	51.43	12.58	52.54	12.70
	39	32.97	7.22	38.91	8.99	44.87	10.77	47.6	11.67	50.33	12.59	51.43	12.62	52.54	12.75
	41	32.97	7.24	38.91	9.03	44.87	10.81	47.6	11.73	50.33	12.65	51.43	12.68	52.54	12.80
	43	32.97	7.28	38.91	9.07	44.87	10.86	47.6	11.78	50.33	12.70	51.43	12.74	52.54	12.86
	46	32.97	7.32	38.91	9.12	44.87	10.91	47.6	11.84	49.52	12.76	50.46	12.80	51.4	12.92
	48	32.97	7.34	38.91	9.16	44.87	10.96	46.66	11.89	48.54	12.82	49.52	12.86	50.46	12.98
	50	32.97	7.38	38.91	9.20	43.8	11.02	45.68	11.95	47.6	12.88	48.54	12.92	49.52	13.04
60%	10	28.25	3.02	33.35	3.76	38.45	4.50	40.8	4.88	43.15	5.27	44.09	5.29	45.01	5.33
	12	28.25	3.08	33.35	3.83	38.45	4.59	40.8	4.97	43.15	5.36	44.09	5.38	45.01	5.43
	14	28.25	3.13	33.35	3.90	38.45	4.67	40.8	5.07	43.15	5.46	44.09	5.48	45.01	5.53
	16	28.25	3.18	33.35	3.97	38.45	4.75	40.8	5.16	43.15	5.55	44.09	5.57	45.01	5.63
	18	28.25	3.25	33.35	4.04	38.45	4.84	40.8	5.24	43.15	5.67	44.09	5.67	45.01	5.73
	19	28.25	3.30	33.35	4.12	38.45	4.93	40.8	5.33	43.15	5.76	44.09	5.77	45.01	5.83
	21	28.25	3.53	33.35	4.40	38.45	5.28	40.8	5.72	43.15	6.17	44.09	6.19	45.01	6.25
	23	28.25	3.78	33.35	4.72	38.45	5.65	40.8	6.13	43.15	6.61	44.09	6.63	45.01	6.69
	25	28.25	4.05	33.35	5.05	38.45	6.05	40.8	6.56	43.15	7.08	44.09	7.10	45.01	7.16
	27	28.25	4.33	33.35	5.40	38.45	6.46	40.8	7.01	43.15	7.56	44.09	7.58	45.01	7.66
	29	28.25	4.62	33.35	5.77	38.45	6.90	40.8	7.48	43.15	8.06	44.09	8.09	45.01	8.18
	31	28.25	4.93	33.35	6.15	38.45	7.36	40.8	7.98	43.15	8.61	44.09	8.64	45.01	8.72
	33	28.25	5.26	33.35	6.55	38.45	7.84	40.8	8.51	43.15	9.16	44.09	9.20	45.01	9.28
	35	28.25	5.59	33.35	6.97	38.45	8.34	40.8	9.04	43.15	9.75	44.09	9.78	45.01	9.87
	37	28.25	5.95	33.35	7.41	38.45	8.88	40.8	9.61	43.15	10.37	44.09	10.41	45.01	10.50
	39	28.25	5.98	33.35	7.44	38.45	8.91	40.8	9.66	43.15	10.42	44.09	10.45	45.01	10.55
	41	28.25	6.00	33.35	7.48	38.45	8.95	40.8	9.71	43.15	10.47	44.09	10.50	45.01	10.59
	43	28.25	6.03	33.35	7.51	38.45	9.00	40.8	9.75	43.15	10.52	44.09	10.55	45.01	10.65
	46	28.25	6.05	33.35	7.54	38.45	9.03	40.8	9.80	43.15	10.57	44.09	10.59	45.01	10.69
	48	28.25	6.08	33.35	7.58	38.45	9.07	40.8	9.85	42.42	10.61	43.26	10.64	44.07	10.74
	50	28.25	6.12	33.35	7.61	38.45	9.12	39.99	9.88	41.61	10.67	42.42	10.69	43.26	10.80
50%	10	23.56	2.45	27.79	3.04	32.06	3.65	34	3.96	35.94	4.26	36.73	4.28	37.51	4.33
	12	23.56	2.49	27.79	3.11	32.06	3.71	34	4.03	35.94	4.35	36.73	4.36	37.51	4.40
	14	23.56	2.54	27.79	3.16	32.06	3.78	34	4.11	35.94	4.43	36.73	4.44	37.51	4.48
	16	23.56	2.58	27.79	3.22	32.06	3.85	34	4.18	35.94	4.50	36.73	4.52	37.51	4.57
	18	23.56	2.63	27.79	3.28	32.06	3.92	34	4.25	35.94	4.59	36.73	4.60	37.51	4.64
	19	23.56	2.68	27.79	3.33	32.06	3.99	34	4.33	35.94	4.66	36.73	4.68	37.51	4.72
	21	23.56	2.87	27.79	3.57	32.06	4.28	34	4.64	35.94	5.00	36.73	5.02	37.51	5.07
	23	23.56	3.06	27.79	3.83	32.06	4.58	34	4.97	35.94	5.35	36.73	5.37	37.51	5.43
	25	23.56	3.28	27.79	4.09	32.06	4.90	34	5.31	35.94	5.73	36.73	5.74	37.51	5.80
	27	23.56	3.52	27.79	4.37	32.06	5.24	34	5.68	35.94	6.13	36.73	6.15	37.51	6.20
	29	23.56	3.76	27.79	4.67	32.06	5.59	34	6.07	35.94	6.53	36.73	6.56	37.51	6.63
	31	23.56	4.00	27.79	4.98	32.06	5.96	34	6.47	35.94	6.98	36.73	6.99	37.51	7.06
	33	23.56	4.25	27.79	5.31	32.06	6.36	34	6.89	35.94	7.43	36.73	7.46	37.51	7.53
	35	23.56	4.53	27.79	5.65	32.06	6.76	34	7.33	35.94	7.90	36.73	7.93	37.51	8.01
	37	23.56	4.82	27.79	6.01	32.06	7.19	34	7.80	35.94	8.40	36.73	8.42	37.51	8.52
	39	23.56	4.84	27.79	6.03	32.06	7.22	34	7.82	35.94	8.44	36.73	8.47	37.51	8.54
	41	23.56	4.86	27.79	6.05	32.06	7.25	34	7.87	35.94	8.48	36.73	8.51	37.51	8.59
	43	23.56	4.88	27.79	6.08	32.06	7.29	34	7.90	35.94	8.52	36.73	8.54	37.51	8.63
	46	23.56	4.91	27.79	6.12	32.06	7.32	34	7.94	35.94	8.56	36.73	8.58	37.51	8.66
	48	23.56	4.93	27.79	6.15	32.06	7.34	34	7.97	36.05	8.59	36.37	8.63	37.05	8.71
	50	23.56	4.96	27.79	6.17	32.06	7.39	34	8.01	35.7	8.64	36.05	8.66	36.73	8.75

26HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D730W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	66.02	7.17	77.11	8.92	88.85	10.69	91.25	11.60	92.84	12.49	94.29	12.54	96.81	12.65
	12	66.02	7.30	77.11	9.09	88.85	10.88	90.44	11.81	92.03	12.72	93.45	12.77	95.94	12.89
	14	66.02	7.43	77.11	9.26	88.85	11.09	89.63	12.02	91.22	12.96	91.77	12.99	95.1	13.12
	16	66.02	7.56	77.11	9.41	88.06	11.28	88.85	12.24	89.57	13.19	90.96	13.23	94.23	13.36
	18	66.02	7.69	77.11	9.59	86.5	11.48	87.25	12.46	88.76	13.42	90.12	13.46	93.36	13.59
	19	66.02	7.83	77.11	9.76	85.72	11.68	86.44	12.67	87.95	13.66	89.28	13.69	92.52	13.82
	21	66.02	8.40	77.11	10.46	84.93	12.51	85.63	13.57	87.14	14.63	88.44	14.67	91.66	14.82
	23	66.02	8.99	77.11	11.20	84.15	13.41	84.85	14.55	86.33	15.67	87.6	15.72	90.82	15.88
	25	66.02	9.62	77.11	11.98	83.34	14.35	84.04	15.56	85.51	16.78	86.79	16.82	89.95	17.00
	27	66.02	10.28	77.11	12.81	82.56	15.34	83.23	16.64	84.7	17.94	85.95	17.99	88.24	18.16
	29	66.02	10.99	76.51	13.69	81.78	16.38	82.44	17.76	83.89	19.15	85.11	19.21	88.24	19.39
	31	66.02	11.71	76.27	14.59	81	17.46	81.63	18.95	83.08	20.43	84.27	20.48	87.37	20.69
	33	66.02	12.46	76.27	15.53	80.21	18.60	80.85	20.18	82.24	21.76	83.43	21.81	86.53	22.03
	35	66.02	13.26	75.52	16.52	78.65	19.79	80.04	21.46	81.43	23.14	82.44	23.21	85.66	23.44
	37	66.02	14.11	75.52	17.59	77.63	21.05	79.23	22.83	79.81	24.62	81.63	24.68	83.95	24.92
	39	66.02	14.17	74.45	17.65	77.06	21.14	78.45	22.93	79	24.73	80.85	24.79	83.11	25.03
	41	66.02	14.23	72.83	17.74	76.04	21.23	77.63	23.03	78.19	24.83	80.04	24.91	82.24	25.15
	43	66.42	14.30	71.23	17.81	74.71	21.33	76.04	23.14	77.37	24.95	79.26	25.02	81.37	25.26
	46	64.02	14.36	68.83	17.90	72.04	21.43	73.64	23.25	75.23	25.06	76.82	25.13	79.23	25.37
	48	62.43	14.43	66.42	17.99	69.64	21.53	71.23	23.36	72.83	25.18	74.45	25.25	76.82	25.50
	50	60.83	14.50	64.02	18.07	67.24	21.63	68.83	23.47	70.42	25.29	72.04	25.37	74.45	25.61
120%	10	61.99	7.09	73.84	8.84	85.17	10.59	88.18	11.48	91.34	12.37	92.58	12.41	95.51	12.54
	12	61.99	7.22	73.84	9.01	85.17	10.78	88.18	11.69	90.53	12.60	91.74	12.64	94.67	12.77
	14	61.99	7.35	73.84	9.16	85.17	10.98	88.18	11.90	89.71	12.83	90.93	12.88	93.83	12.99
	16	61.99	7.49	73.84	9.33	85.17	11.17	88.18	12.11	88.93	13.07	90.12	13.10	92.96	13.23
	18	61.99	7.62	73.84	9.50	85.17	11.36	87.4	12.33	88.12	13.29	89.31	13.33	92.12	13.46
	19	61.99	7.75	73.84	9.65	84.24	11.57	86.62	12.54	87.31	13.52	88.47	13.56	91.28	13.69
	21	61.99	8.31	73.84	10.35	83.46	12.40	85.02	13.44	85.72	14.49	87.66	14.55	90.44	14.67
	23	61.99	8.90	73.84	11.10	81.89	13.28	84.24	14.41	84.91	15.53	86.85	15.58	89.6	15.72
	25	61.99	9.52	73.84	11.87	81.08	14.21	82.68	15.41	84.12	16.61	86.01	16.66	88.76	16.82
	27	61.99	10.18	73.84	12.69	79.52	15.19	81.89	16.47	83.31	17.75	85.2	17.81	87.89	17.99
	29	61.99	10.87	73.84	13.55	78.74	16.22	81.08	17.59	82.5	18.96	84.38	19.03	87.05	19.21
	31	61.99	11.60	73.84	14.44	77.95	17.30	80.3	18.76	81.72	20.22	83.57	20.29	86.21	20.48
	33	61.99	12.35	73.84	15.39	77.17	18.42	79.52	19.98	80.91	21.55	82.73	21.61	85.37	21.81
	35	61.99	13.13	73.23	16.37	76.36	19.60	78.74	21.26	80.13	22.91	81.92	22.99	84.53	23.21
	37	61.99	13.97	72.45	17.41	75.58	20.85	77.17	22.61	78.5	24.37	81.08	24.46	82.82	24.68
	39	61.99	14.04	71.64	17.49	74.8	20.93	76.36	22.70	77.72	24.49	80.3	24.55	81.98	24.79
	41	61.99	14.09	70.13	17.56	74.01	21.04	75.58	22.81	76.91	24.59	79.52	24.67	81.14	24.91
	43	61.99	14.17	69.41	17.64	73.23	21.13	74.8	22.91	76.36	24.71	78.74	24.78	80.3	25.02
	46	60.63	14.23	67.7	17.73	70.86	21.23	72.45	23.02	74.01	24.82	76.36	24.89	77.95	25.13
	48	59.04	14.30	66.13	17.81	68.51	21.33	70.07	23.13	71.64	24.94	74.01	25.01	75.58	25.25
	50	57.47	14.36	64.57	17.89	66.13	21.42	67.7	23.24	69.29	25.05	71.64	25.12	73.23	25.37
110%	10	56.72	7.03	67.18	8.75	76.07	10.48	82.85	11.36	89.02	12.25	91.05	12.30	93.92	12.41
	12	56.72	7.16	67.18	8.91	76.07	10.67	82.85	11.58	88.24	12.48	90.24	12.52	93.1	12.64
	14	56.72	7.29	67.18	9.08	76.07	10.87	82.85	11.79	87.46	12.71	89.43	12.75	92.26	12.87
	16	56.72	7.42	67.18	9.25	76.07	11.07	82.85	12.00	86.67	12.94	88.61	12.97	91.42	13.10
	18	56.72	7.55	67.18	9.40	76.07	11.25	82.85	12.22	85.89	13.16	87.83	13.20	90.61	13.33
	19	56.72	7.67	67.18	9.57	76.07	11.45	82.85	12.43	85.08	13.39	87.02	13.43	89.77	13.56
	21	56.72	8.23	67.18	10.25	76.07	12.27	82.85	13.32	84.3	14.35	86.21	14.41	88.93	14.54
	23	56.72	8.82	67.18	10.99	76.07	13.15	82.07	14.27	83.52	15.38	85.4	15.42	88.12	15.57
	25	56.72	9.43	67.18	11.75	76.07	14.06	81.31	15.27	82.73	16.45	84.59	16.50	87.28	16.66
	27	56.72	10.08	67.18	12.57	76.07	15.04	80.53	16.31	81.95	17.59	83.78	17.64	86.44	17.81
	29	56.72	10.77	67.18	13.42	76.07	16.06	79.75	17.42	81.14	18.77	82.99	18.85	85.63	19.01
	31	56.72	11.48	67.18	14.30	76.07	17.13	78.97	18.58	80.36	20.03	82.18	20.08	84.79	20.29
	33	56.72	12.22	67.18	15.24	75.11	18.24	78.21	19.79	79.58	21.33	81.37	21.40	83.95	21.60
	35	56.72	13.01	67.18	16.21	74.33	19.41	77.43	21.05	78.79	22.69	80.56	22.77	83.11	22.99
	37	56.72	13.84	67.18	17.25	73.55	20.64	75.9	22.40	77.2	24.14	78.97	24.22	81.46	24.44
	39	56.72	13.90	67.18	17.32	72.8	20.74	75.11	22.49	76.42	24.25	78.16	24.32	80.62	24.55
	41	56.72	13.96	67.18	17.39	72.02	20.82	74.33	22.59	75.64	24.36	77.35	24.43	79.81	24.67
	43	56.72	14.03	67.18	17.48	71.23	20.93	73.55	22.69	74.85	24.47	76.53	24.54	78.97	24.78
	46	54.98	14.09	65.82	17.56	68.92	21.02	71.23	22.80	72.8	24.58	74.33	24.65	75.9	24.89
	48	53.42	14.15	64.28	17.64	66.6	21.12	68.92	22.90	70.45	24.70	72.02	24.76	73.55	25.00
	50	51.88	14.22	62.72	17.72	64.28	21.22	66.6	23.02	68.13	24.81	69.7	24.88	71.23	25.12

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D730W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	50.55	6.56	59.67	8.17	68.8	9.78	73	10.62	79.49	11.44	85.08	11.48	88.47	11.59
	12	50.55	6.68	59.67	8.32	68.8	9.97	73	10.81	79.49	11.65	85.08	11.69	87.69	11.80
	14	50.55	6.80	59.67	8.47	68.8	10.14	73	11.00	79.49	11.86	84.3	11.90	86.9	12.01
	16	50.55	6.93	59.67	8.63	68.8	10.33	73	11.20	79.49	12.08	83.54	12.11	86.12	12.22
	18	50.55	7.04	59.67	8.78	68.8	10.50	73	11.39	79.49	12.29	82.79	12.33	85.34	12.44
	19	50.55	7.17	59.67	8.92	68.8	10.69	73	11.60	79.49	12.49	82.04	12.54	84.56	12.65
	21	50.55	7.67	59.67	9.57	68.8	11.47	73	12.43	79.49	13.40	81.28	13.44	83.75	13.57
	23	50.55	8.23	59.67	10.25	68.8	12.27	73	13.32	79.49	14.35	80.5	14.39	82.97	14.54
	25	50.55	8.80	59.67	10.97	68.8	13.13	73	14.25	79.49	15.35	79.75	15.41	82.18	15.55
	27	50.55	9.41	59.67	11.73	68.8	14.04	73	15.23	78.74	16.41	79	16.47	81.4	16.63
	29	50.55	10.05	59.67	12.52	68.8	15.00	73	16.26	77.98	17.53	78.24	17.59	80.62	17.75
	31	50.55	10.72	59.67	13.35	68.8	15.99	73	17.35	77.26	18.69	77.49	18.74	79.84	18.93
	33	50.55	11.41	59.67	14.22	68.8	17.03	73	18.48	76.51	19.92	76.71	19.97	79.05	20.17
	35	50.55	12.14	59.67	15.13	68.8	18.12	73	19.64	75.4	21.18	75.95	21.25	78.27	21.45
	37	50.55	12.92	59.67	16.09	68.8	19.27	73	20.44	74.27	22.53	75.2	22.60	76.71	22.82
	39	50.55	12.97	59.67	16.16	68.8	19.35	73	21.02	73.72	22.63	74.45	22.70	75.93	22.91
	41	50.55	13.03	59.67	16.23	67.9	19.44	72.28	21.62	73	22.73	73.72	22.80	75.14	23.02
	43	50.55	13.09	59.67	16.31	67.15	19.54	71.55	22.34	72.28	22.83	73	22.90	74.36	23.13
	46	50.55	13.15	58.49	16.39	64.98	19.62	70.8	22.95	71.55	22.94	72.28	23.02	73.72	23.24
	48	50.55	13.21	57.88	16.46	62.77	19.71	68.63	23.39	70.8	23.04	70.07	23.12	71.55	23.34
	50	49.65	13.27	57.3	16.54	60.6	19.81	66.42	23.98	68.63	23.15	67.9	23.23	69.35	23.45
90%	10	45.51	5.67	53.71	7.06	61.93	8.45	65.7	9.17	69.47	9.89	78.76	9.92	80.39	10.01
	12	45.51	5.77	53.71	7.19	61.93	8.61	65.7	9.34	69.47	10.07	78.76	10.11	80.39	10.21
	14	45.51	5.88	53.71	7.32	61.93	8.77	65.7	9.52	69.47	10.25	78.76	10.29	80.39	10.38
	16	45.51	5.98	53.71	7.45	61.93	8.93	65.7	9.68	69.47	10.43	78.76	10.48	80.39	10.57
	18	45.51	6.09	53.71	7.59	61.93	9.09	65.7	9.86	69.47	10.62	78.76	10.65	79.49	10.75
	19	45.51	6.20	53.71	7.72	61.93	9.25	65.7	10.02	69.47	10.80	78.19	10.84	78.85	10.94
	21	45.51	6.64	53.71	8.27	61.93	9.91	65.7	10.74	69.47	11.58	77.52	11.62	78.19	11.73
	23	45.51	7.11	53.71	8.86	61.93	10.62	65.7	11.50	69.47	12.41	76.88	12.44	77.52	12.57
	25	45.51	7.61	53.71	9.49	61.93	11.36	65.7	12.32	69.47	13.28	76.22	13.32	76.88	13.44
	27	45.51	8.14	53.71	10.13	61.93	12.14	65.7	13.16	69.47	14.19	75.55	14.23	76.22	14.38
	29	45.51	8.69	53.71	10.83	61.93	12.96	65.7	14.06	69.47	15.16	74.91	15.20	75.55	15.35
	31	45.51	9.27	53.71	11.55	61.93	13.82	65.7	14.99	69.47	16.15	74.25	16.21	74.91	16.37
	33	45.51	9.87	53.71	12.30	61.93	14.72	65.7	15.97	69.47	17.22	73.58	17.26	74.25	17.43
	35	45.51	10.50	53.71	13.08	61.93	15.66	65.7	16.99	69.47	18.31	72.91	18.36	73.58	18.55
	37	45.51	11.17	53.71	13.91	61.93	16.65	65.7	18.07	69.47	19.48	72.28	19.54	72.91	19.72
	39	45.51	11.21	53.71	13.97	61.93	16.73	65.7	18.15	68.97	19.57	71.61	19.62	72.28	19.81
	41	45.51	11.26	53.71	14.04	61.93	16.81	65.7	18.23	68.34	19.65	70.94	19.71	71.61	19.90
	43	45.51	11.32	53.71	14.09	61.93	16.88	65.03	18.31	67.67	19.73	70.31	19.81	70.94	19.99
	46	45.51	11.36	53.71	14.17	59.79	16.96	63.06	18.39	65.7	19.83	68.34	19.89	68.97	20.08
	48	45.51	11.42	53.71	14.23	57.82	17.03	61.09	18.48	63.73	19.92	66.37	19.99	67	20.18
	50	45.51	11.48	52.55	14.30	55.85	17.12	59.12	18.57	61.76	20.02	64.4	20.07	65.03	20.27
80%	10	40.44	4.85	47.74	6.04	55.04	7.22	58.4	7.83	61.76	8.45	63.09	8.47	64.45	8.55
	12	40.44	4.93	47.74	6.15	55.04	7.36	58.4	7.99	61.76	8.61	63.09	8.63	64.45	8.71
	14	40.44	5.02	47.74	6.26	55.04	7.49	58.4	8.13	61.76	8.77	63.09	8.79	64.45	8.88
	16	40.44	5.11	47.74	6.37	55.04	7.62	58.4	8.27	61.76	8.92	63.09	8.95	64.45	9.03
	18	40.44	5.21	47.74	6.47	55.04	7.76	58.4	8.41	61.76	9.07	63.09	9.10	64.45	9.19
	19	40.44	5.29	47.74	6.59	55.04	7.89	58.4	8.56	61.76	9.23	63.09	9.26	64.45	9.35
	21	40.44	5.67	47.74	7.06	55.04	8.47	58.4	9.17	61.76	9.89	63.09	9.92	64.45	10.02
	23	40.44	6.08	47.74	7.56	55.04	9.06	58.4	9.83	61.76	10.60	63.09	10.63	64.45	10.73
	25	40.44	6.50	47.74	8.10	55.04	9.70	58.4	10.52	61.76	11.34	63.09	11.37	64.45	11.48
	27	40.44	6.95	47.74	8.66	55.04	10.37	58.4	11.24	61.76	12.12	63.09	12.16	64.45	12.28
	29	40.44	7.43	47.74	9.25	55.04	11.07	58.4	12.00	61.76	12.95	63.09	12.98	64.45	13.10
	31	40.44	7.92	47.74	9.86	55.04	11.81	58.4	12.81	61.76	13.80	63.09	13.84	64.45	13.98
	33	40.44	8.42	47.74	10.50	55.04	12.58	58.4	13.64	61.76	14.70	63.09	14.75	64.45	14.89
	35	40.44	8.96	47.74	11.17	55.04	13.37	58.4	14.51	61.76	15.65	63.09	15.69	64.45	15.85
	37	40.44	9.54	47.74	11.89	55.04	14.23	58.4	15.43	61.76	16.64	63.09	16.68	63.64	16.85
	39	40.44	9.58	47.74	11.93	55.04	14.30	58.4	15.50	61.76	16.71	62.48	16.76	63.06	16.92
	41	40.44	9.63	47.74	11.98	55.04	14.35	58.4	15.56	61.33	16.78	61.91	16.84	62.48	17.00
	43	40.44	9.67	47.74	12.05	55.04	14.42	58.4	15.65	60.75	16.87	61.33	16.91	61.91	17.08
	46	40.44	9.71	47.88	12.10	54.89	14.49	56.66	15.72	58.98	16.94	59.56	17.00	58.98	17.16
	48	40.44	9.76	47.88	12.16	53.16	14.55	54.89	15.79	57.24	17.02	57.82	17.08	57.24	17.24
	50	40.44	9.80	47.88	12.22	51.39	14.62	53.16	15.86	55.47	17.10	56.05	17.14	55.47	17.32

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D730W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	35.4	4.08	41.77	5.08	48.17	6.08	51.1	6.60	54.03	7.11	55.21	7.14	56.4	7.20
	12	35.4	4.15	41.77	5.18	48.17	6.20	51.1	6.71	54.03	7.24	55.21	7.27	56.4	7.33
	14	35.4	4.23	41.77	5.27	48.17	6.31	51.1	6.84	54.03	7.38	55.21	7.40	56.4	7.46
	16	35.4	4.30	41.77	5.36	48.17	6.42	51.1	6.97	54.03	7.51	55.21	7.54	56.4	7.60
	18	35.4	4.38	41.77	5.46	48.17	6.53	51.1	7.08	54.03	7.64	55.21	7.67	56.4	7.73
	19	35.4	4.46	41.77	5.56	48.17	6.65	51.1	7.21	54.03	7.78	55.21	7.80	56.4	7.87
	21	35.4	4.78	41.77	5.96	48.17	7.13	51.1	7.73	54.03	8.33	55.21	8.36	56.4	8.44
	23	35.4	5.11	41.77	6.37	48.17	7.64	51.1	8.29	54.03	8.92	55.21	8.95	56.4	9.03
	25	35.4	5.47	41.77	6.82	48.17	8.17	51.1	8.86	54.03	9.55	55.21	9.58	56.4	9.67
	27	35.4	5.85	41.77	7.30	48.17	8.74	51.1	9.47	54.03	10.21	55.21	10.24	56.4	10.34
	29	35.4	6.25	41.77	7.79	48.17	9.32	51.1	10.11	54.03	10.90	55.21	10.93	56.4	11.04
	31	35.4	6.66	41.77	8.30	48.17	9.94	51.1	10.78	54.03	11.62	55.21	11.66	56.4	11.77
	33	35.4	7.10	41.77	8.85	48.17	10.59	51.1	11.49	54.03	12.38	55.21	12.43	56.4	12.54
	35	35.4	7.55	41.77	9.41	48.17	11.26	51.1	12.22	54.03	13.18	55.21	13.21	56.4	13.34
	37	35.4	8.03	41.77	10.01	48.17	11.98	51.1	12.99	54.03	14.01	55.21	14.06	56.4	14.19
	39	35.4	8.07	41.77	10.05	48.17	12.03	51.1	13.05	54.03	14.06	55.21	14.11	56.4	14.25
	41	35.4	8.10	41.77	10.10	48.17	12.09	51.1	13.10	54.03	14.14	55.21	14.18	56.4	14.31
	43	35.4	8.14	41.77	10.13	48.17	12.14	51.1	13.18	54.03	14.19	55.21	14.25	56.4	14.38
	46	35.4	8.18	41.77	10.19	48.17	12.20	51.1	13.23	53.16	14.27	54.17	14.30	55.18	14.44
	48	35.4	8.21	41.77	10.24	48.17	12.25	50.09	13.29	52.11	14.33	53.16	14.38	54.17	14.52
	50	35.4	8.26	41.77	10.28	47.02	12.32	49.04	13.36	51.1	14.40	52.11	14.44	53.16	14.57
60%	10	30.33	3.38	35.8	4.20	41.28	5.03	43.8	5.46	46.32	5.88	47.33	5.91	48.32	5.96
	12	30.33	3.44	35.8	4.28	41.28	5.13	43.8	5.56	46.32	5.99	47.33	6.01	48.32	6.08
	14	30.33	3.50	35.8	4.36	41.28	5.22	43.8	5.67	46.32	6.10	47.33	6.12	48.32	6.18
	16	30.33	3.56	35.8	4.44	41.28	5.32	43.8	5.77	46.32	6.21	47.33	6.23	48.32	6.29
	18	30.33	3.62	35.8	4.52	41.28	5.41	43.8	5.86	46.32	6.32	47.33	6.34	48.32	6.41
	19	30.33	3.69	35.8	4.60	41.28	5.50	43.8	5.96	46.32	6.44	47.33	6.45	48.32	6.52
	21	30.33	3.96	35.8	4.92	41.28	5.90	43.8	6.40	46.32	6.90	47.33	6.92	48.32	6.98
	23	30.33	4.23	35.8	5.27	41.28	6.32	43.8	6.85	46.32	7.39	47.33	7.41	48.32	7.48
	25	30.33	4.53	35.8	5.64	41.28	6.76	43.8	7.33	46.32	7.91	47.33	7.93	48.32	8.00
	27	30.33	4.85	35.8	6.04	41.28	7.22	43.8	7.83	46.32	8.45	47.33	8.48	48.32	8.55
	29	30.33	5.17	35.8	6.45	41.28	7.72	43.8	8.37	46.32	9.02	47.33	9.04	48.32	9.14
	31	30.33	5.51	35.8	6.87	41.28	8.23	43.8	8.92	46.32	9.63	47.33	9.65	48.32	9.75
	33	30.33	5.88	35.8	7.32	41.28	8.77	43.8	9.52	46.32	10.25	47.33	10.28	48.32	10.37
	35	30.33	6.25	35.8	7.79	41.28	9.33	43.8	10.11	46.32	10.90	47.33	10.94	48.32	11.04
	37	30.33	6.65	35.8	8.29	41.28	9.92	43.8	10.75	46.32	11.60	47.33	11.63	48.32	11.74
	39	30.33	6.68	35.8	8.31	41.28	9.97	43.8	10.80	46.32	11.65	47.33	11.68	48.32	11.79
	41	30.33	6.70	35.8	8.36	41.28	10.01	43.8	10.86	46.32	11.71	47.33	11.73	48.32	11.85
	43	30.33	6.74	35.8	8.40	41.28	10.05	43.8	10.90	46.32	11.75	47.33	11.79	48.32	11.90
	46	30.33	6.77	35.8	8.43	41.28	10.10	43.8	10.96	46.32	11.81	47.33	11.85	48.32	11.96
	48	30.33	6.80	35.8	8.47	41.28	10.14	43.8	11.00	45.54	11.86	46.44	11.90	47.31	12.01
	50	30.33	6.83	35.8	8.51	41.28	10.19	42.93	11.05	44.67	11.92	45.54	11.96	46.44	12.07
50%	10	25.29	2.73	29.84	3.40	34.41	4.09	36.5	4.43	38.59	4.76	39.43	4.78	40.27	4.84
	12	25.29	2.78	29.84	3.47	34.41	4.15	36.5	4.51	38.59	4.86	39.43	4.87	40.27	4.92
	14	25.29	2.84	29.84	3.53	34.41	4.23	36.5	4.60	38.59	4.95	39.43	4.97	40.27	5.00
	16	25.29	2.89	29.84	3.60	34.41	4.31	36.5	4.67	38.59	5.03	39.43	5.05	40.27	5.10
	18	25.29	2.94	29.84	3.66	34.41	4.38	36.5	4.75	38.59	5.12	39.43	5.14	40.27	5.19
	19	25.29	2.99	29.84	3.72	34.41	4.46	36.5	4.84	38.59	5.22	39.43	5.23	40.27	5.27
	21	25.29	3.21	29.84	3.99	34.41	4.78	36.5	5.19	38.59	5.59	39.43	5.60	40.27	5.66
	23	25.29	3.43	29.84	4.27	34.41	5.11	36.5	5.56	38.59	5.98	39.43	6.01	40.27	6.07
	25	25.29	3.67	29.84	4.58	34.41	5.47	36.5	5.94	38.59	6.41	39.43	6.42	40.27	6.49
	27	25.29	3.93	29.84	4.89	34.41	5.85	36.5	6.35	38.59	6.84	39.43	6.87	40.27	6.93
	29	25.29	4.19	29.84	5.22	34.41	6.25	36.5	6.79	38.59	7.30	39.43	7.33	40.27	7.41
	31	25.29	4.47	29.84	5.57	34.41	6.67	36.5	7.23	38.59	7.80	39.43	7.81	40.27	7.89
	33	25.29	4.76	29.84	5.94	34.41	7.10	36.5	7.70	38.59	8.30	39.43	8.33	40.27	8.41
	35	25.29	5.06	29.84	6.31	34.41	7.55	36.5	8.19	38.59	8.83	39.43	8.86	40.27	8.95
	37	25.29	5.38	29.84	6.71	34.41	8.04	36.5	8.71	38.59	9.39	39.43	9.42	40.27	9.52
	39	25.29	5.41	29.84	6.74	34.41	8.07	36.5	8.75	38.59	9.43	39.43	9.46	40.27	9.55
	41	25.29	5.43	29.84	6.77	34.41	8.10	36.5	8.79	38.59	9.48	39.43	9.52	40.27	9.60
	43	25.29	5.46	29.84	6.80	34.41	8.15	36.5	8.83	38.59	9.52	39.43	9.55	40.27	9.64
	46	25.29	5.48	29.84	6.83	34.41	8.18	36.5	8.88	38.59	9.57	39.43	9.60	40.27	9.68
	48	25.29	5.51	29.84	6.87	34.41	8.21	36.5	8.91	38.7	9.61	39.05	9.64	39.77	9.74
	50	25.29	5.54	29.84	6.90	34.41	8.26	36.5	8.96	38.33	9.65	38.7	9.68	39.43	9.78

28HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D785W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	70.99	7.72	82.92	9.62	95.54	11.52	98.13	12.50	99.84	13.47	101.4	13.52	104.11	13.64
	12	70.99	7.86	82.92	9.80	95.54	11.74	97.25	12.73	98.97	13.72	100.49	13.76	103.17	13.90
	14	70.99	8.01	82.92	9.98	95.54	11.95	96.38	12.96	98.09	13.98	98.69	14.01	102.27	14.15
	16	70.99	8.15	82.92	10.16	94.7	12.16	95.54	13.20	96.32	14.22	97.81	14.27	101.33	14.40
	18	70.99	8.30	82.92	10.34	93.02	12.38	93.83	13.43	95.45	14.46	96.91	14.51	100.4	14.66
	19	70.99	8.44	82.92	10.51	92.18	12.59	92.95	13.66	94.57	14.73	96.01	14.76	99.5	14.90
	21	70.99	9.05	82.92	11.27	91.33	13.49	92.08	14.63	93.7	15.78	95.1	15.82	98.56	15.99
	23	70.99	9.69	82.92	12.08	90.49	14.46	91.24	15.68	92.83	16.91	94.2	16.96	97.66	17.11
	25	70.99	10.36	82.92	12.92	89.62	15.47	90.37	16.78	91.96	18.09	93.33	18.14	96.72	18.32
	27	70.99	11.08	82.92	13.81	88.78	16.53	89.5	17.94	91.08	19.34	92.42	19.39	94.89	19.59
	29	70.99	11.84	82.27	14.75	87.94	17.66	88.66	19.15	90.21	20.65	91.52	20.71	94.89	20.92
	31	70.99	12.62	82.02	15.73	87.1	18.83	87.78	20.43	89.34	22.02	90.62	22.09	93.95	22.30
	33	70.99	13.44	82.02	16.75	86.26	20.06	86.94	21.75	88.44	23.45	89.71	23.52	93.05	23.75
	35	70.99	14.30	81.21	17.82	84.57	21.34	86.07	23.14	87.56	24.95	88.66	25.03	92.11	25.27
	37	70.99	15.21	81.21	18.96	83.48	22.69	85.2	24.61	85.82	26.53	87.78	26.62	90.28	26.87
	39	70.99	15.28	80.06	19.03	82.86	22.79	84.36	24.73	84.95	26.65	86.94	26.74	89.37	26.99
	41	70.99	15.34	78.31	19.13	81.77	22.89	83.48	24.83	84.08	26.77	86.07	26.85	88.44	27.11
	43	71.43	15.42	76.6	19.21	80.34	23.00	81.77	24.95	83.2	26.90	85.23	26.98	87.5	27.23
	46	68.84	15.49	74.01	19.30	77.47	23.11	79.19	25.06	80.9	27.02	82.61	27.10	85.2	27.37
	48	67.13	15.56	71.43	19.39	74.89	23.22	76.6	25.18	78.31	27.15	80.06	27.23	82.61	27.50
	50	65.42	15.63	68.84	19.48	72.3	23.32	74.01	25.30	75.73	27.27	77.47	27.36	80.06	27.62
120%	10	66.66	7.65	79.4	9.53	91.58	11.41	94.82	12.38	98.22	13.34	99.56	13.38	102.7	13.52
	12	66.66	7.79	79.4	9.71	91.58	11.63	94.82	12.60	97.35	13.59	98.65	13.63	101.8	13.76
	14	66.66	7.93	79.4	9.88	91.58	11.83	94.82	12.84	96.47	13.84	97.78	13.88	100.9	14.01
	16	66.66	8.08	79.4	10.06	91.58	12.04	94.82	13.06	95.63	14.08	96.91	14.13	99.96	14.27
	18	66.66	8.22	79.4	10.24	91.58	12.26	93.98	13.29	94.76	14.33	96.04	14.37	99.06	14.51
	19	66.66	8.35	79.4	10.41	90.59	12.47	93.14	13.52	93.89	14.58	95.13	14.62	98.16	14.76
	21	66.66	8.96	79.4	11.16	89.75	13.37	91.43	14.49	92.18	15.63	94.26	15.68	97.25	15.82
	23	66.66	9.60	79.4	11.96	88.06	14.31	90.59	15.53	91.3	16.74	93.39	16.80	96.35	16.96
	25	66.66	10.27	79.4	12.80	87.19	15.32	88.9	16.62	90.46	17.91	92.49	17.97	95.45	18.14
	27	66.66	10.97	79.4	13.68	85.51	16.38	88.06	17.76	89.59	19.15	91.61	19.20	94.51	19.39
	29	66.66	11.72	79.4	14.61	84.67	17.49	87.19	18.97	88.72	20.45	90.74	20.51	93.61	20.71
	31	66.66	12.50	79.4	15.58	83.83	18.66	86.35	20.23	87.88	21.81	89.87	21.87	92.7	22.09
	33	66.66	13.32	79.4	16.59	82.99	19.87	85.51	21.55	87	23.23	88.97	23.30	91.8	23.52
	35	66.66	14.17	78.75	17.65	82.11	21.14	84.67	22.92	86.16	24.71	88.09	24.78	90.9	25.03
	37	66.66	15.06	77.91	18.78	81.27	22.48	82.99	24.38	84.42	26.28	87.19	26.36	89.06	26.62
	39	66.66	15.14	77.04	18.86	80.43	22.57	82.11	24.48	83.58	26.40	86.35	26.48	88.16	26.74
	41	66.66	15.19	75.42	18.93	79.59	22.68	81.27	24.59	82.71	26.50	85.51	26.60	87.25	26.85
	43	66.66	15.27	74.64	19.02	78.75	22.79	80.43	24.71	82.11	26.64	84.67	26.72	86.35	26.98
	46	65.2	15.34	72.8	19.12	76.19	22.89	77.91	24.83	79.59	26.77	82.11	26.84	83.83	27.10
	48	63.49	15.41	71.12	19.20	73.67	22.99	75.35	24.94	77.04	26.89	79.59	26.96	81.27	27.23
	50	61.8	15.49	69.44	19.30	71.12	23.10	72.8	25.05	74.51	27.01	77.04	27.08	78.75	27.36
110%	10	60.99	7.57	72.24	9.44	81.8	11.30	89.09	12.26	95.73	13.21	97.91	13.26	100.99	13.38
	12	60.99	7.71	72.24	9.61	81.8	11.51	89.09	12.48	94.89	13.46	97.03	13.50	100.12	13.63
	14	60.99	7.86	72.24	9.78	81.8	11.72	89.09	12.71	94.04	13.71	96.16	13.74	99.22	13.88
	16	60.99	8.00	72.24	9.97	81.8	11.94	89.09	12.94	93.2	13.95	95.29	13.99	98.31	14.13
	18	60.99	8.14	72.24	10.14	81.8	12.13	89.09	13.16	92.36	14.19	94.45	14.24	97.44	14.37
	19	60.99	8.28	72.24	10.32	81.8	12.35	89.09	13.40	91.49	14.44	93.58	14.48	96.54	14.62
	21	60.99	8.88	72.24	11.06	81.8	13.23	89.09	14.36	90.65	15.48	92.7	15.53	95.63	15.67
	23	60.99	9.51	72.24	11.84	81.8	14.17	88.25	15.38	89.81	16.58	91.83	16.63	94.76	16.80
	25	60.99	10.17	72.24	12.67	81.8	15.17	87.44	16.46	88.97	17.74	90.96	17.79	93.86	17.97
	27	60.99	10.87	72.24	13.55	81.8	16.22	86.6	17.59	88.13	18.96	90.09	19.02	92.95	19.20
	29	60.99	11.61	72.24	14.46	81.8	17.32	85.76	18.78	87.25	20.24	89.25	20.32	92.08	20.50
	31	60.99	12.38	72.24	15.43	81.8	18.47	84.92	20.03	86.41	21.60	88.37	21.66	91.18	21.87
	33	60.99	13.18	72.24	16.43	80.77	19.68	84.11	21.34	85.57	23.00	87.5	23.08	90.28	23.29
	35	60.99	14.02	72.24	17.48	79.93	20.92	83.27	22.69	84.73	24.46	86.63	24.54	89.37	24.78
	37	60.99	14.92	72.24	18.59	79.09	22.25	81.62	24.15	83.02	26.03	84.92	26.11	87.6	26.35
	39	60.99	14.98	72.24	18.67	78.28	22.36	80.77	24.25	82.18	26.14	84.04	26.21	86.69	26.48
	41	60.99	15.05	72.24	18.75	77.44	22.45	79.93	24.36	81.33	26.26	83.17	26.34	85.82	26.60
	43	60.99	15.12	72.24	18.84	76.6	22.56	79.09	24.46	80.49	26.38	82.3	26.46	84.92	26.72
	46	59.12	15.19	70.77	18.93	74.11	22.67	76.6	24.59	78.28	26.50	79.93	26.58	81.62	26.84
	48	57.44	15.26	69.12	19.02	71.62	22.77	74.11	24.70	75.76	26.63	77.44	26.70	79.09	26.96
	50	55.79	15.34	67.44	19.10	69.12	22.88	71.62	24.81	73.27	26.75	74.95	26.82	76.6	27.08

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D785W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	54.36	7.07	64.17	8.81	73.98	10.55	78.5	11.44	85.48	12.33	91.49	12.38	95.13	12.50
	12	54.36	7.20	64.17	8.98	73.98	10.75	78.5	11.66	85.48	12.56	91.49	12.60	94.29	12.72
	14	54.36	7.33	64.17	9.13	73.98	10.94	78.5	11.86	85.48	12.79	90.65	12.84	93.45	12.96
	16	54.36	7.47	64.17	9.30	73.98	11.14	78.5	12.08	85.48	13.01	89.84	13.06	92.61	13.18
	18	54.36	7.59	64.17	9.47	73.98	11.33	78.5	12.28	85.48	13.25	89.03	13.29	91.77	13.42
	19	54.36	7.72	64.17	9.62	73.98	11.52	78.5	12.50	85.48	13.47	88.22	13.52	90.93	13.64
	21	54.36	8.28	64.17	10.32	73.98	12.36	78.5	13.40	85.48	14.45	87.41	14.49	90.06	14.63
	23	54.36	8.88	64.17	11.05	73.98	13.23	78.5	14.35	85.48	15.48	86.57	15.52	89.22	15.67
	25	54.36	9.49	64.17	11.82	73.98	14.17	78.5	15.36	85.48	16.55	85.76	16.61	88.37	16.77
	27	54.36	10.15	64.17	12.64	73.98	15.14	78.5	16.42	84.67	17.69	84.95	17.76	87.53	17.93
	29	54.36	10.83	64.17	13.50	73.98	16.17	78.5	17.53	83.86	18.90	84.14	18.96	86.69	19.15
	31	54.36	11.55	64.17	14.40	73.98	17.24	78.5	18.70	83.08	20.16	83.33	20.21	85.85	20.41
	33	54.36	12.30	64.17	15.34	73.98	18.37	78.5	19.92	82.27	21.48	82.49	21.53	85.01	21.75
	35	54.36	13.10	64.17	16.31	73.98	19.54	78.5	21.19	81.09	22.83	81.68	22.91	84.17	23.13
	37	54.36	13.93	64.17	17.35	73.98	20.77	78.5	22.04	79.87	24.29	80.87	24.37	82.49	24.60
	39	54.36	13.99	64.17	17.42	73.98	20.87	78.5	22.67	79.28	24.40	80.06	24.47	81.65	24.71
	41	54.36	14.05	64.17	17.50	73.02	20.96	77.72	23.30	78.5	24.51	79.28	24.59	80.81	24.82
	43	54.36	14.12	64.17	17.59	72.21	21.06	76.94	24.07	77.72	24.61	78.5	24.70	79.96	24.93
	46	54.36	14.17	62.89	17.67	69.87	21.16	76.13	24.76	76.94	24.73	77.72	24.81	79.28	25.05
	48	54.36	14.25	62.24	17.74	67.5	21.25	73.8	25.21	76.13	24.85	75.35	24.92	76.94	25.17
	50	53.39	14.31	61.62	17.84	65.17	21.36	71.43	25.85	73.8	24.97	73.02	25.04	74.58	25.29
90%	10	48.94	6.11	57.75	7.62	66.6	9.12	70.65	9.90	74.7	10.66	84.7	10.70	86.44	10.79
	12	48.94	6.23	57.75	7.76	66.6	9.29	70.65	10.07	74.7	10.85	84.7	10.90	86.44	11.00
	14	48.94	6.34	57.75	7.89	66.6	9.46	70.65	10.26	74.7	11.06	84.7	11.09	86.44	11.20
	16	48.94	6.45	57.75	8.03	66.6	9.63	70.65	10.44	74.7	11.25	84.7	11.29	86.44	11.40
	18	48.94	6.57	57.75	8.18	66.6	9.80	70.65	10.63	74.7	11.45	84.7	11.49	85.48	11.60
	19	48.94	6.68	57.75	8.32	66.6	9.97	70.65	10.80	74.7	11.65	84.08	11.68	84.79	11.80
	21	48.94	7.16	57.75	8.92	66.6	10.68	70.65	11.58	74.7	12.49	83.36	12.53	84.08	12.65
	23	48.94	7.67	57.75	9.56	66.6	11.44	70.65	12.40	74.7	13.38	82.67	13.42	83.36	13.55
	25	48.94	8.20	57.75	10.22	66.6	12.24	70.65	13.28	74.7	14.31	81.96	14.36	82.67	14.49
	27	48.94	8.77	57.75	10.93	66.6	13.09	70.65	14.19	74.7	15.31	81.24	15.34	81.96	15.50
	29	48.94	9.37	57.75	11.67	66.6	13.98	70.65	15.16	74.7	16.34	80.56	16.38	81.24	16.55
	31	48.94	9.99	57.75	12.45	66.6	14.90	70.65	16.16	74.7	17.42	79.84	17.48	80.56	17.65
	33	48.94	10.64	57.75	13.26	66.6	15.87	70.65	17.22	74.7	18.57	79.12	18.61	79.84	18.80
	35	48.94	11.32	57.75	14.10	66.6	16.89	70.65	18.32	74.7	19.75	78.41	19.80	79.12	20.00
	37	48.94	12.04	57.75	15.00	66.6	17.96	70.65	19.48	74.7	21.00	77.72	21.06	78.41	21.26
	39	48.94	12.09	57.75	15.06	66.6	18.03	70.65	19.57	74.17	21.09	77	21.16	77.72	21.36
	41	48.94	12.14	57.75	15.14	66.6	18.13	70.65	19.65	73.48	21.19	76.29	21.25	77	21.46
	43	48.94	12.21	57.75	15.19	66.6	18.20	69.93	19.75	72.77	21.28	75.6	21.36	76.29	21.55
	46	48.94	12.26	57.75	15.27	64.3	18.29	67.82	19.83	70.65	21.38	73.48	21.45	74.17	21.65
	48	48.94	12.31	57.75	15.34	62.18	18.37	65.7	19.92	68.53	21.48	71.37	21.55	72.05	21.76
	50	48.94	12.38	56.51	15.41	60.06	18.46	63.58	20.02	66.41	21.58	69.25	21.65	69.93	21.86
80%	10	43.49	5.22	51.34	6.51	59.19	7.79	62.8	8.44	66.41	9.11	67.85	9.13	69.31	9.22
	12	43.49	5.32	51.34	6.63	59.19	7.94	62.8	8.61	66.41	9.28	67.85	9.30	69.31	9.39
	14	43.49	5.41	51.34	6.75	59.19	8.08	62.8	8.76	66.41	9.45	67.85	9.47	69.31	9.57
	16	43.49	5.51	51.34	6.87	59.19	8.22	62.8	8.91	66.41	9.61	67.85	9.64	69.31	9.74
	18	43.49	5.61	51.34	6.98	59.19	8.37	62.8	9.07	66.41	9.78	67.85	9.81	69.31	9.91
	19	43.49	5.70	51.34	7.11	59.19	8.51	62.8	9.23	66.41	9.95	67.85	9.98	69.31	10.07
	21	43.49	6.11	51.34	7.62	59.19	9.13	62.8	9.90	66.41	10.67	67.85	10.70	69.31	10.80
	23	43.49	6.55	51.34	8.15	59.19	9.77	62.8	10.60	66.41	11.43	67.85	11.46	69.31	11.57
	25	43.49	7.01	51.34	8.73	59.19	10.46	62.8	11.34	66.41	12.23	67.85	12.26	69.31	12.38
	27	43.49	7.50	51.34	9.34	59.19	11.18	62.8	12.12	66.41	13.08	67.85	13.11	69.31	13.24
	29	43.49	8.00	51.34	9.97	59.19	11.94	62.8	12.94	66.41	13.96	67.85	14.00	69.31	14.13
	31	43.49	8.54	51.34	10.63	59.19	12.73	62.8	13.81	66.41	14.88	67.85	14.92	69.31	15.07
	33	43.49	9.08	51.34	11.33	59.19	13.57	62.8	14.71	66.41	15.85	67.85	15.90	69.31	16.06
	35	43.49	9.66	51.34	12.04	59.19	14.42	62.8	15.64	66.41	16.87	67.85	16.92	69.31	17.09
	37	43.49	10.29	51.34	12.82	59.19	15.34	62.8	16.65	66.41	17.94	67.85	17.98	68.44	18.17
	39	43.49	10.34	51.34	12.86	59.19	15.41	62.8	16.71	66.41	18.01	67.19	18.08	67.82	18.25
	41	43.49	10.37	51.34	12.93	59.19	15.48	62.8	16.79	65.95	18.10	66.57	18.15	67.19	18.32
	43	43.49	10.42	51.34	12.99	59.19	15.55	62.8	16.87	65.32	18.18	65.95	18.23	66.57	18.42
	46	43.49	10.47	51.49	13.05	59.03	15.63	60.93	16.95	63.42	18.27	64.05	18.32	63.42	18.50
	48	43.49	10.51	51.49	13.11	57.16	15.70	59.03	17.02	61.55	18.35	62.18	18.41	61.55	18.58
	50	43.49	10.56	51.49	13.17	55.26	15.77	57.16	17.10	59.65	18.43	60.28	18.49	59.65	18.67

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D785W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	38.07	4.39	44.92	5.48	51.8	6.55	54.95	7.12	58.1	7.67	59.37	7.70	60.65	7.77
	12	38.07	4.48	44.92	5.58	51.8	6.68	54.95	7.25	58.1	7.81	59.37	7.84	60.65	7.91
	14	38.07	4.56	44.92	5.68	51.8	6.80	54.95	7.38	58.1	7.96	59.37	7.98	60.65	8.05
	16	38.07	4.63	44.92	5.78	51.8	6.92	54.95	7.51	58.1	8.10	59.37	8.13	60.65	8.20
	18	38.07	4.73	44.92	5.88	51.8	7.04	54.95	7.64	58.1	8.23	59.37	8.26	60.65	8.34
	19	38.07	4.80	44.92	5.99	51.8	7.16	54.95	7.77	58.1	8.38	59.37	8.40	60.65	8.49
	21	38.07	5.15	44.92	6.41	51.8	7.69	54.95	8.33	58.1	8.98	59.37	9.01	60.65	9.10
	23	38.07	5.51	44.92	6.87	51.8	8.23	54.95	8.93	58.1	9.61	59.37	9.65	60.65	9.75
	25	38.07	5.90	44.92	7.36	51.8	8.81	54.95	9.56	58.1	10.30	59.37	10.34	60.65	10.43
	27	38.07	6.31	44.92	7.86	51.8	9.42	54.95	10.21	58.1	11.01	59.37	11.04	60.65	11.14
	29	38.07	6.74	44.92	8.40	51.8	10.05	54.95	10.90	58.1	11.75	59.37	11.79	60.65	11.90
	31	38.07	7.18	44.92	8.95	51.8	10.72	54.95	11.63	58.1	12.53	59.37	12.57	60.65	12.70
	33	38.07	7.65	44.92	9.54	51.8	11.41	54.95	12.39	58.1	13.35	59.37	13.40	60.65	13.52
	35	38.07	8.14	44.92	10.15	51.8	12.15	54.95	13.17	58.1	14.20	59.37	14.25	60.65	14.39
	37	38.07	8.66	44.92	10.79	51.8	12.92	54.95	14.01	58.1	15.10	59.37	15.15	60.65	15.30
	39	38.07	8.70	44.92	10.84	51.8	12.98	54.95	14.07	58.1	15.17	59.37	15.21	60.65	15.36
	41	38.07	8.73	44.92	10.89	51.8	13.03	54.95	14.14	58.1	15.24	59.37	15.29	60.65	15.44
	43	38.07	8.78	44.92	10.94	51.8	13.10	54.95	14.20	58.1	15.31	59.37	15.36	60.65	15.50
	46	38.07	8.82	44.92	10.99	51.8	13.15	54.95	14.27	57.16	15.38	58.25	15.43	59.34	15.58
	48	38.07	8.86	44.92	11.04	51.8	13.22	53.86	14.33	56.04	15.46	57.16	15.50	58.25	15.65
	50	38.07	8.90	44.92	11.08	50.56	13.28	52.74	14.40	54.95	15.52	56.04	15.58	57.16	15.72
60%	10	32.61	3.64	38.5	4.53	44.39	5.43	47.1	5.89	49.81	6.35	50.9	6.37	51.96	6.43
	12	32.61	3.71	38.5	4.62	44.39	5.53	47.1	5.99	49.81	6.46	50.9	6.48	51.96	6.55
	14	32.61	3.78	38.5	4.70	44.39	5.63	47.1	6.11	49.81	6.58	50.9	6.60	51.96	6.67
	16	32.61	3.84	38.5	4.78	44.39	5.73	47.1	6.22	49.81	6.70	50.9	6.72	51.96	6.79
	18	32.61	3.90	38.5	4.88	44.39	5.83	47.1	6.33	49.81	6.82	50.9	6.84	51.96	6.91
	19	32.61	3.98	38.5	4.95	44.39	5.93	47.1	6.43	49.81	6.94	50.9	6.96	51.96	7.02
	21	32.61	4.27	38.5	5.31	44.39	6.36	47.1	6.90	49.81	7.43	50.9	7.45	51.96	7.53
	23	32.61	4.57	38.5	5.68	44.39	6.82	47.1	7.39	49.81	7.97	50.9	7.99	51.96	8.06
	25	32.61	4.89	38.5	6.09	44.39	7.28	47.1	7.91	49.81	8.52	50.9	8.55	51.96	8.63
	27	32.61	5.22	38.5	6.51	44.39	7.79	47.1	8.44	49.81	9.11	50.9	9.15	51.96	9.22
	29	32.61	5.58	38.5	6.95	44.39	8.32	47.1	9.03	49.81	9.73	50.9	9.76	51.96	9.85
	31	32.61	5.95	38.5	7.41	44.39	8.88	47.1	9.62	49.81	10.37	50.9	10.41	51.96	10.50
	33	32.61	6.34	38.5	7.89	44.39	9.45	47.1	10.25	49.81	11.05	50.9	11.08	51.96	11.19
	35	32.61	6.74	38.5	8.40	44.39	10.05	47.1	10.90	49.81	11.75	50.9	11.80	51.96	11.91
	37	32.61	7.16	38.5	8.93	44.39	10.70	47.1	11.60	49.81	12.50	50.9	12.55	51.96	12.67
	39	32.61	7.20	38.5	8.97	44.39	10.75	47.1	11.65	49.81	12.55	50.9	12.59	51.96	12.71
	41	32.61	7.23	38.5	9.01	44.39	10.79	47.1	11.70	49.81	12.62	50.9	12.65	51.96	12.77
	43	32.61	7.26	38.5	9.05	44.39	10.84	47.1	11.75	49.81	12.67	50.9	12.71	51.96	12.84
	46	32.61	7.30	38.5	9.10	44.39	10.89	47.1	11.82	49.81	12.73	50.9	12.77	51.96	12.89
	48	32.61	7.33	38.5	9.13	44.39	10.94	47.1	11.86	48.97	12.79	49.93	12.84	50.87	12.96
	50	32.61	7.37	38.5	9.17	44.39	10.99	46.17	11.92	48.03	12.84	48.97	12.89	49.93	13.01
50%	10	27.19	2.94	32.09	3.67	37.01	4.40	39.25	4.77	41.49	5.14	42.4	5.16	43.3	5.21
	12	27.19	3.01	32.09	3.74	37.01	4.48	39.25	4.86	41.49	5.24	42.4	5.26	43.3	5.31
	14	27.19	3.06	32.09	3.81	37.01	4.56	39.25	4.95	41.49	5.34	42.4	5.35	43.3	5.40
	16	27.19	3.11	32.09	3.88	37.01	4.64	39.25	5.04	41.49	5.43	42.4	5.44	43.3	5.51
	18	27.19	3.16	32.09	3.95	37.01	4.73	39.25	5.12	41.49	5.52	42.4	5.54	43.3	5.60
	19	27.19	3.22	32.09	4.01	37.01	4.80	39.25	5.21	41.49	5.63	42.4	5.64	43.3	5.69
	21	27.19	3.45	32.09	4.30	37.01	5.15	39.25	5.59	41.49	6.02	42.4	6.04	43.3	6.09
	23	27.19	3.70	32.09	4.61	37.01	5.51	39.25	5.99	41.49	6.45	42.4	6.48	43.3	6.53
	25	27.19	3.96	32.09	4.93	37.01	5.90	39.25	6.40	41.49	6.91	42.4	6.92	43.3	6.99
	27	27.19	4.23	32.09	5.27	37.01	6.31	39.25	6.84	41.49	7.38	42.4	7.41	43.3	7.47
	29	27.19	4.51	32.09	5.63	37.01	6.74	39.25	7.31	41.49	7.88	42.4	7.91	43.3	7.99
	31	27.19	4.82	32.09	6.00	37.01	7.19	39.25	7.80	41.49	8.40	42.4	8.43	43.3	8.51
	33	27.19	5.13	32.09	6.39	37.01	7.66	39.25	8.30	41.49	8.95	42.4	8.98	43.3	9.07
	35	27.19	5.46	32.09	6.80	37.01	8.15	39.25	8.84	41.49	9.52	42.4	9.56	43.3	9.64
	37	27.19	5.80	32.09	7.24	37.01	8.66	39.25	9.39	41.49	10.13	42.4	10.17	43.3	10.26
	39	27.19	5.83	32.09	7.26	37.01	8.71	39.25	9.44	41.49	10.17	42.4	10.20	43.3	10.31
	41	27.19	5.85	32.09	7.30	37.01	8.73	39.25	9.48	41.49	10.21	42.4	10.25	43.3	10.35
	43	27.19	5.89	32.09	7.33	37.01	8.78	39.25	9.52	41.49	10.27	42.4	10.30	43.3	10.39
	46	27.19	5.92	32.09	7.37	37.01	8.83	39.25	9.57	41.49	10.32	42.4	10.35	43.3	10.44
	48	27.19	5.95	32.09	7.41	37.01	8.86	39.25	9.61	41.62	10.36	41.99	10.39	42.77	10.49
	50	27.19	5.97	32.09	7.43	37.01	8.90	39.25	9.66	41.21	10.41	41.62	10.44	42.4	10.54

30HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D850W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnúťorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	76.87	8.52	89.79	10.61	103.45	12.71	106.25	13.78	108.11	14.86	109.79	14.90	112.73	15.05
	12	76.87	8.67	89.79	10.81	103.45	12.94	105.31	14.04	107.16	15.13	108.81	15.18	111.71	15.32
	14	76.87	8.84	89.79	11.01	103.45	13.18	104.36	14.29	106.22	15.42	106.86	15.45	110.74	15.60
	16	76.87	8.99	89.79	11.20	102.54	13.42	103.45	14.56	104.29	15.68	105.91	15.74	109.72	15.88
	18	76.87	9.15	89.79	11.40	100.72	13.65	101.6	14.80	103.35	15.95	104.93	16.01	108.71	16.16
	19	76.87	9.31	89.79	11.60	99.81	13.88	100.65	15.06	102.4	16.24	103.96	16.28	107.73	16.44
	21	76.87	9.99	89.79	12.43	98.9	14.88	99.71	16.14	101.46	17.40	102.98	17.45	106.72	17.63
	23	76.87	10.69	89.79	13.32	97.99	15.94	98.8	17.30	100.52	18.64	102	18.69	105.74	18.87
	25	76.87	11.44	89.79	14.26	97.04	17.06	97.85	18.51	99.57	19.95	101.06	20.01	104.73	20.21
	27	76.87	12.22	89.79	15.23	96.13	18.24	96.91	19.79	98.63	21.33	100.08	21.38	102.74	21.59
	29	76.87	13.06	89.08	16.26	95.22	19.47	96	21.13	97.68	22.77	99.1	22.85	102.74	23.06
	31	76.87	13.92	88.81	17.35	94.31	20.76	95.05	22.53	96.74	24.29	98.12	24.36	101.73	24.59
	33	76.87	14.82	88.81	18.47	93.4	22.12	94.14	23.99	95.76	25.87	97.14	25.94	100.75	26.19
	35	76.87	15.77	87.93	19.65	91.58	23.53	93.2	25.52	94.82	27.52	96	27.60	99.74	27.87
	37	76.87	16.78	87.93	20.91	90.4	25.03	92.25	27.14	92.93	29.26	95.05	29.35	97.75	29.64
	39	76.87	16.85	86.69	20.99	89.72	25.14	91.34	27.26	91.98	29.40	94.14	29.48	96.77	29.77
	41	76.87	16.93	84.8	21.09	88.54	25.25	90.4	27.38	91.04	29.52	93.2	29.62	95.76	29.90
	43	77.34	17.00	82.94	21.18	86.99	25.36	88.54	27.52	90.09	29.66	92.29	29.75	94.75	30.04
	46	74.54	17.08	80.14	21.28	83.89	25.48	85.74	27.64	87.6	29.80	89.45	29.89	92.25	30.17
	48	72.69	17.16	77.34	21.38	81.09	25.60	82.94	27.77	84.8	29.94	86.69	30.03	89.45	30.32
	50	70.83	17.24	74.54	21.49	78.29	25.72	80.14	27.90	82	30.07	83.89	30.17	86.69	30.46
120%	10	72.18	8.43	85.98	10.51	99.17	12.59	102.67	13.65	106.35	14.71	107.8	14.76	111.21	14.90
	12	72.18	8.59	85.98	10.71	99.17	12.82	102.67	13.90	105.41	15.00	106.82	15.03	110.23	15.18
	14	72.18	8.74	85.98	10.90	99.17	13.05	102.67	14.16	104.46	15.26	105.88	15.31	109.25	15.45
	16	72.18	8.91	85.98	11.10	99.17	13.28	102.67	14.41	103.55	15.53	104.93	15.58	108.24	15.74
	18	72.18	9.06	85.98	11.29	99.17	13.52	101.76	14.66	102.61	15.80	103.99	15.85	107.26	16.01
	19	72.18	9.22	85.98	11.48	98.09	13.75	100.85	14.91	101.66	16.07	103.01	16.13	106.28	16.28
	21	72.18	9.88	85.98	12.30	97.18	14.74	99	15.99	99.81	17.23	102.07	17.30	105.31	17.45
	23	72.18	10.59	85.98	13.19	95.36	15.79	98.09	17.13	98.86	18.46	101.12	18.52	104.33	18.69
	25	72.18	11.33	85.98	14.12	94.41	16.89	96.27	18.33	97.95	19.75	100.14	19.82	103.35	20.01
	27	72.18	12.10	85.98	15.08	92.59	18.06	95.36	19.59	97.01	21.12	99.2	21.18	102.34	21.38
	29	72.18	12.92	85.98	16.11	91.68	19.29	94.41	20.91	96.06	22.54	98.26	22.63	101.36	22.85
	31	72.18	13.78	85.98	17.18	90.77	20.57	93.5	22.31	95.15	24.05	97.31	24.12	100.38	24.36
	33	72.18	14.69	85.98	18.29	89.86	21.91	92.59	23.77	94.21	25.62	96.33	25.70	99.4	25.94
	35	72.18	15.62	85.27	19.47	88.91	23.31	91.68	25.28	93.3	27.25	95.39	27.34	98.42	27.60
	37	72.18	16.61	84.36	20.71	88	24.79	89.86	26.88	91.41	28.98	94.41	29.08	96.43	29.35
	39	72.18	16.69	83.41	20.79	87.09	24.90	88.91	27.00	90.5	29.12	93.5	29.20	95.46	29.48
	41	72.18	16.76	81.66	20.88	86.18	25.01	88	27.13	89.55	29.23	92.59	29.33	94.48	29.62
	43	72.18	16.84	80.82	20.98	85.27	25.13	87.09	27.25	88.91	29.38	91.68	29.46	93.5	29.75
	46	70.6	16.92	78.83	21.08	82.5	25.25	84.36	27.38	86.18	29.52	88.91	29.60	90.77	29.89
	48	68.74	16.99	77.01	21.18	79.77	25.36	81.59	27.50	83.41	29.65	86.18	29.74	88	30.03
	50	66.92	17.08	75.18	21.28	77.01	25.47	78.83	27.64	80.68	29.78	83.41	29.87	85.27	30.17
110%	10	66.04	8.35	78.22	10.40	88.58	12.46	96.47	13.52	103.65	14.58	106.01	14.62	109.35	14.76
	12	66.04	8.51	78.22	10.61	88.58	12.70	96.47	13.76	102.74	14.84	105.07	14.89	108.41	15.03
	14	66.04	8.66	78.22	10.80	88.58	12.92	96.47	14.02	101.83	15.11	104.13	15.16	107.43	15.31
	16	66.04	8.83	78.22	10.99	88.58	13.16	96.47	14.27	100.92	15.38	103.18	15.43	106.45	15.58
	18	66.04	8.97	78.22	11.18	88.58	13.38	96.47	14.52	100.01	15.65	102.27	15.70	105.51	15.85
	19	66.04	9.13	78.22	11.37	88.58	13.62	96.47	14.78	99.07	15.92	101.33	15.97	104.53	16.12
	21	66.04	9.78	78.22	12.19	88.58	14.59	96.47	15.84	98.15	17.07	100.38	17.12	103.55	17.29
	23	66.04	10.49	78.22	13.06	88.58	15.63	95.56	16.96	97.24	18.29	99.44	18.34	102.61	18.52
	25	66.04	11.22	78.22	13.97	88.58	16.73	94.68	18.15	96.33	19.57	98.49	19.62	101.63	19.82
	27	66.04	11.98	78.22	14.94	88.58	17.89	93.77	19.40	95.42	20.91	97.55	20.97	100.65	21.18
	29	66.04	12.81	78.22	15.95	88.58	19.09	92.86	20.71	94.48	22.33	96.64	22.41	99.71	22.62
	31	66.04	13.65	78.22	17.01	88.58	20.37	91.95	22.09	93.57	23.82	95.69	23.89	98.73	24.12
	33	66.04	14.54	78.22	18.12	87.46	21.70	91.07	23.53	92.66	25.36	94.75	25.45	97.75	25.68
	35	66.04	15.47	78.22	19.28	86.55	23.08	90.16	25.04	91.75	26.98	93.8	27.06	96.77	27.34
	37	66.04	16.46	78.22	20.51	85.64	24.54	88.37	26.62	89.89	28.70	91.95	28.80	94.85	29.07
	39	66.04	16.53	78.22	20.59	84.76	24.66	87.46	26.74	88.98	28.82	91	28.91	93.87	29.20
	41	66.04	16.60	78.22	20.68	83.85	24.76	86.55	26.86	88.07	28.96	90.06	29.04	92.93	29.33
	43	66.04	16.68	78.22	20.78	82.94	24.88	85.64	26.98	87.16	29.10	89.12	29.18	91.95	29.46
	46	64.02	16.76	76.63	20.87	80.24	25.00	82.94	27.12	84.76	29.23	86.55	29.32	88.37	29.60
	48	62.2	16.83	74.85	20.97	77.55	25.11	80.24	27.24	82.03	29.36	83.85	29.45	85.64	29.74
	50	60.41	16.91	73.03	21.07	74.85	25.23	77.55	27.36	79.33	29.50	81.15	29.59	82.94	29.87

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D850W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	58.86	7.79	69.48	9.71	80.11	11.64	85	12.62	92.56	13.60	99.07	13.65	103.01	13.78
	12	58.86	7.94	69.48	9.89	80.11	11.85	85	12.86	92.56	13.86	99.07	13.90	102.1	14.04
	14	58.86	8.09	69.48	10.08	80.11	12.07	85	13.08	92.56	14.10	98.15	14.15	101.19	14.28
	16	58.86	8.23	69.48	10.26	80.11	12.29	85	13.32	92.56	14.36	97.28	14.40	100.28	14.54
	18	58.86	8.37	69.48	10.44	80.11	12.50	85	13.55	92.56	14.61	96.4	14.66	99.37	14.80
	19	58.86	8.52	69.48	10.61	80.11	12.71	85	13.78	92.56	14.86	95.52	14.90	98.46	15.05
	21	58.86	9.13	69.48	11.38	80.11	13.63	85	14.78	92.56	15.94	94.65	15.98	97.51	16.14
	23	58.86	9.78	69.48	12.18	80.11	14.59	85	15.84	92.56	17.07	93.74	17.11	96.6	17.28
	25	58.86	10.47	69.48	13.04	80.11	15.62	85	16.94	92.56	18.25	92.86	18.32	95.69	18.49
	27	58.86	11.19	69.48	13.94	80.11	16.69	85	18.11	91.68	19.51	91.98	19.58	94.78	19.77
	29	58.86	11.95	69.48	14.89	80.11	17.83	85	19.33	90.8	20.85	91.11	20.91	93.87	21.11
	31	58.86	12.74	69.48	15.88	80.11	19.01	85	20.63	89.96	22.22	90.23	22.29	92.96	22.51
	33	58.86	13.57	69.48	16.91	80.11	20.25	85	21.97	89.08	23.68	89.32	23.75	92.05	23.99
	35	58.86	14.44	69.48	17.99	80.11	21.55	85	23.29	87.8	25.18	88.44	25.26	91.14	25.51
	37	58.86	15.36	69.48	19.13	80.11	22.91	85	24.31	86.48	26.79	87.56	26.88	89.32	27.14
	39	58.86	15.42	69.48	19.21	80.11	23.01	85	25.00	85.84	26.91	86.69	26.99	88.41	27.25
	41	58.86	15.50	69.48	19.30	79.06	23.11	84.16	25.70	85	27.03	85.84	27.11	87.5	27.37
	43	58.86	15.56	69.48	19.40	78.19	23.23	83.31	26.64	84.16	27.15	85	27.24	86.59	27.50
	46	58.86	15.63	68.1	19.49	75.66	23.33	82.44	27.62	83.31	27.28	84.16	27.36	85.84	27.63
	48	58.86	15.72	67.39	19.57	73.09	23.44	79.91	27.80	82.44	27.40	81.59	27.48	83.31	27.76
	50	57.81	15.78	66.72	19.67	70.56	23.55	77.34	28.50	79.91	27.54	79.06	27.62	80.75	27.88
90%	10	52.99	6.74	62.54	8.41	72.12	10.06	76.5	10.91	80.88	11.76	91.71	11.80	93.6	11.90
	12	52.99	6.86	62.54	8.55	72.12	10.24	76.5	11.11	80.88	11.97	91.71	12.02	93.6	12.13
	14	52.99	6.99	62.54	8.71	72.12	10.42	76.5	11.31	80.88	12.19	91.71	12.23	93.6	12.35
	16	52.99	7.11	62.54	8.86	72.12	10.62	76.5	11.52	80.88	12.41	91.71	12.45	93.6	12.57
	18	52.99	7.25	62.54	9.03	72.12	10.81	76.5	11.72	80.88	12.62	91.71	12.67	92.56	12.80
	19	52.99	7.37	62.54	9.18	72.12	10.99	76.5	11.92	80.88	12.84	91.04	12.89	91.81	13.02
	21	52.99	7.90	62.54	9.84	72.12	11.78	76.5	12.78	80.88	13.77	90.26	13.82	91.04	13.95
	23	52.99	8.45	62.54	10.54	72.12	12.62	76.5	13.68	80.88	14.76	89.52	14.80	90.26	14.94
	25	52.99	9.05	62.54	11.28	72.12	13.50	76.5	14.64	80.88	15.79	88.74	15.84	89.52	15.99
	27	52.99	9.67	62.54	12.06	72.12	14.44	76.5	15.65	80.88	16.88	87.97	16.93	88.74	17.10
	29	52.99	10.33	62.54	12.87	72.12	15.42	76.5	16.71	80.88	18.02	87.23	18.07	87.97	18.25
	31	52.99	11.02	62.54	13.73	72.12	16.44	76.5	17.83	80.88	19.21	86.45	19.28	87.23	19.47
	33	52.99	11.74	62.54	14.62	72.12	17.51	76.5	18.99	80.88	20.47	85.67	20.53	86.45	20.73
	35	52.99	12.49	62.54	15.55	72.12	18.63	76.5	20.20	80.88	21.77	84.9	21.84	85.67	22.05
	37	52.99	13.28	62.54	16.54	72.12	19.81	76.5	21.49	80.88	23.16	84.16	23.23	84.9	23.46
	39	52.99	13.33	62.54	16.61	72.12	19.89	76.5	21.58	80.31	23.27	83.38	23.33	84.16	23.56
	41	52.99	13.40	62.54	16.69	72.12	19.99	76.5	21.67	79.57	23.37	82.61	23.44	83.38	23.67
	43	52.99	13.46	62.54	16.77	72.12	20.07	75.72	21.77	78.79	23.47	81.86	23.55	82.61	23.77
	46	52.99	13.52	62.54	16.84	69.62	20.17	73.43	21.87	76.5	23.58	79.57	23.65	80.31	23.89
	48	52.99	13.58	62.54	16.92	67.33	20.26	71.14	21.97	74.21	23.68	77.28	23.77	78.02	23.99
	50	52.99	13.65	61.19	16.99	65.03	20.35	68.84	22.08	71.91	23.80	74.98	23.87	75.72	24.10
80%	10	47.09	5.76	55.59	7.17	64.09	8.59	68	9.32	71.91	10.05	73.46	10.07	75.05	10.17
	12	47.09	5.87	55.59	7.31	64.09	8.75	68	9.49	71.91	10.23	73.46	10.26	75.05	10.36
	14	47.09	5.97	55.59	7.45	64.09	8.91	68	9.67	71.91	10.42	73.46	10.45	75.05	10.55
	16	47.09	6.08	55.59	7.58	64.09	9.06	68	9.83	71.91	10.61	73.46	10.64	75.05	10.74
	18	47.09	6.19	55.59	7.70	64.09	9.23	68	10.00	71.91	10.79	73.46	10.82	75.05	10.93
	19	47.09	6.29	55.59	7.84	64.09	9.38	68	10.19	71.91	10.98	73.46	11.01	75.05	11.12
	21	47.09	6.74	55.59	8.41	64.09	10.07	68	10.91	71.91	11.76	73.46	11.80	75.05	11.92
	23	47.09	7.23	55.59	9.00	64.09	10.78	68	11.68	71.91	12.60	73.46	12.64	75.05	12.76
	25	47.09	7.73	55.59	9.63	64.09	11.54	68	12.50	71.91	13.48	73.46	13.53	75.05	13.65
	27	47.09	8.27	55.59	10.30	64.09	12.32	68	13.37	71.91	14.42	73.46	14.46	75.05	14.60
	29	47.09	8.83	55.59	11.00	64.09	13.16	68	14.27	71.91	15.40	73.46	15.43	75.05	15.59
	31	47.09	9.41	55.59	11.72	64.09	14.04	68	15.22	71.91	16.41	73.46	16.46	75.05	16.62
	33	47.09	10.02	55.59	12.49	64.09	14.96	68	16.22	71.91	17.48	73.46	17.53	75.05	17.71
	35	47.09	10.66	55.59	13.28	64.09	15.91	68	17.25	71.91	18.60	73.46	18.66	75.05	18.84
	37	47.09	11.35	55.59	14.14	64.09	16.92	68	18.35	71.91	19.79	73.46	19.84	74.11	20.03
	39	47.09	11.39	55.59	14.19	64.09	16.99	68	18.43	71.91	19.87	72.76	19.93	73.43	20.13
	41	47.09	11.45	55.59	14.26	64.09	17.07	68	18.51	71.41	19.95	72.08	20.02	72.76	20.21
	43	47.09	11.50	55.59	14.32	64.09	17.15	68	18.60	70.73	20.05	71.41	20.11	72.08	20.31
	46	47.09	11.55	55.76	14.38	63.92	17.23	65.98	18.69	68.67	20.14	69.35	20.21	68.67	20.41
	48	47.09	11.60	55.76	14.46	61.89	17.31	63.92	18.77	66.65	20.23	67.33	20.30	66.65	20.49
	50	47.09	11.66	55.76	14.52	59.84	17.39	61.89	18.86	64.59	20.33	65.27	20.39	64.59	20.59

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D850W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	41.22	4.85	48.64	6.04	56.09	7.23	59.5	7.85	62.91	8.46	64.29	8.49	65.67	8.57
	12	41.22	4.94	48.64	6.15	56.09	7.37	59.5	7.99	62.91	8.61	64.29	8.64	65.67	8.73
	14	41.22	5.03	48.64	6.27	56.09	7.50	59.5	8.13	62.91	8.77	64.29	8.80	65.67	8.88
	16	41.22	5.11	48.64	6.37	56.09	7.63	59.5	8.29	62.91	8.93	64.29	8.95	65.67	9.05
	18	41.22	5.21	48.64	6.49	56.09	7.77	59.5	8.42	62.91	9.08	64.29	9.11	65.67	9.20
	19	41.22	5.29	48.64	6.61	56.09	7.90	59.5	8.57	62.91	9.25	64.29	9.26	65.67	9.36
	21	41.22	5.68	48.64	7.07	56.09	8.47	59.5	9.19	62.91	9.90	64.29	9.94	65.67	10.03
	23	41.22	6.09	48.64	7.58	56.09	9.07	59.5	9.85	62.91	10.61	64.29	10.64	65.67	10.74
	25	41.22	6.51	48.64	8.11	56.09	9.71	59.5	10.53	62.91	11.36	64.29	11.39	65.67	11.50
	27	41.22	6.95	48.64	8.67	56.09	10.39	59.5	11.26	62.91	12.14	64.29	12.18	65.67	12.29
	29	41.22	7.43	48.64	9.26	56.09	11.08	59.5	12.02	62.91	12.96	64.29	13.00	65.67	13.12
	31	41.22	7.92	48.64	9.87	56.09	11.82	59.5	12.82	62.91	13.82	64.29	13.86	65.67	14.00
	33	41.22	8.44	48.64	10.52	56.09	12.60	59.5	13.66	62.91	14.72	64.29	14.78	65.67	14.91
	35	41.22	8.98	48.64	11.19	56.09	13.40	59.5	14.53	62.91	15.66	64.29	15.72	65.67	15.86
	37	41.22	9.55	48.64	11.90	56.09	14.25	59.5	15.45	62.91	16.66	64.29	16.71	65.67	16.88
	39	41.22	9.59	48.64	11.95	56.09	14.31	59.5	15.52	62.91	16.73	64.29	16.78	65.67	16.95
	41	41.22	9.63	48.64	12.00	56.09	14.38	59.5	15.59	62.91	16.81	64.29	16.86	65.67	17.02
	43	41.22	9.68	48.64	12.06	56.09	14.44	59.5	15.66	62.91	16.88	64.29	16.94	65.67	17.10
	46	41.22	9.73	48.64	12.12	56.09	14.50	59.5	15.74	61.89	16.96	63.08	17.01	64.26	17.18
	48	41.22	9.77	48.64	12.18	56.09	14.58	58.32	15.81	60.68	17.04	61.89	17.10	63.08	17.26
	50	41.22	9.81	48.64	12.22	54.74	14.64	57.11	15.88	59.5	17.11	60.68	17.18	61.89	17.33
60%	10	35.32	4.02	41.69	4.99	48.07	5.99	51	6.49	53.93	7.00	55.12	7.03	56.26	7.09
	12	35.32	4.09	41.69	5.09	48.07	6.10	51	6.61	53.93	7.13	55.12	7.15	56.26	7.23
	14	35.32	4.16	41.69	5.18	48.07	6.21	51	6.74	53.93	7.27	55.12	7.28	56.26	7.35
	16	35.32	4.24	41.69	5.28	48.07	6.32	51	6.85	53.93	7.39	55.12	7.41	56.26	7.48
	18	35.32	4.31	41.69	5.38	48.07	6.43	51	6.97	53.93	7.52	55.12	7.55	56.26	7.61
	19	35.32	4.39	41.69	5.47	48.07	6.54	51	7.09	53.93	7.65	55.12	7.67	56.26	7.75
	21	35.32	4.70	41.69	5.85	48.07	7.01	51	7.61	53.93	8.21	55.12	8.22	56.26	8.31
	23	35.32	5.04	41.69	6.27	48.07	7.51	51	8.15	53.93	8.79	55.12	8.81	56.26	8.89
	25	35.32	5.39	41.69	6.71	48.07	8.04	51	8.73	53.93	9.40	55.12	9.43	56.26	9.52
	27	35.32	5.76	41.69	7.17	48.07	8.59	51	9.32	53.93	10.05	55.12	10.09	56.26	10.18
	29	35.32	6.15	41.69	7.67	48.07	9.17	51	9.95	53.93	10.72	55.12	10.76	56.26	10.86
	31	35.32	6.55	41.69	8.17	48.07	9.78	51	10.61	53.93	11.45	55.12	11.48	56.26	11.58
	33	35.32	6.99	41.69	8.71	48.07	10.42	51	11.31	53.93	12.18	55.12	12.22	56.26	12.34
	35	35.32	7.43	41.69	9.26	48.07	11.09	51	12.02	53.93	12.96	55.12	13.01	56.26	13.12
	37	35.32	7.90	41.69	9.85	48.07	11.80	51	12.79	53.93	13.78	55.12	13.84	56.26	13.96
	39	35.32	7.94	41.69	9.88	48.07	11.85	51	12.84	53.93	13.85	55.12	13.89	56.26	14.02
	41	35.32	7.97	41.69	9.94	48.07	11.90	51	12.91	53.93	13.92	55.12	13.96	56.26	14.08
	43	35.32	8.01	41.69	9.99	48.07	11.96	51	12.96	53.93	13.97	55.12	14.02	56.26	14.16
	46	35.32	8.05	41.69	10.03	48.07	12.00	51	13.02	53.93	14.04	55.12	14.08	56.26	14.22
	48	35.32	8.09	41.69	10.07	48.07	12.07	51	13.08	53.02	14.10	54.07	14.15	55.08	14.28
	50	35.32	8.12	41.69	10.12	48.07	12.12	49.99	13.14	52.01	14.17	53.02	14.22	54.07	14.36
50%	10	29.45	3.25	34.74	4.05	40.07	4.86	42.5	5.26	44.93	5.67	45.91	5.69	46.88	5.75
	12	29.45	3.31	34.74	4.13	40.07	4.94	42.5	5.36	44.93	5.78	45.91	5.80	46.88	5.85
	14	29.45	3.38	34.74	4.20	40.07	5.03	42.5	5.46	44.93	5.89	45.91	5.90	46.88	5.95
	16	29.45	3.43	34.74	4.27	40.07	5.12	42.5	5.55	44.93	5.99	45.91	6.01	46.88	6.07
	18	29.45	3.50	34.74	4.35	40.07	5.21	42.5	5.65	44.93	6.09	45.91	6.12	46.88	6.17
	19	29.45	3.55	34.74	4.43	40.07	5.29	42.5	5.75	44.93	6.20	45.91	6.22	46.88	6.27
	21	29.45	3.82	34.74	4.75	40.07	5.69	42.5	6.17	44.93	6.64	45.91	6.66	46.88	6.73
	23	29.45	4.08	34.74	5.08	40.07	6.09	42.5	6.61	44.93	7.11	45.91	7.14	46.88	7.21
	25	29.45	4.37	34.74	5.44	40.07	6.51	42.5	7.06	44.93	7.61	45.91	7.63	46.88	7.71
	27	29.45	4.67	34.74	5.81	40.07	6.96	42.5	7.55	44.93	8.14	45.91	8.17	46.88	8.24
	29	29.45	4.98	34.74	6.21	40.07	7.43	42.5	8.07	44.93	8.69	45.91	8.73	46.88	8.81
	31	29.45	5.31	34.74	6.63	40.07	7.93	42.5	8.61	44.93	9.26	45.91	9.30	46.88	9.38
	33	29.45	5.66	34.74	7.06	40.07	8.44	42.5	9.16	44.93	9.87	45.91	9.90	46.88	10.00
	35	29.45	6.02	34.74	7.50	40.07	8.98	42.5	9.75	44.93	10.51	45.91	10.54	46.88	10.64
	37	29.45	6.41	34.74	7.99	40.07	9.55	42.5	10.36	44.93	11.17	45.91	11.21	46.88	11.32
	39	29.45	6.43	34.74	8.01	40.07	9.60	42.5	10.40	44.93	11.22	45.91	11.25	46.88	11.36
	41	29.45	6.46	34.74	8.05	40.07	9.64	42.5	10.46	44.93	11.26	45.91	11.31	46.88	11.42
	43	29.45	6.49	34.74	8.09	40.07	9.68	42.5	10.51	44.93	11.33	45.91	11.36	46.88	11.46
	46	29.45	6.53	34.74	8.12	40.07	9.73	42.5	10.55	44.93	11.38	45.91	11.41	46.88	11.52
	48	29.45	6.55	34.74	8.17	40.07	9.77	42.5	10.61	45.06	11.43	45.47	11.46	46.31	11.58
	50	29.45	6.59	34.74	8.21	40.07	9.82	42.5	10.65	44.63	11.48	45.06	11.52	45.91	11.63

32HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D900W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	81.39	9.28	95.07	11.55	109.54	13.83	112.5	15.01	114.46	16.18	116.25	16.23	119.36	16.38
	12	81.39	9.44	95.07	11.77	109.54	14.09	111.5	15.28	113.46	16.47	115.21	16.52	118.29	16.69
	14	81.39	9.63	95.07	11.99	109.54	14.35	110.5	15.56	112.46	16.78	113.14	16.82	117.25	16.98
	16	81.39	9.79	95.07	12.19	108.57	14.60	109.54	15.85	110.43	17.07	112.14	17.13	116.18	17.29
	18	81.39	9.96	95.07	12.41	106.64	14.86	107.57	16.12	109.43	17.37	111.11	17.42	115.11	17.60
	19	81.39	10.14	95.07	12.63	105.68	15.12	106.57	16.40	108.43	17.68	110.07	17.73	114.07	17.90
	21	81.39	10.87	95.07	13.54	104.71	16.20	105.57	17.57	107.43	18.94	109.04	19.00	113	19.20
	23	81.39	11.64	95.07	14.49	103.75	17.35	104.61	18.83	106.43	20.29	108	20.35	111.96	20.55
	25	81.39	12.44	95.07	15.52	102.75	18.57	103.61	20.15	105.43	21.72	107	21.78	110.89	22.00
	27	81.39	13.30	95.07	16.58	101.79	19.86	102.61	21.54	104.43	23.22	105.96	23.28	108.79	23.52
	29	81.39	14.22	94.32	17.71	100.82	21.19	101.64	23.00	103.43	24.80	104.93	24.87	108.79	25.11
	31	81.39	15.15	94.04	18.89	99.86	22.60	100.64	24.52	102.43	26.44	103.89	26.52	107.71	26.77
	33	81.39	16.14	94.04	20.11	98.89	24.08	99.68	26.11	101.39	28.16	102.86	28.24	106.68	28.51
	35	81.39	17.17	93.11	21.39	96.96	25.62	98.68	27.78	100.39	29.96	101.64	30.05	105.61	30.34
	37	81.39	18.26	93.11	22.77	95.71	27.25	97.68	29.55	98.39	31.86	100.64	31.95	103.5	32.26
	39	81.39	18.34	91.79	22.86	95	27.36	96.71	29.68	97.39	32.01	99.68	32.10	102.46	32.41
	41	81.39	18.43	89.79	22.97	93.75	27.49	95.71	29.81	96.39	32.13	98.68	32.24	101.39	32.56
	43	81.89	18.52	87.82	23.06	92.11	27.61	93.75	29.96	95.39	32.30	97.71	32.39	100.32	32.70
	46	78.93	18.59	84.86	23.17	88.82	27.74	90.79	30.09	92.75	32.45	94.71	32.54	97.68	32.85
	48	76.96	18.68	81.89	23.28	85.86	27.87	87.82	30.23	89.79	32.59	91.79	32.68	94.71	33.01
	50	75	18.78	78.93	23.39	82.89	28.00	84.86	30.38	86.82	32.74	88.82	32.85	91.79	33.16
120%	10	76.43	9.19	91.04	11.44	105	13.71	108.71	14.86	112.61	16.01	114.14	16.07	117.75	16.23
	12	76.43	9.35	91.04	11.66	105	13.96	108.71	15.13	111.61	16.32	113.11	16.36	116.71	16.52
	14	76.43	9.52	91.04	11.86	105	14.20	108.71	15.41	110.61	16.62	112.11	16.67	115.68	16.82
	16	76.43	9.70	91.04	12.08	105	14.46	108.71	15.68	109.64	16.91	111.11	16.96	114.61	17.13
	18	76.43	9.86	91.04	12.30	105	14.71	107.75	15.96	108.64	17.20	110.11	17.26	113.57	17.42
	19	76.43	10.03	91.04	12.50	103.86	14.97	106.79	16.23	107.64	17.49	109.07	17.55	112.54	17.73
	21	76.43	10.76	91.04	13.40	102.89	16.05	104.82	17.40	105.68	18.76	108.07	18.83	111.5	19.00
	23	76.43	11.53	91.04	14.37	100.96	17.18	103.86	18.65	104.68	20.09	107.07	20.17	110.46	20.35
	25	76.43	12.33	91.04	15.37	99.96	18.39	101.93	19.95	103.71	21.50	106.04	21.58	109.43	21.78
	27	76.43	13.18	91.04	16.42	98.04	19.67	100.96	21.32	102.71	22.98	105.04	23.06	108.36	23.28
	29	76.43	14.07	91.04	17.53	97.07	20.99	99.96	22.77	101.71	24.54	104.04	24.63	107.32	24.87
	31	76.43	15.01	91.04	18.70	96.11	22.40	99	24.28	100.75	26.19	103.04	26.26	106.29	26.52
	33	76.43	15.99	91.04	19.91	95.14	23.84	98.04	25.88	99.75	27.89	102	27.98	105.25	28.24
	35	76.43	17.00	90.29	21.19	94.14	25.38	97.07	27.52	98.79	29.66	101	29.76	104.21	30.05
	37	76.43	18.08	89.32	22.55	93.18	26.99	95.14	29.26	96.79	31.55	99.96	31.66	102.11	31.95
	39	76.43	18.17	88.32	22.64	92.21	27.10	94.14	29.39	95.82	31.70	99	31.79	101.07	32.10
	41	76.43	18.25	86.46	22.73	91.25	27.23	93.18	29.54	94.82	31.82	98.04	31.93	100.04	32.24
	43	76.43	18.34	85.57	22.84	90.29	27.36	92.21	29.66	94.14	31.99	97.07	32.08	99	32.39
	46	74.75	18.43	83.46	22.95	87.36	27.49	89.32	29.81	91.25	32.13	94.14	32.23	96.11	32.54
	48	72.79	18.50	81.54	23.06	84.46	27.61	86.39	29.94	88.32	32.28	91.25	32.37	93.18	32.68
	50	70.86	18.59	79.61	23.17	81.54	27.72	83.46	30.09	85.43	32.43	88.32	32.52	90.29	32.85
110%	10	69.93	9.10	82.82	11.33	93.79	13.56	102.14	14.71	109.75	15.87	112.25	15.92	115.79	16.07
	12	69.93	9.26	82.82	11.55	93.79	13.82	102.14	14.99	108.79	16.16	111.25	16.21	114.79	16.36
	14	69.93	9.42	82.82	11.75	93.79	14.07	102.14	15.26	107.82	16.45	110.25	16.51	113.75	16.67
	16	69.93	9.61	82.82	11.97	93.79	14.33	102.14	15.54	106.86	16.74	109.25	16.80	112.71	16.96
	18	69.93	9.77	82.82	12.17	93.79	14.57	102.14	15.81	105.89	17.04	108.29	17.09	111.71	17.26
	19	69.93	9.94	82.82	12.39	93.79	14.82	102.14	16.09	104.89	17.33	107.29	17.39	110.68	17.55
	21	69.93	10.65	82.82	13.27	93.79	15.88	102.14	17.24	103.93	18.57	106.29	18.65	109.64	18.81
	23	69.93	11.42	82.82	14.22	93.79	17.02	101.18	18.46	102.96	19.91	105.29	19.97	108.64	20.17
	25	69.93	12.21	82.82	15.21	93.79	18.21	100.25	19.76	102	21.30	104.29	21.36	107.61	21.58
	27	69.93	13.05	82.82	16.27	93.79	19.47	99.29	21.12	101.04	22.77	103.29	22.84	106.57	23.06
	29	69.93	13.94	82.82	17.37	93.79	20.79	98.32	22.55	100.04	24.30	102.32	24.39	105.57	24.61
	31	69.93	14.86	82.82	18.52	93.79	22.18	97.36	24.05	99.07	25.93	101.32	26.00	104.54	26.26
	33	69.93	15.83	82.82	19.73	92.61	23.63	96.43	25.62	98.11	27.61	100.32	27.71	103.5	27.96
	35	69.93	16.84	82.82	20.99	91.64	25.13	95.46	27.25	97.14	29.37	99.32	29.46	102.46	29.76
	37	69.93	17.92	82.82	22.33	90.68	26.72	93.57	28.99	95.18	31.26	97.36	31.35	100.43	31.64
	39	69.93	17.99	82.82	22.42	89.75	26.85	92.61	29.12	94.21	31.38	96.36	31.48	99.39	31.79
	41	69.93	18.08	82.82	22.51	88.79	26.96	91.64	29.24	93.25	31.53	95.36	31.62	98.39	31.93
	43	69.93	18.15	82.82	22.62	87.82	27.08	90.68	29.37	92.29	31.68	94.36	31.77	97.36	32.08
	46	67.79	18.25	81.14	22.73	84.96	27.21	87.82	29.52	89.75	31.82	91.64	31.92	93.57	32.23
	48	65.86	18.32	79.25	22.84	82.11	27.34	84.96	29.65	86.86	31.97	88.79	32.06	90.68	32.37
	50	63.96	18.41	77.32	22.93	79.25	27.47	82.11	29.79	84	32.12	85.93	32.21	87.82	32.52

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D900W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	62.32	8.49	73.57	10.58	84.82	12.66	90	13.74	98	14.80	104.89	14.86	109.07	15.01
	12	62.32	8.64	73.57	10.78	84.82	12.90	90	14.00	98	15.08	104.89	15.13	108.11	15.28
	14	62.32	8.80	73.57	10.96	84.82	13.14	90	14.24	98	15.35	103.93	15.41	107.14	15.56
	16	62.32	8.97	73.57	11.16	84.82	13.38	90	14.49	98	15.63	103	15.68	106.18	15.83
	18	62.32	9.11	73.57	11.36	84.82	13.60	90	14.75	98	15.90	102.07	15.96	105.21	16.10
	19	62.32	9.28	73.57	11.55	84.82	13.83	90	15.01	98	16.18	101.14	16.23	104.25	16.38
	21	62.32	9.94	73.57	12.39	84.82	14.84	90	16.09	98	17.35	100.21	17.40	103.25	17.57
	23	62.32	10.65	73.57	13.27	84.82	15.88	90	17.24	98	18.57	99.25	18.63	102.29	18.81
	25	62.32	11.40	73.57	14.20	84.82	17.00	90	18.45	98	19.87	98.32	19.95	101.32	20.13
	27	62.32	12.19	73.57	15.17	84.82	18.17	90	19.71	97.07	21.25	97.39	21.32	100.36	21.52
	29	62.32	13.01	73.57	16.21	84.82	19.42	90	21.05	96.14	22.69	96.46	22.77	99.39	22.98
	31	62.32	13.87	73.57	17.29	84.82	20.70	90	22.45	95.25	24.19	95.54	24.27	98.43	24.50
	33	62.32	14.77	73.57	18.41	84.82	22.05	90	23.92	94.32	25.78	94.57	25.86	97.46	26.11
	35	62.32	15.72	73.57	19.58	84.82	23.46	90	25.42	92.96	27.41	93.64	27.50	96.5	27.78
	37	62.32	16.73	73.57	20.83	84.82	24.94	90	26.46	91.57	29.17	92.71	29.26	94.57	29.54
	39	62.32	16.80	73.57	20.92	84.82	25.05	90	27.21	90.89	29.30	91.79	29.39	93.61	29.66
	41	62.32	16.87	73.57	21.01	83.71	25.16	89.11	27.98	90	29.43	90.89	29.52	92.64	29.79
	43	62.32	16.95	73.57	21.12	82.79	25.29	88.21	29.01	89.11	29.55	90	29.65	91.68	29.94
	46	62.32	17.02	72.11	21.21	80.11	25.40	87.29	30.07	88.21	29.70	89.11	29.79	90.89	30.09
	48	62.32	17.11	71.36	21.30	77.39	25.51	84.61	30.27	87.29	29.83	86.39	29.92	88.21	30.21
	50	61.21	17.18	70.64	21.41	74.71	25.64	81.89	31.04	84.61	29.98	83.71	30.07	85.5	30.36
90%	10	56.11	7.34	66.21	9.15	76.36	10.94	81	11.88	85.64	12.81	97.11	12.85	99.11	12.96
	12	56.11	7.47	66.21	9.31	76.36	11.14	81	12.10	85.64	13.03	97.11	13.08	99.11	13.21
	14	56.11	7.61	66.21	9.48	76.36	11.35	81	12.32	85.64	13.27	97.11	13.32	99.11	13.45
	16	56.11	7.74	66.21	9.64	76.36	11.57	81	12.54	85.64	13.51	97.11	13.56	99.11	13.69
	18	56.11	7.89	66.21	9.83	76.36	11.77	81	12.76	85.64	13.74	97.11	13.80	98	13.93
	19	56.11	8.02	66.21	9.99	76.36	11.97	81	12.97	85.64	13.98	96.39	14.04	97.21	14.16
	21	56.11	8.60	66.21	10.71	76.36	12.83	81	13.91	85.64	14.99	95.57	15.04	96.39	15.19
	23	56.11	9.20	66.21	11.47	76.36	13.74	81	14.90	85.64	16.07	94.79	16.10	95.57	16.27
	25	56.11	9.85	66.21	12.28	76.36	14.69	81	15.94	85.64	17.18	93.96	17.24	94.79	17.40
	27	56.11	10.54	66.21	13.12	76.36	15.72	81	17.04	85.64	18.37	93.14	18.43	93.96	18.61
	29	56.11	11.25	66.21	14.02	76.36	16.78	81	18.19	85.64	19.62	92.36	19.67	93.14	19.87
	31	56.11	11.99	66.21	14.95	76.36	17.90	81	19.40	85.64	20.92	91.54	20.99	92.36	21.19
	33	56.11	12.77	66.21	15.92	76.36	19.05	81	20.68	85.64	22.29	90.71	22.34	91.54	22.56
	35	56.11	13.60	66.21	16.93	76.36	20.28	81	22.00	85.64	23.70	89.89	23.77	90.71	24.01
	37	56.11	14.46	66.21	18.01	76.36	21.56	81	23.39	85.64	25.22	89.11	25.29	89.89	25.53
	39	56.11	14.51	66.21	18.08	76.36	21.65	81	23.50	85.04	25.33	88.29	25.40	89.11	25.64
	41	56.11	14.59	66.21	18.17	76.36	21.76	81	23.59	84.25	25.44	87.46	25.51	88.29	25.77
	43	56.11	14.66	66.21	18.25	76.36	21.85	80.18	23.70	83.43	25.55	86.68	25.64	87.46	25.88
	46	56.11	14.71	66.21	18.34	73.71	21.96	77.75	23.81	81	25.67	84.25	25.75	85.04	26.00
	48	56.11	14.79	66.21	18.43	71.29	22.05	75.32	23.92	78.57	25.78	81.82	25.88	82.61	26.11
	50	56.11	14.86	64.79	18.50	68.86	22.16	72.89	24.03	76.14	25.91	79.39	25.99	80.18	26.24
80%	10	49.86	6.28	58.86	7.81	67.86	9.35	72	10.14	76.14	10.94	77.79	10.96	79.46	11.07
	12	49.86	6.39	58.86	7.96	67.86	9.53	72	10.34	76.14	11.14	77.79	11.16	79.46	11.27
	14	49.86	6.50	58.86	8.11	67.86	9.70	72	10.52	76.14	11.35	77.79	11.38	79.46	11.49
	16	49.86	6.62	58.86	8.25	67.86	9.86	72	10.71	76.14	11.55	77.79	11.58	79.46	11.69
	18	49.86	6.73	58.86	8.38	67.86	10.05	72	10.89	76.14	11.75	77.79	11.79	79.46	11.90
	19	49.86	6.84	58.86	8.53	67.86	10.21	72	11.09	76.14	11.95	77.79	11.99	79.46	12.10
	21	49.86	7.34	58.86	9.15	67.86	10.96	72	11.88	76.14	12.81	77.79	12.85	79.46	12.97
	23	49.86	7.87	58.86	9.79	67.86	11.73	72	12.72	76.14	13.73	77.79	13.76	79.46	13.89
	25	49.86	8.42	58.86	10.49	67.86	12.55	72	13.62	76.14	14.68	77.79	14.73	79.46	14.86
	27	49.86	9.00	58.86	11.22	67.86	13.41	72	14.55	76.14	15.70	77.79	15.74	79.46	15.90
	29	49.86	9.61	58.86	11.97	67.86	14.33	72	15.54	76.14	16.76	77.79	16.80	79.46	16.96
	31	49.86	10.25	58.86	12.76	67.86	15.28	72	16.58	76.14	17.86	77.79	17.92	79.46	18.10
	33	49.86	10.91	58.86	13.60	67.86	16.29	72	17.66	76.14	19.03	77.79	19.09	79.46	19.27
	35	49.86	11.60	58.86	14.46	67.86	17.31	72	18.78	76.14	20.26	77.79	20.31	79.46	20.51
	37	49.86	12.35	58.86	15.39	67.86	18.43	72	19.98	76.14	21.54	77.79	21.59	78.46	21.81
	39	49.86	12.41	58.86	15.45	67.86	18.50	72	20.06	76.14	21.63	77.04	21.70	77.75	21.91
	41	49.86	12.46	58.86	15.52	67.86	18.57	72	20.15	75.61	21.72	76.32	21.80	77.04	22.00
	43	49.86	12.52	58.86	15.59	67.86	18.67	72	20.26	74.89	21.83	75.61	21.89	76.32	22.11
	46	49.86	12.57	59.04	15.66	67.68	18.76	69.86	20.35	72.71	21.92	73.43	22.00	72.71	22.22
	48	49.86	12.63	59.04	15.74	65.54	18.85	67.68	20.44	70.57	22.03	71.29	22.11	70.57	22.31
	50	49.86	12.68	59.04	15.81	63.36	18.92	65.54	20.53	68.39	22.12	69.11	22.20	68.39	22.42

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D900W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	43.64	5.27	51.5	6.57	59.39	7.87	63	8.55	66.61	9.20	68.07	9.24	69.54	9.33
	12	43.64	5.38	51.5	6.70	59.39	8.02	63	8.69	66.61	9.37	68.07	9.41	69.54	9.50
	14	43.64	5.47	51.5	6.83	59.39	8.16	63	8.86	66.61	9.55	68.07	9.57	69.54	9.66
	16	43.64	5.56	51.5	6.94	59.39	8.31	63	9.02	66.61	9.72	68.07	9.75	69.54	9.85
	18	43.64	5.67	51.5	7.06	59.39	8.45	63	9.17	66.61	9.88	68.07	9.92	69.54	10.01
	19	43.64	5.76	51.5	7.19	59.39	8.60	63	9.33	66.61	10.07	68.07	10.08	69.54	10.19
	21	43.64	6.19	51.5	7.70	59.39	9.22	63	10.01	66.61	10.78	68.07	10.82	69.54	10.93
	23	43.64	6.62	51.5	8.25	59.39	9.88	63	10.72	66.61	11.55	68.07	11.58	69.54	11.69
	25	43.64	7.08	51.5	8.84	59.39	10.58	63	11.47	66.61	12.37	68.07	12.41	69.54	12.52
	27	43.64	7.58	51.5	9.44	59.39	11.31	63	12.26	66.61	13.21	68.07	13.25	69.54	13.38
	29	43.64	8.09	51.5	10.08	59.39	12.06	63	13.08	66.61	14.11	68.07	14.15	69.54	14.29
	31	43.64	8.62	51.5	10.74	59.39	12.86	63	13.96	66.61	15.04	68.07	15.10	69.54	15.24
	33	43.64	9.19	51.5	11.46	59.39	13.71	63	14.88	66.61	16.03	68.07	16.09	69.54	16.23
	35	43.64	9.77	51.5	12.19	59.39	14.59	63	15.81	66.61	17.06	68.07	17.11	69.54	17.28
	37	43.64	10.39	51.5	12.96	59.39	15.52	63	16.82	66.61	18.14	68.07	18.19	69.54	18.37
	39	43.64	10.45	51.5	13.01	59.39	15.57	63	16.89	66.61	18.21	68.07	18.26	69.54	18.45
	41	43.64	10.49	51.5	13.07	59.39	15.65	63	16.96	66.61	18.30	68.07	18.35	69.54	18.54
	43	43.64	10.54	51.5	13.12	59.39	15.72	63	17.06	66.61	18.37	68.07	18.45	69.54	18.61
	46	43.64	10.60	51.5	13.19	59.39	15.79	63	17.13	65.54	18.46	66.79	18.52	68.04	18.70
	48	43.64	10.63	51.5	13.25	59.39	15.87	61.75	17.20	64.25	18.56	65.54	18.61	66.79	18.79
	50	43.64	10.69	51.5	13.30	57.96	15.94	60.46	17.29	63	18.63	64.25	18.70	65.54	18.87
60%	10	37.39	4.37	44.14	5.44	50.89	6.51	54	7.06	57.11	7.61	58.36	7.65	59.57	7.72
	12	37.39	4.45	44.14	5.54	50.89	6.64	54	7.19	57.11	7.76	58.36	7.78	59.57	7.87
	14	37.39	4.54	44.14	5.64	50.89	6.75	54	7.34	57.11	7.91	58.36	7.92	59.57	8.00
	16	37.39	4.61	44.14	5.75	50.89	6.88	54	7.47	57.11	8.05	58.36	8.07	59.57	8.14
	18	37.39	4.68	44.14	5.86	50.89	7.01	54	7.59	57.11	8.18	58.36	8.22	59.57	8.29
	19	37.39	4.78	44.14	5.95	50.89	7.12	54	7.72	57.11	8.33	58.36	8.34	59.57	8.44
	21	37.39	5.12	44.14	6.37	50.89	7.63	54	8.29	57.11	8.93	58.36	8.95	59.57	9.04
	23	37.39	5.49	44.14	6.83	50.89	8.18	54	8.88	57.11	9.57	58.36	9.59	59.57	9.68
	25	37.39	5.87	44.14	7.30	50.89	8.75	54	9.50	57.11	10.23	58.36	10.27	59.57	10.36
	27	37.39	6.28	44.14	7.81	50.89	9.35	54	10.14	57.11	10.94	58.36	10.98	59.57	11.07
	29	37.39	6.70	44.14	8.34	50.89	9.99	54	10.83	57.11	11.68	58.36	11.71	59.57	11.82
	31	37.39	7.14	44.14	8.89	50.89	10.65	54	11.55	57.11	12.46	58.36	12.50	59.57	12.61
	33	37.39	7.61	44.14	9.48	50.89	11.35	54	12.32	57.11	13.27	58.36	13.30	59.57	13.43
	35	37.39	8.09	44.14	10.08	50.89	12.08	54	13.08	57.11	14.11	58.36	14.16	59.57	14.29
	37	37.39	8.60	44.14	10.72	50.89	12.85	54	13.93	57.11	15.01	58.36	15.06	59.57	15.21
	39	37.39	8.64	44.14	10.76	50.89	12.90	54	13.98	57.11	15.08	58.36	15.12	59.57	15.26
	41	37.39	8.67	44.14	10.82	50.89	12.96	54	14.05	57.11	15.15	58.36	15.19	59.57	15.34
	43	37.39	8.73	44.14	10.87	50.89	13.01	54	14.11	57.11	15.21	58.36	15.26	59.57	15.41
	46	37.39	8.77	44.14	10.93	50.89	13.07	54	14.18	57.11	15.28	58.36	15.34	59.57	15.48
	48	37.39	8.80	44.14	10.96	50.89	13.14	54	14.24	56.14	15.35	57.25	15.41	58.32	15.56
	50	37.39	8.84	44.14	11.02	50.89	13.19	52.93	14.31	55.07	15.43	56.14	15.48	57.25	15.63
50%	10	31.18	3.53	36.79	4.41	42.43	5.29	45	5.73	47.57	6.17	48.61	6.19	49.64	6.26
	12	31.18	3.61	36.79	4.48	42.43	5.38	45	5.84	47.57	6.30	48.61	6.31	49.64	6.37
	14	31.18	3.68	36.79	4.58	42.43	5.47	45	5.95	47.57	6.41	48.61	6.42	49.64	6.48
	16	31.18	3.73	36.79	4.65	42.43	5.58	45	6.04	47.57	6.51	48.61	6.53	49.64	6.61
	18	31.18	3.81	36.79	4.74	42.43	5.67	45	6.15	47.57	6.62	48.61	6.66	49.64	6.72
	19	31.18	3.86	36.79	4.81	42.43	5.76	45	6.26	47.57	6.75	48.61	6.77	49.64	6.83
	21	31.18	4.15	36.79	5.16	42.43	6.19	45	6.72	47.57	7.23	48.61	7.25	49.64	7.32
	23	31.18	4.45	36.79	5.53	42.43	6.62	45	7.19	47.57	7.74	48.61	7.78	49.64	7.85
	25	31.18	4.76	36.79	5.93	42.43	7.08	45	7.69	47.57	8.29	48.61	8.31	49.64	8.40
	27	31.18	5.09	36.79	6.33	42.43	7.58	45	8.22	47.57	8.86	48.61	8.89	49.64	8.97
	29	31.18	5.42	36.79	6.75	42.43	8.09	45	8.78	47.57	9.46	48.61	9.50	49.64	9.59
	31	31.18	5.78	36.79	7.21	42.43	8.64	45	9.37	47.57	10.08	48.61	10.12	49.64	10.21
	33	31.18	6.17	36.79	7.69	42.43	9.19	45	9.97	47.57	10.74	48.61	10.78	49.64	10.89
	35	31.18	6.55	36.79	8.16	42.43	9.77	45	10.61	47.57	11.44	48.61	11.47	49.64	11.58
	37	31.18	6.97	36.79	8.69	42.43	10.39	45	11.27	47.57	12.17	48.61	12.21	49.64	12.32
	39	31.18	7.01	36.79	8.73	42.43	10.45	45	11.33	47.57	12.21	48.61	12.24	49.64	12.37
	41	31.18	7.03	36.79	8.77	42.43	10.49	45	11.38	47.57	12.26	48.61	12.32	49.64	12.43
	43	31.18	7.06	36.79	8.80	42.43	10.54	45	11.44	47.57	12.33	48.61	12.37	49.64	12.48
	46	31.18	7.10	36.79	8.84	42.43	10.60	45	11.49	47.57	12.39	48.61	12.43	49.64	12.54
	48	31.18	7.14	36.79	8.89	42.43	10.63	45	11.55	47.71	12.44	48.14	12.48	49.04	12.61
	50	31.18	7.17	36.79	8.93	42.43	10.69	45	11.60	47.25	12.50	47.71	12.54	48.61	12.66

34HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D950W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	85.91	9.91	100.35	12.34	115.62	14.78	118.75	16.03	120.82	17.29	122.71	17.34	125.99	17.50
	12	85.91	10.09	100.35	12.57	115.62	15.06	117.69	16.33	119.77	17.60	121.62	17.66	124.86	17.83
	14	85.91	10.29	100.35	12.81	115.62	15.33	116.64	16.62	118.71	17.93	119.43	17.97	123.76	18.15
	16	85.91	10.46	100.35	13.02	114.6	15.60	115.62	16.93	116.56	18.24	118.37	18.30	122.63	18.48
	18	85.91	10.64	100.35	13.26	112.57	15.88	113.55	17.23	115.51	18.56	117.28	18.61	121.5	18.81
	19	85.91	10.83	100.35	13.49	111.55	16.15	112.49	17.52	114.45	18.89	116.19	18.95	120.41	19.12
	21	85.91	11.61	100.35	14.47	110.53	17.30	111.44	18.77	113.4	20.24	115.09	20.30	119.28	20.51
	23	85.91	12.44	100.35	15.49	109.51	18.54	110.42	20.12	112.34	21.68	114	21.74	118.18	21.96
	25	85.91	13.30	100.35	16.58	108.46	19.85	109.36	21.53	111.29	23.21	112.94	23.27	117.05	23.50
	27	85.91	14.22	100.35	17.72	107.44	21.22	108.31	23.01	110.23	24.81	111.85	24.87	114.83	25.13
	29	85.91	15.19	99.56	18.93	106.42	22.64	107.29	24.58	109.17	26.50	110.76	26.57	114.83	26.83
	31	85.91	16.19	99.26	20.18	105.4	24.15	106.23	26.20	108.12	28.25	109.66	28.33	113.7	28.61
	33	85.91	17.25	99.26	21.49	104.39	25.73	105.22	27.90	107.03	30.09	108.57	30.17	112.61	30.46
	35	85.91	18.34	98.28	22.86	102.35	27.37	104.16	29.68	105.97	32.01	107.29	32.11	111.47	32.42
	37	85.91	19.51	98.28	24.32	101.03	29.12	103.11	31.58	103.86	34.04	106.23	34.14	109.25	34.47
	39	85.91	19.59	96.88	24.42	100.28	29.23	102.09	31.72	102.8	34.20	105.22	34.30	108.16	34.63
	41	85.91	19.69	94.77	24.54	98.96	29.37	101.03	31.85	101.75	34.34	104.16	34.45	107.03	34.79
	43	86.44	19.79	92.7	24.64	97.22	29.51	98.96	32.01	100.69	34.51	103.14	34.61	105.89	34.94
	46	83.31	19.87	89.57	24.75	93.76	29.64	95.83	32.15	97.9	34.67	99.98	34.77	103.11	35.10
	48	81.24	19.96	86.44	24.87	90.63	29.78	92.7	32.30	94.77	34.82	96.88	34.92	99.98	35.27
	50	79.17	20.06	83.31	24.99	87.5	29.92	89.57	32.46	91.64	34.98	93.76	35.10	96.88	35.43
120%	10	80.67	9.82	96.09	12.22	110.83	14.65	114.75	15.88	118.86	17.11	120.48	17.17	124.29	17.34
	12	80.67	9.99	96.09	12.46	110.83	14.92	114.75	16.17	117.81	17.44	119.39	17.48	123.2	17.66
	14	80.67	10.17	96.09	12.67	110.83	15.17	114.75	16.46	116.75	17.75	118.34	17.81	122.11	17.97
	16	80.67	10.36	96.09	12.91	110.83	15.45	114.75	16.76	115.73	18.07	117.28	18.13	120.97	18.30
	18	80.67	10.54	96.09	13.14	110.83	15.72	113.74	17.05	114.68	18.38	116.22	18.44	119.88	18.61
	19	80.67	10.72	96.09	13.36	109.63	15.99	112.72	17.34	113.62	18.69	115.13	18.75	118.79	18.95
	21	80.67	11.50	96.09	14.31	108.61	17.15	110.64	18.60	111.55	20.04	114.08	20.12	117.69	20.30
	23	80.67	12.32	96.09	15.35	106.57	18.36	109.63	19.93	110.49	21.47	113.02	21.55	116.6	21.74
	25	80.67	13.18	96.09	16.42	105.52	19.65	107.59	21.31	109.48	22.98	111.93	23.05	115.51	23.27
	27	80.67	14.08	96.09	17.54	103.48	21.02	106.57	22.78	108.42	24.56	110.87	24.64	114.38	24.87
	29	80.67	15.04	96.09	18.73	102.46	22.43	105.52	24.32	107.37	26.22	109.82	26.32	113.28	26.57
	31	80.67	16.03	96.09	19.98	101.45	23.93	104.5	25.95	106.35	27.98	108.76	28.06	112.19	28.33
	33	80.67	17.09	96.09	21.27	100.43	25.48	103.48	27.65	105.29	29.80	107.67	29.90	111.1	30.17
	35	80.67	18.17	95.3	22.64	99.37	27.12	102.46	29.41	104.27	31.70	106.61	31.79	110	32.11
	37	80.67	19.32	94.28	24.09	98.36	28.84	100.43	31.27	102.16	33.71	105.52	33.83	107.78	34.14
	39	80.67	19.42	93.23	24.19	97.34	28.96	99.37	31.40	101.14	33.87	104.5	33.96	106.69	34.30
	41	80.67	19.49	91.27	24.29	96.32	29.10	98.36	31.56	100.09	34.00	103.48	34.12	105.59	34.45
	43	80.67	19.59	90.33	24.40	95.3	29.23	97.34	31.70	99.37	34.18	102.46	34.28	104.5	34.61
	46	78.9	19.69	88.1	24.52	92.21	29.37	94.28	31.85	96.32	34.34	99.37	34.43	101.45	34.77
	48	76.83	19.77	86.07	24.64	89.16	29.51	91.19	31.99	93.23	34.49	96.32	34.59	98.36	34.92
	50	74.79	19.87	84.03	24.75	86.07	29.62	88.1	32.15	90.17	34.65	93.23	34.75	95.3	35.10
110%	10	73.81	9.72	87.42	12.10	99	14.49	107.82	15.72	115.85	16.95	118.49	17.01	122.22	17.17
	12	73.81	9.89	87.42	12.34	99	14.76	107.82	16.01	114.83	17.27	117.43	17.32	121.16	17.48
	14	73.81	10.07	87.42	12.55	99	15.04	107.82	16.31	113.81	17.58	116.38	17.64	120.07	17.81
	16	73.81	10.27	87.42	12.79	99	15.31	107.82	16.60	112.79	17.89	115.32	17.95	118.98	18.13
	18	73.81	10.44	87.42	13.00	99	15.56	107.82	16.89	111.78	18.20	114.3	18.26	117.92	18.44
	19	73.81	10.62	87.42	13.24	99	15.84	107.82	17.19	110.72	18.52	113.25	18.58	116.83	18.75
	21	73.81	11.38	87.42	14.18	99	16.97	107.82	18.42	109.7	19.85	112.19	19.93	115.73	20.10
	23	73.81	12.20	87.42	15.19	99	18.18	106.8	19.73	108.68	21.27	111.13	21.33	114.68	21.55
	25	73.81	13.04	87.42	16.25	99	19.46	105.82	21.12	107.67	22.76	110.08	22.82	113.59	23.05
	27	73.81	13.94	87.42	17.38	99	20.80	104.8	22.56	106.65	24.32	109.02	24.40	112.49	24.64
	29	73.81	14.90	87.42	18.56	99	22.21	103.78	24.09	105.59	25.97	108.01	26.06	111.44	26.30
	31	73.81	15.88	87.42	19.79	99	23.70	102.77	25.69	104.58	27.71	106.95	27.79	110.34	28.06
	33	73.81	16.91	87.42	21.08	97.75	25.24	101.79	27.37	103.56	29.51	105.89	29.60	109.25	29.88
	35	73.81	17.99	87.42	22.43	96.73	26.85	100.77	29.12	102.54	31.38	104.84	31.48	108.16	31.79
	37	73.81	19.14	87.42	23.86	95.72	28.55	98.77	30.97	100.47	33.40	102.77	33.50	106.01	33.81
	39	73.81	19.22	87.42	23.95	94.74	28.69	97.75	31.11	99.45	33.53	101.71	33.63	104.91	33.96
	41	73.81	19.32	87.42	24.05	93.72	28.80	96.73	31.25	98.43	33.69	100.65	33.79	103.86	34.12
	43	73.81	19.40	87.42	24.17	92.7	28.94	95.72	31.38	97.41	33.85	99.6	33.94	102.77	34.28
	46	71.55	19.49	85.65	24.29	89.68	29.08	92.7	31.54	94.74	34.00	96.73	34.10	98.77	34.43
	48	69.52	19.57	83.65	24.40	86.67	29.21	89.68	31.68	91.68	34.16	93.72	34.26	95.72	34.59
	50	67.52	19.67	81.62	24.50	83.65	29.35	86.67	31.83	88.67	34.32	90.7	34.41	92.7	34.75

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D950W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútročná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	65.78	9.07	77.66	11.30	89.53	13.53	95	14.68	103.44	15.82	110.72	15.88	115.13	16.03
	12	65.78	9.23	77.66	11.52	89.53	13.79	95	14.96	103.44	16.11	110.72	16.17	114.11	16.33
	14	65.78	9.41	77.66	11.71	89.53	14.04	95	15.21	103.44	16.41	109.7	16.46	113.1	16.62
	16	65.78	9.58	77.66	11.93	89.53	14.29	95	15.49	103.44	16.70	108.72	16.76	112.08	16.91
	18	65.78	9.74	77.66	12.14	89.53	14.53	95	15.76	103.44	16.99	107.74	17.05	111.06	17.21
	19	65.78	9.91	77.66	12.34	89.53	14.78	95	16.03	103.44	17.29	106.76	17.34	110.04	17.50
	21	65.78	10.62	77.66	13.24	89.53	15.86	95	17.19	103.44	18.54	105.78	18.60	108.99	18.77
	23	65.78	11.38	77.66	14.18	89.53	16.97	95	18.42	103.44	19.85	104.76	19.91	107.97	20.10
	25	65.78	12.18	77.66	15.17	89.53	18.17	95	19.71	103.44	21.24	103.78	21.31	106.95	21.51
	27	65.78	13.02	77.66	16.21	89.53	19.42	95	21.06	102.46	22.70	102.8	22.78	105.93	22.99
	29	65.78	13.90	77.66	17.32	89.53	20.75	95	22.49	101.48	24.25	101.82	24.32	104.91	24.56
	31	65.78	14.82	77.66	18.48	89.53	22.12	95	23.99	100.54	25.85	100.84	25.93	103.9	26.18
	33	65.78	15.78	77.66	19.67	89.53	23.56	95	25.56	99.56	27.55	99.83	27.63	102.88	27.90
	35	65.78	16.80	77.66	20.92	89.53	25.07	95	27.16	98.13	29.29	98.85	29.39	101.86	29.68
	37	65.78	17.87	77.66	22.25	89.53	26.65	95	28.27	96.66	31.17	97.87	31.27	99.83	31.56
	39	65.78	17.95	77.66	22.35	89.53	26.77	95	29.08	95.94	31.31	96.88	31.40	98.81	31.70
	41	65.78	18.03	77.66	22.45	88.37	26.89	94.06	29.90	95	31.44	95.94	31.54	97.79	31.83
	43	65.78	18.11	77.66	22.56	87.38	27.02	93.12	30.99	94.06	31.58	95	31.68	96.77	31.99
	46	65.78	18.18	76.11	22.66	84.56	27.14	92.13	32.13	93.12	31.74	94.06	31.83	95.94	32.15
	48	65.78	18.28	75.32	22.76	81.69	27.26	89.31	32.34	92.13	31.87	91.19	31.97	93.12	32.28
	50	64.62	18.36	74.57	22.88	78.87	27.39	86.44	33.16	89.31	32.03	88.37	32.13	90.25	32.44
90%	10	59.22	7.84	69.89	9.78	80.6	11.69	85.5	12.69	90.4	13.69	102.5	13.73	104.61	13.84
	12	59.22	7.98	69.89	9.95	80.6	11.91	85.5	12.92	90.4	13.92	102.5	13.98	104.61	14.12
	14	59.22	8.13	69.89	10.13	80.6	12.12	85.5	13.16	90.4	14.18	102.5	14.23	104.61	14.37
	16	59.22	8.27	69.89	10.30	80.6	12.36	85.5	13.39	90.4	14.43	102.5	14.49	104.61	14.63
	18	59.22	8.43	69.89	10.50	80.6	12.57	85.5	13.63	90.4	14.68	102.5	14.74	103.44	14.88
	19	59.22	8.56	69.89	10.68	80.6	12.79	85.5	13.86	90.4	14.94	101.75	15.00	102.62	15.13
	21	59.22	9.19	69.89	11.44	80.6	13.71	85.5	14.86	90.4	16.01	100.88	16.07	101.75	16.23
	23	59.22	9.84	69.89	12.26	80.6	14.68	85.5	15.92	90.4	17.17	100.05	17.21	100.88	17.38
	25	59.22	10.52	69.89	13.12	80.6	15.70	85.5	17.03	90.4	18.36	99.18	18.42	100.05	18.60
	27	59.22	11.26	69.89	14.02	80.6	16.80	85.5	18.20	90.4	19.63	98.32	19.69	99.18	19.89
	29	59.22	12.03	69.89	14.98	80.6	17.93	85.5	19.44	90.4	20.96	97.49	21.02	98.32	21.24
	31	59.22	12.81	69.89	15.98	80.6	19.12	85.5	20.73	90.4	22.35	96.62	22.43	97.49	22.64
	33	59.22	13.65	69.89	17.01	80.6	20.36	85.5	22.10	90.4	23.82	95.75	23.87	96.62	24.11
	35	59.22	14.53	69.89	18.09	80.6	21.67	85.5	23.50	90.4	25.32	94.89	25.40	95.75	25.65
	37	59.22	15.45	69.89	19.24	80.6	23.03	85.5	24.99	90.4	26.94	94.06	27.02	94.89	27.28
	39	59.22	15.51	69.89	19.32	80.6	23.13	85.5	25.11	89.76	27.06	93.19	27.14	94.06	27.39
	41	59.22	15.58	69.89	19.42	80.6	23.25	85.5	25.20	88.93	27.18	92.32	27.26	93.19	27.53
	43	59.22	15.66	69.89	19.49	80.6	23.35	84.63	25.32	88.06	27.30	91.49	27.39	92.32	27.65
	46	59.22	15.72	69.89	19.59	77.81	23.46	82.07	25.44	85.5	27.43	88.93	27.51	89.76	27.79
	48	59.22	15.80	69.89	19.69	75.25	23.56	79.51	25.56	82.94	27.55	86.37	27.65	87.2	27.90
	50	59.22	15.88	68.38	19.77	72.68	23.68	76.94	25.67	80.37	27.69	83.8	27.77	84.63	28.04
80%	10	52.63	6.71	62.13	8.35	71.63	9.99	76	10.83	80.37	11.69	82.11	11.71	83.88	11.83
	12	52.63	6.82	62.13	8.51	71.63	10.19	76	11.05	80.37	11.91	82.11	11.93	83.88	12.04
	14	52.63	6.94	62.13	8.66	71.63	10.36	76	11.24	80.37	12.12	82.11	12.16	83.88	12.28
	16	52.63	7.08	62.13	8.82	71.63	10.54	76	11.44	80.37	12.34	82.11	12.38	83.88	12.49
	18	52.63	7.20	62.13	8.96	71.63	10.73	76	11.63	80.37	12.55	82.11	12.59	83.88	12.71
	19	52.63	7.31	62.13	9.11	71.63	10.91	76	11.85	80.37	12.77	82.11	12.81	83.88	12.92
	21	52.63	7.84	62.13	9.78	71.63	11.71	76	12.69	80.37	13.69	82.11	13.73	83.88	13.86
	23	52.63	8.41	62.13	10.46	71.63	12.53	76	13.59	80.37	14.67	82.11	14.70	83.88	14.84
	25	52.63	8.99	62.13	11.20	71.63	13.41	76	14.55	80.37	15.68	82.11	15.74	83.88	15.88
	27	52.63	9.62	62.13	11.99	71.63	14.33	76	15.55	80.37	16.78	82.11	16.82	83.88	16.99
	29	52.63	10.27	62.13	12.79	71.63	15.31	76	16.60	80.37	17.91	82.11	17.95	83.88	18.13
	31	52.63	10.95	62.13	13.63	71.63	16.33	76	17.72	80.37	19.08	82.11	19.14	83.88	19.34
	33	52.63	11.65	62.13	14.53	71.63	17.40	76	18.87	80.37	20.34	82.11	20.39	83.88	20.59
	35	52.63	12.40	62.13	15.45	71.63	18.50	76	20.06	80.37	21.65	82.11	21.70	83.88	21.92
	37	52.63	13.20	62.13	16.44	71.63	19.69	76	21.35	80.37	23.01	82.11	23.07	82.82	23.31
	39	52.63	13.26	62.13	16.50	71.63	19.77	76	21.43	80.37	23.11	81.32	23.19	82.07	23.41
	41	52.63	13.32	62.13	16.58	71.63	19.85	76	21.53	79.81	23.21	80.56	23.29	81.32	23.50
	43	52.63	13.37	62.13	16.66	71.63	19.94	76	21.65	79.05	23.33	79.81	23.39	80.56	23.62
	46	52.63	13.43	62.32	16.74	71.44	20.04	73.74	21.74	76.75	23.43	77.51	23.50	76.75	23.74
	48	52.63	13.49	62.32	16.82	69.18	20.14	71.44	21.84	74.49	23.54	75.25	23.62	74.49	23.84
	50	52.63	13.55	62.32	16.89	66.88	20.22	69.18	21.94	72.19	23.64	72.95	23.72	72.19	23.95

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D950W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	46.07	5.63	54.36	7.02	62.69	8.41	66.5	9.13	70.31	9.84	71.85	9.87	73.4	9.97
	12	46.07	5.75	54.36	7.16	62.69	8.56	66.5	9.29	70.31	10.01	71.85	10.05	73.4	10.15
	14	46.07	5.85	54.36	7.29	62.69	8.72	66.5	9.46	70.31	10.21	71.85	10.23	73.4	10.32
	16	46.07	5.94	54.36	7.41	62.69	8.88	66.5	9.64	70.31	10.38	71.85	10.42	73.4	10.52
	18	46.07	6.06	54.36	7.55	62.69	9.03	66.5	9.80	70.31	10.56	71.85	10.60	73.4	10.70
	19	46.07	6.16	54.36	7.68	62.69	9.19	66.5	9.97	70.31	10.75	71.85	10.77	73.4	10.89
	21	46.07	6.61	54.36	8.23	62.69	9.85	66.5	10.70	70.31	11.52	71.85	11.56	73.4	11.67
	23	46.07	7.08	54.36	8.82	62.69	10.56	66.5	11.46	70.31	12.34	71.85	12.38	73.4	12.49
	25	46.07	7.57	54.36	9.44	62.69	11.30	66.5	12.26	70.31	13.22	71.85	13.26	73.4	13.37
	27	46.07	8.10	54.36	10.09	62.69	12.08	66.5	13.10	70.31	14.12	71.85	14.16	73.4	14.29
	29	46.07	8.64	54.36	10.77	62.69	12.89	66.5	13.98	70.31	15.08	71.85	15.11	73.4	15.27
	31	46.07	9.21	54.36	11.48	62.69	13.75	66.5	14.92	70.31	16.07	71.85	16.13	73.4	16.29
	33	46.07	9.82	54.36	12.24	62.69	14.65	66.5	15.90	70.31	17.13	71.85	17.19	73.4	17.34
	35	46.07	10.44	54.36	13.02	62.69	15.58	66.5	16.89	70.31	18.22	71.85	18.28	73.4	18.46
	37	46.07	11.11	54.36	13.84	62.69	16.58	66.5	17.97	70.31	19.38	71.85	19.44	73.4	19.63
	39	46.07	11.17	54.36	13.90	62.69	16.64	66.5	18.05	70.31	19.46	71.85	19.51	73.4	19.71
	41	46.07	11.20	54.36	13.96	62.69	16.72	66.5	18.13	70.31	19.55	71.85	19.61	73.4	19.81
	43	46.07	11.26	54.36	14.02	62.69	16.80	66.5	18.22	70.31	19.63	71.85	19.71	73.4	19.89
	46	46.07	11.32	54.36	14.10	62.69	16.87	66.5	18.30	69.18	19.73	70.5	19.79	71.82	19.98
	48	46.07	11.36	54.36	14.16	62.69	16.95	65.18	18.38	67.82	19.83	69.18	19.89	70.5	20.08
	50	46.07	11.42	54.36	14.22	61.18	17.03	63.82	18.48	66.5	19.91	67.82	19.98	69.18	20.16
60%	10	39.47	4.67	46.6	5.81	53.72	6.96	57	7.55	60.28	8.13	61.6	8.17	62.88	8.25
	12	39.47	4.75	46.6	5.92	53.72	7.10	57	7.68	60.28	8.29	61.6	8.31	62.88	8.41
	14	39.47	4.85	46.6	6.02	53.72	7.22	57	7.84	60.28	8.45	61.6	8.47	62.88	8.54
	16	39.47	4.93	46.6	6.14	53.72	7.35	57	7.98	60.28	8.60	61.6	8.62	62.88	8.70
	18	39.47	5.01	46.6	6.26	53.72	7.49	57	8.11	60.28	8.74	61.6	8.78	62.88	8.86
	19	39.47	5.10	46.6	6.35	53.72	7.61	57	8.25	60.28	8.90	61.6	8.92	62.88	9.01
	21	39.47	5.47	46.6	6.80	53.72	8.15	57	8.86	60.28	9.54	61.6	9.56	62.88	9.66
	23	39.47	5.87	46.6	7.29	53.72	8.74	57	9.48	60.28	10.23	61.6	10.25	62.88	10.34
	25	39.47	6.28	46.6	7.80	53.72	9.35	57	10.15	60.28	10.93	61.6	10.97	62.88	11.07
	27	39.47	6.71	46.6	8.35	53.72	9.99	57	10.83	60.28	11.69	61.6	11.73	62.88	11.83
	29	39.47	7.16	46.6	8.92	53.72	10.68	57	11.58	60.28	12.48	61.6	12.51	62.88	12.63
	31	39.47	7.63	46.6	9.50	53.72	11.38	57	12.34	60.28	13.32	61.6	13.36	62.88	13.47
	33	39.47	8.13	46.6	10.13	53.72	12.12	57	13.16	60.28	14.18	61.6	14.22	62.88	14.35
	35	39.47	8.64	46.6	10.77	53.72	12.91	57	13.98	60.28	15.08	61.6	15.13	62.88	15.27
	37	39.47	9.19	46.6	11.46	53.72	13.73	57	14.88	60.28	16.03	61.6	16.09	62.88	16.25
	39	39.47	9.23	46.6	11.50	53.72	13.79	57	14.94	60.28	16.11	61.6	16.15	62.88	16.31
	41	39.47	9.27	46.6	11.56	53.72	13.84	57	15.02	60.28	16.19	61.6	16.23	62.88	16.39
	43	39.47	9.33	46.6	11.61	53.72	13.90	57	15.08	60.28	16.25	61.6	16.31	62.88	16.46
	46	39.47	9.37	46.6	11.67	53.72	13.96	57	15.15	60.28	16.33	61.6	16.39	62.88	16.54
	48	39.47	9.41	46.6	11.71	53.72	14.04	57	15.21	59.26	16.41	60.43	16.46	61.56	16.62
	50	39.47	9.44	46.6	11.77	53.72	14.10	55.87	15.29	58.13	16.48	59.26	16.54	60.43	16.70
50%	10	32.91	3.77	38.83	4.71	44.79	5.65	47.5	6.12	50.21	6.59	51.31	6.61	52.4	6.69
	12	32.91	3.85	38.83	4.79	44.79	5.75	47.5	6.24	50.21	6.73	51.31	6.75	52.4	6.80
	14	32.91	3.93	38.83	4.89	44.79	5.85	47.5	6.35	50.21	6.84	51.31	6.86	52.4	6.92
	16	32.91	3.99	38.83	4.97	44.79	5.96	47.5	6.45	50.21	6.96	51.31	6.98	52.4	7.06
	18	32.91	4.07	38.83	5.06	44.79	6.06	47.5	6.57	50.21	7.08	51.31	7.12	52.4	7.18
	19	32.91	4.13	38.83	5.14	44.79	6.16	47.5	6.69	50.21	7.22	51.31	7.23	52.4	7.29
	21	32.91	4.44	38.83	5.51	44.79	6.61	47.5	7.18	50.21	7.72	51.31	7.74	52.4	7.82
	23	32.91	4.75	38.83	5.91	44.79	7.08	47.5	7.68	50.21	8.27	51.31	8.31	52.4	8.39
	25	32.91	5.08	38.83	6.34	44.79	7.57	47.5	8.21	50.21	8.86	51.31	8.88	52.4	8.98
	27	32.91	5.44	38.83	6.77	44.79	8.10	47.5	8.78	50.21	9.46	51.31	9.50	52.4	9.58
	29	32.91	5.79	38.83	7.22	44.79	8.64	47.5	9.39	50.21	10.11	51.31	10.15	52.4	10.25
	31	32.91	6.18	38.83	7.70	44.79	9.23	47.5	10.01	50.21	10.77	51.31	10.81	52.4	10.91
	33	32.91	6.59	38.83	8.21	44.79	9.82	47.5	10.66	50.21	11.48	51.31	11.52	52.4	11.63
	35	32.91	7.00	38.83	8.72	44.79	10.44	47.5	11.34	50.21	12.22	51.31	12.26	52.4	12.38
	37	32.91	7.45	38.83	9.29	44.79	11.11	47.5	12.04	50.21	13.00	51.31	13.04	52.4	13.16
	39	32.91	7.49	38.83	9.33	44.79	11.17	47.5	12.10	50.21	13.04	51.31	13.08	52.4	13.22
	41	32.91	7.51	38.83	9.37	44.79	11.20	47.5	12.16	50.21	13.10	51.31	13.16	52.4	13.28
	43	32.91	7.55	38.83	9.41	44.79	11.26	47.5	12.22	50.21	13.18	51.31	13.22	52.4	13.34
	46	32.91	7.59	38.83	9.44	44.79	11.32	47.5	12.28	50.21	13.24	51.31	13.28	52.4	13.39
	48	32.91	7.63	38.83	9.50	44.79	11.36	47.5	12.34	50.37	13.30	50.82	13.34	51.76	13.47
	50	32.91	7.66	38.83	9.54	44.79	11.42	47.5	12.40	49.88	13.36	50.37	13.39	51.31	13.53

36HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1000W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	90.44	10.55	105.63	13.13	121.71	15.73	125	17.06	127.18	18.39	129.17	18.46	132.62	18.62
	12	90.44	10.74	105.63	13.38	121.71	16.02	123.89	17.37	126.07	18.73	128.02	18.79	131.43	18.98
	14	90.44	10.94	105.63	13.63	121.71	16.31	122.78	17.69	124.96	19.08	125.71	19.12	130.28	19.31
	16	90.44	11.13	105.63	13.86	120.63	16.60	121.71	18.02	122.7	19.41	124.6	19.48	129.09	19.66
	18	90.44	11.32	105.63	14.11	118.49	16.90	119.52	18.33	121.59	19.75	123.45	19.81	127.9	20.02
	19	90.44	11.53	105.63	14.36	117.42	17.19	118.41	18.64	120.48	20.10	122.3	20.16	126.75	20.35
	21	90.44	12.36	105.63	15.40	116.35	18.41	117.3	19.97	119.37	21.54	121.15	21.60	125.56	21.83
	23	90.44	13.23	105.63	16.48	115.28	19.73	116.23	21.41	118.25	23.08	120	23.14	124.4	23.37
	25	90.44	14.15	105.63	17.64	114.17	21.12	115.12	22.91	117.14	24.70	118.89	24.76	123.21	25.01
	27	90.44	15.13	105.63	18.85	113.1	22.58	114.01	24.49	116.03	26.40	117.74	26.47	120.87	26.74
	29	90.44	16.17	104.8	20.14	112.02	24.09	112.94	26.15	114.92	28.19	116.59	28.28	120.87	28.55
	31	90.44	17.23	104.48	21.47	110.95	25.70	111.83	27.88	113.81	30.07	115.44	30.15	119.68	30.44
	33	90.44	18.35	104.48	22.87	109.88	27.38	110.75	29.69	112.66	32.02	114.29	32.11	118.53	32.42
	35	90.44	19.52	103.45	24.32	107.74	29.13	109.64	31.59	111.55	34.06	112.94	34.17	117.34	34.50
	37	90.44	20.77	103.45	25.88	106.35	30.98	108.53	33.60	109.33	36.23	111.83	36.33	115	36.68
	39	90.44	20.85	101.98	25.99	105.56	31.11	107.46	33.75	108.21	36.39	110.75	36.50	113.85	36.85
	41	90.44	20.95	99.76	26.11	104.17	31.25	106.35	33.89	107.1	36.54	109.64	36.66	112.66	37.02
	43	90.99	21.06	97.58	26.22	102.34	31.40	104.17	34.06	105.99	36.72	108.57	36.83	111.47	37.18
	46	87.7	21.14	94.29	26.34	98.69	31.54	100.87	34.21	103.06	36.89	105.24	37.00	108.53	37.35
	48	85.52	21.24	90.99	26.47	95.4	31.69	97.58	34.37	99.76	37.06	101.98	37.16	105.24	37.54
	50	83.33	21.35	87.7	26.59	92.1	31.83	94.29	34.54	96.47	37.22	98.69	37.35	101.98	37.70
120%	10	84.92	10.45	101.15	13.00	116.67	15.58	120.79	16.90	125.12	18.21	126.83	18.27	130.83	18.46
	12	84.92	10.63	101.15	13.25	116.67	15.88	120.79	17.21	124.01	18.56	125.67	18.60	129.68	18.79
	14	84.92	10.82	101.15	13.48	116.67	16.15	120.79	17.52	122.9	18.89	124.56	18.96	128.53	19.12
	16	84.92	11.03	101.15	13.73	116.67	16.44	120.79	17.83	121.83	19.23	123.45	19.29	127.34	19.48
	18	84.92	11.22	101.15	13.98	116.67	16.73	119.72	18.14	120.71	19.56	122.34	19.62	126.19	19.81
	19	84.92	11.40	101.15	14.21	115.4	17.02	118.65	18.46	119.6	19.89	121.19	19.95	125.04	20.16
	21	84.92	12.23	101.15	15.23	114.33	18.25	116.47	19.79	117.42	21.33	120.08	21.41	123.89	21.60
	23	84.92	13.11	101.15	16.33	112.18	19.54	115.4	21.20	116.31	22.85	118.97	22.93	122.74	23.14
	25	84.92	14.02	101.15	17.48	111.07	20.91	113.25	22.68	115.24	24.45	117.82	24.53	121.59	24.76
	27	84.92	14.98	101.15	18.66	108.93	22.37	112.18	24.24	114.13	26.13	116.71	26.22	120.4	26.47
	29	84.92	16.00	101.15	19.93	107.86	23.87	111.07	25.88	113.02	27.90	115.6	28.01	119.25	28.28
	31	84.92	17.06	101.15	21.26	106.79	25.47	110	27.61	111.94	29.77	114.48	29.86	118.1	30.15
	33	84.92	18.19	101.15	22.64	105.71	27.11	108.93	29.42	110.83	31.71	113.33	31.81	116.94	32.11
	35	84.92	19.33	100.32	24.09	104.6	28.86	107.86	31.29	109.76	33.73	112.22	33.83	115.79	34.17
	37	84.92	20.56	99.25	25.63	103.53	30.69	105.71	33.27	107.54	35.87	111.07	36.00	113.45	36.33
	39	84.92	20.66	98.13	25.74	102.46	30.82	104.6	33.42	106.47	36.04	110	36.14	112.3	36.50
	41	84.92	20.74	96.07	25.84	101.39	30.96	103.53	33.58	105.36	36.18	108.93	36.31	111.15	36.66
	43	84.92	20.85	95.08	25.97	100.32	31.11	102.46	33.73	104.6	36.37	107.86	36.47	110	36.83
	46	83.06	20.95	92.74	26.09	97.06	31.25	99.25	33.89	101.39	36.54	104.6	36.64	106.79	37.00
	48	80.87	21.04	90.6	26.22	93.85	31.40	95.99	34.04	98.13	36.70	101.39	36.81	103.53	37.16
	50	78.73	21.14	88.45	26.34	90.6	31.52	92.74	34.21	94.92	36.87	98.13	36.97	100.32	37.35
110%	10	77.7	10.34	92.02	12.88	104.21	15.42	113.49	16.73	121.94	18.04	124.72	18.10	128.65	18.27
	12	77.7	10.53	92.02	13.13	104.21	15.71	113.49	17.04	120.87	18.37	123.61	18.44	127.54	18.60
	14	77.7	10.72	92.02	13.36	104.21	16.00	113.49	17.35	119.8	18.71	122.5	18.77	126.39	18.96
	16	77.7	10.92	92.02	13.61	104.21	16.29	113.49	17.67	118.73	19.04	121.39	19.10	125.24	19.29
	18	77.7	11.11	92.02	13.84	104.21	16.56	113.49	17.98	117.66	19.37	120.32	19.43	124.13	19.62
	19	77.7	11.30	92.02	14.09	104.21	16.85	113.49	18.29	116.55	19.70	119.21	19.77	122.98	19.95
	21	77.7	12.11	92.02	15.09	104.21	18.06	113.49	19.60	115.48	21.12	118.1	21.20	121.83	21.39
	23	77.7	12.98	92.02	16.17	104.21	19.35	112.42	20.99	114.4	22.64	116.98	22.70	120.71	22.93
	25	77.7	13.88	92.02	17.29	104.21	20.70	111.39	22.47	113.33	24.22	115.87	24.28	119.56	24.53
	27	77.7	14.84	92.02	18.50	104.21	22.14	110.32	24.01	112.26	25.88	114.76	25.97	118.41	26.22
	29	77.7	15.86	92.02	19.75	104.21	23.64	109.25	25.63	111.15	27.63	113.69	27.74	117.3	27.99
	31	77.7	16.90	92.02	21.06	104.21	25.22	108.17	27.34	110.08	29.48	112.58	29.57	116.15	29.86
	33	77.7	18.00	92.02	22.43	102.9	26.86	107.14	29.13	109.01	31.40	111.47	31.50	115	31.79
	35	77.7	19.14	92.02	23.87	101.83	28.57	106.07	30.98	107.94	33.40	110.36	33.50	113.85	33.83
	37	77.7	20.37	92.02	25.38	100.75	30.38	103.97	32.96	105.75	35.54	108.17	35.64	111.59	35.98
	39	77.7	20.45	92.02	25.49	99.72	30.52	102.9	33.10	104.68	35.68	107.06	35.79	110.44	36.14
	41	77.7	20.56	92.02	25.59	98.65	30.65	101.83	33.25	103.61	35.85	105.95	35.95	109.33	36.31
	43	77.7	20.64	92.02	25.72	97.58	30.79	100.75	33.40	102.54	36.02	104.84	36.12	108.17	36.47
	46	75.32	20.74	90.16	25.84	94.4	30.94	97.58	33.56	99.72	36.18	101.83	36.29	103.97	36.64
	48	73.17	20.83	88.06	25.97	91.23	31.09	94.4	33.71	96.51	36.35	98.65	36.45	100.75	36.81
	50	71.07	20.93	85.91	26.07	88.06	31.23	91.23	33.87	93.33	36.52	95.48	36.62	97.58	36.97

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1000W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	69.25	9.65	81.75	12.03	94.25	14.40	100	15.63	108.89	16.83	116.55	16.90	121.19	17.06
	12	69.25	9.82	81.75	12.26	94.25	14.67	100	15.92	108.89	17.15	116.55	17.21	120.12	17.37
	14	69.25	10.01	81.75	12.46	94.25	14.94	100	16.19	108.89	17.46	115.48	17.52	119.05	17.69
	16	69.25	10.20	81.75	12.69	94.25	15.21	100	16.48	108.89	17.77	114.44	17.83	117.98	18.00
	18	69.25	10.36	81.75	12.92	94.25	15.46	100	16.77	108.89	18.08	113.41	18.14	116.9	18.31
	19	69.25	10.55	81.75	13.13	94.25	15.73	100	17.06	108.89	18.39	112.38	18.46	115.83	18.62
	21	69.25	11.30	81.75	14.09	94.25	16.87	100	18.29	108.89	19.73	111.35	19.79	114.72	19.97
	23	69.25	12.11	81.75	15.09	94.25	18.06	100	19.60	108.89	21.12	110.28	21.18	113.65	21.39
	25	69.25	12.96	81.75	16.15	94.25	19.33	100	20.97	108.89	22.60	109.25	22.68	112.58	22.89
	27	69.25	13.86	81.75	17.25	94.25	20.66	100	22.41	107.86	24.16	108.21	24.24	111.51	24.47
	29	69.25	14.79	81.75	18.44	94.25	22.08	100	23.93	106.83	25.80	107.18	25.88	110.44	26.13
	31	69.25	15.77	81.75	19.66	94.25	23.53	100	25.53	105.83	27.51	106.15	27.59	109.37	27.86
	33	69.25	16.79	81.75	20.93	94.25	25.07	100	27.19	104.8	29.32	105.08	29.40	108.29	29.69
	35	69.25	17.87	81.75	22.26	94.25	26.67	100	28.90	103.29	31.17	104.05	31.27	107.22	31.59
	37	69.25	19.02	81.75	23.68	94.25	28.36	100	30.09	101.75	33.17	103.02	33.27	105.08	33.58
	39	69.25	19.10	81.75	23.78	94.25	28.48	100	30.94	100.99	33.31	101.98	33.42	104.01	33.73
	41	69.25	19.18	81.75	23.89	93.02	28.61	99.01	31.81	100	33.46	100.99	33.56	102.94	33.87
	43	69.25	19.27	81.75	24.01	91.98	28.76	98.02	32.98	99.01	33.60	100	33.71	101.87	34.04
	46	69.25	19.35	80.12	24.12	89.01	28.88	96.98	34.19	98.02	33.77	99.01	33.87	100.99	34.21
	48	69.25	19.45	79.29	24.22	85.99	29.01	94.01	34.41	96.98	33.92	95.99	34.02	98.02	34.35
	50	68.02	19.54	78.49	24.34	83.02	29.15	90.99	35.29	94.01	34.08	93.02	34.19	95	34.52
90%	10	62.34	8.34	73.57	10.40	84.84	12.44	90	13.50	95.16	14.56	107.9	14.61	110.12	14.73
	12	62.34	8.49	73.57	10.59	84.84	12.67	90	13.75	95.16	14.81	107.9	14.88	110.12	15.02
	14	62.34	8.66	73.57	10.78	84.84	12.90	90	14.00	95.16	15.09	107.9	15.15	110.12	15.29
	16	62.34	8.80	73.57	10.97	84.84	13.15	90	14.25	95.16	15.36	107.9	15.42	110.12	15.56
	18	62.34	8.97	73.57	11.17	84.84	13.38	90	14.50	95.16	15.63	107.9	15.69	108.89	15.83
	19	62.34	9.11	73.57	11.36	84.84	13.61	90	14.75	95.16	15.90	107.1	15.96	108.02	16.10
	21	62.34	9.78	73.57	12.17	84.84	14.59	90	15.81	95.16	17.04	106.19	17.10	107.1	17.27
	23	62.34	10.47	73.57	13.05	84.84	15.63	90	16.94	95.16	18.27	105.32	18.31	106.19	18.50
	25	62.34	11.19	73.57	13.96	84.84	16.71	90	18.12	95.16	19.54	104.4	19.60	105.32	19.79
	27	62.34	11.98	73.57	14.92	84.84	17.87	90	19.37	95.16	20.89	103.49	20.95	104.4	21.16
	29	62.34	12.80	73.57	15.94	84.84	19.08	90	20.68	95.16	22.31	102.62	22.37	103.49	22.60
	31	62.34	13.63	73.57	17.00	84.84	20.35	90	22.06	95.16	23.78	101.71	23.87	102.62	24.09
	33	62.34	14.52	73.57	18.10	84.84	21.66	90	23.51	95.16	25.34	100.79	25.41	101.71	25.66
	35	62.34	15.46	73.57	19.25	84.84	23.05	90	25.01	95.16	26.95	99.88	27.03	100.79	27.30
	37	62.34	16.44	73.57	20.47	84.84	24.51	90	26.59	95.16	28.67	99.01	28.76	99.88	29.03
	39	62.34	16.50	73.57	20.56	84.84	24.61	90	26.72	94.48	28.80	98.1	28.88	99.01	29.15
	41	62.34	16.58	73.57	20.66	84.84	24.74	90	26.82	93.61	28.92	97.18	29.01	98.1	29.30
	43	62.34	16.67	73.57	20.74	84.84	24.84	89.09	26.95	92.7	29.05	96.31	29.15	97.18	29.42
	46	62.34	16.73	73.57	20.85	81.9	24.97	86.39	27.07	90	29.19	93.61	29.28	94.48	29.57
	48	62.34	16.81	73.57	20.95	79.21	25.07	83.69	27.19	87.3	29.32	90.91	29.42	91.79	29.69
	50	62.34	16.90	71.98	21.04	76.51	25.20	80.99	27.32	84.6	29.46	88.21	29.55	89.09	29.84
80%	10	55.4	7.14	65.4	8.88	75.4	10.63	80	11.53	84.6	12.44	86.43	12.46	88.29	12.59
	12	55.4	7.26	65.4	9.05	75.4	10.84	80	11.76	84.6	12.67	86.43	12.69	88.29	12.82
	14	55.4	7.39	65.4	9.22	75.4	11.03	80	11.96	84.6	12.90	86.43	12.94	88.29	13.07
	16	55.4	7.53	65.4	9.38	75.4	11.22	80	12.17	84.6	13.13	86.43	13.17	88.29	13.30
	18	55.4	7.66	65.4	9.53	75.4	11.42	80	12.38	84.6	13.36	86.43	13.40	88.29	13.52
	19	55.4	7.78	65.4	9.70	75.4	11.61	80	12.61	84.6	13.59	86.43	13.63	88.29	13.75
	21	55.4	8.34	65.4	10.40	75.4	12.46	80	13.50	84.6	14.56	86.43	14.61	88.29	14.75
	23	55.4	8.95	65.4	11.13	75.4	13.34	80	14.46	84.6	15.61	86.43	15.65	88.29	15.79
	25	55.4	9.57	65.4	11.92	75.4	14.27	80	15.48	84.6	16.69	86.43	16.75	88.29	16.90
	27	55.4	10.24	65.4	12.75	75.4	15.25	80	16.54	84.6	17.85	86.43	17.89	88.29	18.08
	29	55.4	10.92	65.4	13.61	75.4	16.29	80	17.67	84.6	19.06	86.43	19.10	88.29	19.29
	31	55.4	11.65	65.4	14.50	75.4	17.37	80	18.85	84.6	20.31	86.43	20.37	88.29	20.58
	33	55.4	12.40	65.4	15.46	75.4	18.52	80	20.08	84.6	21.64	86.43	21.70	88.29	21.91
	35	55.4	13.19	65.4	16.44	75.4	19.68	80	21.35	84.6	23.03	86.43	23.10	88.29	23.32
	37	55.4	14.04	65.4	17.50	75.4	20.95	80	22.72	84.6	24.49	86.43	24.55	87.18	24.80
	39	55.4	14.11	65.4	17.56	75.4	21.04	80	22.80	84.6	24.59	85.6	24.68	86.39	24.91
	41	55.4	14.17	65.4	17.64	75.4	21.12	80	22.91	84.01	24.70	84.8	24.78	85.6	25.01
	43	55.4	14.23	65.4	17.73	75.4	21.22	80	23.03	83.21	24.82	84.01	24.89	84.8	25.13
	46	55.4	14.29	65.6	17.81	75.2	21.33	77.62	23.14	80.79	24.93	81.59	25.01	80.79	25.26
	48	55.4	14.36	65.6	17.89	72.82	21.43	75.2	23.24	78.41	25.05	79.21	25.13	78.41	25.36
	50	55.4	14.42	65.6	17.98	70.4	21.51	72.82	23.35	75.99	25.16	76.79	25.24	75.99	25.49

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1000W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	48.49	5.99	57.22	7.47	65.99	8.95	70	9.72	74.01	10.47	75.63	10.51	77.26	10.61
	12	48.49	6.12	57.22	7.62	65.99	9.11	70	9.88	74.01	10.65	75.63	10.69	77.26	10.80
	14	48.49	6.22	57.22	7.76	65.99	9.28	70	10.07	74.01	10.86	75.63	10.88	77.26	10.99
	16	48.49	6.33	57.22	7.89	65.99	9.45	70	10.26	74.01	11.05	75.63	11.09	77.26	11.19
	18	48.49	6.45	57.22	8.03	65.99	9.61	70	10.42	74.01	11.24	75.63	11.28	77.26	11.38
	19	48.49	6.55	57.22	8.18	65.99	9.78	70	10.61	74.01	11.44	75.63	11.46	77.26	11.59
	21	48.49	7.03	57.22	8.76	65.99	10.49	70	11.38	74.01	12.26	75.63	12.30	77.26	12.42
	23	48.49	7.53	57.22	9.38	65.99	11.24	70	12.19	74.01	13.13	75.63	13.17	77.26	13.30
	25	48.49	8.05	57.22	10.05	65.99	12.03	70	13.05	74.01	14.07	75.63	14.11	77.26	14.23
	27	48.49	8.61	57.22	10.74	65.99	12.86	70	13.94	74.01	15.02	75.63	15.06	77.26	15.21
	29	48.49	9.20	57.22	11.46	65.99	13.71	70	14.88	74.01	16.04	75.63	16.08	77.26	16.25
	31	48.49	9.80	57.22	12.21	65.99	14.63	70	15.88	74.01	17.10	75.63	17.17	77.26	17.33
	33	48.49	10.45	57.22	13.03	65.99	15.58	70	16.92	74.01	18.23	75.63	18.29	77.26	18.46
	35	48.49	11.11	57.22	13.86	65.99	16.58	70	17.98	74.01	19.39	75.63	19.45	77.26	19.64
	37	48.49	11.82	57.22	14.73	65.99	17.64	70	19.12	74.01	20.62	75.63	20.68	77.26	20.89
	39	48.49	11.88	57.22	14.79	65.99	17.71	70	19.20	74.01	20.70	75.63	20.77	77.26	20.97
	41	48.49	11.92	57.22	14.86	65.99	17.79	70	19.29	74.01	20.81	75.63	20.87	77.26	21.08
	43	48.49	11.98	57.22	14.92	65.99	17.87	70	19.39	74.01	20.89	75.63	20.97	77.26	21.16
	46	48.49	12.05	57.22	15.00	65.99	17.96	70	19.48	72.82	20.99	74.21	21.06	75.6	21.26
	48	48.49	12.09	57.22	15.06	65.99	18.04	68.61	19.56	71.39	21.10	72.82	21.16	74.21	21.37
	50	48.49	12.15	57.22	15.13	64.4	18.12	67.18	19.66	70	21.18	71.39	21.26	72.82	21.45
60%	10	41.55	4.97	49.05	6.18	56.55	7.41	60	8.03	63.45	8.66	64.84	8.70	66.19	8.78
	12	41.55	5.06	49.05	6.30	56.55	7.55	60	8.18	63.45	8.82	64.84	8.84	66.19	8.95
	14	41.55	5.16	49.05	6.41	56.55	7.68	60	8.34	63.45	8.99	64.84	9.01	66.19	9.09
	16	41.55	5.24	49.05	6.53	56.55	7.82	60	8.49	63.45	9.16	64.84	9.18	66.19	9.26
	18	41.55	5.33	49.05	6.66	56.55	7.97	60	8.63	63.45	9.30	64.84	9.34	66.19	9.43
	19	41.55	5.43	49.05	6.76	56.55	8.09	60	8.78	63.45	9.47	64.84	9.49	66.19	9.59
	21	41.55	5.83	49.05	7.24	56.55	8.68	60	9.43	63.45	10.15	64.84	10.17	66.19	10.28
	23	41.55	6.24	49.05	7.76	56.55	9.30	60	10.09	63.45	10.88	64.84	10.90	66.19	11.01
	25	41.55	6.68	49.05	8.30	56.55	9.95	60	10.80	63.45	11.63	64.84	11.67	66.19	11.78
	27	41.55	7.14	49.05	8.88	56.55	10.63	60	11.53	63.45	12.44	64.84	12.48	66.19	12.59
	29	41.55	7.62	49.05	9.49	56.55	11.36	60	12.32	63.45	13.27	64.84	13.32	66.19	13.44
	31	41.55	8.11	49.05	10.11	56.55	12.11	60	13.13	63.45	14.17	64.84	14.21	66.19	14.34
	33	41.55	8.66	49.05	10.78	56.55	12.90	60	14.00	63.45	15.09	64.84	15.13	66.19	15.27
	35	41.55	9.20	49.05	11.46	56.55	13.73	60	14.88	63.45	16.04	64.84	16.10	66.19	16.25
	37	41.55	9.78	49.05	12.19	56.55	14.61	60	15.83	63.45	17.06	64.84	17.12	66.19	17.29
	39	41.55	9.82	49.05	12.23	56.55	14.67	60	15.90	63.45	17.15	64.84	17.19	66.19	17.35
	41	41.55	9.86	49.05	12.30	56.55	14.73	60	15.98	63.45	17.23	64.84	17.27	66.19	17.44
	43	41.55	9.92	49.05	12.36	56.55	14.79	60	16.04	63.45	17.29	64.84	17.35	66.19	17.52
	46	41.55	9.97	49.05	12.42	56.55	14.86	60	16.13	63.45	17.37	64.84	17.44	66.19	17.60
	48	41.55	10.01	49.05	12.46	56.55	14.94	60	16.19	62.38	17.46	63.61	17.52	64.8	17.69
	50	41.55	10.05	49.05	12.53	56.55	15.00	58.81	16.27	61.19	17.54	62.38	17.60	63.61	17.77
50%	10	34.64	4.02	40.87	5.01	47.14	6.01	50	6.51	52.86	7.01	54.01	7.03	55.16	7.12
	12	34.64	4.10	40.87	5.10	47.14	6.12	50	6.64	52.86	7.16	54.01	7.18	55.16	7.24
	14	34.64	4.18	40.87	5.20	47.14	6.22	50	6.76	52.86	7.28	54.01	7.30	55.16	7.37
	16	34.64	4.24	40.87	5.29	47.14	6.35	50	6.87	52.86	7.41	54.01	7.43	55.16	7.51
	18	34.64	4.33	40.87	5.39	47.14	6.45	50	6.99	52.86	7.53	54.01	7.57	55.16	7.64
	19	34.64	4.39	40.87	5.47	47.14	6.55	50	7.12	52.86	7.68	54.01	7.70	55.16	7.76
	21	34.64	4.72	40.87	5.87	47.14	7.03	50	7.64	52.86	8.22	54.01	8.24	55.16	8.32
	23	34.64	5.06	40.87	6.28	47.14	7.53	50	8.18	52.86	8.80	54.01	8.84	55.16	8.93
	25	34.64	5.41	40.87	6.74	47.14	8.05	50	8.74	52.86	9.43	54.01	9.45	55.16	9.55
	27	34.64	5.78	40.87	7.20	47.14	8.61	50	9.34	52.86	10.07	54.01	10.11	55.16	10.20
	29	34.64	6.16	40.87	7.68	47.14	9.20	50	9.99	52.86	10.76	54.01	10.80	55.16	10.90
	31	34.64	6.58	40.87	8.20	47.14	9.82	50	10.65	52.86	11.46	54.01	11.51	55.16	11.61
	33	34.64	7.01	40.87	8.74	47.14	10.45	50	11.34	52.86	12.21	54.01	12.26	55.16	12.38
	35	34.64	7.45	40.87	9.28	47.14	11.11	50	12.07	52.86	13.00	54.01	13.05	55.16	13.17
	37	34.64	7.93	40.87	9.88	47.14	11.82	50	12.82	52.86	13.84	54.01	13.88	55.16	14.00
	39	34.64	7.97	40.87	9.92	47.14	11.88	50	12.88	52.86	13.88	54.01	13.92	55.16	14.07
	41	34.64	7.99	40.87	9.97	47.14	11.92	50	12.94	52.86	13.94	54.01	14.00	55.16	14.13
	43	34.64	8.03	40.87	10.01	47.14	11.98	50	13.00	52.86	14.02	54.01	14.07	55.16	14.19
	46	34.64	8.07	40.87	10.05	47.14	12.05	50	13.07	52.86	14.09	54.01	14.13	55.16	14.25
	48	34.64	8.11	40.87	10.11	47.14	12.09	50	13.13	53.02	14.15	53.49	14.19	54.48	14.34
	50	34.64	8.16	40.87	10.15	47.14	12.15	50	13.19	52.5	14.21	53.02	14.25	54.01	14.40

38HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1065W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	96.31	10.25	112.5	12.77	129.62	15.30	133.13	16.59	135.45	17.88	137.56	17.94	141.24	18.10
	12	96.31	10.44	112.5	13.01	129.62	15.58	131.94	16.90	134.27	18.20	136.34	18.27	139.97	18.45
	14	96.31	10.64	112.5	13.24	129.62	15.86	130.76	17.20	133.08	18.55	133.89	18.59	138.75	18.78
	16	96.31	10.82	112.5	13.48	128.48	16.14	129.62	17.52	130.67	18.87	132.7	18.94	137.48	19.11
	18	96.31	11.01	112.5	13.72	126.19	16.42	127.29	17.82	129.49	19.20	131.48	19.26	136.21	19.45
	19	96.31	11.21	112.5	13.96	125.05	16.71	126.11	18.13	128.31	19.55	130.25	19.59	134.98	19.78
	21	96.31	12.01	112.5	14.96	123.91	17.90	124.93	19.42	127.12	20.93	129.03	21.00	133.72	21.21
	23	96.31	12.86	112.5	16.03	122.77	19.19	123.79	20.81	125.94	22.43	127.8	22.50	132.49	22.72
	25	96.31	13.76	112.5	17.14	121.59	20.53	122.6	22.27	124.76	24.01	126.62	24.08	131.22	24.32
	27	96.31	14.72	112.5	18.33	120.45	21.95	121.42	23.80	123.57	25.67	125.39	25.74	128.73	25.99
	29	96.31	15.72	111.61	19.58	119.31	23.44	120.28	25.42	122.39	27.40	124.17	27.48	128.73	27.75
	31	96.31	16.75	111.28	20.88	118.16	24.99	119.09	27.11	121.21	29.22	122.94	29.31	127.46	29.60
	33	96.31	17.84	111.28	22.23	117.02	26.63	117.95	28.87	119.98	31.13	121.71	31.21	126.24	31.52
	35	96.31	18.97	110.18	23.64	114.74	28.31	116.77	30.72	118.8	33.12	120.28	33.21	124.97	33.54
	37	96.31	20.19	110.18	25.16	113.26	30.12	115.59	32.67	116.43	35.22	119.09	35.32	122.48	35.66
	39	96.31	20.28	108.61	25.26	112.42	30.25	114.45	32.82	115.25	35.38	117.95	35.48	121.25	35.82
	41	96.31	20.36	106.25	25.38	110.94	30.38	113.26	32.96	114.06	35.53	116.77	35.64	119.98	35.99
	43	96.91	20.46	103.92	25.49	108.99	30.53	110.94	33.12	112.88	35.70	115.63	35.81	118.71	36.15
	46	93.4	20.55	100.41	25.61	105.11	30.67	107.43	33.27	109.75	35.85	112.08	35.97	115.59	36.31
	48	91.07	20.65	96.91	25.74	101.6	30.81	103.92	33.43	106.25	36.03	108.61	36.14	112.08	36.49
	50	88.75	20.75	93.4	25.86	98.09	30.95	100.41	33.58	102.74	36.19	105.11	36.31	108.61	36.65
120%	10	90.44	10.15	107.73	12.65	124.25	15.15	128.65	16.42	133.25	17.71	135.07	17.75	139.34	17.94
	12	90.44	10.34	107.73	12.89	124.25	15.43	128.65	16.72	132.07	18.04	133.84	18.09	138.11	18.27
	14	90.44	10.52	107.73	13.11	124.25	15.71	128.65	17.03	130.89	18.36	132.66	18.43	136.89	18.59
	16	90.44	10.72	107.73	13.36	124.25	15.98	128.65	17.33	129.74	18.69	131.48	18.75	135.62	18.94
	18	90.44	10.91	107.73	13.59	124.25	16.26	127.5	17.64	128.56	19.02	130.29	19.08	134.39	19.26
	19	90.44	11.09	107.73	13.81	122.9	16.55	126.36	17.94	127.38	19.35	129.07	19.40	133.17	19.59
	21	90.44	11.89	107.73	14.81	121.76	17.74	124.04	19.24	125.05	20.74	127.88	20.81	131.94	21.00
	23	90.44	12.74	107.73	15.88	119.47	19.00	122.9	20.61	123.87	22.22	126.7	22.29	130.72	22.50
	25	90.44	13.63	107.73	16.98	118.29	20.33	120.62	22.06	122.73	23.77	125.48	23.84	129.49	24.08
	27	90.44	14.57	107.73	18.16	116.01	21.74	119.47	23.57	121.55	25.41	124.29	25.48	128.22	25.74
	29	90.44	15.56	107.73	19.39	114.87	23.21	118.29	25.17	120.36	27.13	123.11	27.23	127	27.48
	31	90.44	16.59	107.73	20.67	113.73	24.76	117.15	26.85	119.22	28.94	121.93	29.03	125.77	29.31
	33	90.44	17.68	107.73	22.02	112.59	26.36	116.01	28.60	118.04	30.83	120.7	30.92	124.55	31.21
	35	90.44	18.80	106.84	23.42	111.4	28.05	114.87	30.42	116.9	32.79	119.52	32.89	123.32	33.21
	37	90.44	20.00	105.7	24.92	110.26	29.83	112.59	32.36	114.53	34.88	118.29	34.99	120.83	35.32
	39	90.44	20.09	104.51	25.02	109.12	29.96	111.4	32.49	113.39	35.04	117.15	35.13	119.6	35.48
	41	90.44	20.16	102.32	25.13	107.98	30.10	110.26	32.64	112.21	35.18	116.01	35.30	118.38	35.64
	43	90.44	20.27	101.26	25.25	106.84	30.24	109.12	32.79	111.4	35.36	114.87	35.46	117.15	35.81
	46	88.45	20.36	98.77	25.37	103.37	30.38	105.7	32.95	107.98	35.52	111.4	35.62	113.73	35.97
	48	86.13	20.46	96.48	25.48	99.95	30.52	102.23	33.10	104.51	35.69	107.98	35.79	110.26	36.14
	50	83.85	20.55	94.2	25.60	96.48	30.65	98.77	33.25	101.09	35.85	104.51	35.95	106.84	36.31
110%	10	82.75	10.05	98.01	12.52	110.98	15.00	120.87	16.26	129.87	17.53	132.83	17.59	137.01	17.75
	12	82.75	10.24	98.01	12.76	110.98	15.27	120.87	16.56	128.73	17.87	131.65	17.91	135.83	18.09
	14	82.75	10.43	98.01	12.99	110.98	15.56	120.87	16.87	127.59	18.19	130.46	18.24	134.6	18.42
	16	82.75	10.61	98.01	13.23	110.98	15.84	120.87	17.17	126.45	18.51	129.28	18.56	133.38	18.75
	18	82.75	10.79	98.01	13.46	110.98	16.10	120.87	17.47	125.31	18.83	128.14	18.90	132.2	19.08
	19	82.75	10.98	98.01	13.69	110.98	16.38	120.87	17.78	124.12	19.16	126.95	19.22	130.97	19.40
	21	82.75	11.78	98.01	14.68	110.98	17.56	120.87	19.06	122.98	20.54	125.77	20.61	129.74	20.80
	23	82.75	12.62	98.01	15.72	110.98	18.81	119.73	20.42	121.84	22.00	124.59	22.07	128.56	22.28
	25	82.75	13.50	98.01	16.82	110.98	20.13	118.63	21.84	120.7	23.54	123.4	23.61	127.34	23.84
	27	82.75	14.42	98.01	17.98	110.98	21.52	117.49	23.34	119.56	25.16	122.22	25.25	126.11	25.48
	29	82.75	15.41	98.01	19.20	110.98	22.99	116.35	24.93	118.38	26.86	121.08	26.96	124.93	27.21
	31	82.75	16.42	98.01	20.47	110.98	24.52	115.21	26.58	117.23	28.66	119.9	28.75	123.7	29.03
	33	82.75	17.49	98.01	21.81	109.59	26.11	114.11	28.31	116.09	30.53	118.71	30.62	122.48	30.91
	35	82.75	18.62	98.01	23.19	108.44	27.77	112.97	30.12	114.95	32.47	117.53	32.57	121.25	32.89
	37	82.75	19.81	98.01	24.68	107.3	29.53	110.73	32.05	112.63	34.54	115.21	34.65	118.84	34.97
	39	82.75	19.88	98.01	24.78	106.2	29.67	109.59	32.18	111.49	34.69	114.02	34.80	117.61	35.13
	41	82.75	19.98	98.01	24.89	105.06	29.80	108.44	32.33	110.35	34.85	112.84	34.95	116.43	35.30
	43	82.75	20.07	98.01	25.00	103.92	29.95	107.3	32.47	109.2	35.01	111.66	35.11	115.21	35.46
	46	80.21	20.16	96.02	25.13	100.54	30.08	103.92	32.63	106.2	35.17	108.44	35.27	110.73	35.62
	48	77.93	20.25	93.78	25.25	97.16	30.22	100.54	32.78	102.78	35.34	105.06	35.43	107.3	35.78
	50	75.69	20.35	91.5	25.35	93.78	30.37	97.16	32.93	99.4	35.50	101.68	35.60	103.92	35.95

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1065W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	73.75	9.38	87.06	11.70	100.37	14.00	106.5	15.18	115.97	16.37	124.12	16.42	129.07	16.58
	12	73.75	9.56	87.06	11.91	100.37	14.27	106.5	15.47	115.97	16.68	124.12	16.72	127.93	16.88
	14	73.75	9.73	87.06	12.12	100.37	14.52	106.5	15.75	115.97	16.98	122.98	17.03	126.79	17.19
	16	73.75	9.91	87.06	12.34	100.37	14.78	106.5	16.03	115.97	17.28	121.88	17.33	125.64	17.49
	18	73.75	10.07	87.06	12.56	100.37	15.03	106.5	16.30	115.97	17.59	120.78	17.64	124.5	17.80
	19	73.75	10.25	87.06	12.77	100.37	15.30	106.5	16.59	115.97	17.88	119.69	17.94	123.36	18.10
	21	73.75	10.98	87.06	13.69	100.37	16.40	106.5	17.78	115.97	19.17	118.59	19.24	122.18	19.42
	23	73.75	11.78	87.06	14.66	100.37	17.56	106.5	19.05	115.97	20.54	117.45	20.60	121.04	20.80
	25	73.75	12.60	87.06	15.69	100.37	18.80	106.5	20.39	115.97	21.97	116.35	22.04	119.9	22.26
	27	73.75	13.47	87.06	16.78	100.37	20.09	106.5	21.80	114.87	23.48	115.25	23.57	118.76	23.79
	29	73.75	14.38	87.06	17.91	100.37	21.46	106.5	23.26	113.77	25.09	114.15	25.16	117.61	25.41
	31	73.75	15.33	87.06	19.10	100.37	22.87	106.5	24.82	112.71	26.75	113.05	26.82	116.47	27.09
	33	73.75	16.33	87.06	20.35	100.37	24.38	106.5	26.44	111.61	28.50	111.91	28.58	115.33	28.86
	35	73.75	17.38	87.06	21.65	100.37	25.93	106.5	28.12	110.01	30.30	110.81	30.41	114.19	30.70
	37	73.75	18.49	87.06	23.03	100.37	27.57	106.5	29.24	108.36	32.24	109.71	32.34	111.91	32.66
	39	73.75	18.56	87.06	23.13	100.37	27.70	106.5	30.08	107.56	32.38	108.61	32.48	110.77	32.79
	41	73.75	18.65	87.06	23.22	99.06	27.82	105.44	30.93	106.5	32.53	107.56	32.63	109.63	32.94
	43	73.75	18.74	87.06	23.34	97.96	27.96	104.39	31.90	105.44	32.67	106.5	32.78	108.49	33.09
	46	73.75	18.81	85.33	23.45	94.79	28.08	103.29	32.67	104.39	32.83	105.44	32.93	107.56	33.25
	48	73.75	18.91	84.44	23.55	91.58	28.20	100.12	33.46	103.29	32.98	102.23	33.08	104.39	33.40
	50	72.44	18.99	83.59	23.67	88.41	28.34	96.91	34.31	100.12	33.14	99.06	33.24	101.18	33.56
90%	10	66.39	8.11	78.35	10.11	90.36	12.10	95.85	13.13	101.34	14.15	114.91	14.20	117.28	14.33
	12	66.39	8.26	78.35	10.30	90.36	12.32	95.85	13.36	101.34	14.41	114.91	14.46	117.28	14.60
	14	66.39	8.41	78.35	10.48	90.36	12.55	95.85	13.62	101.34	14.68	114.91	14.72	117.28	14.86
	16	66.39	8.56	78.35	10.66	90.36	12.78	95.85	13.85	101.34	14.93	114.91	14.99	117.28	15.13
	18	66.39	8.72	78.35	10.86	90.36	13.01	95.85	14.11	101.34	15.19	114.91	15.24	115.97	15.39
	19	66.39	8.86	78.35	11.05	90.36	13.23	95.85	14.34	101.34	15.46	114.06	15.50	115.04	15.65
	21	66.39	9.50	78.35	11.84	90.36	14.18	95.85	15.37	101.34	16.57	113.09	16.63	114.06	16.79
	23	66.39	10.18	78.35	12.68	90.36	15.18	95.85	16.46	101.34	17.75	112.16	17.80	113.09	17.98
	25	66.39	10.89	78.35	13.57	90.36	16.24	95.85	17.62	101.34	19.00	111.19	19.06	112.16	19.24
	27	66.39	11.64	78.35	14.50	90.36	17.37	95.85	18.83	101.34	20.31	110.22	20.36	111.19	20.58
	29	66.39	12.44	78.35	15.49	90.36	18.55	95.85	20.12	101.34	21.68	109.29	21.75	110.22	21.97
	31	66.39	13.26	78.35	16.53	90.36	19.78	95.85	21.45	101.34	23.12	108.32	23.19	109.29	23.42
	33	66.39	14.11	78.35	17.59	90.36	21.06	95.85	22.85	101.34	24.64	107.35	24.70	108.32	24.95
	35	66.39	15.02	78.35	18.71	90.36	22.42	95.85	24.31	101.34	26.20	106.37	26.28	107.35	26.54
	37	66.39	15.98	78.35	19.90	90.36	23.83	95.85	25.86	101.34	27.87	105.44	27.96	106.37	28.22
	39	66.39	16.04	78.35	20.00	90.36	23.93	95.85	25.97	100.63	28.00	104.47	28.08	105.44	28.34
	41	66.39	16.11	78.35	20.09	90.36	24.06	95.85	26.08	99.7	28.12	103.5	28.20	104.47	28.47
	43	66.39	16.20	78.35	20.16	90.36	24.16	94.88	26.20	98.72	28.24	102.57	28.34	103.5	28.61
	46	66.39	16.26	78.35	20.27	87.23	24.27	92	26.32	95.85	28.38	99.7	28.46	100.63	28.74
	48	66.39	16.34	78.35	20.36	84.35	24.38	89.13	26.44	92.98	28.50	96.82	28.61	97.75	28.88
	50	66.39	16.42	76.66	20.46	81.48	24.50	86.26	26.57	90.1	28.64	93.95	28.73	94.88	29.01
80%	10	59	6.93	69.65	8.64	80.3	10.34	85.2	11.21	90.1	12.09	92.05	12.12	94.03	12.24
	12	59	7.05	69.65	8.80	80.3	10.53	85.2	11.43	90.1	12.31	92.05	12.34	94.03	12.46
	14	59	7.18	69.65	8.96	80.3	10.72	85.2	11.63	90.1	12.54	92.05	12.58	94.03	12.70
	16	59	7.32	69.65	9.12	80.3	10.91	85.2	11.83	90.1	12.76	92.05	12.80	94.03	12.92
	18	59	7.45	69.65	9.27	80.3	11.10	85.2	12.04	90.1	12.98	92.05	13.02	94.03	13.15
	19	59	7.57	69.65	9.44	80.3	11.29	85.2	12.25	90.1	13.21	92.05	13.24	94.03	13.37
	21	59	8.11	69.65	10.11	80.3	12.12	85.2	13.13	90.1	14.16	92.05	14.20	94.03	14.34
	23	59	8.69	69.65	10.82	80.3	12.97	85.2	14.07	90.1	15.17	92.05	15.21	94.03	15.35
	25	59	9.30	69.65	11.59	80.3	13.88	85.2	15.05	90.1	16.23	92.05	16.27	94.03	16.43
	27	59	9.95	69.65	12.40	80.3	14.84	85.2	16.09	90.1	17.35	92.05	17.40	94.03	17.57
	29	59	10.63	69.65	13.23	80.3	15.84	85.2	17.17	90.1	18.52	92.05	18.58	94.03	18.75
	31	59	11.33	69.65	14.11	80.3	16.90	85.2	18.33	90.1	19.74	92.05	19.81	94.03	20.00
	33	59	12.05	69.65	15.03	80.3	18.00	85.2	19.52	90.1	21.04	92.05	21.10	94.03	21.31
	35	59	12.82	69.65	15.98	80.3	19.13	85.2	20.76	90.1	22.39	92.05	22.45	94.03	22.68
	37	59	13.66	69.65	17.01	80.3	20.36	85.2	22.09	90.1	23.80	92.05	23.87	92.85	24.11
	39	59	13.71	69.65	17.07	80.3	20.46	85.2	22.18	90.1	23.91	91.16	23.99	92	24.22
	41	59	13.77	69.65	17.15	80.3	20.54	85.2	22.27	89.47	24.02	90.31	24.09	91.16	24.32
	43	59	13.83	69.65	17.24	80.3	20.63	85.2	22.39	88.62	24.13	89.47	24.20	90.31	24.44
	46	59	13.89	69.86	17.32	80.09	20.74	82.66	22.49	86.05	24.24	86.89	24.32	86.05	24.55
	48	59	13.96	69.86	17.40	77.55	20.83	80.09	22.59	83.51	24.36	84.35	24.43	83.51	24.67
	50	59	14.02	69.86	17.48	74.97	20.92	77.55	22.70	80.93	24.47	81.78	24.53	80.93	24.78

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1065W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	51.64	5.83	60.94	7.27	70.28	8.70	74.55	9.44	78.82	10.18	80.55	10.21	82.28	10.31
	12	51.64	5.95	60.94	7.41	70.28	8.86	74.55	9.61	78.82	10.36	80.55	10.40	82.28	10.49
	14	51.64	6.05	60.94	7.54	70.28	9.02	74.55	9.79	78.82	10.56	80.55	10.59	82.28	10.68
	16	51.64	6.15	60.94	7.67	70.28	9.18	74.55	9.97	78.82	10.75	80.55	10.79	82.28	10.88
	18	51.64	6.27	60.94	7.80	70.28	9.34	74.55	10.14	78.82	10.93	80.55	10.96	82.28	11.07
	19	51.64	6.38	60.94	7.95	70.28	9.51	74.55	10.32	78.82	11.12	80.55	11.15	82.28	11.26
	21	51.64	6.84	60.94	8.52	70.28	10.20	74.55	11.06	78.82	11.92	80.55	11.96	82.28	12.08
	23	51.64	7.32	60.94	9.12	70.28	10.93	74.55	11.85	78.82	12.76	80.55	12.81	82.28	12.93
	25	51.64	7.83	60.94	9.76	70.28	11.70	74.55	12.68	78.82	13.66	80.55	13.71	82.28	13.84
	27	51.64	8.38	60.94	10.44	70.28	12.50	74.55	13.55	78.82	14.61	80.55	14.65	82.28	14.79
	29	51.64	8.95	60.94	11.14	70.28	13.34	74.55	14.46	78.82	15.60	80.55	15.64	82.28	15.79
	31	51.64	9.53	60.94	11.88	70.28	14.23	74.55	15.43	78.82	16.63	80.55	16.68	82.28	16.84
	33	51.64	10.16	60.94	12.66	70.28	15.15	74.55	16.44	78.82	17.72	80.55	17.78	82.28	17.94
	35	51.64	10.79	60.94	13.47	70.28	16.12	74.55	17.48	78.82	18.85	80.55	18.91	82.28	19.10
	37	51.64	11.49	60.94	14.32	70.28	17.14	74.55	18.59	78.82	20.04	80.55	20.11	82.28	20.30
	39	51.64	11.55	60.94	14.39	70.28	17.22	74.55	18.67	78.82	20.13	80.55	20.19	82.28	20.39
	41	51.64	11.59	60.94	14.45	70.28	17.29	74.55	18.76	78.82	20.23	80.55	20.29	82.28	20.48
	43	51.64	11.65	60.94	14.51	70.28	17.38	74.55	18.85	78.82	20.31	80.55	20.39	82.28	20.58
	46	51.64	11.70	60.94	14.58	70.28	17.45	74.55	18.94	77.55	20.42	79.03	20.47	80.51	20.67
	48	51.64	11.75	60.94	14.65	70.28	17.54	73.07	19.02	76.03	20.51	77.55	20.58	79.03	20.77
	50	51.64	11.82	60.94	14.72	68.59	17.62	71.55	19.11	74.55	20.61	76.03	20.67	77.55	20.86
60%	10	44.25	4.83	52.24	6.01	60.22	7.20	63.9	7.81	67.58	8.42	69.06	8.45	70.49	8.53
	12	44.25	4.92	52.24	6.12	60.22	7.34	63.9	7.95	67.58	8.57	69.06	8.60	70.49	8.69
	14	44.25	5.02	52.24	6.24	60.22	7.47	63.9	8.11	67.58	8.73	69.06	8.76	70.49	8.84
	16	44.25	5.09	52.24	6.35	60.22	7.61	63.9	8.25	67.58	8.89	69.06	8.92	70.49	9.00
	18	44.25	5.19	52.24	6.47	60.22	7.74	63.9	8.39	67.58	9.05	69.06	9.08	70.49	9.17
	19	44.25	5.28	52.24	6.57	60.22	7.87	63.9	8.53	67.58	9.21	69.06	9.23	70.49	9.32
	21	44.25	5.66	52.24	7.04	60.22	8.44	63.9	9.15	67.58	9.87	69.06	9.89	70.49	9.99
	23	44.25	6.06	52.24	7.54	60.22	9.04	63.9	9.80	67.58	10.57	69.06	10.60	70.49	10.70
	25	44.25	6.48	52.24	8.08	60.22	9.67	63.9	10.49	67.58	11.31	69.06	11.35	70.49	11.45
	27	44.25	6.93	52.24	8.64	60.22	10.34	63.9	11.21	67.58	12.09	69.06	12.14	70.49	12.24
	29	44.25	7.40	52.24	9.22	60.22	11.05	63.9	11.98	67.58	12.91	69.06	12.94	70.49	13.07
	31	44.25	7.89	52.24	9.83	60.22	11.78	63.9	12.77	67.58	13.77	69.06	13.81	70.49	13.95
	33	44.25	8.41	52.24	10.48	60.22	12.54	63.9	13.61	67.58	14.66	69.06	14.72	70.49	14.85
	35	44.25	8.95	52.24	11.14	60.22	13.35	63.9	14.46	67.58	15.60	69.06	15.65	70.49	15.80
	37	44.25	9.51	52.24	11.85	60.22	14.20	63.9	15.39	67.58	16.59	69.06	16.65	70.49	16.81
	39	44.25	9.56	52.24	11.90	60.22	14.27	63.9	15.46	67.58	16.67	69.06	16.71	70.49	16.87
	41	44.25	9.59	52.24	11.96	60.22	14.32	63.9	15.53	67.58	16.75	69.06	16.79	70.49	16.95
	43	44.25	9.64	52.24	12.01	60.22	14.39	63.9	15.60	67.58	16.82	69.06	16.87	70.49	17.03
	46	44.25	9.69	52.24	12.07	60.22	14.45	63.9	15.68	67.58	16.90	69.06	16.95	70.49	17.11
	48	44.25	9.73	52.24	12.12	60.22	14.52	63.9	15.75	66.44	16.98	67.75	17.03	69.01	17.19
	50	44.25	9.78	52.24	12.17	60.22	14.58	62.63	15.81	65.17	17.05	66.44	17.11	67.75	17.27
50%	10	36.89	3.90	43.53	4.87	50.21	5.84	53.25	6.34	56.29	6.82	57.52	6.85	58.74	6.92
	12	36.89	3.99	43.53	4.96	50.21	5.95	53.25	6.45	56.29	6.96	57.52	6.98	58.74	7.04
	14	36.89	4.06	43.53	5.06	50.21	6.05	53.25	6.57	56.29	7.08	57.52	7.10	58.74	7.17
	16	36.89	4.13	43.53	5.15	50.21	6.16	53.25	6.69	56.29	7.20	57.52	7.22	58.74	7.31
	18	36.89	4.20	43.53	5.24	50.21	6.27	53.25	6.80	56.29	7.33	57.52	7.35	58.74	7.43
	19	36.89	4.28	43.53	5.32	50.21	6.38	53.25	6.92	56.29	7.47	57.52	7.48	58.74	7.55
	21	36.89	4.59	43.53	5.70	50.21	6.84	53.25	7.42	56.29	7.99	57.52	8.02	58.74	8.09
	23	36.89	4.90	43.53	6.12	50.21	7.32	53.25	7.95	56.29	8.56	57.52	8.60	58.74	8.68
	25	36.89	5.25	43.53	6.55	50.21	7.83	53.25	8.50	56.29	9.17	57.52	9.18	58.74	9.28
	27	36.89	5.62	43.53	7.00	50.21	8.38	53.25	9.09	56.29	9.79	57.52	9.83	58.74	9.91
	29	36.89	5.99	43.53	7.47	50.21	8.95	53.25	9.71	56.29	10.46	57.52	10.49	58.74	10.60
	31	36.89	6.40	43.53	7.96	50.21	9.54	53.25	10.34	56.29	11.15	57.52	11.18	58.74	11.29
	33	36.89	6.81	43.53	8.49	50.21	10.17	53.25	11.02	56.29	11.88	57.52	11.92	58.74	12.04
	35	36.89	7.24	43.53	9.02	50.21	10.81	53.25	11.72	56.29	12.63	57.52	12.68	58.74	12.80
	37	36.89	7.70	43.53	9.60	50.21	11.50	53.25	12.46	56.29	13.44	57.52	13.49	58.74	13.62
	39	36.89	7.74	43.53	9.64	50.21	11.55	53.25	12.52	56.29	13.50	57.52	13.53	58.74	13.67
	41	36.89	7.77	43.53	9.69	50.21	11.59	53.25	12.59	56.29	13.56	57.52	13.61	58.74	13.73
	43	36.89	7.81	43.53	9.73	50.21	11.66	53.25	12.63	56.29	13.63	57.52	13.66	58.74	13.80
	46	36.89	7.85	43.53	9.78	50.21	11.71	53.25	12.70	56.29	13.69	57.52	13.73	58.74	13.85
	48	36.89	7.89	43.53	9.83	50.21	11.75	53.25	12.76	56.46	13.75	56.97	13.80	58.03	13.93
	50	36.89	7.93	43.53	9.87	50.21	11.82	53.25	12.82	55.91	13.81	56.46	13.85	57.52	13.99

40HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1130W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútna teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	102.19	11.05	119.37	13.76	137.53	16.48	141.25	17.87	143.72	19.26	145.96	19.33	149.86	19.51
	12	102.19	11.25	119.37	14.01	137.53	16.78	139.99	18.21	142.46	19.62	144.66	19.69	148.51	19.87
	14	102.19	11.46	119.37	14.27	137.53	17.09	138.74	18.54	141.21	19.99	142.06	20.04	147.21	20.23
	16	102.19	11.66	119.37	14.52	136.32	17.40	137.53	18.88	138.65	20.33	140.8	20.40	145.87	20.60
	18	102.19	11.86	119.37	14.79	133.9	17.69	135.06	19.20	137.39	20.69	139.5	20.76	144.52	20.95
	19	102.19	12.07	119.37	15.04	132.69	18.00	133.81	19.53	136.14	21.06	138.2	21.11	143.22	21.31
	21	102.19	12.95	119.37	16.12	131.47	19.29	132.55	20.93	134.88	22.55	136.9	22.63	141.88	22.86
	23	102.19	13.86	119.37	17.27	130.26	20.67	131.34	22.43	133.63	24.16	135.6	24.24	140.58	24.48
	25	102.19	14.83	119.37	18.48	129.01	22.12	130.08	24.00	132.37	25.87	134.34	25.94	139.23	26.20
	27	102.19	15.85	119.37	19.75	127.8	23.65	128.83	25.65	131.12	27.66	133.04	27.73	136.59	28.00
	29	102.19	16.94	118.43	21.09	126.59	25.25	127.62	27.39	129.86	29.52	131.74	29.62	136.59	29.90
	31	102.19	18.05	118.07	22.50	125.38	26.92	126.36	29.21	128.6	31.49	130.44	31.58	135.24	31.89
	33	102.19	19.22	118.07	23.95	124.17	28.69	125.15	31.11	127.3	33.54	129.14	33.63	133.94	33.97
	35	102.19	20.45	116.9	25.48	121.74	30.51	123.9	33.09	126.05	35.68	127.62	35.79	132.6	36.14
	37	102.19	21.75	116.9	27.12	120.17	32.45	122.64	35.20	123.54	37.95	126.36	38.06	129.95	38.42
	39	102.19	21.85	115.24	27.22	119.28	32.60	121.43	35.35	122.28	38.12	125.15	38.22	128.65	38.60
	41	102.19	21.95	112.73	27.34	117.71	32.73	120.17	35.51	121.03	38.28	123.9	38.41	127.3	38.77
	43	102.82	22.05	110.26	27.46	115.65	32.89	117.71	35.68	119.77	38.46	122.69	38.58	125.96	38.95
	46	99.1	22.14	106.54	27.60	111.52	33.05	113.99	35.84	116.45	38.64	118.92	38.76	122.64	39.12
	48	96.63	22.25	102.82	27.73	107.8	33.19	110.26	36.02	112.73	38.82	115.24	38.94	118.92	39.32
	50	94.17	22.35	99.1	27.86	104.08	33.35	106.54	36.18	109.01	38.99	111.52	39.12	115.24	39.49
120%	10	95.96	10.93	114.3	13.63	131.83	16.32	136.5	17.70	141.38	19.08	143.31	19.13	147.84	19.33
	12	95.96	11.13	114.3	13.88	131.83	16.62	136.5	18.02	140.13	19.44	142.01	19.49	146.54	19.69
	14	95.96	11.34	114.3	14.13	131.83	16.93	136.5	18.35	138.87	19.79	140.76	19.85	145.24	20.04
	16	95.96	11.55	114.3	14.39	131.83	17.22	136.5	18.68	137.66	20.15	139.5	20.20	143.9	20.40
	18	95.96	11.75	114.3	14.64	131.83	17.53	135.29	19.01	136.41	20.49	138.25	20.56	142.6	20.76
	19	95.96	11.95	114.3	14.89	130.4	17.84	134.08	19.34	135.15	20.84	136.95	20.91	141.29	21.11
	21	95.96	12.82	114.3	15.95	129.19	19.12	131.61	20.73	132.69	22.34	135.69	22.43	139.99	22.63
	23	95.96	13.73	114.3	17.10	126.77	20.48	130.4	22.21	131.43	23.93	134.43	24.02	138.69	24.24
	25	95.96	14.68	114.3	18.31	125.51	21.91	127.98	23.77	130.22	25.61	133.13	25.69	137.39	25.94
	27	95.96	15.70	114.3	19.56	123.09	23.42	126.77	25.40	128.96	27.38	131.88	27.46	136.05	27.73
	29	95.96	16.76	114.3	20.89	121.88	25.01	125.51	27.12	127.71	29.23	130.62	29.34	134.75	29.62
	31	95.96	17.87	114.3	22.27	120.67	26.67	124.3	28.93	126.5	31.18	129.37	31.28	133.45	31.58
	33	95.96	19.04	114.3	23.72	119.46	28.40	123.09	30.81	125.24	33.22	128.07	33.32	132.15	33.63
	35	95.96	20.25	113.36	25.24	118.2	30.22	121.88	32.78	124.03	35.34	126.81	35.45	130.85	35.79
	37	95.96	21.54	112.15	26.85	116.99	32.14	119.46	34.86	121.52	37.58	125.51	37.71	128.2	38.06
	39	95.96	21.64	110.89	26.96	115.78	32.28	118.2	35.00	120.31	37.75	124.3	37.85	126.9	38.22
	41	95.96	21.73	108.56	27.08	114.57	32.43	116.99	35.17	119.05	37.91	123.09	38.04	125.6	38.41
	43	95.96	21.84	107.44	27.21	113.36	32.58	115.78	35.34	118.2	38.09	121.88	38.20	124.3	38.58
	46	93.85	21.94	104.79	27.34	109.68	32.73	112.15	35.50	114.57	38.27	118.2	38.38	120.67	38.76
	48	91.39	22.04	102.37	27.46	106.05	32.89	108.47	35.66	110.89	38.45	114.57	38.56	116.99	38.94
	50	88.97	22.14	99.95	27.58	102.37	33.03	104.79	35.83	107.26	38.62	110.89	38.74	113.36	39.12
110%	10	87.8	10.83	103.99	13.49	117.75	16.16	128.25	17.53	137.8	18.89	140.94	18.96	145.38	19.13
	12	87.8	11.03	103.99	13.75	117.75	16.46	128.25	17.85	136.59	19.24	139.68	19.30	144.12	19.49
	14	87.8	11.24	103.99	14.00	117.75	16.76	128.25	18.18	135.38	19.59	138.43	19.66	142.82	19.84
	16	87.8	11.44	103.99	14.25	117.75	17.07	128.25	18.51	134.17	19.94	137.17	20.01	141.52	20.20
	18	87.8	11.63	103.99	14.50	117.75	17.35	128.25	18.83	132.95	20.29	135.96	20.36	140.26	20.56
	19	87.8	11.83	103.99	14.75	117.75	17.65	128.25	19.16	131.7	20.64	134.7	20.71	138.96	20.90
	21	87.8	12.69	103.99	15.81	117.75	18.92	128.25	20.53	130.49	22.13	133.45	22.21	137.66	22.42
	23	87.8	13.60	103.99	16.94	117.75	20.27	127.04	21.99	129.28	23.71	132.19	23.78	136.41	24.01
	25	87.8	14.55	103.99	18.12	117.75	21.69	125.87	23.54	128.07	25.37	130.94	25.44	135.11	25.69
	27	87.8	15.54	103.99	19.37	117.75	23.20	124.66	25.15	126.86	27.12	129.68	27.20	133.81	27.46
	29	87.8	16.61	103.99	20.69	117.75	24.76	123.45	26.86	125.6	28.94	128.47	29.06	132.55	29.32
	31	87.8	17.70	103.99	22.06	117.75	26.42	122.24	28.64	124.39	30.88	127.21	30.97	131.25	31.28
	33	87.8	18.85	103.99	23.49	116.27	28.13	121.07	30.51	123.18	32.89	125.96	32.99	129.95	33.30
	35	87.8	20.06	103.99	24.99	115.06	29.93	119.86	32.46	121.97	34.99	124.7	35.10	128.65	35.45
	37	87.8	21.34	103.99	26.59	113.85	31.82	117.48	34.53	119.5	37.22	122.24	37.34	126.09	37.69
	39	87.8	21.43	103.99	26.70	112.69	31.98	116.27	34.67	118.29	37.38	120.98	37.50	124.79	37.85
	41	87.8	21.52	103.99	26.82	111.48	32.11	115.06	34.83	117.08	37.55	119.73	37.66	123.54	38.04
	43	87.8	21.63	103.99	26.95	110.26	32.26	113.85	34.99	115.87	37.73	118.47	37.84	122.24	38.20
	46	85.11	21.73	101.88	27.07	106.68	32.41	110.26	35.16	112.69	37.89	115.06	38.01	117.48	38.38
	48	82.69	21.82	99.5	27.20	103.09	32.56	106.68	35.32	109.05	38.08	111.48	38.19	113.85	38.55
	50	80.31	21.93	97.08	27.32	99.5	32.71	103.09	35.48	105.47	38.25	107.89	38.37	110.26	38.74

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1130W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	78.25	10.10	92.37	12.60	106.5	15.09	113	16.37	123.04	17.64	131.7	17.69	136.95	17.87
	12	78.25	10.30	92.37	12.83	106.5	15.36	113	16.67	123.04	17.97	131.7	18.02	135.73	18.20
	14	78.25	10.48	92.37	13.07	106.5	15.64	113	16.96	123.04	18.29	130.49	18.34	134.52	18.52
	16	78.25	10.68	92.37	13.30	106.5	15.93	113	17.27	123.04	18.62	129.32	18.67	133.31	18.85
	18	78.25	10.85	92.37	13.53	106.5	16.20	113	17.57	123.04	18.95	128.16	19.01	132.1	19.18
	19	78.25	11.05	92.37	13.76	106.5	16.48	113	17.87	123.04	19.26	126.99	19.33	130.89	19.51
	21	78.25	11.83	92.37	14.76	106.5	17.67	113	19.16	123.04	20.66	125.82	20.72	129.64	20.93
	23	78.25	12.69	92.37	15.80	106.5	18.92	113	20.53	123.04	22.13	124.61	22.19	128.43	22.41
	25	78.25	13.57	92.37	16.91	106.5	20.25	113	21.97	123.04	23.67	123.45	23.75	127.21	23.98
	27	78.25	14.51	92.37	18.08	106.5	21.64	113	23.48	121.88	25.30	122.28	25.39	126	25.63
	29	78.25	15.49	92.37	19.30	106.5	23.12	113	25.06	120.71	27.03	121.12	27.12	124.79	27.37
	31	78.25	16.52	92.37	20.59	106.5	24.65	113	26.75	119.59	28.82	119.95	28.90	123.58	29.18
	33	78.25	17.60	92.37	21.93	106.5	26.26	113	28.49	118.43	30.71	118.74	30.79	122.37	31.10
	35	78.25	18.72	92.37	23.33	106.5	27.94	113	30.22	116.72	32.65	117.57	32.76	121.16	33.07
	37	78.25	19.92	92.37	24.81	106.5	29.71	113	31.51	114.97	34.74	116.41	34.85	118.74	35.19
	39	78.25	20.00	92.37	24.92	106.5	29.84	113	32.41	114.12	34.88	115.24	35.00	117.53	35.34
	41	78.25	20.09	92.37	25.03	105.11	29.97	111.88	33.33	113	35.04	114.12	35.15	116.32	35.49
	43	78.25	20.18	92.37	25.15	103.94	30.12	110.76	34.48	111.88	35.21	113	35.32	115.11	35.66
	46	78.25	20.27	90.53	25.27	100.58	30.25	109.59	35.53	110.76	35.37	111.88	35.48	114.12	35.82
	48	78.25	20.38	89.59	25.38	97.17	30.39	106.23	36.05	109.59	35.53	108.47	35.64	110.76	35.99
	50	76.86	20.46	88.7	25.51	93.81	30.54	102.82	36.96	106.23	35.70	105.11	35.81	107.35	36.15
90%	10	70.45	8.74	83.14	10.90	95.87	13.04	101.7	14.14	107.53	15.25	121.92	15.30	124.43	15.44
	12	70.45	8.90	83.14	11.09	95.87	13.28	101.7	14.40	107.53	15.53	121.92	15.58	124.43	15.73
	14	70.45	9.07	83.14	11.29	95.87	13.52	101.7	14.67	107.53	15.81	121.92	15.86	124.43	16.01
	16	70.45	9.22	83.14	11.49	95.87	13.77	101.7	14.93	107.53	16.09	121.92	16.15	124.43	16.29
	18	70.45	9.40	83.14	11.70	95.87	14.01	101.7	15.20	107.53	16.37	121.92	16.42	123.04	16.59
	19	70.45	9.55	83.14	11.91	95.87	14.25	101.7	15.46	107.53	16.65	121.03	16.71	122.06	16.87
	21	70.45	10.23	83.14	12.75	95.87	15.28	101.7	16.57	107.53	17.86	120	17.92	121.03	18.09
	23	70.45	10.96	83.14	13.66	95.87	16.37	101.7	17.74	107.53	19.13	119.01	19.18	120	19.37
	25	70.45	11.73	83.14	14.63	95.87	17.51	101.7	18.99	107.53	20.48	117.98	20.53	119.01	20.73
	27	70.45	12.54	83.14	15.63	95.87	18.72	101.7	20.29	107.53	21.88	116.95	21.95	117.98	22.17
	29	70.45	13.40	83.14	16.69	95.87	19.99	101.7	21.67	107.53	23.36	115.96	23.44	116.95	23.67
	31	70.45	14.29	83.14	17.80	95.87	21.31	101.7	23.12	107.53	24.91	114.93	24.99	115.96	25.24
	33	70.45	15.22	83.14	18.96	95.87	22.70	101.7	24.62	107.53	26.55	113.9	26.62	114.93	26.88
	35	70.45	16.19	83.14	20.16	95.87	24.15	101.7	26.19	107.53	28.23	112.87	28.32	113.9	28.60
	37	70.45	17.22	83.14	21.44	95.87	25.68	101.7	27.86	107.53	30.04	111.88	30.12	112.87	30.42
	39	70.45	17.29	83.14	21.54	95.87	25.79	101.7	27.98	106.77	30.17	110.85	30.25	111.88	30.54
	41	70.45	17.37	83.14	21.64	95.87	25.92	101.7	28.10	105.78	30.30	109.82	30.39	110.85	30.68
	43	70.45	17.45	83.14	21.74	95.87	26.03	100.67	28.23	104.75	30.43	108.83	30.54	109.82	30.82
	46	70.45	17.53	83.14	21.84	92.55	26.15	97.62	28.36	101.7	30.58	105.78	30.66	106.77	30.97
	48	70.45	17.61	83.14	21.94	89.5	26.27	94.57	28.49	98.65	30.71	102.73	30.82	103.72	31.11
	50	70.45	17.69	81.34	22.04	86.45	26.39	91.52	28.63	95.6	30.87	99.68	30.95	100.67	31.25
80%	10	62.6	7.47	73.9	9.31	85.2	11.13	90.4	12.08	95.6	13.03	97.66	13.06	99.77	13.19
	12	62.6	7.60	73.9	9.48	85.2	11.35	90.4	12.31	95.6	13.27	97.66	13.30	99.77	13.43
	14	62.6	7.74	73.9	9.65	85.2	11.55	90.4	12.53	95.6	13.52	97.66	13.55	99.77	13.68
	16	62.6	7.88	73.9	9.82	85.2	11.75	90.4	12.74	95.6	13.76	97.66	13.80	99.77	13.93
	18	62.6	8.03	73.9	9.99	85.2	11.96	90.4	12.97	95.6	13.99	97.66	14.03	99.77	14.17
	19	62.6	8.16	73.9	10.17	85.2	12.16	90.4	13.20	95.6	14.23	97.66	14.27	99.77	14.42
	21	62.6	8.74	73.9	10.90	85.2	13.06	90.4	14.14	95.6	15.25	97.66	15.30	99.77	15.46
	23	62.6	9.37	73.9	11.67	85.2	13.98	90.4	15.15	95.6	16.34	97.66	16.39	99.77	16.54
	25	62.6	10.02	73.9	12.49	85.2	14.96	90.4	16.22	95.6	17.48	97.66	17.53	99.77	17.71
	27	62.6	10.72	73.9	13.36	85.2	15.98	90.4	17.34	95.6	18.69	97.66	18.75	99.77	18.93
	29	62.6	11.45	73.9	14.26	85.2	17.07	90.4	18.51	95.6	19.96	97.66	20.02	99.77	20.21
	31	62.6	12.20	73.9	15.20	85.2	18.21	90.4	19.74	95.6	21.28	97.66	21.34	99.77	21.55
	33	62.6	12.99	73.9	16.19	85.2	19.39	90.4	21.03	95.6	22.67	97.66	22.74	99.77	22.96
	35	62.6	13.82	73.9	17.22	85.2	20.62	90.4	22.37	95.6	24.12	97.66	24.19	99.77	24.43
	37	62.6	14.71	73.9	18.33	85.2	21.94	90.4	23.80	95.6	25.65	97.66	25.73	98.52	25.98
	39	62.6	14.77	73.9	18.40	85.2	22.04	90.4	23.90	95.6	25.76	96.72	25.85	97.62	26.09
	41	62.6	14.84	73.9	18.48	85.2	22.13	90.4	24.00	94.93	25.87	95.83	25.96	96.72	26.20
	43	62.6	14.91	73.9	18.57	85.2	22.23	90.4	24.12	94.03	26.00	94.93	26.08	95.83	26.33
	46	62.6	14.97	74.12	18.66	84.97	22.34	87.71	24.24	91.3	26.12	92.19	26.20	91.3	26.46
	48	62.6	15.04	74.12	18.75	82.28	22.44	84.97	24.35	88.61	26.24	89.5	26.32	88.61	26.57
	50	62.6	15.12	74.12	18.83	79.55	22.55	82.28	24.45	85.87	26.36	86.77	26.43	85.87	26.70

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1130W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	54.8	6.29	64.66	7.83	74.57	9.38	79.1	10.18	83.63	10.97	85.47	11.01	87.31	11.11
	12	54.8	6.40	64.66	7.98	74.57	9.55	79.1	10.35	83.63	11.16	85.47	11.21	87.31	11.31
	14	54.8	6.52	64.66	8.13	74.57	9.73	79.1	10.55	83.63	11.37	85.47	11.41	87.31	11.51
	16	54.8	6.63	64.66	8.27	74.57	9.89	79.1	10.75	83.63	11.58	85.47	11.61	87.31	11.72
	18	54.8	6.76	64.66	8.41	74.57	10.07	79.1	10.92	83.63	11.78	85.47	11.82	87.31	11.93
	19	54.8	6.87	64.66	8.57	74.57	10.25	79.1	11.12	83.63	11.99	85.47	12.02	87.31	12.14
	21	54.8	7.37	64.66	9.18	74.57	10.99	79.1	11.92	83.63	12.85	85.47	12.89	87.31	13.01
	23	54.8	7.89	64.66	9.83	74.57	11.77	79.1	12.77	83.63	13.76	85.47	13.80	87.31	13.93
	25	54.8	8.44	64.66	10.52	74.57	12.60	79.1	13.65	83.63	14.73	85.47	14.77	87.31	14.91
	27	54.8	9.02	64.66	11.25	74.57	13.47	79.1	14.60	83.63	15.74	85.47	15.79	87.31	15.94
	29	54.8	9.64	64.66	12.01	74.57	14.37	79.1	15.58	83.63	16.81	85.47	16.85	87.31	17.02
	31	54.8	10.27	64.66	12.80	74.57	15.33	79.1	16.62	83.63	17.92	85.47	17.98	87.31	18.15
	33	54.8	10.95	64.66	13.64	74.57	16.33	79.1	17.72	83.63	19.09	85.47	19.16	87.31	19.34
	35	54.8	11.64	64.66	14.51	74.57	17.37	79.1	18.84	83.63	20.31	85.47	20.38	87.31	20.57
	37	54.8	12.38	64.66	15.43	74.57	18.47	79.1	20.04	83.63	21.60	85.47	21.67	87.31	21.88
	39	54.8	12.44	64.66	15.49	74.57	18.55	79.1	20.12	83.63	21.69	85.47	21.75	87.31	21.98
	41	54.8	12.49	64.66	15.57	74.57	18.64	79.1	20.21	83.63	21.80	85.47	21.86	87.31	22.07
	43	54.8	12.55	64.66	15.63	74.57	18.72	79.1	20.31	83.63	21.88	85.47	21.97	87.31	22.17
	46	54.8	12.62	64.66	15.71	74.57	18.80	79.1	20.40	82.28	21.99	83.85	22.06	85.42	22.27
	48	54.8	12.66	64.66	15.79	74.57	18.89	77.53	20.49	80.67	22.09	82.28	22.17	83.85	22.38
	50	54.8	12.73	64.66	15.85	72.78	18.99	75.92	20.60	79.1	22.20	80.67	22.27	82.28	22.47
60%	10	46.95	5.20	55.42	6.47	63.9	7.76	67.8	8.41	71.7	9.08	73.27	9.11	74.8	9.19
	12	46.95	5.31	55.42	6.60	63.9	7.91	67.8	8.57	71.7	9.24	73.27	9.27	74.8	9.37
	14	46.95	5.40	55.42	6.72	63.9	8.05	67.8	8.74	71.7	9.42	73.27	9.44	74.8	9.53
	16	46.95	5.49	55.42	6.84	63.9	8.19	67.8	8.89	71.7	9.58	73.27	9.61	74.8	9.70
	18	46.95	5.59	55.42	6.97	63.9	8.34	67.8	9.04	71.7	9.76	73.27	9.78	74.8	9.88
	19	46.95	5.69	55.42	7.09	63.9	8.49	67.8	9.19	71.7	9.92	73.27	9.94	74.8	10.05
	21	46.95	6.10	55.42	7.59	63.9	9.09	67.8	9.87	71.7	10.64	73.27	10.67	74.8	10.77
	23	46.95	6.53	55.42	8.13	63.9	9.74	67.8	10.56	71.7	11.39	73.27	11.42	74.8	11.53
	25	46.95	6.99	55.42	8.70	63.9	10.43	67.8	11.31	71.7	12.19	73.27	12.23	74.8	12.34
	27	46.95	7.47	55.42	9.31	63.9	11.13	67.8	12.08	71.7	13.03	73.27	13.07	74.8	13.19
	29	46.95	7.97	55.42	9.94	63.9	11.90	67.8	12.90	71.7	13.90	73.27	13.95	74.8	14.09
	31	46.95	8.50	55.42	10.59	63.9	12.69	67.8	13.76	71.7	14.84	73.27	14.89	74.8	15.02
	33	46.95	9.07	55.42	11.29	63.9	13.52	67.8	14.67	71.7	15.80	73.27	15.85	74.8	16.00
	35	46.95	9.64	55.42	12.01	63.9	14.38	67.8	15.58	71.7	16.81	73.27	16.86	74.8	17.02
	37	46.95	10.25	55.42	12.77	63.9	15.30	67.8	16.58	71.7	17.87	73.27	17.94	74.8	18.10
	39	46.95	10.30	55.42	12.82	63.9	15.36	67.8	16.65	71.7	17.96	73.27	18.01	74.8	18.18
	41	46.95	10.33	55.42	12.89	63.9	15.43	67.8	16.73	71.7	18.05	73.27	18.10	74.8	18.26
	43	46.95	10.39	55.42	12.95	63.9	15.50	67.8	16.81	71.7	18.12	73.27	18.18	74.8	18.35
	46	46.95	10.44	55.42	13.00	63.9	15.57	67.8	16.89	71.7	18.21	73.27	18.26	74.8	18.44
	48	46.95	10.48	55.42	13.06	63.9	15.64	67.8	16.96	70.49	18.29	71.88	18.34	73.23	18.52
	50	46.95	10.54	55.42	13.12	63.9	15.71	66.45	17.04	69.15	18.38	70.49	18.44	71.88	18.61
50%	10	39.15	4.21	46.19	5.25	53.27	6.30	56.5	6.82	59.73	7.35	61.03	7.37	62.33	7.46
	12	39.15	4.29	46.19	5.35	53.27	6.40	56.5	6.95	59.73	7.49	61.03	7.51	62.33	7.59
	14	39.15	4.38	46.19	5.44	53.27	6.52	56.5	7.08	59.73	7.63	61.03	7.65	62.33	7.71
	16	39.15	4.45	46.19	5.54	53.27	6.64	56.5	7.20	59.73	7.76	61.03	7.79	62.33	7.87
	18	39.15	4.53	46.19	5.65	53.27	6.76	56.5	7.33	59.73	7.90	61.03	7.93	62.33	8.00
	19	39.15	4.61	46.19	5.74	53.27	6.87	56.5	7.46	59.73	8.04	61.03	8.06	62.33	8.13
	21	39.15	4.95	46.19	6.15	53.27	7.37	56.5	8.00	59.73	8.62	61.03	8.64	62.33	8.73
	23	39.15	5.29	46.19	6.59	53.27	7.89	56.5	8.57	59.73	9.22	61.03	9.26	62.33	9.35
	25	39.15	5.66	46.19	7.05	53.27	8.44	56.5	9.16	59.73	9.88	61.03	9.89	62.33	10.00
	27	39.15	6.06	46.19	7.54	53.27	9.03	56.5	9.79	59.73	10.56	61.03	10.59	62.33	10.68
	29	39.15	6.46	46.19	8.05	53.27	9.64	56.5	10.46	59.73	11.26	61.03	11.31	62.33	11.42
	31	39.15	6.89	46.19	8.59	53.27	10.28	56.5	11.15	59.73	12.02	61.03	12.05	62.33	12.16
	33	39.15	7.34	46.19	9.15	53.27	10.95	56.5	11.88	59.73	12.80	61.03	12.85	62.33	12.97
	35	39.15	7.81	46.19	9.73	53.27	11.65	56.5	12.63	59.73	13.62	61.03	13.66	62.33	13.80
	37	39.15	8.30	46.19	10.35	53.27	12.39	56.5	13.43	59.73	14.48	61.03	14.53	62.33	14.67
	39	39.15	8.34	46.19	10.39	53.27	12.45	56.5	13.49	59.73	14.55	61.03	14.59	62.33	14.73
	41	39.15	8.38	46.19	10.44	53.27	12.50	56.5	13.56	59.73	14.61	61.03	14.67	62.33	14.80
	43	39.15	8.41	46.19	10.48	53.27	12.56	56.5	13.62	59.73	14.68	61.03	14.73	62.33	14.87
	46	39.15	8.46	46.19	10.54	53.27	12.62	56.5	13.68	59.73	14.76	61.03	14.79	62.33	14.93
	48	39.15	8.50	46.19	10.59	53.27	12.66	56.5	13.75	59.91	14.81	60.45	14.87	61.57	15.01
	50	39.15	8.54	46.19	10.64	53.27	12.73	56.5	13.81	59.33	14.89	59.91	14.93	61.03	15.08

42HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1180W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	106.72	11.81	124.65	14.70	143.61	17.61	147.5	19.10	150.08	20.58	152.42	20.65	156.49	20.84
	12	106.72	12.02	124.65	14.97	143.61	17.93	146.19	19.45	148.76	20.96	151.06	21.03	155.09	21.23
	14	106.72	12.25	124.65	15.25	143.61	18.26	144.88	19.80	147.45	21.35	148.34	21.40	153.73	21.61
	16	106.72	12.46	124.65	15.51	142.35	18.58	143.61	20.17	144.78	21.72	147.03	21.80	152.32	22.01
	18	106.72	12.67	124.65	15.79	139.82	18.91	141.04	20.52	143.47	22.10	145.67	22.17	150.92	22.40
	19	106.72	12.90	124.65	16.07	138.56	19.24	139.73	20.87	142.16	22.50	144.32	22.56	149.56	22.77
	21	106.72	13.83	124.65	17.23	137.29	20.61	138.42	22.36	140.85	24.10	142.96	24.17	148.16	24.42
	23	106.72	14.81	124.65	18.44	136.03	22.08	137.15	23.96	139.54	25.82	141.6	25.89	146.8	26.15
	25	106.72	15.84	124.65	19.74	134.72	23.64	135.84	25.64	138.23	27.64	140.29	27.71	145.39	27.99
	27	106.72	16.93	124.65	21.10	133.45	25.27	134.53	27.40	136.92	29.55	138.93	29.62	142.63	29.92
	29	106.72	18.09	123.67	22.54	132.19	26.97	133.27	29.26	135.61	31.55	137.57	31.64	142.63	31.94
	31	106.72	19.28	123.29	24.03	130.92	28.76	131.95	31.21	134.3	33.65	136.22	33.74	141.23	34.07
	33	106.72	20.53	123.29	25.59	129.66	30.65	130.69	33.23	132.94	35.84	134.86	35.93	139.87	36.28
	35	106.72	21.84	122.07	27.22	127.13	32.60	129.38	35.35	131.63	38.12	133.27	38.23	138.46	38.61
	37	106.72	23.24	122.07	28.97	125.49	34.67	128.07	37.61	129	40.55	131.95	40.66	135.7	41.05
	39	106.72	23.33	120.34	29.08	124.56	34.82	126.8	37.77	127.69	40.73	130.69	40.84	134.34	41.24
	41	106.72	23.44	117.72	29.22	122.92	34.97	125.49	37.94	126.38	40.90	129.38	41.03	132.94	41.43
	43	107.37	23.56	115.14	29.34	120.76	35.14	122.92	38.12	125.07	41.10	128.11	41.22	131.53	41.61
	46	103.48	23.66	111.26	29.49	116.45	35.31	119.03	38.29	121.61	41.28	124.18	41.40	128.07	41.80
	48	100.91	23.78	107.37	29.62	112.57	35.46	115.14	38.47	117.72	41.48	120.34	41.60	124.18	42.01
	50	98.33	23.89	103.48	29.76	108.68	35.63	111.26	38.66	113.83	41.66	116.45	41.80	120.34	42.19
120%	10	100.21	11.69	119.36	14.56	137.67	17.44	142.54	18.91	147.64	20.38	149.65	20.44	154.38	20.65
	12	100.21	11.90	119.36	14.84	137.67	17.76	142.54	19.26	146.33	20.77	148.3	20.82	153.03	21.03
	14	100.21	12.11	119.36	15.09	137.67	18.08	142.54	19.60	145.02	21.14	146.98	21.22	151.67	21.40
	16	100.21	12.34	119.36	15.37	137.67	18.40	142.54	19.95	143.75	21.52	145.67	21.58	150.26	21.80
	18	100.21	12.55	119.36	15.65	137.67	18.72	141.27	20.30	142.44	21.89	144.36	21.96	148.9	22.17
	19	100.21	12.76	119.36	15.90	136.17	19.05	140.01	20.65	141.13	22.27	143	22.33	147.55	22.56
	21	100.21	13.69	119.36	17.05	134.9	20.42	137.43	22.15	138.56	23.87	141.69	23.96	146.19	24.17
	23	100.21	14.67	119.36	18.28	132.38	21.87	136.17	23.73	137.25	25.57	140.38	25.66	144.83	25.89
	25	100.21	15.69	119.36	19.56	131.06	23.41	133.64	25.39	135.98	27.36	139.02	27.45	143.47	27.71
	27	100.21	16.77	119.36	20.89	128.54	25.03	132.38	27.13	134.67	29.25	137.71	29.34	142.07	29.62
	29	100.21	17.91	119.36	22.31	127.27	26.71	131.06	28.97	133.36	31.23	136.4	31.35	140.71	31.64
	31	100.21	19.10	119.36	23.79	126.01	28.50	129.8	30.90	132.09	33.32	135.09	33.42	139.35	33.74
	33	100.21	20.35	119.36	25.34	124.74	30.34	128.54	32.92	130.78	35.49	133.73	35.60	137.99	35.93
	35	100.21	21.63	118.37	26.96	123.43	32.29	127.27	35.02	129.52	37.75	132.42	37.87	136.64	38.23
	37	100.21	23.01	117.11	28.68	122.17	34.35	124.74	37.24	126.9	40.15	131.06	40.29	133.87	40.66
	39	100.21	23.12	115.8	28.80	120.9	34.49	123.43	37.40	125.63	40.33	129.8	40.44	132.52	40.84
	41	100.21	23.21	113.36	28.92	119.64	34.65	122.17	37.58	124.32	40.50	128.54	40.64	131.16	41.03
	43	100.21	23.33	112.19	29.06	118.37	34.81	120.9	37.75	123.43	40.70	127.27	40.82	129.8	41.22
	46	98.01	23.44	109.43	29.20	114.53	34.97	117.11	37.93	119.64	40.89	123.43	41.01	126.01	41.40
	48	95.43	23.55	106.9	29.34	110.74	35.14	113.27	38.10	115.8	41.08	119.64	41.20	122.17	41.60
	50	92.9	23.66	104.37	29.48	106.9	35.28	109.43	38.28	112.01	41.26	115.8	41.38	118.37	41.80
110%	10	91.68	11.58	108.59	14.41	122.96	17.26	133.92	18.72	143.89	20.19	147.17	20.26	151.81	20.44
	12	91.68	11.79	108.59	14.69	122.96	17.58	133.92	19.07	142.63	20.56	145.86	20.63	150.5	20.82
	14	91.68	12.00	108.59	14.95	122.96	17.91	133.92	19.42	141.37	20.93	144.55	21.00	149.14	21.21
	16	91.68	12.22	108.59	15.23	122.96	18.23	133.92	19.77	140.1	21.31	143.24	21.37	147.78	21.58
	18	91.68	12.43	108.59	15.49	122.96	18.54	133.92	20.12	138.84	21.68	141.97	21.75	146.47	21.96
	19	91.68	12.64	108.59	15.77	122.96	18.86	133.92	20.47	137.53	22.05	140.66	22.12	145.11	22.33
	21	91.68	13.56	108.59	16.89	122.96	20.21	133.92	21.93	136.26	23.64	139.35	23.73	143.75	23.94
	23	91.68	14.53	108.59	18.09	122.96	21.66	132.66	23.50	135	25.33	138.04	25.41	142.44	25.65
	25	91.68	15.53	108.59	19.36	122.96	23.17	131.44	25.15	133.73	27.10	136.73	27.17	141.08	27.45
	27	91.68	16.60	108.59	20.70	122.96	24.78	130.17	26.87	132.47	28.97	135.42	29.06	139.73	29.34
	29	91.68	17.74	108.59	22.10	122.96	26.46	128.91	28.69	131.16	30.92	134.15	31.04	138.42	31.32
	31	91.68	18.91	108.59	23.56	122.96	28.22	127.65	30.60	129.89	32.99	132.84	33.09	137.06	33.42
	33	91.68	20.14	108.59	25.10	121.42	30.06	126.43	32.60	128.63	35.14	131.53	35.25	135.7	35.58
	35	91.68	21.43	108.59	26.70	120.15	31.97	125.16	34.67	127.37	37.38	130.22	37.50	134.34	37.87
	37	91.68	22.80	108.59	28.41	118.89	34.00	122.68	36.89	124.79	39.77	127.65	39.89	131.67	40.26
	39	91.68	22.89	108.59	28.53	117.67	34.16	121.42	37.05	123.53	39.94	126.33	40.06	130.32	40.44
	41	91.68	23.00	108.59	28.65	116.41	34.30	120.15	37.21	122.26	40.12	125.02	40.24	129	40.64
	43	91.68	23.10	108.59	28.79	115.14	34.47	118.89	37.38	121	40.31	123.71	40.43	127.65	40.82
	46	88.87	23.21	106.39	28.92	111.4	34.62	115.14	37.56	117.67	40.49	120.15	40.61	122.68	41.01
	48	86.35	23.31	103.91	29.06	107.65	34.79	111.4	37.73	113.88	40.68	116.41	40.79	118.89	41.19
	50	83.86	23.43	101.38	29.18	103.91	34.96	107.65	37.91	110.13	40.87	112.66	40.99	115.14	41.38

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1180W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	81.71	10.80	96.46	13.46	111.21	16.11	118	17.49	128.49	18.84	137.53	18.91	143	19.09
	12	81.71	11.00	96.46	13.71	111.21	16.42	118	17.81	128.49	19.19	137.53	19.26	141.74	19.44
	14	81.71	11.20	96.46	13.95	111.21	16.71	118	18.12	128.49	19.54	136.26	19.60	140.48	19.79
	16	81.71	11.41	96.46	14.21	111.21	17.02	118	18.44	128.49	19.89	135.04	19.95	139.21	20.14
	18	81.71	11.59	96.46	14.46	111.21	17.30	118	18.77	128.49	20.24	133.83	20.30	137.95	20.49
	19	81.71	11.81	96.46	14.70	111.21	17.61	118	19.10	128.49	20.58	132.61	20.65	136.68	20.84
	21	81.71	12.64	96.46	15.77	111.21	18.89	118	20.47	128.49	22.07	131.39	22.15	135.37	22.36
	23	81.71	13.56	96.46	16.88	111.21	20.21	118	21.93	128.49	23.64	130.13	23.70	134.11	23.94
	25	81.71	14.50	96.46	18.07	111.21	21.63	118	23.47	128.49	25.29	128.91	25.38	132.84	25.62
	27	81.71	15.51	96.46	19.31	111.21	23.12	118	25.08	127.27	27.04	127.69	27.13	131.58	27.39
	29	81.71	16.56	96.46	20.63	111.21	24.71	118	26.78	126.05	28.88	126.48	28.97	130.32	29.25
	31	81.71	17.65	96.46	22.00	111.21	26.34	118	28.57	124.88	30.78	125.26	30.88	129.05	31.18
	33	81.71	18.79	96.46	23.43	111.21	28.06	118	30.43	123.67	32.81	123.99	32.90	127.79	33.22
	35	81.71	20.00	96.46	24.92	111.21	29.85	118	32.35	121.89	34.88	122.78	35.00	126.52	35.34
	37	81.71	21.28	96.46	26.50	111.21	31.74	118	33.67	120.06	37.12	121.56	37.23	123.99	37.59
	39	81.71	21.37	96.46	26.62	111.21	31.88	118	34.62	119.17	37.28	120.34	37.40	122.73	37.75
	41	81.71	21.47	96.46	26.73	109.76	32.02	116.83	35.61	118	37.44	119.17	37.56	121.47	37.91
	43	81.71	21.57	96.46	26.87	108.54	32.18	115.66	36.84	116.83	37.61	118	37.73	120.2	38.10
	46	81.71	21.66	94.54	26.99	105.03	32.32	114.44	37.98	115.66	37.79	116.83	37.91	119.17	38.28
	48	81.71	21.77	93.56	27.11	101.47	32.46	110.93	38.52	114.44	37.96	113.27	38.08	115.66	38.45
	50	80.26	21.86	92.62	27.25	97.96	32.63	107.37	39.50	110.93	38.14	109.76	38.26	112.1	38.63
90%	10	73.56	9.34	86.81	11.64	100.11	13.92	106.2	15.11	112.29	16.30	127.32	16.35	129.94	16.49
	12	73.56	9.50	86.81	11.85	100.11	14.18	106.2	15.39	112.29	16.58	127.32	16.65	129.94	16.81
	14	73.56	9.69	86.81	12.06	100.11	14.44	106.2	15.67	112.29	16.89	127.32	16.95	129.94	17.11
	16	73.56	9.85	86.81	12.28	100.11	14.72	106.2	15.95	112.29	17.18	127.32	17.26	129.94	17.41
	18	73.56	10.04	86.81	12.51	100.11	14.97	106.2	16.23	112.29	17.49	127.32	17.55	128.49	17.72
	19	73.56	10.20	86.81	12.72	100.11	15.23	106.2	16.51	112.29	17.79	126.38	17.86	127.46	18.02
	21	73.56	10.94	86.81	13.62	100.11	16.33	106.2	17.70	112.29	19.07	125.3	19.14	126.38	19.33
	23	73.56	11.71	86.81	14.60	100.11	17.49	106.2	18.95	112.29	20.44	124.27	20.49	125.3	20.70
	25	73.56	12.53	86.81	15.63	100.11	18.70	106.2	20.29	112.29	21.87	123.2	21.93	124.27	22.15
	27	73.56	13.41	86.81	16.70	100.11	20.00	106.2	21.68	112.29	23.38	122.12	23.44	123.2	23.68
	29	73.56	14.32	86.81	17.84	100.11	21.35	106.2	23.15	112.29	24.96	121.09	25.04	122.12	25.29
	31	73.56	15.26	86.81	19.02	100.11	22.77	106.2	24.69	112.29	26.61	120.01	26.70	121.09	26.96
	33	73.56	16.25	86.81	20.26	100.11	24.25	106.2	26.31	112.29	28.36	118.94	28.44	120.01	28.71
	35	73.56	17.30	86.81	21.54	100.11	25.80	106.2	27.98	112.29	30.16	117.86	30.25	118.94	30.55
	37	73.56	18.40	86.81	22.91	100.11	27.43	106.2	29.76	112.29	32.09	116.83	32.18	117.86	32.49
	39	73.56	18.46	86.81	23.01	100.11	27.55	106.2	29.90	111.49	32.23	115.75	32.32	116.83	32.63
	41	73.56	18.56	86.81	23.12	100.11	27.69	106.2	30.02	110.46	32.37	114.68	32.46	115.75	32.78
	43	73.56	18.65	86.81	23.21	100.11	27.81	105.12	30.16	109.38	32.51	113.65	32.63	114.68	32.93
	46	73.56	18.72	86.81	23.33	96.65	27.94	101.94	30.30	106.2	32.67	110.46	32.76	111.49	33.09
	48	73.56	18.81	86.81	23.44	93.46	28.06	98.75	30.43	103.02	32.81	107.28	32.93	108.31	33.23
	50	73.56	18.91	84.94	23.55	90.28	28.20	95.57	30.58	99.83	32.98	104.09	33.07	105.12	33.39
80%	10	65.37	7.98	77.17	9.95	88.97	11.90	94.4	12.90	99.83	13.92	101.99	13.95	104.19	14.09
	12	65.37	8.12	77.17	10.13	88.97	12.13	94.4	13.16	99.83	14.18	101.99	14.21	104.19	14.35
	14	65.37	8.27	77.17	10.31	88.97	12.34	94.4	13.39	99.83	14.44	101.99	14.49	104.19	14.62
	16	65.37	8.43	77.17	10.50	88.97	12.55	94.4	13.62	99.83	14.70	101.99	14.74	104.19	14.88
	18	65.37	8.57	77.17	10.66	88.97	12.78	94.4	13.86	99.83	14.95	101.99	14.99	104.19	15.14
	19	65.37	8.71	77.17	10.86	88.97	12.99	94.4	14.11	99.83	15.20	101.99	15.25	104.19	15.40
	21	65.37	9.34	77.17	11.64	88.97	13.95	94.4	15.11	99.83	16.30	101.99	16.35	104.19	16.51
	23	65.37	10.01	77.17	12.46	88.97	14.93	94.4	16.19	99.83	17.46	101.99	17.51	104.19	17.67
	25	65.37	10.71	77.17	13.34	88.97	15.98	94.4	17.33	99.83	18.67	101.99	18.74	104.19	18.91
	27	65.37	11.46	77.17	14.27	88.97	17.07	94.4	18.52	99.83	19.97	101.99	20.03	104.19	20.23
	29	65.37	12.23	77.17	15.23	88.97	18.23	94.4	19.77	99.83	21.33	101.99	21.38	104.19	21.58
	31	65.37	13.04	77.17	16.23	88.97	19.45	94.4	21.10	99.83	22.73	101.99	22.80	104.19	23.03
	33	65.37	13.88	77.17	17.30	88.97	20.72	94.4	22.47	99.83	24.22	101.99	24.29	104.19	24.52
	35	65.37	14.76	77.17	18.40	88.97	22.03	94.4	23.90	99.83	25.77	101.99	25.85	104.19	26.11
	37	65.37	15.72	77.17	19.59	88.97	23.44	94.4	25.42	99.83	27.40	101.99	27.48	102.88	27.75
	39	65.37	15.78	77.17	19.65	88.97	23.55	94.4	25.53	99.83	27.52	101	27.62	101.94	27.87
	41	65.37	15.86	77.17	19.74	88.97	23.64	94.4	25.64	99.13	27.64	100.07	27.74	101	27.99
	43	65.37	15.93	77.17	19.84	88.97	23.75	94.4	25.77	98.19	27.78	99.13	27.86	100.07	28.13
	46	65.37	16.00	77.4	19.94	88.73	23.87	91.59	25.89	95.34	27.90	96.27	27.99	95.34	28.27
	48	65.37	16.07	77.4	20.03	85.92	23.98	88.73	26.01	92.53	28.04	93.46	28.13	92.53	28.39
	50	65.37	16.14	77.4	20.12	83.07	24.08	85.92	26.12	89.67	28.16	90.61	28.24	89.67	28.53

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1180W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	57.22	6.71	67.52	8.36	77.87	10.02	82.6	10.88	87.33	11.71	89.25	11.76	91.17	11.87
	12	57.22	6.84	67.52	8.53	77.87	10.20	82.6	11.06	87.33	11.93	89.25	11.97	91.17	12.08
	14	57.22	6.96	67.52	8.68	77.87	10.39	82.6	11.27	87.33	12.16	89.25	12.18	91.17	12.29
	16	57.22	7.08	67.52	8.83	77.87	10.57	82.6	11.48	87.33	12.37	89.25	12.41	91.17	12.52
	18	57.22	7.22	67.52	8.99	77.87	10.76	82.6	11.67	87.33	12.58	89.25	12.63	91.17	12.74
	19	57.22	7.34	67.52	9.15	77.87	10.95	82.6	11.88	87.33	12.81	89.25	12.84	91.17	12.97
	21	57.22	7.87	67.52	9.81	77.87	11.74	82.6	12.74	87.33	13.72	89.25	13.77	91.17	13.90
	23	57.22	8.43	67.52	10.50	77.87	12.58	82.6	13.65	87.33	14.70	89.25	14.74	91.17	14.88
	25	57.22	9.02	67.52	11.24	77.87	13.46	82.6	14.60	87.33	15.74	89.25	15.78	91.17	15.93
	27	57.22	9.64	67.52	12.02	77.87	14.39	82.6	15.60	87.33	16.81	89.25	16.86	91.17	17.03
	29	57.22	10.30	67.52	12.83	77.87	15.35	82.6	16.65	87.33	17.96	89.25	18.00	91.17	18.19
	31	57.22	10.97	67.52	13.67	77.87	16.37	82.6	17.76	87.33	19.14	89.25	19.21	91.17	19.39
	33	57.22	11.69	67.52	14.58	77.87	17.44	82.6	18.93	87.33	20.40	89.25	20.47	91.17	20.65
	35	57.22	12.43	67.52	15.51	77.87	18.56	82.6	20.12	87.33	21.70	89.25	21.77	91.17	21.98
	37	57.22	13.22	67.52	16.48	77.87	19.74	82.6	21.40	87.33	23.08	89.25	23.15	91.17	23.38
	39	57.22	13.30	67.52	16.56	77.87	19.82	82.6	21.49	87.33	23.17	89.25	23.24	91.17	23.47
	41	57.22	13.34	67.52	16.63	77.87	19.91	82.6	21.58	87.33	23.29	89.25	23.35	91.17	23.58
	43	57.22	13.41	67.52	16.70	77.87	20.00	82.6	21.70	87.33	23.38	89.25	23.47	91.17	23.68
	46	57.22	13.48	67.52	16.79	77.87	20.09	82.6	21.80	85.92	23.50	87.56	23.56	89.2	23.79
	48	57.22	13.53	67.52	16.86	77.87	20.19	80.96	21.89	84.24	23.61	85.92	23.68	87.56	23.91
	50	57.22	13.60	67.52	16.93	76	20.29	79.28	22.01	82.6	23.71	84.24	23.79	85.92	24.01
60%	10	49.03	5.56	57.88	6.92	66.73	8.29	70.8	8.99	74.87	9.69	76.51	9.73	78.1	9.83
	12	49.03	5.66	57.88	7.05	66.73	8.45	70.8	9.15	74.87	9.87	76.51	9.90	78.1	10.01
	14	49.03	5.77	57.88	7.17	66.73	8.59	70.8	9.34	74.87	10.06	76.51	10.08	78.1	10.18
	16	49.03	5.87	57.88	7.31	66.73	8.76	70.8	9.50	74.87	10.24	76.51	10.27	78.1	10.36
	18	49.03	5.97	57.88	7.45	66.73	8.91	70.8	9.66	74.87	10.42	76.51	10.45	78.1	10.55
	19	49.03	6.08	57.88	7.57	66.73	9.06	70.8	9.83	74.87	10.60	76.51	10.62	78.1	10.74
	21	49.03	6.52	57.88	8.10	66.73	9.72	70.8	10.54	74.87	11.36	76.51	11.39	78.1	11.50
	23	49.03	6.98	57.88	8.68	66.73	10.41	70.8	11.29	74.87	12.17	76.51	12.20	78.1	12.32
	25	49.03	7.47	57.88	9.29	66.73	11.13	70.8	12.08	74.87	13.02	76.51	13.07	78.1	13.18
	27	49.03	7.98	57.88	9.95	66.73	11.90	70.8	12.90	74.87	13.92	76.51	13.97	78.1	14.09
	29	49.03	8.52	57.88	10.62	66.73	12.72	70.8	13.79	74.87	14.85	76.51	14.90	78.1	15.05
	31	49.03	9.08	57.88	11.32	66.73	13.56	70.8	14.70	74.87	15.86	76.51	15.90	78.1	16.05
	33	49.03	9.69	57.88	12.06	66.73	14.44	70.8	15.67	74.87	16.88	76.51	16.93	78.1	17.09
	35	49.03	10.30	57.88	12.83	66.73	15.37	70.8	16.65	74.87	17.96	76.51	18.02	78.1	18.19
	37	49.03	10.95	57.88	13.65	66.73	16.35	70.8	17.72	74.87	19.10	76.51	19.16	78.1	19.35
	39	49.03	11.00	57.88	13.69	66.73	16.42	70.8	17.79	74.87	19.19	76.51	19.24	78.1	19.42
	41	49.03	11.04	57.88	13.77	66.73	16.48	70.8	17.88	74.87	19.28	76.51	19.33	78.1	19.51
	43	49.03	11.11	57.88	13.83	66.73	16.56	70.8	17.96	74.87	19.36	76.51	19.42	78.1	19.60
	46	49.03	11.15	57.88	13.90	66.73	16.63	70.8	18.05	74.87	19.45	76.51	19.51	78.1	19.70
	48	49.03	11.20	57.88	13.95	66.73	16.71	70.8	18.12	73.61	19.54	75.06	19.60	76.47	19.79
	50	49.03	11.25	57.88	14.02	66.73	16.79	69.4	18.21	72.2	19.63	73.61	19.70	75.06	19.88
50%	10	40.88	4.49	48.23	5.61	55.63	6.73	59	7.29	62.37	7.85	63.73	7.87	65.09	7.97
	12	40.88	4.59	48.23	5.71	55.63	6.84	59	7.43	62.37	8.01	63.73	8.03	65.09	8.10
	14	40.88	4.68	48.23	5.82	55.63	6.96	59	7.57	62.37	8.15	63.73	8.18	65.09	8.24
	16	40.88	4.75	48.23	5.92	55.63	7.10	59	7.69	62.37	8.29	63.73	8.32	65.09	8.41
	18	40.88	4.84	48.23	6.03	55.63	7.22	59	7.83	62.37	8.44	63.73	8.47	65.09	8.55
	19	40.88	4.92	48.23	6.12	55.63	7.34	59	7.97	62.37	8.59	63.73	8.62	65.09	8.68
	21	40.88	5.29	48.23	6.57	55.63	7.87	59	8.55	62.37	9.20	63.73	9.23	65.09	9.32
	23	40.88	5.65	48.23	7.04	55.63	8.43	59	9.15	62.37	9.85	63.73	9.90	65.09	9.99
	25	40.88	6.05	48.23	7.54	55.63	9.02	59	9.78	62.37	10.55	63.73	10.57	65.09	10.69
	27	40.88	6.47	48.23	8.06	55.63	9.64	59	10.46	62.37	11.27	63.73	11.32	65.09	11.41
	29	40.88	6.90	48.23	8.59	55.63	10.30	59	11.18	62.37	12.04	63.73	12.08	65.09	12.20
	31	40.88	7.36	48.23	9.17	55.63	10.99	59	11.92	62.37	12.84	63.73	12.87	65.09	12.99
	33	40.88	7.85	48.23	9.78	55.63	11.69	59	12.69	62.37	13.67	63.73	13.72	65.09	13.86
	35	40.88	8.33	48.23	10.39	55.63	12.44	59	13.50	62.37	14.55	63.73	14.60	65.09	14.74
	37	40.88	8.87	48.23	11.06	55.63	13.23	59	14.35	62.37	15.48	63.73	15.53	65.09	15.67
	39	40.88	8.91	48.23	11.11	55.63	13.30	59	14.41	62.37	15.53	63.73	15.58	65.09	15.74
	41	40.88	8.94	48.23	11.15	55.63	13.34	59	14.49	62.37	15.61	63.73	15.67	65.09	15.81
	43	40.88	8.99	48.23	11.20	55.63	13.42	59	14.55	62.37	15.69	63.73	15.74	65.09	15.88
	46	40.88	9.03	48.23	11.25	55.63	13.48	59	14.62	62.37	15.77	63.73	15.81	65.09	15.95
	48	40.88	9.08	48.23	11.32	55.63	13.53	59	14.69	62.56	15.83	63.12	15.88	64.29	16.04
	50	40.88	9.13	48.23	11.36	55.63	13.60	59	14.76	61.95	15.90	62.56	15.95	63.73	16.11

44HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1235W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	111.69	12.36	130.46	15.40	150.31	18.44	154.38	20.00	157.07	21.56	159.52	21.64	163.78	21.83
	12	111.69	12.59	130.46	15.69	150.31	18.79	153	20.37	155.7	21.95	158.1	22.02	162.31	22.25
	14	111.69	12.83	130.46	15.97	150.31	19.12	151.63	20.73	154.33	22.37	155.26	22.41	160.89	22.64
	16	111.69	13.05	130.46	16.25	148.98	19.46	150.31	21.12	151.53	22.76	153.88	22.83	159.42	23.05
	18	111.69	13.27	130.46	16.54	146.34	19.81	147.61	21.49	150.16	23.15	152.46	23.22	157.95	23.46
	19	111.69	13.51	130.46	16.83	145.01	20.15	146.24	21.86	148.79	23.57	151.04	23.63	156.53	23.85
	21	111.69	14.49	130.46	18.04	143.69	21.59	144.87	23.42	147.42	25.25	149.62	25.32	155.06	25.59
	23	111.69	15.51	130.46	19.32	142.37	23.13	143.54	25.10	146.04	27.06	148.2	27.13	153.64	27.39
	25	111.69	16.59	130.46	20.68	141	24.75	142.17	26.85	144.67	28.95	146.83	29.03	152.17	29.32
	27	111.69	17.74	130.46	22.10	139.67	26.46	140.8	28.71	143.3	30.95	145.41	31.03	149.28	31.34
	29	111.69	18.95	129.43	23.61	138.35	28.25	139.48	30.66	141.93	33.05	143.99	33.14	149.28	33.47
	31	111.69	20.20	129.04	25.17	137.03	30.13	138.1	32.69	140.55	35.24	142.56	35.34	147.81	35.69
	33	111.69	21.51	129.04	26.80	135.7	32.10	136.78	34.81	139.13	37.53	141.14	37.64	146.39	38.01
	35	111.69	22.88	127.76	28.51	133.06	34.15	135.41	37.03	137.76	39.93	139.48	40.05	144.92	40.44
	37	111.69	24.35	127.76	30.34	131.34	36.32	134.04	39.39	135.02	42.46	138.1	42.59	142.03	43.00
	39	111.69	24.45	125.95	30.46	130.36	36.47	132.71	39.57	133.64	42.66	136.78	42.79	140.6	43.20
	41	111.69	24.56	123.21	30.61	128.65	36.63	131.34	39.73	132.27	42.83	135.41	42.97	139.13	43.39
	43	112.38	24.68	120.51	30.74	126.39	36.81	128.65	39.93	130.9	43.05	134.09	43.18	137.66	43.59
	46	108.31	24.78	116.44	30.88	121.88	36.98	124.58	40.11	127.27	43.24	129.97	43.37	134.04	43.79
	48	105.61	24.90	112.38	31.03	117.82	37.15	120.51	40.30	123.21	43.45	125.95	43.57	129.97	44.00
	50	102.92	25.02	108.31	31.18	113.75	37.32	116.44	40.49	119.14	43.64	121.88	43.78	125.95	44.20
120%	10	104.88	12.24	124.92	15.25	144.08	18.27	149.18	19.81	154.52	21.35	156.63	21.41	161.58	21.64
	12	104.88	12.47	124.92	15.54	144.08	18.61	149.18	20.17	153.15	21.76	155.21	21.81	160.16	22.02
	14	104.88	12.69	124.92	15.81	144.08	18.93	149.18	20.54	151.78	22.15	153.84	22.22	158.74	22.41
	16	104.88	12.93	124.92	16.10	144.08	19.27	149.18	20.90	150.45	22.54	152.46	22.61	157.27	22.83
	18	104.88	13.15	124.92	16.39	144.08	19.61	147.86	21.27	149.08	22.93	151.09	23.00	155.85	23.22
	19	104.88	13.37	124.92	16.66	142.52	19.96	146.53	21.64	147.71	23.32	149.67	23.40	154.42	23.63
	21	104.88	14.34	124.92	17.86	141.19	21.39	143.84	23.19	145.01	25.00	148.3	25.10	153	25.32
	23	104.88	15.36	124.92	19.15	138.55	22.91	142.52	24.86	143.64	26.79	146.93	26.88	151.58	27.13
	25	104.88	16.44	124.92	20.48	137.17	24.51	139.87	26.59	142.32	28.66	145.5	28.75	150.16	29.03
	27	104.88	17.56	124.92	21.89	134.53	26.22	138.55	28.42	140.95	30.64	144.13	30.73	148.69	31.03
	29	104.88	18.76	124.92	23.37	133.2	27.98	137.17	30.35	139.57	32.72	142.76	32.83	147.27	33.14
	31	104.88	20.00	124.92	24.93	131.88	29.86	135.85	32.37	138.25	34.91	141.39	35.00	145.85	35.34
	33	104.88	21.32	124.92	26.55	130.56	31.79	134.53	34.49	136.88	37.17	139.97	37.29	144.43	37.64
	35	104.88	22.67	123.89	28.24	129.18	33.83	133.2	36.68	135.56	39.54	138.59	39.66	143.01	40.05
	37	104.88	24.10	122.57	30.05	127.86	35.97	130.56	39.01	132.81	42.05	137.17	42.19	140.11	42.59
	39	104.88	24.22	121.2	30.17	126.54	36.12	129.18	39.18	131.49	42.25	135.85	42.37	138.69	42.79
	41	104.88	24.32	118.65	30.29	125.22	36.29	127.86	39.36	130.12	42.42	134.53	42.56	137.27	42.97
	43	104.88	24.44	117.42	30.44	123.89	36.47	126.54	39.54	129.18	42.64	133.2	42.76	135.85	43.18
	46	102.57	24.56	114.53	30.59	119.87	36.63	122.57	39.73	125.22	42.83	129.18	42.95	131.88	43.37
	48	99.88	24.66	111.89	30.73	115.9	36.80	118.55	39.91	121.2	43.03	125.22	43.15	127.86	43.57
	50	97.23	24.78	109.24	30.88	111.89	36.96	114.53	40.10	117.23	43.22	121.2	43.34	123.89	43.78
110%	10	95.96	12.12	113.65	15.10	128.69	18.08	140.16	19.61	150.6	21.14	154.03	21.22	158.88	21.41
	12	95.96	12.34	113.65	15.39	128.69	18.41	140.16	19.97	149.28	21.54	152.66	21.61	157.51	21.81
	14	95.96	12.57	113.65	15.66	128.69	18.76	140.16	20.35	147.95	21.93	151.29	22.00	156.09	22.22
	16	95.96	12.80	113.65	15.95	128.69	19.10	140.16	20.71	146.63	22.32	149.92	22.39	154.67	22.61
	18	95.96	13.02	113.65	16.22	128.69	19.42	140.16	21.07	145.31	22.71	148.59	22.79	153.3	23.00
	19	95.96	13.24	113.65	16.51	128.69	19.76	140.16	21.44	143.94	23.10	147.22	23.18	151.88	23.40
	21	95.96	14.20	113.65	17.69	128.69	21.17	140.16	22.98	142.61	24.76	145.85	24.86	150.45	25.08
	23	95.96	15.22	113.65	18.95	128.69	22.68	138.84	24.61	141.29	26.54	144.48	26.61	149.08	26.88
	25	95.96	16.27	113.65	20.27	128.69	24.27	137.57	26.34	139.97	28.39	143.1	28.47	147.66	28.75
	27	95.96	17.39	113.65	21.68	128.69	25.95	136.24	28.15	138.64	30.34	141.73	30.44	146.24	30.73
	29	95.96	18.58	113.65	23.15	128.69	27.71	134.92	30.05	137.27	32.39	140.41	32.51	144.87	32.81
	31	95.96	19.81	113.65	24.69	128.69	29.56	133.6	32.05	135.95	34.56	139.04	34.67	143.45	35.00
	33	95.96	21.10	113.65	26.29	127.08	31.49	132.32	34.15	134.62	36.81	137.66	36.93	142.03	37.27
	35	95.96	22.44	113.65	27.97	125.75	33.49	131	36.32	133.3	39.15	136.29	39.27	140.6	39.66
	37	95.96	23.88	113.65	29.76	124.43	35.61	128.4	38.64	130.61	41.65	133.6	41.79	137.81	42.17
	39	95.96	23.97	113.65	29.88	123.16	35.78	127.08	38.81	129.28	41.83	132.22	41.95	136.39	42.37
	41	95.96	24.09	113.65	30.01	121.83	35.93	125.75	38.98	127.96	42.03	130.85	42.15	135.02	42.56
	43	95.96	24.20	113.65	30.15	120.51	36.11	124.43	39.15	126.64	42.22	129.48	42.34	133.6	42.76
	46	93.02	24.32	111.35	30.29	116.59	36.27	120.51	39.34	123.16	42.42	125.75	42.54	128.4	42.95
	48	90.37	24.42	108.75	30.44	112.67	36.44	116.59	39.52	119.19	42.61	121.83	42.73	124.43	43.15
	50	87.77	24.54	106.1	30.56	108.75	36.62	112.67	39.71	115.27	42.81	117.91	42.93	120.51	43.34

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1235W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	85.52	11.31	100.96	14.10	116.39	16.88	123.5	18.31	134.48	19.73	143.94	19.81	149.67	20.00
	12	85.52	11.52	100.96	14.37	116.39	17.20	123.5	18.66	134.48	20.10	143.94	20.17	148.35	20.36
	14	85.52	11.73	100.96	14.61	116.39	17.51	123.5	18.98	134.48	20.47	142.61	20.54	147.02	20.73
	16	85.52	11.95	100.96	14.88	116.39	17.83	123.5	19.32	134.48	20.83	141.34	20.90	145.7	21.10
	18	85.52	12.15	100.96	15.15	116.39	18.13	123.5	19.66	134.48	21.20	140.06	21.27	144.38	21.47
	19	85.52	12.36	100.96	15.40	116.39	18.44	123.5	20.00	134.48	21.56	138.79	21.64	143.05	21.83
	21	85.52	13.24	100.96	16.51	116.39	19.78	123.5	21.44	134.48	23.12	137.52	23.19	141.68	23.42
	23	85.52	14.20	100.96	17.68	116.39	21.17	123.5	22.97	134.48	24.76	136.19	24.84	140.36	25.08
	25	85.52	15.19	100.96	18.92	116.39	22.67	123.5	24.59	134.48	26.49	134.92	26.58	139.04	26.83
	27	85.52	16.24	100.96	20.22	116.39	24.22	123.5	26.28	133.2	28.32	133.64	28.42	137.71	28.69
	29	85.52	17.34	100.96	21.61	116.39	25.88	123.5	28.05	131.93	30.25	132.37	30.34	136.39	30.64
	31	85.52	18.49	100.96	23.05	116.39	27.58	123.5	29.92	130.7	32.25	131.1	32.35	135.07	32.66
	33	85.52	19.69	100.96	24.54	116.39	29.39	123.5	31.88	129.43	34.37	129.77	34.46	133.74	34.81
	35	85.52	20.96	100.96	26.10	116.39	31.27	123.5	33.90	127.57	36.54	128.5	36.66	132.42	37.02
	37	85.52	22.29	100.96	27.76	116.39	33.25	123.5	35.27	125.66	38.88	127.22	39.00	129.77	39.37
	39	85.52	22.39	100.96	27.88	116.39	33.39	123.5	36.27	124.73	39.05	125.95	39.17	128.45	39.54
	41	85.52	22.49	100.96	28.00	114.87	33.54	122.27	37.29	123.5	39.22	124.73	39.34	127.13	39.72
	43	85.52	22.59	100.96	28.15	113.6	33.71	121.05	38.57	122.27	39.39	123.5	39.52	125.8	39.90
	46	85.52	22.68	98.95	28.27	109.92	33.86	119.78	39.80	121.05	39.59	122.27	39.71	124.73	40.10
	48	85.52	22.80	97.92	28.39	106.2	34.01	116.1	40.35	119.78	39.76	118.55	39.88	121.05	40.27
	50	84	22.91	96.94	28.54	102.52	34.17	112.38	41.37	116.1	39.96	114.87	40.08	117.33	40.47
90%	10	76.99	9.78	90.86	12.20	104.78	14.59	111.15	15.83	117.52	17.07	133.25	17.12	136	17.27
	12	76.99	9.96	90.86	12.42	104.78	14.86	111.15	16.12	117.52	17.37	133.25	17.44	136	17.61
	14	76.99	10.14	90.86	12.63	104.78	15.13	111.15	16.42	117.52	17.69	133.25	17.76	136	17.92
	16	76.99	10.32	90.86	12.85	104.78	15.42	111.15	16.71	117.52	18.01	133.25	18.07	136	18.25
	18	76.99	10.52	90.86	13.10	104.78	15.69	111.15	17.00	117.52	18.32	133.25	18.39	134.48	18.56
	19	76.99	10.68	90.86	13.32	104.78	15.95	111.15	17.29	117.52	18.64	132.27	18.70	133.4	18.88
	21	76.99	11.46	90.86	14.28	104.78	17.10	111.15	18.53	117.52	19.98	131.15	20.05	132.27	20.24
	23	76.99	12.27	90.86	15.30	104.78	18.31	111.15	19.85	117.52	21.41	130.07	21.47	131.15	21.68
	25	76.99	13.12	90.86	16.36	104.78	19.58	111.15	21.25	117.52	22.91	128.94	22.98	130.07	23.19
	27	76.99	14.04	90.86	17.49	104.78	20.95	111.15	22.71	117.52	24.49	127.81	24.56	128.94	24.81
	29	76.99	15.00	90.86	18.68	104.78	22.37	111.15	24.25	117.52	26.15	126.73	26.22	127.81	26.49
	31	76.99	15.98	90.86	19.93	104.78	23.85	111.15	25.86	117.52	27.88	125.61	27.97	126.73	28.24
	33	76.99	17.02	90.86	21.22	104.78	25.39	111.15	27.56	117.52	29.71	124.48	29.78	125.61	30.08
	35	76.99	18.12	90.86	22.56	104.78	27.03	111.15	29.32	117.52	31.59	123.35	31.69	124.48	32.00
	37	76.99	19.27	90.86	24.00	104.78	28.74	111.15	31.18	117.52	33.61	122.27	33.71	123.35	34.03
	39	76.99	19.34	90.86	24.10	104.78	28.86	111.15	31.32	116.69	33.76	121.15	33.86	122.27	34.17
	41	76.99	19.44	90.86	24.22	104.78	29.00	111.15	31.45	115.61	33.91	120.02	34.01	121.15	34.34
	43	76.99	19.54	90.86	24.32	104.78	29.13	110.02	31.59	114.48	34.05	118.94	34.17	120.02	34.49
	46	76.99	19.61	90.86	24.44	101.15	29.27	106.69	31.73	111.15	34.22	115.61	34.32	116.69	34.66
	48	76.99	19.70	90.86	24.56	97.82	29.39	103.36	31.88	107.82	34.37	112.28	34.49	113.36	34.82
	50	76.99	19.81	88.9	24.66	94.49	29.54	100.03	32.03	104.48	34.54	108.94	34.64	110.02	34.98
80%	10	68.42	8.36	80.77	10.41	93.12	12.47	98.8	13.51	104.48	14.58	106.74	14.61	109.04	14.76
	12	68.42	8.51	80.77	10.61	93.12	12.71	98.8	13.78	104.48	14.85	106.74	14.88	109.04	15.03
	14	68.42	8.66	80.77	10.80	93.12	12.93	98.8	14.02	104.48	15.12	106.74	15.17	109.04	15.31
	16	68.42	8.83	80.77	11.00	93.12	13.15	98.8	14.27	104.48	15.39	106.74	15.43	109.04	15.58
	18	68.42	8.98	80.77	11.18	93.12	13.39	98.8	14.52	104.48	15.66	106.74	15.70	109.04	15.85
	19	68.42	9.12	80.77	11.37	93.12	13.62	98.8	14.78	104.48	15.93	106.74	15.97	109.04	16.12
	21	68.42	9.78	80.77	12.20	93.12	14.61	98.8	15.83	104.48	17.08	106.74	17.12	109.04	17.29
	23	68.42	10.49	80.77	13.05	93.12	15.64	98.8	16.96	104.48	18.29	106.74	18.34	109.04	18.52
	25	68.42	11.22	80.77	13.98	93.12	16.73	98.8	18.15	104.48	19.57	106.74	19.63	109.04	19.81
	27	68.42	12.00	80.77	14.95	93.12	17.89	98.8	19.40	104.48	20.93	106.74	20.98	109.04	21.19
	29	68.42	12.81	80.77	15.95	93.12	19.10	98.8	20.71	104.48	22.34	106.74	22.40	109.04	22.61
	31	68.42	13.66	80.77	17.00	93.12	20.37	98.8	22.10	104.48	23.81	106.74	23.88	109.04	24.12
	33	68.42	14.53	80.77	18.13	93.12	21.71	98.8	23.54	104.48	25.37	106.74	25.44	109.04	25.69
	35	68.42	15.46	80.77	19.27	93.12	23.07	98.8	25.03	104.48	27.00	106.74	27.07	109.04	27.34
	37	68.42	16.47	80.77	20.51	93.12	24.56	98.8	26.64	104.48	28.71	106.74	28.78	107.67	29.08
	39	68.42	16.54	80.77	20.59	93.12	24.66	98.8	26.74	104.48	28.83	105.71	28.93	106.69	29.20
	41	68.42	16.60	80.77	20.69	93.12	24.76	98.8	26.86	103.75	28.96	104.73	29.05	105.71	29.32
	43	68.42	16.68	80.77	20.78	93.12	24.88	98.8	27.00	102.77	29.10	103.75	29.17	104.73	29.47
	46	68.42	16.75	81.01	20.88	92.87	25.00	95.86	27.12	99.78	29.23	100.76	29.32	99.78	29.61
	48	68.42	16.83	81.01	20.98	89.93	25.12	92.87	27.24	96.84	29.37	97.82	29.46	96.84	29.74
	50	68.42	16.90	81.01	21.08	86.94	25.23	89.93	27.37	93.85	29.50	94.83	29.59	93.85	29.88

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1235W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	59.89	7.03	70.67	8.76	81.5	10.49	86.45	11.39	91.4	12.27	93.41	12.32	95.42	12.44
	12	59.89	7.17	70.67	8.93	81.5	10.68	86.45	11.59	91.4	12.49	93.41	12.54	95.42	12.66
	14	59.89	7.30	70.67	9.10	81.5	10.88	86.45	11.81	91.4	12.73	93.41	12.76	95.42	12.88
	16	59.89	7.42	70.67	9.24	81.5	11.07	86.45	12.02	91.4	12.96	93.41	13.00	95.42	13.12
	18	59.89	7.56	70.67	9.41	81.5	11.27	86.45	12.22	91.4	13.17	93.41	13.22	95.42	13.35
	19	59.89	7.69	70.67	9.59	81.5	11.46	86.45	12.44	91.4	13.41	93.41	13.44	95.42	13.59
	21	59.89	8.24	70.67	10.27	81.5	12.30	86.45	13.34	91.4	14.37	93.41	14.41	95.42	14.56
	23	59.89	8.83	70.67	11.00	81.5	13.17	86.45	14.29	91.4	15.39	93.41	15.44	95.42	15.59
	25	59.89	9.44	70.67	11.78	81.5	14.10	86.45	15.30	91.4	16.48	93.41	16.54	95.42	16.69
	27	59.89	10.10	70.67	12.59	81.5	15.07	86.45	16.34	91.4	17.62	93.41	17.66	95.42	17.83
	29	59.89	10.79	70.67	13.44	81.5	16.08	86.45	17.44	91.4	18.80	93.41	18.86	95.42	19.05
	31	59.89	11.49	70.67	14.32	81.5	17.15	86.45	18.61	91.4	20.05	93.41	20.12	95.42	20.32
	33	59.89	12.24	70.67	15.27	81.5	18.27	86.45	19.82	91.4	21.37	93.41	21.44	95.42	21.64
	35	59.89	13.02	70.67	16.24	81.5	19.44	86.45	21.08	91.4	22.73	93.41	22.80	95.42	23.03
	37	59.89	13.86	70.67	17.27	81.5	20.68	86.45	22.41	91.4	24.17	93.41	24.24	95.42	24.48
	39	59.89	13.92	70.67	17.35	81.5	20.76	86.45	22.52	91.4	24.27	93.41	24.35	95.42	24.59
	41	59.89	13.98	70.67	17.42	81.5	20.86	86.45	22.62	91.4	24.39	93.41	24.47	95.42	24.71
	43	59.89	14.05	70.67	17.50	81.5	20.96	86.45	22.73	91.4	24.49	93.41	24.59	95.42	24.81
	46	59.89	14.12	70.67	17.59	81.5	21.05	86.45	22.83	89.93	24.61	91.64	24.69	93.36	24.93
	48	59.89	14.17	70.67	17.66	81.5	21.15	84.73	22.93	88.17	24.74	89.93	24.81	91.64	25.05
	50	59.89	14.25	70.67	17.74	79.54	21.25	82.97	23.05	86.45	24.84	88.17	24.93	89.93	25.15
60%	10	51.31	5.83	60.57	7.25	69.84	8.69	74.1	9.42	78.36	10.15	80.08	10.19	81.75	10.29
	12	51.31	5.93	60.57	7.39	69.84	8.85	74.1	9.59	78.36	10.34	80.08	10.37	81.75	10.49
	14	51.31	6.05	60.57	7.52	69.84	9.00	74.1	9.78	78.36	10.53	80.08	10.56	81.75	10.66
	16	51.31	6.14	60.57	7.66	69.84	9.17	74.1	9.95	78.36	10.73	80.08	10.76	81.75	10.86
	18	51.31	6.25	60.57	7.81	69.84	9.34	74.1	10.13	78.36	10.91	80.08	10.95	81.75	11.05
	19	51.31	6.37	60.57	7.93	69.84	9.49	74.1	10.29	78.36	11.10	80.08	11.13	81.75	11.24
	21	51.31	6.83	60.57	8.49	69.84	10.17	74.1	11.04	78.36	11.90	80.08	11.93	81.75	12.05
	23	51.31	7.31	60.57	9.10	69.84	10.91	74.1	11.82	78.36	12.75	80.08	12.78	81.75	12.90
	25	51.31	7.82	60.57	9.74	69.84	11.66	74.1	12.66	78.36	13.63	80.08	13.68	81.75	13.81
	27	51.31	8.36	60.57	10.41	69.84	12.47	74.1	13.51	78.36	14.58	80.08	14.64	81.75	14.76
	29	51.31	8.93	60.57	11.12	69.84	13.32	74.1	14.44	78.36	15.57	80.08	15.61	81.75	15.76
	31	51.31	9.51	60.57	11.85	69.84	14.20	74.1	15.40	78.36	16.60	80.08	16.66	81.75	16.81
	33	51.31	10.14	60.57	12.63	69.84	15.12	74.1	16.41	78.36	17.68	80.08	17.74	81.75	17.90
	35	51.31	10.79	60.57	13.44	69.84	16.09	74.1	17.44	78.36	18.80	80.08	18.88	81.75	19.06
	37	51.31	11.46	60.57	14.29	69.84	17.12	74.1	18.56	78.36	20.00	80.08	20.08	81.75	20.27
	39	51.31	11.52	60.57	14.35	69.84	17.20	74.1	18.64	78.36	20.09	80.08	20.15	81.75	20.35
	41	51.31	11.56	60.57	14.41	69.84	17.27	74.1	18.73	78.36	20.20	80.08	20.24	81.75	20.44
	43	51.31	11.63	60.57	14.49	69.84	17.35	74.1	18.80	78.36	20.27	80.08	20.35	81.75	20.54
	46	51.31	11.69	60.57	14.56	69.84	17.42	74.1	18.91	78.36	20.37	80.08	20.44	81.75	20.63
	48	51.31	11.73	60.57	14.61	69.84	17.51	74.1	18.98	77.04	20.47	78.56	20.54	80.03	20.73
	50	51.31	11.79	60.57	14.68	69.84	17.59	72.63	19.07	75.57	20.56	77.04	20.63	78.56	20.83
50%	10	42.78	4.71	50.48	5.88	58.22	7.04	61.75	7.64	65.28	8.22	66.7	8.25	68.12	8.34
	12	42.78	4.81	50.48	5.98	58.22	7.17	61.75	7.78	65.28	8.39	66.7	8.42	68.12	8.49
	14	42.78	4.90	50.48	6.10	58.22	7.30	61.75	7.93	65.28	8.54	66.7	8.56	68.12	8.64
	16	42.78	4.97	50.48	6.20	58.22	7.43	61.75	8.06	65.28	8.69	66.7	8.71	68.12	8.81
	18	42.78	5.07	50.48	6.32	58.22	7.56	61.75	8.20	65.28	8.84	66.7	8.87	68.12	8.96
	19	42.78	5.15	50.48	6.41	58.22	7.69	61.75	8.34	65.28	9.00	66.7	9.02	68.12	9.11
	21	42.78	5.53	50.48	6.88	58.22	8.24	61.75	8.95	65.28	9.63	66.7	9.66	68.12	9.75
	23	42.78	5.92	50.48	7.37	58.22	8.83	61.75	9.59	65.28	10.32	66.7	10.37	68.12	10.46
	25	42.78	6.34	50.48	7.90	58.22	9.44	61.75	10.25	65.28	11.05	66.7	11.07	68.12	11.19
	27	42.78	6.78	50.48	8.44	58.22	10.10	61.75	10.95	65.28	11.81	66.7	11.85	68.12	11.95
	29	42.78	7.22	50.48	9.00	58.22	10.79	61.75	11.70	65.28	12.61	66.7	12.66	68.12	12.78
	31	42.78	7.71	50.48	9.61	58.22	11.51	61.75	12.48	65.28	13.44	66.7	13.49	68.12	13.62
	33	42.78	8.21	50.48	10.24	58.22	12.25	61.75	13.29	65.28	14.32	66.7	14.37	68.12	14.52
	35	42.78	8.73	50.48	10.88	58.22	13.03	61.75	14.14	65.28	15.24	66.7	15.30	68.12	15.43
	37	42.78	9.29	50.48	11.58	58.22	13.86	61.75	15.03	65.28	16.21	66.7	16.27	68.12	16.42
	39	42.78	9.34	50.48	11.63	58.22	13.93	61.75	15.10	65.28	16.27	66.7	16.32	68.12	16.49
	41	42.78	9.36	50.48	11.69	58.22	13.98	61.75	15.18	65.28	16.34	66.7	16.41	68.12	16.56
	43	42.78	9.42	50.48	11.73	58.22	14.05	61.75	15.24	65.28	16.44	66.7	16.48	68.12	16.63
	46	42.78	9.47	50.48	11.79	58.22	14.13	61.75	15.31	65.28	16.51	66.7	16.56	68.12	16.71
	48	42.78	9.51	50.48	11.85	58.22	14.17	61.75	15.39	65.47	16.59	66.06	16.63	67.29	16.80
	50	42.78	9.56	50.48	11.90	58.22	14.25	61.75	15.46	64.84	16.66	65.47	16.71	66.7	16.87

46HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1300W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	117.57	13.16	137.33	16.38	158.22	19.62	162.5	21.29	165.34	22.95	167.92	23.02	172.4	23.24
	12	117.57	13.39	137.33	16.69	158.22	19.99	161.06	21.68	163.89	23.37	166.42	23.44	170.86	23.67
	14	117.57	13.65	137.33	17.00	158.22	20.35	159.61	22.07	162.45	23.81	163.43	23.86	169.36	24.09
	16	117.57	13.89	137.33	17.29	156.83	20.72	158.22	22.48	159.51	24.22	161.98	24.30	167.81	24.53
	18	117.57	14.12	137.33	17.60	154.04	21.07	155.38	22.87	158.06	24.64	160.49	24.72	166.27	24.97
	19	117.57	14.38	137.33	17.91	152.65	21.44	153.94	23.26	156.62	25.08	158.99	25.15	164.77	25.39
	21	117.57	15.42	137.33	19.20	151.25	22.98	152.49	24.92	155.17	26.87	157.5	26.95	163.22	27.23
	23	117.57	16.51	137.33	20.56	149.86	24.61	151.1	26.71	153.73	28.79	156	28.87	161.73	29.15
	25	117.57	17.66	137.33	22.02	148.42	26.35	149.65	28.58	152.29	30.81	154.56	30.90	160.18	31.21
	27	117.57	18.87	137.33	23.52	147.02	28.16	148.21	30.56	150.84	32.94	153.06	33.02	157.13	33.35
	29	117.57	20.17	136.24	25.12	145.63	30.06	146.82	32.63	149.4	35.17	151.56	35.28	157.13	35.62
	31	117.57	21.50	135.83	26.79	144.24	32.06	145.37	34.79	147.95	37.51	150.07	37.62	155.59	37.98
	33	117.57	22.89	135.83	28.53	142.85	34.17	143.98	37.04	146.46	39.95	148.57	40.06	154.09	40.45
	35	117.57	24.35	134.49	30.35	140.06	36.34	142.54	39.41	145.01	42.50	146.82	42.62	152.54	43.04
	37	117.57	25.91	134.49	32.29	138.25	38.65	141.09	41.92	142.12	45.19	145.37	45.33	149.5	45.77
	39	117.57	26.02	132.58	32.42	137.22	38.82	139.7	42.10	140.68	45.40	143.98	45.53	148	45.98
	41	117.57	26.14	129.69	32.58	135.42	38.99	138.25	42.29	139.23	45.58	142.54	45.74	146.46	46.18
	43	118.29	26.26	126.85	32.71	133.04	39.17	135.42	42.50	137.79	45.81	141.14	45.95	144.91	46.39
	46	114.01	26.37	122.57	32.87	128.3	39.35	131.13	42.68	133.97	46.02	136.81	46.16	141.09	46.60
	48	111.17	26.50	118.29	33.02	124.02	39.54	126.85	42.89	129.69	46.23	132.58	46.37	136.81	46.83
	50	108.33	26.63	114.01	33.18	119.73	39.72	122.57	43.09	125.41	46.44	128.3	46.60	132.58	47.04
120%	10	110.4	13.03	131.5	16.22	151.67	19.44	157.03	21.08	162.65	22.72	164.87	22.79	170.08	23.02
	12	110.4	13.26	131.5	16.53	151.67	19.81	157.03	21.47	161.21	23.16	163.38	23.21	168.59	23.44
	14	110.4	13.50	131.5	16.83	151.67	20.15	157.03	21.86	159.77	23.57	161.93	23.64	167.09	23.86
	16	110.4	13.76	131.5	17.14	151.67	20.51	157.03	22.25	158.37	23.99	160.49	24.06	165.54	24.30
	18	110.4	14.00	131.5	17.44	151.67	20.87	155.64	22.64	156.93	24.40	159.04	24.48	164.05	24.72
	19	110.4	14.23	131.5	17.73	150.02	21.24	154.25	23.03	155.48	24.82	157.55	24.90	162.55	25.15
	21	110.4	15.26	131.5	19.00	148.62	22.76	151.41	24.69	152.65	26.61	156.1	26.71	161.06	26.95
	23	110.4	16.35	131.5	20.37	145.84	24.38	150.02	26.46	151.2	28.50	154.66	28.60	159.56	28.87
	25	110.4	17.49	131.5	21.81	144.39	26.09	147.23	28.30	149.81	30.50	153.16	30.60	158.06	30.90
	27	110.4	18.69	131.5	23.29	141.61	27.90	145.84	30.25	148.37	32.61	151.72	32.71	156.52	33.02
	29	110.4	19.96	131.5	24.88	140.21	29.78	144.39	32.29	146.92	34.81	150.27	34.94	155.02	35.28
	31	110.4	21.29	131.5	26.53	138.82	31.77	143	34.45	145.53	37.14	148.83	37.25	153.52	37.62
	33	110.4	22.68	131.5	28.25	137.43	33.83	141.61	36.71	144.08	39.56	147.33	39.69	152.03	40.06
	35	110.4	24.12	130.41	30.06	135.98	36.00	140.21	39.04	142.69	42.09	145.89	42.21	150.53	42.62
	37	110.4	25.65	129.02	31.98	134.59	38.29	137.43	41.51	139.8	44.75	144.39	44.91	147.49	45.33
	39	110.4	25.78	127.58	32.11	133.2	38.45	135.98	41.69	138.41	44.96	143	45.09	145.99	45.53
	41	110.4	25.88	124.89	32.25	131.81	38.62	134.59	41.89	136.96	45.15	141.61	45.30	144.5	45.74
	43	110.4	26.01	123.6	32.40	130.41	38.81	133.2	42.09	135.98	45.37	140.21	45.50	143	45.95
	46	107.97	26.14	120.56	32.56	126.18	38.99	129.02	42.29	131.81	45.58	135.98	45.71	138.82	46.16
	48	105.13	26.25	117.77	32.70	122	39.17	124.79	42.47	127.58	45.79	131.81	45.92	134.59	46.37
	50	102.35	26.37	114.99	32.86	117.77	39.34	120.56	42.68	123.4	46.00	127.58	46.13	130.41	46.60
110%	10	101.01	12.90	119.63	16.07	135.47	19.24	147.54	20.87	158.53	22.51	162.14	22.58	167.25	22.79
	12	101.01	13.14	119.63	16.38	135.47	19.60	147.54	21.26	157.13	22.92	160.69	22.99	165.8	23.21
	14	101.01	13.37	119.63	16.67	135.47	19.96	147.54	21.65	155.74	23.34	159.25	23.41	164.31	23.64
	16	101.01	13.63	119.63	16.97	135.47	20.33	147.54	22.04	154.35	23.75	157.81	23.83	162.81	24.06
	18	101.01	13.86	119.63	17.27	135.47	20.66	147.54	22.43	152.96	24.17	156.41	24.24	161.37	24.48
	19	101.01	14.10	119.63	17.57	135.47	21.03	147.54	22.82	151.51	24.58	154.97	24.67	159.87	24.89
	21	101.01	15.11	119.63	18.83	135.47	22.54	147.54	24.45	150.12	26.36	153.52	26.45	158.37	26.69
	23	101.01	16.20	119.63	20.17	135.47	24.14	146.15	26.19	148.73	28.25	152.08	28.32	156.93	28.60
	25	101.01	17.32	119.63	21.58	135.47	25.83	144.81	28.04	147.33	30.22	150.63	30.30	155.43	30.60
	27	101.01	18.51	119.63	23.08	135.47	27.62	143.41	29.95	145.94	32.29	149.19	32.39	153.94	32.71
	29	101.01	19.78	119.63	24.64	135.47	29.49	142.02	31.98	144.5	34.48	147.8	34.60	152.49	34.92
	31	101.01	21.08	119.63	26.27	135.47	31.46	140.63	34.11	143.1	36.79	146.35	36.89	151	37.25
	33	101.01	22.45	119.63	27.98	133.77	33.51	139.29	36.34	141.71	39.17	144.91	39.30	149.5	39.67
	35	101.01	23.89	119.63	29.77	132.37	35.65	137.89	38.66	140.32	41.67	143.46	41.79	148	42.21
	37	101.01	25.41	119.63	31.67	130.98	37.90	135.16	41.12	137.48	44.33	140.63	44.47	145.06	44.89
	39	101.01	25.52	119.63	31.80	129.64	38.08	133.77	41.30	136.09	44.52	139.18	44.65	143.57	45.09
	41	101.01	25.64	119.63	31.94	128.25	38.24	132.37	41.48	134.69	44.73	137.74	44.85	142.12	45.30
	43	101.01	25.75	119.63	32.09	126.85	38.42	130.98	41.67	133.3	44.94	136.29	45.06	140.63	45.50
	46	97.91	25.88	117.21	32.24	122.73	38.61	126.85	41.88	129.64	45.14	132.37	45.27	135.16	45.71
	48	95.13	25.99	114.47	32.39	118.6	38.78	122.73	42.06	125.46	45.35	128.25	45.48	130.98	45.92
	50	92.39	26.12	111.69	32.53	114.47	38.96	118.6	42.26	121.33	45.56	124.12	45.69	126.85	46.13

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1300W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	90.02	12.04	106.27	15.00	122.52	17.97	130	19.49	141.56	21.00	151.51	21.07	157.55	21.29
	12	90.02	12.26	106.27	15.28	122.52	18.30	130	19.86	141.56	21.39	151.51	21.47	156.15	21.68
	14	90.02	12.49	106.27	15.56	122.52	18.64	130	20.20	141.56	21.78	150.12	21.85	154.76	22.06
	16	90.02	12.72	106.27	15.84	122.52	18.97	130	20.56	141.56	22.17	148.78	22.24	153.37	22.45
	18	90.02	12.93	106.27	16.12	122.52	19.29	130	20.93	141.56	22.56	147.44	22.64	151.98	22.85
	19	90.02	13.16	106.27	16.39	122.52	19.62	130	21.29	141.56	22.95	146.1	23.02	150.58	23.24
	21	90.02	14.10	106.27	17.58	122.52	21.05	130	22.82	141.56	24.61	144.75	24.68	149.14	24.92
	23	90.02	15.11	106.27	18.82	122.52	22.54	130	24.45	141.56	26.36	143.36	26.43	147.75	26.68
	25	90.02	16.17	106.27	20.14	122.52	24.12	130	26.16	141.56	28.19	142.02	28.29	146.35	28.56
	27	90.02	17.28	106.27	21.52	122.52	25.78	130	27.96	140.21	30.14	140.68	30.24	144.96	30.53
	29	90.02	18.45	106.27	22.99	122.52	27.54	130	29.85	138.87	32.19	139.34	32.29	143.57	32.60
	31	90.02	19.68	106.27	24.53	122.52	29.36	130	31.85	137.58	34.32	138	34.42	142.17	34.76
	33	90.02	20.96	106.27	26.12	122.52	31.28	130	33.93	136.24	36.58	136.6	36.68	140.78	37.04
	35	90.02	22.30	106.27	27.78	122.52	33.28	130	36.01	134.28	38.89	135.26	39.02	139.39	39.40
	37	90.02	23.72	106.27	29.54	122.52	35.38	130	37.54	132.27	41.37	133.92	41.51	136.6	41.90
	39	90.02	23.82	106.27	29.67	122.52	35.54	130	38.61	131.29	41.56	132.58	41.68	135.21	42.09
	41	90.02	23.93	106.27	29.81	120.92	35.69	128.71	39.69	130	41.74	131.29	41.87	133.82	42.27
	43	90.02	24.03	106.27	29.95	119.58	35.87	127.42	41.14	128.71	41.93	130	42.06	132.42	42.47
	46	90.02	24.14	104.15	30.09	115.71	36.03	126.08	42.65	127.42	42.13	128.71	42.26	131.29	42.67
	48	90.02	24.27	103.07	30.22	111.79	36.19	122.21	42.94	126.08	42.31	124.79	42.44	127.42	42.86
	50	88.42	24.37	102.04	30.37	107.92	36.37	118.29	44.02	122.21	42.52	120.92	42.65	123.5	43.06
90%	10	81.04	10.41	95.64	12.98	110.29	15.53	117	16.85	123.71	18.17	140.27	18.22	143.15	18.38
	12	81.04	10.60	95.64	13.21	110.29	15.81	117	17.16	123.71	18.49	140.27	18.56	143.15	18.74
	14	81.04	10.80	95.64	13.45	110.29	16.10	117	17.47	123.71	18.83	140.27	18.89	143.15	19.07
	16	81.04	10.98	95.64	13.68	110.29	16.41	117	17.79	123.71	19.17	140.27	19.23	143.15	19.41
	18	81.04	11.19	95.64	13.94	110.29	16.69	117	18.10	123.71	19.49	140.27	19.57	141.56	19.76
	19	81.04	11.37	95.64	14.18	110.29	16.97	117	18.41	123.71	19.83	139.23	19.91	140.42	20.10
	21	81.04	12.20	95.64	15.19	110.29	18.20	117	19.73	123.71	21.27	138.05	21.34	139.23	21.54
	23	81.04	13.05	95.64	16.28	110.29	19.49	117	21.13	123.71	22.79	136.91	22.85	138.05	23.08
	25	81.04	13.97	95.64	17.42	110.29	20.85	117	22.61	123.71	24.38	135.73	24.45	136.91	24.69
	27	81.04	14.95	95.64	18.62	110.29	22.30	117	24.17	123.71	26.06	134.54	26.14	135.73	26.40
	29	81.04	15.96	95.64	19.88	110.29	23.81	117	25.81	123.71	27.83	133.4	27.91	134.54	28.19
	31	81.04	17.01	95.64	21.20	110.29	25.39	117	27.52	123.71	29.67	132.22	29.77	133.4	30.06
	33	81.04	18.12	95.64	22.58	110.29	27.03	117	29.33	123.71	31.62	131.03	31.70	132.22	32.01
	35	81.04	19.28	95.64	24.02	110.29	28.77	117	31.20	123.71	33.62	129.85	33.73	131.03	34.06
	37	81.04	20.51	95.64	25.54	110.29	30.58	117	33.18	123.71	35.77	128.71	35.87	129.85	36.22
	39	81.04	20.59	95.64	25.65	110.29	30.71	117	33.33	122.83	35.93	127.52	36.03	128.71	36.38
	41	81.04	20.69	95.64	25.78	110.29	30.87	117	33.46	121.69	36.08	126.34	36.19	127.52	36.55
	43	81.04	20.79	95.64	25.89	110.29	31.00	115.81	33.62	120.51	36.24	125.2	36.37	126.34	36.71
	46	81.04	20.87	95.64	26.01	106.48	31.15	112.31	33.77	117	36.42	121.69	36.52	122.83	36.89
	48	81.04	20.97	95.64	26.14	102.97	31.29	108.8	33.93	113.49	36.58	118.19	36.71	119.32	37.04
	50	81.04	21.07	93.58	26.25	99.46	31.43	105.29	34.09	109.98	36.76	114.68	36.86	115.81	37.23
80%	10	72.02	8.90	85.02	11.08	98.02	13.26	104	14.39	109.98	15.52	112.36	15.55	114.78	15.70
	12	72.02	9.06	85.02	11.29	98.02	13.52	104	14.66	109.98	15.80	112.36	15.84	114.78	16.00
	14	72.02	9.22	85.02	11.50	98.02	13.76	104	14.93	109.98	16.10	112.36	16.14	114.78	16.30
	16	72.02	9.39	85.02	11.70	98.02	14.00	104	15.18	109.98	16.38	112.36	16.43	114.78	16.59
	18	72.02	9.56	85.02	11.89	98.02	14.25	104	15.45	109.98	16.66	112.36	16.72	114.78	16.87
	19	72.02	9.71	85.02	12.10	98.02	14.49	104	15.73	109.98	16.95	112.36	17.00	114.78	17.17
	21	72.02	10.41	85.02	12.98	98.02	15.55	104	16.85	109.98	18.17	112.36	18.22	114.78	18.41
	23	72.02	11.16	85.02	13.89	98.02	16.64	104	18.04	109.98	19.47	112.36	19.52	114.78	19.70
	25	72.02	11.94	85.02	14.87	98.02	17.81	104	19.31	109.98	20.82	112.36	20.89	114.78	21.08
	27	72.02	12.77	85.02	15.91	98.02	19.03	104	20.65	109.98	22.27	112.36	22.33	114.78	22.55
	29	72.02	13.63	85.02	16.98	98.02	20.33	104	22.04	109.98	23.78	112.36	23.83	114.78	24.07
	31	72.02	14.53	85.02	18.10	98.02	21.68	104	23.51	109.98	25.34	112.36	25.41	114.78	25.67
	33	72.02	15.48	85.02	19.28	98.02	23.10	104	25.05	109.98	26.99	112.36	27.08	114.78	27.34
	35	72.02	16.46	85.02	20.51	98.02	24.56	104	26.64	109.98	28.73	112.36	28.81	114.78	29.10
	37	72.02	17.52	85.02	21.83	98.02	26.14	104	28.35	109.98	30.56	112.36	30.64	113.34	30.94
	39	72.02	17.59	85.02	21.92	98.02	26.25	104	28.46	109.98	30.69	111.27	30.79	112.31	31.08
	41	72.02	17.68	85.02	22.02	98.02	26.36	104	28.58	109.21	30.81	110.24	30.91	111.27	31.21
	43	72.02	17.76	85.02	22.12	98.02	26.48	104	28.73	108.18	30.97	109.21	31.05	110.24	31.36
	46	72.02	17.83	85.27	22.22	97.76	26.61	100.9	28.87	105.03	31.11	106.06	31.21	105.03	31.52
	48	72.02	17.91	85.27	22.33	94.66	26.74	97.76	29.00	101.94	31.25	102.97	31.35	101.94	31.64
	50	72.02	18.00	85.27	22.43	91.52	26.85	94.66	29.12	98.79	31.39	99.82	31.49	98.79	31.80

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1300W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	63.04	7.48	74.39	9.33	85.79	11.16	91	12.12	96.21	13.06	98.33	13.11	100.44	13.24
	12	63.04	7.63	74.39	9.50	85.79	11.37	91	12.33	96.21	13.29	98.33	13.35	100.44	13.47
	14	63.04	7.76	74.39	9.68	85.79	11.58	91	12.56	96.21	13.55	98.33	13.58	100.44	13.71
	16	63.04	7.89	74.39	9.84	85.79	11.78	91	12.80	96.21	13.79	98.33	13.83	100.44	13.97
	18	63.04	8.05	74.39	10.02	85.79	11.99	91	13.01	96.21	14.02	98.33	14.07	100.44	14.21
	19	63.04	8.18	74.39	10.20	85.79	12.20	91	13.24	96.21	14.28	98.33	14.31	100.44	14.46
	21	63.04	8.77	74.39	10.93	85.79	13.08	91	14.20	96.21	15.29	98.33	15.35	100.44	15.49
	23	63.04	9.40	74.39	11.71	85.79	14.01	91	15.21	96.21	16.38	98.33	16.43	100.44	16.59
	25	63.04	10.05	74.39	12.53	85.79	15.00	91	16.27	96.21	17.55	98.33	17.59	100.44	17.76
	27	63.04	10.74	74.39	13.39	85.79	16.04	91	17.39	96.21	18.75	98.33	18.80	100.44	18.98
	29	63.04	11.47	74.39	14.31	85.79	17.11	91	18.56	96.21	20.02	98.33	20.07	100.44	20.27
	31	63.04	12.23	74.39	15.24	85.79	18.25	91	19.81	96.21	21.34	98.33	21.41	100.44	21.62
	33	63.04	13.04	74.39	16.25	85.79	19.45	91	21.10	96.21	22.74	98.33	22.82	100.44	23.03
	35	63.04	13.87	74.39	17.28	85.79	20.69	91	22.44	96.21	24.19	98.33	24.27	100.44	24.50
	37	63.04	14.74	74.39	18.38	85.79	22.01	91	23.86	96.21	25.72	98.33	25.81	100.44	26.06
	39	63.04	14.82	74.39	18.45	85.79	22.10	91	23.96	96.21	25.83	98.33	25.91	100.44	26.17
	41	63.04	14.87	74.39	18.54	85.79	22.20	91	24.07	96.21	25.96	98.33	26.04	100.44	26.29
	43	63.04	14.95	74.39	18.62	85.79	22.30	91	24.19	96.21	26.06	98.33	26.16	100.44	26.40
	46	63.04	15.03	74.39	18.72	85.79	22.40	91	24.30	94.66	26.19	96.47	26.27	98.27	26.53
	48	63.04	15.08	74.39	18.80	85.79	22.51	89.19	24.41	92.81	26.32	94.66	26.40	96.47	26.66
	50	63.04	15.16	74.39	18.87	83.73	22.61	87.34	24.53	91	26.43	92.81	26.53	94.66	26.77
60%	10	54.01	6.20	63.76	7.71	73.51	9.24	78	10.02	82.49	10.81	84.29	10.85	86.05	10.95
	12	54.01	6.31	63.76	7.87	73.51	9.42	78	10.20	82.49	11.01	84.29	11.04	86.05	11.16
	14	54.01	6.43	63.76	8.00	73.51	9.58	78	10.41	82.49	11.22	84.29	11.25	86.05	11.35
	16	54.01	6.54	63.76	8.15	73.51	9.76	78	10.59	82.49	11.42	84.29	11.45	86.05	11.56
	18	54.01	6.65	63.76	8.30	73.51	9.94	78	10.77	82.49	11.61	84.29	11.66	86.05	11.76
	19	54.01	6.78	63.76	8.44	73.51	10.10	78	10.95	82.49	11.81	84.29	11.84	86.05	11.97
	21	54.01	7.26	63.76	9.03	73.51	10.83	78	11.76	82.49	12.67	84.29	12.70	86.05	12.83
	23	54.01	7.78	63.76	9.68	73.51	11.60	78	12.59	82.49	13.57	84.29	13.60	86.05	13.73
	25	54.01	8.33	63.76	10.36	73.51	12.41	78	13.47	82.49	14.52	84.29	14.56	86.05	14.70
	27	54.01	8.90	63.76	11.08	73.51	13.26	78	14.39	82.49	15.52	84.29	15.58	86.05	15.71
	29	54.01	9.50	63.76	11.84	73.51	14.17	78	15.37	82.49	16.56	84.29	16.62	86.05	16.77
	31	54.01	10.12	63.76	12.62	73.51	15.11	78	16.38	82.49	17.68	84.29	17.73	86.05	17.89
	33	54.01	10.80	63.76	13.45	73.51	16.10	78	17.47	82.49	18.82	84.29	18.87	86.05	19.06
	35	54.01	11.47	63.76	14.31	73.51	17.13	78	18.56	82.49	20.02	84.29	20.09	86.05	20.27
	37	54.01	12.20	63.76	15.21	73.51	18.22	78	19.75	82.49	21.29	84.29	21.37	86.05	21.57
	39	54.01	12.26	63.76	15.26	73.51	18.30	78	19.83	82.49	21.39	84.29	21.45	86.05	21.65
	41	54.01	12.31	63.76	15.35	73.51	18.38	78	19.93	82.49	21.50	84.29	21.55	86.05	21.75
	43	54.01	12.38	63.76	15.42	73.51	18.46	78	20.02	82.49	21.58	84.29	21.65	86.05	21.86
	46	54.01	12.43	63.76	15.49	73.51	18.54	78	20.12	82.49	21.68	84.29	21.75	86.05	21.96
	48	54.01	12.49	63.76	15.55	73.51	18.64	78	20.20	81.1	21.78	82.69	21.85	84.24	22.06
	50	54.01	12.54	63.76	15.63	73.51	18.72	76.45	20.30	79.55	21.89	81.1	21.96	82.69	22.17
50%	10	45.04	5.02	53.13	6.26	61.29	7.50	65	8.12	68.71	8.75	70.21	8.78	71.71	8.88
	12	45.04	5.12	53.13	6.37	61.29	7.63	65	8.28	68.71	8.93	70.21	8.95	71.71	9.03
	14	45.04	5.22	53.13	6.49	61.29	7.76	65	8.43	68.71	9.09	70.21	9.11	71.71	9.19
	16	45.04	5.30	53.13	6.60	61.29	7.91	65	8.57	68.71	9.24	70.21	9.27	71.71	9.37
	18	45.04	5.40	53.13	6.72	61.29	8.05	65	8.72	68.71	9.40	70.21	9.45	71.71	9.53
	19	45.04	5.48	53.13	6.83	61.29	8.18	65	8.88	68.71	9.57	70.21	9.60	71.71	9.68
	21	45.04	5.89	53.13	7.33	61.29	8.78	65	9.53	68.71	10.26	70.21	10.29	71.71	10.39
	23	45.04	6.30	53.13	7.85	61.29	9.40	65	10.20	68.71	10.98	70.21	11.03	71.71	11.14
	25	45.04	6.75	53.13	8.40	61.29	10.05	65	10.91	68.71	11.76	70.21	11.78	71.71	11.91
	27	45.04	7.22	53.13	8.98	61.29	10.75	65	11.66	68.71	12.57	70.21	12.62	71.71	12.73
	29	45.04	7.69	53.13	9.58	61.29	11.47	65	12.46	68.71	13.42	70.21	13.47	71.71	13.60
	31	45.04	8.20	53.13	10.23	61.29	12.25	65	13.29	68.71	14.31	70.21	14.36	71.71	14.49
	33	45.04	8.74	53.13	10.90	61.29	13.04	65	14.15	68.71	15.24	70.21	15.29	71.71	15.45
	35	45.04	9.30	53.13	11.58	61.29	13.87	65	15.05	68.71	16.22	70.21	16.28	71.71	16.43
	37	45.04	9.89	53.13	12.33	61.29	14.74	65	16.00	68.71	17.26	70.21	17.31	71.71	17.48
	39	45.04	9.94	53.13	12.38	61.29	14.83	65	16.07	68.71	17.32	70.21	17.38	71.71	17.55
	41	45.04	9.98	53.13	12.43	61.29	14.88	65	16.15	68.71	17.39	70.21	17.47	71.71	17.63
	43	45.04	10.02	53.13	12.49	61.29	14.95	65	16.22	68.71	17.49	70.21	17.55	71.71	17.70
	46	45.04	10.08	53.13	12.54	61.29	15.03	65	16.30	68.71	17.58	70.21	17.62	71.71	17.79
	48	45.04	10.12	53.13	12.62	61.29	15.08	65	16.38	68.92	17.65	69.54	17.70	70.83	17.89
	50	45.04	10.18	53.13	12.67	61.29	15.16	65	16.45	68.25	17.73	68.92	17.79	70.21	17.96

48HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1350W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	122.09	13.92	142.61	17.32	164.3	20.75	168.75	22.51	171.7	24.27	174.38	24.35	179.04	24.57
	12	122.09	14.16	142.61	17.65	164.3	21.14	167.25	22.92	170.2	24.71	172.82	24.79	177.43	25.03
	14	122.09	14.44	142.61	17.98	164.3	21.52	165.75	23.33	168.7	25.17	169.71	25.23	175.88	25.47
	16	122.09	14.69	142.61	18.28	162.86	21.91	164.3	23.77	165.64	25.61	168.21	25.69	174.27	25.94
	18	122.09	14.93	142.61	18.61	159.96	22.29	161.36	24.18	164.14	26.05	166.66	26.13	172.66	26.41
	19	122.09	15.21	142.61	18.94	158.52	22.67	159.86	24.60	162.64	26.52	165.11	26.60	171.11	26.85
	21	122.09	16.31	142.61	20.31	157.07	24.29	158.36	26.35	161.14	28.41	163.55	28.49	169.5	28.80
	23	122.09	17.46	142.61	21.74	155.63	26.02	156.91	28.25	159.64	30.44	162	30.52	167.95	30.83
	25	122.09	18.67	142.61	23.28	154.13	27.86	155.41	30.22	158.14	32.58	160.5	32.67	166.34	32.99
	27	122.09	19.96	142.61	24.87	152.68	29.78	153.91	32.31	156.64	34.83	158.95	34.92	163.18	35.27
	29	122.09	21.33	141.48	26.57	151.23	31.79	152.46	34.50	155.14	37.19	157.39	37.30	163.18	37.66
	31	122.09	22.73	141.05	28.33	149.79	33.90	150.96	36.78	153.64	39.67	155.84	39.78	161.57	40.16
	33	122.09	24.21	141.05	30.17	148.34	36.12	149.52	39.17	152.09	42.25	154.29	42.36	160.02	42.77
	35	122.09	25.75	139.66	32.09	145.45	38.43	148.02	41.67	150.59	44.94	152.46	45.07	158.41	45.51
	37	122.09	27.40	139.66	34.15	143.57	40.87	146.52	44.33	147.59	47.79	150.96	47.93	155.25	48.39
	39	122.09	27.50	137.68	34.29	142.5	41.04	145.07	44.52	146.09	48.01	149.52	48.15	153.7	48.61
	41	122.09	27.64	134.68	34.45	140.63	41.23	143.57	44.72	144.59	48.20	148.02	48.37	152.09	48.83
	43	122.84	27.78	131.73	34.59	138.16	41.42	140.63	44.94	143.09	48.45	146.57	48.59	150.48	49.05
	46	118.39	27.89	127.29	34.75	133.23	41.61	136.18	45.13	139.13	48.67	142.07	48.81	146.52	49.27
	48	115.45	28.03	122.84	34.92	128.79	41.81	131.73	45.35	134.68	48.89	137.68	49.03	142.07	49.52
	50	112.5	28.16	118.39	35.08	124.34	42.00	127.29	45.57	130.23	49.11	133.23	49.27	137.68	49.74
120%	10	114.64	13.78	136.55	17.16	157.5	20.56	163.07	22.29	168.91	24.02	171.21	24.10	176.63	24.35
	12	114.64	14.03	136.55	17.49	157.5	20.94	163.07	22.70	167.41	24.49	169.66	24.54	175.07	24.79
	14	114.64	14.27	136.55	17.79	157.5	21.30	163.07	23.11	165.91	24.92	168.16	25.01	173.52	25.23
	16	114.64	14.55	136.55	18.12	157.5	21.69	163.07	23.52	164.46	25.36	166.66	25.45	171.91	25.69
	18	114.64	14.80	136.55	18.45	157.5	22.07	161.63	23.94	162.96	25.80	165.16	25.89	170.36	26.13
	19	114.64	15.04	136.55	18.75	155.79	22.45	160.18	24.35	161.46	26.24	163.61	26.32	168.8	26.60
	21	114.64	16.14	136.55	20.09	154.34	24.07	157.23	26.10	158.52	28.14	162.11	28.25	167.25	28.49
	23	114.64	17.29	136.55	21.55	151.45	25.78	155.79	27.97	157.02	30.14	160.61	30.25	165.7	30.52
	25	114.64	18.50	136.55	23.06	149.95	27.59	152.89	29.92	155.57	32.25	159.05	32.36	164.14	32.67
	27	114.64	19.76	136.55	24.62	147.05	29.51	151.45	31.98	154.07	34.48	157.55	34.59	162.54	34.92
	29	114.64	21.11	136.55	26.30	145.61	31.49	149.95	34.15	152.57	36.81	156.05	36.95	160.98	37.30
	31	114.64	22.51	136.55	28.05	144.16	33.60	148.5	36.43	151.13	39.28	154.55	39.39	159.43	39.78
	33	114.64	23.99	136.55	29.87	142.71	35.77	147.05	38.81	149.63	41.83	153	41.97	157.88	42.36
	35	114.64	25.50	135.43	31.79	141.21	38.07	145.61	41.28	148.18	44.50	151.5	44.63	156.32	45.07
	37	114.64	27.12	133.98	33.82	139.77	40.49	142.71	43.89	145.18	47.32	149.95	47.49	153.16	47.93
	39	114.64	27.26	132.48	33.96	138.32	40.65	141.21	44.08	143.73	47.54	148.5	47.68	151.61	48.15
	41	114.64	27.37	129.7	34.09	136.88	40.85	139.77	44.30	142.23	47.74	147.05	47.90	150.05	48.37
	43	114.64	27.50	128.36	34.26	135.43	41.04	138.32	44.50	141.21	47.98	145.61	48.12	148.5	48.59
	46	112.13	27.64	125.2	34.42	131.04	41.23	133.98	44.72	136.88	48.20	141.21	48.34	144.16	48.81
	48	109.18	27.75	122.3	34.59	126.7	41.42	129.59	44.91	132.48	48.42	136.88	48.56	139.77	49.03
	50	106.29	27.89	119.41	34.75	122.3	41.59	125.2	45.13	128.14	48.64	132.48	48.78	135.43	49.27
110%	10	104.89	13.64	124.23	16.99	140.68	20.34	153.21	22.07	164.63	23.80	168.38	23.88	173.68	24.10
	12	104.89	13.89	124.23	17.32	140.68	20.72	153.21	22.48	163.18	24.24	166.88	24.32	172.18	24.54
	14	104.89	14.14	124.23	17.62	140.68	21.11	153.21	22.89	161.73	24.68	165.38	24.76	170.63	25.01
	16	104.89	14.41	124.23	17.95	140.68	21.49	153.21	23.31	160.29	25.12	163.88	25.20	169.07	25.45
	18	104.89	14.66	124.23	18.25	140.68	21.85	153.21	23.72	158.84	25.56	162.43	25.64	167.57	25.89
	19	104.89	14.91	124.23	18.58	140.68	22.23	153.21	24.13	157.34	26.00	160.93	26.08	166.02	26.32
	21	104.89	15.98	124.23	19.90	140.68	23.83	153.21	25.86	155.89	27.86	159.43	27.97	164.46	28.22
	23	104.89	17.13	124.23	21.33	140.68	25.53	151.77	27.70	154.45	29.87	157.93	29.95	162.96	30.25
	25	104.89	18.31	124.23	22.81	140.68	27.31	150.38	29.65	153	31.95	156.43	32.03	161.41	32.36
	27	104.89	19.57	124.23	24.40	140.68	29.21	148.93	31.68	151.55	34.15	154.93	34.26	159.86	34.59
	29	104.89	20.92	124.23	26.05	140.68	31.18	147.48	33.82	150.05	36.45	153.48	36.59	158.36	36.92
	31	104.89	22.29	124.23	27.78	140.68	33.27	146.04	36.07	148.61	38.90	151.98	39.01	156.8	39.39
	33	104.89	23.74	124.23	29.59	138.91	35.44	144.64	38.43	147.16	41.42	150.48	41.56	155.25	41.94
	35	104.89	25.25	124.23	31.49	137.46	37.69	143.2	40.87	145.71	44.06	148.98	44.19	153.7	44.63
	37	104.89	26.87	124.23	33.49	136.02	40.08	140.36	43.48	142.77	46.88	146.04	47.02	150.64	47.46
	39	104.89	26.98	124.23	33.63	134.63	40.27	138.91	43.67	141.32	47.08	144.54	47.21	149.09	47.68
	41	104.89	27.12	124.23	33.76	133.18	40.43	137.46	43.87	139.88	47.30	143.04	47.43	147.59	47.90
	43	104.89	27.23	124.23	33.93	131.73	40.63	136.02	44.06	138.43	47.52	141.54	47.65	146.04	48.12
	46	101.68	27.37	121.71	34.09	127.45	40.82	131.73	44.28	134.63	47.74	137.46	47.87	140.36	48.34
	48	98.79	27.48	118.88	34.26	123.16	41.01	127.45	44.47	130.29	47.96	133.18	48.09	136.02	48.56
	50	95.95	27.61	115.98	34.39	118.88	41.20	123.16	44.69	126	48.17	128.89	48.31	131.73	48.78

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1350W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	93.48	12.74	110.36	15.87	127.23	19.00	135	20.61	147	22.21	157.34	22.29	163.61	22.51
	12	93.48	12.96	110.36	16.17	127.23	19.35	135	21.00	147	22.62	157.34	22.70	162.16	22.92
	14	93.48	13.20	110.36	16.44	127.23	19.71	135	21.36	147	23.03	155.89	23.11	160.71	23.33
	16	93.48	13.45	110.36	16.74	127.23	20.07	135	21.74	147	23.44	154.5	23.52	159.27	23.74
	18	93.48	13.67	110.36	17.05	127.23	20.40	135	22.12	147	23.85	153.11	23.94	157.82	24.16
	19	93.48	13.92	110.36	17.32	127.23	20.75	135	22.51	147	24.27	151.71	24.35	156.38	24.57
	21	93.48	14.91	110.36	18.58	127.23	22.26	135	24.13	147	26.02	150.32	26.10	154.88	26.35
	23	93.48	15.98	110.36	19.90	127.23	23.83	135	25.86	147	27.86	148.88	27.94	153.43	28.22
	25	93.48	17.10	110.36	21.30	127.23	25.50	135	27.67	147	29.81	147.48	29.92	151.98	30.20
	27	93.48	18.28	110.36	22.76	127.23	27.26	135	29.56	145.61	31.87	146.09	31.98	150.54	32.28
	29	93.48	19.52	110.36	24.32	127.23	29.12	135	31.57	144.21	34.04	144.7	34.15	149.09	34.48
	31	93.48	20.81	110.36	25.94	127.23	31.05	135	33.68	142.88	36.29	143.3	36.40	147.64	36.76
	33	93.48	22.15	110.36	27.61	127.23	33.08	135	35.88	141.48	38.68	141.86	38.79	146.2	39.17
	35	93.48	23.58	110.36	29.37	127.23	35.19	135	38.14	139.45	41.12	140.46	41.26	144.75	41.67
	37	93.48	25.09	110.36	31.24	127.23	37.41	135	39.69	137.36	43.76	139.07	43.89	141.86	44.30
	39	93.48	25.20	110.36	31.38	127.23	37.58	135	40.82	136.34	43.95	137.68	44.08	140.41	44.50
	41	93.48	25.31	110.36	31.51	125.57	37.74	133.66	41.97	135	44.14	136.34	44.28	138.96	44.69
	43	93.48	25.42	110.36	31.68	124.18	37.94	132.32	43.51	133.66	44.33	135	44.47	137.52	44.91
	46	93.48	25.53	108.16	31.81	120.16	38.10	130.93	45.10	132.32	44.55	133.66	44.69	136.34	45.13
	48	93.48	25.67	107.04	31.95	116.09	38.27	126.91	45.40	130.93	44.74	129.59	44.88	132.32	45.32
	50	91.82	25.78	105.96	32.12	112.07	38.46	122.84	46.56	126.91	44.96	125.57	45.10	128.25	45.54
90%	10	84.16	11.01	99.32	13.73	114.54	16.42	121.5	17.82	128.46	19.22	145.66	19.27	148.66	19.43
	12	84.16	11.20	99.32	13.97	114.54	16.72	121.5	18.14	128.46	19.54	145.66	19.63	148.66	19.82
	14	84.16	11.42	99.32	14.22	114.54	17.02	121.5	18.47	128.46	19.90	145.66	19.98	148.66	20.18
	16	84.16	11.61	99.32	14.47	114.54	17.35	121.5	18.80	128.46	20.26	145.66	20.34	148.66	20.53
	18	84.16	11.83	99.32	14.74	114.54	17.65	121.5	19.13	128.46	20.61	145.66	20.70	147	20.89
	19	84.16	12.02	99.32	14.99	114.54	17.95	121.5	19.46	128.46	20.97	144.59	21.05	145.82	21.25
	21	84.16	12.90	99.32	16.06	114.54	19.24	121.5	20.86	128.46	22.48	143.36	22.56	144.59	22.78
	23	84.16	13.81	99.32	17.21	114.54	20.61	121.5	22.34	128.46	24.10	142.18	24.16	143.36	24.40
	25	84.16	14.77	99.32	18.42	114.54	22.04	121.5	23.91	128.46	25.78	140.95	25.86	142.18	26.10
	27	84.16	15.81	99.32	19.68	114.54	23.58	121.5	25.56	128.46	27.56	139.71	27.64	140.95	27.92
	29	84.16	16.88	99.32	21.03	114.54	25.17	121.5	27.29	128.46	29.43	138.54	29.51	139.71	29.81
	31	84.16	17.98	99.32	22.43	114.54	26.85	121.5	29.10	128.46	31.38	137.3	31.49	138.54	31.79
	33	84.16	19.16	99.32	23.88	114.54	28.58	121.5	31.02	128.46	33.43	136.07	33.52	137.3	33.85
	35	84.16	20.40	99.32	25.39	114.54	30.41	121.5	32.99	128.46	35.55	134.84	35.66	136.07	36.01
	37	84.16	21.69	99.32	27.01	114.54	32.34	121.5	35.08	128.46	37.83	133.66	37.94	134.84	38.29
	39	84.16	21.77	99.32	27.12	114.54	32.47	121.5	35.25	127.55	37.99	132.43	38.10	133.66	38.46
	41	84.16	21.88	99.32	27.26	114.54	32.64	121.5	35.38	126.38	38.16	131.2	38.27	132.43	38.65
	43	84.16	21.99	99.32	27.37	114.54	32.78	120.27	35.55	125.14	38.32	130.02	38.46	131.2	38.81
	46	84.16	22.07	99.32	27.50	110.57	32.94	116.63	35.71	121.5	38.51	126.38	38.62	127.55	39.01
	48	84.16	22.18	99.32	27.64	106.93	33.08	112.98	35.88	117.86	38.68	122.73	38.81	123.91	39.17
	50	84.16	22.29	97.18	27.75	103.29	33.24	109.34	36.04	114.21	38.87	119.09	38.98	120.27	39.36
80%	10	74.79	9.42	88.29	11.72	101.79	14.03	108	15.21	114.21	16.42	116.68	16.44	119.2	16.61
	12	74.79	9.58	88.29	11.94	101.79	14.30	108	15.51	114.21	16.72	116.68	16.74	119.2	16.91
	14	74.79	9.74	88.29	12.16	101.79	14.55	108	15.78	114.21	17.02	116.68	17.07	119.2	17.24
	16	74.79	9.94	88.29	12.38	101.79	14.80	108	16.06	114.21	17.32	116.68	17.38	119.2	17.54
	18	74.79	10.10	88.29	12.57	101.79	15.07	108	16.33	114.21	17.62	116.68	17.68	119.2	17.84
	19	74.79	10.27	88.29	12.79	101.79	15.32	108	16.63	114.21	17.92	116.68	17.98	119.2	18.14
	21	74.79	11.01	88.29	13.73	101.79	16.44	108	17.82	114.21	19.22	116.68	19.27	119.2	19.46
	23	74.79	11.80	88.29	14.69	101.79	17.60	108	19.08	114.21	20.59	116.68	20.64	119.2	20.83
	25	74.79	12.63	88.29	15.73	101.79	18.83	108	20.42	114.21	22.01	116.68	22.10	119.2	22.29
	27	74.79	13.51	88.29	16.83	101.79	20.12	108	21.82	114.21	23.55	116.68	23.61	119.2	23.85
	29	74.79	14.41	88.29	17.95	101.79	21.49	108	23.31	114.21	25.14	116.68	25.20	119.2	25.45
	31	74.79	15.37	88.29	19.13	101.79	22.92	108	24.87	114.21	26.79	116.68	26.87	119.2	27.15
	33	74.79	16.36	88.29	20.40	101.79	24.43	108	26.49	114.21	28.55	116.68	28.63	119.2	28.90
	35	74.79	17.40	88.29	21.69	101.79	25.97	108	28.16	114.21	30.39	116.68	30.47	119.2	30.77
	37	74.79	18.53	88.29	23.09	101.79	27.64	108	29.98	114.21	32.31	116.68	32.39	117.7	32.72
	39	74.79	18.61	88.29	23.17	101.79	27.75	108	30.09	114.21	32.45	115.55	32.56	116.63	32.86
	41	74.79	18.69	88.29	23.28	101.79	27.86	108	30.22	113.41	32.58	114.48	32.69	115.55	32.99
	43	74.79	18.78	88.29	23.39	101.79	28.00	108	30.39	112.34	32.75	113.41	32.83	114.48	33.16
	46	74.79	18.86	88.55	23.50	101.52	28.14	104.79	30.52	109.07	32.89	110.14	32.99	109.07	33.32
	48	74.79	18.94	88.55	23.61	98.3	28.27	101.52	30.66	105.86	33.05	106.93	33.16	105.86	33.46
	50	74.79	19.02	88.55	23.72	95.04	28.38	98.3	30.80	102.59	33.19	103.66	33.30	102.59	33.63

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1350W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	65.46	7.91	77.25	9.85	89.09	11.80	94.5	12.82	99.91	13.81	102.11	13.86	104.3	14.00
	12	65.46	8.07	77.25	10.05	89.09	12.02	94.5	13.04	99.91	14.05	102.11	14.11	104.3	14.25
	14	65.46	8.21	77.25	10.24	89.09	12.24	94.5	13.29	99.91	14.33	102.11	14.36	104.3	14.49
	16	65.46	8.34	77.25	10.40	89.09	12.46	94.5	13.53	99.91	14.58	102.11	14.63	104.3	14.77
	18	65.46	8.51	77.25	10.60	89.09	12.68	94.5	13.75	99.91	14.82	102.11	14.88	104.3	15.02
	19	65.46	8.65	77.25	10.79	89.09	12.90	94.5	14.00	99.91	15.10	102.11	15.12	104.3	15.29
	21	65.46	9.28	77.25	11.56	89.09	13.83	94.5	15.02	99.91	16.17	102.11	16.22	104.3	16.39
	23	65.46	9.94	77.25	12.38	89.09	14.82	94.5	16.09	99.91	17.32	102.11	17.38	104.3	17.54
	25	65.46	10.62	77.25	13.26	89.09	15.87	94.5	17.21	99.91	18.56	102.11	18.61	104.3	18.78
	27	65.46	11.36	77.25	14.16	89.09	16.96	94.5	18.39	99.91	19.82	102.11	19.87	104.3	20.07
	29	65.46	12.13	77.25	15.12	89.09	18.09	94.5	19.63	99.91	21.16	102.11	21.22	104.3	21.44
	31	65.46	12.93	77.25	16.11	89.09	19.30	94.5	20.94	99.91	22.56	102.11	22.65	104.3	22.87
	33	65.46	13.78	77.25	17.18	89.09	20.56	94.5	22.32	99.91	24.05	102.11	24.13	104.3	24.35
	35	65.46	14.66	77.25	18.28	89.09	21.88	94.5	23.72	99.91	25.58	102.11	25.67	104.3	25.91
	37	65.46	15.59	77.25	19.43	89.09	23.28	94.5	25.23	99.91	27.20	102.11	27.29	104.3	27.56
	39	65.46	15.67	77.25	19.52	89.09	23.36	94.5	25.34	99.91	27.31	102.11	27.40	104.3	27.67
	41	65.46	15.73	77.25	19.60	89.09	23.47	94.5	25.45	99.91	27.45	102.11	27.53	104.3	27.81
	43	65.46	15.81	77.25	19.68	89.09	23.58	94.5	25.58	99.91	27.56	102.11	27.67	104.3	27.92
	46	65.46	15.89	77.25	19.79	89.09	23.69	94.5	25.69	98.3	27.70	100.18	27.78	102.05	28.05
	48	65.46	15.95	77.25	19.87	89.09	23.80	92.63	25.80	96.38	27.83	98.3	27.92	100.18	28.19
	50	65.46	16.03	77.25	19.96	86.95	23.91	90.7	25.94	94.5	27.94	96.38	28.05	98.3	28.30
60%	10	56.09	6.56	66.21	8.15	76.34	9.77	81	10.60	85.66	11.42	87.54	11.47	89.36	11.58
	12	56.09	6.67	66.21	8.32	76.34	9.96	81	10.79	85.66	11.64	87.54	11.67	89.36	11.80
	14	56.09	6.81	66.21	8.45	76.34	10.13	81	11.01	85.66	11.86	87.54	11.89	89.36	12.00
	16	56.09	6.92	66.21	8.62	76.34	10.32	81	11.20	85.66	12.08	87.54	12.11	89.36	12.22
	18	56.09	7.03	66.21	8.78	76.34	10.51	81	11.39	85.66	12.27	87.54	12.33	89.36	12.43
	19	56.09	7.16	66.21	8.92	76.34	10.68	81	11.58	85.66	12.49	87.54	12.52	89.36	12.65
	21	56.09	7.69	66.21	9.55	76.34	11.45	81	12.43	85.66	13.40	87.54	13.42	89.36	13.56
	23	56.09	8.24	66.21	10.24	76.34	12.27	81	13.31	85.66	14.36	87.54	14.38	89.36	14.52
	25	56.09	8.81	66.21	10.95	76.34	13.12	81	14.25	85.66	15.34	87.54	15.40	89.36	15.54
	27	56.09	9.42	66.21	11.72	76.34	14.03	81	15.21	85.66	16.42	87.54	16.47	89.36	16.61
	29	56.09	10.05	66.21	12.52	76.34	14.99	81	16.25	85.66	17.51	87.54	17.57	89.36	17.73
	31	56.09	10.71	66.21	13.34	76.34	15.98	81	17.32	85.66	18.69	87.54	18.75	89.36	18.91
	33	56.09	11.42	66.21	14.22	76.34	17.02	81	18.47	85.66	19.90	87.54	19.96	89.36	20.15
	35	56.09	12.13	66.21	15.12	76.34	18.12	81	19.63	85.66	21.16	87.54	21.25	89.36	21.44
	37	56.09	12.90	66.21	16.09	76.34	19.27	81	20.89	85.66	22.51	87.54	22.59	89.36	22.81
	39	56.09	12.96	66.21	16.14	76.34	19.35	81	20.97	85.66	22.62	87.54	22.67	89.36	22.89
	41	56.09	13.01	66.21	16.22	76.34	19.43	81	21.08	85.66	22.73	87.54	22.78	89.36	23.00
	43	56.09	13.09	66.21	16.31	76.34	19.52	81	21.16	85.66	22.81	87.54	22.89	89.36	23.11
	46	56.09	13.15	66.21	16.39	76.34	19.60	81	21.27	85.66	22.92	87.54	23.00	89.36	23.22
	48	56.09	13.20	66.21	16.44	76.34	19.71	81	21.36	84.21	23.03	85.88	23.11	87.48	23.33
	50	56.09	13.26	66.21	16.52	76.34	19.79	79.39	21.47	82.61	23.14	84.21	23.22	85.88	23.44
50%	10	46.77	5.30	55.18	6.62	63.64	7.93	67.5	8.59	71.36	9.25	72.91	9.28	74.46	9.39
	12	46.77	5.41	55.18	6.73	63.64	8.07	67.5	8.76	71.36	9.44	72.91	9.47	74.46	9.55
	14	46.77	5.52	55.18	6.86	63.64	8.21	67.5	8.92	71.36	9.61	72.91	9.63	74.46	9.72
	16	46.77	5.60	55.18	6.97	63.64	8.37	67.5	9.06	71.36	9.77	72.91	9.80	74.46	9.91
	18	46.77	5.71	55.18	7.11	63.64	8.51	67.5	9.22	71.36	9.94	72.91	9.99	74.46	10.07
	19	46.77	5.79	55.18	7.22	63.64	8.65	67.5	9.39	71.36	10.13	72.91	10.16	74.46	10.24
	21	46.77	6.23	55.18	7.74	63.64	9.28	67.5	10.07	71.36	10.84	72.91	10.87	74.46	10.98
	23	46.77	6.67	55.18	8.29	63.64	9.94	67.5	10.79	71.36	11.61	72.91	11.67	74.46	11.78
	25	46.77	7.14	55.18	8.89	63.64	10.62	67.5	11.53	71.36	12.43	72.91	12.46	74.46	12.60
	27	46.77	7.63	55.18	9.50	63.64	11.36	67.5	12.33	71.36	13.29	72.91	13.34	74.46	13.45
	29	46.77	8.13	55.18	10.13	63.64	12.13	67.5	13.18	71.36	14.19	72.91	14.25	74.46	14.38
	31	46.77	8.67	55.18	10.82	63.64	12.96	67.5	14.05	71.36	15.12	72.91	15.18	74.46	15.32
	33	46.77	9.25	55.18	11.53	63.64	13.78	67.5	14.96	71.36	16.11	72.91	16.17	74.46	16.33
	35	46.77	9.83	55.18	12.24	63.64	14.66	67.5	15.92	71.36	17.16	72.91	17.21	74.46	17.38
	37	46.77	10.46	55.18	13.04	63.64	15.59	67.5	16.91	71.36	18.25	72.91	18.31	74.46	18.47
	39	46.77	10.51	55.18	13.09	63.64	15.67	67.5	16.99	71.36	18.31	72.91	18.36	74.46	18.56
	41	46.77	10.54	55.18	13.15	63.64	15.73	67.5	17.07	71.36	18.39	72.91	18.47	74.46	18.64
	43	46.77	10.60	55.18	13.20	63.64	15.81	67.5	17.16	71.36	18.50	72.91	18.56	74.46	18.72
	46	46.77	10.65	55.18	13.26	63.64	15.89	67.5	17.24	71.36	18.58	72.91	18.64	74.46	18.80
	48	46.77	10.71	55.18	13.34	63.64	15.95	67.5	17.32	71.57	18.67	72.21	18.72	73.55	18.91
	50	46.77	10.76	55.18	13.40	63.64	16.03	67.5	17.40	70.88	18.75	71.57	18.80	72.91	19.00

50HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1400W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútna teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	126.61	14.55	147.89	18.11	170.39	21.70	175	23.54	178.06	25.37	180.83	25.46	185.67	25.69
	12	126.61	14.81	147.89	18.46	170.39	22.10	173.44	23.97	176.5	25.83	179.22	25.92	184	26.18
	14	126.61	15.10	147.89	18.80	170.39	22.50	171.89	24.40	174.94	26.32	176	26.38	182.39	26.64
	16	126.61	15.36	147.89	19.12	168.89	22.91	170.39	24.86	171.78	26.78	174.44	26.87	180.72	27.12
	18	126.61	15.61	147.89	19.46	165.89	23.31	167.33	25.29	170.22	27.24	172.83	27.33	179.06	27.61
	19	126.61	15.90	147.89	19.81	164.39	23.71	165.78	25.72	168.67	27.73	171.22	27.81	177.44	28.07
	21	126.61	17.05	147.89	21.24	162.89	25.40	164.22	27.56	167.11	29.71	169.61	29.79	175.78	30.11
	23	126.61	18.26	147.89	22.73	161.39	27.21	162.72	29.54	165.56	31.83	168	31.92	174.17	32.23
	25	126.61	19.52	147.89	24.34	159.83	29.13	161.17	31.60	164	34.07	166.44	34.16	172.5	34.50
	27	126.61	20.87	147.89	26.01	158.33	31.14	159.61	33.78	162.44	36.42	164.83	36.51	169.22	36.88
	29	126.61	22.30	146.72	27.79	156.83	33.24	158.11	36.08	160.89	38.89	163.22	39.01	169.22	39.38
	31	126.61	23.77	146.28	29.62	155.33	35.45	156.56	38.46	159.33	41.48	161.61	41.59	167.56	41.99
	33	126.61	25.32	146.28	31.55	153.83	37.77	155.06	40.96	157.72	44.17	160	44.29	165.94	44.72
	35	126.61	26.92	144.83	33.55	150.83	40.18	153.5	43.57	156.17	46.99	158.11	47.13	164.28	47.59
	37	126.61	28.65	144.83	35.71	148.89	42.74	151.94	46.36	153.06	49.97	156.56	50.12	161	50.60
	39	126.61	28.76	142.78	35.85	147.78	42.91	150.44	46.56	151.5	50.20	155.06	50.35	159.39	50.83
	41	126.61	28.90	139.67	36.02	145.83	43.11	148.89	46.76	149.94	50.40	153.5	50.58	157.72	51.06
	43	127.39	29.05	136.61	36.17	143.28	43.31	145.83	46.99	148.39	50.66	152	50.81	156.06	51.29
	46	122.78	29.16	132	36.34	138.17	43.51	141.22	47.19	144.28	50.89	147.33	51.03	151.94	51.52
	48	119.72	29.31	127.39	36.51	133.56	43.72	136.61	47.42	139.67	51.12	142.78	51.26	147.33	51.78
	50	116.67	29.45	122.78	36.68	128.94	43.92	132	47.65	135.06	51.35	138.17	51.52	142.78	52.01
120%	10	118.89	14.41	141.61	17.94	163.33	21.50	169.11	23.31	175.17	25.12	177.56	25.20	183.17	25.46
	12	118.89	14.67	141.61	18.28	163.33	21.90	169.11	23.74	173.61	25.60	175.94	25.66	181.56	25.92
	14	118.89	14.93	141.61	18.60	163.33	22.27	169.11	24.17	172.06	26.06	174.39	26.15	179.94	26.38
	16	118.89	15.21	141.61	18.94	163.33	22.68	169.11	24.60	170.56	26.52	172.83	26.61	178.28	26.87
	18	118.89	15.47	141.61	19.29	163.33	23.08	167.61	25.03	169	26.98	171.28	27.07	176.67	27.33
	19	118.89	15.73	141.61	19.60	161.56	23.48	166.11	25.46	167.44	27.44	169.67	27.53	175.06	27.81
	21	118.89	16.88	141.61	21.01	160.06	25.17	163.06	27.30	164.39	29.42	168.11	29.54	173.44	29.79
	23	118.89	18.08	141.61	22.53	157.06	26.95	161.56	29.25	162.83	31.52	166.56	31.63	171.83	31.92
	25	118.89	19.35	141.61	24.11	155.5	28.85	158.56	31.29	161.33	33.73	164.94	33.84	170.22	34.16
	27	118.89	20.67	141.61	25.75	152.5	30.86	157.06	33.44	159.78	36.05	163.39	36.17	168.56	36.51
	29	118.89	22.07	141.61	27.50	151	32.92	155.5	35.71	158.22	38.49	161.83	38.63	166.94	39.01
	31	118.89	23.54	141.61	29.34	149.5	35.13	154	38.09	156.72	41.07	160.28	41.19	165.33	41.59
	33	118.89	25.09	141.61	31.23	148	37.40	152.5	40.59	155.17	43.74	158.67	43.89	163.72	44.29
	35	118.89	26.67	140.44	33.24	146.44	39.81	151	43.17	153.67	46.53	157.11	46.67	162.11	47.13
	37	118.89	28.36	138.94	35.36	144.94	42.34	148	45.90	150.56	49.48	155.5	49.66	158.83	50.12
	39	118.89	28.50	137.39	35.51	143.44	42.51	146.44	46.10	149.06	49.71	154	49.86	157.22	50.35
	41	118.89	28.62	134.5	35.65	141.94	42.71	144.94	46.33	147.5	49.92	152.5	50.09	155.61	50.58
	43	118.89	28.76	133.11	35.82	140.44	42.91	143.44	46.53	146.44	50.17	151	50.32	154	50.81
	46	116.28	28.90	129.83	35.99	135.89	43.11	138.94	46.76	141.94	50.40	146.44	50.55	149.5	51.03
	48	113.22	29.02	126.83	36.17	131.39	43.31	134.39	46.96	137.39	50.63	141.94	50.78	144.94	51.26
	50	110.22	29.16	123.83	36.34	126.83	43.49	129.83	47.19	132.89	50.86	137.39	51.01	140.44	51.52
110%	10	108.78	14.27	128.83	17.77	145.89	21.27	158.89	23.08	170.72	24.89	174.61	24.97	180.11	25.20
	12	108.78	14.52	128.83	18.11	145.89	21.67	158.89	23.51	169.22	25.35	173.06	25.43	178.56	25.66
	14	108.78	14.78	128.83	18.43	145.89	22.07	158.89	23.94	167.72	25.80	171.5	25.89	176.94	26.15
	16	108.78	15.07	128.83	18.77	145.89	22.47	158.89	24.37	166.22	26.26	169.94	26.35	175.33	26.61
	18	108.78	15.33	128.83	19.09	145.89	22.85	158.89	24.80	164.72	26.72	168.44	26.81	173.78	27.07
	19	108.78	15.59	128.83	19.43	145.89	23.25	158.89	25.23	163.17	27.18	166.89	27.27	172.17	27.53
	21	108.78	16.71	128.83	20.81	145.89	24.91	158.89	27.04	161.67	29.13	165.33	29.25	170.56	29.51
	23	108.78	17.91	128.83	22.30	145.89	26.69	157.39	28.96	160.17	31.23	163.78	31.32	169	31.63
	25	108.78	19.15	128.83	23.85	145.89	28.56	155.94	31.00	158.67	33.41	162.22	33.50	167.39	33.84
	27	108.78	20.47	128.83	25.52	145.89	30.54	154.44	33.12	157.17	35.71	160.67	35.82	165.78	36.17
	29	108.78	21.87	128.83	27.24	145.89	32.61	152.94	35.36	155.61	38.12	159.17	38.26	164.22	38.61
	31	108.78	23.31	128.83	29.05	145.89	34.79	151.44	37.72	154.11	40.67	157.61	40.79	162.61	41.19
	33	108.78	24.83	128.83	30.94	144.06	37.06	150	40.18	152.61	43.31	156.06	43.46	161	43.86
	35	108.78	26.41	128.83	32.92	142.56	39.41	148.5	42.74	151.11	46.07	154.5	46.21	159.39	46.67
	37	108.78	28.10	128.83	35.02	141.06	41.91	145.56	45.47	148.06	49.03	151.44	49.17	156.22	49.63
	39	108.78	28.22	128.83	35.16	139.61	42.11	144.06	45.67	146.56	49.23	149.89	49.37	154.61	49.86
	41	108.78	28.36	128.83	35.31	138.11	42.28	142.56	45.87	145.06	49.46	148.33	49.60	153.06	50.09
	43	108.78	28.47	128.83	35.48	136.61	42.48	141.06	46.07	143.56	49.69	146.78	49.83	151.44	50.32
	46	105.44	28.62	126.22	35.65	132.17	42.68	136.61	46.30	139.61	49.92	142.56	50.06	145.56	50.55
	48	102.44	28.73	123.28	35.82	127.72	42.88	132.17	46.50	135.11	50.15	138.11	50.29	141.06	50.78
	50	99.5	28.88	120.28	35.97	123.28	43.08	127.72	46.73	130.67	50.37	133.67	50.52	136.61	51.01

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1400W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	96.94	13.32	114.44	16.59	131.94	19.86	140	21.56	152.44	23.22	163.17	23.31	169.67	23.54
	12	96.94	13.55	114.44	16.91	131.94	20.24	140	21.96	152.44	23.65	163.17	23.74	168.17	23.97
	14	96.94	13.81	114.44	17.19	131.94	20.61	140	22.33	152.44	24.08	161.67	24.17	166.67	24.40
	16	96.94	14.06	114.44	17.51	131.94	20.98	140	22.73	152.44	24.51	160.22	24.60	165.17	24.83
	18	96.94	14.29	114.44	17.82	131.94	21.33	140	23.14	152.44	24.94	158.78	25.03	163.67	25.26
	19	96.94	14.55	114.44	18.11	131.94	21.70	140	23.54	152.44	25.37	157.33	25.46	162.17	25.69
	21	96.94	15.59	114.44	19.43	131.94	23.28	140	25.23	152.44	27.21	155.89	27.30	160.61	27.56
	23	96.94	16.71	114.44	20.81	131.94	24.91	140	27.04	152.44	29.13	154.39	29.22	159.11	29.51
	25	96.94	17.88	114.44	22.27	131.94	26.67	140	28.93	152.44	31.17	152.94	31.29	157.61	31.57
	27	96.94	19.12	114.44	23.80	131.94	28.50	140	30.91	151	33.32	151.5	33.44	156.11	33.76
	29	96.94	20.41	114.44	25.43	131.94	30.45	140	33.01	149.56	35.59	150.06	35.71	154.61	36.05
	31	96.94	21.76	114.44	27.12	131.94	32.46	140	35.22	148.17	37.95	148.61	38.06	153.11	38.43
	33	96.94	23.16	114.44	28.88	131.94	34.59	140	37.52	146.72	40.44	147.11	40.56	151.61	40.96
	35	96.94	24.66	114.44	30.71	131.94	36.80	140	39.87	144.61	43.00	145.67	43.14	150.11	43.57
	37	96.94	26.24	114.44	32.66	131.94	39.12	140	41.51	142.44	45.75	144.22	45.90	147.11	46.33
	39	96.94	26.35	114.44	32.81	131.94	39.30	140	42.68	141.39	45.95	142.78	46.10	145.61	46.53
	41	96.94	26.46	114.44	32.95	130.22	39.47	138.61	43.89	140	46.16	141.39	46.30	144.11	46.73
	43	96.94	26.58	114.44	33.12	128.78	39.67	137.22	45.50	138.61	46.36	140	46.50	142.61	46.96
	46	96.94	26.69	112.17	33.27	124.61	39.84	135.78	47.16	137.22	46.59	138.61	46.73	141.39	47.19
	48	96.94	26.84	111	33.41	120.39	40.01	131.61	47.48	135.78	46.79	134.39	46.93	137.22	47.39
	50	95.22	26.95	109.89	33.58	116.22	40.21	127.39	48.68	131.61	47.02	130.22	47.16	133	47.62
90%	10	87.28	11.51	103	14.35	118.78	17.16	126	18.63	133.22	20.09	151.06	20.15	154.17	20.32
	12	87.28	11.71	103	14.61	118.78	17.48	126	18.97	133.22	20.44	151.06	20.52	154.17	20.72
	14	87.28	11.94	103	14.87	118.78	17.80	126	19.32	133.22	20.81	151.06	20.90	154.17	21.10
	16	87.28	12.14	103	15.13	118.78	18.14	126	19.66	133.22	21.18	151.06	21.27	154.17	21.47
	18	87.28	12.37	103	15.41	118.78	18.46	126	20.01	133.22	21.56	151.06	21.64	152.44	21.84
	19	87.28	12.57	103	15.67	118.78	18.77	126	20.35	133.22	21.93	149.94	22.02	151.22	22.22
	21	87.28	13.49	103	16.79	118.78	20.12	126	21.81	133.22	23.51	148.67	23.59	149.94	23.82
	23	87.28	14.44	103	18.00	118.78	21.56	126	23.36	133.22	25.20	147.44	25.26	148.67	25.52
	25	87.28	15.44	103	19.26	118.78	23.05	126	25.00	133.22	26.95	146.17	27.04	147.44	27.30
	27	87.28	16.53	103	20.58	118.78	24.66	126	26.72	133.22	28.82	144.89	28.90	146.17	29.19
	29	87.28	17.65	103	21.99	118.78	26.32	126	28.53	133.22	30.77	143.67	30.86	144.89	31.17
	31	87.28	18.80	103	23.45	118.78	28.07	126	30.43	133.22	32.81	142.39	32.92	143.67	33.24
	33	87.28	20.04	103	24.97	118.78	29.88	126	32.44	133.22	34.96	141.11	35.05	142.39	35.39
	35	87.28	21.33	103	26.55	118.78	31.80	126	34.50	133.22	37.17	139.83	37.29	141.11	37.66
	37	87.28	22.68	103	28.24	118.78	33.81	126	36.68	133.22	39.55	138.61	39.67	139.83	40.04
	39	87.28	22.76	103	28.36	118.78	33.96	126	36.86	132.28	39.73	137.33	39.84	138.61	40.21
	41	87.28	22.88	103	28.50	118.78	34.13	126	37.00	131.06	39.90	136.06	40.01	137.33	40.41
	43	87.28	22.99	103	28.62	118.78	34.27	124.72	37.17	129.78	40.07	134.83	40.21	136.06	40.59
	46	87.28	23.08	103	28.76	114.67	34.44	120.94	37.34	126	40.27	131.06	40.39	132.28	40.79
	48	87.28	23.19	103	28.90	110.89	34.59	117.17	37.52	122.22	40.44	127.28	40.59	128.5	40.96
	50	87.28	23.31	100.78	29.02	107.11	34.76	113.39	37.69	118.44	40.64	123.5	40.76	124.72	41.16
80%	10	77.56	9.85	91.56	12.26	105.56	14.67	112	15.90	118.44	17.16	121	17.19	123.61	17.37
	12	77.56	10.02	91.56	12.49	105.56	14.95	112	16.22	118.44	17.48	121	17.51	123.61	17.68
	14	77.56	10.19	91.56	12.72	105.56	15.21	112	16.50	118.44	17.80	121	17.85	123.61	18.03
	16	77.56	10.39	91.56	12.95	105.56	15.47	112	16.79	118.44	18.11	121	18.17	123.61	18.34
	18	77.56	10.56	91.56	13.15	105.56	15.76	112	17.08	118.44	18.43	121	18.49	123.61	18.66
	19	77.56	10.74	91.56	13.38	105.56	16.02	112	17.39	118.44	18.74	121	18.80	123.61	18.97
	21	77.56	11.51	91.56	14.35	105.56	17.19	112	18.63	118.44	20.09	121	20.15	123.61	20.35
	23	77.56	12.34	91.56	15.36	105.56	18.40	112	19.95	118.44	21.53	121	21.59	123.61	21.79
	25	77.56	13.20	91.56	16.45	105.56	19.69	112	21.36	118.44	23.02	121	23.11	123.61	23.31
	27	77.56	14.12	91.56	17.60	105.56	21.04	112	22.82	118.44	24.63	121	24.69	123.61	24.94
	29	77.56	15.07	91.56	18.77	105.56	22.47	112	24.37	118.44	26.29	121	26.35	123.61	26.61
	31	77.56	16.07	91.56	20.01	105.56	23.97	112	26.01	118.44	28.01	121	28.10	123.61	28.39
	33	77.56	17.11	91.56	21.33	105.56	25.55	112	27.70	118.44	29.85	121	29.94	123.61	30.22
	35	77.56	18.20	91.56	22.68	105.56	27.15	112	29.45	118.44	31.77	121	31.86	123.61	32.18
	37	77.56	19.37	91.56	24.14	105.56	28.90	112	31.34	118.44	33.78	121	33.87	122.06	34.21
	39	77.56	19.46	91.56	24.23	105.56	29.02	112	31.46	118.44	33.93	119.83	34.04	120.94	34.36
	41	77.56	19.55	91.56	24.34	105.56	29.13	112	31.60	117.61	34.07	118.72	34.19	119.83	34.50
	43	77.56	19.63	91.56	24.46	105.56	29.28	112	31.77	116.5	34.24	117.61	34.33	118.72	34.67
	46	77.56	19.72	91.83	24.57	105.28	29.42	108.67	31.92	113.11	34.39	114.22	34.50	113.11	34.85
	48	77.56	19.81	91.83	24.69	101.94	29.56	105.28	32.06	109.78	34.56	110.89	34.67	109.78	34.99
	50	77.56	19.89	91.83	24.80	98.56	29.68	101.94	32.21	106.39	34.70	107.5	34.82	106.39	35.16

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1400W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	67.89	8.27	80.11	10.30	92.39	12.34	98	13.40	103.61	14.44	105.89	14.50	108.17	14.64
	12	67.89	8.44	80.11	10.51	92.39	12.57	98	13.63	103.61	14.70	105.89	14.75	108.17	14.90
	14	67.89	8.58	80.11	10.71	92.39	12.80	98	13.89	103.61	14.98	105.89	15.01	108.17	15.16
	16	67.89	8.73	80.11	10.88	92.39	13.03	98	14.15	103.61	15.24	105.89	15.30	108.17	15.44
	18	67.89	8.90	80.11	11.08	92.39	13.26	98	14.38	103.61	15.50	105.89	15.56	108.17	15.70
	19	67.89	9.04	80.11	11.28	92.39	13.49	98	14.64	103.61	15.79	105.89	15.82	108.17	15.99
	21	67.89	9.70	80.11	12.08	92.39	14.47	98	15.70	103.61	16.91	105.89	16.96	108.17	17.14
	23	67.89	10.39	80.11	12.95	92.39	15.50	98	16.82	103.61	18.11	105.89	18.17	108.17	18.34
	25	67.89	11.11	80.11	13.86	92.39	16.59	98	18.00	103.61	19.40	105.89	19.46	108.17	19.63
	27	67.89	11.88	80.11	14.81	92.39	17.74	98	19.23	103.61	20.72	105.89	20.78	108.17	20.98
	29	67.89	12.69	80.11	15.82	92.39	18.92	98	20.52	103.61	22.13	105.89	22.19	108.17	22.42
	31	67.89	13.52	80.11	16.85	92.39	20.18	98	21.90	103.61	23.59	105.89	23.68	108.17	23.91
	33	67.89	14.41	80.11	17.97	92.39	21.50	98	23.34	103.61	25.14	105.89	25.23	108.17	25.46
	35	67.89	15.33	80.11	19.12	92.39	22.88	98	24.80	103.61	26.75	105.89	26.84	108.17	27.10
	37	67.89	16.30	80.11	20.32	92.39	24.34	98	26.38	103.61	28.45	105.89	28.53	108.17	28.82
	39	67.89	16.39	80.11	20.41	92.39	24.43	98	26.49	103.61	28.56	105.89	28.65	108.17	28.93
	41	67.89	16.45	80.11	20.49	92.39	24.54	98	26.61	103.61	28.70	105.89	28.79	108.17	29.08
	43	67.89	16.53	80.11	20.58	92.39	24.66	98	26.75	103.61	28.82	105.89	28.93	108.17	29.19
	46	67.89	16.62	80.11	20.70	92.39	24.77	98	26.87	101.94	28.96	103.89	29.05	105.83	29.34
	48	67.89	16.68	80.11	20.78	92.39	24.89	96.06	26.98	99.94	29.11	101.94	29.19	103.89	29.48
	50	67.89	16.76	80.11	20.87	90.17	25.00	94.06	27.12	98	29.22	99.94	29.34	101.94	29.59
60%	10	58.17	6.86	68.67	8.52	79.17	10.22	84	11.08	88.83	11.94	90.78	12.00	92.67	12.11
	12	58.17	6.97	68.67	8.70	79.17	10.42	84	11.28	88.83	12.17	90.78	12.20	92.67	12.34
	14	58.17	7.12	68.67	8.84	79.17	10.59	84	11.51	88.83	12.40	90.78	12.43	92.67	12.54
	16	58.17	7.23	68.67	9.01	79.17	10.79	84	11.71	88.83	12.63	90.78	12.66	92.67	12.77
	18	58.17	7.35	68.67	9.19	79.17	10.99	84	11.91	88.83	12.83	90.78	12.89	92.67	13.00
	19	58.17	7.49	68.67	9.33	79.17	11.17	84	12.11	88.83	13.06	90.78	13.09	92.67	13.23
	21	58.17	8.04	68.67	9.99	79.17	11.97	84	13.00	88.83	14.01	90.78	14.04	92.67	14.18
	23	58.17	8.61	68.67	10.71	79.17	12.83	84	13.92	88.83	15.01	90.78	15.04	92.67	15.18
	25	58.17	9.21	68.67	11.45	79.17	13.72	84	14.90	88.83	16.05	90.78	16.10	92.67	16.25
	27	58.17	9.85	68.67	12.26	79.17	14.67	84	15.90	88.83	17.16	90.78	17.22	92.67	17.37
	29	58.17	10.51	68.67	13.09	79.17	15.67	84	16.99	88.83	18.31	90.78	18.37	92.67	18.54
	31	58.17	11.19	68.67	13.95	79.17	16.71	84	18.11	88.83	19.55	90.78	19.60	92.67	19.78
	33	58.17	11.94	68.67	14.87	79.17	17.80	84	19.32	88.83	20.81	90.78	20.87	92.67	21.07
	35	58.17	12.69	68.67	15.82	79.17	18.94	84	20.52	88.83	22.13	90.78	22.22	92.67	22.42
	37	58.17	13.49	68.67	16.82	79.17	20.15	84	21.84	88.83	23.54	90.78	23.62	92.67	23.85
	39	58.17	13.55	68.67	16.88	79.17	20.24	84	21.93	88.83	23.65	90.78	23.71	92.67	23.94
	41	58.17	13.61	68.67	16.96	79.17	20.32	84	22.04	88.83	23.77	90.78	23.82	92.67	24.05
	43	58.17	13.69	68.67	17.05	79.17	20.41	84	22.13	88.83	23.85	90.78	23.94	92.67	24.17
	46	58.17	13.75	68.67	17.14	79.17	20.49	84	22.25	88.83	23.97	90.78	24.05	92.67	24.28
	48	58.17	13.81	68.67	17.19	79.17	20.61	84	22.33	87.33	24.08	89.06	24.17	90.72	24.40
	50	58.17	13.86	68.67	17.28	79.17	20.70	82.33	22.45	85.67	24.20	87.33	24.28	89.06	24.51
50%	10	48.5	5.54	57.22	6.92	66	8.30	70	8.98	74	9.67	75.61	9.70	77.22	9.82
	12	48.5	5.65	57.22	7.03	66	8.44	70	9.16	74	9.87	75.61	9.90	77.22	9.99
	14	48.5	5.77	57.22	7.18	66	8.58	70	9.33	74	10.05	75.61	10.07	77.22	10.16
	16	48.5	5.86	57.22	7.29	66	8.75	70	9.47	74	10.22	75.61	10.25	77.22	10.36
	18	48.5	5.97	57.22	7.43	66	8.90	70	9.64	74	10.39	75.61	10.45	77.22	10.53
	19	48.5	6.06	57.22	7.55	66	9.04	70	9.82	74	10.59	75.61	10.62	77.22	10.71
	21	48.5	6.52	57.22	8.09	66	9.70	70	10.53	74	11.34	75.61	11.37	77.22	11.48
	23	48.5	6.97	57.22	8.67	66	10.39	70	11.28	74	12.14	75.61	12.20	77.22	12.31
	25	48.5	7.46	57.22	9.30	66	11.11	70	12.06	74	13.00	75.61	13.03	77.22	13.17
	27	48.5	7.98	57.22	9.93	66	11.88	70	12.89	74	13.89	75.61	13.95	77.22	14.06
	29	48.5	8.50	57.22	10.59	66	12.69	70	13.78	74	14.84	75.61	14.90	77.22	15.04
	31	48.5	9.07	57.22	11.31	66	13.55	70	14.70	74	15.82	75.61	15.87	77.22	16.02
	33	48.5	9.67	57.22	12.06	66	14.41	70	15.64	74	16.85	75.61	16.91	77.22	17.08
	35	48.5	10.28	57.22	12.80	66	15.33	70	16.65	74	17.94	75.61	18.00	77.22	18.17
	37	48.5	10.94	57.22	13.63	66	16.30	70	17.68	74	19.09	75.61	19.15	77.22	19.32
	39	48.5	10.99	57.22	13.69	66	16.39	70	17.77	74	19.15	75.61	19.20	77.22	19.40
	41	48.5	11.02	57.22	13.75	66	16.45	70	17.85	74	19.23	75.61	19.32	77.22	19.49
	43	48.5	11.08	57.22	13.81	66	16.53	70	17.94	74	19.35	75.61	19.40	77.22	19.58
	46	48.5	11.14	57.22	13.86	66	16.62	70	18.03	74	19.43	75.61	19.49	77.22	19.66
	48	48.5	11.19	57.22	13.95	66	16.68	70	18.11	74.22	19.52	74.89	19.58	76.28	19.78
	50	48.5	11.25	57.22	14.01	66	16.76	70	18.20	73.5	19.60	74.22	19.66	75.61	19.86

52HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1450W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	131.13	15.19	153.17	18.90	176.47	22.65	181.25	24.56	184.41	26.48	187.29	26.57	192.3	26.81
	12	131.13	15.46	153.17	19.26	176.47	23.07	179.64	25.01	182.8	26.96	185.62	27.05	190.57	27.32
	14	131.13	15.76	153.17	19.62	176.47	23.49	178.03	25.46	181.19	27.47	182.29	27.53	188.9	27.80
	16	131.13	16.03	153.17	19.95	174.92	23.91	176.47	25.94	177.91	27.95	180.67	28.04	187.18	28.31
	18	131.13	16.30	153.17	20.31	171.81	24.33	173.31	26.39	176.3	28.43	179.01	28.52	185.45	28.82
	19	131.13	16.60	153.17	20.67	170.26	24.74	171.7	26.84	174.69	28.94	177.34	29.03	183.78	29.30
	21	131.13	17.79	153.17	22.17	168.71	26.51	170.09	28.76	173.08	31.01	175.67	31.10	182.06	31.42
	23	131.13	19.05	153.17	23.73	167.15	28.40	168.53	30.83	171.47	33.22	174	33.31	180.39	33.64
	25	131.13	20.37	153.17	25.40	165.54	30.41	166.92	32.98	169.86	35.56	172.39	35.65	178.66	36.01
	27	131.13	21.78	153.17	27.14	163.99	32.50	165.31	35.26	168.25	38.02	170.72	38.11	175.27	38.49
	29	131.13	23.28	151.96	29.00	162.43	34.69	163.76	37.66	166.63	40.59	169.05	40.71	175.27	41.10
	31	131.13	24.80	151.5	30.92	160.88	37.00	162.15	40.14	165.02	43.29	167.38	43.41	173.54	43.83
	33	131.13	26.42	151.5	32.92	159.33	39.42	160.59	42.75	163.36	46.10	165.71	46.22	171.87	46.67
	35	131.13	28.10	150.01	35.02	156.22	41.94	158.98	45.47	161.74	49.04	163.76	49.19	170.14	49.67
	37	131.13	29.90	150.01	37.27	154.21	44.61	157.37	48.38	158.52	52.16	162.15	52.31	166.75	52.81
	39	131.13	30.02	147.88	37.42	153.06	44.79	155.82	48.59	156.91	52.39	160.59	52.54	165.08	53.05
	41	131.13	30.17	144.65	37.60	151.04	45.00	154.21	48.80	155.3	52.60	158.98	52.78	163.36	53.29
	43	131.94	30.32	141.49	37.75	148.39	45.21	151.04	49.04	153.69	52.87	157.43	53.02	161.63	53.53
	46	127.16	30.44	136.71	37.93	143.1	45.41	146.27	49.25	149.43	53.11	152.6	53.26	157.37	53.77
	48	124	30.59	131.94	38.11	138.33	45.62	141.49	49.49	144.65	53.35	147.88	53.50	152.6	54.04
	50	120.83	30.74	127.16	38.29	133.55	45.83	136.71	49.73	139.88	53.59	143.1	53.77	147.88	54.28
120%	10	123.13	15.04	146.67	18.72	169.17	22.44	175.15	24.33	181.42	26.21	183.9	26.30	189.71	26.57
	12	123.13	15.31	146.67	19.08	169.17	22.86	175.15	24.77	179.81	26.72	182.23	26.78	188.04	27.05
	14	123.13	15.58	146.67	19.41	169.17	23.25	175.15	25.22	178.2	27.20	180.62	27.29	186.37	27.53
	16	123.13	15.88	146.67	19.77	169.17	23.67	175.15	25.67	176.65	27.68	179.01	27.77	184.64	28.04
	18	123.13	16.15	146.67	20.13	169.17	24.09	173.6	26.12	175.04	28.16	177.39	28.25	182.98	28.52
	19	123.13	16.42	146.67	20.46	167.33	24.50	172.04	26.57	173.42	28.64	175.73	28.73	181.31	29.03
	21	123.13	17.61	146.67	21.93	165.77	26.27	168.88	28.49	170.26	30.71	174.12	30.83	179.64	31.10
	23	123.13	18.87	146.67	23.52	162.66	28.13	167.33	30.53	168.65	32.89	172.5	33.01	177.97	33.31
	25	123.13	20.19	146.67	25.16	161.05	30.11	164.22	32.65	167.1	35.20	170.84	35.32	176.3	35.65
	27	123.13	21.57	146.67	26.87	157.95	32.20	162.66	34.90	165.48	37.63	169.22	37.75	174.58	38.11
	29	123.13	23.04	146.67	28.70	156.39	34.36	161.05	37.27	163.87	40.17	167.61	40.32	172.91	40.71
	31	123.13	24.56	146.67	30.62	154.84	36.67	159.5	39.75	162.32	42.87	166	42.99	171.24	43.41
	33	123.13	26.18	146.67	32.59	153.29	39.03	157.95	42.36	160.71	45.65	164.33	45.80	169.57	46.22
	35	123.13	27.83	145.46	34.69	151.67	41.55	156.39	45.06	159.15	48.56	162.72	48.71	167.9	49.19
	37	123.13	29.60	143.91	36.91	150.12	44.19	153.29	47.90	155.93	51.65	161.05	51.83	164.51	52.31
	39	123.13	29.75	142.3	37.06	148.57	44.37	151.67	48.11	154.38	51.89	159.5	52.04	162.84	52.54
	41	123.13	29.87	139.3	37.21	147.01	44.58	150.12	48.35	152.77	52.10	157.95	52.28	161.17	52.78
	43	123.13	30.02	137.87	37.39	145.46	44.79	148.57	48.56	151.67	52.37	156.39	52.51	159.5	53.02
	46	120.43	30.17	134.47	37.57	140.74	45.00	143.91	48.80	147.01	52.60	151.67	52.75	154.84	53.26
	48	117.27	30.29	131.36	37.75	136.08	45.21	139.19	49.01	142.3	52.84	147.01	52.99	150.12	53.50
	50	114.16	30.44	128.26	37.93	131.36	45.39	134.47	49.25	137.63	53.08	142.3	53.23	145.46	53.77
110%	10	112.66	14.89	133.43	18.54	151.1	22.20	164.56	24.09	176.82	25.97	180.85	26.06	186.54	26.30
	12	112.66	15.16	133.43	18.90	151.1	22.62	164.56	24.53	175.27	26.45	179.24	26.54	184.93	26.78
	14	112.66	15.43	133.43	19.23	151.1	23.04	164.56	24.98	173.71	26.93	177.63	27.02	183.26	27.29
	16	112.66	15.73	133.43	19.59	151.1	23.46	164.56	25.43	172.16	27.41	176.01	27.50	181.6	27.77
	18	112.66	16.00	133.43	19.92	151.1	23.85	164.56	25.88	170.61	27.89	174.46	27.98	179.98	28.25
	19	112.66	16.27	133.43	20.28	151.1	24.27	164.56	26.33	168.99	28.37	172.85	28.46	178.32	28.73
	21	112.66	17.44	133.43	21.72	151.1	26.00	164.56	28.22	167.44	30.41	171.24	30.53	176.65	30.80
	23	112.66	18.69	133.43	23.28	151.1	27.86	163.01	30.23	165.89	32.59	169.63	32.68	175.04	33.01
	25	112.66	19.98	133.43	24.89	151.1	29.81	161.51	32.35	164.33	34.87	168.02	34.96	173.37	35.32
	27	112.66	21.36	133.43	26.63	151.1	31.87	159.96	34.57	162.78	37.27	166.4	37.39	171.7	37.75
	29	112.66	22.83	133.43	28.43	151.1	34.03	158.41	36.91	161.17	39.78	164.85	39.93	170.09	40.29
	31	112.66	24.33	133.43	30.32	151.1	36.31	156.85	39.36	159.62	42.45	163.24	42.57	168.42	42.99
	33	112.66	25.91	133.43	32.29	149.2	38.67	155.36	41.94	158.06	45.21	161.63	45.36	166.75	45.77
	35	112.66	27.56	133.43	34.36	147.65	41.13	153.8	44.61	156.51	48.08	160.02	48.23	165.08	48.71
	37	112.66	29.33	133.43	36.55	146.09	43.74	150.75	47.45	153.34	51.17	156.85	51.32	161.8	51.80
	39	112.66	29.45	133.43	36.70	144.6	43.95	149.2	47.66	151.79	51.38	155.24	51.53	160.13	52.04
	41	112.66	29.60	133.43	36.85	143.04	44.13	147.65	47.87	150.24	51.62	153.63	51.77	158.52	52.28
	43	112.66	29.72	133.43	37.03	141.49	44.34	146.09	48.08	148.68	51.86	152.02	52.01	156.85	52.51
	46	109.21	29.87	130.73	37.21	136.89	44.55	141.49	48.32	144.6	52.10	147.65	52.25	150.75	52.75
	48	106.1	29.99	127.68	37.39	132.28	44.76	136.89	48.53	139.94	52.34	143.04	52.48	146.09	52.99
	50	103.05	30.14	124.57	37.54	127.68	44.97	132.28	48.77	135.33	52.57	138.44	52.72	141.49	53.23

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1450W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	10	100.41	13.90	118.53	17.32	136.66	20.73	145	22.50	157.89	24.24	168.99	24.33	175.73	24.56
	12	100.41	14.14	118.53	17.64	136.66	21.12	145	22.92	157.89	24.68	168.99	24.77	174.17	25.01
	14	100.41	14.41	118.53	17.94	136.66	21.51	145	23.31	157.89	25.13	167.44	25.22	172.62	25.46
	16	100.41	14.68	118.53	18.27	136.66	21.90	145	23.73	157.89	25.58	165.94	25.67	171.07	25.91
	18	100.41	14.92	118.53	18.60	136.66	22.26	145	24.15	157.89	26.03	164.45	26.12	169.51	26.36
	19	100.41	15.19	118.53	18.90	136.66	22.65	145	24.56	157.89	26.48	162.95	26.57	167.96	26.81
	21	100.41	16.27	118.53	20.28	136.66	24.30	145	26.33	157.89	28.40	161.46	28.49	166.35	28.76
	23	100.41	17.44	118.53	21.72	136.66	26.00	145	28.22	157.89	30.41	159.9	30.50	164.79	30.80
	25	100.41	18.66	118.53	23.25	136.66	27.83	145	30.20	157.89	32.53	158.41	32.65	163.24	32.95
	27	100.41	19.95	118.53	24.83	136.66	29.75	145	32.26	156.39	34.78	156.91	34.90	161.69	35.23
	29	100.41	21.30	118.53	26.54	136.66	31.78	145	34.45	154.9	37.15	155.41	37.27	160.13	37.63
	31	100.41	22.71	118.53	28.31	136.66	33.88	145	36.76	153.46	39.60	153.92	39.72	158.58	40.11
	33	100.41	24.18	118.53	30.14	136.66	36.10	145	39.15	151.96	42.21	152.37	42.33	157.03	42.75
	35	100.41	25.73	118.53	32.05	136.66	38.41	145	41.61	149.78	44.88	150.87	45.03	155.47	45.47
	37	100.41	27.38	118.53	34.09	136.66	40.83	145	43.32	147.53	47.75	149.37	47.90	152.37	48.35
	39	100.41	27.50	118.53	34.24	136.66	41.01	145	44.55	146.44	47.96	147.88	48.11	150.81	48.56
	41	100.41	27.62	118.53	34.39	134.87	41.19	143.56	45.80	145	48.17	146.44	48.32	149.26	48.77
	43	100.41	27.74	118.53	34.57	133.38	41.40	142.12	47.48	143.56	48.38	145	48.53	147.7	49.01
	46	100.41	27.86	116.17	34.72	129.06	41.58	140.63	49.22	142.12	48.62	143.56	48.77	146.44	49.25
	48	100.41	28.01	114.96	34.87	124.69	41.76	136.31	49.55	140.63	48.83	139.19	48.98	142.12	49.46
	50	98.62	28.13	113.81	35.05	120.37	41.97	131.94	50.81	136.31	49.07	134.87	49.22	137.75	49.70
90%	10	90.39	12.01	106.68	14.98	123.02	17.91	130.5	19.44	137.98	20.97	156.45	21.03	159.67	21.21
	12	90.39	12.22	106.68	15.25	123.02	18.24	130.5	19.80	137.98	21.33	156.45	21.42	159.67	21.63
	14	90.39	12.46	106.68	15.52	123.02	18.57	130.5	20.16	137.98	21.72	156.45	21.81	159.67	22.02
	16	90.39	12.67	106.68	15.79	123.02	18.93	130.5	20.52	137.98	22.11	156.45	22.20	159.67	22.41
	18	90.39	12.91	106.68	16.09	123.02	19.26	130.5	20.88	137.98	22.50	156.45	22.59	157.89	22.80
	19	90.39	13.12	106.68	16.36	123.02	19.59	130.5	21.24	137.98	22.89	155.3	22.98	156.62	23.19
	21	90.39	14.08	106.68	17.52	123.02	21.00	130.5	22.77	137.98	24.53	153.98	24.62	155.3	24.86
	23	90.39	15.07	106.68	18.78	123.02	22.50	130.5	24.39	137.98	26.30	152.71	26.36	153.98	26.63
	25	90.39	16.12	106.68	20.10	123.02	24.06	130.5	26.09	137.98	28.13	151.39	28.22	152.71	28.49
	27	90.39	17.26	106.68	21.48	123.02	25.73	130.5	27.89	137.98	30.08	150.06	30.17	151.39	30.47
	29	90.39	18.42	106.68	22.95	123.02	27.47	130.5	29.78	137.98	32.11	148.8	32.20	150.06	32.53
	31	90.39	19.62	106.68	24.47	123.02	29.30	130.5	31.75	137.98	34.24	147.47	34.36	148.8	34.69
	33	90.39	20.91	106.68	26.06	123.02	31.19	130.5	33.85	137.98	36.49	146.15	36.58	147.47	36.94
	35	90.39	22.26	106.68	27.71	123.02	33.19	130.5	36.01	137.98	38.79	144.83	38.91	146.15	39.30
	37	90.39	23.67	106.68	29.48	123.02	35.29	130.5	38.29	137.98	41.28	143.56	41.40	144.83	41.79
	39	90.39	23.76	106.68	29.60	123.02	35.44	130.5	38.46	137	41.46	142.24	41.58	143.56	41.97
	41	90.39	23.88	106.68	29.75	123.02	35.62	130.5	38.61	135.74	41.64	140.91	41.76	142.24	42.18
	43	90.39	24.00	106.68	29.87	123.02	35.77	129.18	38.79	134.41	41.82	139.65	41.97	140.91	42.36
	46	90.39	24.09	106.68	30.02	118.76	35.95	125.26	38.97	130.5	42.03	135.74	42.15	137	42.57
	48	90.39	24.21	106.68	30.17	114.85	36.10	121.35	39.15	126.59	42.21	131.82	42.36	133.09	42.75
	50	90.39	24.33	104.38	30.29	110.94	36.28	117.44	39.33	122.67	42.42	127.91	42.54	129.18	42.96
80%	10	80.33	10.28	94.83	12.79	109.33	15.31	116	16.60	122.67	17.91	125.32	17.94	128.03	18.12
	12	80.33	10.46	94.83	13.03	109.33	15.61	116	16.93	122.67	18.24	125.32	18.27	128.03	18.45
	14	80.33	10.63	94.83	13.27	109.33	15.88	116	17.23	122.67	18.57	125.32	18.63	128.03	18.81
	16	80.33	10.84	94.83	13.51	109.33	16.15	116	17.52	122.67	18.90	125.32	18.96	128.03	19.14
	18	80.33	11.02	94.83	13.72	109.33	16.45	116	17.82	122.67	19.23	125.32	19.29	128.03	19.47
	19	80.33	11.20	94.83	13.96	109.33	16.72	116	18.15	122.67	19.56	125.32	19.62	128.03	19.80
	21	80.33	12.01	94.83	14.98	109.33	17.94	116	19.44	122.67	20.97	125.32	21.03	128.03	21.24
	23	80.33	12.88	94.83	16.03	109.33	19.20	116	20.82	122.67	22.47	125.32	22.53	128.03	22.74
	25	80.33	13.78	94.83	17.17	109.33	20.55	116	22.29	122.67	24.03	125.32	24.12	128.03	24.33
	27	80.33	14.74	94.83	18.36	109.33	21.96	116	23.82	122.67	25.70	125.32	25.76	128.03	26.03
	29	80.33	15.73	94.83	19.59	109.33	23.46	116	25.43	122.67	27.44	125.32	27.50	128.03	27.77
	31	80.33	16.78	94.83	20.88	109.33	25.01	116	27.14	122.67	29.24	125.32	29.33	128.03	29.63
	33	80.33	17.85	94.83	22.26	109.33	26.66	116	28.91	122.67	31.16	125.32	31.25	128.03	31.54
	35	80.33	18.99	94.83	23.67	109.33	28.34	116	30.74	122.67	33.16	125.32	33.25	128.03	33.58
	37	80.33	20.22	94.83	25.19	109.33	30.17	116	32.71	122.67	35.26	125.32	35.35	126.41	35.71
	39	80.33	20.31	94.83	25.28	109.33	30.29	116	32.83	122.67	35.41	124.11	35.53	125.26	35.86
	41	80.33	20.40	94.83	25.40	109.33	30.41	116	32.98	121.81	35.56	122.96	35.68	124.11	36.01
	43	80.33	20.49	94.83	25.52	109.33	30.56	116	33.16	120.66	35.74	121.81	35.83	122.96	36.19
	46	80.33	20.58	95.11	25.64	109.04	30.71	112.55	33.31	117.15	35.89	118.3	36.01	117.15	36.37
	48	80.33	20.67	95.11	25.76	105.59	30.86	109.04	33.46	113.7	36.07	114.85	36.19	113.7	36.52
	50	80.33	20.76	95.11	25.88	102.08	30.98	105.59	33.61	110.19	36.22	111.34	36.34	110.19	36.70

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1450W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	70.31	8.63	82.97	10.75	95.69	12.88	101.5	13.99	107.31	15.07	109.67	15.13	112.03	15.28
	12	70.31	8.81	82.97	10.96	95.69	13.12	101.5	14.23	107.31	15.34	109.67	15.40	112.03	15.55
	14	70.31	8.96	82.97	11.17	95.69	13.36	101.5	14.50	107.31	15.64	109.67	15.67	112.03	15.82
	16	70.31	9.11	82.97	11.35	95.69	13.60	101.5	14.77	107.31	15.91	109.67	15.97	112.03	16.12
	18	70.31	9.29	82.97	11.56	95.69	13.84	101.5	15.01	107.31	16.18	109.67	16.24	112.03	16.39
	19	70.31	9.44	82.97	11.77	95.69	14.08	101.5	15.28	107.31	16.48	109.67	16.51	112.03	16.69
	21	70.31	10.13	82.97	12.61	95.69	15.10	101.5	16.39	107.31	17.64	109.67	17.70	112.03	17.88
	23	70.31	10.84	82.97	13.51	95.69	16.18	101.5	17.55	107.31	18.90	109.67	18.96	112.03	19.14
	25	70.31	11.59	82.97	14.47	95.69	17.32	101.5	18.78	107.31	20.25	109.67	20.31	112.03	20.49
	27	70.31	12.40	82.97	15.46	95.69	18.51	101.5	20.07	107.31	21.63	109.67	21.69	112.03	21.90
	29	70.31	13.24	82.97	16.51	95.69	19.74	101.5	21.42	107.31	23.10	109.67	23.16	112.03	23.40
	31	70.31	14.11	82.97	17.58	95.69	21.06	101.5	22.86	107.31	24.62	109.67	24.71	112.03	24.95
	33	70.31	15.04	82.97	18.75	95.69	22.44	101.5	24.36	107.31	26.24	109.67	26.33	112.03	26.57
	35	70.31	16.00	82.97	19.95	95.69	23.88	101.5	25.88	107.31	27.92	109.67	28.01	112.03	28.28
	37	70.31	17.02	82.97	21.21	95.69	25.40	101.5	27.53	107.31	29.69	109.67	29.78	112.03	30.08
	39	70.31	17.11	82.97	21.30	95.69	25.49	101.5	27.65	107.31	29.81	109.67	29.90	112.03	30.20
	41	70.31	17.17	82.97	21.39	95.69	25.61	101.5	27.77	107.31	29.96	109.67	30.05	112.03	30.35
	43	70.31	17.26	82.97	21.48	95.69	25.73	101.5	27.92	107.31	30.08	109.67	30.20	112.03	30.47
	46	70.31	17.35	82.97	21.60	95.69	25.85	101.5	28.04	105.59	30.23	107.6	30.32	109.61	30.62
	48	70.31	17.41	82.97	21.69	95.69	25.97	99.49	28.16	103.51	30.38	105.59	30.47	107.6	30.77
	50	70.31	17.49	82.97	21.78	93.39	26.09	97.41	28.31	101.5	30.50	103.51	30.62	105.59	30.89
60%	10	60.24	7.16	71.12	8.90	81.99	10.66	87	11.56	92.01	12.46	94.02	12.52	95.98	12.64
	12	60.24	7.28	71.12	9.08	81.99	10.87	87	11.77	92.01	12.70	94.02	12.73	95.98	12.88
	14	60.24	7.43	71.12	9.23	81.99	11.05	87	12.01	92.01	12.94	94.02	12.97	95.98	13.09
	16	60.24	7.55	71.12	9.41	81.99	11.26	87	12.22	92.01	13.18	94.02	13.21	95.98	13.33
	18	60.24	7.67	71.12	9.59	81.99	11.47	87	12.43	92.01	13.39	94.02	13.45	95.98	13.57
	19	60.24	7.82	71.12	9.74	81.99	11.65	87	12.64	92.01	13.63	94.02	13.66	95.98	13.81
	21	60.24	8.39	71.12	10.43	81.99	12.49	87	13.57	92.01	14.62	94.02	14.65	95.98	14.80
	23	60.24	8.99	71.12	11.17	81.99	13.39	87	14.53	92.01	15.67	94.02	15.70	95.98	15.85
	25	60.24	9.62	71.12	11.95	81.99	14.32	87	15.55	92.01	16.75	94.02	16.81	95.98	16.96
	27	60.24	10.28	71.12	12.79	81.99	15.31	87	16.60	92.01	17.91	94.02	17.97	95.98	18.12
	29	60.24	10.96	71.12	13.66	81.99	16.36	87	17.73	92.01	19.11	94.02	19.17	95.98	19.35
	31	60.24	11.68	71.12	14.56	81.99	17.44	87	18.90	92.01	20.40	94.02	20.46	95.98	20.64
	33	60.24	12.46	71.12	15.52	81.99	18.57	87	20.16	92.01	21.72	94.02	21.78	95.98	21.99
	35	60.24	13.24	71.12	16.51	81.99	19.77	87	21.42	92.01	23.10	94.02	23.19	95.98	23.40
	37	60.24	14.08	71.12	17.55	81.99	21.03	87	22.80	92.01	24.56	94.02	24.65	95.98	24.89
	39	60.24	14.14	71.12	17.61	81.99	21.12	87	22.89	92.01	24.68	94.02	24.74	95.98	24.98
	41	60.24	14.20	71.12	17.70	81.99	21.21	87	23.01	92.01	24.80	94.02	24.86	95.98	25.10
	43	60.24	14.29	71.12	17.79	81.99	21.30	87	23.10	92.01	24.89	94.02	24.98	95.98	25.22
	46	60.24	14.35	71.12	17.88	81.99	21.39	87	23.22	92.01	25.01	94.02	25.10	95.98	25.34
	48	60.24	14.41	71.12	17.94	81.99	21.51	87	23.31	90.45	25.13	92.24	25.22	93.96	25.46
	50	60.24	14.47	71.12	18.03	81.99	21.60	85.27	23.43	88.73	25.25	90.45	25.34	92.24	25.58
50%	10	50.23	5.78	59.27	7.22	68.36	8.66	72.5	9.38	76.64	10.10	78.31	10.13	79.98	10.25
	12	50.23	5.90	59.27	7.34	68.36	8.81	72.5	9.56	76.64	10.31	78.31	10.34	79.98	10.43
	14	50.23	6.02	59.27	7.49	68.36	8.96	72.5	9.74	76.64	10.48	78.31	10.51	79.98	10.60
	16	50.23	6.11	59.27	7.61	68.36	9.14	72.5	9.89	76.64	10.66	78.31	10.69	79.98	10.81
	18	50.23	6.23	59.27	7.76	68.36	9.29	72.5	10.07	76.64	10.84	78.31	10.90	79.98	10.99
	19	50.23	6.32	59.27	7.88	68.36	9.44	72.5	10.25	76.64	11.05	78.31	11.08	79.98	11.17
	21	50.23	6.80	59.27	8.45	68.36	10.13	72.5	10.99	76.64	11.83	78.31	11.86	79.98	11.98
	23	50.23	7.28	59.27	9.05	68.36	10.84	72.5	11.77	76.64	12.67	78.31	12.73	79.98	12.85
	25	50.23	7.79	59.27	9.71	68.36	11.59	72.5	12.58	76.64	13.57	78.31	13.60	79.98	13.75
	27	50.23	8.33	59.27	10.37	68.36	12.40	72.5	13.45	76.64	14.50	78.31	14.56	79.98	14.68
	29	50.23	8.87	59.27	11.05	68.36	13.24	72.5	14.38	76.64	15.49	78.31	15.55	79.98	15.70
	31	50.23	9.47	59.27	11.80	68.36	14.14	72.5	15.34	76.64	16.51	78.31	16.57	79.98	16.72
	33	50.23	10.10	59.27	12.58	68.36	15.04	72.5	16.33	76.64	17.58	78.31	17.64	79.98	17.82
	35	50.23	10.72	59.27	13.36	68.36	16.00	72.5	17.38	76.64	18.72	78.31	18.78	79.98	18.96
	37	50.23	11.41	59.27	14.23	68.36	17.02	72.5	18.45	76.64	19.92	78.31	19.98	79.98	20.16
	39	50.23	11.47	59.27	14.29	68.36	17.11	72.5	18.54	76.64	19.98	78.31	20.04	79.98	20.25
	41	50.23	11.50	59.27	14.35	68.36	17.17	72.5	18.63	76.64	20.07	78.31	20.16	79.98	20.34
	43	50.23	11.56	59.27	14.41	68.36	17.26	72.5	18.72	76.64	20.19	78.31	20.25	79.98	20.43
	46	50.23	11.62	59.27	14.47	68.36	17.35	72.5	18.81	76.64	20.28	78.31	20.34	79.98	20.52
	48	50.23	11.68	59.27	14.56	68.36	17.41	72.5	18.90	76.87	20.37	77.56	20.43	79	20.64
	50	50.23	11.74	59.27	14.62	68.36	17.49	72.5	18.99	76.13	20.46	76.87	20.52	78.31	20.73

54HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1500W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	135.65	15.82	158.45	19.69	182.56	23.60	187.5	25.59	190.77	27.59	193.75	27.68	198.93	27.93
	12	135.65	16.10	158.45	20.07	182.56	24.03	185.83	26.06	189.11	28.09	192.02	28.18	197.14	28.46
	14	135.65	16.42	158.45	20.44	182.56	24.47	184.17	26.53	187.44	28.62	188.57	28.68	195.42	28.96
	16	135.65	16.70	158.45	20.79	180.95	24.91	182.56	27.03	184.05	29.12	186.9	29.21	193.63	29.49
	18	135.65	16.98	158.45	21.16	177.74	25.34	179.29	27.50	182.38	29.62	185.18	29.71	191.85	30.02
	19	135.65	17.29	158.45	21.54	176.13	25.78	177.62	27.96	180.71	30.15	183.45	30.24	190.12	30.52
	21	135.65	18.54	158.45	23.10	174.52	27.62	175.95	29.96	179.05	32.30	181.73	32.40	188.33	32.74
	23	135.65	19.85	158.45	24.72	172.92	29.59	174.35	32.12	177.38	34.61	180	34.71	186.61	35.05
	25	135.65	21.22	158.45	26.47	171.25	31.68	172.68	34.36	175.71	37.05	178.33	37.14	184.82	37.52
	27	135.65	22.69	158.45	28.28	169.64	33.86	171.01	36.73	174.05	39.61	176.61	39.70	181.31	40.11
	29	135.65	24.25	157.2	30.21	168.04	36.14	169.4	39.23	172.38	42.29	174.88	42.42	181.31	42.82
	31	135.65	25.84	156.73	32.21	166.43	38.55	167.74	41.82	170.71	45.10	173.15	45.22	179.52	45.66
	33	135.65	27.53	156.73	34.30	164.82	41.07	166.13	44.54	168.99	48.03	171.43	48.16	177.8	48.63
	35	135.65	29.28	155.18	36.49	161.61	43.69	164.46	47.38	167.32	51.09	169.4	51.25	176.01	51.75
	37	135.65	31.15	155.18	38.83	159.52	46.47	162.8	50.41	163.99	54.34	167.74	54.49	172.5	55.02
	39	135.65	31.27	152.98	38.98	158.33	46.66	161.19	50.62	162.32	54.59	166.13	54.74	170.77	55.27
	41	135.65	31.43	149.64	39.17	156.25	46.88	159.52	50.84	160.65	54.81	164.46	54.99	168.99	55.52
	43	136.49	31.59	146.37	39.33	153.51	47.10	156.25	51.09	158.99	55.09	162.86	55.24	167.2	55.77
	46	131.55	31.71	141.43	39.51	148.04	47.32	151.31	51.31	154.58	55.34	157.86	55.49	162.8	56.02
	48	128.27	31.87	136.49	39.70	143.1	47.53	146.37	51.56	149.64	55.59	152.98	55.74	157.86	56.30
	50	125	32.02	131.55	39.89	138.15	47.75	141.43	51.81	144.7	55.84	148.04	56.02	152.98	56.55
120%	10	127.38	15.67	151.73	19.51	175	23.38	181.19	25.34	187.68	27.31	190.24	27.40	196.25	27.68
	12	127.38	15.95	151.73	19.88	175	23.81	181.19	25.81	186.01	27.84	188.51	27.90	194.52	28.18
	14	127.38	16.23	151.73	20.22	175	24.22	181.19	26.28	184.35	28.34	186.85	28.43	192.8	28.68
	16	127.38	16.54	151.73	20.60	175	24.66	181.19	26.75	182.74	28.84	185.18	28.93	191.01	29.21
	18	127.38	16.82	151.73	20.97	175	25.09	179.58	27.22	181.07	29.34	183.51	29.43	189.29	29.71
	19	127.38	17.10	151.73	21.32	173.1	25.53	177.98	27.68	179.4	29.84	181.79	29.93	187.56	30.24
	21	127.38	18.35	151.73	22.85	171.49	27.37	174.7	29.68	176.13	31.99	180.12	32.12	185.83	32.40
	23	127.38	19.66	151.73	24.50	168.27	29.31	173.1	31.80	174.46	34.27	178.45	34.39	184.11	34.71
	25	127.38	21.04	151.73	26.22	166.61	31.37	169.88	34.02	172.86	36.67	176.73	36.80	182.38	37.14
	27	127.38	22.47	151.73	28.00	163.39	33.55	168.27	36.36	171.19	39.20	175.06	39.33	180.6	39.70
	29	127.38	24.00	151.73	29.90	161.79	35.80	166.61	38.83	169.52	41.85	173.39	42.01	178.87	42.42
	31	127.38	25.59	151.73	31.90	160.18	38.20	165	41.42	167.92	44.66	171.73	44.79	177.14	45.22
	33	127.38	27.28	151.73	33.96	158.57	40.67	163.39	44.13	166.25	47.57	170	47.72	175.42	48.16
	35	127.38	28.99	150.48	36.14	156.9	43.29	161.79	46.94	164.64	50.59	168.33	50.75	173.69	51.25
	37	127.38	30.84	148.87	38.45	155.3	46.04	158.57	49.91	161.31	53.81	166.61	53.99	170.18	54.49
	39	127.38	30.99	147.2	38.61	153.69	46.22	156.9	50.12	159.7	54.06	165	54.21	168.45	54.74
	41	127.38	31.12	144.11	38.76	152.08	46.44	155.3	50.37	158.04	54.28	163.39	54.46	166.73	54.99
	43	127.38	31.27	142.62	38.95	150.48	46.66	153.69	50.59	156.9	54.56	161.79	54.71	165	55.24
	46	124.58	31.43	139.11	39.14	145.6	46.88	148.87	50.84	152.08	54.81	156.9	54.96	160.18	55.49
	48	121.31	31.55	135.89	39.33	140.77	47.10	143.99	51.06	147.2	55.06	152.08	55.21	155.3	55.74
	50	118.1	31.71	132.68	39.51	135.89	47.28	139.11	51.31	142.38	55.31	147.2	55.46	150.48	56.02
110%	10	116.55	15.51	138.04	19.32	156.31	23.13	170.24	25.09	182.92	27.06	187.08	27.15	192.98	27.40
	12	116.55	15.79	138.04	19.69	156.31	23.56	170.24	25.56	181.31	27.56	185.42	27.65	191.31	27.90
	14	116.55	16.07	138.04	20.04	156.31	24.00	170.24	26.03	179.7	28.06	183.75	28.15	189.58	28.43
	16	116.55	16.39	138.04	20.41	156.31	24.44	170.24	26.50	178.1	28.56	182.08	28.65	187.86	28.93
	18	116.55	16.67	138.04	20.76	156.31	24.84	170.24	26.97	176.49	29.06	180.48	29.15	186.19	29.43
	19	116.55	16.95	138.04	21.13	156.31	25.28	170.24	27.43	174.82	29.56	178.81	29.65	184.46	29.93
	21	116.55	18.16	138.04	22.63	156.31	27.09	170.24	29.40	173.21	31.68	177.14	31.80	182.74	32.08
	23	116.55	19.48	138.04	24.25	156.31	29.03	168.63	31.49	171.61	33.96	175.48	34.05	181.07	34.39
	25	116.55	20.82	138.04	25.94	156.31	31.05	167.08	33.71	170	36.33	173.81	36.42	179.35	36.80
	27	116.55	22.25	138.04	27.75	156.31	33.21	165.48	36.02	168.39	38.83	172.14	38.95	177.62	39.33
	29	116.55	23.78	138.04	29.62	156.31	35.46	163.87	38.45	166.73	41.45	170.54	41.60	175.95	41.98
	31	116.55	25.34	138.04	31.59	156.31	37.83	162.26	41.01	165.12	44.23	168.87	44.35	174.23	44.79
	33	116.55	27.00	138.04	33.65	154.35	40.29	160.71	43.69	163.51	47.10	167.2	47.25	172.5	47.69
	35	116.55	28.71	138.04	35.80	152.74	42.85	159.11	46.47	161.9	50.09	165.54	50.25	170.77	50.75
	37	116.55	30.56	138.04	38.08	151.13	45.57	155.95	49.44	158.63	53.31	162.26	53.46	167.38	53.96
	39	116.55	30.68	138.04	38.23	149.58	45.79	154.35	49.66	157.02	53.53	160.6	53.68	165.65	54.21
	41	116.55	30.84	138.04	38.39	147.98	45.97	152.74	49.87	155.42	53.78	158.93	53.93	163.99	54.46
	43	116.55	30.96	138.04	38.58	146.37	46.19	151.13	50.09	153.81	54.03	157.26	54.18	162.26	54.71
	46	112.98	31.12	135.24	38.76	141.61	46.41	146.37	50.34	149.58	54.28	152.74	54.43	155.95	54.96
	48	109.76	31.24	132.08	38.95	136.85	46.63	141.61	50.56	144.76	54.53	147.98	54.68	151.13	55.21
	50	106.61	31.40	128.87	39.11	132.08	46.85	136.85	50.81	140	54.77	143.21	54.93	146.37	55.46

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1500W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	103.87	14.48	122.62	18.04	141.37	21.60	150	23.44	163.33	25.25	174.82	25.34	181.79	25.59
	12	103.87	14.73	122.62	18.38	141.37	22.00	150	23.88	163.33	25.72	174.82	25.81	180.18	26.06
	14	103.87	15.01	122.62	18.70	141.37	22.41	150	24.28	163.33	26.19	173.21	26.28	178.57	26.53
	16	103.87	15.29	122.62	19.04	141.37	22.81	150	24.72	163.33	26.65	171.67	26.75	176.96	27.00
	18	103.87	15.54	122.62	19.38	141.37	23.19	150	25.16	163.33	27.12	170.12	27.22	175.36	27.47
	19	103.87	15.82	122.62	19.69	141.37	23.60	150	25.59	163.33	27.59	168.57	27.68	173.75	27.93
	21	103.87	16.95	122.62	21.13	141.37	25.31	150	27.43	163.33	29.59	167.02	29.68	172.08	29.96
	23	103.87	18.16	122.62	22.63	141.37	27.09	150	29.40	163.33	31.68	165.42	31.77	170.48	32.08
	25	103.87	19.44	122.62	24.22	141.37	28.99	150	31.46	163.33	33.89	163.87	34.02	168.87	34.33
	27	103.87	20.79	122.62	25.87	141.37	30.99	150	33.61	161.79	36.24	162.32	36.36	167.26	36.70
	29	103.87	22.19	122.62	27.65	141.37	33.11	150	35.89	160.24	38.70	160.77	38.83	165.65	39.20
	31	103.87	23.66	122.62	29.49	141.37	35.30	150	38.30	158.75	41.26	159.23	41.39	164.05	41.79
	33	103.87	25.19	122.62	31.40	141.37	37.61	150	40.79	157.2	43.98	157.62	44.10	162.44	44.54
	35	103.87	26.81	122.62	33.40	141.37	40.01	150	43.35	154.94	46.75	156.07	46.91	160.83	47.38
	37	103.87	28.53	122.62	35.52	141.37	42.54	150	45.13	152.62	49.75	154.52	49.91	157.62	50.37
	39	103.87	28.65	122.62	35.67	141.37	42.73	150	46.41	151.49	49.97	152.98	50.12	156.01	50.59
	41	103.87	28.78	122.62	35.83	139.52	42.91	148.51	47.72	150	50.19	151.49	50.34	154.4	50.81
	43	103.87	28.90	122.62	36.02	137.98	43.13	147.02	49.47	148.51	50.41	150	50.56	152.8	51.06
	46	103.87	29.03	120.18	36.17	133.51	43.32	145.48	51.28	147.02	50.65	148.51	50.81	151.49	51.31
	48	103.87	29.18	118.93	36.33	128.99	43.51	141.01	51.62	145.48	50.87	143.99	51.03	147.02	51.53
	50	102.02	29.31	117.74	36.52	124.52	43.73	136.49	52.93	141.01	51.12	139.52	51.28	142.5	51.78
90%	10	93.51	12.52	110.36	15.61	127.26	18.66	135	20.26	142.74	21.85	161.85	21.91	165.18	22.10
	12	93.51	12.73	110.36	15.89	127.26	19.01	135	20.63	142.74	22.22	161.85	22.32	165.18	22.53
	14	93.51	12.98	110.36	16.17	127.26	19.35	135	21.00	142.74	22.63	161.85	22.72	165.18	22.94
	16	93.51	13.20	110.36	16.45	127.26	19.73	135	21.38	142.74	23.03	161.85	23.13	165.18	23.35
	18	93.51	13.45	110.36	16.76	127.26	20.07	135	21.75	142.74	23.44	161.85	23.53	163.33	23.75
	19	93.51	13.67	110.36	17.04	127.26	20.41	135	22.13	142.74	23.84	160.65	23.94	162.02	24.16
	21	93.51	14.67	110.36	18.26	127.26	21.88	135	23.72	142.74	25.56	159.29	25.66	160.65	25.90
	23	93.51	15.70	110.36	19.57	127.26	23.44	135	25.41	142.74	27.40	157.98	27.47	159.29	27.75
	25	93.51	16.79	110.36	20.94	127.26	25.06	135	27.18	142.74	29.31	156.61	29.40	157.98	29.68
	27	93.51	17.98	110.36	22.38	127.26	26.81	135	29.06	142.74	31.34	155.24	31.43	156.61	31.74
	29	93.51	19.19	110.36	23.91	127.26	28.62	135	31.02	142.74	33.46	153.93	33.55	155.24	33.89
	31	93.51	20.44	110.36	25.50	127.26	30.52	135	33.08	142.74	35.67	152.56	35.80	153.93	36.14
	33	93.51	21.79	110.36	27.15	127.26	32.49	135	35.27	142.74	38.01	151.19	38.11	152.56	38.48
	35	93.51	23.19	110.36	28.87	127.26	34.58	135	37.52	142.74	40.42	149.82	40.54	151.19	40.95
	37	93.51	24.66	110.36	30.71	127.26	36.77	135	39.89	142.74	43.01	148.51	43.13	149.82	43.54
	39	93.51	24.75	110.36	30.84	127.26	36.92	135	40.07	141.73	43.20	147.14	43.32	148.51	43.73
	41	93.51	24.87	110.36	30.99	127.26	37.11	135	40.23	140.42	43.38	145.77	43.51	147.14	43.94
	43	93.51	25.00	110.36	31.12	127.26	37.27	133.63	40.42	139.05	43.57	144.46	43.73	145.77	44.13
	46	93.51	25.09	110.36	31.27	122.86	37.45	129.58	40.61	135	43.79	140.42	43.91	141.73	44.35
	48	93.51	25.22	110.36	31.43	118.81	37.61	125.54	40.79	130.95	43.98	136.37	44.13	137.68	44.54
	50	93.51	25.34	107.98	31.55	114.76	37.80	121.49	40.98	126.9	44.19	132.32	44.32	133.63	44.76
80%	10	83.1	10.71	98.1	13.33	113.1	15.95	120	17.29	126.9	18.66	129.64	18.70	132.44	18.88
	12	83.1	10.89	98.1	13.58	113.1	16.26	120	17.63	126.9	19.01	129.64	19.04	132.44	19.23
	14	83.1	11.08	98.1	13.83	113.1	16.54	120	17.95	126.9	19.35	129.64	19.41	132.44	19.60
	16	83.1	11.30	98.1	14.08	113.1	16.82	120	18.26	126.9	19.69	129.64	19.76	132.44	19.94
	18	83.1	11.49	98.1	14.29	113.1	17.13	120	18.57	126.9	20.04	129.64	20.10	132.44	20.29
	19	83.1	11.67	98.1	14.54	113.1	17.42	120	18.91	126.9	20.38	129.64	20.44	132.44	20.63
	21	83.1	12.52	98.1	15.61	113.1	18.70	120	20.26	126.9	21.85	129.64	21.91	132.44	22.13
	23	83.1	13.42	98.1	16.70	113.1	20.01	120	21.69	126.9	23.41	129.64	23.47	132.44	23.69
	25	83.1	14.36	98.1	17.88	113.1	21.41	120	23.22	126.9	25.03	129.64	25.12	132.44	25.34
	27	83.1	15.36	98.1	19.13	113.1	22.88	120	24.81	126.9	26.78	129.64	26.84	132.44	27.12
	29	83.1	16.39	98.1	20.41	113.1	24.44	120	26.50	126.9	28.59	129.64	28.65	132.44	28.93
	31	83.1	17.48	98.1	21.75	113.1	26.06	120	28.28	126.9	30.46	129.64	30.56	132.44	30.87
	33	83.1	18.60	98.1	23.19	113.1	27.78	120	30.12	126.9	32.46	129.64	32.55	132.44	32.86
	35	83.1	19.79	98.1	24.66	113.1	29.53	120	32.02	126.9	34.55	129.64	34.64	132.44	34.99
	37	83.1	21.07	98.1	26.25	113.1	31.43	120	34.08	126.9	36.73	129.64	36.83	130.77	37.20
	39	83.1	21.16	98.1	26.34	113.1	31.55	120	34.21	126.9	36.89	128.39	37.02	129.58	37.36
	41	83.1	21.25	98.1	26.47	113.1	31.68	120	34.36	126.01	37.05	127.2	37.17	128.39	37.52
	43	83.1	21.35	98.1	26.59	113.1	31.83	120	34.55	124.82	37.23	126.01	37.33	127.2	37.70
	46	83.1	21.44	98.39	26.72	112.8	31.99	116.43	34.71	121.19	37.39	122.38	37.52	121.19	37.89
	48	83.1	21.54	98.39	26.84	109.23	32.15	112.8	34.86	117.62	37.58	118.81	37.70	117.62	38.05
	50	83.1	21.63	98.39	26.97	105.6	32.27	109.23	35.02	113.99	37.73	115.18	37.86	113.99	38.23

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1500W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútročná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	72.74	8.99	85.83	11.20	98.99	13.42	105	14.58	111.01	15.70	113.45	15.76	115.89	15.92
	12	72.74	9.18	85.83	11.42	98.99	13.67	105	14.83	111.01	15.98	113.45	16.04	115.89	16.20
	14	72.74	9.33	85.83	11.64	98.99	13.92	105	15.11	111.01	16.29	113.45	16.32	115.89	16.48
	16	72.74	9.49	85.83	11.83	98.99	14.17	105	15.39	111.01	16.57	113.45	16.64	115.89	16.79
	18	72.74	9.68	85.83	12.05	98.99	14.42	105	15.64	111.01	16.85	113.45	16.92	115.89	17.07
	19	72.74	9.83	85.83	12.27	98.99	14.67	105	15.92	111.01	17.17	113.45	17.20	115.89	17.38
	21	72.74	10.55	85.83	13.14	98.99	15.73	105	17.07	111.01	18.38	113.45	18.45	115.89	18.63
	23	72.74	11.30	85.83	14.08	98.99	16.85	105	18.29	111.01	19.69	113.45	19.76	115.89	19.94
	25	72.74	12.08	85.83	15.07	98.99	18.04	105	19.57	111.01	21.10	113.45	21.16	115.89	21.35
	27	72.74	12.92	85.83	16.10	98.99	19.29	105	20.91	111.01	22.53	113.45	22.60	115.89	22.81
	29	72.74	13.80	85.83	17.20	98.99	20.57	105	22.32	111.01	24.06	113.45	24.13	115.89	24.38
	31	72.74	14.70	85.83	18.32	98.99	21.94	105	23.81	111.01	25.66	113.45	25.75	115.89	26.00
	33	72.74	15.67	85.83	19.54	98.99	23.38	105	25.37	111.01	27.34	113.45	27.43	115.89	27.68
	35	72.74	16.67	85.83	20.79	98.99	24.87	105	26.97	111.01	29.09	113.45	29.18	115.89	29.46
	37	72.74	17.73	85.83	22.10	98.99	26.47	105	28.68	111.01	30.93	113.45	31.02	115.89	31.34
	39	72.74	17.82	85.83	22.19	98.99	26.56	105	28.81	111.01	31.05	113.45	31.15	115.89	31.46
	41	72.74	17.88	85.83	22.28	98.99	26.69	105	28.93	111.01	31.21	113.45	31.30	115.89	31.62
	43	72.74	17.98	85.83	22.38	98.99	26.81	105	29.09	111.01	31.34	113.45	31.46	115.89	31.74
	46	72.74	18.07	85.83	22.50	98.99	26.93	105	29.21	109.23	31.49	111.31	31.59	113.39	31.90
	48	72.74	18.13	85.83	22.60	98.99	27.06	102.92	29.34	107.08	31.65	109.23	31.74	111.31	32.05
	50	72.74	18.23	85.83	22.69	96.61	27.18	100.77	29.49	105	31.77	107.08	31.90	109.23	32.18
60%	10	62.32	7.46	73.57	9.27	84.82	11.11	90	12.05	95.18	12.98	97.26	13.05	99.29	13.17
	12	62.32	7.58	73.57	9.46	84.82	11.33	90	12.27	95.18	13.23	97.26	13.26	99.29	13.42
	14	62.32	7.74	73.57	9.61	84.82	11.52	90	12.52	95.18	13.48	97.26	13.51	99.29	13.64
	16	62.32	7.87	73.57	9.80	84.82	11.74	90	12.73	95.18	13.73	97.26	13.76	99.29	13.89
	18	62.32	7.99	73.57	9.99	84.82	11.95	90	12.95	95.18	13.95	97.26	14.01	99.29	14.14
	19	62.32	8.15	73.57	10.14	84.82	12.14	90	13.17	95.18	14.20	97.26	14.23	99.29	14.39
	21	62.32	8.74	73.57	10.86	84.82	13.01	90	14.14	95.18	15.23	97.26	15.26	99.29	15.42
	23	62.32	9.36	73.57	11.64	84.82	13.95	90	15.14	95.18	16.32	97.26	16.35	99.29	16.51
	25	62.32	10.02	73.57	12.45	84.82	14.92	90	16.20	95.18	17.45	97.26	17.51	99.29	17.67
	27	62.32	10.71	73.57	13.33	84.82	15.95	90	17.29	95.18	18.66	97.26	18.73	99.29	18.88
	29	62.32	11.42	73.57	14.23	84.82	17.04	90	18.48	95.18	19.91	97.26	19.97	99.29	20.16
	31	62.32	12.17	73.57	15.17	84.82	18.16	90	19.69	95.18	21.25	97.26	21.32	99.29	21.50
	33	62.32	12.98	73.57	16.17	84.82	19.35	90	21.00	95.18	22.63	97.26	22.69	99.29	22.91
	35	62.32	13.80	73.57	17.20	84.82	20.60	90	22.32	95.18	24.06	97.26	24.16	99.29	24.38
	37	62.32	14.67	73.57	18.29	84.82	21.91	90	23.75	95.18	25.59	97.26	25.69	99.29	25.94
	39	62.32	14.73	73.57	18.35	84.82	22.00	90	23.84	95.18	25.72	97.26	25.78	99.29	26.03
	41	62.32	14.79	73.57	18.45	84.82	22.10	90	23.97	95.18	25.84	97.26	25.90	99.29	26.15
	43	62.32	14.89	73.57	18.54	84.82	22.19	90	24.06	95.18	25.94	97.26	26.03	99.29	26.28
	46	62.32	14.95	73.57	18.63	84.82	22.28	90	24.19	95.18	26.06	97.26	26.15	99.29	26.40
	48	62.32	15.01	73.57	18.70	84.82	22.41	90	24.28	93.57	26.19	95.42	26.28	97.2	26.53
	50	62.32	15.07	73.57	18.79	84.82	22.50	88.21	24.41	91.79	26.31	93.57	26.40	95.42	26.65
50%	10	51.96	6.02	61.31	7.52	70.71	9.02	75	9.77	79.29	10.52	81.01	10.55	82.74	10.67
	12	51.96	6.15	61.31	7.65	70.71	9.18	75	9.96	79.29	10.74	81.01	10.77	82.74	10.86
	14	51.96	6.27	61.31	7.80	70.71	9.33	75	10.14	79.29	10.92	81.01	10.95	82.74	11.05
	16	51.96	6.37	61.31	7.93	70.71	9.52	75	10.30	79.29	11.11	81.01	11.14	82.74	11.27
	18	51.96	6.49	61.31	8.08	70.71	9.68	75	10.49	79.29	11.30	81.01	11.36	82.74	11.45
	19	51.96	6.59	61.31	8.21	70.71	9.83	75	10.67	79.29	11.52	81.01	11.55	82.74	11.64
	21	51.96	7.08	61.31	8.80	70.71	10.55	75	11.45	79.29	12.33	81.01	12.36	82.74	12.48
	23	51.96	7.58	61.31	9.43	70.71	11.30	75	12.27	79.29	13.20	81.01	13.26	82.74	13.39
	25	51.96	8.11	61.31	10.11	70.71	12.08	75	13.11	79.29	14.14	81.01	14.17	82.74	14.33
	27	51.96	8.68	61.31	10.80	70.71	12.92	75	14.01	79.29	15.11	81.01	15.17	82.74	15.29
	29	51.96	9.24	61.31	11.52	70.71	13.80	75	14.98	79.29	16.14	81.01	16.20	82.74	16.35
	31	51.96	9.86	61.31	12.30	70.71	14.73	75	15.98	79.29	17.20	81.01	17.26	82.74	17.42
	33	51.96	10.52	61.31	13.11	70.71	15.67	75	17.01	79.29	18.32	81.01	18.38	82.74	18.57
	35	51.96	11.17	61.31	13.92	70.71	16.67	75	18.10	79.29	19.51	81.01	19.57	82.74	19.76
	37	51.96	11.89	61.31	14.83	70.71	17.73	75	19.23	79.29	20.76	81.01	20.82	82.74	21.00
	39	51.96	11.95	61.31	14.89	70.71	17.82	75	19.32	79.29	20.82	81.01	20.88	82.74	21.10
	41	51.96	11.98	61.31	14.95	70.71	17.88	75	19.41	79.29	20.91	81.01	21.00	82.74	21.19
	43	51.96	12.05	61.31	15.01	70.71	17.98	75	19.51	79.29	21.04	81.01	21.10	82.74	21.29
	46	51.96	12.11	61.31	15.07	70.71	18.07	75	19.60	79.29	21.13	81.01	21.19	82.74	21.38
	48	51.96	12.17	61.31	15.17	70.71	18.13	75	19.69	79.52	21.22	80.24	21.29	81.73	21.50
	50	51.96	12.23	61.31	15.23	70.71	18.23	75	19.79	78.75	21.32	79.52	21.38	81.01	21.60

56HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1560W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	130,42	19,15	153,24	24,51	182,16	26,90	194,98	25,22	198,40	28,45	201,10	28,73	207,26	29,01
	12	130,42	19,69	153,24	25,20	182,16	27,66	193,27	25,69	196,66	29,25	199,32	29,54	205,42	29,83
	14	130,42	20,27	153,24	25,93	182,16	28,46	191,56	26,16	194,92	30,10	195,76	30,40	203,59	30,70
	16	130,42	20,96	153,24	26,82	180,55	29,44	188,14	26,63	191,43	31,14	193,98	31,45	201,75	31,75
	18	130,42	21,47	153,24	27,47	177,32	30,16	186,43	27,09	189,69	31,89	192,20	32,21	199,92	32,52
	19	130,42	22,62	153,24	28,93	175,71	31,76	184,72	27,56	187,95	33,59	190,42	33,92	198,09	34,26
	21	130,42	23,38	153,24	29,91	174,10	32,83	183,01	29,54	186,21	34,72	188,64	35,07	196,25	35,41
	23	130,42	24,49	153,24	31,33	172,49	34,39	181,30	31,65	184,47	36,37	186,86	36,73	194,42	37,09
	25	130,42	25,32	153,24	32,39	170,88	35,55	179,59	33,87	182,73	37,60	185,08	37,97	192,58	38,35
	27	130,42	26,62	153,24	34,06	169,26	37,38	177,88	36,20	180,99	39,54	183,30	39,93	190,75	40,32
	29	130,42	27,57	152,04	35,27	167,65	38,72	176,17	38,65	179,25	40,95	181,52	41,36	188,92	41,76
	31	130,42	29,00	151,59	37,10	166,04	40,73	174,46	41,22	177,51	43,07	179,75	43,50	187,08	43,93
	33	130,42	30,18	151,59	38,61	164,43	42,38	172,75	43,91	175,77	44,82	177,97	45,26	185,25	45,71
	35	130,42	31,76	150,09	40,64	161,20	44,61	171,04	46,71	174,03	47,18	177,97	47,65	183,41	48,11
	37	130,42	33,47	150,09	42,82	161,20	47,00	167,62	48,75	170,55	49,00	172,63	49,25	176,08	49,49
	39	130,42	35,23	150,09	45,07	159,59	49,47	166,42	50,45	168,81	50,72	170,85	51,36	172,41	51,72
	41	130,42	37,00	148,59	47,34	157,98	51,97	165,91	52,50	167,07	52,84	169,07	53,36	170,57	53,79
	43	129,11	38,75	147,08	49,58	156,37	54,42	164,20	55,12	165,33	55,67	167,29	56,13	169,66	56,39
	46	129,11	40,83	147,08	52,24	156,37	57,34	160,91	57,52	162,02	57,82	162,27	58,01	162,87	58,00
	48	129,11	42,98	145,61	54,98	154,80	60,36	159,76	59,53	160,37	59,85	160,60	60,50	159,48	60,62
	50	129,11	45,15	144,14	57,76	153,24	63,40	159,27	61,95	158,72	62,35	158,92	62,86	157,78	63,04
120%	10	123,25	18,13	142,60	22,32	172,85	26,64	188,44	24,98	195,17	28,17	197,83	28,45	203,88	28,73
	12	123,25	18,64	142,60	22,95	172,85	27,39	188,44	25,44	193,45	28,97	196,08	29,26	202,08	29,54
	14	123,25	19,18	142,60	23,61	172,85	28,19	188,44	25,91	191,74	29,81	194,33	30,11	200,27	30,40
	16	123,25	19,85	142,60	24,43	172,85	29,16	188,44	26,37	190,03	30,84	192,57	31,14	198,47	31,45
	18	123,25	20,33	142,60	25,02	172,85	29,87	188,44	26,83	188,32	31,59	190,82	31,90	196,67	32,21
	19	123,25	21,41	142,60	26,35	172,85	31,46	186,76	27,29	186,61	33,27	189,07	33,60	194,86	33,93
	21	123,25	22,13	142,60	27,24	172,85	32,52	185,08	29,26	183,18	34,39	187,32	34,73	193,06	35,07
	23	123,25	23,18	142,60	28,53	169,68	34,06	183,40	31,34	181,47	36,02	185,57	36,38	191,25	36,74
	25	123,25	23,97	142,60	29,50	168,09	35,21	181,71	33,54	179,76	37,24	183,82	37,61	189,45	37,98
	27	123,25	25,20	142,60	31,01	166,51	37,02	180,03	35,85	178,05	39,16	182,07	39,54	187,64	39,93
	29	123,25	26,10	142,60	32,12	164,92	38,35	176,67	38,28	176,33	40,56	180,32	40,96	185,84	41,36
	31	123,25	27,45	142,60	33,79	161,75	40,34	171,62	40,83	174,62	42,66	178,57	43,08	184,04	43,50
	33	123,25	28,57	142,60	35,16	160,16	41,97	169,94	43,49	172,91	44,39	176,82	44,83	182,23	45,27
	35	123,25	30,07	142,60	37,01	158,58	44,18	168,25	46,26	171,20	46,72	175,07	47,19	180,43	47,65
	37	123,25	31,68	142,60	38,99	156,99	46,55	164,89	48,28	167,77	48,53	169,82	48,77	173,21	49,01
	39	123,25	33,35	142,60	41,04	155,41	49,00	163,71	49,96	166,06	50,23	168,07	50,87	169,60	51,22
	41	123,25	35,03	135,47	43,12	153,82	51,47	163,21	52,00	164,35	52,33	166,31	52,85	167,80	53,27
	43	123,25	36,69	134,04	45,15	152,24	53,90	161,52	54,59	162,64	55,14	164,56	55,59	166,89	55,85
	46	123,25	38,65	134,04	47,57	150,71	56,79	158,29	56,97	159,39	57,26	159,63	57,45	160,22	57,44
	48	123,25	40,68	134,04	50,07	149,19	59,77	157,16	58,96	157,76	59,27	157,98	59,92	156,88	60,03
	50	123,25	42,74	127,34	52,60	147,67	62,79	156,68	61,36	156,13	61,75	156,34	62,26	155,21	62,44
110%	10	114,59	17,69	135,27	21,77	155,95	25,99	177,05	27,21	190,25	27,48	194,55	27,76	200,51	28,03
	12	114,59	18,19	135,27	22,38	155,95	26,72	177,05	27,98	188,57	28,26	192,83	28,54	198,73	28,82
	14	114,59	18,71	135,27	23,03	155,95	27,50	177,05	28,79	186,89	29,08	191,11	29,37	196,96	29,66
	16	114,59	19,36	135,27	23,83	155,95	28,44	177,05	29,79	185,20	30,08	189,39	30,38	195,18	30,68
	18	114,59	19,83	135,27	24,41	155,95	29,13	177,05	30,51	183,52	30,81	187,67	31,12	193,41	31,42
	19	114,59	20,89	135,27	25,71	155,95	30,69	177,05	32,13	181,83	32,45	185,94	32,77	191,64	33,10
	21	114,59	21,59	135,27	26,57	155,95	31,72	177,05	33,21	180,15	33,55	184,22	33,88	189,86	34,21
	23	114,59	22,62	135,27	27,84	155,95	33,23	175,40	34,79	178,47	35,14	182,50	35,49	188,09	35,84
	25	114,59	23,38	135,27	28,77	155,95	34,35	173,74	35,97	176,78	36,33	180,78	36,69	186,31	37,05
	27	114,59	24,58	135,27	30,25	155,95	36,12	172,09	37,82	175,10	38,20	179,06	38,57	184,54	38,95
	29	114,59	25,46	135,27	31,34	155,95	37,41	170,43	39,17	173,42	39,56	177,34	39,96	182,76	40,35
	31	114,59	26,78	135,27	32,96	155,95	39,35	168,78	41,20	171,73	41,61	175,61	42,03	180,99	42,44
	33	114,59	27,87	135,27	34,30	155,95	40,94	167,12	42,87	170,05	43,30	173,89	43,73	179,22	44,16
	35	114,59	29,33	135,27	36,10	155,95	43,10	165,47	45,13	168,36	45,58	172,17	46,03	177,44	46,48
	37	114,59	30,91	135,27	38,04	155,95	45,41	162,16	47,10	165,00	47,34	167,01	47,58	170,34	47,81
	39	114,59	32,53	135,27	40,04	151,28	47,80	161,00	48,74	163,31	49,00	165,28	49,62	166,79	49,97
	41	114,59	34,17	135,27	42,06	149,72	50,21	160,51	50,72	161,63	51,05	163,56	51,56	165,02	51,97
	43	114,59	35,79	135,27	44,05	148,16	52,58	158,85	53,25	159,95	53,78	161,84	54,23	164,13	54,48
	46	114,59	37,71	135,27	46,41	148,16	55,40	155,67	55,57	156,75	55,86	156,99	56,05	157,57	56,04
	48	114,59	39,69	135,27	48,85	143,71	58,31	154,56	57,51	155,15	57,82	155,37	58,45	154,28	58,56
	50	114,59	41,69	135,27	51,31	142,23	61,26	154,08	59,86	153,55	60,24	153,75	60,73	152,64	60,91

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1560W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	108,03	14,70	127,53	18,56	147,03	23,33	156,00	25,78	169,84	26,04	181,80	26,30	189,03	26,56
	12	108,03	15,11	127,53	19,09	147,03	23,99	156,00	26,51	169,84	26,78	181,80	27,04	187,36	27,31
	14	108,03	15,55	127,53	19,64	147,03	24,69	156,00	27,28	169,84	27,55	180,17	27,83	185,69	28,10
	16	108,03	16,09	127,53	20,32	147,03	25,54	156,00	28,22	169,84	28,50	178,55	28,79	184,02	29,07
	18	108,03	16,48	127,53	20,81	147,03	26,16	156,00	28,91	169,84	29,19	176,93	29,48	182,34	29,77
	19	108,03	17,35	127,53	21,92	147,03	27,55	156,00	30,45	169,84	30,75	175,30	31,05	180,67	31,36
	21	108,03	17,94	127,53	22,66	147,03	28,48	156,00	31,47	169,84	31,79	173,68	32,10	179,00	32,42
	23	108,03	18,79	127,53	23,74	147,03	29,84	156,00	32,97	169,84	33,30	172,06	33,63	177,32	33,96
	25	108,03	19,43	127,53	24,54	147,03	30,84	156,00	34,08	168,25	34,42	170,43	34,76	175,65	35,10
	27	108,03	20,42	127,53	25,80	147,03	32,43	156,00	35,83	166,67	36,19	168,81	36,55	173,98	36,91
	29	108,03	21,16	127,53	26,72	147,03	33,59	156,00	37,12	165,08	37,49	167,19	37,86	172,31	38,23
	31	108,03	22,25	127,53	28,11	147,03	35,33	156,00	39,04	163,49	39,43	165,56	39,82	170,63	40,21
	33	108,03	23,15	127,53	29,25	147,03	36,76	156,00	40,62	160,32	41,03	163,94	41,43	168,96	41,84
	35	108,03	24,37	127,53	30,79	147,03	38,70	156,00	42,76	158,73	43,19	162,32	43,62	167,29	44,04
	37	108,03	25,68	127,53	32,44	147,03	40,77	152,88	44,62	155,56	44,85	157,45	45,08	160,60	45,30
	39	108,03	27,03	127,53	34,14	147,03	42,92	151,79	46,18	153,97	46,43	155,83	47,02	157,25	47,35
	41	108,03	28,39	127,53	35,87	147,03	45,08	151,32	48,06	152,38	48,37	154,20	48,85	155,58	49,24
	43	108,03	29,74	127,53	37,56	147,03	47,21	149,76	50,46	150,79	50,96	152,58	51,38	154,74	51,62
	46	108,03	31,33	127,53	39,57	147,03	49,74	146,76	52,66	147,78	52,93	148,00	53,11	148,55	53,09
	48	108,03	32,98	127,53	41,65	147,03	52,36	145,72	54,49	146,27	54,78	146,48	55,39	145,46	55,49
	50	108,03	34,64	127,53	43,76	147,03	55,00	145,27	56,71	144,76	57,08	144,95	57,54	143,91	57,71
90%	10	97,23	12,99	114,78	16,02	132,33	19,65	140,40	21,65	149,88	23,59	168,33	25,11	171,79	25,76
	12	97,23	13,35	114,78	16,47	132,33	20,21	140,40	22,26	149,88	24,26	168,33	25,82	171,79	26,48
	14	97,23	13,74	114,78	16,95	132,33	20,80	140,40	22,90	149,88	24,96	168,33	26,57	171,79	27,25
	16	97,23	14,22	114,78	17,53	132,33	21,51	140,40	23,69	149,88	25,82	168,33	27,48	171,79	28,19
	18	97,23	14,56	114,78	17,96	132,33	22,03	140,40	24,27	149,88	26,45	168,33	28,15	170,18	28,88
	19	97,23	15,34	114,78	18,91	132,33	23,21	140,40	25,56	149,88	27,86	168,33	29,65	168,57	30,41
	21	97,23	15,85	114,78	19,55	132,33	23,99	140,40	26,42	149,88	28,80	168,33	30,65	166,97	31,44
	23	97,23	16,61	114,78	20,48	132,33	25,13	140,40	27,68	149,88	30,17	168,33	32,10	165,36	32,94
	25	97,23	17,17	114,78	21,17	132,33	25,98	140,40	28,61	149,88	31,18	166,76	33,19	163,76	34,05
	27	97,23	18,05	114,78	22,26	132,33	27,31	140,40	30,08	149,88	32,79	165,18	34,89	163,76	35,80
	29	97,23	18,70	114,78	23,06	132,33	28,29	140,40	31,16	149,88	33,96	163,61	36,14	163,76	37,08
	31	97,23	19,66	114,78	24,25	132,33	29,76	140,40	32,77	149,88	35,72	162,04	38,02	162,15	39,00
	33	97,23	20,46	114,78	25,24	132,33	30,96	140,40	34,10	149,88	37,17	158,89	39,56	162,15	40,58
	35	97,23	21,54	114,78	26,56	132,33	32,59	140,40	35,90	149,88	39,13	157,32	41,64	160,55	42,72
	37	97,23	22,69	114,78	27,99	132,33	34,34	140,40	37,82	149,88	41,22	154,17	43,87	157,34	45,01
	39	97,23	23,89	114,78	29,46	132,33	36,15	140,40	39,81	149,88	43,39	152,60	46,18	155,73	47,37
	41	97,23	25,09	114,78	30,95	132,33	37,97	140,40	41,82	149,88	45,58	151,03	48,51	154,13	49,77
	43	97,23	26,28	114,78	32,41	132,33	39,77	140,40	43,79	149,88	47,74	151,03	50,80	154,13	52,12
	46	97,23	27,69	114,78	34,14	132,33	41,90	140,40	46,14	149,88	50,29	148,00	53,52	151,04	54,91
	48	97,23	29,14	114,78	35,94	132,33	44,10	140,40	48,57	149,88	52,94	146,49	56,34	149,50	57,80
	50	97,23	30,61	114,78	37,76	132,33	46,33	140,40	51,02	149,88	55,61	144,98	59,18	147,96	60,71
80%	10	86,42	11,54	102,02	12,96	117,62	16,24	124,80	17,75	133,22	19,53	142,33	22,86	153,94	24,41
	12	86,42	11,86	102,02	13,32	117,62	16,70	124,80	18,25	133,22	20,08	142,33	23,51	153,94	25,10
	14	86,42	12,21	102,02	13,71	117,62	17,19	124,80	18,78	133,22	20,66	142,33	24,19	153,94	25,82
	16	86,42	12,63	102,02	14,18	117,62	17,78	124,80	19,43	133,22	21,37	142,33	25,02	153,94	26,72
	18	86,42	12,94	102,02	14,53	117,62	18,21	124,80	19,90	133,22	21,89	142,33	25,63	153,94	27,36
	19	86,42	13,62	102,02	15,30	117,62	19,18	124,80	20,96	133,22	23,06	142,33	27,00	153,94	28,82
	21	86,42	14,08	102,02	15,82	117,62	19,82	124,80	21,67	133,22	23,83	142,33	27,91	153,94	29,79
	23	86,42	14,75	102,02	16,57	117,62	20,77	124,80	22,70	133,22	24,97	142,33	29,23	153,94	31,21
	25	86,42	15,25	102,02	17,13	117,62	21,47	124,80	23,46	133,22	25,81	142,33	30,22	153,94	32,26
	27	86,42	16,03	102,02	18,01	117,62	22,57	124,80	24,67	133,22	27,14	142,33	31,77	153,94	33,92
	29	86,42	16,61	102,02	18,65	117,62	23,38	124,80	25,55	133,22	28,11	142,33	32,91	153,94	35,13
	31	86,42	17,47	102,02	19,62	117,62	24,59	124,80	26,88	133,22	29,56	142,33	34,62	153,94	36,96
	33	86,42	18,18	102,02	20,42	117,62	25,59	124,80	27,97	133,22	30,76	142,33	36,02	153,94	38,45
	35	86,42	19,13	102,02	21,49	117,62	26,94	124,80	29,44	133,22	32,38	142,33	37,92	153,94	40,48
	37	86,42	20,16	102,02	22,64	117,62	28,38	124,80	31,02	133,22	34,12	139,49	39,95	150,86	42,65
	39	86,42	21,22	102,02	23,83	117,62	29,87	124,80	32,65	133,22	35,91	138,06	42,05	149,32	44,89
	41	86,42	22,29	102,02	25,04	117,62	31,38	124,80	34,30	133,22	37,72	136,64	44,17	147,78	47,16
	43	86,42	23,34	102,02	26,22	117,62	32,86	124,80	35,91	133,22	39,51	136,64	46,26	147,78	49,38
	46	86,42	24,60	102,02	27,62	117,62	34,62	124,80	37,84	133,22	41,62	133,91	48,74	144,83	52,03
	48	86,42	25,89	102,02	29,08	117,62	36,44	124,80	39,83	133,22	43,81	132,54	51,30	143,35	54,77
	50	86,42	27,20	102,02	30,54	117,62	38,28	124,80	41,84	133,22	46,02	131,18	53,89	141,87	57,53

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1560W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20,8,WB:14		DB:23,3,WB:16		DB:25,8,WB:18		DB:27,WB:19		DB:28,2,WB:20		DB:30,7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	75,62	10,36	89,27	12,33	102,92	15,04	109,20	16,44	116,57	17,75	124,54	20,05	134,70	21,70
	12	75,62	10,46	89,27	12,45	102,92	15,19	109,20	16,60	116,57	17,93	124,54	20,25	134,70	21,91
	14	75,62	10,43	89,27	12,42	102,92	15,15	109,20	16,56	116,57	17,88	124,54	20,20	134,70	21,85
	16	75,62	10,75	89,27	12,80	102,92	15,62	109,20	17,07	116,57	18,44	124,54	20,83	134,70	22,53
	18	75,62	10,84	89,27	12,91	102,92	15,75	109,20	17,21	116,57	18,59	124,54	21,00	134,70	22,72
	19	75,62	11,23	89,27	13,36	102,92	16,30	109,20	17,82	116,57	19,24	124,54	21,74	134,70	23,52
	21	75,62	11,43	89,27	13,61	102,92	16,60	109,20	18,15	116,57	19,60	124,54	22,14	134,70	23,95
	23	75,62	11,80	89,27	14,05	102,92	17,14	109,20	18,73	116,57	20,23	124,54	22,85	134,70	24,72
	25	75,62	12,04	89,27	14,33	102,92	17,48	109,20	19,10	116,57	20,63	124,54	23,31	134,70	25,22
	27	75,62	12,49	89,27	14,87	102,92	18,14	109,20	19,83	116,57	21,42	124,54	24,19	134,70	26,17
	29	75,62	12,93	89,27	15,40	102,92	18,79	109,20	20,53	116,57	22,17	124,54	25,05	134,70	27,10
	31	75,62	13,60	89,27	16,19	102,92	19,75	109,20	21,58	116,57	23,31	124,54	26,33	134,70	28,49
	33	75,62	14,14	89,27	16,84	102,92	20,54	109,20	22,45	116,57	24,24	124,54	27,39	134,70	29,63
	35	75,62	14,73	89,27	17,54	102,92	21,40	109,20	23,38	116,57	25,25	124,54	28,53	134,70	30,87
	37	75,62	15,52	89,27	18,48	102,92	22,54	109,20	24,64	116,57	26,61	122,05	30,06	132,00	32,52
	39	75,62	16,34	89,27	19,45	102,92	23,73	109,20	25,93	116,57	28,01	120,81	31,64	130,66	34,23
	41	75,62	17,16	89,27	20,43	102,92	24,93	109,20	27,24	116,57	29,42	119,56	33,23	129,31	35,96
	43	75,62	17,97	89,27	21,40	102,92	26,10	109,20	28,53	116,57	30,81	119,56	34,80	129,31	37,66
	46	75,62	18,94	89,27	22,54	102,92	27,50	109,20	30,06	116,57	32,46	117,17	36,67	126,72	39,67
	48	75,62	19,93	89,27	23,73	102,92	28,95	109,20	31,64	116,57	34,17	115,97	38,60	125,43	41,76
	50	75,62	20,94	89,27	24,93	102,92	30,41	109,20	33,23	116,57	35,89	114,78	40,55	124,14	43,87
60%	10	64,82	8,35	76,52	9,60	88,22	11,44	93,60	12,47	99,92	13,96	106,75	16,08	115,46	17,45
	12	64,82	8,44	76,52	9,69	88,22	11,56	93,60	12,59	99,92	14,10	106,75	16,24	115,46	17,63
	14	64,82	8,41	76,52	9,67	88,22	11,53	93,60	12,55	99,92	14,06	106,75	16,20	115,46	17,58
	16	64,82	8,67	76,52	9,97	88,22	11,88	93,60	12,94	99,92	14,50	106,75	16,70	115,46	18,12
	18	64,82	8,74	76,52	10,05	88,22	11,98	93,60	13,05	99,92	14,62	106,75	16,84	115,46	18,27
	19	64,82	9,05	76,52	10,40	88,22	12,40	93,60	13,51	99,92	15,13	106,75	17,43	115,46	18,92
	21	64,82	9,22	76,52	10,60	88,22	12,63	93,60	13,76	99,92	15,41	106,75	17,75	115,46	19,26
	23	64,82	9,52	76,52	10,94	88,22	13,04	93,60	14,20	99,92	15,91	106,75	18,32	115,46	19,89
	25	64,82	9,71	76,52	11,16	88,22	13,30	93,60	14,49	99,92	16,23	106,75	18,69	115,46	20,28
	27	64,82	10,07	76,52	11,58	88,22	13,80	93,60	15,04	99,92	16,84	106,75	19,40	115,46	21,05
	29	64,82	10,43	76,52	11,99	88,22	14,29	93,60	15,57	99,92	17,44	106,75	20,08	115,46	21,80
	31	64,82	10,97	76,52	12,60	88,22	15,03	93,60	16,37	99,92	18,33	106,75	21,11	115,46	22,91
	33	64,82	11,41	76,52	13,11	88,22	15,63	93,60	17,02	99,92	19,07	106,75	21,96	115,46	23,83
	35	64,82	11,88	76,52	13,65	88,22	16,28	93,60	17,73	99,92	19,86	106,75	22,88	115,46	24,83
	37	64,82	12,52	76,52	14,39	88,22	17,15	93,60	18,68	99,92	20,93	104,62	24,10	113,15	26,16
	39	64,82	13,18	76,52	15,14	88,22	18,05	93,60	19,67	99,92	22,03	103,55	25,37	111,99	27,53
	41	64,82	13,84	76,52	15,91	88,22	18,96	93,60	20,66	99,92	23,14	102,48	26,65	110,84	28,92
	43	64,82	14,49	76,52	16,66	88,22	19,86	93,60	21,63	99,92	24,23	102,48	27,91	110,84	30,29
	46	64,82	15,27	76,52	17,55	88,22	20,92	93,60	22,79	99,92	25,53	100,43	29,40	108,62	31,91
	48	64,82	16,07	76,52	18,47	88,22	22,02	93,60	23,99	99,92	26,87	99,41	30,95	107,51	33,59
	50	64,82	16,89	76,52	19,41	88,22	23,14	93,60	25,20	99,92	28,23	98,38	32,51	106,40	35,28
50%	10	54,02	6,58	63,77	7,29	73,52	8,09	78,00	8,78	83,27	10,18	88,96	11,50	96,21	12,90
	12	54,02	6,65	63,77	7,36	73,52	8,17	78,00	8,87	83,27	10,28	88,96	11,61	96,21	13,03
	14	54,02	6,63	63,77	7,34	73,52	8,15	78,00	8,84	83,27	10,25	88,96	11,58	96,21	12,99
	16	54,02	6,84	63,77	7,57	73,52	8,40	78,00	9,11	83,27	10,57	88,96	11,94	96,21	13,40
	18	54,02	6,89	63,77	7,63	73,52	8,47	78,00	9,19	83,27	10,66	88,96	12,04	96,21	13,51
	19	54,02	7,14	63,77	7,90	73,52	8,77	78,00	9,51	83,27	11,04	88,96	12,46	96,21	13,99
	21	54,02	7,27	63,77	8,04	73,52	8,93	78,00	9,69	83,27	11,24	88,96	12,69	96,21	14,24
	23	54,02	7,50	63,77	8,30	73,52	9,22	78,00	10,00	83,27	11,60	88,96	13,10	96,21	14,70
	25	54,02	7,65	63,77	8,47	73,52	9,41	78,00	10,20	83,27	11,83	88,96	13,36	96,21	15,00
	27	54,02	7,94	63,77	8,79	73,52	9,76	78,00	10,59	83,27	12,28	88,96	13,87	96,21	15,56
	29	54,02	8,22	63,77	9,10	73,52	10,11	78,00	10,96	83,27	12,72	88,96	14,36	96,21	16,12
	31	54,02	8,64	63,77	9,57	73,52	10,63	78,00	11,52	83,27	13,37	88,96	15,10	96,21	16,94
	33	54,02	8,99	63,77	9,95	73,52	11,05	78,00	11,99	83,27	13,90	88,96	15,70	96,21	17,62
	35	54,02	9,36	63,77	10,36	73,52	11,51	78,00	12,49	83,27	14,48	88,96	16,36	96,21	18,35
	37	54,02	9,87	63,77	10,92	73,52	12,13	78,00	13,16	83,27	15,26	87,18	17,23	94,29	19,34
	39	54,02	10,39	63,77	11,49	73,52	12,77	78,00	13,85	83,27	16,06	86,29	18,14	93,33	20,35
	41	54,02	10,91	63,77	12,07	73,52	13,41	78,00	14,55	83,27	16,87	85,40	19,06	92,36	21,38
	43	54,02	11,42	63,77	12,64	73,52	14,04	78,00	15,23	83,27	17,67	85,40	19,95	92,36	22,39
	46	54,02	12,04	63,77	13,32	73,52	14,80	78,00	16,05	83,27	18,62	83,69	21,02	90,52	23,59
	48	54,02	12,67	63,77	14,02	73,52	15,58	78,00	16,89	83,27	19,60	82,84	22,13	89,59	24,83
	50	54,02	13,31	63,77	14,73	73,52	16,36	78,00	17,75	83,27	20,59	81,98	23,25	88,67	26,09

58HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1630W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	147.41	16.44	172.18	20.47	198.38	24.52	203.75	26.60	207.31	28.67	210.54	28.77	216.17	29.03
	12	147.41	16.74	172.18	20.86	198.38	24.97	201.94	27.09	205.5	29.19	208.67	29.29	214.23	29.58
	14	147.41	17.06	172.18	21.24	198.38	25.43	200.13	27.58	203.69	29.75	204.91	29.81	212.35	30.10
	16	147.41	17.35	172.18	21.60	196.63	25.88	198.38	28.09	200	30.26	203.1	30.36	210.41	30.66
	18	147.41	17.65	172.18	22.00	193.14	26.33	194.82	28.58	198.19	30.78	201.23	30.89	208.47	31.20
	19	147.41	17.97	172.18	22.38	191.4	26.79	193.01	29.07	196.38	31.34	199.35	31.43	206.6	31.72
	21	147.41	19.27	172.18	24.00	189.65	28.71	191.2	31.14	194.57	33.57	197.48	33.67	204.66	34.02
	23	147.41	20.63	172.18	25.69	187.9	30.76	189.46	33.38	192.75	35.97	195.6	36.07	202.78	36.43
	25	147.41	22.06	172.18	27.50	186.09	32.93	187.64	35.71	190.94	38.51	193.79	38.60	200.84	38.99
	27	147.41	23.59	172.18	29.39	184.35	35.20	185.83	38.17	189.13	41.16	191.91	41.26	197.02	41.68
	29	147.41	25.20	170.83	31.40	182.6	37.57	184.09	40.77	187.32	43.95	190.04	44.08	197.02	44.50
	31	147.41	26.86	170.31	33.48	180.85	40.06	182.28	43.47	185.51	46.87	188.16	47.00	195.08	47.46
	33	147.41	28.61	170.31	35.65	179.11	42.69	180.53	46.29	183.63	49.92	186.29	50.05	193.21	50.54
	35	147.41	30.43	168.63	37.92	175.61	45.41	178.72	49.24	181.82	53.10	184.09	53.26	191.27	53.78
	37	147.41	32.37	168.63	40.35	173.35	48.29	176.91	52.38	178.2	56.48	182.28	56.63	187.45	57.18
	39	147.41	32.50	166.23	40.51	172.06	48.50	175.16	52.61	176.39	56.73	180.53	56.89	185.57	57.44
	41	147.41	32.66	162.61	40.70	169.79	48.72	173.35	52.84	174.58	56.96	178.72	57.16	183.63	57.71
	43	148.32	32.82	159.05	40.87	166.82	48.95	169.79	53.10	172.77	57.25	176.97	57.41	181.69	57.96
	46	142.95	32.95	153.69	41.07	160.87	49.18	164.42	53.33	167.98	57.50	171.54	57.67	176.91	58.22
	48	139.39	33.12	148.32	41.26	155.5	49.40	159.05	53.59	162.61	57.77	166.23	57.94	171.54	58.52
	50	135.83	33.27	142.95	41.46	150.13	49.63	153.69	53.85	157.24	58.03	160.87	58.22	166.23	58.77
120%	10	138.42	16.28	164.88	20.28	190.17	24.29	196.89	26.33	203.94	28.38	206.73	28.48	213.26	28.77
	12	138.42	16.57	164.88	20.66	190.17	24.74	196.89	26.82	202.13	28.93	204.85	29.00	211.38	29.29
	14	138.42	16.87	164.88	21.02	190.17	25.18	196.89	27.31	200.32	29.45	203.04	29.55	209.51	29.81
	16	138.42	17.19	164.88	21.41	190.17	25.63	196.89	27.80	198.58	29.98	201.23	30.07	207.57	30.36
	18	138.42	17.48	164.88	21.79	190.17	26.08	195.15	28.28	196.76	30.49	199.42	30.59	205.69	30.89
	19	138.42	17.78	164.88	22.15	188.1	26.54	193.4	28.77	194.95	31.01	197.54	31.11	203.81	31.43
	21	138.42	19.07	164.88	23.74	186.35	28.45	189.84	30.85	191.4	33.25	195.73	33.38	201.94	33.67
	23	138.42	20.43	164.88	25.46	182.86	30.46	188.1	33.05	189.58	35.62	193.92	35.75	200.06	36.07
	25	138.42	21.86	164.88	27.24	181.05	32.60	184.6	35.36	187.84	38.11	192.04	38.24	198.19	38.60
	27	138.42	23.36	164.88	29.10	177.55	34.86	182.86	37.79	186.03	40.74	190.23	40.87	196.25	41.26
	29	138.42	24.95	164.88	31.08	175.81	37.21	181.05	40.35	184.22	43.50	188.42	43.66	194.37	44.08
	31	138.42	26.60	164.88	33.15	174.06	39.70	179.3	43.05	182.47	46.41	186.61	46.55	192.5	47.00
	33	138.42	28.35	164.88	35.30	172.31	42.26	177.55	45.86	180.66	49.43	184.73	49.59	190.62	50.05
	35	138.42	30.13	163.52	37.56	170.5	44.99	175.81	48.78	178.91	52.58	182.92	52.74	188.74	53.26
	37	138.42	32.05	161.77	39.96	168.76	47.84	172.31	51.87	175.29	55.92	181.05	56.12	184.93	56.63
	39	138.42	32.21	159.96	40.12	167.01	48.04	170.5	52.09	173.54	56.18	179.3	56.34	183.05	56.89
	41	138.42	32.34	156.6	40.29	165.26	48.27	168.76	52.35	171.73	56.41	177.55	56.60	181.18	57.16
	43	138.42	32.50	154.98	40.48	163.52	48.49	167.01	52.58	170.5	56.70	175.81	56.86	179.3	57.41
	46	135.38	32.66	151.16	40.67	158.21	48.72	161.77	52.84	165.26	56.95	170.5	57.12	174.06	57.67
	48	131.82	32.80	147.67	40.87	152.97	48.95	156.47	53.07	159.96	57.22	165.26	57.39	168.76	57.94
	50	128.33	32.95	144.18	41.06	147.67	49.14	151.16	53.32	154.72	57.48	159.96	57.64	163.52	58.22
110%	10	126.65	16.12	150	20.08	169.86	24.04	184.99	26.08	198.77	28.12	203.3	28.22	209.7	28.48
	12	126.65	16.42	150	20.46	169.86	24.49	184.99	26.56	197.02	28.64	201.49	28.73	207.89	29.00
	14	126.65	16.71	150	20.83	169.86	24.95	184.99	27.05	195.28	29.16	199.68	29.26	206.01	29.54
	16	126.65	17.02	150	21.22	169.86	25.40	184.99	27.54	193.53	29.68	197.86	29.77	204.14	30.07
	18	126.65	17.32	150	21.57	169.86	25.82	184.99	28.03	191.78	30.20	196.12	30.30	202.33	30.59
	19	126.65	17.61	150	21.96	169.86	26.27	184.99	28.51	189.97	30.72	194.31	30.81	200.45	31.11
	21	126.65	18.88	150	23.52	169.86	28.15	184.99	30.55	188.23	32.93	192.5	33.05	198.58	33.35
	23	126.65	20.24	150	25.20	169.86	30.17	183.25	32.73	186.48	35.29	190.68	35.39	196.76	35.74
	25	126.65	21.64	150	26.96	169.86	32.27	181.56	35.03	184.73	37.75	188.87	37.85	194.89	38.24
	27	126.65	23.13	150	28.84	169.86	34.52	179.82	37.43	182.99	40.35	187.06	40.48	193.01	40.87
	29	126.65	24.72	150	30.78	169.86	36.85	178.07	39.97	181.18	43.07	185.32	43.24	191.2	43.62
	31	126.65	26.33	150	32.82	169.86	39.31	176.32	42.62	179.43	45.96	183.5	46.09	189.33	46.55
	33	126.65	28.05	150	34.97	167.72	41.87	174.64	45.41	177.68	48.95	181.69	49.10	187.45	49.56
	35	126.65	29.85	150	37.20	165.98	44.54	172.9	48.29	175.94	52.06	179.88	52.23	185.57	52.74
	37	126.65	31.76	150	39.57	164.23	47.36	169.47	51.38	172.38	55.40	176.32	55.57	181.89	56.08
	39	126.65	31.89	150	39.74	162.55	47.59	167.72	51.60	170.63	55.63	174.51	55.80	180.01	56.34
	41	126.65	32.04	150	39.90	160.8	47.78	165.98	51.83	168.89	55.89	172.7	56.05	178.2	56.60
	43	126.65	32.18	150	40.10	159.05	48.01	164.23	52.06	167.14	56.14	170.89	56.31	176.32	56.86
	46	122.77	32.34	146.96	40.29	153.88	48.23	159.05	52.32	162.55	56.40	165.98	56.57	169.47	57.12
	48	119.27	32.47	143.53	40.48	148.71	48.46	153.88	52.55	157.31	56.67	160.8	56.82	164.23	57.38
	50	115.85	32.63	140.04	40.65	143.53	48.69	148.71	52.81	152.13	56.93	155.63	57.09	159.05	57.64

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1630W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	112.87	15.05	133.25	18.75	153.62	22.45	163	24.36	177.49	26.24	189.97	26.33	197.54	26.59
	12	112.87	15.31	133.25	19.10	153.62	22.87	163	24.81	177.49	26.73	189.97	26.82	195.79	27.08
	14	112.87	15.60	133.25	19.43	153.62	23.28	163	25.24	177.49	27.22	188.23	27.31	194.05	27.57
	16	112.87	15.89	133.25	19.79	153.62	23.71	163	25.69	177.49	27.70	186.54	27.80	192.3	28.05
	18	112.87	16.15	133.25	20.14	153.62	24.10	163	26.14	177.49	28.19	184.86	28.28	190.55	28.54
	19	112.87	16.44	133.25	20.47	153.62	24.52	163	26.60	177.49	28.67	183.18	28.77	188.81	29.03
	21	112.87	17.61	133.25	21.96	153.62	26.31	163	28.51	177.49	30.75	181.5	30.85	187	31.14
	23	112.87	18.88	133.25	23.51	153.62	28.15	163	30.55	177.49	32.93	179.75	33.02	185.25	33.35
	25	112.87	20.20	133.25	25.17	153.62	30.13	163	32.70	177.49	35.22	178.07	35.35	183.5	35.68
	27	112.87	21.60	133.25	26.90	153.62	32.21	163	34.94	175.81	37.66	176.39	37.79	181.76	38.15
	29	112.87	23.06	133.25	28.73	153.62	34.41	163	37.30	174.13	40.22	174.71	40.35	180.01	40.74
	31	112.87	24.59	133.25	30.65	153.62	36.69	163	39.80	172.51	42.88	173.03	43.01	178.27	43.43
	33	112.87	26.18	133.25	32.63	153.62	39.08	163	42.39	170.83	45.70	171.28	45.83	176.52	46.28
	35	112.87	27.86	133.25	34.71	153.62	41.58	163	45.07	168.37	48.59	169.6	48.75	174.77	49.23
	37	112.87	29.64	133.25	36.91	153.62	44.21	163	46.90	165.85	51.70	167.92	51.86	171.28	52.36
	39	112.87	29.77	133.25	37.08	153.62	44.41	163	48.23	164.62	51.93	166.23	52.09	169.53	52.58
	41	112.87	29.90	133.25	37.24	151.62	44.60	161.38	49.60	163	52.16	164.62	52.32	167.79	52.81
	43	112.87	30.04	133.25	37.43	149.93	44.83	159.77	51.34	161.38	52.38	163	52.55	166.04	53.07
	46	112.87	30.17	130.59	37.60	145.08	45.02	158.08	53.01	159.77	52.64	161.38	52.81	164.62	53.32
	48	112.87	30.32	129.24	37.76	140.17	45.22	153.23	53.65	158.08	52.87	156.47	53.04	159.77	53.55
	50	110.87	30.45	127.94	37.95	135.32	45.45	148.32	55.01	153.23	53.13	151.62	53.30	154.85	53.81
90%	10	101.62	13.01	119.92	16.21	138.29	19.39	146.7	21.05	155.11	22.70	175.87	22.77	179.49	22.97
	12	101.62	13.24	119.92	16.51	138.29	19.75	146.7	21.44	155.11	23.10	175.87	23.19	179.49	23.42
	14	101.62	13.49	119.92	16.80	138.29	20.11	146.7	21.83	155.11	23.52	175.87	23.61	179.49	23.83
	16	101.62	13.72	119.92	17.10	138.29	20.50	146.7	22.22	155.11	23.94	175.87	24.04	179.49	24.26
	18	101.62	13.98	119.92	17.42	138.29	20.86	146.7	22.61	155.11	24.36	175.87	24.45	177.49	24.68
	19	101.62	14.21	119.92	17.71	138.29	21.22	146.7	23.00	155.11	24.78	174.58	24.87	176.07	25.10
	21	101.62	15.24	119.92	18.97	138.29	22.74	146.7	24.65	155.11	26.56	173.09	26.67	174.58	26.92
	23	101.62	16.32	119.92	20.33	138.29	24.36	146.7	26.40	155.11	28.48	171.67	28.54	173.09	28.84
	25	101.62	17.46	119.92	21.77	138.29	26.05	146.7	28.26	155.11	30.46	170.18	30.55	171.67	30.85
	27	101.62	18.68	119.92	23.26	138.29	27.86	146.7	30.20	155.11	32.57	168.69	32.66	170.18	32.99
	29	101.62	19.95	119.92	24.85	138.29	29.75	146.7	32.25	155.11	34.77	167.27	34.87	168.69	35.22
	31	101.62	21.25	119.92	26.50	138.29	31.72	146.7	34.39	155.11	37.07	165.78	37.20	167.27	37.56
	33	101.62	22.64	119.92	28.22	138.29	33.77	146.7	36.65	155.11	39.51	164.29	39.61	165.78	39.99
	35	101.62	24.10	119.92	30.00	138.29	35.94	146.7	38.98	155.11	42.01	162.81	42.14	164.29	42.56
	37	101.62	25.63	119.92	31.91	138.29	38.21	146.7	41.46	155.11	44.70	161.38	44.83	162.81	45.25
	39	101.62	25.72	119.92	32.05	138.29	38.38	146.7	41.65	154.01	44.89	159.9	45.02	161.38	45.45
	41	101.62	25.85	119.92	32.21	138.29	38.57	146.7	41.81	152.59	45.09	158.41	45.22	159.9	45.67
	43	101.62	25.98	119.92	32.34	138.29	38.74	145.21	42.01	151.1	45.28	156.98	45.45	158.41	45.87
	46	101.62	26.08	119.92	32.50	133.5	38.92	140.81	42.20	146.7	45.51	152.59	45.64	154.01	46.09
	48	101.62	26.21	119.92	32.66	129.11	39.08	136.42	42.39	142.3	45.70	148.19	45.87	149.61	46.29
	50	101.62	26.33	117.33	32.80	124.71	39.28	132.02	42.60	137.9	45.93	143.79	46.06	145.21	46.51
80%	10	90.3	11.12	106.6	13.85	122.9	16.57	130.4	17.97	137.9	19.39	140.88	19.43	143.92	19.62
	12	90.3	11.32	106.6	14.11	122.9	16.89	130.4	18.33	137.9	19.75	140.88	19.79	143.92	19.98
	14	90.3	11.52	106.6	14.37	122.9	17.19	130.4	18.65	137.9	20.11	140.88	20.18	143.92	20.37
	16	90.3	11.74	106.6	14.62	122.9	17.48	130.4	18.97	137.9	20.47	140.88	20.53	143.92	20.73
	18	90.3	11.94	106.6	14.85	122.9	17.80	130.4	19.30	137.9	20.82	140.88	20.88	143.92	21.09
	19	90.3	12.13	106.6	15.12	122.9	18.10	130.4	19.65	137.9	21.18	140.88	21.24	143.92	21.44
	21	90.3	13.01	106.6	16.21	122.9	19.43	130.4	21.05	137.9	22.70	140.88	22.77	143.92	23.00
	23	90.3	13.94	106.6	17.35	122.9	20.79	130.4	22.55	137.9	24.32	140.88	24.40	143.92	24.62
	25	90.3	14.92	106.6	18.59	122.9	22.25	130.4	24.14	137.9	26.01	140.88	26.11	143.92	26.34
	27	90.3	15.96	106.6	19.88	122.9	23.78	130.4	25.79	137.9	27.82	140.88	27.90	143.92	28.18
	29	90.3	17.03	106.6	21.22	122.9	25.40	130.4	27.54	137.9	29.71	140.88	29.78	143.92	30.07
	31	90.3	18.16	106.6	22.61	122.9	27.09	130.4	29.39	137.9	31.66	140.88	31.76	143.92	32.08
	33	90.3	19.33	106.6	24.10	122.9	28.86	130.4	31.30	137.9	33.73	140.88	33.84	143.92	34.16
	35	90.3	20.56	106.6	25.63	122.9	30.68	130.4	33.28	137.9	35.90	140.88	36.00	143.92	36.36
	37	90.3	21.90	106.6	27.28	122.9	32.66	130.4	35.42	137.9	38.17	140.88	38.28	142.11	38.66
	39	90.3	21.99	106.6	27.37	122.9	32.80	130.4	35.55	137.9	38.34	139.52	38.47	140.81	38.83
	41	90.3	22.09	106.6	27.50	122.9	32.93	130.4	35.71	136.93	38.51	138.23	38.63	139.52	38.99
	43	90.3	22.19	106.6	27.64	122.9	33.08	130.4	35.90	135.64	38.70	136.93	38.80	138.23	39.19
	46	90.3	22.28	106.92	27.77	122.57	33.25	126.52	36.07	131.69	38.86	132.99	38.99	131.69	39.38
	48	90.3	22.38	106.92	27.90	118.69	33.40	122.57	36.23	127.81	39.06	129.11	39.19	127.81	39.54
	50	90.3	22.48	106.92	28.03	114.75	33.54	118.69	36.39	123.87	39.22	125.16	39.34	123.87	39.74

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1630W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	79.04	9.35	93.27	11.65	107.57	13.95	114.1	15.15	120.63	16.32	123.28	16.38	125.94	16.54
	12	79.04	9.53	93.27	11.88	107.57	14.21	114.1	15.41	120.63	16.61	123.28	16.67	125.94	16.83
	14	79.04	9.70	93.27	12.10	107.57	14.47	114.1	15.70	120.63	16.93	123.28	16.97	125.94	17.12
	16	79.04	9.86	93.27	12.30	107.57	14.73	114.1	15.99	120.63	17.23	123.28	17.29	125.94	17.45
	18	79.04	10.06	93.27	12.52	107.57	14.98	114.1	16.25	120.63	17.52	123.28	17.58	125.94	17.74
	19	79.04	10.22	93.27	12.75	107.57	15.25	114.1	16.55	120.63	17.84	123.28	17.88	125.94	18.06
	21	79.04	10.97	93.27	13.66	107.57	16.35	114.1	17.74	120.63	19.11	123.28	19.17	125.94	19.37
	23	79.04	11.74	93.27	14.62	107.57	17.52	114.1	19.01	120.63	20.47	123.28	20.53	125.94	20.73
	25	79.04	12.56	93.27	15.66	107.57	18.75	114.1	20.33	120.63	21.92	123.28	21.99	125.94	22.19
	27	79.04	13.43	93.27	16.74	107.57	20.05	114.1	21.73	120.63	23.42	123.28	23.49	125.94	23.72
	29	79.04	14.34	93.27	17.87	107.57	21.38	114.1	23.19	120.63	25.01	123.28	25.08	125.94	25.33
	31	79.04	15.28	93.27	19.05	107.57	22.81	114.1	24.74	120.63	26.67	123.28	26.76	125.94	27.02
	33	79.04	16.29	93.27	20.31	107.57	24.29	114.1	26.37	120.63	28.41	123.28	28.51	125.94	28.77
	35	79.04	17.32	93.27	21.60	107.57	25.85	114.1	28.03	120.63	30.23	123.28	30.32	125.94	30.62
	37	79.04	18.42	93.27	22.96	107.57	27.50	114.1	29.81	120.63	32.14	123.28	32.25	125.94	32.57
	39	79.04	18.52	93.27	23.06	107.57	27.60	114.1	29.94	120.63	32.27	123.28	32.37	125.94	32.70
	41	79.04	18.59	93.27	23.16	107.57	27.73	114.1	30.07	120.63	32.44	123.28	32.53	125.94	32.85
	43	79.04	18.68	93.27	23.26	107.57	27.86	114.1	30.23	120.63	32.57	123.28	32.70	125.94	32.99
	46	79.04	18.78	93.27	23.38	107.57	27.99	114.1	30.36	118.69	32.73	120.96	32.82	123.22	33.15
	48	79.04	18.84	93.27	23.49	107.57	28.12	111.84	30.49	116.36	32.89	118.69	32.99	120.96	33.31
	50	79.04	18.94	93.27	23.59	104.98	28.26	109.51	30.66	114.1	33.03	116.36	33.15	118.69	33.44
60%	10	67.72	7.75	79.95	9.63	92.17	11.55	97.8	12.52	103.43	13.49	105.69	13.56	107.89	13.69
	12	67.72	7.89	79.95	9.83	92.17	11.77	97.8	12.75	103.43	13.75	105.69	13.79	107.89	13.94
	14	67.72	8.04	79.95	9.99	92.17	11.97	97.8	13.01	103.43	14.01	105.69	14.05	107.89	14.17
	16	67.72	8.17	79.95	10.18	92.17	12.20	97.8	13.24	103.43	14.27	105.69	14.30	107.89	14.43
	18	67.72	8.31	79.95	10.38	92.17	12.42	97.8	13.46	103.43	14.51	105.69	14.56	107.89	14.70
	19	67.72	8.47	79.95	10.54	92.17	12.62	97.8	13.69	103.43	14.76	105.69	14.79	107.89	14.96
	21	67.72	9.08	79.95	11.29	92.17	13.53	97.8	14.69	103.43	15.83	105.69	15.87	107.89	16.02
	23	67.72	9.72	79.95	12.10	92.17	14.50	97.8	15.73	103.43	16.96	105.69	17.00	107.89	17.16
	25	67.72	10.41	79.95	12.94	92.17	15.51	97.8	16.83	103.43	18.14	105.69	18.20	107.89	18.36
	27	67.72	11.12	79.95	13.85	92.17	16.57	97.8	17.97	103.43	19.39	105.69	19.46	107.89	19.62
	29	67.72	11.87	79.95	14.79	92.17	17.71	97.8	19.20	103.43	20.69	105.69	20.76	107.89	20.96
	31	67.72	12.65	79.95	15.76	92.17	18.88	97.8	20.47	103.43	22.09	105.69	22.15	107.89	22.36
	33	67.72	13.49	79.95	16.80	92.17	20.11	97.8	21.83	103.43	23.51	105.69	23.59	107.89	23.81
	35	67.72	14.34	79.95	17.87	92.17	21.41	97.8	23.19	103.43	25.01	105.69	25.10	107.89	25.33
	37	67.72	15.25	79.95	19.01	92.17	22.77	97.8	24.68	103.43	26.60	105.69	26.69	107.89	26.95
	39	67.72	15.31	79.95	19.07	92.17	22.87	97.8	24.78	103.43	26.73	105.69	26.79	107.89	27.05
	41	67.72	15.38	79.95	19.17	92.17	22.96	97.8	24.91	103.43	26.86	105.69	26.92	107.89	27.18
	43	67.72	15.47	79.95	19.27	92.17	23.06	97.8	25.01	103.43	26.96	105.69	27.05	107.89	27.31
	46	67.72	15.53	79.95	19.36	92.17	23.16	97.8	25.14	103.43	27.09	105.69	27.18	107.89	27.44
	48	67.72	15.60	79.95	19.43	92.17	23.28	97.8	25.24	101.68	27.22	103.69	27.31	105.63	27.57
	50	67.72	15.67	79.95	19.52	92.17	23.38	95.86	25.36	99.74	27.35	101.68	27.44	103.69	27.70
50%	10	56.47	6.26	66.62	7.81	76.84	9.38	81.5	10.16	86.16	10.93	88.03	10.97	89.91	11.09
	12	56.47	6.39	66.62	7.95	76.84	9.53	81.5	10.35	86.16	11.16	88.03	11.19	89.91	11.29
	14	56.47	6.52	66.62	8.11	76.84	9.70	81.5	10.54	86.16	11.35	88.03	11.39	89.91	11.48
	16	56.47	6.62	66.62	8.25	76.84	9.89	81.5	10.71	86.16	11.55	88.03	11.58	89.91	11.71
	18	56.47	6.75	66.62	8.40	76.84	10.06	81.5	10.90	86.16	11.75	88.03	11.80	89.91	11.90
	19	56.47	6.85	66.62	8.53	76.84	10.22	81.5	11.09	86.16	11.97	88.03	12.00	89.91	12.10
	21	56.47	7.36	66.62	9.15	76.84	10.97	81.5	11.90	86.16	12.81	88.03	12.85	89.91	12.98
	23	56.47	7.88	66.62	9.80	76.84	11.74	81.5	12.75	86.16	13.72	88.03	13.79	89.91	13.92
	25	56.47	8.43	66.62	10.51	76.84	12.56	81.5	13.62	86.16	14.70	88.03	14.73	89.91	14.89
	27	56.47	9.02	66.62	11.22	76.84	13.43	81.5	14.57	86.16	15.70	88.03	15.76	89.91	15.89
	29	56.47	9.61	66.62	11.97	76.84	14.34	81.5	15.57	86.16	16.77	88.03	16.83	89.91	17.00
	31	56.47	10.25	66.62	12.78	76.84	15.30	81.5	16.60	86.16	17.88	88.03	17.93	89.91	18.10
	33	56.47	10.93	66.62	13.62	76.84	16.29	81.5	17.68	86.16	19.05	88.03	19.11	89.91	19.30
	35	56.47	11.61	66.62	14.47	76.84	17.33	81.5	18.81	86.16	20.27	88.03	20.33	89.91	20.53
	37	56.47	12.35	66.62	15.41	76.84	18.43	81.5	19.98	86.16	21.56	88.03	21.63	89.91	21.83
	39	56.47	12.42	66.62	15.47	76.84	18.52	81.5	20.08	86.16	21.64	88.03	21.70	89.91	21.92
	41	56.47	12.46	66.62	15.53	76.84	18.59	81.5	20.18	86.16	21.74	88.03	21.83	89.91	22.02
	43	56.47	12.52	66.62	15.60	76.84	18.69	81.5	20.27	86.16	21.86	88.03	21.92	89.91	22.13
	46	56.47	12.58	66.62	15.67	76.84	18.78	81.5	20.37	86.16	21.96	88.03	22.02	89.91	22.22
	48	56.47	12.65	66.62	15.76	76.84	18.84	81.5	20.46	86.42	22.05	87.19	22.13	88.81	22.35
	50	56.47	12.71	66.62	15.83	76.84	18.94	81.5	20.56	85.58	22.15	86.42	22.22	88.03	22.45

60HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1685W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	152.39	17.00	177.99	21.17	205.08	25.36	210.63	27.50	214.3	29.65	217.65	29.75	223.46	30.02
	12	152.39	17.31	177.99	21.57	205.08	25.83	208.75	28.01	212.43	30.19	215.71	30.29	221.46	30.59
	14	152.39	17.64	177.99	21.97	205.08	26.29	206.88	28.51	210.56	30.76	211.83	30.82	219.52	31.13
	16	152.39	17.94	177.99	22.35	203.27	26.76	205.08	29.05	206.75	31.30	209.96	31.40	217.51	31.69
	18	152.39	18.25	177.99	22.74	199.66	27.24	201.4	29.55	204.87	31.83	208.02	31.93	215.51	32.27
	19	152.39	18.58	177.99	23.14	197.85	27.71	199.53	30.06	203	32.40	206.08	32.50	213.57	32.80
	21	152.39	19.92	177.99	24.81	196.05	29.69	197.65	32.20	201.13	34.72	204.14	34.82	211.56	35.19
	23	152.39	21.33	177.99	26.57	194.24	31.80	195.85	34.51	199.26	37.20	202.2	37.30	209.62	37.66
	25	152.39	22.81	177.99	28.44	192.37	34.04	193.98	36.93	197.39	39.81	200.33	39.92	207.62	40.32
	27	152.39	24.39	177.99	30.39	190.57	36.39	192.1	39.48	195.51	42.56	198.39	42.67	203.67	43.10
	29	152.39	26.06	176.59	32.47	188.76	38.85	190.3	42.16	193.64	45.45	196.45	45.58	203.67	46.02
	31	152.39	27.77	176.06	34.61	186.95	41.43	188.43	44.95	191.77	48.46	194.51	48.60	201.67	49.07
	33	152.39	29.58	176.06	36.86	185.15	44.15	186.62	47.86	189.83	51.62	192.57	51.75	199.73	52.26
	35	152.39	31.46	174.32	39.21	181.54	46.96	184.75	50.92	187.96	54.91	190.3	55.07	197.72	55.61
	37	152.39	33.48	174.32	41.72	179.2	49.94	182.88	54.17	184.21	58.39	188.43	58.57	193.78	59.13
	39	152.39	33.62	171.84	41.89	177.86	50.15	181.07	54.41	182.34	58.66	186.62	58.84	191.84	59.40
	41	152.39	33.77	168.1	42.09	175.52	50.38	179.2	54.64	180.47	58.90	184.75	59.10	189.83	59.67
	43	153.32	33.94	164.42	42.27	172.45	50.62	175.52	54.91	178.6	59.20	182.94	59.37	187.82	59.94
	46	147.77	34.08	158.87	42.46	166.29	50.85	169.97	55.15	173.65	59.46	177.33	59.64	182.88	60.21
	48	144.09	34.24	153.32	42.67	160.74	51.09	164.42	55.42	168.1	59.74	171.84	59.91	177.33	60.51
	50	140.42	34.41	147.77	42.87	155.19	51.32	158.87	55.67	162.55	60.01	166.29	60.20	171.84	60.78
120%	10	143.09	16.84	170.44	20.97	196.58	25.12	203.54	27.24	210.83	29.35	213.7	29.45	220.45	29.75
	12	143.09	17.14	170.44	21.37	196.58	25.59	203.54	27.74	208.95	29.92	211.76	29.99	218.52	30.29
	14	143.09	17.45	170.44	21.74	196.58	26.03	203.54	28.24	207.08	30.45	209.89	30.56	216.58	30.82
	16	143.09	17.78	170.44	22.14	196.58	26.50	203.54	28.74	205.28	30.99	208.02	31.09	214.57	31.40
	18	143.09	18.08	170.44	22.54	196.58	26.97	201.73	29.25	203.4	31.54	206.15	31.63	212.63	31.93
	19	143.09	18.38	170.44	22.91	194.44	27.44	199.93	29.75	201.53	32.07	204.21	32.17	210.69	32.50
	21	143.09	19.72	170.44	24.56	192.64	29.42	196.25	31.90	197.85	34.38	202.33	34.51	208.75	34.82
	23	143.09	21.13	170.44	26.33	189.03	31.50	194.44	34.18	195.98	36.83	200.46	36.96	206.81	37.30
	25	143.09	22.60	170.44	28.17	187.16	33.71	190.83	36.57	194.18	39.41	198.52	39.54	204.87	39.92
	27	143.09	24.15	170.44	30.09	183.54	36.06	189.03	39.08	192.3	42.13	196.65	42.26	202.87	42.67
	29	143.09	25.79	170.44	32.14	181.74	38.48	187.16	41.73	190.43	44.99	194.78	45.14	200.93	45.58
	31	143.09	27.50	170.44	34.28	179.93	41.06	185.35	44.52	188.63	48.00	192.91	48.13	198.99	48.60
	33	143.09	29.32	170.44	36.50	178.13	43.71	183.54	47.43	186.75	51.12	190.97	51.28	197.05	51.75
	35	143.09	31.17	169.03	38.84	176.26	46.52	181.74	50.44	184.95	54.37	189.09	54.54	195.11	55.07
	37	143.09	33.14	167.23	41.33	174.45	49.47	178.13	53.64	181.2	57.83	187.16	58.02	191.17	58.57
	39	143.09	33.31	165.36	41.49	172.65	49.67	176.26	53.87	179.4	58.10	185.35	58.26	189.23	58.84
	41	143.09	33.44	161.88	41.66	170.84	49.91	174.45	54.13	177.53	58.33	183.54	58.53	187.29	59.10
	43	143.09	33.61	160.21	41.86	169.03	50.15	172.65	54.37	176.26	58.63	181.74	58.80	185.35	59.37
	46	139.95	33.77	156.26	42.07	163.55	50.38	167.23	54.64	170.84	58.90	176.26	59.07	179.93	59.64
	48	136.27	33.91	152.65	42.26	158.14	50.61	161.75	54.88	165.36	59.17	170.84	59.34	174.45	59.91
	50	132.66	34.08	149.04	42.46	152.65	50.82	156.26	55.14	159.94	59.44	165.36	59.60	169.03	60.20
110%	10	130.92	16.67	155.06	20.76	175.59	24.86	191.23	26.97	205.48	29.08	210.16	29.18	216.78	29.45
	12	130.92	16.97	155.06	21.16	175.59	25.32	191.23	27.47	203.67	29.62	208.28	29.71	214.9	29.99
	14	130.92	17.28	155.06	21.53	175.59	25.79	191.23	27.98	201.87	30.16	206.41	30.25	212.97	30.56
	16	130.92	17.60	155.06	21.94	175.59	26.27	191.23	28.48	200.06	30.69	204.54	30.79	211.03	31.09
	18	130.92	17.91	155.06	22.31	175.59	26.70	191.23	28.97	198.25	31.23	202.73	31.33	209.15	31.63
	19	130.92	18.21	155.06	22.71	175.59	27.17	191.23	29.48	196.38	31.77	200.86	31.87	207.21	32.17
	21	130.92	19.53	155.06	24.32	175.59	29.11	191.23	31.60	194.58	34.05	198.99	34.18	205.28	34.48
	23	130.92	20.93	155.06	26.06	175.59	31.19	189.43	33.85	192.77	36.49	197.12	36.59	203.4	36.96
	25	130.92	22.37	155.06	27.87	175.59	33.38	187.69	36.22	190.97	39.04	195.25	39.14	201.46	39.54
	27	130.92	23.92	155.06	29.82	175.59	35.69	185.88	38.71	189.16	41.72	193.37	41.86	199.53	42.26
	29	130.92	25.55	155.06	31.83	175.59	38.11	184.08	41.33	187.29	44.54	191.57	44.71	197.65	45.12
	31	130.92	27.24	155.06	33.95	175.59	40.65	182.27	44.07	185.48	47.53	189.7	47.67	195.71	48.13
	33	130.92	29.01	155.06	36.16	173.38	43.30	180.54	46.96	183.68	50.62	187.82	50.78	193.78	51.26
	35	130.92	30.86	155.06	38.47	171.58	46.05	178.73	49.94	181.87	53.83	185.95	54.00	191.84	54.54
	37	130.92	32.84	155.06	40.92	169.77	48.97	175.19	53.13	178.2	57.28	182.27	57.46	188.02	58.00
	39	130.92	32.97	155.06	41.09	168.03	49.20	173.38	53.36	176.39	57.52	180.4	57.69	186.09	58.26
	41	130.92	33.13	155.06	41.26	166.23	49.41	171.58	53.60	174.58	57.79	178.53	57.96	184.21	58.53
	43	130.92	33.27	155.06	41.46	164.42	49.65	169.77	53.83	172.78	58.06	176.66	58.23	182.27	58.80
	46	126.91	33.44	151.92	41.66	159.07	49.88	164.42	54.10	168.03	58.33	171.58	58.49	175.19	59.07
	48	123.3	33.58	148.37	41.86	153.72	50.11	159.07	54.34	162.62	58.60	166.23	58.76	169.77	59.34
	50	119.76	33.75	144.76	42.03	148.37	50.35	153.72	54.60	157.27	58.86	160.88	59.03	164.42	59.60

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1685W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	116.68	15.56	137.74	19.39	158.8	23.21	168.5	25.18	183.48	27.13	196.38	27.24	204.21	27.50
	12	116.68	15.84	137.74	19.76	158.8	23.65	168.5	25.66	183.48	27.64	196.38	27.74	202.4	28.00
	14	116.68	16.13	137.74	20.09	158.8	24.08	168.5	26.10	183.48	28.14	194.58	28.24	200.6	28.51
	16	116.68	16.44	137.74	20.46	158.8	24.52	168.5	26.57	183.48	28.64	192.84	28.74	198.79	29.01
	18	116.68	16.71	137.74	20.83	158.8	24.93	168.5	27.03	183.48	29.15	191.1	29.25	196.98	29.52
	19	116.68	17.00	137.74	21.17	158.8	25.36	168.5	27.50	183.48	29.65	189.36	29.75	195.18	30.02
	21	116.68	18.21	137.74	22.71	158.8	27.20	168.5	29.48	183.48	31.79	187.62	31.90	193.31	32.20
	23	116.68	19.53	137.74	24.31	158.8	29.11	168.5	31.59	183.48	34.05	185.82	34.15	191.5	34.48
	25	116.68	20.89	137.74	26.03	158.8	31.17	168.5	33.81	183.48	36.43	184.08	36.56	189.7	36.90
	27	116.68	22.34	137.74	27.81	158.8	33.31	168.5	36.13	181.74	38.94	182.34	39.08	187.89	39.45
	29	116.68	23.84	137.74	29.71	158.8	35.58	168.5	38.57	180	41.59	180.6	41.72	186.09	42.13
	31	116.68	25.42	137.74	31.69	158.8	37.93	168.5	41.15	178.33	44.35	178.86	44.48	184.28	44.91
	33	116.68	27.07	137.74	33.75	158.8	40.42	168.5	43.84	176.59	47.26	177.06	47.39	182.47	47.86
	35	116.68	28.82	137.74	35.89	158.8	43.00	168.5	46.62	174.05	50.25	175.32	50.41	180.67	50.91
	37	116.68	30.66	137.74	38.17	158.8	45.72	168.5	48.50	171.44	53.47	173.58	53.63	177.06	54.14
	39	116.68	30.79	137.74	38.34	158.8	45.92	168.5	49.88	170.17	53.70	171.84	53.86	175.25	54.37
	41	116.68	30.93	137.74	38.51	156.73	46.12	166.83	51.28	168.5	53.94	170.17	54.10	173.45	54.61
	43	116.68	31.06	137.74	38.71	154.99	46.36	165.16	53.07	166.83	54.17	168.5	54.34	171.64	54.87
	46	116.68	31.19	135	38.88	149.98	46.56	163.42	54.83	165.16	54.44	166.83	54.60	170.17	55.14
	48	116.68	31.36	133.6	39.04	144.9	46.76	158.4	55.48	163.42	54.68	161.75	54.84	165.16	55.38
	50	114.61	31.50	132.26	39.25	139.88	46.99	153.32	56.89	158.4	54.94	156.73	55.11	160.08	55.65
90%	10	105.05	13.45	123.97	16.77	142.96	20.06	151.65	21.77	160.34	23.47	181.81	23.55	185.55	23.75
	12	105.05	13.69	123.97	17.08	142.96	20.43	151.65	22.17	160.34	23.88	181.81	23.98	185.55	24.21
	14	105.05	13.95	123.97	17.37	142.96	20.80	151.65	22.58	160.34	24.32	181.81	24.42	185.55	24.65
	16	105.05	14.19	123.97	17.68	142.96	21.20	151.65	22.97	160.34	24.76	181.81	24.85	185.55	25.09
	18	105.05	14.46	123.97	18.01	142.96	21.57	151.65	23.38	160.34	25.19	181.81	25.29	183.48	25.53
	19	105.05	14.69	123.97	18.31	142.96	21.94	151.65	23.78	160.34	25.63	180.47	25.72	182.01	25.96
	21	105.05	15.76	123.97	19.63	142.96	23.51	151.65	25.49	160.34	27.48	178.93	27.57	180.47	27.84
	23	105.05	16.87	123.97	21.03	142.96	25.18	151.65	27.30	160.34	29.45	177.46	29.52	178.93	29.82
	25	105.05	18.05	123.97	22.50	142.96	26.93	151.65	29.21	160.34	31.50	175.92	31.60	177.46	31.90
	27	105.05	19.31	123.97	24.05	142.96	28.81	151.65	31.23	160.34	33.68	174.38	33.77	175.92	34.11
	29	105.05	20.63	123.97	25.69	142.96	30.76	151.65	33.35	160.34	35.95	172.91	36.06	174.38	36.43
	31	105.05	21.98	123.97	27.40	142.96	32.80	151.65	35.56	160.34	38.34	171.38	38.47	172.91	38.84
	33	105.05	23.41	123.97	29.18	142.96	34.92	151.65	37.90	160.34	40.85	169.84	40.96	171.38	41.36
	35	105.05	24.92	123.97	31.03	142.96	37.17	151.65	40.32	160.34	43.44	168.3	43.57	169.84	44.01
	37	105.05	26.50	123.97	33.01	142.96	39.51	151.65	42.87	160.34	46.22	166.83	46.36	168.3	46.79
	39	105.05	26.60	123.97	33.14	142.96	39.68	151.65	43.06	159.21	46.42	165.29	46.56	166.83	46.99
	41	105.05	26.73	123.97	33.31	142.96	39.88	151.65	43.24	157.73	46.62	163.75	46.76	165.29	47.22
	43	105.05	26.87	123.97	33.44	142.96	40.05	150.11	43.44	156.2	46.83	162.28	46.99	163.75	47.43
	46	105.05	26.97	123.97	33.61	138.01	40.25	145.57	43.64	151.65	47.06	157.73	47.20	159.21	47.66
	48	105.05	27.10	123.97	33.77	133.46	40.42	141.02	43.84	147.1	47.26	153.19	47.43	154.66	47.87
	50	105.05	27.24	121.29	33.91	128.92	40.62	136.47	44.04	142.56	47.49	148.64	47.63	150.11	48.10
80%	10	93.34	11.50	110.19	14.32	127.04	17.14	134.8	18.58	142.56	20.05	145.63	20.09	148.77	20.29
	12	93.34	11.70	110.19	14.59	127.04	17.47	134.8	18.95	142.56	20.42	145.63	20.46	148.77	20.66
	14	93.34	11.91	110.19	14.86	127.04	17.78	134.8	19.29	142.56	20.79	145.63	20.86	148.77	21.06
	16	93.34	12.14	110.19	15.13	127.04	18.08	134.8	19.62	142.56	21.16	145.63	21.23	148.77	21.43
	18	93.34	12.34	110.19	15.37	127.04	18.42	134.8	19.96	142.56	21.53	145.63	21.60	148.77	21.80
	19	93.34	12.55	110.19	15.63	127.04	18.72	134.8	20.32	142.56	21.90	145.63	21.97	148.77	22.17
	21	93.34	13.45	110.19	16.77	127.04	20.09	134.8	21.77	142.56	23.48	145.63	23.55	148.77	23.78
	23	93.34	14.42	110.19	17.94	127.04	21.50	134.8	23.32	142.56	25.16	145.63	25.22	148.77	25.46
	25	93.34	15.43	110.19	19.22	127.04	23.01	134.8	24.95	142.56	26.90	145.63	27.00	148.77	27.24
	27	93.34	16.50	110.19	20.56	127.04	24.59	134.8	26.67	142.56	28.78	145.63	28.85	148.77	29.14
	29	93.34	17.61	110.19	21.94	127.04	26.27	134.8	28.48	142.56	30.72	145.63	30.80	148.77	31.09
	31	93.34	18.79	110.19	23.38	127.04	28.01	134.8	30.39	142.56	32.74	145.63	32.84	148.77	33.17
	33	93.34	19.99	110.19	24.93	127.04	29.85	134.8	32.37	142.56	34.88	145.63	34.98	148.77	35.33
	35	93.34	21.26	110.19	26.50	127.04	31.73	134.8	34.42	142.56	37.13	145.63	37.23	148.77	37.60
	37	93.34	22.64	110.19	28.21	127.04	33.77	134.8	36.63	142.56	39.48	145.63	39.58	146.9	39.99
	39	93.34	22.74	110.19	28.31	127.04	33.91	134.8	36.77	142.56	39.64	144.23	39.78	145.57	40.15
	41	93.34	22.84	110.19	28.45	127.04	34.05	134.8	36.93	141.55	39.82	142.89	39.95	144.23	40.32
	43	93.34	22.94	110.19	28.58	127.04	34.22	134.8	37.13	140.22	40.01	141.55	40.11	142.89	40.52
	46	93.34	23.04	110.53	28.72	126.71	34.38	130.79	37.30	136.14	40.19	137.47	40.32	136.14	40.72
	48	93.34	23.14	110.53	28.85	122.7	34.55	126.71	37.46	132.13	40.38	133.46	40.51	132.13	40.89
	50	93.34	23.24	110.53	28.98	118.62	34.69	122.7	37.64	128.05	40.56	129.38	40.69	128.05	41.09

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1685W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	81.71	9.66	96.42	12.05	111.2	14.42	117.95	15.66	124.7	16.87	127.44	16.94	130.19	17.10
	12	81.71	9.86	96.42	12.28	111.2	14.69	117.95	15.94	124.7	17.18	127.44	17.24	130.19	17.41
	14	81.71	10.03	96.42	12.51	111.2	14.96	117.95	16.23	124.7	17.51	127.44	17.55	130.19	17.71
	16	81.71	10.20	96.42	12.71	111.2	15.23	117.95	16.53	124.7	17.82	127.44	17.88	130.19	18.05
	18	81.71	10.40	96.42	12.94	111.2	15.49	117.95	16.81	124.7	18.11	127.44	18.18	130.19	18.35
	19	81.71	10.57	96.42	13.18	111.2	15.76	117.95	17.10	124.7	18.44	127.44	18.48	130.19	18.68
	21	81.71	11.33	96.42	14.12	111.2	16.91	117.95	18.34	124.7	19.76	127.44	19.82	130.19	20.03
	23	81.71	12.14	96.42	15.13	111.2	18.11	117.95	19.66	124.7	21.16	127.44	21.24	130.19	21.44
	25	81.71	12.98	96.42	16.20	111.2	19.39	117.95	21.03	124.7	22.67	127.44	22.74	130.19	22.95
	27	81.71	13.89	96.42	17.31	111.2	20.73	117.95	22.48	124.7	24.22	127.44	24.29	130.19	24.52
	29	81.71	14.83	96.42	18.48	111.2	22.11	117.95	23.98	124.7	25.86	127.44	25.93	130.19	26.19
	31	81.71	15.80	96.42	19.69	111.2	23.58	117.95	25.59	124.7	27.57	127.44	27.67	130.19	27.94
	33	81.71	16.84	96.42	21.00	111.2	25.12	117.95	27.26	124.7	29.38	127.44	29.48	130.19	29.75
	35	81.71	17.91	96.42	22.34	111.2	26.74	117.95	28.98	124.7	31.26	127.44	31.36	130.19	31.66
	37	81.71	19.05	96.42	23.75	111.2	28.44	117.95	30.82	124.7	33.24	127.44	33.34	130.19	33.67
	39	81.71	19.15	96.42	23.85	111.2	28.55	117.95	30.96	124.7	33.38	127.44	33.48	130.19	33.81
	41	81.71	19.22	96.42	23.95	111.2	28.68	117.95	31.10	124.7	33.54	127.44	33.64	130.19	33.98
	43	81.71	19.32	96.42	24.06	111.2	28.82	117.95	31.26	124.7	33.68	127.44	33.81	130.19	34.11
	46	81.71	19.41	96.42	24.19	111.2	28.95	117.95	31.40	122.7	33.85	125.04	33.95	127.38	34.28
	48	81.71	19.49	96.42	24.29	111.2	29.09	115.61	31.54	120.29	34.01	122.7	34.11	125.04	34.45
	50	81.71	19.59	96.42	24.39	108.52	29.21	113.2	31.69	117.95	34.15	120.29	34.28	122.7	34.59
60%	10	70.01	8.02	82.65	9.97	95.28	11.95	101.1	12.95	106.92	13.96	109.26	14.02	111.53	14.15
	12	70.01	8.15	82.65	10.16	95.28	12.18	101.1	13.18	106.92	14.22	109.26	14.26	111.53	14.42
	14	70.01	8.32	82.65	10.34	95.28	12.38	101.1	13.45	106.92	14.49	109.26	14.52	111.53	14.66
	16	70.01	8.45	82.65	10.53	95.28	12.61	101.1	13.68	106.92	14.76	109.26	14.79	111.53	14.93
	18	70.01	8.59	82.65	10.73	95.28	12.84	101.1	13.92	106.92	15.00	109.26	15.06	111.53	15.20
	19	70.01	8.76	82.65	10.90	95.28	13.04	101.1	14.15	106.92	15.26	109.26	15.30	111.53	15.46
	21	70.01	9.39	82.65	11.68	95.28	13.99	101.1	15.19	106.92	16.36	109.26	16.40	111.53	16.57
	23	70.01	10.06	82.65	12.51	95.28	15.00	101.1	16.26	106.92	17.54	109.26	17.58	111.53	17.74
	25	70.01	10.76	82.65	13.39	95.28	16.03	101.1	17.41	106.92	18.75	109.26	18.81	111.53	18.99
	27	70.01	11.50	82.65	14.32	95.28	17.14	101.1	18.58	106.92	20.05	109.26	20.13	111.53	20.29
	29	70.01	12.28	82.65	15.29	95.28	18.31	101.1	19.86	106.92	21.40	109.26	21.47	111.53	21.67
	31	70.01	13.08	82.65	16.30	95.28	19.53	101.1	21.17	106.92	22.84	109.26	22.91	111.53	23.11
	33	70.01	13.95	82.65	17.37	95.28	20.79	101.1	22.57	106.92	24.31	109.26	24.39	111.53	24.62
	35	70.01	14.83	82.65	18.48	95.28	22.13	101.1	23.98	106.92	25.86	109.26	25.96	111.53	26.20
	37	70.01	15.76	82.65	19.66	95.28	23.55	101.1	25.53	106.92	27.50	109.26	27.61	111.53	27.87
	39	70.01	15.84	82.65	19.73	95.28	23.65	101.1	25.63	106.92	27.63	109.26	27.71	111.53	27.98
	41	70.01	15.90	82.65	19.82	95.28	23.75	101.1	25.76	106.92	27.77	109.26	27.84	111.53	28.11
	43	70.01	15.99	82.65	19.92	95.28	23.85	101.1	25.86	106.92	27.87	109.26	27.98	111.53	28.24
	46	70.01	16.07	82.65	20.03	95.28	23.95	101.1	26.00	106.92	28.01	109.26	28.11	111.53	28.37
	48	70.01	16.13	82.65	20.09	95.28	24.08	101.1	26.10	105.11	28.14	107.18	28.24	109.19	28.51
	50	70.01	16.21	82.65	20.19	95.28	24.19	99.09	26.23	103.11	28.27	105.11	28.37	107.18	28.64
50%	10	58.37	6.47	68.87	8.08	79.44	9.69	84.25	10.50	89.06	11.31	91	11.34	92.94	11.47
	12	58.37	6.61	68.87	8.22	79.44	9.86	84.25	10.70	89.06	11.54	91	11.58	92.94	11.68
	14	58.37	6.74	68.87	8.39	79.44	10.03	84.25	10.90	89.06	11.74	91	11.77	92.94	11.88
	16	58.37	6.84	68.87	8.52	79.44	10.22	84.25	11.08	89.06	11.95	91	11.97	92.94	12.11
	18	58.37	6.97	68.87	8.69	79.44	10.40	84.25	11.27	89.06	12.15	91	12.20	92.94	12.31
	19	58.37	7.08	68.87	8.82	79.44	10.57	84.25	11.47	89.06	12.38	91	12.41	92.94	12.52
	21	58.37	7.61	68.87	9.46	79.44	11.33	84.25	12.31	89.06	13.25	91	13.29	92.94	13.41
	23	58.37	8.14	68.87	10.13	79.44	12.14	84.25	13.18	89.06	14.19	91	14.26	92.94	14.39
	25	58.37	8.72	68.87	10.86	79.44	12.98	84.25	14.09	89.06	15.20	91	15.23	92.94	15.39
	27	58.37	9.32	68.87	11.60	79.44	13.89	84.25	15.06	89.06	16.23	91	16.30	92.94	16.44
	29	58.37	9.93	68.87	12.38	79.44	14.83	84.25	16.10	89.06	17.34	91	17.41	92.94	17.58
	31	58.37	10.60	68.87	13.21	79.44	15.83	84.25	17.17	89.06	18.48	91	18.55	92.94	18.72
	33	58.37	11.30	68.87	14.08	79.44	16.85	84.25	18.28	89.06	19.69	91	19.76	92.94	19.96
	35	58.37	12.01	68.87	14.96	79.44	17.92	84.25	19.45	89.06	20.96	91	21.03	92.94	21.23
	37	58.37	12.78	68.87	15.93	79.44	19.05	84.25	20.66	89.06	22.30	91	22.37	92.94	22.58
	39	58.37	12.84	68.87	15.99	79.44	19.16	84.25	20.76	89.06	22.37	91	22.44	92.94	22.68
	41	58.37	12.88	68.87	16.07	79.44	19.22	84.25	20.87	89.06	22.48	91	22.57	92.94	22.77
	43	58.37	12.95	68.87	16.13	79.44	19.32	84.25	20.96	89.06	22.60	91	22.67	92.94	22.87
	46	58.37	13.02	68.87	16.21	79.44	19.42	84.25	21.06	89.06	22.71	91	22.77	92.94	22.97
	48	58.37	13.08	68.87	16.30	79.44	19.49	84.25	21.16	89.33	22.81	90.13	22.87	91.81	23.10
	50	58.37	13.15	68.87	16.36	79.44	19.59	84.25	21.26	88.46	22.91	89.33	22.97	91	23.21

62HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1750W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútročná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	158.26	17.80	184.86	22.15	212.99	26.54	218.75	28.79	222.57	31.04	226.04	31.14	232.08	31.43
	12	158.26	18.11	184.86	22.57	212.99	27.03	216.81	29.32	220.63	31.60	224.03	31.70	230	32.01
	14	158.26	18.46	184.86	22.99	212.99	27.53	214.86	29.85	218.68	32.20	220	32.27	227.99	32.58
	16	158.26	18.78	184.86	23.39	211.11	28.02	212.99	30.41	214.72	32.75	218.06	32.86	225.9	33.17
	18	158.26	19.10	184.86	23.81	207.36	28.50	209.17	30.93	212.78	33.32	216.04	33.43	223.82	33.77
	19	158.26	19.45	184.86	24.23	205.49	29.00	207.22	31.46	210.83	33.92	214.03	34.02	221.81	34.34
	21	158.26	20.86	184.86	25.97	203.61	31.07	205.28	33.70	208.89	36.34	212.01	36.45	219.72	36.83
	23	158.26	22.33	184.86	27.81	201.74	33.28	203.4	36.13	206.94	38.93	210	39.04	217.71	39.43
	25	158.26	23.88	184.86	29.78	199.79	35.63	201.46	38.66	205	41.67	208.06	41.78	215.63	42.20
	27	158.26	25.53	184.86	31.81	197.92	38.09	199.51	41.33	203.06	44.55	206.04	44.66	211.53	45.11
	29	158.26	27.28	183.4	33.98	196.04	40.66	197.64	44.13	201.11	47.57	204.03	47.71	211.53	48.17
	31	158.26	29.07	182.85	36.24	194.17	43.36	195.69	47.05	199.17	50.73	202.01	50.88	209.44	51.36
	33	158.26	30.96	182.85	38.59	192.29	46.21	193.82	50.10	197.15	54.03	200	54.18	207.43	54.71
	35	158.26	32.94	181.04	41.04	188.54	49.15	191.88	53.30	195.21	57.48	197.64	57.65	205.35	58.21
	37	158.26	35.04	181.04	43.68	186.11	52.28	189.93	56.70	191.32	61.12	195.69	61.30	201.25	61.90
	39	158.26	35.19	178.47	43.85	184.72	52.49	188.06	56.95	189.38	61.41	193.82	61.58	199.24	62.18
	41	158.26	35.36	174.58	44.06	182.29	52.73	186.11	57.19	187.43	61.65	191.88	61.86	197.15	62.46
	43	159.24	35.52	170.76	44.24	179.1	52.98	182.29	57.48	185.49	61.96	190	62.15	195.07	62.74
	46	153.47	35.67	165	44.45	172.71	53.23	176.53	57.72	180.35	62.25	184.17	62.43	189.93	63.02
	48	149.65	35.84	159.24	44.66	166.94	53.47	170.76	58.01	174.58	62.53	178.47	62.71	184.17	63.33
	50	145.83	36.02	153.47	44.87	161.18	53.72	165	58.28	168.82	62.81	172.71	63.02	178.47	63.62
120%	10	148.61	17.62	177.01	21.94	204.17	26.29	211.39	28.51	218.96	30.73	221.94	30.83	228.96	31.14
	12	148.61	17.94	177.01	22.36	204.17	26.79	211.39	29.03	217.01	31.32	219.93	31.39	226.94	31.70
	14	148.61	18.26	177.01	22.76	204.17	27.25	211.39	29.56	215.07	31.88	217.99	31.98	224.93	32.27
	16	148.61	18.61	177.01	23.18	204.17	27.74	211.39	30.09	213.19	32.44	216.04	32.54	222.85	32.86
	18	148.61	18.93	177.01	23.59	204.17	28.23	209.51	30.62	211.25	33.00	214.1	33.11	220.83	33.43
	19	148.61	19.25	177.01	23.98	201.94	28.72	207.64	31.15	209.31	33.57	212.08	33.68	218.82	34.02
	21	148.61	20.65	177.01	25.70	200.07	30.79	203.82	33.39	205.49	35.99	210.14	36.13	216.81	36.45
	23	148.61	22.12	177.01	27.55	196.32	32.97	201.94	35.78	203.54	38.55	208.19	38.69	214.79	39.04
	25	148.61	23.66	177.01	29.49	194.38	35.29	198.19	38.27	201.67	41.25	206.18	41.39	212.78	41.78
	27	148.61	25.28	177.01	31.49	190.63	37.74	196.32	40.91	199.72	44.11	204.24	44.24	210.69	44.66
	29	148.61	27.00	177.01	33.64	188.75	40.28	194.38	43.68	197.78	47.08	202.29	47.26	208.68	47.71
	31	148.61	28.79	177.01	35.88	186.88	42.97	192.5	46.59	195.9	50.24	200.35	50.38	206.67	50.88
	33	148.61	30.68	177.01	38.20	185	45.75	190.63	49.64	193.96	53.51	198.33	53.68	204.65	54.18
	35	148.61	32.62	175.56	40.66	183.06	48.69	188.75	52.81	192.08	56.92	196.39	57.09	202.64	57.65
	37	148.61	34.69	173.68	43.26	181.18	51.78	185	56.14	188.19	60.53	194.38	60.74	198.54	61.30
	39	148.61	34.87	171.74	43.43	179.31	52.00	183.06	56.39	186.32	60.81	192.5	60.98	196.53	61.58
	41	148.61	35.00	168.13	43.61	177.43	52.24	181.18	56.66	184.38	61.06	190.63	61.27	194.51	61.86
	43	148.61	35.18	166.39	43.82	175.56	52.49	179.31	56.92	183.06	61.37	188.75	61.54	192.5	62.15
	46	145.35	35.35	162.29	44.03	169.86	52.73	173.68	57.19	177.43	61.65	183.06	61.83	186.88	62.43
	48	141.53	35.50	158.54	44.23	164.24	52.98	167.99	57.44	171.74	61.94	177.43	62.11	181.18	62.71
	50	137.78	35.67	154.79	44.44	158.54	53.20	162.29	57.72	166.11	62.21	171.74	62.39	175.56	63.02
110%	10	135.97	17.45	161.04	21.73	182.36	26.02	198.61	28.23	213.4	30.44	218.26	30.54	225.14	30.83
	12	135.97	17.77	161.04	22.15	182.36	26.51	198.61	28.75	211.53	31.00	216.32	31.10	223.19	31.39
	14	135.97	18.09	161.04	22.55	182.36	27.00	198.61	29.28	209.65	31.57	214.38	31.67	221.18	31.98
	16	135.97	18.43	161.04	22.96	182.36	27.49	198.61	29.81	207.78	32.12	212.43	32.23	219.17	32.54
	18	135.97	18.74	161.04	23.35	182.36	27.95	198.61	30.33	205.9	32.69	210.56	32.79	217.22	33.11
	19	135.97	19.06	161.04	23.76	182.36	28.44	198.61	30.86	203.96	33.25	208.61	33.36	215.21	33.67
	21	135.97	20.43	161.04	25.46	182.36	30.48	198.61	33.07	202.08	35.64	206.67	35.77	213.19	36.10
	23	135.97	21.91	161.04	27.28	182.36	32.65	196.74	35.42	200.21	38.20	204.72	38.30	211.25	38.69
	25	135.97	23.42	161.04	29.18	182.36	34.94	194.93	37.92	198.33	40.87	202.78	40.98	209.24	41.39
	27	135.97	25.03	161.04	31.21	182.36	37.36	193.06	40.51	196.46	43.68	200.83	43.81	207.22	44.24
	29	135.97	26.75	161.04	33.32	182.36	39.88	191.18	43.26	194.51	46.63	198.96	46.80	205.28	47.23
	31	135.97	28.51	161.04	35.53	182.36	42.55	189.31	46.13	192.64	49.75	197.01	49.89	203.26	50.38
	33	135.97	30.37	161.04	37.84	180.07	45.32	187.5	49.15	190.76	52.98	195.07	53.15	201.25	53.65
	35	135.97	32.31	161.04	40.27	178.19	48.21	185.63	52.28	188.89	56.35	193.13	56.53	199.24	57.09
	37	135.97	34.37	161.04	42.83	176.32	51.26	181.94	55.61	185.07	59.96	189.31	60.14	195.28	60.71
	39	135.97	34.52	161.04	43.01	174.51	51.51	180.07	55.86	183.19	60.21	187.36	60.39	193.26	60.98
	41	135.97	34.68	161.04	43.19	172.64	51.72	178.19	56.10	181.32	60.49	185.42	60.67	191.32	61.27
	43	135.97	34.83	161.04	43.40	170.76	51.96	176.32	56.35	179.44	60.77	183.47	60.95	189.31	61.54
	46	131.81	35.00	157.78	43.60	165.21	52.21	170.76	56.63	174.51	61.05	178.19	61.23	181.94	61.83
	48	128.06	35.15	154.1	43.81	159.65	52.45	165.21	56.88	168.89	61.33	172.64	61.51	176.32	62.11
	50	124.38	35.32	150.35	44.00	154.1	52.70	159.65	57.16	163.33	61.62	167.08	61.80	170.76	62.39

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1750W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	121.18	16.29	143.06	20.29	164.93	24.30	175	26.37	190.56	28.40	203.96	28.50	212.08	28.79
	12	121.18	16.58	143.06	20.67	164.93	24.75	175	26.86	190.56	28.93	203.96	29.03	210.21	29.32
	14	121.18	16.89	143.06	21.04	164.93	25.21	175	27.32	190.56	29.46	202.08	29.56	208.33	29.84
	16	121.18	17.20	143.06	21.42	164.93	25.66	175	27.81	190.56	29.99	200.28	30.09	206.46	30.37
	18	121.18	17.48	143.06	21.81	164.93	26.09	175	28.30	190.56	30.52	198.47	30.62	204.58	30.90
	19	121.18	17.80	143.06	22.16	164.93	26.54	175	28.79	190.56	31.04	196.67	31.14	202.71	31.43
	21	121.18	19.06	143.06	23.77	164.93	28.47	175	30.86	190.56	33.28	194.86	33.38	200.76	33.70
	23	121.18	20.43	143.06	25.45	164.93	30.48	175	33.07	190.56	35.64	192.99	35.74	198.89	36.09
	25	121.18	21.87	143.06	27.24	164.93	32.62	175	35.39	190.56	38.13	191.18	38.27	197.01	38.62
	27	121.18	23.38	143.06	29.11	164.93	34.87	175	37.82	188.75	40.76	189.38	40.90	195.14	41.29
	29	121.18	24.96	143.06	31.10	164.93	37.25	175	40.38	186.94	43.54	187.57	43.68	193.26	44.10
	31	121.18	26.61	143.06	33.17	164.93	39.71	175	43.08	185.21	46.42	185.76	46.55	191.39	47.01
	33	121.18	28.34	143.06	35.32	164.93	42.30	175	45.89	183.4	49.47	183.89	49.61	189.51	50.10
	35	121.18	30.16	143.06	37.57	164.93	45.01	175	48.72	180.76	52.60	182.08	52.77	187.64	53.29
	37	121.18	32.09	143.06	39.96	164.93	47.85	175	50.77	178.06	55.96	180.28	56.14	183.89	56.67
	39	121.18	32.22	143.06	40.13	164.93	48.06	175	52.21	176.74	56.21	178.47	56.38	182.01	56.92
	41	121.18	32.37	143.06	40.31	162.78	48.27	173.26	53.68	175	56.45	176.74	56.63	180.14	57.16
	43	121.18	32.51	143.06	40.51	160.97	48.52	171.53	55.65	173.26	56.71	175	56.88	178.26	57.44
	46	121.18	32.65	140.21	40.70	155.76	48.73	169.72	57.69	171.53	56.98	173.26	57.16	176.74	57.71
	48	121.18	32.83	138.75	40.87	150.49	48.95	164.51	58.07	169.72	57.23	167.99	57.40	171.53	57.97
	50	119.03	32.96	137.36	41.08	145.28	49.19	159.24	59.54	164.51	57.51	162.78	57.69	166.25	58.24
90%	10	109.1	14.08	128.75	17.56	148.47	21.00	157.5	22.78	166.53	24.57	188.82	24.65	192.71	24.86
	12	109.1	14.33	128.75	17.87	148.47	21.39	157.5	23.20	166.53	25.00	188.82	25.10	192.71	25.34
	14	109.1	14.60	128.75	18.19	148.47	21.77	157.5	23.62	166.53	25.46	188.82	25.55	192.71	25.80
	16	109.1	14.85	128.75	18.51	148.47	22.19	157.5	24.05	166.53	25.92	188.82	26.01	192.71	26.26
	18	109.1	15.13	128.75	18.85	148.47	22.57	157.5	24.47	166.53	26.37	188.82	26.47	190.56	26.72
	19	109.1	15.38	128.75	19.17	148.47	22.96	157.5	24.89	166.53	26.82	187.43	26.92	189.03	27.18
	21	109.1	16.50	128.75	20.54	148.47	24.61	157.5	26.69	166.53	28.76	185.83	28.86	187.43	29.14
	23	109.1	17.66	128.75	22.02	148.47	26.37	157.5	28.58	166.53	30.83	184.31	30.90	185.83	31.21
	25	109.1	18.89	128.75	23.56	148.47	28.19	157.5	30.58	166.53	32.97	182.71	33.07	184.31	33.39
	27	109.1	20.22	128.75	25.18	148.47	30.16	157.5	32.69	166.53	35.25	181.11	35.36	182.71	35.71
	29	109.1	21.59	128.75	26.89	148.47	32.20	157.5	34.90	166.53	37.63	179.58	37.74	181.11	38.13
	31	109.1	23.00	128.75	28.68	148.47	34.34	157.5	37.22	166.53	40.13	177.99	40.27	179.58	40.66
	33	109.1	24.51	128.75	30.54	148.47	36.56	157.5	39.67	166.53	42.76	176.39	42.87	177.99	43.29
	35	109.1	26.08	128.75	32.48	148.47	38.90	157.5	42.20	166.53	45.47	174.79	45.61	176.39	46.06
	37	109.1	27.74	128.75	34.55	148.47	41.36	157.5	44.87	166.53	48.38	173.26	48.52	174.79	48.99
	39	109.1	27.85	128.75	34.69	148.47	41.54	157.5	45.07	165.35	48.59	171.67	48.73	173.26	49.20
	41	109.1	27.98	128.75	34.87	148.47	41.75	157.5	45.26	163.82	48.80	170.07	48.95	171.67	49.43
	43	109.1	28.12	128.75	35.01	148.47	41.92	155.9	45.47	162.22	49.01	168.54	49.19	170.07	49.64
	46	109.1	28.23	128.75	35.18	143.33	42.13	151.18	45.68	157.5	49.26	163.82	49.40	165.35	49.89
	48	109.1	28.37	128.75	35.35	138.61	42.31	146.46	45.89	152.78	49.47	159.1	49.64	160.63	50.10
	50	109.1	28.50	125.97	35.50	133.89	42.51	141.74	46.11	148.06	49.72	154.38	49.85	155.9	50.35
80%	10	96.94	12.04	114.44	14.99	131.94	17.94	140	19.46	148.06	20.99	151.25	21.03	154.51	21.24
	12	96.94	12.26	114.44	15.27	131.94	18.29	140	19.83	148.06	21.38	151.25	21.42	154.51	21.63
	14	96.94	12.47	114.44	15.55	131.94	18.61	140	20.19	148.06	21.77	151.25	21.83	154.51	22.04
	16	96.94	12.70	114.44	15.83	131.94	18.93	140	20.54	148.06	22.15	151.25	22.23	154.51	22.44
	18	96.94	12.92	114.44	16.08	131.94	19.27	140	20.89	148.06	22.54	151.25	22.61	154.51	22.82
	19	96.94	13.13	114.44	16.37	131.94	19.59	140	21.28	148.06	22.93	151.25	22.99	154.51	23.21
	21	96.94	14.08	114.44	17.56	131.94	21.03	140	22.78	148.06	24.57	151.25	24.65	154.51	24.89
	23	96.94	15.10	114.44	18.79	131.94	22.51	140	24.40	148.06	26.33	151.25	26.40	154.51	26.65
	25	96.94	16.15	114.44	20.12	131.94	24.09	140	26.12	148.06	28.16	151.25	28.26	154.51	28.51
	27	96.94	17.27	114.44	21.52	131.94	25.74	140	27.92	148.06	30.12	151.25	30.20	154.51	30.51
	29	96.94	18.43	114.44	22.97	131.94	27.49	140	29.81	148.06	32.16	151.25	32.23	154.51	32.55
	31	96.94	19.66	114.44	24.47	131.94	29.32	140	31.80	148.06	34.27	151.25	34.37	154.51	34.72
	33	96.94	20.93	114.44	26.08	131.94	31.25	140	33.88	148.06	36.51	151.25	36.62	154.51	36.98
	35	96.94	22.26	114.44	27.74	131.94	33.22	140	36.03	148.06	38.86	151.25	38.97	154.51	39.35
	37	96.94	23.70	114.44	29.53	131.94	35.35	140	38.34	148.06	41.33	151.25	41.44	152.57	41.85
	39	96.94	23.80	114.44	29.64	131.94	35.50	140	38.48	148.06	41.50	149.79	41.64	151.18	42.03
	41	96.94	23.91	114.44	29.78	131.94	35.64	140	38.66	147.01	41.67	148.4	41.81	149.79	42.20
	43	96.94	24.02	114.44	29.91	131.94	35.82	140	38.86	145.63	41.88	147.01	41.99	148.4	42.41
	46	96.94	24.12	114.79	30.05	131.6	35.99	135.83	39.04	141.39	42.07	142.78	42.20	141.39	42.62
	48	96.94	24.23	114.79	30.20	127.43	36.16	131.6	39.22	137.22	42.27	138.61	42.41	137.22	42.80
	50	96.94	24.34	114.79	30.33	123.19	36.31	127.43	39.39	132.99	42.45	134.38	42.59	132.99	43.01

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1750W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	84.86	10.12	100.14	12.61	115.49	15.10	122.5	16.40	129.51	17.67	132.36	17.73	135.21	17.90
	12	84.86	10.32	100.14	12.85	115.49	15.38	122.5	16.68	129.51	17.98	132.36	18.05	135.21	18.22
	14	84.86	10.50	100.14	13.10	115.49	15.66	122.5	16.99	129.51	18.32	132.36	18.37	135.21	18.54
	16	84.86	10.67	100.14	13.31	115.49	15.94	122.5	17.31	129.51	18.64	132.36	18.71	135.21	18.89
	18	84.86	10.88	100.14	13.55	115.49	16.22	122.5	17.59	129.51	18.96	132.36	19.03	135.21	19.21
	19	84.86	11.06	100.14	13.80	115.49	16.51	122.5	17.90	129.51	19.31	132.36	19.35	135.21	19.56
	21	84.86	11.86	100.14	14.78	115.49	17.69	122.5	19.20	129.51	20.68	132.36	20.75	135.21	20.96
	23	84.86	12.71	100.14	15.84	115.49	18.95	122.5	20.57	129.51	22.15	132.36	22.23	135.21	22.44
	25	84.86	13.59	100.14	16.95	115.49	20.29	122.5	22.01	129.51	23.73	132.36	23.80	135.21	24.02
	27	84.86	14.53	100.14	18.11	115.49	21.70	122.5	23.52	129.51	25.35	132.36	25.42	135.21	25.67
	29	84.86	15.52	100.14	19.35	115.49	23.14	122.5	25.10	129.51	27.07	132.36	27.14	135.21	27.42
	31	84.86	16.54	100.14	20.61	115.49	24.68	122.5	26.79	129.51	28.86	132.36	28.96	135.21	29.24
	33	84.86	17.63	100.14	21.98	115.49	26.30	122.5	28.54	129.51	30.75	132.36	30.86	135.21	31.15
	35	84.86	18.75	100.14	23.38	115.49	27.98	122.5	30.34	129.51	32.72	132.36	32.83	135.21	33.14
	37	84.86	19.94	100.14	24.86	115.49	29.77	122.5	32.27	129.51	34.79	132.36	34.90	135.21	35.25
	39	84.86	20.04	100.14	24.96	115.49	29.88	122.5	32.41	129.51	34.94	132.36	35.04	135.21	35.40
	41	84.86	20.12	100.14	25.07	115.49	30.02	122.5	32.55	129.51	35.11	132.36	35.21	135.21	35.56
	43	84.86	20.22	100.14	25.18	115.49	30.16	122.5	32.72	129.51	35.25	132.36	35.39	135.21	35.71
	46	84.86	20.33	100.14	25.32	115.49	30.30	122.5	32.86	129.51	35.42	129.86	35.53	132.29	35.88
	48	84.86	20.40	100.14	25.42	115.49	30.44	120.07	33.01	124.93	35.60	127.43	35.71	129.86	36.05
	50	84.86	20.50	100.14	25.53	112.71	30.58	117.57	33.17	122.5	35.74	124.93	35.88	127.43	36.20
60%	10	72.71	8.39	85.83	10.43	98.96	12.50	105	13.55	111.04	14.61	113.47	14.68	115.83	14.81
	12	72.71	8.54	85.83	10.64	98.96	12.74	105	13.80	111.04	14.89	113.47	14.92	115.83	15.10
	14	72.71	8.70	85.83	10.82	98.96	12.96	105	14.07	111.04	15.17	113.47	15.21	115.83	15.34
	16	72.71	8.85	85.83	11.02	98.96	13.20	105	14.32	111.04	15.45	113.47	15.48	115.83	15.63
	18	72.71	8.99	85.83	11.23	98.96	13.44	105	14.57	111.04	15.70	113.47	15.76	115.83	15.90
	19	72.71	9.17	85.83	11.41	98.96	13.66	105	14.81	111.04	15.98	113.47	16.01	115.83	16.19
	21	72.71	9.82	85.83	12.22	98.96	14.64	105	15.90	111.04	17.14	113.47	17.17	115.83	17.35
	23	72.71	10.53	85.83	13.10	98.96	15.69	105	17.03	111.04	18.36	113.47	18.40	115.83	18.57
	25	72.71	11.27	85.83	14.01	98.96	16.79	105	18.22	111.04	19.63	113.47	19.69	115.83	19.88
	27	72.71	12.04	85.83	14.99	98.96	17.94	105	19.46	111.04	20.99	113.47	21.07	115.83	21.25
	29	72.71	12.85	85.83	16.01	98.96	19.16	105	20.78	111.04	22.40	113.47	22.47	115.83	22.68
	31	72.71	13.69	85.83	17.06	98.96	20.43	105	22.15	111.04	23.91	113.47	23.98	115.83	24.19
	33	72.71	14.60	85.83	18.19	98.96	21.77	105	23.62	111.04	25.45	113.47	25.53	115.83	25.77
	35	72.71	15.52	85.83	19.35	98.96	23.17	105	25.10	111.04	27.07	113.47	27.17	115.83	27.42
	37	72.71	16.51	85.83	20.57	98.96	24.65	105	26.71	111.04	28.79	113.47	28.90	115.83	29.17
	39	72.71	16.58	85.83	20.65	98.96	24.75	105	26.82	111.04	28.93	113.47	29.01	115.83	29.28
	41	72.71	16.64	85.83	20.75	98.96	24.86	105	26.96	111.04	29.07	113.47	29.14	115.83	29.42
	43	72.71	16.74	85.83	20.86	98.96	24.97	105	27.07	111.04	29.18	113.47	29.28	115.83	29.56
	46	72.71	16.82	85.83	20.96	98.96	25.07	105	27.21	111.04	29.32	113.47	29.42	115.83	29.70
	48	72.71	16.89	85.83	21.03	98.96	25.21	105	27.32	109.17	29.46	111.32	29.56	113.4	29.84
	50	72.71	16.96	85.83	21.14	98.96	25.32	102.92	27.45	107.08	29.60	109.17	29.70	111.32	29.99
50%	10	60.63	6.78	71.53	8.46	82.5	10.14	87.5	10.99	92.5	11.84	94.51	11.87	96.53	12.01
	12	60.63	6.92	71.53	8.61	82.5	10.32	87.5	11.20	92.5	12.07	94.51	12.11	96.53	12.22
	14	60.63	7.06	71.53	8.77	82.5	10.50	87.5	11.41	92.5	12.29	94.51	12.32	96.53	12.43
	16	60.63	7.17	71.53	8.92	82.5	10.70	87.5	11.59	92.5	12.50	94.51	12.54	96.53	12.68
	18	60.63	7.30	71.53	9.09	82.5	10.88	87.5	11.80	92.5	12.71	94.51	12.78	96.53	12.89
	19	60.63	7.41	71.53	9.24	82.5	11.06	87.5	12.01	92.5	12.95	94.51	12.99	96.53	13.10
	21	60.63	7.97	71.53	9.91	82.5	11.87	87.5	12.89	92.5	13.87	94.51	13.91	96.53	14.05
	23	60.63	8.53	71.53	10.61	82.5	12.71	87.5	13.80	92.5	14.85	94.51	14.91	96.53	15.06
	25	60.63	9.13	71.53	11.37	82.5	13.59	87.5	14.75	92.5	15.90	94.51	15.94	96.53	16.11
	27	60.63	9.76	71.53	12.15	82.5	14.54	87.5	15.76	92.5	17.00	94.51	17.06	96.53	17.21
	29	60.63	10.40	71.53	12.96	82.5	15.52	87.5	16.85	92.5	18.15	94.51	18.22	96.53	18.40
	31	60.63	11.09	71.53	13.84	82.5	16.57	87.5	17.98	92.5	19.35	94.51	19.42	96.53	19.59
	33	60.63	11.83	71.53	14.74	82.5	17.63	87.5	19.14	92.5	20.61	94.51	20.68	96.53	20.89
	35	60.63	12.58	71.53	15.66	82.5	18.75	87.5	20.36	92.5	21.94	94.51	22.02	96.53	22.23
	37	60.63	13.38	71.53	16.68	82.5	19.94	87.5	21.63	92.5	23.34	94.51	23.41	96.53	23.63
	39	60.63	13.44	71.53	16.74	82.5	20.05	87.5	21.73	92.5	23.42	94.51	23.50	96.53	23.73
	41	60.63	13.49	71.53	16.82	82.5	20.12	87.5	21.84	92.5	23.52	94.51	23.62	96.53	23.84
	43	60.63	13.55	71.53	16.89	82.5	20.22	87.5	21.94	92.5	23.66	94.51	23.73	96.53	23.94
	46	60.63	13.63	71.53	16.96	82.5	20.33	87.5	22.04	92.5	23.77	94.51	23.83	96.53	24.05
	48	60.63	13.69	71.53	17.06	82.5	20.40	87.5	22.15	92.78	23.87	93.61	23.94	95.35	24.19
	50	60.63	13.76	71.53	17.14	82.5	20.51	87.5	22.25	91.88	23.98	92.78	24.05	94.51	24.29

64HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1800W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútna teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	162.79	18.56	190.14	23.09	219.07	27.67	225	30.01	228.93	32.35	232.5	32.46	238.71	32.76
	12	162.79	18.89	190.14	23.53	219.07	28.18	223	30.56	226.93	32.94	230.43	33.05	236.57	33.38
	14	162.79	19.25	190.14	23.97	219.07	28.69	221	31.11	224.93	33.56	226.29	33.64	234.5	33.96
	16	162.79	19.58	190.14	24.38	217.14	29.21	219.07	31.70	220.86	34.15	224.29	34.26	232.36	34.59
	18	162.79	19.91	190.14	24.81	213.29	29.72	215.14	32.24	218.86	34.73	222.21	34.84	230.21	35.21
	19	162.79	20.28	190.14	25.25	211.36	30.23	213.14	32.79	216.86	35.36	220.14	35.47	228.14	35.79
	21	162.79	21.74	190.14	27.08	209.43	32.39	211.14	35.14	214.86	37.88	218.07	37.99	226	38.39
	23	162.79	23.28	190.14	28.99	207.5	34.70	209.21	37.66	212.86	40.59	216	40.70	223.93	41.10
	25	162.79	24.89	190.14	31.04	205.5	37.15	207.21	40.30	210.86	43.44	214	43.55	221.79	43.99
	27	162.79	26.61	190.14	33.16	203.57	39.71	205.21	43.08	208.86	46.45	211.93	46.56	217.57	47.03
	29	162.79	28.44	188.64	35.43	201.64	42.38	203.29	46.01	206.86	49.59	209.86	49.74	217.57	50.22
	31	162.79	30.30	188.07	37.77	199.71	45.20	201.29	49.04	204.86	52.89	207.79	53.03	215.43	53.55
	33	162.79	32.28	188.07	40.22	197.79	48.17	199.36	52.23	202.79	56.33	205.71	56.47	213.36	57.02
	35	162.79	34.33	186.21	42.79	193.93	51.24	197.36	55.56	200.79	59.91	203.29	60.10	211.21	60.68
	37	162.79	36.53	186.21	45.53	191.43	54.50	195.36	59.11	196.79	63.72	201.29	63.90	207	64.53
	39	162.79	36.67	183.57	45.71	190	54.72	193.43	59.37	194.79	64.01	199.36	64.20	204.93	64.82
	41	162.79	36.86	179.57	45.93	187.5	54.97	191.43	59.62	192.79	64.27	197.36	64.49	202.79	65.11
	43	163.79	37.04	175.64	46.12	184.21	55.23	187.5	59.91	190.79	64.60	195.43	64.78	200.64	65.40
	46	157.86	37.19	169.71	46.34	177.64	55.49	181.57	60.17	185.5	64.89	189.43	65.07	195.36	65.70
	48	153.93	37.37	163.79	46.56	171.71	55.74	175.64	60.46	179.57	65.18	183.57	65.37	189.43	66.03
	50	150	37.55	157.86	46.77	165.79	56.00	169.71	60.76	173.64	65.48	177.64	65.70	183.57	66.32
120%	10	152.86	18.37	182.07	22.88	210	27.41	217.43	29.72	225.21	32.03	228.29	32.13	235.5	32.46
	12	152.86	18.70	182.07	23.31	210	27.93	217.43	30.27	223.21	32.65	226.21	32.72	233.43	33.05
	14	152.86	19.03	182.07	23.72	210	28.40	217.43	30.82	221.21	33.23	224.21	33.34	231.36	33.64
	16	152.86	19.40	182.07	24.16	210	28.91	217.43	31.37	219.29	33.82	222.21	33.93	229.21	34.26
	18	152.86	19.73	182.07	24.60	210	29.43	215.5	31.92	217.29	34.40	220.21	34.51	227.14	34.84
	19	152.86	20.06	182.07	25.00	207.71	29.94	213.57	32.46	215.29	34.99	218.14	35.10	225.07	35.47
	21	152.86	21.52	182.07	26.79	205.79	32.10	209.64	34.81	211.36	37.52	216.14	37.66	223	37.99
	23	152.86	23.06	182.07	28.73	201.93	34.37	207.71	37.30	209.36	40.19	214.14	40.33	220.93	40.70
	25	152.86	24.67	182.07	30.74	199.93	36.78	203.86	39.89	207.43	43.01	212.07	43.15	218.86	43.55
	27	152.86	26.35	182.07	32.83	196.07	39.35	201.93	42.64	205.43	45.97	210.07	46.12	216.71	46.56
	29	152.86	28.15	182.07	35.06	194.14	41.98	199.93	45.53	203.43	49.08	208.07	49.26	214.64	49.74
	31	152.86	30.01	182.07	37.41	192.21	44.80	198	48.57	201.5	52.37	206.07	52.52	212.57	53.03
	33	152.86	31.99	182.07	39.82	190.29	47.69	196.07	51.75	199.5	55.78	204	55.96	210.5	56.47
	35	152.86	34.00	180.57	42.38	188.29	50.76	194.14	55.05	197.57	59.33	202	59.51	208.43	60.10
	37	152.86	36.16	178.64	45.09	186.36	53.99	190.29	58.52	193.57	63.10	199.93	63.32	204.21	63.90
	39	152.86	36.34	176.64	45.27	184.43	54.20	188.29	58.78	191.64	63.39	198	63.57	202.14	64.20
	41	152.86	36.49	172.93	45.46	182.5	54.46	186.36	59.07	189.64	63.65	196.07	63.87	200.07	64.49
	43	152.86	36.67	171.14	45.68	180.57	54.72	184.43	59.33	188.29	63.98	194.14	64.16	198	64.78
	46	149.5	36.86	166.93	45.90	174.71	54.97	178.64	59.62	182.5	64.27	188.29	64.45	192.21	65.07
	48	145.57	37.00	163.07	46.12	168.93	55.23	172.79	59.88	176.64	64.56	182.5	64.75	186.36	65.37
	50	141.71	37.19	159.21	46.34	163.07	55.45	166.93	60.17	170.86	64.86	176.64	65.04	180.57	65.70
110%	10	139.86	18.19	165.64	22.66	187.57	27.12	204.29	29.43	219.5	31.73	224.5	31.84	231.57	32.13
	12	139.86	18.52	165.64	23.09	187.57	27.63	204.29	29.98	217.57	32.32	222.5	32.43	229.57	32.72
	14	139.86	18.85	165.64	23.50	187.57	28.15	204.29	30.52	215.64	32.90	220.5	33.01	227.5	33.34
	16	139.86	19.22	165.64	23.94	187.57	28.66	204.29	31.07	213.71	33.49	218.5	33.60	225.43	33.93
	18	139.86	19.54	165.64	24.34	187.57	29.13	204.29	31.62	211.79	34.07	216.57	34.18	223.43	34.51
	19	139.86	19.87	165.64	24.78	187.57	29.65	204.29	32.17	209.79	34.66	214.57	34.77	221.36	35.10
	21	139.86	21.30	165.64	26.54	187.57	31.77	204.29	34.48	207.86	37.15	212.57	37.30	219.29	37.62
	23	139.86	22.84	165.64	28.44	187.57	34.04	202.36	36.93	205.93	39.82	210.57	39.93	217.29	40.33
	25	139.86	24.41	165.64	30.41	187.57	36.42	200.5	39.53	204	42.60	208.57	42.71	215.21	43.15
	27	139.86	26.10	165.64	32.54	187.57	38.94	198.57	42.24	202.07	45.53	206.57	45.68	213.14	46.12
	29	139.86	27.89	165.64	34.73	187.57	41.58	196.64	45.09	200.07	48.60	204.64	48.79	211.14	49.23
	31	139.86	29.72	165.64	37.04	187.57	44.36	194.71	48.09	198.14	51.86	202.64	52.01	209.07	52.52
	33	139.86	31.66	165.64	39.45	185.21	47.25	192.86	51.24	196.21	55.23	200.64	55.41	207	55.92
	35	139.86	33.67	165.64	41.98	183.29	50.25	190.93	54.50	194.29	58.74	198.64	58.93	204.93	59.51
	37	139.86	35.83	165.64	44.65	181.36	53.44	187.14	57.97	190.36	62.51	194.71	62.70	200.86	63.28
	39	139.86	35.98	165.64	44.84	179.5	53.69	185.21	58.23	188.43	62.77	192.71	62.95	198.79	63.57
	41	139.86	36.16	165.64	45.02	177.57	53.91	183.29	58.49	186.5	63.06	190.71	63.24	196.79	63.87
	43	139.86	36.31	165.64	45.24	175.64	54.17	181.36	58.74	184.57	63.35	188.71	63.54	194.71	64.16
	46	135.57	36.49	162.29	45.46	169.93	54.42	175.64	59.04	179.5	63.65	183.29	63.83	187.14	64.45
	48	131.71	36.64	158.5	45.68	164.21	54.68	169.93	59.29	173.71	63.94	177.57	64.12	181.36	64.75
	50	127.93	36.82	154.64	45.86	158.5	54.94	164.21	59.58	168	64.23	171.86	64.42	175.64	65.04

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1800W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	124.64	16.98	147.14	21.15	169.64	25.33	180	27.49	196	29.61	209.79	29.72	218.14	30.01
	12	124.64	17.28	147.14	21.56	169.64	25.80	180	28.00	196	30.16	209.79	30.27	216.21	30.56
	14	124.64	17.60	147.14	21.92	169.64	26.28	180	28.47	196	30.71	207.86	30.82	214.29	31.11
	16	124.64	17.93	147.14	22.33	169.64	26.75	180	28.99	196	31.26	206	31.37	212.36	31.66
	18	124.64	18.23	147.14	22.73	169.64	27.19	180	29.50	196	31.81	204.14	31.92	210.43	32.21
	19	124.64	18.56	147.14	23.09	169.64	27.67	180	30.01	196	32.35	202.29	32.46	208.5	32.76
	21	124.64	19.87	147.14	24.78	169.64	29.68	180	32.17	196	34.70	200.43	34.81	206.5	35.14
	23	124.64	21.30	147.14	26.54	169.64	31.77	180	34.48	196	37.15	198.5	37.26	204.57	37.62
	25	124.64	22.80	147.14	28.40	169.64	34.00	180	36.89	196	39.75	196.64	39.89	202.64	40.26
	27	124.64	24.38	147.14	30.34	169.64	36.34	180	39.42	194.14	42.49	194.79	42.64	200.71	43.04
	29	124.64	26.02	147.14	32.43	169.64	38.83	180	42.09	192.29	45.38	192.93	45.53	198.79	45.97
	31	124.64	27.74	147.14	34.59	169.64	41.39	180	44.91	190.5	48.39	191.07	48.53	196.86	49.01
	33	124.64	29.54	147.14	36.82	169.64	44.10	180	47.84	188.64	51.57	189.14	51.72	194.93	52.23
	35	124.64	31.44	147.14	39.16	169.64	46.92	180	50.85	185.93	54.83	187.29	55.01	193	55.56
	37	124.64	33.45	147.14	41.65	169.64	49.89	180	52.92	183.14	58.34	185.43	58.52	189.14	59.07
	39	124.64	33.60	147.14	41.83	169.64	50.11	180	54.42	181.79	58.60	183.57	58.78	187.21	59.33
	41	124.64	33.75	147.14	42.02	167.43	50.33	178.21	55.96	180	58.85	181.79	59.04	185.29	59.58
	43	124.64	33.89	147.14	42.24	165.57	50.58	176.43	58.01	178.21	59.11	180	59.29	183.36	59.88
	46	124.64	34.04	144.21	42.42	160.21	50.80	174.57	60.13	176.43	59.40	178.21	59.58	181.79	60.17
	48	124.64	34.22	142.71	42.60	154.79	51.02	169.21	60.54	174.57	59.66	172.79	59.84	176.43	60.43
	50	122.43	34.37	141.29	42.82	149.43	51.28	163.79	62.07	169.21	59.95	167.43	60.13	171	60.72
90%	10	112.21	14.68	132.43	18.30	152.71	21.89	162	23.75	171.29	25.62	194.21	25.69	198.21	25.91
	12	112.21	14.93	132.43	18.63	152.71	22.29	162	24.19	171.29	26.06	194.21	26.17	198.21	26.43
	14	112.21	15.23	132.43	18.96	152.71	22.69	162	24.63	171.29	26.54	194.21	26.64	198.21	26.90
	16	112.21	15.48	132.43	19.29	152.71	23.13	162	25.07	171.29	27.01	194.21	27.12	198.21	27.38
	18	112.21	15.77	132.43	19.65	152.71	23.53	162	25.51	171.29	27.49	194.21	27.60	196	27.85
	19	112.21	16.03	132.43	19.98	152.71	23.94	162	25.95	171.29	27.96	192.79	28.07	194.43	28.33
	21	112.21	17.20	132.43	21.41	152.71	25.66	162	27.82	171.29	29.98	191.14	30.09	192.79	30.38
	23	112.21	18.41	132.43	22.95	152.71	27.49	162	29.79	171.29	32.13	189.57	32.21	191.14	32.54
	25	112.21	19.69	132.43	24.56	152.71	29.39	162	31.88	171.29	34.37	187.93	34.48	189.57	34.81
	27	112.21	21.08	132.43	26.24	152.71	31.44	162	34.07	171.29	36.75	186.29	36.86	187.93	37.22
	29	112.21	22.51	132.43	28.04	152.71	33.56	162	36.38	171.29	39.24	184.71	39.35	186.29	39.75
	31	112.21	23.97	132.43	29.90	152.71	35.79	162	38.80	171.29	41.83	183.07	41.98	184.71	42.38
	33	112.21	25.55	132.43	31.84	152.71	38.10	162	41.36	171.29	44.58	181.43	44.69	183.07	45.13
	35	112.21	27.19	132.43	33.86	152.71	40.55	162	43.99	171.29	47.40	179.79	47.54	181.43	48.02
	37	112.21	28.91	132.43	36.01	152.71	43.11	162	46.77	171.29	50.43	178.21	50.58	179.79	51.06
	39	112.21	29.02	132.43	36.16	152.71	43.30	162	46.99	170.07	50.65	176.57	50.80	178.21	51.28
	41	112.21	29.17	132.43	36.34	152.71	43.52	162	47.18	168.5	50.87	174.93	51.02	176.57	51.53
	43	112.21	29.32	132.43	36.49	152.71	43.70	160.36	47.40	166.86	51.09	173.36	51.28	174.93	51.75
	46	112.21	29.43	132.43	36.67	147.43	43.92	155.5	47.62	162	51.35	168.5	51.50	170.07	52.01
	48	112.21	29.57	132.43	36.86	142.57	44.10	150.64	47.84	157.14	51.57	163.64	51.75	165.21	52.23
	50	112.21	29.72	129.57	37.00	137.71	44.32	145.79	48.06	152.29	51.83	158.79	51.97	160.36	52.48
80%	10	99.71	12.55	117.71	15.63	135.71	18.70	144	20.28	152.29	21.89	155.57	21.92	158.93	22.14
	12	99.71	12.77	117.71	15.92	135.71	19.07	144	20.68	152.29	22.29	155.57	22.33	158.93	22.55
	14	99.71	12.99	117.71	16.21	135.71	19.40	144	21.05	152.29	22.69	155.57	22.77	158.93	22.98
	16	99.71	13.25	117.71	16.51	135.71	19.73	144	21.41	152.29	23.09	155.57	23.17	158.93	23.39
	18	99.71	13.47	117.71	16.76	135.71	20.09	144	21.78	152.29	23.50	155.57	23.57	158.93	23.79
	19	99.71	13.69	117.71	17.06	135.71	20.42	144	22.18	152.29	23.90	155.57	23.97	158.93	24.19
	21	99.71	14.68	117.71	18.30	135.71	21.92	144	23.75	152.29	25.62	155.57	25.69	158.93	25.95
	23	99.71	15.74	117.71	19.58	135.71	23.46	144	25.44	152.29	27.45	155.57	27.52	158.93	27.78
	25	99.71	16.84	117.71	20.97	135.71	25.11	144	27.23	152.29	29.35	155.57	29.46	158.93	29.72
	27	99.71	18.01	117.71	22.44	135.71	26.83	144	29.10	152.29	31.40	155.57	31.48	158.93	31.81
	29	99.71	19.22	117.71	23.94	135.71	28.66	144	31.07	152.29	33.53	155.57	33.60	158.93	33.93
	31	99.71	20.50	117.71	25.51	135.71	30.56	144	33.16	152.29	35.72	155.57	35.83	158.93	36.20
	33	99.71	21.81	117.71	27.19	135.71	32.57	144	35.32	152.29	38.06	155.57	38.17	158.93	38.54
	35	99.71	23.20	117.71	28.91	135.71	34.62	144	37.55	152.29	40.52	155.57	40.63	158.93	41.03
	37	99.71	24.71	117.71	30.78	135.71	36.86	144	39.97	152.29	43.08	155.57	43.19	156.93	43.63
	39	99.71	24.81	117.71	30.89	135.71	37.00	144	40.11	152.29	43.26	154.07	43.41	155.5	43.81
	41	99.71	24.92	117.71	31.04	135.71	37.15	144	40.30	151.21	43.44	152.64	43.59	154.07	43.99
	43	99.71	25.03	117.71	31.18	135.71	37.33	144	40.52	149.79	43.66	151.21	43.77	152.64	44.21
	46	99.71	25.14	118.07	31.33	135.36	37.52	139.71	40.70	145.43	43.85	146.86	43.99	145.43	44.43
	48	99.71	25.25	118.07	31.48	131.07	37.70	135.36	40.88	141.14	44.07	142.57	44.21	141.14	44.62
	50	99.71	25.36	118.07	31.62	126.71	37.84	131.07	41.07	136.79	44.25	138.21	44.40	136.79	44.84

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1800W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	87.29	10.54	103	13.14	118.79	15.74	126	17.09	133.21	18.41	136.14	18.48	139.07	18.67
	12	87.29	10.76	103	13.40	118.79	16.03	126	17.39	133.21	18.74	136.14	18.81	139.07	19.00
	14	87.29	10.94	103	13.65	118.79	16.32	126	17.71	133.21	19.11	136.14	19.14	139.07	19.32
	16	87.29	11.13	103	13.87	118.79	16.62	126	18.04	133.21	19.43	136.14	19.51	139.07	19.69
	18	87.29	11.35	103	14.13	118.79	16.91	126	18.34	133.21	19.76	136.14	19.84	139.07	20.02
	19	87.29	11.53	103	14.38	118.79	17.20	126	18.67	133.21	20.13	136.14	20.17	139.07	20.39
	21	87.29	12.37	103	15.41	118.79	18.45	126	20.02	133.21	21.56	136.14	21.63	139.07	21.85
	23	87.29	13.25	103	16.51	118.79	19.76	126	21.45	133.21	23.09	136.14	23.17	139.07	23.39
	25	87.29	14.16	103	17.68	118.79	21.15	126	22.95	133.21	24.74	136.14	24.81	139.07	25.03
	27	87.29	15.15	103	18.89	118.79	22.62	126	24.52	133.21	26.43	136.14	26.50	139.07	26.75
	29	87.29	16.18	103	20.17	118.79	24.12	126	26.17	133.21	28.22	136.14	28.29	139.07	28.58
	31	87.29	17.24	103	21.48	118.79	25.73	126	27.93	133.21	30.09	136.14	30.20	139.07	30.49
	33	87.29	18.37	103	22.91	118.79	27.41	126	29.76	133.21	32.06	136.14	32.17	139.07	32.46
	35	87.29	19.54	103	24.38	118.79	29.17	126	31.62	133.21	34.11	136.14	34.22	139.07	34.55
	37	87.29	20.79	103	25.91	118.79	31.04	126	33.64	133.21	36.27	136.14	36.38	139.07	36.75
	39	87.29	20.90	103	26.02	118.79	31.15	126	33.78	133.21	36.42	136.14	36.53	139.07	36.89
	41	87.29	20.97	103	26.13	118.79	31.29	126	33.93	133.21	36.60	136.14	36.71	139.07	37.08
	43	87.29	21.08	103	26.24	118.79	31.44	126	34.11	133.21	36.75	136.14	36.89	139.07	37.22
	46	87.29	21.19	103	26.39	118.79	31.59	126	34.26	131.07	36.93	133.57	37.04	136.07	37.41
	48	87.29	21.26	103	26.50	118.79	31.73	123.5	34.40	128.5	37.11	131.07	37.22	133.57	37.59
	50	87.29	21.37	103	26.61	115.93	31.88	120.93	34.59	126	37.26	128.5	37.41	131.07	37.73
60%	10	74.79	8.75	88.29	10.87	101.79	13.03	108	14.13	114.21	15.23	116.71	15.30	119.14	15.45
	12	74.79	8.89	88.29	11.09	101.79	13.29	108	14.38	114.21	15.52	116.71	15.56	119.14	15.74
	14	74.79	9.08	88.29	11.27	101.79	13.51	108	14.68	114.21	15.81	116.71	15.85	119.14	15.99
	16	74.79	9.22	88.29	11.49	101.79	13.76	108	14.93	114.21	16.10	116.71	16.14	119.14	16.29
	18	74.79	9.37	88.29	11.71	101.79	14.02	108	15.19	114.21	16.36	116.71	16.43	119.14	16.58
	19	74.79	9.55	88.29	11.90	101.79	14.24	108	15.45	114.21	16.65	116.71	16.69	119.14	16.87
	21	74.79	10.25	88.29	12.74	101.79	15.26	108	16.58	114.21	17.86	116.71	17.90	119.14	18.08
	23	74.79	10.98	88.29	13.65	101.79	16.36	108	17.75	114.21	19.14	116.71	19.18	119.14	19.36
	25	74.79	11.75	88.29	14.60	101.79	17.49	108	19.00	114.21	20.46	116.71	20.53	119.14	20.72
	27	74.79	12.55	88.29	15.63	101.79	18.70	108	20.28	114.21	21.89	116.71	21.96	119.14	22.14
	29	74.79	13.40	88.29	16.69	101.79	19.98	108	21.67	114.21	23.35	116.71	23.42	119.14	23.64
	31	74.79	14.27	88.29	17.79	101.79	21.30	108	23.09	114.21	24.92	116.71	25.00	119.14	25.22
	33	74.79	15.23	88.29	18.96	101.79	22.69	108	24.63	114.21	26.54	116.71	26.61	119.14	26.86
	35	74.79	16.18	88.29	20.17	101.79	24.16	108	26.17	114.21	28.22	116.71	28.33	119.14	28.58
	37	74.79	17.20	88.29	21.45	101.79	25.69	108	27.85	114.21	30.01	116.71	30.12	119.14	30.41
	39	74.79	17.28	88.29	21.52	101.79	25.80	108	27.96	114.21	30.16	116.71	30.23	119.14	30.52
	41	74.79	17.35	88.29	21.63	101.79	25.91	108	28.11	114.21	30.30	116.71	30.38	119.14	30.67
	43	74.79	17.46	88.29	21.74	101.79	26.02	108	28.22	114.21	30.41	116.71	30.52	119.14	30.82
	46	74.79	17.53	88.29	21.85	101.79	26.13	108	28.37	114.21	30.56	116.71	30.67	119.14	30.96
	48	74.79	17.60	88.29	21.92	101.79	26.28	108	28.47	112.29	30.71	114.5	30.82	116.64	31.11
	50	74.79	17.68	88.29	22.03	101.79	26.39	105.86	28.62	110.14	30.85	112.29	30.96	114.5	31.26
50%	10	62.36	7.06	73.57	8.82	84.86	10.58	90	11.46	95.14	12.33	97.21	12.37	99.29	12.52
	12	62.36	7.21	73.57	8.97	84.86	10.76	90	11.68	95.14	12.59	97.21	12.63	99.29	12.74
	14	62.36	7.36	73.57	9.15	84.86	10.94	90	11.90	95.14	12.81	97.21	12.85	99.29	12.96
	16	62.36	7.47	73.57	9.30	84.86	11.16	90	12.08	95.14	13.03	97.21	13.07	99.29	13.21
	18	62.36	7.61	73.57	9.48	84.86	11.35	90	12.30	95.14	13.25	97.21	13.32	99.29	13.43
	19	62.36	7.72	73.57	9.63	84.86	11.53	90	12.52	95.14	13.51	97.21	13.54	99.29	13.65
	21	62.36	8.31	73.57	10.32	84.86	12.37	90	13.43	95.14	14.46	97.21	14.49	99.29	14.64
	23	62.36	8.89	73.57	11.05	84.86	13.25	90	14.38	95.14	15.48	97.21	15.56	99.29	15.70
	25	62.36	9.52	73.57	11.86	84.86	14.16	90	15.37	95.14	16.58	97.21	16.62	99.29	16.80
	27	62.36	10.17	73.57	12.66	84.86	15.15	90	16.43	95.14	17.71	97.21	17.79	99.29	17.93
	29	62.36	10.83	73.57	13.51	84.86	16.18	90	17.57	95.14	18.92	97.21	19.00	99.29	19.18
	31	62.36	11.57	73.57	14.42	84.86	17.28	90	18.74	95.14	20.17	97.21	20.24	99.29	20.42
	33	62.36	12.33	73.57	15.37	84.86	18.37	90	19.95	95.14	21.48	97.21	21.56	99.29	21.78
	35	62.36	13.10	73.57	16.32	84.86	19.54	90	21.23	95.14	22.88	97.21	22.95	99.29	23.17
	37	62.36	13.94	73.57	17.39	84.86	20.79	90	22.55	95.14	24.34	97.21	24.41	99.29	24.63
	39	62.36	14.02	73.57	17.46	84.86	20.90	90	22.66	95.14	24.41	97.21	24.49	99.29	24.74
	41	62.36	14.05	73.57	17.53	84.86	20.97	90	22.77	95.14	24.52	97.21	24.63	99.29	24.85
	43	62.36	14.13	73.57	17.60	84.86	21.08	90	22.88	95.14	24.67	97.21	24.74	99.29	24.96
	46	62.36	14.20	73.57	17.68	84.86	21.19	90	22.98	95.14	24.78	97.21	24.85	99.29	25.07
	48	62.36	14.27	73.57	17.79	84.86	21.26	90	23.09	95.43	24.89	96.29	24.96	98.07	25.22
	50	62.36	14.35	73.57	17.86	84.86	21.37	90	23.20	94.5	25.00	95.43	25.07	97.21	25.33

66HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1850W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	167.31	19.19	195.42	23.89	225.16	28.62	231.25	31.04	235.29	33.46	238.96	33.58	245.35	33.88
	12	167.31	19.53	195.42	24.34	225.16	29.15	229.19	31.61	233.23	34.07	236.83	34.18	243.14	34.52
	14	167.31	19.91	195.42	24.79	225.16	29.68	227.14	32.18	231.18	34.71	232.57	34.79	241.01	35.13
	16	167.31	20.25	195.42	25.21	223.17	30.21	225.16	32.78	226.99	35.32	230.52	35.43	238.81	35.77
	18	167.31	20.59	195.42	25.66	219.21	30.74	221.12	33.35	224.94	35.92	228.39	36.04	236.61	36.42
	19	167.31	20.97	195.42	26.12	217.23	31.27	219.06	33.92	222.88	36.57	226.26	36.68	234.48	37.02
	21	167.31	22.49	195.42	28.01	215.25	33.50	217.01	36.34	220.83	39.18	224.13	39.29	232.28	39.71
	23	167.31	24.07	195.42	29.98	213.26	35.89	215.03	38.95	218.77	41.98	222	42.09	230.15	42.51
	25	167.31	25.74	195.42	32.10	211.21	38.42	212.97	41.68	216.71	44.93	219.94	45.05	227.95	45.50
	27	167.31	27.52	195.42	34.30	209.23	41.07	210.91	44.55	214.66	48.04	217.82	48.15	223.62	48.64
	29	167.31	29.41	193.88	36.64	207.24	43.83	208.93	47.58	212.6	51.29	215.69	51.44	223.62	51.94
	31	167.31	31.34	193.3	39.06	205.26	46.75	206.88	50.72	210.55	54.70	213.56	54.85	221.41	55.38
	33	167.31	33.39	193.3	41.60	203.28	49.82	204.89	54.02	208.42	58.26	211.43	58.41	219.28	58.98
	35	167.31	35.51	191.39	44.25	199.32	52.99	202.84	57.46	206.36	61.97	208.93	62.16	217.08	62.76
	37	167.31	37.78	191.39	47.09	196.75	56.36	200.78	61.13	202.25	65.90	206.88	66.09	212.75	66.74
	39	167.31	37.93	188.67	47.28	195.28	56.59	198.8	61.40	200.2	66.21	204.89	66.40	210.62	67.04
	41	167.31	38.12	184.56	47.51	192.71	56.86	196.75	61.66	198.14	66.47	202.84	66.70	208.42	67.34
	43	168.34	38.31	180.52	47.70	189.33	57.12	192.71	61.97	196.09	66.81	200.86	67.00	206.22	67.64
	46	162.24	38.46	174.43	47.92	182.58	57.39	186.62	62.23	190.65	67.11	194.69	67.30	200.78	67.95
	48	158.2	38.65	168.34	48.15	176.48	57.65	180.52	62.53	184.56	67.42	188.67	67.61	194.69	68.29
	50	154.17	38.84	162.24	48.38	170.39	57.92	174.43	62.84	178.47	67.72	182.58	67.95	188.67	68.59
120%	10	157.1	19.00	187.13	23.66	215.83	28.35	223.47	30.74	231.47	33.12	234.63	33.24	242.04	33.58
	12	157.1	19.34	187.13	24.11	215.83	28.88	223.47	31.30	229.41	33.77	232.5	33.84	239.91	34.18
	14	157.1	19.68	187.13	24.53	215.83	29.37	223.47	31.87	227.36	34.37	230.44	34.48	237.78	34.79
	16	157.1	20.06	187.13	24.98	215.83	29.90	223.47	32.44	225.38	34.98	228.39	35.09	235.58	35.43
	18	157.1	20.40	187.13	25.44	215.83	30.43	221.49	33.01	223.32	35.58	226.33	35.70	233.45	36.04
	19	157.1	20.74	187.13	25.85	213.48	30.96	219.5	33.58	221.27	36.19	224.2	36.30	231.32	36.68
	21	157.1	22.26	187.13	27.71	211.5	33.20	215.47	36.00	217.23	38.80	222.15	38.95	229.19	39.29
	23	157.1	23.85	187.13	29.72	207.54	35.54	213.48	38.57	215.17	41.56	220.09	41.71	227.07	42.09
	25	157.1	25.51	187.13	31.80	205.48	38.04	209.52	41.26	213.19	44.48	217.96	44.63	224.94	45.05
	27	157.1	27.25	187.13	33.95	201.52	40.69	207.54	44.10	211.13	47.54	215.91	47.70	222.73	48.15
	29	157.1	29.11	187.13	36.26	199.54	43.42	205.48	47.09	209.08	50.76	213.85	50.95	220.61	51.44
	31	157.1	31.04	187.13	38.69	197.55	46.33	203.5	50.23	207.1	54.17	211.8	54.32	218.48	54.85
	33	157.1	33.08	187.13	41.18	195.57	49.32	201.52	53.52	205.04	57.69	209.67	57.88	216.35	58.41
	35	157.1	35.17	185.59	43.83	193.52	52.50	199.54	56.93	203.06	61.36	207.61	61.55	214.22	62.16
	37	157.1	37.40	183.61	46.64	191.53	55.83	195.57	60.53	198.95	65.26	205.48	65.49	209.89	66.09
	39	157.1	37.59	181.55	46.82	189.55	56.06	193.52	60.79	196.97	65.56	203.5	65.75	207.76	66.40
	41	157.1	37.74	177.73	47.01	187.57	56.33	191.53	61.10	194.91	65.83	201.52	66.05	205.63	66.70
	43	157.1	37.93	175.9	47.24	185.59	56.59	189.55	61.36	193.52	66.17	199.54	66.36	203.5	67.00
	46	153.65	38.12	171.57	47.47	179.57	56.86	183.61	61.66	187.57	66.47	193.52	66.66	197.55	67.30
	48	149.62	38.27	167.6	47.70	173.62	57.12	177.59	61.93	181.55	66.77	187.57	66.96	191.53	67.61
	50	145.65	38.46	163.64	47.92	167.6	57.35	171.57	62.23	175.6	67.08	181.55	67.27	185.59	67.95
110%	10	143.74	18.81	170.24	23.43	192.78	28.05	209.96	30.43	225.6	32.82	230.74	32.93	238	33.24
	12	143.74	19.15	170.24	23.89	192.78	28.58	209.96	31.00	223.62	33.42	228.68	33.54	235.95	33.84
	14	143.74	19.49	170.24	24.30	192.78	29.11	209.96	31.57	221.63	34.03	226.63	34.14	233.82	34.48
	16	143.74	19.87	170.24	24.76	192.78	29.64	209.96	32.14	219.65	34.64	224.57	34.75	231.69	35.09
	18	143.74	20.21	170.24	25.17	192.78	30.13	209.96	32.71	217.67	35.24	222.59	35.36	229.63	35.70
	19	143.74	20.55	170.24	25.63	192.78	30.66	209.96	33.27	215.61	35.85	220.53	35.96	227.51	36.30
	21	143.74	22.03	170.24	27.44	192.78	32.86	209.96	35.66	213.63	38.42	218.48	38.57	225.38	38.91
	23	143.74	23.62	170.24	29.41	192.78	35.20	207.98	38.19	211.65	41.18	216.42	41.30	223.32	41.71
	25	143.74	25.25	170.24	31.46	192.78	37.66	206.07	40.88	209.67	44.06	214.37	44.18	221.19	44.63
	27	143.74	26.99	170.24	33.65	192.78	40.28	204.09	43.68	207.68	47.09	212.31	47.24	219.06	47.70
	29	143.74	28.84	170.24	35.92	192.78	43.00	202.11	46.64	205.63	50.27	210.33	50.46	217.01	50.91
	31	143.74	30.74	170.24	38.31	192.78	45.88	200.12	49.74	203.65	53.64	208.27	53.79	214.88	54.32
	33	143.74	32.74	170.24	40.81	190.36	48.87	198.21	52.99	201.66	57.12	206.22	57.31	212.75	57.84
	35	143.74	34.83	170.24	43.42	188.38	51.97	196.23	56.36	199.68	60.75	204.16	60.94	210.62	61.55
	37	143.74	37.06	170.24	46.18	186.39	55.27	192.34	59.96	195.64	64.65	200.12	64.84	206.44	65.45
	39	143.74	37.21	170.24	46.37	184.49	55.53	190.36	60.22	193.66	64.92	198.07	65.11	204.31	65.75
	41	143.74	37.40	170.24	46.56	182.5	55.76	188.38	60.49	191.68	65.22	196.01	65.41	202.25	66.05
	43	143.74	37.55	170.24	46.79	180.52	56.02	186.39	60.75	189.7	65.52	193.96	65.71	200.12	66.36
	46	139.34	37.74	166.79	47.01	174.65	56.29	180.52	61.06	184.49	65.83	188.38	66.02	192.34	66.66
	48	135.37	37.89	162.9	47.24	168.78	56.55	174.65	61.32	178.54	66.13	182.5	66.32	186.39	66.96
	50	131.48	38.08	158.94	47.43	162.9	56.82	168.78	61.63	172.67	66.43	176.63	66.62	180.52	67.27

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1850W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	128.11	17.56	151.23	21.88	174.36	26.19	185	28.43	201.44	30.62	215.61	30.74	224.2	31.04
	12	128.11	17.87	151.23	22.30	174.36	26.69	185	28.96	201.44	31.19	215.61	31.30	222.22	31.61
	14	128.11	18.21	151.23	22.67	174.36	27.18	185	29.45	201.44	31.76	213.63	31.87	220.24	32.18
	16	128.11	18.55	151.23	23.09	174.36	27.67	185	29.98	201.44	32.33	211.72	32.44	218.26	32.74
	18	128.11	18.85	151.23	23.51	174.36	28.13	185	30.51	201.44	32.89	209.81	33.01	216.27	33.31
	19	128.11	19.19	151.23	23.89	174.36	28.62	185	31.04	201.44	33.46	207.9	33.58	214.29	33.88
	21	128.11	20.55	151.23	25.63	174.36	30.70	185	33.27	201.44	35.89	206	36.00	212.24	36.34
	23	128.11	22.03	151.23	27.44	174.36	32.86	185	35.66	201.44	38.42	204.01	38.53	210.25	38.91
	25	128.11	23.58	151.23	29.37	174.36	35.17	185	38.16	201.44	41.11	202.11	41.26	208.27	41.64
	27	128.11	25.21	151.23	31.38	174.36	37.59	185	40.77	199.54	43.95	200.2	44.10	206.29	44.52
	29	128.11	26.91	151.23	33.54	174.36	40.16	185	43.53	197.63	46.94	198.29	47.09	204.31	47.54
	31	128.11	28.69	151.23	35.77	174.36	42.81	185	46.45	195.79	50.04	196.38	50.19	202.33	50.69
	33	128.11	30.55	151.23	38.08	174.36	45.61	185	49.47	193.88	53.34	194.4	53.49	200.34	54.02
	35	128.11	32.52	151.23	40.50	174.36	48.53	185	52.59	191.09	56.70	192.49	56.89	198.36	57.46
	37	128.11	34.60	151.23	43.08	174.36	51.59	185	54.74	188.23	60.34	190.58	60.53	194.4	61.10
	39	128.11	34.75	151.23	43.27	174.36	51.82	185	56.29	186.84	60.60	188.67	60.79	192.41	61.36
	41	128.11	34.90	151.23	43.46	172.08	52.05	183.16	57.88	185	60.87	186.84	61.06	190.43	61.63
	43	128.11	35.05	151.23	43.68	170.17	52.31	181.33	60.00	183.16	61.13	185	61.32	188.45	61.93
	46	128.11	35.20	148.22	43.87	164.66	52.54	179.42	62.19	181.33	61.44	183.16	61.63	186.84	62.23
	48	128.11	35.39	146.68	44.06	159.09	52.77	173.91	62.61	179.42	61.70	177.59	61.89	181.33	62.50
	50	125.83	35.54	145.21	44.29	153.58	53.03	168.34	64.20	173.91	62.00	172.08	62.19	175.75	62.80
90%	10	115.33	15.18	136.11	18.93	156.96	22.64	166.5	24.57	176.04	26.50	199.61	26.57	203.72	26.80
	12	115.33	15.44	136.11	19.27	156.96	23.05	166.5	25.02	176.04	26.95	199.61	27.07	203.72	27.33
	14	115.33	15.75	136.11	19.61	156.96	23.47	166.5	25.48	176.04	27.44	199.61	27.56	203.72	27.82
	16	115.33	16.01	136.11	19.95	156.96	23.92	166.5	25.93	176.04	27.94	199.61	28.05	203.72	28.31
	18	115.33	16.31	136.11	20.33	156.96	24.34	166.5	26.38	176.04	28.43	199.61	28.54	201.44	28.81
	19	115.33	16.58	136.11	20.67	156.96	24.76	166.5	26.84	176.04	28.92	198.14	29.03	199.83	29.30
	21	115.33	17.79	136.11	22.14	156.96	26.54	166.5	28.77	176.04	31.00	196.45	31.12	198.14	31.42
	23	115.33	19.04	136.11	23.73	156.96	28.43	166.5	30.81	176.04	33.24	194.84	33.31	196.45	33.65
	25	115.33	20.37	136.11	25.40	156.96	30.40	166.5	32.97	176.04	35.54	193.15	35.66	194.84	36.00
	27	115.33	21.80	136.11	27.14	156.96	32.52	166.5	35.24	176.04	38.00	191.46	38.12	193.15	38.50
	29	115.33	23.28	136.11	29.00	156.96	34.71	166.5	37.63	176.04	40.58	189.85	40.69	191.46	41.11
	31	115.33	24.79	136.11	30.93	156.96	37.02	166.5	40.12	176.04	43.27	188.16	43.42	189.85	43.83
	33	115.33	26.42	136.11	32.93	156.96	39.41	166.5	42.77	176.04	46.11	186.47	46.22	188.16	46.67
	35	115.33	28.13	136.11	35.01	156.96	41.94	166.5	45.50	176.04	49.02	184.78	49.17	186.47	49.66
	37	115.33	29.90	136.11	37.25	156.96	44.59	166.5	48.38	176.04	52.16	183.16	52.31	184.78	52.81
	39	115.33	30.02	136.11	37.40	156.96	44.78	166.5	48.60	174.8	52.39	181.48	52.54	183.16	53.03
	41	115.33	30.17	136.11	37.59	156.96	45.01	166.5	48.79	173.18	52.62	179.79	52.77	181.48	53.30
	43	115.33	30.32	136.11	37.74	156.96	45.20	164.81	49.02	171.49	52.84	178.17	53.03	179.79	53.52
	46	115.33	30.43	136.11	37.93	151.52	45.42	159.82	49.25	166.5	53.11	173.18	53.26	174.8	53.79
	48	115.33	30.59	136.11	38.12	146.53	45.61	154.83	49.47	161.51	53.34	168.19	53.52	169.8	54.02
	50	115.33	30.74	133.17	38.27	141.54	45.84	149.84	49.70	156.52	53.60	163.2	53.75	164.81	54.28
80%	10	102.48	12.98	120.98	16.16	139.48	19.34	148	20.97	156.52	22.64	159.89	22.67	163.34	22.90
	12	102.48	13.21	120.98	16.47	139.48	19.72	148	21.39	156.52	23.05	159.89	23.09	163.34	23.32
	14	102.48	13.44	120.98	16.77	139.48	20.06	148	21.77	156.52	23.47	159.89	23.54	163.34	23.77
	16	102.48	13.70	120.98	17.07	139.48	20.40	148	22.14	156.52	23.89	159.89	23.96	163.34	24.19
	18	102.48	13.93	120.98	17.34	139.48	20.78	148	22.52	156.52	24.30	159.89	24.38	163.34	24.60
	19	102.48	14.16	120.98	17.64	139.48	21.12	148	22.94	156.52	24.72	159.89	24.79	163.34	25.02
	21	102.48	15.18	120.98	18.93	139.48	22.67	148	24.57	156.52	26.50	159.89	26.57	163.34	26.84
	23	102.48	16.28	120.98	20.25	139.48	24.26	148	26.31	156.52	28.39	159.89	28.47	163.34	28.73
	25	102.48	17.41	120.98	21.69	139.48	25.97	148	28.16	156.52	30.36	159.89	30.47	163.34	30.74
	27	102.48	18.62	120.98	23.20	139.48	27.75	148	30.09	156.52	32.48	159.89	32.55	163.34	32.89
	29	102.48	19.87	120.98	24.76	139.48	29.64	148	32.14	156.52	34.67	159.89	34.75	163.34	35.09
	31	102.48	21.20	120.98	26.38	139.48	31.61	148	34.30	156.52	36.95	159.89	37.06	163.34	37.44
	33	102.48	22.56	120.98	28.13	139.48	33.69	148	36.53	156.52	39.37	159.89	39.48	163.34	39.86
	35	102.48	24.00	120.98	29.90	139.48	35.81	148	38.84	156.52	41.90	159.89	42.02	163.34	42.43
	37	102.48	25.55	120.98	31.83	139.48	38.12	148	41.34	156.52	44.55	159.89	44.67	161.29	45.12
	39	102.48	25.66	120.98	31.95	139.48	38.27	148	41.49	156.52	44.74	158.35	44.89	159.82	45.31
	41	102.48	25.78	120.98	32.10	139.48	38.42	148	41.68	155.41	44.93	156.88	45.08	158.35	45.50
	43	102.48	25.89	120.98	32.25	139.48	38.61	148	41.90	153.95	45.16	155.41	45.27	156.88	45.73
	46	102.48	26.01	121.35	32.40	139.12	38.80	143.6	42.09	149.47	45.35	150.94	45.50	149.47	45.95
	48	102.48	26.12	121.35	32.55	134.71	38.99	139.12	42.28	145.06	45.58	146.53	45.73	145.06	46.14
	50	102.48	26.23	121.35	32.71	130.23	39.14	134.71	42.47	140.59	45.76	142.05	45.92	140.59	46.37

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1850W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	89.71	10.90	105.86	13.59	122.09	16.28	129.5	17.68	136.91	19.04	139.92	19.12	142.93	19.31
	12	89.71	11.13	105.86	13.85	122.09	16.58	129.5	17.98	136.91	19.38	139.92	19.46	142.93	19.65
	14	89.71	11.32	105.86	14.12	122.09	16.88	129.5	18.32	136.91	19.76	139.92	19.80	142.93	19.99
	16	89.71	11.51	105.86	14.35	122.09	17.19	129.5	18.66	136.91	20.10	139.92	20.18	142.93	20.37
	18	89.71	11.73	105.86	14.61	122.09	17.49	129.5	18.96	136.91	20.44	139.92	20.52	142.93	20.71
	19	89.71	11.92	105.86	14.88	122.09	17.79	129.5	19.31	136.91	20.82	139.92	20.86	142.93	21.08
	21	89.71	12.79	105.86	15.94	122.09	19.08	129.5	20.71	136.91	22.30	139.92	22.37	142.93	22.60
	23	89.71	13.70	105.86	17.07	122.09	20.44	129.5	22.18	136.91	23.89	139.92	23.96	142.93	24.19
	25	89.71	14.65	105.86	18.28	122.09	21.88	129.5	23.73	136.91	25.59	139.92	25.66	142.93	25.89
	27	89.71	15.67	105.86	19.53	122.09	23.39	129.5	25.36	136.91	27.33	139.92	27.41	142.93	27.67
	29	89.71	16.73	105.86	20.86	122.09	24.95	129.5	27.07	136.91	29.19	139.92	29.26	142.93	29.56
	31	89.71	17.83	105.86	22.22	122.09	26.61	129.5	28.88	136.91	31.12	139.92	31.23	142.93	31.53
	33	89.71	19.00	105.86	23.70	122.09	28.35	129.5	30.77	136.91	33.16	139.92	33.27	142.93	33.58
	35	89.71	20.21	105.86	25.21	122.09	30.17	129.5	32.71	136.91	35.28	139.92	35.39	142.93	35.73
	37	89.71	21.50	105.86	26.80	122.09	32.10	129.5	34.79	136.91	37.51	139.92	37.63	142.93	38.00
	39	89.71	21.61	105.86	26.91	122.09	32.21	129.5	34.94	136.91	37.66	139.92	37.78	142.93	38.16
	41	89.71	21.69	105.86	27.03	122.09	32.36	129.5	35.09	136.91	37.85	139.92	37.97	142.93	38.35
	43	89.71	21.80	105.86	27.14	122.09	32.52	129.5	35.28	136.91	38.00	139.92	38.16	142.93	38.50
	46	89.71	21.92	105.86	27.29	122.09	32.67	129.5	35.43	134.71	38.19	137.28	38.31	139.85	38.69
	48	89.71	21.99	105.86	27.41	122.09	32.82	126.93	35.58	132.07	38.38	134.71	38.50	137.28	38.88
	50	89.71	22.11	105.86	27.52	119.15	32.97	124.29	35.77	129.5	38.53	132.07	38.69	134.71	39.03
60%	10	76.86	9.05	90.74	11.24	104.61	13.48	111	14.61	117.39	15.75	119.96	15.82	122.45	15.97
	12	76.86	9.20	90.74	11.47	104.61	13.74	111	14.88	117.39	16.05	119.96	16.09	122.45	16.28
	14	76.86	9.39	90.74	11.66	104.61	13.97	111	15.18	117.39	16.35	119.96	16.39	122.45	16.54
	16	76.86	9.54	90.74	11.89	104.61	14.23	111	15.44	117.39	16.66	119.96	16.69	122.45	16.84
	18	76.86	9.69	90.74	12.11	104.61	14.50	111	15.71	117.39	16.92	119.96	17.00	122.45	17.15
	19	76.86	9.88	90.74	12.30	104.61	14.73	111	15.97	117.39	17.22	119.96	17.26	122.45	17.45
	21	76.86	10.60	90.74	13.17	104.61	15.78	111	17.15	117.39	18.47	119.96	18.51	122.45	18.70
	23	76.86	11.36	90.74	14.12	104.61	16.92	111	18.36	117.39	19.80	119.96	19.84	122.45	20.02
	25	76.86	12.15	90.74	15.10	104.61	18.09	111	19.65	117.39	21.16	119.96	21.24	122.45	21.43
	27	76.86	12.98	90.74	16.16	104.61	19.34	111	20.97	117.39	22.64	119.96	22.71	122.45	22.90
	29	76.86	13.85	90.74	17.26	104.61	20.67	111	22.41	117.39	24.15	119.96	24.23	122.45	24.45
	31	76.86	14.76	90.74	18.40	104.61	22.03	111	23.89	117.39	25.78	119.96	25.85	122.45	26.08
	33	76.86	15.75	90.74	19.61	104.61	23.47	111	25.48	117.39	27.44	119.96	27.52	122.45	27.78
	35	76.86	16.73	90.74	20.86	104.61	24.98	111	27.07	117.39	29.19	119.96	29.30	122.45	29.56
	37	76.86	17.79	90.74	22.18	104.61	26.57	111	28.81	117.39	31.04	119.96	31.15	122.45	31.46
	39	76.86	17.87	90.74	22.26	104.61	26.69	111	28.92	117.39	31.19	119.96	31.27	122.45	31.57
	41	76.86	17.94	90.74	22.37	104.61	26.80	111	29.07	117.39	31.34	119.96	31.42	122.45	31.72
	43	76.86	18.06	90.74	22.49	104.61	26.91	111	29.19	117.39	31.46	119.96	31.57	122.45	31.87
	46	76.86	18.13	90.74	22.60	104.61	27.03	111	29.34	117.39	31.61	119.96	31.72	122.45	32.02
	48	76.86	18.21	90.74	22.67	104.61	27.18	111	29.45	115.4	31.76	117.68	31.87	119.88	32.18
	50	76.86	18.28	90.74	22.79	104.61	27.29	108.8	29.60	113.2	31.91	115.4	32.02	117.68	32.33
50%	10	64.09	7.31	75.62	9.12	87.21	10.94	92.5	11.85	97.79	12.76	99.91	12.79	102.04	12.95
	12	64.09	7.46	75.62	9.27	87.21	11.13	92.5	12.08	97.79	13.02	99.91	13.06	102.04	13.17
	14	64.09	7.61	75.62	9.46	87.21	11.32	92.5	12.30	97.79	13.25	99.91	13.29	102.04	13.40
	16	64.09	7.72	75.62	9.61	87.21	11.55	92.5	12.49	97.79	13.48	99.91	13.51	102.04	13.67
	18	64.09	7.87	75.62	9.80	87.21	11.73	92.5	12.72	97.79	13.70	99.91	13.78	102.04	13.89
	19	64.09	7.99	75.62	9.96	87.21	11.92	92.5	12.95	97.79	13.97	99.91	14.01	102.04	14.12
	21	64.09	8.59	75.62	10.67	87.21	12.79	92.5	13.89	97.79	14.95	99.91	14.99	102.04	15.14
	23	64.09	9.20	75.62	11.43	87.21	13.70	92.5	14.88	97.79	16.01	99.91	16.09	102.04	16.24
	25	64.09	9.84	75.62	12.26	87.21	14.65	92.5	15.90	97.79	17.15	99.91	17.19	102.04	17.37
	27	64.09	10.52	75.62	13.10	87.21	15.67	92.5	17.00	97.79	18.32	99.91	18.40	102.04	18.55
	29	64.09	11.20	75.62	13.97	87.21	16.73	92.5	18.17	97.79	19.57	99.91	19.65	102.04	19.84
	31	64.09	11.96	75.62	14.91	87.21	17.87	92.5	19.38	97.79	20.86	99.91	20.93	102.04	21.12
	33	64.09	12.76	75.62	15.90	87.21	19.00	92.5	20.63	97.79	22.22	99.91	22.30	102.04	22.52
	35	64.09	13.55	75.62	16.88	87.21	20.21	92.5	21.96	97.79	23.66	99.91	23.73	102.04	23.96
	37	64.09	14.42	75.62	17.98	87.21	21.50	92.5	23.32	97.79	25.17	99.91	25.25	102.04	25.48
	39	64.09	14.50	75.62	18.06	87.21	21.61	92.5	23.43	97.79	25.25	99.91	25.32	102.04	25.59
	41	64.09	14.54	75.62	18.13	87.21	21.69	92.5	23.54	97.79	25.36	99.91	25.48	102.04	25.70
	43	64.09	14.61	75.62	18.21	87.21	21.80	92.5	23.66	97.79	25.51	99.91	25.59	102.04	25.82
	46	64.09	14.69	75.62	18.28	87.21	21.92	92.5	23.77	97.79	25.63	99.91	25.70	102.04	25.93
	48	64.09	14.76	75.62	18.40	87.21	21.99	92.5	23.89	98.08	25.74	98.96	25.82	100.8	26.08
	50	64.09	14.84	75.62	18.47	87.21	22.11	92.5	24.00	97.13	25.85	98.08	25.93	99.91	26.19

68HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1900W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	171.83	19.83	200.71	24.68	231.24	29.56	237.5	32.07	241.65	34.57	245.42	34.69	251.98	35.00
	12	171.83	20.18	200.71	25.15	231.24	30.11	235.39	32.65	239.54	35.20	243.23	35.31	249.71	35.67
	14	171.83	20.57	200.71	25.62	231.24	30.66	233.28	33.24	237.42	35.86	238.86	35.94	247.53	36.29
	16	171.83	20.92	200.71	26.05	229.21	31.21	231.24	33.87	233.13	36.49	236.75	36.60	245.27	36.96
	18	171.83	21.27	200.71	26.51	225.13	31.75	227.1	34.45	231.02	37.11	234.56	37.23	243	37.62
	19	171.83	21.67	200.71	26.98	223.1	32.30	224.98	35.04	228.9	37.78	232.37	37.89	240.82	38.25
	21	171.83	23.23	200.71	28.94	221.06	34.61	222.87	37.54	226.79	40.48	230.19	40.59	238.56	41.02
	23	171.83	24.87	200.71	30.97	219.03	37.07	220.84	40.24	224.68	43.37	228	43.49	236.37	43.92
	25	171.83	26.59	200.71	33.16	216.92	39.69	218.73	43.06	222.57	46.42	225.89	46.54	234.11	47.01
	27	171.83	28.43	200.71	35.43	214.88	42.43	216.62	46.03	220.46	49.63	223.7	49.74	229.66	50.25
	29	171.83	30.39	199.12	37.86	212.85	45.29	214.58	49.16	218.35	52.99	221.52	53.15	229.66	53.65
	31	171.83	32.38	198.52	40.36	210.81	48.30	212.47	52.40	216.24	56.51	219.33	56.67	227.4	57.21
	33	171.83	34.49	198.52	42.98	208.77	51.46	210.43	55.81	214.05	60.19	217.14	60.34	225.21	60.93
	35	171.83	36.68	196.56	45.72	204.7	54.75	208.32	59.36	211.94	64.02	214.58	64.21	222.95	64.84
	37	171.83	39.03	196.56	48.65	202.06	58.23	206.21	63.16	207.72	68.09	212.47	68.28	218.5	68.95
	39	171.83	39.19	193.77	48.84	200.56	58.47	204.17	63.43	205.61	68.40	210.43	68.59	216.31	69.26
	41	171.83	39.38	189.55	49.08	197.92	58.74	202.06	63.71	203.5	68.67	208.32	68.91	214.05	69.57
	43	172.88	39.58	185.4	49.27	194.45	59.01	197.92	64.02	201.38	69.02	206.29	69.22	211.79	69.88
	46	166.63	39.73	179.14	49.51	187.51	59.29	191.66	64.29	195.81	69.34	199.95	69.53	206.21	70.20
	48	162.48	39.93	172.88	49.74	181.25	59.56	185.4	64.60	189.55	69.65	193.77	69.85	199.95	70.55
	50	158.33	40.12	166.63	49.98	175	59.83	179.14	64.92	183.29	69.96	187.51	70.20	193.77	70.86
120%	10	161.35	19.63	192.19	24.44	221.67	29.29	229.51	31.75	237.73	34.22	240.97	34.34	248.58	34.69
	12	161.35	19.98	192.19	24.91	221.67	29.84	229.51	32.34	235.62	34.88	238.78	34.96	246.4	35.31
	14	161.35	20.34	192.19	25.34	221.67	30.35	229.51	32.93	233.5	35.51	236.67	35.63	244.21	35.94
	16	161.35	20.73	192.19	25.81	221.67	30.89	229.51	33.51	231.47	36.13	234.56	36.25	241.95	36.60
	18	161.35	21.08	192.19	26.28	221.67	31.44	227.47	34.10	229.36	36.76	232.45	36.88	239.76	37.23
	19	161.35	21.43	192.19	26.71	219.25	31.99	225.44	34.69	227.25	37.39	230.26	37.50	237.58	37.89
	21	161.35	22.99	192.19	28.63	217.22	34.30	221.29	37.19	223.1	40.08	228.15	40.24	235.39	40.59
	23	161.35	24.64	192.19	30.70	213.15	36.72	219.25	39.85	220.99	42.94	226.04	43.10	233.2	43.49
	25	161.35	26.36	192.19	32.85	211.04	39.30	215.18	42.63	218.95	45.95	223.85	46.11	231.02	46.54
	27	161.35	28.16	192.19	35.08	206.96	42.04	213.15	45.56	216.84	49.12	221.74	49.27	228.75	49.74
	29	161.35	30.07	192.19	37.46	204.93	44.86	211.04	48.65	214.73	52.44	219.63	52.64	226.57	53.15
	31	161.35	32.07	192.19	39.97	202.89	47.87	209	51.90	212.69	55.96	217.52	56.12	224.38	56.67
	33	161.35	34.18	192.19	42.55	200.86	50.96	206.96	55.30	210.58	59.60	215.33	59.79	222.19	60.34
	35	161.35	36.33	190.6	45.29	198.75	54.24	204.93	58.82	208.55	63.39	213.22	63.59	220.01	64.21
	37	161.35	38.64	188.57	48.18	196.71	57.68	200.86	62.53	204.33	67.42	211.04	67.66	215.56	68.28
	39	161.35	38.83	186.46	48.38	194.67	57.92	198.75	62.81	202.29	67.73	209	67.93	213.37	68.59
	41	161.35	38.99	182.54	48.57	192.64	58.19	196.71	63.12	200.18	68.01	206.96	68.24	211.19	68.91
	43	161.35	39.19	180.65	48.81	190.6	58.47	194.67	63.39	198.75	68.36	204.93	68.55	209	69.22
	46	157.81	39.38	176.2	49.04	184.42	58.74	188.57	63.71	192.64	68.67	198.75	68.87	202.89	69.53
	48	153.66	39.54	172.13	49.27	178.31	59.01	182.38	63.98	186.46	68.98	192.64	69.18	196.71	69.85
	50	149.59	39.73	168.06	49.51	172.13	59.25	176.2	64.29	180.35	69.30	186.46	69.49	190.6	70.20
110%	10	147.63	19.44	174.85	24.21	197.99	28.98	215.63	31.44	231.69	33.91	236.97	34.02	244.44	34.34
	12	147.63	19.79	174.85	24.68	197.99	29.53	215.63	32.03	229.66	34.53	234.86	34.65	242.33	34.96
	14	147.63	20.14	174.85	25.11	197.99	30.07	215.63	32.62	227.62	35.16	232.75	35.27	240.14	35.63
	16	147.63	20.53	174.85	25.58	197.99	30.62	215.63	33.20	225.59	35.78	230.64	35.90	237.95	36.25
	18	147.63	20.88	174.85	26.01	197.99	31.13	215.63	33.79	223.55	36.41	228.6	36.53	235.84	36.88
	19	147.63	21.24	174.85	26.48	197.99	31.68	215.63	34.38	221.44	37.03	226.49	37.15	233.65	37.50
	21	147.63	22.76	174.85	28.35	197.99	33.94	215.63	36.84	219.4	39.69	224.38	39.85	231.47	40.20
	23	147.63	24.40	174.85	30.39	197.99	36.37	213.6	39.46	217.37	42.55	222.27	42.67	229.36	43.10
	25	147.63	26.08	174.85	32.50	197.99	38.91	211.64	42.24	215.33	45.52	220.16	45.64	227.17	46.11
	27	147.63	27.88	174.85	34.77	197.99	41.61	209.6	45.13	213.3	48.65	218.05	48.81	224.98	49.27
	29	147.63	29.80	174.85	37.11	197.99	44.43	207.57	48.18	211.19	51.93	216.01	52.13	222.87	52.60
	31	147.63	31.75	174.85	39.58	197.99	47.40	205.53	51.39	209.15	55.41	213.9	55.57	220.69	56.12
	33	147.63	33.83	174.85	42.16	195.5	50.49	203.57	54.75	207.12	59.01	211.79	59.21	218.5	59.76
	35	147.63	35.98	174.85	44.86	193.47	53.69	201.54	58.23	205.08	62.77	209.68	62.96	216.31	63.59
	37	147.63	38.29	174.85	47.71	191.43	57.10	197.54	61.95	200.93	66.79	205.53	66.99	212.02	67.62
	39	147.63	38.44	174.85	47.91	189.47	57.37	195.5	62.22	198.9	67.07	203.42	67.26	209.83	67.93
	41	147.63	38.64	174.85	48.10	187.44	57.60	193.47	62.49	196.86	67.38	201.31	67.58	207.72	68.24
	43	147.63	38.79	174.85	48.34	185.4	57.88	191.43	62.77	194.83	67.69	199.2	67.89	205.53	68.55
	46	143.1	38.99	171.3	48.57	179.37	58.15	185.4	63.08	189.47	68.01	193.47	68.20	197.54	68.87
	48	139.03	39.15	167.31	48.81	173.34	58.43	179.37	63.35	183.37	68.32	187.44	68.52	191.43	69.18
	50	135.04	39.34	163.23	49.00	167.31	58.70	173.34	63.67	177.33	68.63	181.4	68.83	185.4	69.49

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1900W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	131.57	18.15	155.32	22.60	179.07	27.06	190	29.37	206.89	31.64	221.44	31.75	230.26	32.07
	12	131.57	18.46	155.32	23.03	179.07	27.57	190	29.92	206.89	32.22	221.44	32.34	228.23	32.65
	14	131.57	18.81	155.32	23.43	179.07	28.08	190	30.43	206.89	32.81	219.4	32.93	226.19	33.24
	16	131.57	19.16	155.32	23.86	179.07	28.59	190	30.97	206.89	33.40	217.44	33.51	224.15	33.83
	18	131.57	19.48	155.32	24.29	179.07	29.06	190	31.52	206.89	33.98	215.48	34.10	222.12	34.41
	19	131.57	19.83	155.32	24.68	179.07	29.56	190	32.07	206.89	34.57	213.52	34.69	220.08	35.00
	21	131.57	21.24	155.32	26.48	179.07	31.72	190	34.38	206.89	37.07	211.56	37.19	217.97	37.54
	23	131.57	22.76	155.32	28.35	179.07	33.94	190	36.84	206.89	39.69	209.53	39.81	215.94	40.20
	25	131.57	24.36	155.32	30.35	179.07	36.33	190	39.42	206.89	42.47	207.57	42.63	213.9	43.02
	27	131.57	26.05	155.32	32.42	179.07	38.83	190	42.12	204.93	45.40	205.61	45.56	211.87	45.99
	29	131.57	27.81	155.32	34.65	179.07	41.49	190	44.97	202.97	48.49	203.65	48.65	209.83	49.12
	31	131.57	29.64	155.32	36.96	179.07	44.23	190	47.98	201.08	51.70	201.69	51.86	207.79	52.36
	33	131.57	31.56	155.32	39.34	179.07	47.12	190	51.11	199.12	55.10	199.65	55.26	205.76	55.81
	35	131.57	33.59	155.32	41.84	179.07	50.14	190	54.33	196.26	58.58	197.69	58.78	203.72	59.36
	37	131.57	35.74	155.32	44.50	179.07	53.30	190	56.55	193.32	62.34	195.73	62.53	199.65	63.12
	39	131.57	35.90	155.32	44.70	179.07	53.54	190	58.15	191.88	62.61	193.77	62.81	197.62	63.39
	41	131.57	36.06	155.32	44.89	176.73	53.77	188.12	59.79	190	62.88	191.88	63.08	195.58	63.67
	43	131.57	36.21	155.32	45.13	174.77	54.05	186.23	61.98	188.12	63.16	190	63.35	193.54	63.98
	46	131.57	36.37	152.23	45.33	169.12	54.28	184.27	64.25	186.23	63.47	188.12	63.67	191.88	64.29
	48	131.57	36.57	150.64	45.52	163.38	54.52	178.62	64.68	184.27	63.74	182.38	63.94	186.23	64.57
	50	129.23	36.72	149.13	45.76	157.73	54.79	172.88	66.33	178.62	64.06	176.73	64.25	180.5	64.88
90%	10	118.45	15.68	139.79	19.55	161.2	23.39	171	25.38	180.8	27.37	205	27.45	209.23	27.69
	12	118.45	15.96	139.79	19.91	161.2	23.82	171	25.85	180.8	27.84	205	27.96	209.23	28.24
	14	118.45	16.27	139.79	20.26	161.2	24.25	171	26.32	180.8	28.35	205	28.47	209.23	28.74
	16	118.45	16.54	139.79	20.61	161.2	24.72	171	26.79	180.8	28.86	205	28.98	209.23	29.25
	18	118.45	16.86	139.79	21.00	161.2	25.15	171	27.26	180.8	29.37	205	29.49	206.89	29.76
	19	118.45	17.13	139.79	21.35	161.2	25.58	171	27.73	180.8	29.88	203.5	30.00	205.23	30.27
	21	118.45	18.38	139.79	22.88	161.2	27.41	171	29.72	180.8	32.03	201.76	32.15	203.5	32.46
	23	118.45	19.67	139.79	24.52	161.2	29.37	171	31.83	180.8	34.34	200.1	34.41	201.76	34.77
	25	118.45	21.04	139.79	26.24	161.2	31.40	171	34.06	180.8	36.72	198.37	36.84	200.1	37.19
	27	118.45	22.53	139.79	28.04	161.2	33.59	171	36.41	180.8	39.26	196.63	39.38	198.37	39.77
	29	118.45	24.05	139.79	29.96	161.2	35.86	171	38.87	180.8	41.92	194.98	42.04	196.63	42.47
	31	118.45	25.62	139.79	31.95	161.2	38.25	171	41.45	180.8	44.70	193.24	44.86	194.98	45.29
	33	118.45	27.30	139.79	34.02	161.2	40.71	171	44.19	180.8	47.63	191.51	47.75	193.24	48.22
	35	118.45	29.06	139.79	36.17	161.2	43.33	171	47.01	180.8	50.64	189.77	50.80	191.51	51.31
	37	118.45	30.89	139.79	38.48	161.2	46.07	171	49.98	180.8	53.89	188.12	54.05	189.77	54.55
	39	118.45	31.01	139.79	38.64	161.2	46.26	171	50.21	179.52	54.12	186.38	54.28	188.12	54.79
	41	118.45	31.17	139.79	38.83	161.2	46.50	171	50.41	177.86	54.36	184.65	54.52	186.38	55.06
	43	118.45	31.32	139.79	38.99	161.2	46.69	169.27	50.64	176.13	54.59	182.99	54.79	184.65	55.30
	46	118.45	31.44	139.79	39.19	155.62	46.93	164.14	50.88	171	54.87	177.86	55.02	179.52	55.57
	48	118.45	31.60	139.79	39.38	150.49	47.12	159.01	51.11	165.87	55.10	172.73	55.30	174.39	55.81
	50	118.45	31.75	136.77	39.54	145.37	47.36	153.88	51.35	160.75	55.38	167.61	55.53	169.27	56.08
80%	10	105.25	13.41	124.25	16.70	143.25	19.98	152	21.67	160.75	23.39	164.21	23.43	167.76	23.66
	12	105.25	13.65	124.25	17.01	143.25	20.37	152	22.10	160.75	23.82	164.21	23.86	167.76	24.09
	14	105.25	13.88	124.25	17.32	143.25	20.73	152	22.49	160.75	24.25	164.21	24.32	167.76	24.56
	16	105.25	14.16	124.25	17.64	143.25	21.08	152	22.88	160.75	24.68	164.21	24.75	167.76	24.99
	18	105.25	14.39	124.25	17.91	143.25	21.47	152	23.27	160.75	25.11	164.21	25.18	167.76	25.42
	19	105.25	14.63	124.25	18.22	143.25	21.82	152	23.70	160.75	25.54	164.21	25.62	167.76	25.85
	21	105.25	15.68	124.25	19.55	143.25	23.43	152	25.38	160.75	27.37	164.21	27.45	167.76	27.73
	23	105.25	16.82	124.25	20.92	143.25	25.07	152	27.18	160.75	29.33	164.21	29.41	167.76	29.68
	25	105.25	17.99	124.25	22.41	143.25	26.83	152	29.10	160.75	31.36	164.21	31.48	167.76	31.75
	27	105.25	19.24	124.25	23.97	143.25	28.67	152	31.09	160.75	33.55	164.21	33.63	167.76	33.98
	29	105.25	20.53	124.25	25.58	143.25	30.62	152	33.20	160.75	35.82	164.21	35.90	167.76	36.25
	31	105.25	21.90	124.25	27.26	143.25	32.65	152	35.43	160.75	38.17	164.21	38.29	167.76	38.68
	33	105.25	23.31	124.25	29.06	143.25	34.81	152	37.74	160.75	40.67	164.21	40.79	167.76	41.18
	35	105.25	24.79	124.25	30.89	143.25	37.00	152	40.12	160.75	43.29	164.21	43.41	167.76	43.84
	37	105.25	26.40	124.25	32.89	143.25	39.38	152	42.70	160.75	46.03	164.21	46.15	165.65	46.62
	39	105.25	26.51	124.25	33.01	143.25	39.54	152	42.86	160.75	46.22	162.63	46.38	164.14	46.81
	41	105.25	26.63	124.25	33.16	143.25	39.69	152	43.06	159.62	46.42	161.12	46.58	162.63	47.01
	43	105.25	26.75	124.25	33.32	143.25	39.89	152	43.29	158.11	46.65	159.62	46.77	161.12	47.24
	46	105.25	26.87	124.63	33.48	142.88	40.08	147.48	43.49	153.51	46.85	155.02	47.01	153.51	47.48
	48	105.25	26.98	124.63	33.63	138.35	40.28	142.88	43.68	148.98	47.08	150.49	47.24	148.98	47.67
	50	105.25	27.10	124.63	33.79	133.75	40.44	138.35	43.88	144.38	47.28	145.89	47.44	144.38	47.91

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1900W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	92.13	11.26	108.72	14.04	125.38	16.82	133	18.26	140.62	19.67	143.71	19.75	146.8	19.94
	12	92.13	11.50	108.72	14.31	125.38	17.13	133	18.58	140.62	20.02	143.71	20.10	146.8	20.30
	14	92.13	11.69	108.72	14.59	125.38	17.44	133	18.93	140.62	20.41	143.71	20.45	146.8	20.65
	16	92.13	11.89	108.72	14.82	125.38	17.75	133	19.28	140.62	20.77	143.71	20.84	146.8	21.04
	18	92.13	12.12	108.72	15.10	125.38	18.07	133	19.59	140.62	21.12	143.71	21.20	146.8	21.39
	19	92.13	12.32	108.72	15.37	125.38	18.38	133	19.94	140.62	21.51	143.71	21.55	146.8	21.78
	21	92.13	13.22	108.72	16.46	125.38	19.71	133	21.39	140.62	23.03	143.71	23.11	146.8	23.35
	23	92.13	14.16	108.72	17.64	125.38	21.12	133	22.92	140.62	24.68	143.71	24.75	146.8	24.99
	25	92.13	15.13	108.72	18.89	125.38	22.60	133	24.52	140.62	26.44	143.71	26.51	146.8	26.75
	27	92.13	16.19	108.72	20.18	125.38	24.17	133	26.20	140.62	28.24	143.71	28.31	146.8	28.59
	29	92.13	17.29	108.72	21.55	125.38	25.77	133	27.96	140.62	30.15	143.71	30.23	146.8	30.54
	31	92.13	18.42	108.72	22.96	125.38	27.49	133	29.84	140.62	32.15	143.71	32.26	146.8	32.58
	33	92.13	19.63	108.72	24.48	125.38	29.29	133	31.79	140.62	34.26	143.71	34.38	146.8	34.69
	35	92.13	20.88	108.72	26.05	125.38	31.17	133	33.79	140.62	36.45	143.71	36.57	146.8	36.92
	37	92.13	22.21	108.72	27.69	125.38	33.16	133	35.94	140.62	38.76	143.71	38.87	146.8	39.26
	39	92.13	22.33	108.72	27.81	125.38	33.28	133	36.10	140.62	38.91	143.71	39.03	146.8	39.42
	41	92.13	22.41	108.72	27.92	125.38	33.44	133	36.25	140.62	39.11	143.71	39.22	146.8	39.62
	43	92.13	22.53	108.72	28.04	125.38	33.59	133	36.45	140.62	39.26	143.71	39.42	146.8	39.77
	46	92.13	22.64	108.72	28.20	125.38	33.75	133	36.60	138.35	39.46	140.99	39.58	143.63	39.97
	48	92.13	22.72	108.72	28.31	125.38	33.91	130.36	36.76	135.64	39.65	138.35	39.77	140.99	40.16
	50	92.13	22.84	108.72	28.43	122.37	34.06	127.65	36.96	133	39.81	135.64	39.97	138.35	40.32
60%	10	78.94	9.35	93.19	11.61	107.44	13.92	114	15.10	120.56	16.27	123.2	16.35	125.76	16.50
	12	78.94	9.50	93.19	11.85	107.44	14.20	114	15.37	120.56	16.58	123.2	16.62	125.76	16.82
	14	78.94	9.70	93.19	12.04	107.44	14.43	114	15.68	120.56	16.89	123.2	16.93	125.76	17.09
	16	78.94	9.85	93.19	12.28	107.44	14.70	114	15.96	120.56	17.21	123.2	17.25	125.76	17.40
	18	78.94	10.01	93.19	12.51	107.44	14.98	114	16.23	120.56	17.48	123.2	17.56	125.76	17.72
	19	78.94	10.21	93.19	12.71	107.44	15.21	114	16.50	120.56	17.79	123.2	17.83	125.76	18.03
	21	78.94	10.95	93.19	13.61	107.44	16.31	114	17.72	120.56	19.08	123.2	19.12	125.76	19.32
	23	78.94	11.73	93.19	14.59	107.44	17.48	114	18.97	120.56	20.45	123.2	20.49	125.76	20.69
	25	78.94	12.55	93.19	15.60	107.44	18.69	114	20.30	120.56	21.86	123.2	21.94	125.76	22.13
	27	78.94	13.41	93.19	16.70	107.44	19.98	114	21.67	120.56	23.39	123.2	23.46	125.76	23.66
	29	78.94	14.31	93.19	17.83	107.44	21.35	114	23.15	120.56	24.95	123.2	25.03	125.76	25.26
	31	78.94	15.25	93.19	19.01	107.44	22.76	114	24.68	120.56	26.63	123.2	26.71	125.76	26.94
	33	78.94	16.27	93.19	20.26	107.44	24.25	114	26.32	120.56	28.35	123.2	28.43	125.76	28.70
	35	78.94	17.29	93.19	21.55	107.44	25.81	114	27.96	120.56	30.15	123.2	30.27	125.76	30.54
	37	78.94	18.38	93.19	22.92	107.44	27.45	114	29.76	120.56	32.07	123.2	32.19	125.76	32.50
	39	78.94	18.46	93.19	22.99	107.44	27.57	114	29.88	120.56	32.22	123.2	32.30	125.76	32.62
	41	78.94	18.54	93.19	23.11	107.44	27.69	114	30.03	120.56	32.38	123.2	32.46	125.76	32.77
	43	78.94	18.65	93.19	23.23	107.44	27.81	114	30.15	120.56	32.50	123.2	32.62	125.76	32.93
	46	78.94	18.73	93.19	23.35	107.44	27.92	114	30.31	120.56	32.65	123.2	32.77	125.76	33.08
	48	78.94	18.81	93.19	23.43	107.44	28.08	114	30.43	118.52	32.81	120.86	32.93	123.12	33.24
	50	78.94	18.89	93.19	23.54	107.44	28.20	111.74	30.58	116.26	32.97	118.52	33.08	120.86	33.40
50%	10	65.82	7.55	77.66	9.42	89.57	11.30	95	12.24	100.43	13.18	102.62	13.22	104.8	13.37
	12	65.82	7.70	77.66	9.58	89.57	11.50	95	12.48	100.43	13.45	102.62	13.49	104.8	13.61
	14	65.82	7.86	77.66	9.78	89.57	11.69	95	12.71	100.43	13.69	102.62	13.73	104.8	13.84
	16	65.82	7.98	77.66	9.93	89.57	11.93	95	12.91	100.43	13.92	102.62	13.96	104.8	14.12
	18	65.82	8.13	77.66	10.13	89.57	12.12	95	13.14	100.43	14.16	102.62	14.23	104.8	14.35
	19	65.82	8.25	77.66	10.29	89.57	12.32	95	13.37	100.43	14.43	102.62	14.47	104.8	14.59
	21	65.82	8.88	77.66	11.03	89.57	13.22	95	14.35	100.43	15.45	102.62	15.49	104.8	15.64
	23	65.82	9.50	77.66	11.81	89.57	14.16	95	15.37	100.43	16.54	102.62	16.62	104.8	16.78
	25	65.82	10.17	77.66	12.67	89.57	15.13	95	16.42	100.43	17.72	102.62	17.75	104.8	17.95
	27	65.82	10.87	77.66	13.53	89.57	16.19	95	17.56	100.43	18.93	102.62	19.01	104.8	19.16
	29	65.82	11.58	77.66	14.43	89.57	17.29	95	18.77	100.43	20.22	102.62	20.30	104.8	20.49
	31	65.82	12.36	77.66	15.41	89.57	18.46	95	20.02	100.43	21.55	102.62	21.63	104.8	21.82
	33	65.82	13.18	77.66	16.42	89.57	19.63	95	21.31	100.43	22.96	102.62	23.03	104.8	23.27
	35	65.82	14.00	77.66	17.44	89.57	20.88	95	22.68	100.43	24.44	102.62	24.52	104.8	24.75
	37	65.82	14.90	77.66	18.58	89.57	22.21	95	24.09	100.43	26.01	102.62	26.08	104.8	26.32
	39	65.82	14.98	77.66	18.65	89.57	22.33	95	24.21	100.43	26.08	102.62	26.16	104.8	26.44
	41	65.82	15.02	77.66	18.73	89.57	22.41	95	24.32	100.43	26.20	102.62	26.32	104.8	26.55
	43	65.82	15.10	77.66	18.81	89.57	22.53	95	24.44	100.43	26.36	102.62	26.44	104.8	26.67
	46	65.82	15.17	77.66	18.89	89.57	22.64	95	24.56	100.43	26.48	102.62	26.55	104.8	26.79
	48	65.82	15.25	77.66	19.01	89.57	22.72	95	24.68	100.73	26.59	101.63	26.67	103.52	26.94
	50	65.82	15.33	77.66	19.08	89.57	22.84	95	24.79	99.75	26.71	100.73	26.79	102.62	27.06

70HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1950W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota(°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	176.35	20.46	205.99	25.47	237.33	30.51	243.75	33.10	248.01	35.68	251.88	35.80	258.61	36.12
	12	176.35	20.83	205.99	25.95	237.33	31.08	241.58	33.70	245.84	36.32	249.63	36.45	256.29	36.81
	14	176.35	21.23	205.99	26.44	237.33	31.64	239.42	34.31	243.67	37.01	245.14	37.09	254.04	37.45
	16	176.35	21.59	205.99	26.88	235.24	32.21	237.33	34.95	239.26	37.66	242.98	37.78	251.72	38.14
	18	176.35	21.96	205.99	27.36	231.06	32.77	233.07	35.56	237.1	38.30	240.73	38.42	249.4	38.83
	19	176.35	22.36	205.99	27.85	228.97	33.34	230.9	36.16	234.93	38.99	238.49	39.11	247.15	39.47
	21	176.35	23.97	205.99	29.87	226.88	35.72	228.74	38.75	232.76	41.77	236.24	41.89	244.83	42.34
	23	176.35	25.67	205.99	31.97	224.79	38.26	226.65	41.53	230.6	44.76	234	44.88	242.59	45.33
	25	176.35	27.45	205.99	34.23	222.63	40.97	224.48	44.44	228.43	47.91	231.83	48.03	240.27	48.51
	27	176.35	29.34	205.99	36.57	220.54	43.79	222.32	47.50	226.26	51.22	229.59	51.34	235.7	51.86
	29	176.35	31.36	204.36	39.07	218.45	46.74	220.23	50.73	224.1	54.69	227.35	54.85	235.7	55.37
	31	176.35	33.42	203.74	41.65	216.36	49.85	218.06	54.08	221.93	58.32	225.1	58.48	233.38	59.05
	33	176.35	35.60	203.74	44.36	214.27	53.11	215.97	57.59	219.68	62.12	222.86	62.28	231.14	62.88
	35	176.35	37.86	201.73	47.18	210.09	56.50	213.8	61.27	217.52	66.07	220.23	66.27	228.82	66.92
	37	176.35	40.28	201.73	50.21	207.38	60.10	211.64	65.18	213.18	70.27	218.06	70.47	224.25	71.16
	39	176.35	40.44	198.87	50.41	205.83	60.34	209.55	65.46	211.02	70.59	215.97	70.79	222.01	71.48
	41	176.35	40.64	194.54	50.65	203.13	60.62	207.38	65.75	208.85	70.87	213.8	71.12	219.68	71.80
	43	177.43	40.84	190.28	50.85	199.57	60.90	203.13	66.07	206.68	71.24	211.71	71.44	217.36	72.12
	46	171.01	41.01	183.86	51.10	192.45	61.19	196.7	66.35	200.96	71.56	205.21	71.76	211.64	72.45
	48	166.76	41.21	177.43	51.34	186.02	61.47	190.28	66.68	194.54	71.88	198.87	72.08	205.21	72.81
	50	162.5	41.41	171.01	51.58	179.6	61.75	183.86	67.00	188.11	72.21	192.45	72.45	198.87	73.13
120%	10	165.6	20.26	197.24	25.23	227.5	30.23	235.55	32.77	243.98	35.32	247.31	35.44	255.13	35.80
	12	165.6	20.62	197.24	25.71	227.5	30.80	235.55	33.38	241.82	36.00	245.07	36.08	252.88	36.45
	14	165.6	20.99	197.24	26.15	227.5	31.32	235.55	33.98	239.65	36.65	242.9	36.77	250.64	37.09
	16	165.6	21.39	197.24	26.64	227.5	31.88	235.55	34.59	237.56	37.29	240.73	37.41	248.32	37.78
	18	165.6	21.75	197.24	27.12	227.5	32.45	233.46	35.19	235.39	37.94	238.57	38.06	246.07	38.42
	19	165.6	22.12	197.24	27.57	225.02	33.02	231.37	35.80	233.23	38.58	236.32	38.71	243.83	39.11
	21	165.6	23.73	197.24	29.54	222.93	35.40	227.11	38.38	228.97	41.37	234.15	41.53	241.58	41.89
	23	165.6	25.43	197.24	31.68	218.76	37.90	225.02	41.13	226.8	44.32	231.99	44.48	239.34	44.88
	25	165.6	27.20	197.24	33.90	216.59	40.56	220.85	43.99	224.71	47.42	229.74	47.59	237.1	48.03
	27	165.6	29.06	197.24	36.20	212.41	43.39	218.76	47.02	222.55	50.69	227.58	50.85	234.77	51.34
	29	165.6	31.04	197.24	38.67	210.32	46.29	216.59	50.21	220.38	54.12	225.41	54.33	232.53	54.85
	31	165.6	33.10	197.24	41.25	208.23	49.40	214.5	53.56	218.29	57.76	223.24	57.92	230.29	58.48
	33	165.6	35.28	197.24	43.91	206.14	52.59	212.41	57.07	216.13	61.51	221	61.71	228.04	62.28
	35	165.6	37.50	195.62	46.74	203.98	55.98	210.32	60.70	214.04	65.42	218.83	65.63	225.8	66.27
	37	165.6	39.88	193.53	49.72	201.89	59.53	206.14	64.54	209.7	69.58	216.59	69.82	221.23	70.47
	39	165.6	40.08	191.36	49.93	199.8	59.77	203.98	64.82	207.61	69.90	214.5	70.11	218.99	70.79
	41	165.6	40.24	187.34	50.13	197.71	60.06	201.89	65.14	205.45	70.19	212.41	70.43	216.74	71.12
	43	165.6	40.44	185.4	50.37	195.62	60.34	199.8	65.42	203.98	70.55	210.32	70.75	214.5	71.44
	46	161.96	40.64	180.84	50.61	189.27	60.62	193.53	65.75	197.71	70.87	203.98	71.08	208.23	71.76
	48	157.7	40.80	176.66	50.85	183.01	60.90	187.18	66.03	191.36	71.20	197.71	71.40	201.89	72.08
	50	153.52	41.01	172.48	51.10	176.66	61.15	180.84	66.35	185.1	71.52	191.36	71.72	195.62	72.45
110%	10	151.51	20.06	179.45	24.98	203.2	29.91	221.31	32.45	237.79	34.99	243.21	35.11	250.87	35.44
	12	151.51	20.42	179.45	25.47	203.2	30.47	221.31	33.06	235.7	35.64	241.04	35.76	248.7	36.08
	14	151.51	20.79	179.45	25.91	203.2	31.04	221.31	33.66	233.61	36.28	238.88	36.41	246.46	36.77
	16	151.51	21.19	179.45	26.40	203.2	31.60	221.31	34.27	231.52	36.93	236.71	37.05	244.21	37.41
	18	151.51	21.55	179.45	26.84	203.2	32.13	221.31	34.87	229.43	37.58	234.62	37.70	242.05	38.06
	19	151.51	21.92	179.45	27.32	203.2	32.69	221.31	35.48	227.27	38.22	232.45	38.34	239.8	38.71
	21	151.51	23.49	179.45	29.26	203.2	35.03	221.31	38.02	225.18	40.97	230.29	41.13	237.56	41.49
	23	151.51	25.19	179.45	31.36	203.2	37.54	219.22	40.72	223.09	43.91	228.12	44.03	235.39	44.48
	25	151.51	26.92	179.45	33.54	203.2	40.16	217.21	43.59	221	46.98	225.95	47.10	233.15	47.59
	27	151.51	28.78	179.45	35.88	203.2	42.94	215.12	46.58	218.91	50.21	223.79	50.37	230.9	50.85
	29	151.51	30.75	179.45	38.30	203.2	45.85	213.03	49.72	216.74	53.60	221.7	53.80	228.74	54.29
	31	151.51	32.77	179.45	40.84	203.2	48.92	210.94	53.03	214.65	57.19	219.53	57.35	226.49	57.92
	33	151.51	34.91	179.45	43.51	200.65	52.11	208.93	56.50	212.57	60.90	217.36	61.11	224.25	61.67
	35	151.51	37.13	179.45	46.29	198.56	55.42	206.84	60.10	210.48	64.78	215.2	64.98	222.01	65.63
	37	151.51	39.51	179.45	49.24	196.47	58.93	202.74	63.93	206.22	68.94	210.94	69.14	217.6	69.78
	39	151.51	39.67	179.45	49.44	194.46	59.21	200.65	64.21	204.13	69.22	208.77	69.42	215.35	70.11
	41	151.51	39.88	179.45	49.64	192.37	59.45	198.56	64.50	202.04	69.54	206.61	69.74	213.18	70.43
	43	151.51	40.04	179.45	49.89	190.28	59.73	196.47	64.78	199.95	69.86	204.44	70.07	210.94	70.75
	46	146.87	40.24	175.81	50.13	184.09	60.02	190.28	65.10	194.46	70.19	198.56	70.39	202.74	71.08
	48	142.69	40.40	171.71	50.37	177.9	60.30	184.09	65.38	188.19	70.51	192.37	70.71	196.47	71.40
	50	138.59	40.60	167.53	50.57	171.71	60.58	177.9	65.71	182	70.83	186.18	71.03	190.28	71.72

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1950W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	135.03	18.73	159.4	23.33	183.78	27.93	195	30.31	212.33	30.31	227.27	32.77	236.32	33.10
	12	135.03	19.05	159.4	23.77	183.78	28.45	195	30.88	212.33	30.88	227.27	33.38	234.23	33.70
	14	135.03	19.41	159.4	24.18	183.78	28.98	195	31.40	212.33	31.40	225.18	33.98	232.14	34.31
	16	135.03	19.78	159.4	24.62	183.78	29.50	195	31.97	212.33	31.97	223.17	34.59	230.05	34.91
	18	135.03	20.10	159.4	25.06	183.78	29.99	195	32.53	212.33	32.53	221.15	35.19	227.96	35.52
	19	135.03	20.46	159.4	25.47	183.78	30.51	195	33.10	212.33	33.10	219.14	35.80	225.88	36.12
	21	135.03	21.92	159.4	27.32	183.78	32.73	195	35.48	212.33	35.48	217.13	38.38	223.71	38.75
	23	135.03	23.49	159.4	29.26	183.78	35.03	195	38.02	212.33	38.02	215.04	41.09	221.62	41.49
	25	135.03	25.14	159.4	31.32	183.78	37.50	195	40.68	212.33	40.68	213.03	43.99	219.53	44.40
	27	135.03	26.88	159.4	33.46	183.78	40.08	195	43.47	210.32	43.47	211.02	47.02	217.44	47.46
	29	135.03	28.70	159.4	35.76	183.78	42.82	195	46.41	208.31	46.41	209.01	50.21	215.35	50.69
	31	135.03	30.59	159.4	38.14	183.78	45.65	195	49.52	206.38	49.52	206.99	53.52	213.26	54.04
	33	135.03	32.57	159.4	40.60	183.78	48.63	195	52.75	204.36	52.75	204.9	57.03	211.17	57.59
	35	135.03	34.67	159.4	43.19	183.78	51.74	195	56.06	201.42	56.10	202.89	60.66	209.08	61.27
	37	135.03	36.89	159.4	45.93	183.78	55.01	195	58.36	198.4	58.36	200.88	64.54	204.9	65.14
	39	135.03	37.05	159.4	46.13	183.78	55.25	195	60.02	196.93	60.02	198.87	64.82	202.82	65.42
	41	135.03	37.21	159.4	46.33	181.38	55.50	193.07	61.71	195	61.71	196.93	65.10	200.73	65.71
	43	135.03	37.37	159.4	46.58	179.37	55.78	191.13	63.97	193.07	63.97	195	65.38	198.64	66.03
	46	135.03	37.54	156.23	46.78	173.57	56.02	189.12	66.31	191.13	66.31	193.07	65.71	196.93	66.35
	48	135.03	37.74	154.61	46.98	167.68	56.26	183.32	66.76	189.12	66.76	187.18	65.99	191.13	66.64
	50	132.63	37.90	153.06	47.22	161.88	56.55	177.43	68.45	183.32	68.45	181.38	66.31	185.25	66.96
90%	10	121.57	16.18	143.46	20.18	165.44	24.14	175.5	26.19	185.56	26.19	210.4	28.33	214.73	28.58
	12	121.57	16.47	143.46	20.54	165.44	24.58	175.5	26.68	185.56	26.68	210.4	28.86	214.73	29.14
	14	121.57	16.79	143.46	20.91	165.44	25.02	175.5	27.16	185.56	27.16	210.4	29.38	214.73	29.67
	16	121.57	17.07	143.46	21.27	165.44	25.51	175.5	27.65	185.56	27.65	210.4	29.91	214.73	30.19
	18	121.57	17.40	143.46	21.67	165.44	25.95	175.5	28.13	185.56	28.13	210.4	30.43	212.33	30.71
	19	121.57	17.68	143.46	22.04	165.44	26.40	175.5	28.62	185.56	28.62	208.85	30.96	210.63	31.24
	21	121.57	18.97	143.46	23.61	165.44	28.29	175.5	30.67	185.56	30.67	207.07	33.18	208.85	33.50
	23	121.57	20.30	143.46	25.31	165.44	30.31	175.5	32.85	185.56	32.85	205.37	35.52	207.07	35.88
	25	121.57	21.71	143.46	27.08	165.44	32.41	175.5	35.15	185.56	35.15	203.59	38.02	205.37	38.38
	27	121.57	23.25	143.46	28.94	165.44	34.67	175.5	37.58	185.56	37.58	201.81	40.64	203.59	41.05
	29	121.57	24.82	143.46	30.92	165.44	37.01	175.5	40.12	185.56	40.12	200.11	43.39	201.81	43.83
	31	121.57	26.44	143.46	32.97	165.44	39.47	175.5	42.78	185.56	42.78	198.33	46.29	200.11	46.74
	33	121.57	28.17	143.46	35.11	165.44	42.02	175.5	45.61	185.56	45.61	196.55	49.28	198.33	49.76
	35	121.57	29.99	143.46	37.33	165.44	44.72	175.5	48.51	185.56	48.51	194.77	52.43	196.55	52.95
	37	121.57	31.88	143.46	39.71	165.44	47.54	175.5	51.58	185.56	51.58	193.07	55.78	194.77	56.30
	39	121.57	32.01	143.46	39.88	165.44	47.75	175.5	51.82	184.24	51.82	191.29	56.02	193.07	56.55
	41	121.57	32.17	143.46	40.08	165.44	47.99	175.5	52.02	182.54	52.02	189.51	56.26	191.29	56.83
	43	121.57	32.33	143.46	40.24	165.44	48.19	173.72	52.27	180.76	52.27	187.8	56.55	189.51	57.07
	46	121.57	32.45	143.46	40.44	159.71	48.43	168.46	52.51	175.5	52.51	182.54	56.79	184.24	57.35
	48	121.57	32.61	143.46	40.64	154.45	48.63	163.2	52.75	170.24	52.75	177.28	57.07	178.98	57.59
	50	121.57	32.77	140.37	40.80	149.19	48.88	157.93	52.99	164.98	52.99	172.02	57.31	173.72	57.88
80%	10	108.02	13.84	127.52	17.23	147.02	20.62	156	22.36	164.98	22.36	168.54	24.18	172.17	24.42
	12	108.02	14.09	127.52	17.56	147.02	21.03	156	22.80	164.98	22.80	168.54	24.62	172.17	24.86
	14	108.02	14.33	127.52	17.88	147.02	21.39	156	23.21	164.98	23.21	168.54	25.10	172.17	25.35
	16	108.02	14.61	127.52	18.20	147.02	21.75	156	23.61	164.98	23.61	168.54	25.55	172.17	25.79
	18	108.02	14.85	127.52	18.49	147.02	22.16	156	24.01	164.98	24.01	168.54	25.99	172.17	26.23
	19	108.02	15.09	127.52	18.81	147.02	22.52	156	24.46	164.98	24.46	168.54	26.44	172.17	26.68
	21	108.02	16.18	127.52	20.18	147.02	24.18	156	26.19	164.98	26.19	168.54	28.33	172.17	28.62
	23	108.02	17.36	127.52	21.59	147.02	25.87	156	28.05	164.98	28.05	168.54	30.35	172.17	30.63
	25	108.02	18.57	127.52	23.13	147.02	27.69	156	30.03	164.98	30.03	168.54	32.49	172.17	32.77
	27	108.02	19.86	127.52	24.74	147.02	29.58	156	32.09	164.98	32.09	168.54	34.71	172.17	35.07
	29	108.02	21.19	127.52	26.40	147.02	31.60	156	34.27	164.98	34.27	168.54	37.05	172.17	37.41
	31	108.02	22.60	127.52	28.13	147.02	33.70	156	36.57	164.98	36.57	168.54	39.51	172.17	39.92
	33	108.02	24.05	127.52	29.99	147.02	35.92	156	38.95	164.98	38.95	168.54	42.10	172.17	42.50
	35	108.02	25.59	127.52	31.88	147.02	38.18	156	41.41	164.98	41.41	168.54	44.80	172.17	45.24
	37	108.02	27.24	127.52	33.94	147.02	40.64	156	44.07	164.98	44.07	168.54	47.63	170.01	48.11
	39	108.02	27.36	127.52	34.06	147.02	40.80	156	44.24	164.98	44.24	166.91	47.87	168.46	48.31
	41	108.02	27.49	127.52	34.23	147.02	40.97	156	44.44	163.82	44.44	165.36	48.07	166.91	48.51
	43	108.02	27.61	127.52	34.39	147.02	41.17	156	44.68	162.27	44.68	163.82	48.27	165.36	48.76
	46	108.02	27.73	127.91	34.55	146.64	41.37	151.36	44.88	157.55	44.88	159.1	48.51	157.55	49.00
	48	108.02	27.85	127.91	34.71	141.99	41.57	146.64	45.08	152.9	45.08	154.45	48.76	152.9	49.20
	50	108.02	27.97	127.91	34.87	137.27	41.73	141.99	45.28	148.18	45.28	149.73	48.96	148.18	49.44

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D1950W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	94.56	11.62	111.58	14.49	128.68	17.36	136.5	18.85	144.32	20.30	147.49	20.38	150.66	20.58
	12	94.56	11.87	111.58	14.77	128.68	17.68	136.5	19.17	144.32	20.66	147.49	20.75	150.66	20.95
	14	94.56	12.07	111.58	15.05	128.68	18.00	136.5	19.53	144.32	21.07	147.49	21.11	150.66	21.31
	16	94.56	12.27	111.58	15.30	128.68	18.32	136.5	19.90	144.32	21.43	147.49	21.51	150.66	21.71
	18	94.56	12.51	111.58	15.58	128.68	18.65	136.5	20.22	144.32	21.79	147.49	21.88	150.66	22.08
	19	94.56	12.71	111.58	15.86	128.68	18.97	136.5	20.58	144.32	22.20	147.49	22.24	150.66	22.48
	21	94.56	13.64	111.58	16.99	128.68	20.34	136.5	22.08	144.32	23.77	147.49	23.85	150.66	24.10
	23	94.56	14.61	111.58	18.20	128.68	21.79	136.5	23.65	144.32	25.47	147.49	25.55	150.66	25.79
	25	94.56	15.62	111.58	19.49	128.68	23.33	136.5	25.31	144.32	27.28	147.49	27.36	150.66	27.61
	27	94.56	16.71	111.58	20.83	128.68	24.94	136.5	27.04	144.32	29.14	147.49	29.22	150.66	29.50
	29	94.56	17.84	111.58	22.24	128.68	26.60	136.5	28.86	144.32	31.12	147.49	31.20	150.66	31.52
	31	94.56	19.01	111.58	23.69	128.68	28.37	136.5	30.80	144.32	33.18	147.49	33.30	150.66	33.62
	33	94.56	20.26	111.58	25.27	128.68	30.23	136.5	32.81	144.32	35.36	147.49	35.48	150.66	35.80
	35	94.56	21.55	111.58	26.88	128.68	32.17	136.5	34.87	144.32	37.62	147.49	37.74	150.66	38.10
	37	94.56	22.92	111.58	28.58	128.68	34.23	136.5	37.09	144.32	40.00	147.49	40.12	150.66	40.52
	39	94.56	23.05	111.58	28.70	128.68	34.35	136.5	37.25	144.32	40.16	147.49	40.28	150.66	40.68
	41	94.56	23.13	111.58	28.82	128.68	34.51	136.5	37.41	144.32	40.36	147.49	40.48	150.66	40.89
	43	94.56	23.25	111.58	28.94	128.68	34.67	136.5	37.62	144.32	40.52	147.49	40.68	150.66	41.05
	46	94.56	23.37	111.58	29.10	128.68	34.83	136.5	37.78	141.99	40.72	144.7	40.84	147.41	41.25
	48	94.56	23.45	111.58	29.22	128.68	34.99	133.79	37.94	139.21	40.93	141.99	41.05	144.7	41.45
	50	94.56	23.57	111.58	29.34	125.59	35.15	131.01	38.14	136.5	41.09	139.21	41.25	141.99	41.61
60%	10	81.02	9.65	95.64	11.99	110.27	14.37	117	15.58	123.73	16.79	126.44	16.87	129.07	17.03
	12	81.02	9.81	95.64	12.23	110.27	14.65	117	15.86	123.73	17.11	126.44	17.15	129.07	17.36
	14	81.02	10.01	95.64	12.43	110.27	14.89	117	16.18	123.73	17.44	126.44	17.48	129.07	17.64
	16	81.02	10.17	95.64	12.67	110.27	15.18	117	16.47	123.73	17.76	126.44	17.80	129.07	17.96
	18	81.02	10.33	95.64	12.92	110.27	15.46	117	16.75	123.73	18.04	126.44	18.12	129.07	18.28
	19	81.02	10.53	95.64	13.12	110.27	15.70	117	17.03	123.73	18.36	126.44	18.40	129.07	18.61
	21	81.02	11.30	95.64	14.05	110.27	16.83	117	18.28	123.73	19.70	126.44	19.74	129.07	19.94
	23	81.02	12.11	95.64	15.05	110.27	18.04	117	19.57	123.73	21.11	126.44	21.15	129.07	21.35
	25	81.02	12.96	95.64	16.10	110.27	19.29	117	20.95	123.73	22.56	126.44	22.64	129.07	22.84
	27	81.02	13.84	95.64	17.23	110.27	20.62	117	22.36	123.73	24.14	126.44	24.22	129.07	24.42
	29	81.02	14.77	95.64	18.40	110.27	22.04	117	23.89	123.73	25.75	126.44	25.83	129.07	26.07
	31	81.02	15.74	95.64	19.62	110.27	23.49	117	25.47	123.73	27.49	126.44	27.57	129.07	27.81
	33	81.02	16.79	95.64	20.91	110.27	25.02	117	27.16	123.73	29.26	126.44	29.34	129.07	29.62
	35	81.02	17.84	95.64	22.24	110.27	26.64	117	28.86	123.73	31.12	126.44	31.24	129.07	31.52
	37	81.02	18.97	95.64	23.65	110.27	28.33	117	30.71	123.73	33.10	126.44	33.22	129.07	33.54
	39	81.02	19.05	95.64	23.73	110.27	28.45	117	30.84	123.73	33.26	126.44	33.34	129.07	33.66
	41	81.02	19.13	95.64	23.85	110.27	28.58	117	31.00	123.73	33.42	126.44	33.50	129.07	33.82
	43	81.02	19.25	95.64	23.97	110.27	28.70	117	31.12	123.73	33.54	126.44	33.66	129.07	33.98
	46	81.02	19.33	95.64	24.10	110.27	28.82	117	31.28	123.73	33.70	126.44	33.82	129.07	34.15
	48	81.02	19.41	95.64	24.18	110.27	28.98	117	31.40	121.64	33.86	124.04	33.98	126.36	34.31
	50	81.02	19.49	95.64	24.30	110.27	29.10	114.68	31.56	119.32	34.02	121.64	34.15	124.04	34.47
50%	10	67.55	7.79	79.7	9.73	91.93	11.66	97.5	12.63	103.07	13.60	105.32	13.64	107.56	13.80
	12	67.55	7.95	79.7	9.89	91.93	11.87	97.5	12.88	103.07	13.88	105.32	13.92	107.56	14.05
	14	67.55	8.11	79.7	10.09	91.93	12.07	97.5	13.12	103.07	14.13	105.32	14.17	107.56	14.29
	16	67.55	8.23	79.7	10.25	91.93	12.31	97.5	13.32	103.07	14.37	105.32	14.41	107.56	14.57
	18	67.55	8.40	79.7	10.45	91.93	12.51	97.5	13.56	103.07	14.61	105.32	14.69	107.56	14.81
	19	67.55	8.52	79.7	10.61	91.93	12.71	97.5	13.80	103.07	14.89	105.32	14.93	107.56	15.05
	21	67.55	9.16	79.7	11.38	91.93	13.64	97.5	14.81	103.07	15.94	105.32	15.98	107.56	16.14
	23	67.55	9.81	79.7	12.19	91.93	14.61	97.5	15.86	103.07	17.07	105.32	17.15	107.56	17.31
	25	67.55	10.49	79.7	13.08	91.93	15.62	97.5	16.95	103.07	18.28	105.32	18.32	107.56	18.53
	27	67.55	11.22	79.7	13.96	91.93	16.71	97.5	18.12	103.07	19.53	105.32	19.62	107.56	19.78
	29	67.55	11.95	79.7	14.89	91.93	17.84	97.5	19.37	103.07	20.87	105.32	20.95	107.56	21.15
	31	67.55	12.75	79.7	15.90	91.93	19.05	97.5	20.66	103.07	22.24	105.32	22.32	107.56	22.52
	33	67.55	13.60	79.7	16.95	91.93	20.26	97.5	22.00	103.07	23.69	105.32	23.77	107.56	24.01
	35	67.55	14.45	79.7	18.00	91.93	21.55	97.5	23.41	103.07	25.23	105.32	25.31	107.56	25.55
	37	67.55	15.38	79.7	19.17	91.93	22.92	97.5	24.86	103.07	26.84	105.32	26.92	107.56	27.16
	39	67.55	15.46	79.7	19.25	91.93	23.05	97.5	24.98	103.07	26.92	105.32	27.00	107.56	27.28
	41	67.55	15.50	79.7	19.33	91.93	23.13	97.5	25.10	103.07	27.04	105.32	27.16	107.56	27.40
	43	67.55	15.58	79.7	19.41	91.93	23.25	97.5	25.23	103.07	27.20	105.32	27.28	107.56	27.53
	46	67.55	15.66	79.7	19.49	91.93	23.37	97.5	25.35	103.07	27.32	105.32	27.40	107.56	27.65
	48	67.55	15.74	79.7	19.62	91.93	23.45	97.5	25.47	103.38	27.45	104.31	27.53	106.24	27.81
	50	67.55	15.82	79.7	19.70	91.93	23.57	97.5	25.59	102.38	27.57	103.38	27.65	105.32	27.93

72HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D2000W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútrotná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	10	180.87	21.10	211.27	26.26	243.41	31.46	250	34.12	254.37	36.79	258.33	36.91	265.24	37.24
	12	180.87	21.47	211.27	26.76	243.41	32.04	247.78	34.75	252.14	37.45	256.03	37.58	262.86	37.95
	14	180.87	21.89	211.27	27.26	243.41	32.63	245.56	35.37	249.92	38.16	251.43	38.24	260.56	38.62
	16	180.87	22.26	211.27	27.72	241.27	33.21	243.41	36.04	245.4	38.83	249.21	38.95	258.17	39.33
	18	180.87	22.64	211.27	28.21	236.98	33.79	239.05	36.66	243.17	39.49	246.9	39.62	255.79	40.03
	19	180.87	23.05	211.27	28.71	234.84	34.37	236.83	37.29	240.95	40.20	244.6	40.32	253.49	40.70
	21	180.87	24.72	211.27	30.79	232.7	36.83	234.6	39.95	238.73	43.07	242.3	43.20	251.11	43.65
	23	180.87	26.47	211.27	32.96	230.56	39.45	232.46	42.82	236.51	46.15	240	46.27	248.81	46.73
	25	180.87	28.30	211.27	35.29	228.33	42.24	230.24	45.82	234.29	49.40	237.78	49.52	246.43	50.02
	27	180.87	30.25	211.27	37.70	226.19	45.15	228.02	48.98	232.06	52.81	235.48	52.93	241.75	53.47
	29	180.87	32.33	209.6	40.28	224.05	48.19	225.87	52.31	229.84	56.39	233.17	56.55	241.75	57.09
	31	180.87	34.46	208.97	42.95	221.9	51.39	223.65	55.76	227.62	60.13	230.87	60.30	239.37	60.88
	33	180.87	36.70	208.97	45.73	219.76	54.76	221.51	59.38	225.32	64.04	228.57	64.21	237.06	64.83
	35	180.87	39.03	206.9	48.65	215.48	58.26	219.29	63.17	223.1	68.12	225.87	68.33	234.68	69.00
	37	180.87	41.53	206.9	51.77	212.7	61.96	217.06	67.21	218.65	72.45	223.65	72.66	230	73.37
	39	180.87	41.70	203.97	51.98	211.11	62.21	214.92	67.50	216.43	72.78	221.51	72.99	227.7	73.70
	41	180.87	41.91	199.52	52.23	208.33	62.50	212.7	67.79	214.21	73.07	219.29	73.32	225.32	74.03
	43	181.98	42.11	195.16	52.43	204.68	62.80	208.33	68.12	211.98	73.45	217.14	73.66	222.94	74.36
	46	175.4	42.28	188.57	52.68	197.38	63.09	201.75	68.41	206.11	73.78	210.48	73.99	217.06	74.70
	48	171.03	42.49	181.98	52.93	190.79	63.38	195.16	68.75	199.52	74.11	203.97	74.32	210.48	75.07
	50	166.67	42.70	175.4	53.18	184.21	63.67	188.57	69.08	192.94	74.45	197.38	74.70	203.97	75.40
120%	10	169.84	20.89	202.3	26.01	233.33	31.17	241.59	33.79	250.24	36.41	253.65	36.54	261.67	36.91
	12	169.84	21.26	202.3	26.51	233.33	31.75	241.59	34.41	248.02	37.12	251.35	37.20	259.37	37.58
	14	169.84	21.64	202.3	26.97	233.33	32.29	241.59	35.04	245.79	37.79	249.13	37.91	257.06	38.24
	16	169.84	22.06	202.3	27.47	233.33	32.88	241.59	35.66	243.65	38.45	246.9	38.58	254.68	38.95
	18	169.84	22.43	202.3	27.96	233.33	33.46	239.44	36.29	241.43	39.12	244.68	39.24	252.38	39.62
	19	169.84	22.80	202.3	28.42	230.79	34.04	237.3	36.91	239.21	39.78	242.38	39.91	250.08	40.32
	21	169.84	24.47	202.3	30.46	228.65	36.50	232.94	39.58	234.84	42.65	240.16	42.82	247.78	43.20
	23	169.84	26.22	202.3	32.67	224.37	39.08	230.79	42.40	232.62	45.69	237.94	45.86	245.48	46.27
	25	169.84	28.05	202.3	34.96	222.14	41.82	226.51	45.36	230.48	48.90	235.63	49.06	243.17	49.52
	27	169.84	29.96	202.3	37.33	217.86	44.74	224.37	48.48	228.25	52.27	233.41	52.43	240.79	52.93
	29	169.84	32.00	202.3	39.87	215.71	47.73	222.14	51.77	226.03	55.80	231.19	56.01	238.49	56.55
	31	169.84	34.12	202.3	42.53	213.57	50.94	220	55.22	223.89	59.55	228.97	59.72	236.19	60.30
	33	169.84	36.37	202.3	45.28	211.43	54.22	217.86	58.84	221.67	63.42	226.67	63.63	233.89	64.21
	35	169.84	38.66	200.63	48.19	209.21	57.72	215.71	62.59	219.52	67.46	224.44	67.66	231.59	68.33
	37	169.84	41.11	198.49	51.27	207.06	61.38	211.43	66.54	215.08	71.74	222.14	71.99	226.9	72.66
	39	169.84	41.32	196.27	51.48	204.92	61.63	209.21	66.83	212.94	72.08	220	72.28	224.6	72.99
	41	169.84	41.49	192.14	51.68	202.78	61.92	207.06	67.17	210.71	72.37	217.86	72.62	222.3	73.32
	43	169.84	41.70	190.16	51.93	200.63	62.21	204.92	67.46	209.21	72.74	215.71	72.95	220	73.66
	46	166.11	41.91	185.48	52.18	194.13	62.50	198.49	67.79	202.78	73.07	209.21	73.28	213.57	73.99
	48	161.75	42.07	181.19	52.43	187.7	62.80	191.98	68.08	196.27	73.41	202.78	73.62	207.06	74.32
	50	157.46	42.28	176.9	52.68	181.19	63.05	185.48	68.41	189.84	73.74	196.27	73.95	200.63	74.70
110%	10	155.4	20.68	184.05	25.76	208.41	30.84	226.98	33.46	243.89	36.08	249.44	36.20	257.3	36.54
	12	155.4	21.06	184.05	26.26	208.41	31.42	226.98	34.08	241.75	36.75	247.22	36.87	255.08	37.20
	14	155.4	21.43	184.05	26.72	208.41	32.00	226.98	34.71	239.6	37.41	245	37.54	252.78	37.91
	16	155.4	21.85	184.05	27.22	208.41	32.58	226.98	35.33	237.46	38.08	242.78	38.20	250.48	38.58
	18	155.4	22.22	184.05	27.67	208.41	33.12	226.98	35.95	235.32	38.74	240.63	38.87	248.25	39.24
	19	155.4	22.60	184.05	28.17	208.41	33.71	226.98	36.58	233.1	39.41	238.41	39.53	245.95	39.91
	21	155.4	24.22	184.05	30.17	208.41	36.12	226.98	39.20	230.95	42.24	236.19	42.40	243.65	42.78
	23	155.4	25.97	184.05	32.33	208.41	38.70	224.84	41.99	228.81	45.28	233.97	45.40	241.43	45.86
	25	155.4	27.76	184.05	34.58	208.41	41.41	222.78	44.94	226.67	48.44	231.75	48.56	239.13	49.06
	27	155.4	29.67	184.05	37.00	208.41	44.28	220.63	48.02	224.52	51.77	229.52	51.93	236.83	52.43
	29	155.4	31.71	184.05	39.49	208.41	47.27	218.49	51.27	222.3	55.26	227.38	55.47	234.6	55.97
	31	155.4	33.79	184.05	42.11	208.41	50.44	216.35	54.68	220.16	58.97	225.16	59.13	232.3	59.72
	33	155.4	36.00	184.05	44.86	205.79	53.72	214.29	58.26	218.02	62.80	222.94	63.00	230	63.59
	35	155.4	38.29	184.05	47.73	203.65	57.14	212.14	61.96	215.87	66.79	220.71	67.00	227.7	67.66
	37	155.4	40.74	184.05	50.77	201.51	60.76	207.94	65.92	211.51	71.08	216.35	71.29	223.17	71.95
	39	155.4	40.91	184.05	50.98	199.44	61.05	205.79	66.21	209.37	71.37	214.13	71.58	220.87	72.28
	41	155.4	41.11	184.05	51.19	197.3	61.30	203.65	66.50	207.22	71.70	211.9	71.91	218.65	72.62
	43	155.4	41.28	184.05	51.44	195.16	61.59	201.51	66.79	205.08	72.03	209.68	72.24	216.35	72.95
	46	150.63	41.49	180.32	51.68	188.81	61.88	195.16	67.12	199.44	72.37	203.65	72.58	207.94	73.28
	48	146.35	41.66	176.11	51.93	182.46	62.17	188.81	67.42	193.02	72.70	197.3	72.91	201.51	73.62
	50	142.14	41.86	171.83	52.14	176.11	62.46	182.46	67.75	186.67	73.03	190.95	73.24	195.16	73.95

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

		CMV-D2000W/ZR1													
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8,WB:14		DB:23.3,WB:16		DB:25.8,WB:18		DB:27,WB:19		DB:28.2,WB:20		DB:30.7,WB:22		DB:32,WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
100%	10	138.49	19.31	163.49	24.05	188.49	28.80	200	31.25	217.78	33.67	233.1	33.79	242.38	34.12
	12	138.49	19.64	163.49	24.51	188.49	29.34	200	31.83	217.78	34.29	233.1	34.41	240.24	34.75
	14	138.49	20.02	163.49	24.93	188.49	29.88	200	32.38	217.78	34.91	230.95	35.04	238.1	35.37
	16	138.49	20.39	163.49	25.38	188.49	30.42	200	32.96	217.78	35.54	228.89	35.66	235.95	36.00
	18	138.49	20.72	163.49	25.84	188.49	30.92	200	33.54	217.78	36.16	226.83	36.29	233.81	36.62
	19	138.49	21.10	163.49	26.26	188.49	31.46	200	34.12	217.78	36.79	224.76	36.91	231.67	37.24
	21	138.49	22.60	163.49	28.17	188.49	33.75	200	36.58	217.78	39.45	222.7	39.58	229.44	39.95
	23	138.49	24.22	163.49	30.17	188.49	36.12	200	39.20	217.78	42.24	220.56	42.36	227.3	42.78
	25	138.49	25.93	163.49	32.29	188.49	38.66	200	41.95	217.78	45.19	218.49	45.36	225.16	45.78
	27	138.49	27.72	163.49	34.50	188.49	41.32	200	44.82	215.71	48.31	216.43	48.48	223.02	48.94
	29	138.49	29.59	163.49	36.87	188.49	44.15	200	47.86	213.65	51.60	214.37	51.77	220.87	52.27
	31	138.49	31.54	163.49	39.33	188.49	47.07	200	51.06	211.67	55.01	212.3	55.18	218.73	55.72
	33	138.49	33.58	163.49	41.86	188.49	50.15	200	54.39	209.6	58.63	210.16	58.80	216.59	59.38
	35	138.49	35.75	163.49	44.53	188.49	53.35	200	57.80	206.59	62.34	208.1	62.55	214.44	63.17
	37	138.49	38.04	163.49	47.36	188.49	56.72	200	60.17	203.49	66.33	206.03	66.54	210.16	67.17
	39	138.49	38.20	163.49	47.57	188.49	56.97	200	61.88	201.98	66.62	203.97	66.83	208.02	67.46
	41	138.49	38.37	163.49	47.77	186.03	57.22	198.02	63.63	200	66.92	201.98	67.12	205.87	67.75
	43	138.49	38.53	163.49	48.02	183.97	57.51	196.03	65.96	198.02	67.21	200	67.42	203.73	68.08
	46	138.49	38.70	160.24	48.23	178.02	57.76	193.97	68.37	196.03	67.54	198.02	67.75	201.98	68.41
	48	138.49	38.91	158.57	48.44	171.98	58.01	188.02	68.83	193.97	67.83	191.98	68.04	196.03	68.71
	50	136.03	39.08	156.98	48.69	166.03	58.30	181.98	70.58	188.02	68.16	186.03	68.37	190	69.04
90%	10	124.68	16.69	147.14	20.81	169.68	24.89	180	27.01	190.32	29.13	215.79	29.21	220.24	29.46
	12	124.68	16.98	147.14	21.18	169.68	25.34	180	27.51	190.32	29.63	215.79	29.75	220.24	30.05
	14	124.68	17.31	147.14	21.56	169.68	25.80	180	28.01	190.32	30.17	215.79	30.30	220.24	30.59
	16	124.68	17.60	147.14	21.93	169.68	26.30	180	28.51	190.32	30.71	215.79	30.84	220.24	31.13
	18	124.68	17.94	147.14	22.35	169.68	26.76	180	29.01	190.32	31.25	215.79	31.38	217.78	31.67
	19	124.68	18.23	147.14	22.72	169.68	27.22	180	29.50	190.32	31.79	214.21	31.92	216.03	32.21
	21	124.68	19.56	147.14	24.34	169.68	29.17	180	31.63	190.32	34.08	212.38	34.21	214.21	34.54
	23	124.68	20.93	147.14	26.09	169.68	31.25	180	33.87	190.32	36.54	210.63	36.62	212.38	37.00
	25	124.68	22.39	147.14	27.92	169.68	33.42	180	36.25	190.32	39.08	208.81	39.20	210.63	39.58
	27	124.68	23.97	147.14	29.84	169.68	35.75	180	38.74	190.32	41.78	206.98	41.91	208.81	42.32
	29	124.68	25.59	147.14	31.88	169.68	38.16	180	41.36	190.32	44.61	205.24	44.74	206.98	45.19
	31	124.68	27.26	147.14	34.00	169.68	40.70	180	44.11	190.32	47.57	203.41	47.73	205.24	48.19
	33	124.68	29.05	147.14	36.20	169.68	43.32	180	47.02	190.32	50.69	201.59	50.81	203.41	51.31
	35	124.68	30.92	147.14	38.49	169.68	46.11	180	50.02	190.32	53.89	199.76	54.06	201.59	54.60
	37	124.68	32.88	147.14	40.95	169.68	49.02	180	53.18	190.32	57.34	198.02	57.51	199.76	58.05
	39	124.68	33.00	147.14	41.11	169.68	49.23	180	53.43	188.97	57.59	196.19	57.76	198.02	58.30
	41	124.68	33.17	147.14	41.32	169.68	49.48	180	53.64	187.22	57.84	194.37	58.01	196.19	58.59
	43	124.68	33.33	147.14	41.49	169.68	49.69	178.17	53.89	185.4	58.09	192.62	58.30	194.37	58.84
	46	124.68	33.46	147.14	41.70	163.81	49.94	172.78	54.14	180	58.38	187.22	58.55	188.97	59.13
	48	124.68	33.62	147.14	41.91	158.41	50.15	167.38	54.39	174.6	58.63	181.83	58.84	183.57	59.38
	50	124.68	33.79	143.97	42.07	153.02	50.39	161.98	54.64	169.21	58.93	176.43	59.09	178.17	59.67
80%	10	110.79	14.27	130.79	17.77	150.79	21.26	160	23.05	169.21	24.89	172.86	24.93	176.59	25.18
	12	110.79	14.52	130.79	18.10	150.79	21.68	160	23.51	169.21	25.34	172.86	25.38	176.59	25.63
	14	110.79	14.77	130.79	18.44	150.79	22.06	160	23.93	169.21	25.80	172.86	25.88	176.59	26.13
	16	110.79	15.06	130.79	18.77	150.79	22.43	160	24.34	169.21	26.26	172.86	26.34	176.59	26.59
	18	110.79	15.31	130.79	19.06	150.79	22.85	160	24.76	169.21	26.72	172.86	26.80	176.59	27.05
	19	110.79	15.56	130.79	19.39	150.79	23.22	160	25.22	169.21	27.17	172.86	27.26	176.59	27.51
	21	110.79	16.69	130.79	20.81	150.79	24.93	160	27.01	169.21	29.13	172.86	29.21	176.59	29.50
	23	110.79	17.89	130.79	22.26	150.79	26.67	160	28.92	169.21	31.21	172.86	31.29	176.59	31.59
	25	110.79	19.14	130.79	23.84	150.79	28.55	160	30.96	169.21	33.37	172.86	33.50	176.59	33.79
	27	110.79	20.47	130.79	25.51	150.79	30.50	160	33.08	169.21	35.70	172.86	35.79	176.59	36.16
	29	110.79	21.85	130.79	27.22	150.79	32.58	160	35.33	169.21	38.12	172.86	38.20	176.59	38.58
	31	110.79	23.30	130.79	29.01	150.79	34.75	160	37.70	169.21	40.62	172.86	40.74	176.59	41.16
	33	110.79	24.80	130.79	30.92	150.79	37.04	160	40.16	169.21	43.28	172.86	43.40	176.59	43.82
	35	110.79	26.38	130.79	32.88	150.79	39.37	160	42.70	169.21	46.07	172.86	46.19	176.59	46.65
	37	110.79	28.09	130.79	35.00	150.79	41.91	160	45.44	169.21	48.98	172.86	49.10	174.37	49.60
	39	110.79	28.21	130.79	35.12	150.79	42.07	160	45.61	169.21	49.19	171.19	49.35	172.78	49.81
	41	110.79	28.34	130.79	35.29	150.79	42.24	160	45.82	168.02	49.40	169.6	49.56	171.19	50.02
	43	110.79	28.46	130.79	35.46	150.79	42.45	160	46.07	166.43	49.65	168.02	49.77	169.6	50.27
	46	110.79	28.59	131.19	35.62	150.4	42.65	155.24	46.27	161.59	49.85	163.17	50.02	161.59	50.52
	48	110.79	28.71	131.19	35.79	145.63	42.86	150.4	46.48	156.83	50.10	158.41	50.27	156.83	50.73
	50	110.79	28.84	131.19	35.95	140.79	43.03	145.63	46.69	151.98	50.31	153.57	50.48	151.98	50.98

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D2000W/ZR1															
Kombinácia	Vonkajšia teplota (°C DB)	Vnútorná teplota (°C)													
		DB:20.8, WB:14		DB:23.3, WB:16		DB:25.8, WB:18		DB:27, WB:19		DB:28.2, WB:20		DB:30.7, WB:22		DB:32, WB:24	
		TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	10	96.98	11.98	114.44	14.94	131.98	17.89	140	19.43	148.02	20.93	151.27	21.02	154.52	21.22
	12	96.98	12.23	114.44	15.23	131.98	18.23	140	19.77	148.02	21.31	151.27	21.39	154.52	21.60
	14	96.98	12.44	114.44	15.52	131.98	18.56	140	20.14	148.02	21.72	151.27	21.76	154.52	21.97
	16	96.98	12.65	114.44	15.77	131.98	18.89	140	20.52	148.02	22.10	151.27	22.18	154.52	22.39
	18	96.98	12.90	114.44	16.06	131.98	19.23	140	20.85	148.02	22.47	151.27	22.55	154.52	22.76
	19	96.98	13.11	114.44	16.35	131.98	19.56	140	21.22	148.02	22.89	151.27	22.93	154.52	23.18
	21	96.98	14.07	114.44	17.52	131.98	20.97	140	22.76	148.02	24.51	151.27	24.59	154.52	24.84
	23	96.98	15.06	114.44	18.77	131.98	22.47	140	24.39	148.02	26.26	151.27	26.34	154.52	26.59
	25	96.98	16.10	114.44	20.10	131.98	24.05	140	26.09	148.02	28.13	151.27	28.21	154.52	28.46
	27	96.98	17.23	114.44	21.47	131.98	25.72	140	27.88	148.02	30.05	151.27	30.13	154.52	30.42
	29	96.98	18.39	114.44	22.93	131.98	27.42	140	29.75	148.02	32.08	151.27	32.17	154.52	32.50
	31	96.98	19.60	114.44	24.43	131.98	29.25	140	31.75	148.02	34.21	151.27	34.33	154.52	34.66
	33	96.98	20.89	114.44	26.05	131.98	31.17	140	33.83	148.02	36.45	151.27	36.58	154.52	36.91
	35	96.98	22.22	114.44	27.72	131.98	33.17	140	35.95	148.02	38.78	151.27	38.91	154.52	39.28
	37	96.98	23.64	114.44	29.46	131.98	35.29	140	38.24	148.02	41.24	151.27	41.36	154.52	41.78
	39	96.98	23.76	114.44	29.59	131.98	35.41	140	38.41	148.02	41.41	151.27	41.53	154.52	41.95
	41	96.98	23.84	114.44	29.71	131.98	35.58	140	38.58	148.02	41.61	151.27	41.74	154.52	42.16
	43	96.98	23.97	114.44	29.84	131.98	35.75	140	38.78	148.02	41.78	151.27	41.95	154.52	42.32
	46	96.98	24.09	114.44	30.00	131.98	35.91	140	38.95	145.63	41.99	148.41	42.11	151.19	42.53
	48	96.98	24.18	114.44	30.13	131.98	36.08	137.22	39.12	142.78	42.20	145.63	42.32	148.41	42.74
	50	96.98	24.30	114.44	30.25	128.81	36.25	134.37	39.33	140	42.36	142.78	42.53	145.63	42.90
60%	10	83.1	9.95	98.1	12.36	113.1	14.81	120	16.06	126.9	17.31	129.68	17.39	132.38	17.56
	12	83.1	10.11	98.1	12.61	113.1	15.11	120	16.35	126.9	17.64	129.68	17.69	132.38	17.89
	14	83.1	10.32	98.1	12.82	113.1	15.36	120	16.69	126.9	17.98	129.68	18.02	132.38	18.19
	16	83.1	10.49	98.1	13.07	113.1	15.65	120	16.98	126.9	18.31	129.68	18.35	132.38	18.52
	18	83.1	10.65	98.1	13.32	113.1	15.94	120	17.27	126.9	18.60	129.68	18.68	132.38	18.85
	19	83.1	10.86	98.1	13.52	113.1	16.19	120	17.56	126.9	18.93	129.68	18.98	132.38	19.18
	21	83.1	11.65	98.1	14.48	113.1	17.35	120	18.85	126.9	20.31	129.68	20.35	132.38	20.56
	23	83.1	12.48	98.1	15.52	113.1	18.60	120	20.18	126.9	21.76	129.68	21.81	132.38	22.01
	25	83.1	13.36	98.1	16.60	113.1	19.89	120	21.60	126.9	23.26	129.68	23.35	132.38	23.55
	27	83.1	14.27	98.1	17.77	113.1	21.26	120	23.05	126.9	24.89	129.68	24.97	132.38	25.18
	29	83.1	15.23	98.1	18.98	113.1	22.72	120	24.64	126.9	26.55	129.68	26.63	132.38	26.88
	31	83.1	16.23	98.1	20.22	113.1	24.22	120	26.26	126.9	28.34	129.68	28.42	132.38	28.67
	33	83.1	17.31	98.1	21.56	113.1	25.80	120	28.01	126.9	30.17	129.68	30.25	132.38	30.54
	35	83.1	18.39	98.1	22.93	113.1	27.47	120	29.75	126.9	32.08	129.68	32.21	132.38	32.50
	37	83.1	19.56	98.1	24.39	113.1	29.21	120	31.67	126.9	34.12	129.68	34.25	132.38	34.58
	39	83.1	19.64	98.1	24.47	113.1	29.34	120	31.79	126.9	34.29	129.68	34.37	132.38	34.71
	41	83.1	19.73	98.1	24.59	113.1	29.46	120	31.96	126.9	34.46	129.68	34.54	132.38	34.87
	43	83.1	19.85	98.1	24.72	113.1	29.59	120	32.08	126.9	34.58	129.68	34.71	132.38	35.04
	46	83.1	19.93	98.1	24.84	113.1	29.71	120	32.25	126.9	34.75	129.68	34.87	132.38	35.21
	48	83.1	20.02	98.1	24.93	113.1	29.88	120	32.38	124.76	34.91	127.22	35.04	129.6	35.37
	50	83.1	20.10	98.1	25.05	113.1	30.00	117.62	32.54	122.38	35.08	124.76	35.21	127.22	35.54
50%	10	69.29	8.03	81.75	10.03	94.29	12.03	100	13.03	105.71	14.02	108.02	14.07	110.32	14.23
	12	69.29	8.20	81.75	10.20	94.29	12.23	100	13.27	105.71	14.32	108.02	14.36	110.32	14.48
	14	69.29	8.36	81.75	10.40	94.29	12.44	100	13.52	105.71	14.56	108.02	14.61	110.32	14.73
	16	69.29	8.49	81.75	10.57	94.29	12.69	100	13.73	105.71	14.81	108.02	14.86	110.32	15.02
	18	69.29	8.66	81.75	10.78	94.29	12.90	100	13.98	105.71	15.06	108.02	15.15	110.32	15.27
	19	69.29	8.78	81.75	10.94	94.29	13.11	100	14.23	105.71	15.36	108.02	15.40	110.32	15.52
	21	69.29	9.45	81.75	11.74	94.29	14.07	100	15.27	105.71	16.44	108.02	16.48	110.32	16.65
	23	69.29	10.11	81.75	12.57	94.29	15.06	100	16.35	105.71	17.60	108.02	17.69	110.32	17.85
	25	69.29	10.82	81.75	13.48	94.29	16.10	100	17.48	105.71	18.85	108.02	18.89	110.32	19.10
	27	69.29	11.57	81.75	14.40	94.29	17.23	100	18.68	105.71	20.14	108.02	20.22	110.32	20.39
	29	69.29	12.32	81.75	15.36	94.29	18.39	100	19.97	105.71	21.51	108.02	21.60	110.32	21.81
	31	69.29	13.15	81.75	16.40	94.29	19.64	100	21.31	105.71	22.93	108.02	23.01	110.32	23.22
	33	69.29	14.02	81.75	17.48	94.29	20.89	100	22.68	105.71	24.43	108.02	24.51	110.32	24.76
	35	69.29	14.90	81.75	18.56	94.29	22.22	100	24.14	105.71	26.01	108.02	26.09	110.32	26.34
	37	69.29	15.86	81.75	19.77	94.29	23.64	100	25.63	105.71	27.67	108.02	27.76	110.32	28.01
	39	69.29	15.94	81.75	19.85	94.29	23.76	100	25.76	105.71	27.76	108.02	27.84	110.32	28.13
	41	69.29	15.98	81.75	19.93	94.29	23.84	100	25.88	105.71	27.88	108.02	28.01	110.32	28.26
	43	69.29	16.06	81.75	20.02	94.29	23.97	100	26.01	105.71	28.05	108.02	28.13	110.32	28.38
	46	69.29	16.15	81.75	20.10	94.29	24.09	100	26.13	105.71	28.17	108.02	28.26	110.32	28.51
	48	69.29	16.23	81.75	20.22	94.29	24.18	100	26.26	106.03	28.30	106.98	28.38	108.97	28.67
	50	69.29	16.31	81.75	20.31	94.29	24.30	100	26.38	105	28.42	106.03	28.51	108.02	28.80

VÝKONOVÉ TABUĽKY – VYKUROVANIE

8HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D252W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	17.74	4.15	17.66	4.44	17.58	4.74	17.58	4.88	17.49	5.03	17.49	5.33
	-18.8	-19	18	4.25	17.92	4.53	17.92	4.83	17.83	4.97	17.83	5.10	17.74	5.39
	-16.7	-17	18.7	4.44	18.61	4.72	18.53	5.00	18.53	5.13	18.53	5.28	18.44	5.55
	-13.7	-15	19.48	4.64	19.4	4.91	19.31	5.18	19.31	5.32	19.22	5.44	19.22	5.71
	-11.8	-13	20.27	4.85	20.27	5.11	20.18	5.37	20.09	5.49	20.09	5.63	20	5.88
	-9.8	-11	21.23	5.07	21.14	5.32	21.05	5.55	21.05	5.67	21.05	5.80	20.97	6.05
	-9.5	-10	21.75	5.18	21.66	5.40	21.57	5.65	21.57	5.77	21.48	5.89	21.48	6.13
	-8.5	-9.1	22.18	5.27	22.09	5.49	22.09	5.73	22.01	5.85	22.01	5.96	21.92	6.20
	-7	-7.6	22.97	5.41	22.97	5.65	22.87	5.87	22.87	5.98	22.79	6.09	22.7	6.32
	-5	-5.6	24.18	5.63	24.09	5.84	24.01	6.05	24.01	6.17	23.92	6.26	23.92	6.47
	-3	-3.7	25.31	5.81	25.23	6.01	25.23	6.21	25.14	6.32	25.14	6.42	25.05	6.61
	0	-0.7	27.31	6.09	27.31	6.28	27.23	6.46	27.23	6.53	27.14	6.65	27.14	6.84
	3	2.2	29.48	6.35	29.4	6.51	29.32	6.69	29.32	6.77	29.32	6.87	29.23	7.03
	5	4.1	30.96	6.49	30.88	6.67	30.88	6.83	30.79	6.92	30.79	7.00	30.71	7.16
	7	6	32.53	6.66	32.44	6.80	32.44	6.97	32.35	7.04	32.35	7.12	31.05	6.84
120%	-19.8	-20	17.66	4.55	17.57	4.82	17.49	5.10	17.49	5.22	17.49	5.37	17.39	5.63
	-18.8	-19	17.92	4.63	17.83	4.90	17.83	5.17	17.75	5.30	17.75	5.43	17.66	5.70
	-16.7	-17	18.61	4.82	18.53	5.08	18.41	5.33	18.44	5.45	18.44	5.59	18.36	5.84
	-13.7	-15	19.4	5.01	19.31	5.26	19.22	5.49	19.22	5.63	19.22	5.74	19.14	5.99
	-11.8	-13	20.18	5.20	20.18	5.43	20.09	5.66	20.09	5.79	20.01	5.91	20.01	6.15
	-9.8	-11	21.14	5.39	21.05	5.62	21.05	5.85	20.97	5.96	20.97	6.07	20.87	6.30
	-9.5	-10	21.67	5.49	21.57	5.71	21.48	5.93	21.48	6.05	21.48	6.16	21.4	6.37
	-8.5	-9.1	22.09	5.58	22.01	5.79	22.01	6.01	21.92	6.12	21.92	6.23	21.83	6.44
	-7	-7.6	22.87	5.72	22.87	5.93	22.79	6.14	22.79	6.24	22.7	6.35	22.7	6.54
	-5	-5.6	24.09	5.91	24.01	6.11	23.92	6.31	23.92	6.40	23.92	6.50	23.84	6.69
	-3	-3.7	25.23	6.09	25.23	6.28	25.14	6.46	25.14	6.54	25.06	6.65	25.06	6.83
	0	-0.7	27.23	6.35	27.23	6.51	27.14	6.69	27.14	6.77	27.05	6.86	27.05	7.03
	3	2.2	29.4	6.58	29.32	6.74	29.32	6.90	29.23	6.99	29.23	7.06	28.62	7.03
	5	4.1	30.88	6.73	30.79	6.88	30.79	7.03	30.71	7.11	30.71	7.19	28.62	6.59
	7	6	32.44	6.86	32.44	7.01	32.36	7.15	31.83	7.05	30.79	6.76	28.62	6.20
110%	-19.8	-20	17.57	4.95	17.49	5.19	17.39	5.43	17.39	5.56	17.4	5.68	17.31	5.93
	-18.8	-19	17.83	5.03	17.75	5.27	17.75	5.51	17.75	5.63	17.66	5.75	17.66	6.00
	-16.7	-17	18.53	5.19	18.44	5.42	18.7	5.66	18.36	5.78	18.36	5.90	18.27	6.13
	-13.7	-15	19.31	5.38	19.23	5.59	19.14	5.82	19.14	5.93	19.14	6.05	19.05	6.27
	-11.8	-13	20.09	5.55	20.09	5.76	20	5.97	20	6.09	19.92	6.20	19.92	6.41
	-9.8	-11	21.05	5.72	20.97	5.93	20.97	6.14	20.87	6.24	20.87	6.35	20.87	6.54
	-9.5	-10	21.57	5.82	21.48	6.01	21.39	6.22	21.39	6.32	21.39	6.42	21.31	6.62
	-8.5	-9.1	22.01	5.90	21.92	6.09	21.92	6.29	21.83	6.39	21.83	6.48	21.83	5.92
	-7	-7.6	22.79	6.03	22.79	6.21	22.7	6.40	22.7	6.49	22.7	6.59	22.62	6.78
	-5	-5.6	24.01	6.20	23.92	6.38	23.84	6.55	23.84	6.65	23.84	6.74	23.75	6.93
	-3	-3.7	25.14	6.36	25.14	6.52	25.06	6.70	25.06	6.78	24.96	6.87	24.96	7.04
	0	-0.7	27.14	6.59	27.14	6.76	27.05	6.92	27.05	7.00	27.05	7.07	26.27	6.94
	3	2.2	29.32	6.81	29.23	6.96	29.23	7.11	29.14	7.18	28.18	6.88	26.27	6.32
	5	4.1	30.79	6.95	30.79	7.09	30.18	7.03	29.14	6.74	28.18	6.47	26.27	5.93
	7	6	32.35	7.07	32.1	7.12	30.18	6.59	29.14	6.34	28.18	6.09	26.27	5.59
	9	7.9	34.01	7.19	32.1	6.69	30.18	6.20	29.14	5.96	28.18	5.72	26.27	5.27
	11	9.8	34.01	6.76	32.1	6.30	30.18	5.84	29.14	5.62	28.18	5.39	26.27	4.97
	13	11.8	34.01	6.35	32.1	5.91	30.18	5.48	29.14	5.29	28.18	5.08	26.27	4.68
	15	13.7	34.01	5.63	32.1	5.57	30.18	5.18	29.14	4.99	28.18	4.80	26.27	4.42

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D252W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	17.49	5.35	17.39	5.56	17.39	5.79	17.31	5.91	17.31	6.01	17.22	6.24
	-18.8	-19	17.75	5.40	17.75	5.63	17.66	5.86	17.66	5.97	17.58	6.09	17.58	6.31
	-16.7	-17	18.44	5.56	18.35	5.78	18.35	5.99	18.27	6.10	18.27	6.20	18.27	6.42
	-13.7	-15	19.22	5.72	19.14	5.93	19.05	6.14	19.05	6.24	19.05	6.35	18.97	6.54
	-11.8	-13	20.01	5.90	20.01	6.09	19.92	6.28	19.92	6.38	19.92	6.48	19.83	6.68
	-9.8	-11	20.97	6.05	20.87	6.24	20.87	6.43	20.87	6.52	20.78	6.61	20.78	6.80
	-9.5	-10	21.48	6.14	21.4	6.32	21.4	6.49	21.31	6.59	21.31	6.69	21.22	6.87
	-8.5	-9.1	21.92	6.20	21.83	6.39	21.83	6.56	21.83	6.65	21.75	6.75	21.75	6.92
	-7	-7.6	22.7	6.33	22.7	6.49	22.62	6.67	22.62	6.76	22.62	6.84	22.53	7.03
	-5	-5.6	23.92	6.48	23.83	6.65	23.83	6.81	23.75	6.89	23.75	6.98	23.66	7.15
	-3	-3.7	25.06	6.63	25.06	6.02	24.96	6.95	24.96	7.03	24.96	7.10	23.92	6.80
	0	-0.7	27.05	6.84	27.05	7.00	26.96	7.14	26.53	7.03	25.66	6.73	23.92	6.18
	3	2.2	29.23	7.04	29.14	7.18	27.4	6.64	26.53	6.38	25.66	6.13	23.92	5.63
	5	4.1	30.71	7.18	29.14	6.74	27.4	6.24	26.53	6.01	25.66	5.77	23.92	5.31
	7	6	30.88	6.80	29.14	6.34	27.4	5.88	26.53	5.65	25.66	5.43	23.92	5.00
	9	7.9	30.88	6.39	29.14	5.96	27.4	5.53	26.53	5.26	25.66	5.12	23.92	4.72
11	9.8	30.88	6.02	29.14	5.62	27.4	5.22	26.53	5.03	25.66	4.83	23.92	4.45	
13	11.8	30.88	5.65	29.14	5.29	27.4	4.91	26.53	4.73	25.66	4.55	23.92	4.21	
15	13.7	30.88	5.34	29.14	4.99	27.4	4.64	26.53	4.47	25.66	4.30	23.92	3.99	
90%	-19.8	-20	17.36	5.74	17.28	5.93	17.28	6.15	17.19	6.24	17.19	6.35	17.19	6.54
	-18.8	-19	17.63	5.80	17.63	6.01	17.54	6.20	17.54	6.31	17.54	6.40	17.45	6.60
	-16.7	-17	18.32	5.94	18.24	6.14	18.24	6.33	18.24	6.42	18.14	6.51	18.14	6.71
	-13.7	-15	19.1	6.09	19.02	6.28	19.02	6.46	18.93	6.54	18.93	6.64	18.93	6.82
	-11.8	-13	19.88	6.24	19.88	6.41	19.8	6.58	19.8	6.68	19.8	6.76	19.71	6.94
	-9.8	-11	20.84	6.38	20.84	6.54	20.75	6.72	20.75	6.80	20.75	6.89	20.66	7.06
	-9.5	-10	21.36	6.46	21.27	6.62	21.27	6.78	21.19	6.87	21.19	6.96	21.19	7.11
	-8.5	-9.1	21.8	6.52	21.8	6.69	21.71	6.84	21.71	6.92	21.71	7.01	21.44	7.07
	-7	-7.6	22.58	6.63	22.58	6.78	22.49	6.95	22.49	7.03	22.49	7.10	21.44	6.76
	-5	-5.6	23.79	6.77	23.71	6.92	23.71	7.07	23.61	7.15	23.01	6.92	21.44	6.35
	-3	-3.7	24.92	6.91	24.92	7.04	24.66	7.07	23.79	6.79	23.01	6.51	21.44	5.98
	0	-0.7	27	7.11	26.22	6.93	24.66	6.42	23.79	6.17	23.01	5.93	21.44	5.43
	3	2.2	27.79	6.76	26.22	6.31	24.66	5.85	23.79	5.63	23.01	5.39	21.44	4.98
	5	4.1	27.79	6.37	26.22	5.93	24.66	5.51	23.79	5.30	23.01	5.10	21.44	4.69
	7	6	27.79	5.98	26.22	5.59	24.66	5.19	23.79	5.00	23.01	4.81	21.44	4.43
	9	7.9	27.79	5.64	26.22	5.26	24.66	4.89	23.79	4.72	23.01	4.54	21.44	4.20
11	9.8	27.79	5.32	26.22	4.96	24.66	4.62	23.79	4.45	23.01	4.29	21.44	3.97	
13	11.8	27.79	5.00	26.22	4.68	24.66	4.36	23.79	4.21	23.01	4.05	21.44	3.74	
15	13.7	27.79	4.72	26.22	4.41	24.66	4.13	23.79	3.99	23.01	3.84	21.44	3.55	
80%	-19.8	-20	17.31	6.14	17.22	6.32	17.22	6.49	17.22	6.58	17.13	6.68	17.13	6.85
	-18.8	-19	17.57	6.20	17.57	6.37	17.49	6.54	17.49	6.64	17.49	6.73	17.39	6.91
	-16.7	-17	18.27	6.32	18.19	6.48	18.19	6.66	18.19	6.75	18.19	6.83	18.09	7.00
	-13.7	-15	19.05	6.45	18.97	6.61	18.97	6.77	18.97	6.85	18.88	6.94	18.88	7.11
	-11.8	-13	19.83	6.57	19.83	6.74	19.75	6.89	19.75	6.97	19.75	7.05	19.14	6.86
	-9.8	-11	20.79	6.71	20.79	6.86	20.7	7.02	20.7	7.08	20.53	7.07	19.14	6.48
	-9.5	-10	21.31	6.77	21.22	6.92	21.23	7.07	21.23	7.15	20.53	6.86	19.14	6.29
	-8.5	-9.1	21.75	6.84	20.22	6.99	21.66	7.12	21.23	6.96	20.53	6.68	19.14	6.13
	-7	-7.6	22.53	6.94	22.53	7.07	21.92	6.92	21.23	6.65	20.53	6.38	19.14	5.86
	-5	-5.6	23.75	7.06	23.31	7.03	21.92	6.49	21.23	6.25	20.53	6.00	19.14	5.51
	-3	-3.7	24.7	7.10	23.31	6.61	21.92	6.13	21.23	5.90	20.53	5.65	19.14	5.21
	0	-0.7	24.7	6.44	23.31	6.00	21.92	5.57	21.23	5.37	20.53	5.15	19.14	4.75
	3	2.2	24.7	5.87	23.31	5.47	21.92	5.10	21.23	4.90	20.53	4.72	19.14	4.35
	5	4.1	24.7	5.52	23.31	5.16	21.92	4.80	21.23	4.62	20.53	4.45	19.14	4.11
	7	6	24.7	5.21	23.31	4.87	21.92	4.53	21.23	4.38	20.53	4.22	19.14	3.89
	9	7.9	24.7	4.91	23.31	4.59	21.92	4.28	21.23	4.13	20.53	3.99	19.14	3.69
11	9.8	24.7	4.64	23.31	4.34	21.92	4.05	21.23	3.91	20.53	3.77	19.14	3.49	
13	11.8	24.7	4.38	23.31	4.10	21.92	3.83	21.23	3.70	20.53	3.56	19.14	3.31	
15	13.7	24.7	4.14	23.31	3.89	21.92	3.63	21.23	3.50	20.53	3.39	19.14	3.15	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D252W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	17.18	6.53	17.1	6.69	17.1	6.84	17.1	6.92	17.1	7.01	16.66	6.93
	-18.8	-19	17.44	6.58	17.44	6.74	17.35	6.89	17.35	6.97	17.35	7.05	16.66	6.78
	-16.7	-17	18.13	6.69	18.13	6.84	18.05	7.00	18.05	7.07	17.88	6.30	16.66	6.47
	-13.7	-15	18.92	6.80	18.83	6.96	18.83	7.10	18.49	7.00	17.88	6.71	16.66	6.16
	-11.8	-13	19.7	6.92	19.7	7.06	19.18	6.89	18.49	6.62	17.88	6.36	16.66	5.83
	-9.8	-11	20.65	7.03	20.4	7.03	19.18	6.50	18.49	6.26	17.88	6.01	16.66	5.51
	-9.5	-10	21.18	7.10	20.4	6.82	19.18	6.32	18.49	6.08	17.88	5.84	16.66	5.37
	-8.5	-9.1	21.61	7.14	20.4	6.64	19.18	6.16	18.49	5.92	17.88	5.68	16.66	5.23
	-7	-7.6	21.61	6.81	20.4	6.35	19.18	5.89	18.49	5.66	17.88	5.43	16.66	5.01
	-5	-5.6	21.61	6.40	20.4	5.97	19.18	5.54	18.49	5.33	17.88	6.30	16.66	4.72
	-3	-3.7	21.61	6.03	20.4	5.63	19.18	5.23	18.49	5.03	17.88	4.83	16.66	4.46
	0	-0.7	21.61	5.48	20.4	5.13	19.18	4.77	18.49	4.59	17.88	4.42	16.66	4.09
	3	2.2	21.61	5.02	20.4	4.69	19.18	4.38	18.49	4.22	17.88	4.06	16.66	3.75
	5	4.1	21.61	4.73	20.4	4.42	19.18	4.14	18.49	3.99	17.88	3.84	16.66	3.55
	7	6	21.61	4.47	20.4	4.19	19.18	3.91	18.49	3.77	17.88	3.64	16.66	3.38
	9	7.9	21.61	4.23	20.4	3.97	19.18	3.70	18.49	3.57	17.88	3.45	16.66	3.20
11	9.8	21.61	4.00	20.4	3.74	19.18	3.50	18.49	3.40	17.88	3.28	16.66	3.04	
13	11.8	21.61	3.77	20.4	3.54	19.18	3.32	18.49	3.21	17.88	3.10	16.66	2.89	
15	13.7	21.61	3.58	20.4	3.37	19.18	3.16	18.49	3.05	17.88	2.94	16.66	2.75	
60%	-19.8	-20	17.14	6.93	17.05	7.06	16.44	6.79	15.92	6.52	15.39	6.27	14.35	5.74
	-18.8	-19	17.39	6.98	17.39	7.11	16.44	6.65	15.92	6.38	15.39	6.13	14.35	5.63
	-16.7	-17	18.09	7.07	17.49	6.84	16.44	6.35	15.92	6.10	15.39	5.86	14.35	5.38
	-13.7	-15	18.53	7.00	17.49	6.49	16.44	6.03	15.92	5.80	15.39	5.57	14.35	5.12
	-11.8	-13	18.53	6.61	17.49	6.16	16.44	5.71	15.92	5.50	15.39	5.29	14.35	4.89
	-9.8	-11	18.53	6.25	17.49	5.82	16.44	5.40	15.92	5.21	15.39	5.01	14.35	4.61
	-9.5	-10	18.53	6.08	17.49	5.66	16.44	5.26	15.92	5.07	15.39	4.87	14.35	4.49
	-8.5	-9.1	18.53	5.92	17.49	5.51	16.44	5.13	15.92	4.94	15.39	4.75	14.35	4.38
	-7	-7.6	18.53	5.65	17.49	5.29	16.44	4.91	15.92	4.73	15.39	4.55	14.35	4.21
	-5	-5.6	18.53	5.33	17.49	4.98	16.44	4.63	15.92	4.46	15.39	4.30	14.35	3.98
	-3	-3.7	18.53	5.03	17.49	4.70	16.44	4.38	15.92	4.23	15.39	4.07	14.35	3.76
	0	-0.7	18.53	4.59	17.49	4.30	16.44	4.01	15.92	3.88	15.39	3.73	14.35	3.45
	3	2.2	18.53	4.22	17.49	3.96	16.44	3.70	15.92	3.56	15.39	3.44	14.35	3.19
	5	4.1	18.53	3.99	17.49	3.73	16.44	3.49	15.92	3.39	15.39	3.26	14.35	3.03
	7	6	18.53	3.77	17.49	3.54	16.44	3.32	15.92	3.20	15.39	3.10	14.35	2.88
	9	7.9	18.53	3.57	17.49	3.36	16.44	3.15	15.92	3.05	15.39	2.93	14.35	2.74
11	9.8	18.53	3.40	17.49	3.19	16.44	2.99	15.92	2.90	15.39	2.79	14.35	2.61	
13	11.8	18.53	3.20	17.49	3.02	16.44	2.84	15.92	2.75	15.39	2.65	14.35	2.48	
15	13.7	18.53	3.05	17.49	2.87	16.44	2.70	15.92	2.62	15.39	2.53	14.35	2.37	
50%	-19.8	-20	15.44	6.31	14.56	5.87	13.7	5.44	13.18	5.25	12.75	5.05	11.88	4.64
	-18.8	-19	15.44	6.17	14.56	5.74	13.7	5.35	13.18	5.14	12.75	4.94	11.88	4.55
	-16.7	-17	15.44	5.89	14.56	5.48	13.7	5.10	13.18	4.91	12.75	4.73	11.88	4.37
	-13.7	-15	15.44	5.60	14.56	5.23	13.7	4.86	13.18	4.68	12.75	4.51	11.88	4.17
	-11.8	-13	15.44	5.33	14.56	4.97	13.7	4.62	13.18	4.45	12.75	4.29	11.88	3.97
	-9.8	-11	15.44	5.04	14.56	4.71	13.7	4.39	13.18	4.23	12.75	4.07	11.88	3.77
	-9.5	-10	15.44	4.90	14.56	4.57	13.7	4.27	13.18	4.12	12.75	3.97	11.88	3.67
	-8.5	-9.1	15.44	4.78	14.56	4.47	13.7	4.17	13.18	4.02	12.75	3.88	11.88	3.58
	-7	-7.6	15.44	4.57	14.56	4.29	13.7	4.00	13.18	3.86	12.75	3.72	11.88	3.45
	-5	-5.6	15.44	4.32	14.56	4.05	13.7	3.78	13.18	3.66	12.75	3.52	11.88	3.27
	-3	-3.7	15.44	4.09	14.56	3.84	13.7	3.58	13.18	3.46	12.75	3.35	11.88	3.11
	0	-0.7	15.44	3.75	14.56	3.52	13.7	3.31	13.18	3.19	12.75	3.09	11.88	2.87
	3	2.2	15.44	3.45	14.56	3.25	13.7	3.05	13.18	2.94	12.75	2.85	11.88	2.65
	5	4.1	15.44	3.28	14.56	3.09	13.7	2.90	13.18	2.80	12.75	2.71	11.88	2.52
	7	6	15.44	3.12	14.56	2.93	13.7	2.75	13.18	2.66	12.75	2.58	11.88	2.41
	9	7.9	15.44	2.95	14.56	2.79	13.7	2.62	13.18	2.54	12.75	2.45	11.88	2.30
11	9.8	15.44	2.81	14.56	2.64	13.7	2.49	13.18	2.42	12.75	2.34	11.88	2.19	
13	11.8	15.44	2.67	14.56	2.52	13.7	2.37	13.18	2.31	12.75	2.23	11.88	2.09	
15	13.7	15.44	2.54	14.56	2.41	13.7	2.27	13.18	2.20	12.75	2.13	11.88	2.00	

10HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota
CMV-D280W/ZR1

Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
			kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	-19.8	-20	20.39	5.08	20.3	5.43	20.21	5.79	20.21	5.98	20.1	6.15	20.1	6.52
	-18.8	-19	20.7	5.19	20.6	5.55	20.6	5.90	20.5	6.07	20.5	6.24	20.39	6.60
	-16.7	-17	21.5	5.43	21.4	5.77	21.3	6.11	21.3	6.28	21.3	6.45	21.2	6.79
	-13.7	-15	22.4	5.68	22.31	6.00	22.2	6.34	22.2	6.50	22.1	6.67	22.1	6.99
	-11.8	-13	23.3	5.94	23.3	6.25	23.21	6.57	23.1	6.72	23.1	6.87	23	7.19
	-9.8	-11	24.41	6.19	24.3	6.50	24.2	6.79	24.2	6.94	24.2	7.09	24.1	7.40
	-9.5	-10	25	6.33	24.9	6.62	24.8	6.90	24.8	7.05	24.7	7.20	24.7	7.49
	-8.5	-9.1	25.5	6.44	25.4	6.72	25.4	7.00	25.31	7.15	25.31	7.29	25.2	7.59
	-7	-7.6	26.4	6.63	26.4	6.90	26.3	7.18	26.3	7.32	26.2	7.45	26.1	7.72
	-5	-5.6	27.8	6.87	27.7	7.14	27.6	7.40	27.6	7.54	27.5	7.65	27.5	7.91
	-3	-3.7	29.1	7.10	29	7.36	29	7.60	28.9	7.72	28.9	7.84	28.79	8.09
	0	-0.7	31.4	7.45	31.4	7.68	31.3	7.90	31.3	7.99	31.2	8.14	31.2	8.37
	3	2.2	33.89	7.75	33.8	7.97	33.71	8.19	33.71	8.29	33.71	8.41	33.6	8.61
	5	4.1	35.6	7.95	35.5	8.16	35.5	8.36	35.4	8.45	35.4	8.56	35.3	8.75
	7	6	37.4	8.14	37.3	8.33	37.3	8.52	37.19	8.62	37.19	8.71	35.7	8.37
	9	7.9	39.29	8.31	39.2	8.49	39.2	8.67	39.1	8.76	38.3	8.58	35.7	7.85
	11	9.8	41.3	8.47	41.2	8.64	41	8.75	39.6	8.41	38.3	8.06	35.7	7.40
	13	11.8	43.49	8.63	43.4	8.80	41	8.21	39.6	7.87	38.3	7.58	35.7	6.94
	15	13.7	45.59	8.78	43.6	8.34	41	7.72	39.6	7.43	38.3	7.13	35.7	6.56
120%	-19.8	-20	20.3	5.57	20.2	5.89	20.1	6.22	20.1	6.39	20.1	6.56	20	6.88
	-18.8	-19	20.6	5.66	20.5	5.99	20.5	6.32	20.41	6.48	20.41	6.65	20.3	6.97
	-16.7	-17	21.4	5.89	21.3	6.20	21.16	6.52	21.2	6.67	21.2	6.82	21.11	7.14
	-13.7	-15	22.31	6.12	22.2	6.42	22.1	6.72	22.1	6.87	22.1	7.02	22	7.33
	-11.8	-13	23.21	6.36	23.21	6.65	23.1	6.93	23.1	7.08	23.01	7.22	23.01	7.52
	-9.8	-11	24.3	6.60	24.2	6.86	24.2	7.15	24.1	7.29	24.1	7.42	24	7.70
	-9.5	-10	24.91	6.72	24.8	6.99	24.7	7.25	24.7	7.40	24.7	7.53	24.61	7.79
	-8.5	-9.1	25.4	6.81	25.31	7.08	25.31	7.35	25.2	7.48	25.2	7.62	25.1	7.87
	-7	-7.6	26.3	7.00	26.3	7.25	26.2	7.51	26.2	7.63	26.1	7.75	26.1	8.01
	-5	-5.6	27.7	7.22	27.6	7.47	27.5	7.70	27.5	7.82	27.5	7.95	27.41	8.19
	-3	-3.7	29	7.44	29	7.67	28.9	7.89	28.9	8.01	28.81	8.13	28.81	8.36
	0	-0.7	31.3	7.75	31.3	7.97	31.2	8.18	31.2	8.29	31.1	8.39	31.1	8.61
	3	2.2	33.8	8.04	33.71	8.24	33.71	8.43	33.6	8.54	33.6	8.63	32.9	8.59
	5	4.1	35.5	8.22	35.4	8.41	35.4	8.60	35.3	8.69	35.3	8.78	32.9	8.06
	7	6	37.3	8.39	37.3	8.57	37.21	8.74	36.6	8.62	35.4	8.27	32.9	7.60
	9	7.9	39.2	8.56	39.11	8.73	37.8	8.43	36.6	8.10	35.4	7.77	32.9	7.14
	11	9.8	41.2	8.71	40.2	8.56	37.8	7.93	36.6	7.62	35.4	7.32	32.9	6.73
	13	11.8	42.7	8.62	40.2	8.02	37.8	7.44	36.6	7.16	35.4	6.87	32.9	6.33
	15	13.7	42.7	8.12	40.2	7.57	37.8	7.01	36.6	6.75	35.4	6.49	32.9	5.97
110%	-19.8	-20	20.2	6.04	20.1	6.35	20	6.66	20	6.80	20.01	6.95	19.9	7.26
	-18.8	-19	20.5	6.14	20.41	6.44	20.41	6.74	20.41	6.88	20.3	7.03	20.3	7.34
	-16.7	-17	21.3	6.35	21.2	6.64	21.5	6.92	21.11	7.06	21.11	7.21	21	7.50
	-13.7	-15	22.2	6.57	22.11	6.83	22	7.11	22	7.25	22	7.40	21.9	7.66
	-11.8	-13	23.1	6.78	23.1	7.04	23	7.31	23	7.44	22.9	7.58	22.9	7.83
	-9.8	-11	24.2	7.00	24.1	7.25	24.1	7.51	24	7.63	24	7.75	24	8.01
	-9.5	-10	24.8	7.11	24.7	7.36	24.59	7.61	24.59	7.72	24.59	7.84	24.5	8.09
	-8.5	-9.1	25.31	7.20	25.2	7.45	25.2	7.69	25.1	7.81	25.1	7.93	25.1	7.23
	-7	-7.6	26.2	7.38	26.2	7.60	26.1	7.82	26.1	7.95	26.1	8.06	26.01	8.30
	-5	-5.6	27.6	7.59	27.5	7.80	27.41	8.01	27.41	8.13	27.41	8.24	27.3	8.47
	-3	-3.7	28.9	7.77	28.9	7.98	28.81	8.20	28.81	8.30	28.7	8.41	28.7	8.62
	0	-0.7	31.2	8.06	31.2	8.26	31.1	8.45	31.1	8.55	31.1	8.65	30.21	8.48
	3	2.2	33.71	8.34	33.6	8.51	33.6	8.69	33.5	8.77	32.4	8.41	30.21	7.71
	5	4.1	35.4	8.49	35.4	8.67	34.7	8.59	33.5	8.24	32.4	7.91	30.21	7.26
	7	6	37.19	8.65	36.9	8.71	34.7	8.06	33.5	7.74	32.4	7.44	30.21	6.82
	9	7.9	39.1	8.79	36.9	8.19	34.7	7.59	33.5	7.29	32.4	7.00	30.21	6.44
	11	9.8	39.1	8.27	36.9	7.70	34.7	7.14	33.5	6.86	32.4	6.60	30.21	6.07
	13	11.8	39.1	7.75	36.9	7.22	34.7	6.71	33.5	6.46	32.4	6.20	30.21	5.72
	15	13.7	39.1	6.88	36.9	6.80	34.7	6.34	33.5	6.09	32.4	5.87	30.21	5.41

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D280W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	20.1	6.54	20	6.80	20	7.08	19.9	7.22	19.9	7.36	19.8	7.63
	-18.8	-19	20.41	6.62	20.41	6.88	20.3	7.16	20.3	7.30	20.21	7.44	20.21	7.70
	-16.7	-17	21.2	6.80	21.09	7.06	21.09	7.33	21	7.46	21	7.59	21	7.84
	-13.7	-15	22.1	7.00	22	7.25	21.9	7.51	21.9	7.63	21.9	7.75	21.81	8.01
	-11.8	-13	23.01	7.20	23.01	7.44	22.9	7.68	22.9	7.80	22.9	7.92	22.8	8.17
	-9.8	-11	24.1	7.40	24	7.63	24	7.85	24	7.98	23.89	8.09	23.89	8.32
	-9.5	-10	24.7	7.51	24.61	7.72	24.61	7.95	24.5	8.06	24.5	8.18	24.4	8.40
	-8.5	-9.1	25.2	7.59	25.1	7.81	25.1	8.02	25.1	8.14	25	8.25	25	8.46
	-7	-7.6	26.1	7.73	26.1	7.95	26.01	8.16	26.01	8.27	26.01	8.37	25.9	8.59
	-5	-5.6	27.5	7.93	27.39	8.13	27.39	8.34	27.3	8.42	27.3	8.53	27.2	8.73
	-3	-3.7	28.81	8.11	28.81	7.37	28.7	8.49	28.7	8.59	28.7	8.68	27.5	8.32
	0	-0.7	31.1	8.37	31.1	8.55	31	8.73	30.5	8.59	29.51	8.23	27.5	7.56
	3	2.2	33.6	8.62	33.5	8.77	31.5	8.12	30.5	7.80	29.51	7.50	27.5	6.87
	5	4.1	35.3	8.77	33.5	8.24	31.5	7.63	30.5	7.35	29.51	7.05	27.5	6.49
	7	6	35.5	8.33	33.5	7.74	31.5	7.19	30.5	6.91	29.51	6.65	27.5	6.11
	9	7.9	35.5	7.81	33.5	7.29	31.5	6.77	30.5	6.43	29.51	6.26	27.5	5.77
	11	9.8	35.5	7.37	33.5	6.86	31.5	6.39	30.5	6.14	29.51	5.91	27.5	5.45
13	11.8	35.5	6.91	33.5	6.46	31.5	6.01	30.5	5.78	29.51	5.58	27.5	5.15	
15	13.7	35.5	6.53	33.5	6.09	31.5	5.67	30.5	5.47	29.51	5.26	27.5	4.87	
90%	-19.8	-20	19.96	7.01	19.87	7.26	19.87	7.52	19.76	7.63	19.76	7.76	19.76	8.01
	-18.8	-19	20.27	7.09	20.27	7.35	20.16	7.59	20.16	7.70	20.16	7.82	20.07	8.07
	-16.7	-17	21.06	7.27	20.97	7.51	20.97	7.73	20.97	7.85	20.86	7.97	20.86	8.21
	-13.7	-15	21.96	7.45	21.86	7.67	21.86	7.89	21.76	8.01	21.76	8.12	21.76	8.35
	-11.8	-13	22.86	7.62	22.86	7.83	22.76	8.05	22.76	8.17	22.76	8.27	22.66	8.48
	-9.8	-11	23.96	7.80	23.96	8.01	23.86	8.21	23.86	8.32	23.86	8.42	23.75	8.63
	-9.5	-10	24.56	7.89	24.45	8.10	24.45	8.30	24.36	8.40	24.36	8.50	24.36	8.70
	-8.5	-9.1	25.06	7.98	25.06	8.18	24.96	8.37	24.96	8.46	24.96	8.57	24.65	8.65
	-7	-7.6	25.96	8.11	25.96	8.30	25.85	8.49	25.85	8.59	25.85	8.68	24.65	8.26
	-5	-5.6	27.35	8.29	27.25	8.46	27.25	8.64	27.15	8.73	26.45	8.46	24.65	7.76
	-3	-3.7	28.65	8.44	28.65	8.62	28.35	8.65	27.35	8.31	26.45	7.97	24.65	7.32
	0	-0.7	31.05	8.69	30.15	8.47	28.35	7.84	27.35	7.55	26.45	7.24	24.65	6.66
	3	2.2	31.94	8.28	30.15	7.70	28.35	7.15	27.35	6.87	26.45	6.61	24.65	6.08
	5	4.1	31.94	7.78	30.15	7.25	28.35	6.74	27.35	6.48	26.45	6.23	24.65	5.74
	7	6	31.94	7.32	30.15	6.82	28.35	6.35	27.35	6.11	26.45	5.88	24.65	5.42
	9	7.9	31.94	6.89	30.15	6.43	28.35	5.98	27.35	5.77	26.45	5.56	24.65	5.13
	11	9.8	31.94	6.50	30.15	6.06	28.35	5.65	27.35	5.45	26.45	5.24	24.65	4.85
13	11.8	31.94	6.11	30.15	5.72	28.35	5.33	27.35	5.15	26.45	4.96	24.65	4.58	
15	13.7	31.94	5.78	30.15	5.40	28.35	5.05	27.35	4.87	26.45	4.69	24.65	4.36	
80%	-19.8	-20	19.9	7.51	19.8	7.71	19.8	7.94	19.8	8.05	19.69	8.17	19.69	8.38
	-18.8	-19	20.2	7.57	20.2	7.79	20.1	8.01	20.1	8.12	20.1	8.22	20	8.44
	-16.7	-17	21	7.72	20.91	7.93	20.91	8.15	20.91	8.25	20.91	8.35	20.8	8.56
	-13.7	-15	21.9	7.88	21.81	8.08	21.81	8.29	21.81	8.38	21.7	8.48	21.7	8.69
	-11.8	-13	22.8	8.04	22.8	8.24	22.7	8.42	22.7	8.52	22.7	8.62	22	8.39
	-9.8	-11	23.91	8.21	23.91	8.39	23.8	8.58	23.8	8.66	23.6	8.64	22	7.92
	-9.5	-10	24.5	8.29	24.4	8.46	24.41	8.64	24.41	8.73	23.6	8.39	22	7.69
	-8.5	-9.1	25	8.36	23.24	8.54	24.9	8.71	24.41	8.51	23.6	8.17	22	7.49
	-7	-7.6	25.9	8.48	25.9	8.65	25.2	8.46	24.41	8.13	23.6	7.80	22	7.16
	-5	-5.6	27.3	8.63	26.8	8.59	25.2	7.95	24.41	7.64	23.6	7.34	22	6.74
	-3	-3.7	28.4	8.68	26.8	8.08	25.2	7.49	24.41	7.20	23.6	6.91	22	6.37
	0	-0.7	28.4	7.87	26.8	7.34	25.2	6.80	24.41	6.57	23.6	6.30	22	5.80
	3	2.2	28.4	7.18	26.8	6.69	25.2	6.22	24.41	5.98	23.6	5.77	22	5.32
	5	4.1	28.4	6.76	26.8	6.31	25.2	5.87	24.41	5.65	23.6	5.45	22	5.03
	7	6	28.4	6.37	26.8	5.96	25.2	5.55	24.41	5.35	23.6	5.16	22	4.76
	9	7.9	28.4	6.00	26.8	5.62	25.2	5.23	24.41	5.05	23.6	4.87	22	4.51
	11	9.8	28.4	5.67	26.8	5.31	25.2	4.96	24.41	4.77	23.6	4.61	22	4.28
13	11.8	28.4	5.35	26.8	5.01	25.2	4.68	24.41	4.52	23.6	4.36	22	4.04	
15	13.7	28.4	5.06	26.8	4.75	25.2	4.44	24.41	4.29	23.6	4.14	22	3.84	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D280W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	19.75	7.99	19.66	8.18	19.66	8.37	19.66	8.46	19.66	8.57	19.16	8.47
	-18.8	-19	20.06	8.05	20.06	8.24	19.95	8.42	19.95	8.52	19.95	8.62	19.16	8.30
	-16.7	-17	20.85	8.19	20.85	8.37	20.76	8.55	20.76	8.64	20.56	7.70	19.16	7.91
	-13.7	-15	21.75	8.33	21.65	8.50	21.65	8.68	21.26	8.55	20.56	8.21	19.16	7.53
	-11.8	-13	22.65	8.46	22.65	8.63	22.05	8.42	21.26	8.10	20.56	7.77	19.16	7.13
	-9.8	-11	23.74	8.61	23.45	8.60	22.05	7.96	21.26	7.65	20.56	7.35	19.16	6.75
	-9.5	-10	24.35	8.68	23.45	8.35	22.05	7.72	21.26	7.43	20.56	7.14	19.16	6.57
	-8.5	-9.1	24.84	8.73	23.45	8.12	22.05	7.53	21.26	7.23	20.56	6.95	19.16	6.39
	-7	-7.6	24.84	8.33	23.45	7.75	22.05	7.20	21.26	6.92	20.56	6.66	19.16	6.12
	-5	-5.6	24.84	7.82	23.45	7.30	22.05	6.77	21.26	6.52	20.56	7.70	19.16	5.78
	-3	-3.7	24.84	7.38	23.45	6.87	22.05	6.39	21.26	6.15	20.56	5.92	19.16	5.46
	0	-0.7	24.84	6.71	23.45	6.27	22.05	5.83	21.26	5.62	20.56	5.41	19.16	5.00
	3	2.2	24.84	6.13	23.45	5.74	22.05	5.35	21.26	5.16	20.56	4.97	19.16	4.59
	5	4.1	24.84	5.78	23.45	5.41	22.05	5.06	21.26	4.87	20.56	4.69	19.16	4.36
	7	6	24.84	5.47	23.45	5.13	22.05	4.77	21.26	4.61	20.56	4.45	19.16	4.13
	9	7.9	24.84	5.17	23.45	4.84	22.05	4.53	21.26	4.37	20.56	4.22	19.16	3.91
	11	9.8	24.84	4.89	23.45	4.58	22.05	4.30	21.26	4.15	20.56	4.00	19.16	3.71
60%	13	11.8	24.84	4.62	23.45	4.35	22.05	4.06	21.26	3.93	20.56	3.78	19.16	3.54
	15	13.7	24.84	4.37	23.45	4.12	22.05	3.85	21.26	3.73	20.56	3.59	19.16	3.36
	-19.8	-20	19.71	8.47	19.6	8.63	18.9	8.31	18.31	7.98	17.7	7.66	16.5	7.02
	-18.8	-19	20	8.53	20	8.69	18.9	8.13	18.31	7.81	17.7	7.50	16.5	6.87
	-16.7	-17	20.8	8.64	20.1	8.37	18.9	7.75	18.31	7.46	17.7	7.16	16.5	6.59
	-13.7	-15	21.3	8.55	20.1	7.95	18.9	7.38	18.31	7.09	17.7	6.80	16.5	6.26
	-11.8	-13	21.3	8.09	20.1	7.53	18.9	6.99	18.31	6.73	17.7	6.47	16.5	5.98
	-9.8	-11	21.3	7.64	20.1	7.12	18.9	6.62	18.31	6.37	17.7	6.12	16.5	5.64
	-9.5	-10	21.3	7.43	20.1	6.92	18.9	6.43	18.31	6.19	17.7	5.95	16.5	5.49
	-8.5	-9.1	21.3	7.23	20.1	6.75	18.9	6.27	18.31	6.03	17.7	5.80	16.5	5.36
	-7	-7.6	21.3	6.91	20.1	6.46	18.9	5.99	18.31	5.78	17.7	5.57	16.5	5.15
	-5	-5.6	21.3	6.52	20.1	6.08	18.9	5.66	18.31	5.46	17.7	5.25	16.5	4.86
	-3	-3.7	21.3	6.15	20.1	5.75	18.9	5.36	18.31	5.17	17.7	4.97	16.5	4.60
	0	-0.7	21.3	5.62	20.1	5.26	18.9	4.91	18.31	4.74	17.7	4.56	16.5	4.23
	3	2.2	21.3	5.16	20.1	4.83	18.9	4.52	18.31	4.36	17.7	4.21	16.5	3.90
	5	4.1	21.3	4.87	20.1	4.57	18.9	4.28	18.31	4.14	17.7	3.98	16.5	3.70
	7	6	21.3	4.61	20.1	4.34	18.9	4.05	18.31	3.92	17.7	3.78	16.5	3.53
9	7.9	21.3	4.36	20.1	4.11	18.9	3.84	18.31	3.72	17.7	3.59	16.5	3.35	
50%	11	9.8	21.3	4.15	20.1	3.90	18.9	3.65	18.31	3.55	17.7	3.42	16.5	3.19
	13	11.8	21.3	3.92	20.1	3.69	18.9	3.48	18.31	3.36	17.7	3.25	16.5	3.03
	15	13.7	21.3	3.73	20.1	3.52	18.9	3.31	18.31	3.20	17.7	3.10	16.5	2.89
	-19.8	-20	17.75	7.70	16.74	7.18	15.75	6.67	15.16	6.42	14.65	6.17	13.66	5.68
	-18.8	-19	17.75	7.54	16.74	7.02	15.75	6.54	15.16	6.28	14.65	6.03	13.66	5.58
	-16.7	-17	17.75	7.20	16.74	6.71	15.75	6.24	15.16	6.00	14.65	5.78	13.66	5.34
	-13.7	-15	17.75	6.84	16.74	6.39	15.75	5.94	15.16	5.73	14.65	5.52	13.66	5.10
	-11.8	-13	17.75	6.51	16.74	6.07	15.75	5.65	15.16	5.45	14.65	5.24	13.66	4.85
	-9.8	-11	17.75	6.16	16.74	5.76	15.75	5.37	15.16	5.17	14.65	4.98	13.66	4.61
	-9.5	-10	17.75	5.98	16.74	5.60	15.75	5.22	15.16	5.04	14.65	4.85	13.66	4.49
	-8.5	-9.1	17.75	5.84	16.74	5.47	15.75	5.10	15.16	4.92	14.65	4.74	13.66	4.38
	-7	-7.6	17.75	5.60	16.74	5.24	15.75	4.89	15.16	4.72	14.65	4.56	13.66	4.22
	-5	-5.6	17.75	5.28	16.74	4.96	15.75	4.62	15.16	4.47	14.65	4.32	13.66	3.99
	-3	-3.7	17.75	5.00	16.74	4.69	15.75	4.38	15.16	4.24	14.65	4.09	13.66	3.79
	0	-0.7	17.75	4.59	16.74	4.32	15.75	4.04	15.16	3.90	14.65	3.76	13.66	3.52
	3	2.2	17.75	4.23	16.74	3.97	15.75	3.72	15.16	3.59	14.65	3.49	13.66	3.25
	5	4.1	17.75	4.01	16.74	3.76	15.75	3.55	15.16	3.43	14.65	3.32	13.66	3.09
7	6	17.75	3.80	16.74	3.58	15.75	3.37	15.16	3.26	14.65	3.15	13.66	2.94	
9	7.9	17.75	3.60	16.74	3.41	15.75	3.20	15.16	3.11	14.65	3.00	13.66	2.80	
11	9.8	17.75	3.44	16.74	3.24	15.75	3.05	15.16	2.95	14.65	2.86	13.66	2.68	
13	11.8	17.75	3.27	16.74	3.08	15.75	2.90	15.16	2.81	14.65	2.73	13.66	2.56	
15	13.7	17.75	3.11	16.74	2.94	15.75	2.77	15.16	2.69	14.65	2.60	13.66	2.45	

12HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D335W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	24.28	6.16	24.17	6.59	24.06	7.03	24.06	7.25	23.93	7.46	23.93	7.91
	-18.8	-19	24.64	6.30	24.53	6.73	24.53	7.16	24.4	7.38	24.4	7.57	24.28	8.00
	-16.7	-17	25.6	6.59	25.47	7.01	25.36	7.43	25.36	7.62	25.36	7.83	25.24	8.24
	-13.7	-15	26.67	6.90	26.56	7.30	26.43	7.69	26.43	7.89	26.31	8.09	26.31	8.48
	-11.8	-13	27.74	7.21	27.74	7.58	27.63	7.97	27.5	8.16	27.5	8.35	27.38	8.72
	-9.8	-11	29.06	7.51	28.93	7.89	28.81	8.25	28.81	8.43	28.81	8.60	28.69	8.97
	-9.5	-10	29.76	7.68	29.64	8.03	29.53	8.39	29.53	8.56	29.4	8.73	29.4	9.08
	-8.5	-9.1	30.36	7.82	30.24	8.16	30.24	8.50	30.13	8.67	30.13	8.85	30	9.20
	-7	-7.6	31.43	8.04	31.43	8.39	31.31	8.71	31.31	8.88	31.19	9.04	31.07	9.39
	-5	-5.6	33.1	8.35	32.97	8.66	32.86	8.98	32.86	9.14	32.74	9.29	32.74	9.60
	-3	-3.7	34.64	8.61	34.53	8.93	34.53	9.22	34.4	9.39	34.4	9.52	34.28	9.82
	0	-0.7	37.38	9.04	37.38	9.33	37.26	9.59	37.26	9.69	37.14	9.88	37.14	10.15
	3	2.2	40.35	9.41	40.24	9.67	40.13	9.93	40.13	10.06	40.13	10.20	40	10.43
	5	4.1	42.38	9.65	42.26	9.90	42.26	10.14	42.14	10.27	42.14	10.40	42.03	10.62
	7	6	44.53	9.88	44.4	10.10	44.4	10.35	44.28	10.45	44.28	10.56	42.5	10.15
120%	9	7.9	46.78	10.08	46.67	10.31	46.67	10.52	46.54	10.63	45.6	10.41	42.5	9.53
	11	9.8	49.17	10.29	49.04	10.48	48.81	10.62	47.14	10.21	45.6	9.79	42.5	8.98
	13	11.8	51.78	10.47	51.67	10.68	48.81	9.95	47.14	9.55	45.6	9.19	42.5	8.43
	15	13.7	54.28	10.66	51.9	10.12	48.81	9.39	47.14	9.01	45.6	8.65	42.5	7.96
	-19.8	-20	24.17	6.75	24.04	7.15	23.93	7.55	23.93	7.75	23.93	7.96	23.81	8.37
	-18.8	-19	24.53	6.88	24.4	7.28	24.4	7.66	24.29	7.86	24.29	8.06	24.17	8.46
	-16.7	-17	25.47	7.15	25.36	7.52	25.19	7.91	25.24	8.10	25.24	8.30	25.13	8.66
	-13.7	-15	26.56	7.43	26.43	7.79	26.31	8.16	26.31	8.36	26.31	8.52	26.19	8.90
	-11.8	-13	27.63	7.71	27.63	8.06	27.5	8.42	27.5	8.59	27.39	8.77	27.39	9.12
	-9.8	-11	28.93	8.00	28.81	8.34	28.81	8.67	28.69	8.85	28.69	9.00	28.57	9.35
	-9.5	-10	29.65	8.16	29.53	8.48	29.4	8.80	29.4	8.97	29.4	9.13	29.29	9.45
	-8.5	-9.1	30.24	8.28	30.13	8.59	30.13	8.92	30	9.07	30	9.25	29.88	9.55
	-7	-7.6	31.31	8.49	31.31	8.80	31.19	9.11	31.19	9.27	31.07	9.41	31.07	9.72
	-5	-5.6	32.97	8.77	32.86	9.06	32.74	9.36	32.74	9.50	32.74	9.65	32.63	9.93
	-3	-3.7	34.53	9.03	34.53	9.32	34.4	9.58	34.4	9.72	34.29	9.87	34.29	10.14
	0	-0.7	37.26	9.41	37.26	9.67	37.14	9.93	37.14	10.06	37.03	10.19	37.03	10.43
110%	3	2.2	40.24	9.76	40.13	10.00	40.13	10.24	40	10.37	40	10.47	39.17	10.41
	5	4.1	42.26	9.98	42.14	10.21	42.14	10.42	42.03	10.54	42.03	10.66	39.17	9.79
	7	6	44.4	10.19	44.4	10.40	44.29	10.61	43.57	10.46	42.14	10.03	39.17	9.21
	9	7.9	46.67	10.40	46.56	10.59	45	10.24	43.57	9.84	42.14	9.44	39.17	8.66
	11	9.8	49.04	10.56	47.86	10.40	45	9.62	43.57	9.26	42.14	8.88	39.17	8.17
	13	11.8	50.83	10.46	47.86	9.74	45	9.03	43.57	8.69	42.14	8.36	39.17	7.68
	15	13.7	50.83	9.86	47.86	9.18	45	8.51	43.57	8.19	42.14	7.87	39.17	7.25
	-19.8	-20	24.04	7.35	23.93	7.70	23.81	8.07	23.81	8.26	23.82	8.44	23.69	8.81
	-18.8	-19	24.4	7.45	24.29	7.82	24.29	8.18	24.29	8.37	24.17	8.53	24.17	8.91
	-16.7	-17	25.36	7.70	25.24	8.05	25.6	8.41	25.13	8.57	25.13	8.76	25	9.10
	-13.7	-15	26.43	7.97	26.32	8.31	26.19	8.63	26.19	8.80	26.19	8.97	26.07	9.31
	-11.8	-13	27.5	8.24	27.5	8.54	27.38	8.87	27.38	9.03	27.26	9.19	27.26	9.51
	-9.8	-11	28.81	8.49	28.69	8.80	28.69	9.11	28.57	9.27	28.57	9.41	28.57	9.72
	-9.5	-10	29.53	8.63	29.4	8.93	29.28	9.24	29.28	9.39	29.28	9.52	29.17	9.82
	-8.5	-9.1	30.13	8.74	30	9.04	30	9.34	29.88	9.47	29.88	9.62	29.88	8.78
	-7	-7.6	31.19	8.95	31.19	9.22	31.07	9.50	31.07	9.65	31.07	9.79	30.96	10.07
	-5	-5.6	32.86	9.20	32.74	9.46	32.63	9.73	32.63	9.87	32.63	10.00	32.5	10.28
	-3	-3.7	34.4	9.44	34.4	9.68	34.29	9.94	34.29	10.07	34.17	10.20	34.17	10.45
	0	-0.7	37.14	9.79	37.14	10.02	37.03	10.27	37.03	10.38	37.03	10.49	35.96	10.30
	3	2.2	40.13	10.12	40	10.34	40	10.54	39.88	10.65	38.57	10.22	35.96	9.38
	5	4.1	42.14	10.31	42.14	10.52	41.31	10.41	39.88	10.00	38.57	9.60	35.96	8.81
	7	6	44.28	10.49	43.93	10.56	41.31	9.79	39.88	9.41	38.57	9.03	35.96	8.30
	9	7.9	46.54	10.67	43.93	9.93	41.31	9.21	39.88	8.85	38.57	8.49	35.96	7.82
	11	9.8	46.54	10.03	43.93	9.35	41.31	8.66	39.88	8.34	38.57	8.00	35.96	7.38
	13	11.8	46.54	9.41	43.93	8.77	41.31	8.14	39.88	7.84	38.57	7.52	35.96	6.95
	15	13.7	46.54	8.37	43.93	8.27	41.31	7.69	39.88	7.40	38.57	7.12	35.96	6.56

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D335W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	23.93	7.93	23.81	8.26	23.81	8.59	23.69	8.77	23.69	8.93	23.57	9.27
	-18.8	-19	24.29	8.03	24.29	8.37	24.17	8.68	24.17	8.86	24.06	9.03	24.06	9.36
	-16.7	-17	25.24	8.26	25.11	8.57	25.11	8.90	25	9.05	25	9.21	25	9.52
	-13.7	-15	26.31	8.49	26.19	8.80	26.07	9.11	26.07	9.27	26.07	9.41	25.96	9.72
	-11.8	-13	27.39	8.74	27.39	9.03	27.26	9.33	27.26	9.46	27.26	9.61	27.14	9.92
	-9.8	-11	28.69	8.98	28.57	9.27	28.57	9.53	28.57	9.68	28.44	9.82	28.44	10.09
	-9.5	-10	29.4	9.11	29.29	9.39	29.29	9.65	29.17	9.79	29.17	9.93	29.04	10.20
	-8.5	-9.1	30	9.21	29.88	9.47	29.88	9.74	29.88	9.88	29.76	10.01	29.76	10.28
	-7	-7.6	31.07	9.40	31.07	9.65	30.96	9.90	30.96	10.03	30.96	10.16	30.83	10.41
	-5	-5.6	32.74	9.62	32.61	9.87	32.61	10.12	32.5	10.23	32.5	10.36	32.38	10.60
	-3	-3.7	34.29	9.85	34.29	8.94	34.17	10.31	34.17	10.41	34.17	10.53	32.74	10.09
	0	-0.7	37.03	10.16	37.03	10.38	36.9	10.59	36.31	10.41	35.13	9.99	32.74	9.16
	3	2.2	40	10.45	39.88	10.64	37.5	9.86	36.31	9.46	35.13	9.10	32.74	8.35
	5	4.1	42.03	10.64	39.88	10.00	37.5	9.27	36.31	8.92	35.13	8.56	32.74	7.87
	7	6	42.26	10.10	39.88	9.41	37.5	8.80	36.31	8.40	35.13	8.06	32.74	7.43
	9	7.9	42.26	9.48	39.88	8.85	37.5	8.21	36.31	7.80	35.13	7.59	32.74	7.01
	11	9.8	42.26	8.94	39.88	8.34	37.5	7.75	36.31	7.45	35.13	7.17	32.74	6.61
90%	13	11.8	42.26	8.40	39.88	7.84	37.5	7.30	36.31	7.03	35.13	6.76	32.74	6.24
	15	13.7	42.26	7.92	39.88	7.40	37.5	6.89	36.31	6.63	35.13	6.40	32.74	5.91
	-19.8	-20	23.76	8.51	23.65	8.81	23.65	9.12	23.53	9.27	23.53	9.42	23.53	9.72
	-18.8	-19	24.13	8.60	24.13	8.92	24	9.21	24	9.36	24	9.50	23.89	9.80
	-16.7	-17	25.07	8.82	24.96	9.11	24.96	9.40	24.96	9.53	24.83	9.67	24.83	9.95
	-13.7	-15	26.14	9.04	26.03	9.32	26.03	9.58	25.9	9.72	25.9	9.86	25.9	10.13
	-11.8	-13	27.21	9.26	27.21	9.51	27.1	9.78	27.1	9.92	27.1	10.03	26.97	10.30
	-9.8	-11	28.53	9.46	28.53	9.72	28.4	9.96	28.4	10.09	28.4	10.23	28.28	10.47
	-9.5	-10	29.24	9.58	29.11	9.83	29.11	10.07	29	10.20	29	10.33	29	10.55
	-8.5	-9.1	29.83	9.68	29.83	9.93	29.71	10.16	29.71	10.28	29.71	10.40	29.35	10.49
	-7	-7.6	30.9	9.85	30.9	10.07	30.78	10.31	30.78	10.41	30.78	10.53	29.35	10.02
	-5	-5.6	32.56	10.06	32.44	10.28	32.44	10.48	32.32	10.60	31.49	10.28	29.35	9.42
	-3	-3.7	34.11	10.26	34.11	10.45	33.75	10.49	32.56	10.08	31.49	9.67	29.35	8.88
	0	-0.7	36.96	10.54	35.89	10.29	33.75	9.52	32.56	9.15	31.49	8.79	29.35	8.07
	3	2.2	38.03	10.05	35.89	9.36	33.75	8.67	32.56	8.35	31.49	8.02	29.35	7.39
	5	4.1	38.03	9.44	35.89	8.80	33.75	8.18	32.56	7.86	31.49	7.56	29.35	6.97
	7	6	38.03	8.88	35.89	8.30	33.75	7.70	32.56	7.43	31.49	7.14	29.35	6.57
80%	9	7.9	38.03	8.38	35.89	7.80	33.75	7.26	32.56	7.01	31.49	6.74	29.35	6.22
	11	9.8	38.03	7.89	35.89	7.37	33.75	6.87	32.56	6.61	31.49	6.37	29.35	5.89
	13	11.8	38.03	7.43	35.89	6.95	33.75	6.47	32.56	6.24	31.49	6.02	29.35	5.56
	15	13.7	38.03	7.02	35.89	6.55	33.75	6.13	32.56	5.91	31.49	5.69	29.35	5.28
	-19.8	-20	23.69	9.11	23.57	9.38	23.57	9.64	23.57	9.78	23.44	9.92	23.44	10.17
	-18.8	-19	24.04	9.19	24.04	9.45	23.93	9.72	23.93	9.86	23.93	9.98	23.81	10.26
	-16.7	-17	25	9.39	24.89	9.62	24.89	9.89	24.89	10.01	24.89	10.14	24.76	10.40
	-13.7	-15	26.07	9.57	25.96	9.81	25.96	10.06	25.96	10.17	25.83	10.30	25.83	10.54
	-11.8	-13	27.14	9.76	27.14	10.00	27.03	10.23	27.03	10.35	27.03	10.46	26.19	10.19
	-9.8	-11	28.46	9.95	28.46	10.19	28.33	10.41	28.33	10.50	28.1	10.48	26.19	9.61
	-9.5	-10	29.17	10.06	29.04	10.28	29.06	10.48	29.06	10.60	28.1	10.19	26.19	9.34
	-8.5	-9.1	29.76	10.15	27.67	10.37	29.64	10.56	29.06	10.34	28.1	9.92	26.19	9.08
	-7	-7.6	30.83	10.30	30.83	10.49	30	10.28	29.06	9.87	28.1	9.46	26.19	8.68
	-5	-5.6	32.5	10.47	31.9	10.41	30	9.65	29.06	9.28	28.1	8.91	26.19	8.18
	-3	-3.7	33.81	10.53	31.9	9.81	30	9.08	29.06	8.74	28.1	8.40	26.19	7.72
	0	-0.7	33.81	9.55	31.9	8.91	30	8.27	29.06	7.97	28.1	7.64	26.19	7.04
	3	2.2	33.81	8.71	31.9	8.12	30	7.55	29.06	7.28	28.1	7.01	26.19	6.45
5	4.1	33.81	8.20	31.9	7.65	30	7.12	29.06	6.86	28.1	6.61	26.19	6.10	
7	6	33.81	7.72	31.9	7.23	30	6.72	29.06	6.49	28.1	6.25	26.19	5.77	
9	7.9	33.81	7.30	31.9	6.82	30	6.36	29.06	6.13	28.1	5.91	26.19	5.47	
11	9.8	33.81	6.89	31.9	6.44	30	6.02	29.06	5.80	28.1	5.59	26.19	5.19	
13	11.8	33.81	6.49	31.9	6.08	30	5.68	29.06	5.48	28.1	5.29	26.19	4.91	
15	13.7	33.81	6.14	31.9	5.76	30	5.40	29.06	5.20	28.1	5.02	26.19	4.66	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D335W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	23.51	9.69	23.4	9.93	23.4	10.16	23.4	10.28	23.4	10.40	22.81	10.29
	-18.8	-19	23.88	9.77	23.88	10.00	23.75	10.23	23.75	10.35	23.75	10.46	22.81	10.07
	-16.7	-17	24.82	9.93	24.82	10.16	24.71	10.38	24.71	10.48	24.47	9.35	22.81	9.60
	-13.7	-15	25.89	10.10	25.78	10.33	25.78	10.53	25.31	10.38	24.47	9.95	22.81	9.13
	-11.8	-13	26.96	10.28	26.96	10.47	26.25	10.23	25.31	9.83	24.47	9.44	22.81	8.65
	-9.8	-11	28.26	10.43	27.92	10.42	26.25	9.66	25.31	9.29	24.47	8.92	22.81	8.19
	-9.5	-10	28.99	10.53	27.92	10.13	26.25	9.39	25.31	9.01	24.47	8.66	22.81	7.97
	-8.5	-9.1	29.57	10.59	27.92	9.86	26.25	9.13	25.31	8.78	24.47	8.44	22.81	7.76
	-7	-7.6	29.57	10.12	27.92	9.41	26.25	8.73	25.31	8.41	24.47	8.07	22.81	7.43
	-5	-5.6	29.57	9.50	27.92	8.86	26.25	8.23	25.31	7.91	24.47	9.35	22.81	7.02
	-3	-3.7	29.57	8.95	27.92	8.35	26.25	7.76	25.31	7.46	24.47	7.18	22.81	6.62
	0	-0.7	29.57	8.14	27.92	7.61	26.25	7.08	25.31	6.82	24.47	6.56	22.81	6.07
	3	2.2	29.57	7.44	27.92	6.97	26.25	6.49	25.31	6.25	24.47	6.03	22.81	5.57
	5	4.1	29.57	7.03	27.92	6.56	26.25	6.14	25.31	5.91	24.47	5.69	22.81	5.28
	7	6	29.57	6.63	27.92	6.22	26.25	5.80	25.31	5.59	24.47	5.41	22.81	5.01
	9	7.9	29.57	6.28	27.92	5.88	26.25	5.49	25.31	5.30	24.47	5.12	22.81	4.74
	11	9.8	29.57	5.94	27.92	5.56	26.25	5.21	25.31	5.03	24.47	4.86	22.81	4.51
13	11.8	29.57	5.60	27.92	5.27	26.25	4.93	25.31	4.77	24.47	4.60	22.81	4.28	
15	13.7	29.57	5.32	27.92	5.00	26.25	4.67	25.31	4.53	24.47	4.38	22.81	4.08	
60%	-19.8	-20	23.46	10.29	23.33	10.47	22.5	10.08	21.79	9.68	21.07	9.30	19.64	8.52
	-18.8	-19	23.81	10.36	23.81	10.54	22.5	9.87	21.79	9.47	21.07	9.09	19.64	8.35
	-16.7	-17	24.76	10.48	23.93	10.16	22.5	9.41	21.79	9.05	21.07	8.68	19.64	7.99
	-13.7	-15	25.36	10.38	23.93	9.65	22.5	8.95	21.79	8.60	21.07	8.27	19.64	7.59
	-11.8	-13	25.36	9.82	23.93	9.14	22.5	8.48	21.79	8.17	21.07	7.85	19.64	7.26
	-9.8	-11	25.36	9.28	23.93	8.64	22.5	8.03	21.79	7.72	21.07	7.43	19.64	6.85
	-9.5	-10	25.36	9.01	23.93	8.41	22.5	7.80	21.79	7.51	21.07	7.23	19.64	6.65
	-8.5	-9.1	25.36	8.78	23.93	8.19	22.5	7.61	21.79	7.33	21.07	7.04	19.64	6.50
	-7	-7.6	25.36	8.40	23.93	7.84	22.5	7.29	21.79	7.03	21.07	6.75	19.64	6.24
	-5	-5.6	25.36	7.91	23.93	7.39	22.5	6.88	21.79	6.62	21.07	6.38	19.64	5.90
	-3	-3.7	25.36	7.46	23.93	6.98	22.5	6.50	21.79	6.28	21.07	6.04	19.64	5.58
	0	-0.7	25.36	6.82	23.93	6.39	22.5	5.96	21.79	5.75	21.07	5.54	19.64	5.13
	3	2.2	25.36	6.25	23.93	5.87	22.5	5.48	21.79	5.29	21.07	5.11	19.64	4.73
	5	4.1	25.36	5.91	23.93	5.55	22.5	5.19	21.79	5.02	21.07	4.84	19.64	4.49
	7	6	25.36	5.59	23.93	5.26	22.5	4.92	21.79	4.75	21.07	4.60	19.64	4.27
	9	7.9	25.36	5.30	23.93	4.99	22.5	4.66	21.79	4.52	21.07	4.36	19.64	4.07
	11	9.8	25.36	5.03	23.93	4.73	22.5	4.45	21.79	4.29	21.07	4.14	19.64	3.87
13	11.8	25.36	4.75	23.93	4.48	22.5	4.21	21.79	4.08	21.07	3.94	19.64	3.67	
15	13.7	25.36	4.53	23.93	4.26	22.5	4.01	21.79	3.88	21.07	3.76	19.64	3.51	
50%	-19.8	-20	21.13	9.36	19.93	8.71	18.75	8.09	18.04	7.79	17.44	7.49	16.26	6.90
	-18.8	-19	21.13	9.15	19.93	8.52	18.75	7.93	18.04	7.62	17.44	7.33	16.26	6.76
	-16.7	-17	21.13	8.73	19.93	8.14	18.75	7.57	18.04	7.30	17.44	7.03	16.26	6.48
	-13.7	-15	21.13	8.32	19.93	7.76	18.75	7.22	18.04	6.96	17.44	6.69	16.26	6.18
	-11.8	-13	21.13	7.90	19.93	7.38	18.75	6.86	18.04	6.61	17.44	6.37	16.26	5.89
	-9.8	-11	21.13	7.48	19.93	6.99	18.75	6.51	18.04	6.28	17.44	6.05	16.26	5.59
	-9.5	-10	21.13	7.28	19.93	6.79	18.75	6.35	18.04	6.11	17.44	5.89	16.26	5.45
	-8.5	-9.1	21.13	7.09	19.93	6.63	18.75	6.18	18.04	5.97	17.44	5.75	16.26	5.33
	-7	-7.6	21.13	6.79	19.93	6.37	18.75	5.94	18.04	5.73	17.44	5.53	16.26	5.12
	-5	-5.6	21.13	6.42	19.93	6.02	18.75	5.61	18.04	5.43	17.44	5.23	16.26	4.85
	-3	-3.7	21.13	6.07	19.93	5.69	18.75	5.33	18.04	5.14	17.44	4.96	16.26	4.60
	0	-0.7	21.13	5.57	19.93	5.23	18.75	4.90	18.04	4.73	17.44	4.58	16.26	4.26
	3	2.2	21.13	5.13	19.93	4.82	18.75	4.52	18.04	4.38	17.44	4.22	16.26	3.94
	5	4.1	21.13	4.87	19.93	4.58	18.75	4.29	18.04	4.15	17.44	4.02	16.26	3.74
	7	6	21.13	4.61	19.93	4.35	18.75	4.09	18.04	3.95	17.44	3.83	16.26	3.58
	9	7.9	21.13	4.39	19.93	4.13	18.75	3.88	18.04	3.77	17.44	3.64	16.26	3.41
	11	9.8	21.13	4.17	19.93	3.93	18.75	3.70	18.04	3.59	17.44	3.47	16.26	3.25
13	11.8	21.13	3.97	19.93	3.73	18.75	3.52	18.04	3.43	17.44	3.31	16.26	3.11	
15	13.7	21.13	3.77	19.93	3.57	18.75	3.37	18.04	3.26	17.44	3.16	16.26	2.97	

14HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D400W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	29.13	7.76	29	8.30	28.87	8.85	28.87	9.12	28.72	9.40	28.72	9.94
	-18.8	-19	29.57	7.92	29.43	8.46	29.43	9.00	29.28	9.27	29.28	9.53	29.13	10.08
	-16.7	-17	30.72	8.30	30.57	8.81	30.43	9.33	30.43	9.59	30.43	9.84	30.28	10.37
	-13.7	-15	32	8.67	31.87	9.18	31.72	9.68	31.72	9.91	31.57	10.18	31.57	10.68
	-11.8	-13	33.28	9.06	33.28	9.55	33.15	10.03	33	10.26	33	10.50	32.85	10.97
	-9.8	-11	34.87	9.47	34.72	9.91	34.57	10.37	34.57	10.60	34.57	10.83	34.43	11.28
	-9.5	-10	35.72	9.66	35.57	10.10	35.43	10.54	35.43	10.78	35.28	10.98	35.28	11.43
	-8.5	-9.1	36.43	9.83	36.28	10.26	36.28	10.70	36.15	10.92	36.15	11.13	36	11.57
	-7	-7.6	37.72	10.12	37.72	10.54	37.57	10.96	37.57	11.17	37.43	11.38	37.28	11.79
	-5	-5.6	39.72	10.50	39.57	10.91	39.43	11.30	39.43	11.51	39.28	11.69	39.28	12.08
	-3	-3.7	41.57	10.85	41.43	11.22	41.43	11.60	41.28	11.79	41.28	11.99	41.13	12.36
	0	-0.7	44.85	11.38	44.85	11.73	44.72	12.08	44.72	12.20	44.57	12.42	44.57	12.77
	3	2.2	48.42	11.84	48.28	12.17	48.15	12.50	48.15	12.65	48.15	12.83	48	13.14
	5	4.1	50.85	12.14	50.72	12.45	50.72	12.76	50.57	12.92	50.57	13.07	50.43	13.37
	7	6	53.43	12.42	53.28	12.71	53.28	13.01	53.13	13.15	53.13	13.30	51	12.77
	9	7.9	56.13	12.68	56	12.96	56	13.24	55.85	13.39	54.72	13.10	51	12.01
	11	9.8	59	12.94	58.85	13.20	58.57	13.37	56.57	12.84	54.72	12.32	51	11.30
	13	11.8	62.13	13.18	62	13.44	58.57	12.52	56.57	12.03	54.72	11.56	51	10.60
	15	13.7	65.13	13.42	62.28	12.73	58.57	11.79	56.57	11.35	54.72	10.89	51	10.00
120%	-19.8	-20	29	8.49	28.85	8.99	28.72	9.51	28.72	9.75	28.72	10.00	28.57	10.51
	-18.8	-19	29.43	8.65	29.28	9.15	29.28	9.65	29.15	9.89	29.15	10.15	29	10.65
	-16.7	-17	30.57	8.99	30.43	9.48	30.23	9.94	30.28	10.19	30.28	10.43	30.15	10.91
	-13.7	-15	31.87	9.34	31.72	9.80	31.57	10.26	31.57	10.50	31.57	10.73	31.43	11.19
	-11.8	-13	33.15	9.71	33.15	10.15	33	10.59	33	10.82	32.87	11.03	32.87	11.48
	-9.8	-11	34.72	10.08	34.57	10.49	34.57	10.92	34.43	11.13	34.43	11.33	34.28	11.76
	-9.5	-10	35.58	10.26	35.43	10.68	35.28	11.07	35.28	11.28	35.28	11.49	35.15	11.89
	-8.5	-9.1	36.28	10.41	36.15	10.82	36.15	11.22	36	11.42	36	11.63	35.85	12.03
	-7	-7.6	37.57	10.69	37.57	11.07	37.43	11.46	37.43	11.66	37.28	11.84	37.28	12.23
	-5	-5.6	39.57	11.03	39.43	11.41	39.28	11.77	39.28	11.96	39.28	12.14	39.15	12.50
	-3	-3.7	41.43	11.36	41.43	11.72	41.28	12.06	41.28	12.23	41.15	12.41	41.15	12.76
	0	-0.7	44.72	11.84	44.72	12.17	44.57	12.48	44.57	12.66	44.43	12.81	44.43	13.14
	3	2.2	48.28	12.29	48.15	12.58	48.15	12.89	48	13.04	48	13.18	47	13.11
	5	4.1	50.72	12.55	50.57	12.84	50.57	13.12	50.43	13.27	50.43	13.42	47	12.32
	7	6	53.28	12.81	53.28	13.08	53.15	13.36	52.28	13.17	50.57	12.64	47	11.59
	9	7.9	56	13.07	55.87	13.33	54	12.89	52.28	12.37	50.57	11.87	47	10.91
	11	9.8	58.85	13.30	57.43	13.07	54	12.11	52.28	11.64	50.57	11.17	47	10.28
	13	11.8	61	13.17	57.43	12.26	54	11.36	52.28	10.94	50.57	10.50	47	9.66
	15	13.7	61	12.39	57.43	11.54	54	10.72	52.28	10.31	50.57	9.90	47	9.12
110%	-19.8	-20	28.85	9.23	28.72	9.69	28.57	10.16	28.57	10.39	28.58	10.62	28.43	11.09
	-18.8	-19	29.28	9.38	29.15	9.83	29.15	10.29	29.15	10.52	29	10.75	29	11.20
	-16.7	-17	30.43	9.69	30.28	10.13	30.72	10.57	30.15	10.79	30.15	11.01	30	11.45
	-13.7	-15	31.72	10.03	31.58	10.44	31.43	10.86	31.43	11.07	31.43	11.28	31.28	11.70
	-11.8	-13	33	10.36	33	10.76	32.85	11.16	32.85	11.36	32.72	11.56	32.72	11.98
	-9.8	-11	34.57	10.69	34.43	11.07	34.43	11.46	34.28	11.66	34.28	11.84	34.28	12.23
	-9.5	-10	35.43	10.86	35.28	11.22	35.13	11.61	35.13	11.79	35.13	11.99	35	12.36
	-8.5	-9.1	36.15	11.00	36	11.38	36	11.74	35.85	11.92	35.85	12.11	35.85	11.04
	-7	-7.6	37.43	11.25	37.43	11.60	37.28	11.96	37.28	12.14	37.28	12.32	37.15	12.67
	-5	-5.6	39.43	11.57	39.28	11.91	39.15	12.24	39.15	12.41	39.15	12.58	39	12.93
	-3	-3.7	41.28	11.87	41.28	12.19	41.15	12.51	41.15	12.67	41	12.83	41	13.15
	0	-0.7	44.57	12.32	44.57	12.62	44.43	12.92	44.43	13.05	44.43	13.21	43.15	12.95
	3	2.2	48.15	12.73	48	12.99	48	13.27	47.85	13.40	46.28	12.86	43.15	11.79
	5	4.1	50.57	12.96	50.57	13.24	49.57	13.11	47.85	12.58	46.28	12.08	43.15	11.09
	7	6	53.13	13.21	52.72	13.30	49.57	12.32	47.85	11.82	46.28	11.36	43.15	10.43
	9	7.9	55.85	13.43	52.72	12.49	49.57	11.58	47.85	11.13	46.28	10.69	43.15	9.83
	11	9.8	55.85	12.64	52.72	11.76	49.57	10.91	47.85	10.49	46.28	10.08	43.15	9.27
	13	11.8	55.85	11.84	52.72	11.03	49.57	10.25	47.85	9.86	46.28	9.48	43.15	8.74
	15	13.7	55.85	10.52	52.72	10.40	49.57	9.68	47.85	9.30	46.28	8.96	43.15	8.27

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-D400W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	28.72	9.97	28.57	10.38	28.57	10.82	28.43	11.03	28.43	11.22	28.28	11.66
	-18.8	-19	29.15	10.10	29.15	10.51	29	10.94	29	11.14	28.87	11.36	28.87	11.77
	-16.7	-17	30.28	10.38	30.13	10.79	30.13	11.19	30	11.39	30	11.58	30	11.99
	-13.7	-15	31.57	10.69	31.43	11.07	31.28	11.46	31.28	11.66	31.28	11.84	31.15	12.23
	-11.8	-13	32.87	11.00	32.87	11.36	32.72	11.73	32.72	11.91	32.72	12.10	32.57	12.47
	-9.8	-11	34.43	11.30	34.28	11.66	34.28	12.01	34.28	12.19	34.13	12.36	34.13	12.70
	-9.5	-10	35.28	11.46	35.15	11.79	35.15	12.14	35	12.32	35	12.48	34.85	12.83
	-8.5	-9.1	36	11.58	35.85	11.92	35.85	12.26	35.85	12.42	35.72	12.61	35.72	12.93
	-7	-7.6	37.28	11.81	37.28	12.14	37.15	12.45	37.15	12.64	37.15	12.79	37	13.11
	-5	-5.6	39.28	12.11	39.13	12.41	39.13	12.73	39	12.87	39	13.02	38.85	13.34
	-3	-3.7	41.15	12.38	41.15	11.24	41	12.96	41	13.11	41	13.26	39.28	12.70
	0	-0.7	44.43	12.79	44.43	13.05	44.28	13.33	43.57	13.11	42.15	12.57	39.28	11.53
	3	2.2	48	13.15	47.85	13.40	45	12.39	43.57	11.91	42.15	11.45	39.28	10.50
	5	4.1	50.43	13.40	47.85	12.58	45	11.66	43.57	11.22	42.15	10.78	39.28	9.90
	7	6	50.72	12.71	47.85	11.82	45	10.98	43.57	10.56	42.15	10.15	39.28	9.33
	9	7.9	50.72	11.95	47.85	11.13	45	10.34	43.57	9.81	42.15	9.56	39.28	8.81
90%	11	9.8	50.72	11.24	47.85	10.49	45	9.75	43.57	9.38	42.15	9.02	39.28	8.33
	13	11.8	50.72	10.56	47.85	9.86	45	9.18	43.57	8.84	42.15	8.51	39.28	7.85
	15	13.7	50.72	9.96	47.85	9.30	45	8.67	43.57	8.36	42.15	8.04	39.28	7.45
	-19.8	-20	28.52	10.72	28.38	11.09	28.38	11.48	28.23	11.66	28.23	11.85	28.23	12.23
	-18.8	-19	28.95	10.83	28.95	11.22	28.8	11.58	28.8	11.77	28.8	11.96	28.67	12.33
	-16.7	-17	30.08	11.10	29.95	11.46	29.95	11.81	29.95	12.01	29.8	12.17	29.8	12.52
	-13.7	-15	31.37	11.38	31.23	11.72	31.23	12.06	31.08	12.23	31.08	12.39	31.08	12.74
	-11.8	-13	32.65	11.64	32.65	11.98	32.52	12.30	32.52	12.47	32.52	12.64	32.37	12.95
	-9.8	-11	34.23	11.91	34.23	12.23	34.08	12.54	34.08	12.70	34.08	12.87	33.93	13.18
	-9.5	-10	35.08	12.06	34.93	12.36	34.93	12.67	34.8	12.83	34.8	12.98	34.8	13.28
	-8.5	-9.1	35.8	12.19	35.8	12.48	35.65	12.79	35.65	12.93	35.65	13.08	35.22	13.21
	-7	-7.6	37.08	12.38	37.08	12.67	36.93	12.96	36.93	13.11	36.93	13.25	35.22	12.62
	-5	-5.6	39.07	12.65	38.93	12.93	38.93	13.20	38.78	13.34	37.78	12.93	35.22	11.85
	-3	-3.7	40.93	12.90	40.93	13.15	40.5	13.21	39.07	12.68	37.78	12.17	35.22	11.17
	0	-0.7	44.35	13.27	43.07	12.94	40.5	11.99	39.07	11.51	37.78	11.06	35.22	10.16
	3	2.2	45.63	12.64	43.07	11.77	40.5	10.92	39.07	10.50	37.78	10.09	35.22	9.28
80%	5	4.1	45.63	11.88	43.07	11.07	40.5	10.29	39.07	9.89	37.78	9.52	35.22	8.77
	7	6	45.63	11.17	43.07	10.43	40.5	9.69	39.07	9.33	37.78	8.98	35.22	8.28
	9	7.9	45.63	10.53	43.07	9.81	40.5	9.13	39.07	8.81	37.78	8.48	35.22	7.82
	11	9.8	45.63	9.91	43.07	9.26	40.5	8.64	39.07	8.33	37.78	8.01	35.22	7.41
	13	11.8	45.63	9.33	43.07	8.74	40.5	8.14	39.07	7.85	37.78	7.57	35.22	7.00
	15	13.7	45.63	8.83	43.07	8.25	40.5	7.71	39.07	7.45	37.78	7.17	35.22	6.64
	-19.8	-20	28.43	11.46	28.28	11.79	28.28	12.13	28.28	12.30	28.13	12.47	28.13	12.80
	-18.8	-19	28.85	11.56	28.85	11.89	28.72	12.23	28.72	12.39	28.72	12.55	28.57	12.90
	-16.7	-17	30	11.79	29.87	12.11	29.87	12.44	29.87	12.61	29.87	12.76	29.72	13.07
	-13.7	-15	31.28	12.05	31.15	12.34	31.15	12.65	31.15	12.80	31	12.95	31	13.27
	-11.8	-13	32.57	12.29	32.57	12.58	32.43	12.87	32.43	13.01	32.43	13.17	31.43	12.81
	-9.8	-11	34.15	12.52	34.15	12.81	34	13.09	34	13.22	33.72	13.20	31.43	12.10
	-9.5	-10	35	12.65	34.85	12.93	34.87	13.20	34.87	13.34	33.72	12.81	31.43	11.74
	-8.5	-9.1	35.72	12.77	33.2	13.04	35.57	13.30	34.87	12.99	33.72	12.47	31.43	11.43
	-7	-7.6	37	12.95	37	13.21	36	12.93	34.87	12.41	33.72	11.91	31.43	10.94
	-5	-5.6	39	13.18	38.28	13.11	36	12.14	34.87	11.67	33.72	11.20	31.43	10.29
-3	-3.7	40.57	13.26	38.28	12.34	36	11.43	34.87	11.00	33.72	10.56	31.43	9.72	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D400W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	28.22	12.20	28.08	12.48	28.08	12.79	28.08	12.93	28.08	13.08	27.37	12.93
	-18.8	-19	28.65	12.30	28.65	12.58	28.5	12.87	28.5	13.01	28.5	13.17	27.37	12.67
	-16.7	-17	29.78	12.49	29.78	12.79	29.65	13.05	29.65	13.20	29.37	11.76	27.37	12.08
	-13.7	-15	31.07	12.71	30.93	12.98	30.93	13.25	30.37	13.05	29.37	12.52	27.37	11.49
	-11.8	-13	32.35	12.93	32.35	13.18	31.5	12.87	30.37	12.36	29.37	11.87	27.37	10.89
	-9.8	-11	33.92	13.14	33.5	13.12	31.5	12.16	30.37	11.69	29.37	11.22	27.37	10.31
	-9.5	-10	34.78	13.25	33.5	12.74	31.5	11.79	30.37	11.35	29.37	10.91	27.37	10.03
	-8.5	-9.1	35.48	13.33	33.5	12.39	31.5	11.49	30.37	11.04	29.37	10.62	27.37	9.76
	-7	-7.6	35.48	12.73	33.5	11.84	31.5	10.98	30.37	10.57	29.37	10.16	27.37	9.34
	-5	-5.6	35.48	11.96	33.5	11.14	31.5	10.35	30.37	9.94	29.37	11.75	27.37	8.83
	-3	-3.7	35.48	11.25	33.5	10.50	31.5	9.76	30.37	9.40	29.37	9.03	27.37	8.34
	0	-0.7	35.48	10.25	33.5	9.58	31.5	8.91	30.37	8.58	29.37	8.27	27.37	7.64
	3	2.2	35.48	9.37	33.5	8.77	31.5	8.17	30.37	7.86	29.37	7.58	27.37	7.01
	5	4.1	35.48	8.84	33.5	8.27	31.5	7.73	30.37	7.45	29.37	7.17	27.37	6.64
	7	6	35.48	8.36	33.5	7.82	31.5	7.29	30.37	7.04	29.37	6.80	27.37	6.30
	9	7.9	35.48	7.89	33.5	7.39	31.5	6.92	30.37	6.67	29.37	6.44	27.37	5.97
	11	9.8	35.48	7.47	33.5	7.00	31.5	6.55	30.37	6.33	29.37	6.11	27.37	5.67
13	11.8	35.48	7.05	33.5	6.63	31.5	6.20	30.37	6.00	29.37	5.79	27.37	5.38	
15	13.7	35.48	6.68	33.5	6.29	31.5	5.88	30.37	5.70	29.37	5.51	27.37	5.13	
60%	-19.8	-20	28.15	12.93	28	13.18	27	12.68	26.15	12.18	25.28	11.70	23.57	10.73
	-18.8	-19	28.57	13.02	28.57	13.27	27	12.41	26.15	11.92	25.28	11.45	23.57	10.50
	-16.7	-17	29.72	13.20	28.72	12.78	27	11.84	26.15	11.39	25.28	10.94	23.57	10.05
	-13.7	-15	30.43	13.05	28.72	12.14	27	11.25	26.15	10.83	25.28	10.40	23.57	9.56
	-11.8	-13	30.43	12.36	28.72	11.51	27	10.67	26.15	10.28	25.28	9.87	23.57	9.13
	-9.8	-11	30.43	11.67	28.72	10.88	27	10.10	26.15	9.72	25.28	9.34	23.57	8.62
	-9.5	-10	30.43	11.35	28.72	10.57	27	9.81	26.15	9.47	25.28	9.09	23.57	8.38
	-8.5	-9.1	30.43	11.04	28.72	10.31	27	9.58	26.15	9.22	25.28	8.87	23.57	8.18
	-7	-7.6	30.43	10.56	28.72	9.86	27	9.16	26.15	8.84	25.28	8.49	23.57	7.85
	-5	-5.6	30.43	9.94	28.72	9.28	27	8.65	26.15	8.34	25.28	8.02	23.57	7.43
	-3	-3.7	30.43	9.40	28.72	8.78	27	8.18	26.15	7.89	25.28	7.60	23.57	7.02
	0	-0.7	30.43	8.58	28.72	8.04	27	7.50	26.15	7.24	25.28	6.97	23.57	6.45
	3	2.2	30.43	7.86	28.72	7.38	27	6.90	26.15	6.66	25.28	6.42	23.57	5.95
	5	4.1	30.43	7.45	28.72	6.98	27	6.53	26.15	6.32	25.28	6.09	23.57	5.66
	7	6	30.43	7.04	28.72	6.61	27	6.19	26.15	5.98	25.28	5.79	23.57	5.37
	9	7.9	30.43	6.67	28.72	6.27	27	5.87	26.15	5.69	25.28	5.48	23.57	5.12
	11	9.8	30.43	6.33	28.72	5.95	27	5.59	26.15	5.40	25.28	5.22	23.57	4.88
13	11.8	30.43	5.98	28.72	5.64	27	5.30	26.15	5.13	25.28	4.97	23.57	4.63	
15	13.7	30.43	5.70	28.72	5.35	27	5.04	26.15	4.89	25.28	4.72	23.57	4.41	
50%	-19.8	-20	25.35	11.77	23.92	10.95	22.5	10.18	21.65	9.80	20.93	9.43	19.52	8.67
	-18.8	-19	25.35	11.51	23.92	10.73	22.5	9.97	21.65	9.59	20.93	9.22	19.52	8.51
	-16.7	-17	25.35	10.98	23.92	10.25	22.5	9.53	21.65	9.18	20.93	8.84	19.52	8.15
	-13.7	-15	25.35	10.46	23.92	9.76	22.5	9.08	21.65	8.75	20.93	8.42	19.52	7.78
	-11.8	-13	25.35	9.93	23.92	9.27	22.5	8.64	21.65	8.33	20.93	8.01	19.52	7.41
	-9.8	-11	25.35	9.41	23.92	8.80	22.5	8.20	21.65	7.89	20.93	7.61	19.52	7.04
	-9.5	-10	25.35	9.15	23.92	8.55	22.5	7.98	21.65	7.70	20.93	7.41	19.52	6.86
	-8.5	-9.1	25.35	8.93	23.92	8.36	22.5	7.78	21.65	7.52	20.93	7.24	19.52	6.69
	-7	-7.6	25.35	8.55	23.92	8.01	22.5	7.47	21.65	7.21	20.93	6.96	19.52	6.44
	-5	-5.6	25.35	8.08	23.92	7.57	22.5	7.07	21.65	6.83	20.93	6.58	19.52	6.10
	-3	-3.7	25.35	7.64	23.92	7.17	22.5	6.69	21.65	6.47	20.93	6.24	19.52	5.80
	0	-0.7	25.35	7.01	23.92	6.58	22.5	6.17	21.65	5.95	20.93	5.76	19.52	5.35
	3	2.2	25.35	6.45	23.92	6.07	22.5	5.69	21.65	5.51	20.93	5.31	19.52	4.97
	5	4.1	25.35	6.12	23.92	5.76	22.5	5.40	21.65	5.23	20.93	5.06	19.52	4.71
	7	6	25.35	5.82	23.92	5.47	22.5	5.15	21.65	4.97	20.93	4.81	19.52	4.50
	9	7.9	25.35	5.52	23.92	5.20	22.5	4.89	21.65	4.74	20.93	4.59	19.52	4.29
	11	9.8	25.35	5.25	23.92	4.95	22.5	4.66	21.65	4.52	20.93	4.38	19.52	4.10
13	11.8	25.35	4.98	23.92	4.70	22.5	4.43	21.65	4.31	20.93	4.16	19.52	3.90	
15	13.7	25.35	4.74	23.92	4.49	22.5	4.23	21.65	4.11	20.93	3.97	19.52	3.73	

16HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D450W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	32.37	8.76	32.22	9.37	32.07	10.01	32.07	10.30	31.91	10.61	31.91	11.23
	-18.8	-19	32.85	8.96	32.7	9.57	32.7	10.17	32.54	10.48	32.54	10.77	32.37	11.38
	-16.7	-17	34.13	9.37	33.96	9.95	33.81	10.55	33.81	10.83	33.81	11.12	33.65	11.71
	-13.7	-15	35.56	9.81	35.41	10.37	35.24	10.94	35.24	11.21	35.07	11.49	35.07	12.06
	-11.8	-13	36.98	10.24	36.98	10.79	36.83	11.32	36.67	11.59	36.67	11.87	36.5	12.40
	-9.8	-11	38.74	10.70	38.57	11.21	38.41	11.72	38.41	11.98	38.41	12.23	38.26	12.76
	-9.5	-10	39.69	10.92	39.52	11.42	39.37	11.91	39.37	12.17	39.2	12.42	39.2	12.91
	-8.5	-9.1	40.48	11.10	40.31	11.59	40.31	12.09	40.17	12.33	40.17	12.57	40	13.08
	-7	-7.6	41.91	11.43	41.91	11.91	41.74	12.38	41.74	12.62	41.59	12.84	41.43	13.33
	-5	-5.6	44.13	11.87	43.96	12.32	43.81	12.77	43.81	12.99	43.65	13.21	43.65	13.65
	-3	-3.7	46.19	12.25	46.04	12.69	46.04	13.10	45.87	13.33	45.87	13.54	45.7	13.96
	0	-0.7	49.83	12.84	49.83	13.25	49.69	13.63	49.69	13.78	49.52	14.03	49.52	14.42
	3	2.2	53.8	13.37	53.65	13.75	53.5	14.13	53.5	14.29	53.5	14.49	53.33	14.85
	5	4.1	56.5	13.72	56.35	14.07	56.35	14.42	56.19	14.59	56.19	14.76	56.04	15.10
	7	6	59.37	14.04	59.2	14.37	59.2	14.70	59.04	14.86	59.04	15.02	56.67	14.42
	9	7.9	62.37	14.32	62.22	14.66	62.22	14.95	62.06	15.12	60.8	14.80	56.67	13.56
	11	9.8	65.56	14.62	65.39	14.91	65.07	15.10	62.85	14.51	60.8	13.91	56.67	12.77
120%	13	11.8	69.04	14.89	68.89	15.18	65.07	14.15	62.85	13.59	60.8	13.06	56.67	11.98
	15	13.7	72.37	15.15	69.2	14.38	65.07	13.33	62.85	12.82	60.8	12.30	56.67	11.30
	-19.8	-20	32.22	9.60	32.06	10.16	31.91	10.74	31.91	11.01	31.91	11.30	31.74	11.89
	-18.8	-19	32.7	9.77	32.54	10.33	32.54	10.90	32.39	11.18	32.39	11.47	32.22	12.02
	-16.7	-17	33.96	10.16	33.81	10.71	33.59	11.23	33.65	11.51	33.65	11.78	33.5	12.32
	-13.7	-15	35.41	10.56	35.24	11.08	35.07	11.59	35.07	11.87	35.07	12.13	34.93	12.64
	-11.8	-13	36.83	10.96	36.83	11.47	36.67	11.96	36.67	12.22	36.52	12.46	36.52	12.95
	-9.8	-11	38.57	11.38	38.41	11.86	38.41	12.33	38.26	12.57	38.26	12.81	38.09	13.28
	-9.5	-10	39.54	11.59	39.37	12.06	39.2	12.52	39.2	12.76	39.2	12.98	39.06	13.45
	-8.5	-9.1	40.31	11.76	40.17	12.22	40.17	12.67	40	12.90	40	13.13	39.83	13.59
	-7	-7.6	41.74	12.08	41.74	12.52	41.59	12.94	41.59	13.17	41.43	13.37	41.43	13.81
	-5	-5.6	43.96	12.46	43.81	12.88	43.65	13.30	43.65	13.51	43.65	13.72	43.5	14.13
	-3	-3.7	46.04	12.83	46.04	13.23	45.87	13.62	45.87	13.81	45.72	14.02	45.72	14.42
	0	-0.7	49.69	13.37	49.69	13.75	49.52	14.10	49.52	14.29	49.37	14.47	49.37	14.85
	3	2.2	53.65	13.88	53.5	14.22	53.5	14.55	53.33	14.73	53.33	14.89	52.22	14.81
	5	4.1	56.35	14.18	56.19	14.51	56.19	14.83	56.04	14.98	56.04	15.15	52.22	13.91
	7	6	59.2	14.47	59.2	14.78	59.06	15.08	58.09	14.88	56.19	14.27	52.22	13.09
110%	9	7.9	62.22	14.76	62.07	15.06	60	14.55	58.09	13.98	56.19	13.41	52.22	12.32
	11	9.8	65.39	15.02	63.81	14.76	60	13.69	58.09	13.15	56.19	12.62	52.22	11.62
	13	11.8	67.78	14.88	63.81	13.84	60	12.83	58.09	12.35	56.19	11.87	52.22	10.92
	15	13.7	67.78	14.01	63.81	13.05	60	12.11	58.09	11.64	56.19	11.19	52.22	10.30
	-19.8	-20	32.06	10.43	31.91	10.95	31.74	11.48	31.74	11.74	31.76	12.00	31.59	12.53
	-18.8	-19	32.54	10.59	32.39	11.10	32.39	11.63	32.39	11.89	32.22	12.14	32.22	12.66
	-16.7	-17	33.81	10.95	33.65	11.45	34.13	11.95	33.5	12.18	33.5	12.44	33.33	12.93
	-13.7	-15	35.24	11.32	35.09	11.80	34.93	12.27	34.93	12.52	34.93	12.76	34.76	13.22
	-11.8	-13	36.67	11.71	36.67	12.16	36.5	12.61	36.5	12.83	36.35	13.06	36.35	13.52
	-9.8	-11	38.41	12.08	38.26	12.52	38.26	12.95	38.09	13.17	38.09	13.37	38.09	13.81
	-9.5	-10	39.37	12.27	39.2	12.69	39.04	13.12	39.04	13.33	39.04	13.54	38.89	13.96
	-8.5	-9.1	40.17	12.42	40	12.85	40	13.27	39.83	13.48	39.83	13.69	39.83	12.47
	-7	-7.6	41.59	12.71	41.59	13.10	41.43	13.51	41.43	13.72	41.43	13.91	41.28	14.31
	-5	-5.6	43.81	13.08	43.65	13.47	43.5	13.83	43.5	14.02	43.5	14.22	43.33	14.61
	-3	-3.7	45.87	13.41	45.87	13.76	45.72	14.14	45.72	14.31	45.56	14.49	45.56	14.86
	0	-0.7	49.52	13.91	49.52	14.25	49.37	14.59	49.37	14.75	49.37	14.93	47.94	14.64
	3	2.2	53.5	14.38	53.33	14.68	53.33	14.98	53.17	15.13	51.43	14.52	47.94	13.32
	5	4.1	56.19	14.66	56.19	14.95	55.07	14.81	53.17	14.22	51.43	13.65	47.94	12.53
	7	6	59.04	14.93	58.57	15.02	55.07	13.91	53.17	13.36	51.43	12.83	47.94	11.78
	9	7.9	62.06	15.17	58.57	14.13	55.07	13.09	53.17	12.57	51.43	12.08	47.94	11.10
	11	9.8	62.06	14.27	58.57	13.28	55.07	12.32	53.17	11.86	51.43	11.38	47.94	10.48
	13	11.8	62.06	13.37	58.57	12.46	55.07	11.57	53.17	11.14	51.43	10.71	47.94	9.87
	15	13.7	62.06	11.89	58.57	11.76	55.07	10.94	53.17	10.52	51.43	10.13	47.94	9.34

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D450W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	31.91	11.27	31.74	11.74	31.74	12.22	31.59	12.46	31.59	12.69	31.43	13.17
	-18.8	-19	32.39	11.42	32.39	11.89	32.22	12.35	32.22	12.59	32.07	12.83	32.07	13.30
	-16.7	-17	33.65	11.74	33.48	12.18	33.48	12.64	33.33	12.86	33.33	13.09	33.33	13.54
	-13.7	-15	35.07	12.08	34.93	12.52	34.76	12.95	34.76	13.17	34.76	13.37	34.61	13.81
	-11.8	-13	36.52	12.42	36.52	12.83	36.35	13.25	36.35	13.47	36.35	13.67	36.19	14.08
	-9.8	-11	38.26	12.77	38.09	13.17	38.09	13.56	38.09	13.76	37.93	13.96	37.93	14.34
	-9.5	-10	39.2	12.95	39.06	13.33	39.06	13.72	38.89	13.91	38.89	14.10	38.72	14.49
	-8.5	-9.1	40	13.09	39.83	13.48	39.83	13.85	39.83	14.03	39.69	14.23	39.69	14.61
	-7	-7.6	41.43	13.35	41.43	13.72	41.28	14.07	41.28	14.27	41.28	14.44	41.11	14.81
	-5	-5.6	43.65	13.69	43.48	14.02	43.48	14.38	43.33	14.54	43.33	14.71	43.17	15.08
	-3	-3.7	45.72	13.99	45.72	12.70	45.56	14.66	45.56	14.81	45.56	14.97	43.65	14.34
	0	-0.7	49.37	14.44	49.37	14.74	49.2	15.06	48.41	14.81	46.83	14.20	43.65	13.03
	3	2.2	53.33	14.86	53.17	15.13	50	14.01	48.41	13.47	46.83	12.93	43.65	11.87
	5	4.1	56.04	15.13	53.17	14.22	50	13.17	48.41	12.67	46.83	12.17	43.65	11.19
	7	6	56.35	14.37	53.17	13.36	50	12.44	48.41	11.93	46.83	11.47	43.65	10.55
	9	7.9	56.35	13.49	53.17	12.57	50	11.67	48.41	11.09	46.83	10.81	43.65	9.95
90%	11	9.8	56.35	12.70	53.17	11.85	50	11.01	48.41	10.59	46.83	10.18	43.65	9.40
	13	11.8	56.35	11.93	53.17	11.14	50	10.37	48.41	9.98	46.83	9.62	43.65	8.87
	15	13.7	56.35	11.25	53.17	10.52	50	9.79	48.41	9.43	46.83	9.09	43.65	8.41
	-19.8	-20	31.69	12.11	31.54	12.53	31.54	12.95	31.37	13.17	31.37	13.39	31.37	13.81
	-18.8	-19	32.17	12.23	32.17	12.67	32	13.09	32	13.30	32	13.51	31.85	13.93
	-16.7	-17	33.43	12.55	33.28	12.95	33.28	13.35	33.28	13.56	33.11	13.75	33.11	14.15
	-13.7	-15	34.85	12.84	34.7	13.23	34.7	13.62	34.54	13.81	34.54	14.01	34.54	14.40
	-11.8	-13	36.28	13.15	36.28	13.52	36.13	13.89	36.13	14.08	36.13	14.27	35.96	14.64
	-9.8	-11	38.04	13.47	38.04	13.81	37.87	14.17	37.87	14.34	37.87	14.54	37.7	14.89
	-9.5	-10	38.98	13.62	38.81	13.98	38.81	14.31	38.67	14.49	38.67	14.67	38.67	15.00
	-8.5	-9.1	39.78	13.76	39.78	14.10	39.61	14.44	39.61	14.61	39.61	14.78	39.13	14.93
	-7	-7.6	41.2	13.99	41.2	14.31	41.04	14.65	41.04	14.81	41.04	14.97	39.13	14.25
	-5	-5.6	43.41	14.29	43.26	14.61	43.26	14.91	43.09	15.08	41.98	14.61	39.13	13.39
	-3	-3.7	45.48	14.56	45.48	14.86	45	14.93	43.41	14.32	41.98	13.75	39.13	12.62
	0	-0.7	49.28	14.98	47.85	14.62	45	13.54	43.41	13.01	41.98	12.49	39.13	11.48
	3	2.2	50.7	14.28	47.85	13.30	45	12.33	43.41	11.87	41.98	11.40	39.13	10.50
80%	5	4.1	50.7	13.42	47.85	12.52	45	11.63	43.41	11.18	41.98	10.76	39.13	9.90
	7	6	50.7	12.62	47.85	11.78	45	10.95	43.41	10.55	41.98	10.14	39.13	9.36
	9	7.9	50.7	11.90	47.85	11.09	45	10.32	43.41	9.94	41.98	9.58	39.13	8.84
	11	9.8	50.7	11.21	47.85	10.47	45	9.77	43.41	9.40	41.98	9.05	39.13	8.37
	13	11.8	50.7	10.55	47.85	9.87	45	9.19	43.41	8.87	41.98	8.55	39.13	7.91
	15	13.7	50.7	9.96	47.85	9.33	45	8.71	43.41	8.41	41.98	8.09	39.13	7.51
	-19.8	-20	31.59	12.94	31.43	13.32	31.43	13.71	31.43	13.89	31.26	14.08	31.26	14.46
	-18.8	-19	32.06	13.06	32.06	13.45	31.91	13.81	31.91	14.01	31.91	14.18	31.74	14.56
	-16.7	-17	33.33	13.33	33.19	13.69	33.19	14.05	33.19	14.23	33.19	14.42	33.02	14.76
	-13.7	-15	34.76	13.61	34.61	13.94	34.61	14.29	34.61	14.46	34.44	14.64	34.44	14.98
	-11.8	-13	36.19	13.88	36.19	14.22	36.04	14.54	36.04	14.69	36.04	14.88	34.93	14.47
	-9.8	-11	37.94	14.15	37.94	14.47	37.78	14.79	37.78	14.94	37.46	14.91	34.93	13.67
	-9.5	-10	38.89	14.29	38.72	14.60	38.74	14.91	38.74	15.08	37.46	14.47	34.93	13.27
	-8.5	-9.1	39.69	14.42	36.89	14.73	39.52	15.02	38.74	14.68	37.46	14.08	34.93	12.91
	-7	-7.6	41.11	14.64	41.11	14.93	40	14.60	38.74	14.02	37.46	13.47	34.93	12.35
	-5	-5.6	43.33	14.89	42.54	14.81	40	13.72	38.74	13.18	37.46	12.65	34.93	11.63
-3	-3.7	45.07	14.97	42.54	13.94	40	12.91	38.74	12.42	37.46	11.93	34.93	10.98	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrá teplota

CMV-D450W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	31.35	13.78	31.2	14.10	31.2	14.44	31.2	14.60	31.2	14.78	30.41	14.62
	-18.8	-19	31.83	13.89	31.83	14.22	31.67	14.54	31.67	14.69	31.67	14.88	30.41	14.31
	-16.7	-17	33.09	14.13	33.09	14.44	32.94	14.74	32.94	14.91	32.63	13.28	30.41	13.65
	-13.7	-15	34.52	14.37	34.37	14.67	34.37	14.97	33.74	14.74	32.63	14.15	30.41	12.98
	-11.8	-13	35.94	14.60	35.94	14.89	35	14.54	33.74	13.98	32.63	13.41	30.41	12.30
	-9.8	-11	37.69	14.84	37.22	14.83	35	13.74	33.74	13.21	32.63	12.67	30.41	11.64
	-9.5	-10	38.65	14.97	37.22	14.40	35	13.33	33.74	12.82	32.63	12.32	30.41	11.32
	-8.5	-9.1	39.43	15.06	37.22	14.01	35	12.98	33.74	12.47	32.63	11.99	30.41	11.03
	-7	-7.6	39.43	14.38	37.22	13.37	35	12.42	33.74	11.94	32.63	11.48	30.41	10.56
	-5	-5.6	39.43	13.51	37.22	12.59	35	11.69	33.74	11.23	32.63	13.28	30.41	9.96
	-3	-3.7	39.43	12.71	37.22	11.87	35	11.03	33.74	10.61	32.63	10.20	30.41	9.42
	0	-0.7	39.43	11.57	37.22	10.82	35	10.06	33.74	9.69	32.63	9.34	30.41	8.63
	3	2.2	39.43	10.57	37.22	9.90	35	9.23	33.74	8.89	32.63	8.57	30.41	7.91
	5	4.1	39.43	9.98	37.22	9.34	35	8.72	33.74	8.41	32.63	8.09	30.41	7.51
	7	6	39.43	9.43	37.22	8.84	35	8.24	33.74	7.95	32.63	7.67	30.41	7.11
9	7.9	39.43	8.92	37.22	8.35	35	7.81	33.74	7.53	32.63	7.28	30.41	6.74	
11	9.8	39.43	8.44	37.22	7.91	35	7.40	33.74	7.14	32.63	6.91	30.41	6.41	
13	11.8	39.43	7.97	37.22	7.49	35	7.01	33.74	6.78	32.63	6.53	30.41	6.09	
15	13.7	39.43	7.55	37.22	7.10	35	6.65	33.74	6.44	32.63	6.21	30.41	5.79	
60%	-19.8	-20	31.28	14.62	31.11	14.89	30	14.32	29.06	13.76	28.09	13.22	26.19	12.13
	-18.8	-19	31.74	14.71	31.74	14.98	30	14.02	29.06	13.48	28.09	12.93	26.19	11.87
	-16.7	-17	33.02	14.91	31.91	14.44	30	13.37	29.06	12.86	28.09	12.35	26.19	11.35
	-13.7	-15	33.81	14.74	31.91	13.72	30	12.71	29.06	12.23	28.09	11.75	26.19	10.80
	-11.8	-13	33.81	13.96	31.91	12.99	30	12.06	29.06	11.62	28.09	11.16	26.19	10.32
	-9.8	-11	33.81	13.18	31.91	12.28	30	11.42	29.06	10.98	28.09	10.56	26.19	9.74
	-9.5	-10	33.81	12.82	31.91	11.94	30	11.09	29.06	10.70	28.09	10.28	26.19	9.47
	-8.5	-9.1	33.81	12.47	31.91	11.64	30	10.82	29.06	10.42	28.09	10.02	26.19	9.23
	-7	-7.6	33.81	11.93	31.91	11.14	30	10.35	29.06	9.98	28.09	9.60	26.19	8.87
	-5	-5.6	33.81	11.23	31.91	10.50	30	9.77	29.06	9.42	28.09	9.06	26.19	8.39
	-3	-3.7	33.81	10.61	31.91	9.91	30	9.23	29.06	8.92	28.09	8.57	26.19	7.94
	0	-0.7	33.81	9.69	31.91	9.09	30	8.47	29.06	8.18	28.09	7.87	26.19	7.29
	3	2.2	33.81	8.89	31.91	8.33	30	7.79	29.06	7.52	28.09	7.26	26.19	6.72
	5	4.1	33.81	8.41	31.91	7.89	30	7.37	29.06	7.13	28.09	6.87	26.19	6.39
	7	6	33.81	7.95	31.91	7.48	30	6.98	29.06	6.76	28.09	6.53	26.19	6.06
9	7.9	33.81	7.53	31.91	7.09	30	6.63	29.06	6.43	28.09	6.19	26.19	5.78	
11	9.8	33.81	7.14	31.91	6.72	30	6.31	29.06	6.11	28.09	5.90	26.19	5.51	
13	11.8	33.81	6.76	31.91	6.38	30	5.99	29.06	5.79	28.09	5.60	26.19	5.24	
15	13.7	33.81	6.44	31.91	6.05	30	5.70	29.06	5.52	28.09	5.34	26.19	4.99	
50%	-19.8	-20	28.17	13.30	26.57	12.38	25	11.49	24.06	11.08	23.26	10.64	21.69	9.81
	-18.8	-19	28.17	13.01	26.57	12.13	25	11.27	24.06	10.83	23.26	10.42	21.69	9.62
	-16.7	-17	28.17	12.42	26.57	11.57	25	10.77	24.06	10.37	23.26	9.98	21.69	9.21
	-13.7	-15	28.17	11.81	26.57	11.03	25	10.26	24.06	9.89	23.26	9.51	21.69	8.79
	-11.8	-13	28.17	11.23	26.57	10.48	25	9.77	24.06	9.40	23.26	9.04	21.69	8.37
	-9.8	-11	28.17	10.62	26.57	9.93	25	9.25	24.06	8.92	23.26	8.59	21.69	7.95
	-9.5	-10	28.17	10.33	26.57	9.66	25	9.01	24.06	8.70	23.26	8.37	21.69	7.75
	-8.5	-9.1	28.17	10.08	26.57	9.43	25	8.79	24.06	8.48	23.26	8.18	21.69	7.57
	-7	-7.6	28.17	9.66	26.57	9.04	25	8.44	24.06	8.14	23.26	7.86	21.69	7.28
	-5	-5.6	28.17	9.11	26.57	8.55	25	7.99	24.06	7.72	23.26	7.43	21.69	6.89
	-3	-3.7	28.17	8.63	26.57	8.09	25	7.57	24.06	7.31	23.26	7.05	21.69	6.56
	0	-0.7	28.17	7.91	26.57	7.43	25	6.97	24.06	6.72	23.26	6.50	21.69	6.05
	3	2.2	28.17	7.29	26.57	6.86	25	6.43	24.06	6.21	23.26	6.01	21.69	5.60
	5	4.1	28.17	6.92	26.57	6.50	25	6.11	24.06	5.91	23.26	5.72	21.69	5.33
	7	6	28.17	6.58	26.57	6.18	25	5.81	24.06	5.62	23.26	5.44	21.69	5.09
9	7.9	28.17	6.23	26.57	5.88	25	5.52	24.06	5.36	23.26	5.19	21.69	4.85	
11	9.8	28.17	5.92	26.57	5.58	25	5.26	24.06	5.11	23.26	4.95	21.69	4.62	
13	11.8	28.17	5.64	26.57	5.31	25	5.01	24.06	4.86	23.26	4.70	21.69	4.41	
15	13.7	28.17	5.36	26.57	5.07	25	4.78	24.06	4.63	23.26	4.49	21.69	4.21	

18HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D500W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	36.25	9.99	36.09	10.69	35.92	11.41	35.92	11.75	35.74	12.10	35.74	12.81
	-18.8	-19	36.79	10.21	36.63	10.91	36.63	11.60	36.44	11.95	36.44	12.28	36.25	12.98
	-16.7	-17	38.23	10.69	38.04	11.34	37.87	12.02	37.87	12.35	37.87	12.68	37.69	13.35
	-13.7	-15	39.82	11.19	39.66	11.82	39.47	12.47	39.47	12.78	39.28	13.10	39.28	13.75
	-11.8	-13	41.42	11.67	41.42	12.30	41.25	12.90	41.07	13.21	41.07	13.53	40.88	14.13
	-9.8	-11	43.39	12.19	43.2	12.78	43.02	13.36	43.02	13.66	43.02	13.94	42.85	14.55
	-9.5	-10	44.45	12.45	44.26	13.02	44.09	13.58	44.09	13.88	43.91	14.15	43.91	14.72
	-8.5	-9.1	45.34	12.66	45.15	13.21	45.15	13.78	44.99	14.06	44.99	14.33	44.8	14.91
	-7	-7.6	46.94	13.03	46.94	13.58	46.75	14.11	46.75	14.39	46.58	14.64	46.4	15.19
	-5	-5.6	49.43	13.53	49.24	14.05	49.07	14.56	49.07	14.81	48.89	15.05	48.89	15.56
	-3	-3.7	51.73	13.96	51.56	14.46	51.56	14.94	51.37	15.19	51.37	15.44	51.19	15.91
	0	-0.7	55.81	14.64	55.81	15.11	55.65	15.54	55.65	15.71	55.46	16.00	55.46	16.44
	3	2.2	60.25	15.25	60.09	15.68	59.92	16.10	59.92	16.30	59.92	16.52	59.73	16.93
	5	4.1	63.28	15.64	63.11	16.04	63.11	16.43	62.93	16.63	62.93	16.83	62.76	17.22
	7	6	66.49	16.01	66.31	16.38	66.31	16.76	66.12	16.94	66.12	17.12	63.47	16.44
120%	9	7.9	69.85	16.33	69.69	16.71	69.69	17.05	69.5	17.24	68.09	16.87	63.47	15.46
	11	9.8	73.42	16.67	73.24	17.00	72.88	17.22	70.39	16.54	68.09	15.86	63.47	14.56
	13	11.8	77.32	16.97	77.16	17.30	72.88	16.14	70.39	15.49	68.09	14.89	63.47	13.66
	15	13.7	81.05	17.27	77.51	16.39	72.88	15.19	70.39	14.61	68.09	14.03	63.47	12.88
	-19.8	-20	36.09	10.94	35.9	11.58	35.74	12.25	35.74	12.55	35.74	12.88	35.55	13.55
	-18.8	-19	36.63	11.14	36.44	11.78	36.44	12.43	36.28	12.74	36.28	13.07	36.09	13.71
	-16.7	-17	38.04	11.58	37.87	12.21	37.62	12.81	37.69	13.13	37.69	13.43	37.52	14.05
	-13.7	-15	39.66	12.04	39.47	12.63	39.28	13.21	39.28	13.53	39.28	13.83	39.12	14.41
	-11.8	-13	41.25	12.50	41.25	13.07	41.07	13.63	41.07	13.93	40.9	14.21	40.9	14.77
	-9.8	-11	43.2	12.98	43.02	13.52	43.02	14.06	42.85	14.33	42.85	14.60	42.66	15.14
	-9.5	-10	44.28	13.21	44.09	13.75	43.91	14.27	43.91	14.55	43.91	14.80	43.74	15.33
	-8.5	-9.1	45.15	13.41	44.99	13.93	44.99	14.44	44.8	14.70	44.8	14.97	44.61	15.49
	-7	-7.6	46.75	13.77	46.75	14.27	46.58	14.75	46.58	15.01	46.4	15.25	46.4	15.74
	-5	-5.6	49.24	14.21	49.07	14.68	48.89	15.16	48.89	15.40	48.89	15.64	48.72	16.10
	-3	-3.7	51.56	14.63	51.56	15.09	51.37	15.52	51.37	15.74	51.21	15.99	51.21	16.43
110%	0	-0.7	55.65	15.25	55.65	15.68	55.46	16.07	55.46	16.30	55.29	16.50	55.29	16.93
	3	2.2	60.09	15.82	59.92	16.21	59.92	16.59	59.73	16.79	59.73	16.97	58.49	16.89
	5	4.1	63.11	16.17	62.93	16.54	62.93	16.91	62.76	17.08	62.76	17.27	58.49	15.86
	7	6	66.31	16.50	66.31	16.85	66.14	17.20	65.06	16.96	62.93	16.26	58.49	14.93
	9	7.9	69.69	16.83	69.52	17.16	67.2	16.59	65.06	15.93	62.93	15.29	58.49	14.05
	11	9.8	73.24	17.12	71.47	16.83	67.2	15.61	65.06	14.99	62.93	14.39	58.49	13.24
	13	11.8	75.91	16.96	71.47	15.78	67.2	14.63	65.06	14.08	62.93	13.53	58.49	12.45
	15	13.7	75.91	15.97	71.47	14.87	67.2	13.80	65.06	13.27	62.93	12.75	58.49	11.75
	-19.8	-20	35.9	11.88	35.74	12.48	35.55	13.08	35.55	13.38	35.57	13.68	35.38	14.28
	-18.8	-19	36.44	12.08	36.28	12.66	36.28	13.25	36.28	13.55	36.09	13.84	36.09	14.43
	-16.7	-17	37.87	12.48	37.69	13.05	38.23	13.62	37.52	13.89	37.52	14.19	37.33	14.74
	-13.7	-15	39.47	12.90	39.3	13.45	39.12	13.98	39.12	14.27	39.12	14.55	38.93	15.08
	-11.8	-13	41.07	13.35	41.07	13.86	40.88	14.38	40.88	14.63	40.71	14.89	40.71	15.42
	-9.8	-11	43.02	13.77	42.85	14.27	42.85	14.76	42.66	15.01	42.66	15.25	42.66	15.74
	-9.5	-10	44.09	13.98	43.91	14.46	43.72	14.96	43.72	15.19	43.72	15.44	43.56	15.91
	-8.5	-9.1	44.99	14.16	44.8	14.65	44.8	15.13	44.61	15.36	44.61	15.61	44.61	14.22
	-7	-7.6	46.58	14.49	46.58	14.94	46.4	15.40	46.4	15.64	46.4	15.86	46.23	16.32
	-5	-5.6	49.07	14.91	48.89	15.35	48.72	15.77	48.72	15.99	48.72	16.21	48.53	16.66
	-3	-3.7	51.37	15.29	51.37	15.69	51.21	16.12	51.21	16.32	51.02	16.52	51.02	16.94
	0	-0.7	55.46	15.86	55.46	16.24	55.29	16.63	55.29	16.81	55.29	17.02	53.7	16.69
	3	2.2	59.92	16.39	59.73	16.74	59.73	17.08	59.55	17.25	57.6	16.55	53.7	15.18
	5	4.1	62.93	16.71	62.93	17.05	61.68	16.89	59.55	16.21	57.6	15.56	53.7	14.28
	7	6	66.12	17.02	65.6	17.12	61.68	15.86	59.55	15.24	57.6	14.63	53.7	13.43
	9	7.9	69.5	17.29	65.6	16.10	61.68	14.92	59.55	14.33	57.6	13.77	53.7	12.66
	11	9.8	69.5	16.26	65.6	15.14	61.68	14.05	59.55	13.52	57.6	12.98	53.7	11.95
	13	11.8	69.5	15.25	65.6	14.21	61.68	13.19	59.55	12.70	57.6	12.21	53.7	11.25
	15	13.7	69.5	13.55	65.6	13.40	61.68	12.47	59.55	11.99	57.6	11.55	53.7	10.64

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D500W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	35.74	12.85	35.55	13.38	35.55	13.93	35.38	14.21	35.38	14.46	35.2	15.01
	-18.8	-19	36.28	13.02	36.28	13.55	36.09	14.08	36.09	14.36	35.92	14.63	35.92	15.16
	-16.7	-17	37.69	13.38	37.5	13.89	37.5	14.41	37.33	14.66	37.33	14.92	37.33	15.44
	-13.7	-15	39.28	13.77	39.12	14.27	38.93	14.76	38.93	15.01	38.93	15.25	38.76	15.74
	-11.8	-13	40.9	14.16	40.9	14.63	40.71	15.11	40.71	15.35	40.71	15.58	40.53	16.05
	-9.8	-11	42.85	14.56	42.66	15.01	42.66	15.46	42.66	15.69	42.48	15.91	42.48	16.35
	-9.5	-10	43.91	14.76	43.74	15.19	43.74	15.64	43.56	15.86	43.56	16.07	43.37	16.52
	-8.5	-9.1	44.8	14.92	44.61	15.36	44.61	15.79	44.61	16.00	44.45	16.22	44.45	16.66
	-7	-7.6	46.4	15.21	46.4	15.64	46.23	16.04	46.23	16.26	46.23	16.46	46.04	16.89
	-5	-5.6	48.89	15.61	48.7	15.99	48.7	16.39	48.53	16.57	48.53	16.77	48.35	17.19
	-3	-3.7	51.21	15.95	51.21	14.48	51.02	16.71	51.02	16.89	51.02	17.07	48.89	16.35
	0	-0.7	55.29	16.46	55.29	16.80	55.11	17.16	54.22	16.89	52.45	16.19	48.89	14.85
	3	2.2	59.73	16.94	59.55	17.25	56	15.97	54.22	15.35	52.45	14.74	48.89	13.53
	5	4.1	62.76	17.25	59.55	16.21	56	15.01	54.22	14.44	52.45	13.88	48.89	12.75
	7	6	63.11	16.38	59.55	15.24	56	14.14	54.22	13.60	52.45	13.07	48.89	12.02
	9	7.9	63.11	15.38	59.55	14.33	56	13.31	54.22	12.64	52.45	12.32	48.89	11.34
90%	11	9.8	63.11	14.48	59.55	13.51	56	12.55	54.22	12.08	52.45	11.61	48.89	10.72
	13	11.8	63.11	13.60	59.55	12.70	56	11.82	54.22	11.38	52.45	10.96	48.89	10.11
	15	13.7	63.11	12.83	59.55	11.99	56	11.16	54.22	10.75	52.45	10.36	48.89	9.58
	-19.8	-20	35.49	13.80	35.32	14.28	35.32	14.77	35.13	15.01	35.13	15.27	35.13	15.74
	-18.8	-19	36.03	13.94	36.03	14.44	35.84	14.92	35.84	15.16	35.84	15.40	35.67	15.88
	-16.7	-17	37.44	14.30	37.27	14.76	37.27	15.21	37.27	15.46	37.08	15.68	37.08	16.14
	-13.7	-15	39.03	14.64	38.87	15.09	38.87	15.52	38.68	15.74	38.68	15.97	38.68	16.41
	-11.8	-13	40.63	14.99	40.63	15.42	40.47	15.84	40.47	16.05	40.47	16.26	40.28	16.69
	-9.8	-11	42.6	15.35	42.6	15.74	42.41	16.16	42.41	16.35	42.41	16.57	42.23	16.97
	-9.5	-10	43.66	15.52	43.47	15.93	43.47	16.32	43.31	16.52	43.31	16.72	43.31	17.10
	-8.5	-9.1	44.55	15.69	44.55	16.07	44.36	16.46	44.36	16.66	44.36	16.85	43.83	17.02
	-7	-7.6	46.15	15.95	46.15	16.32	45.96	16.70	45.96	16.89	45.96	17.07	43.83	16.24
	-5	-5.6	48.62	16.30	48.45	16.66	48.45	17.00	48.26	17.19	47.02	16.66	43.83	15.27
	-3	-3.7	50.94	16.60	50.94	16.94	50.4	17.02	48.62	16.33	47.02	15.68	43.83	14.39
	0	-0.7	55.19	17.08	53.59	16.67	50.4	15.44	48.62	14.83	47.02	14.24	43.83	13.08
	3	2.2	56.79	16.27	53.59	15.16	50.4	14.06	48.62	13.53	47.02	13.00	43.83	11.97
80%	5	4.1	56.79	15.30	53.59	14.27	50.4	13.25	48.62	12.74	47.02	12.27	43.83	11.29
	7	6	56.79	14.39	53.59	13.43	50.4	12.48	48.62	12.02	47.02	11.56	43.83	10.67
	9	7.9	56.79	13.57	53.59	12.64	50.4	11.77	48.62	11.33	47.02	10.92	43.83	10.08
	11	9.8	56.79	12.78	53.59	11.94	50.4	11.13	48.62	10.72	47.02	10.32	43.83	9.54
	13	11.8	56.79	12.02	53.59	11.25	50.4	10.47	48.62	10.11	47.02	9.74	43.83	9.01
	15	13.7	56.79	11.35	53.59	10.63	50.4	9.93	48.62	9.58	47.02	9.22	43.83	8.56
	-19.8	-20	35.38	14.75	35.2	15.18	35.2	15.63	35.2	15.84	35.01	16.05	35.01	16.49
	-18.8	-19	35.9	14.89	35.9	15.33	35.74	15.74	35.74	15.97	35.74	16.17	35.55	16.60
	-16.7	-17	37.33	15.19	37.17	15.61	37.17	16.02	37.17	16.22	37.17	16.43	36.98	16.83
	-13.7	-15	38.93	15.51	38.76	15.89	38.76	16.30	38.76	16.49	38.58	16.69	38.58	17.08
	-11.8	-13	40.53	15.82	40.53	16.21	40.36	16.57	40.36	16.75	40.36	16.96	39.12	16.50
	-9.8	-11	42.5	16.14	42.5	16.50	42.31	16.86	42.31	17.03	41.96	17.00	39.12	15.58
	-9.5	-10	43.56	16.30	43.37	16.65	43.39	17.00	43.39	17.19	41.96	16.50	39.12	15.13
	-8.5	-9.1	44.45	16.44	44.32	16.79	44.26	17.12	43.39	16.74	41.96	16.05	39.12	14.72
	-7	-7.6	46.04	16.69	46.04	17.02	44.8	16.65	43.39	15.99	41.96	15.35	39.12	14.08
	-5	-5.6	48.53	16.97	47.64	16.89	44.8	15.64	43.39	15.02	41.96	14.42	39.12	13.25
-3	-3.7	50.48	17.07	47.64	15.89	44.8	14.72	43.39	14.16	41.96	13.60	39.12	12.52	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D500W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	35.11	15.71	34.95	16.07	34.95	16.46	34.95	16.65	34.95	16.85	34.06	16.67
	-18.8	-19	35.65	15.84	35.65	16.21	35.47	16.57	35.47	16.75	35.47	16.96	34.06	16.32
	-16.7	-17	37.06	16.10	37.06	16.46	36.9	16.80	36.9	17.00	36.55	15.14	34.06	15.56
	-13.7	-15	38.66	16.38	38.49	16.72	38.49	17.07	37.79	16.80	36.55	16.14	34.06	14.80
	-11.8	-13	40.26	16.65	40.26	16.97	39.2	16.57	37.79	15.93	36.55	15.29	34.06	14.03
	-9.8	-11	42.21	16.92	41.69	16.91	39.2	15.66	37.79	15.05	36.55	14.44	34.06	13.27
	-9.5	-10	43.29	17.07	41.69	16.41	39.2	15.19	37.79	14.61	36.55	14.05	34.06	12.90
	-8.5	-9.1	44.16	17.16	41.69	15.97	39.2	14.80	37.79	14.22	36.55	13.67	34.06	12.57
	-7	-7.6	44.16	16.39	41.69	15.25	39.2	14.15	37.79	13.61	36.55	13.08	34.06	12.04
	-5	-5.6	44.16	15.40	41.69	14.36	39.2	13.33	37.79	12.81	36.55	15.14	34.06	11.35
	-3	-3.7	44.16	14.49	41.69	13.53	39.2	12.57	37.79	12.10	36.55	11.63	34.06	10.74
	0	-0.7	44.16	13.19	41.69	12.33	39.2	11.47	37.79	11.05	36.55	10.64	34.06	9.84
	3	2.2	44.16	12.05	41.69	11.29	39.2	10.52	37.79	10.14	36.55	9.76	34.06	9.02
	5	4.1	44.16	11.38	41.69	10.64	39.2	9.94	37.79	9.58	36.55	9.22	34.06	8.56
	7	6	44.16	10.75	41.69	10.08	39.2	9.39	37.79	9.06	36.55	8.75	34.06	8.11
	9	7.9	44.16	10.17	41.69	9.52	39.2	8.91	37.79	8.59	36.55	8.30	34.06	7.69
60%	11	9.8	44.16	9.62	41.69	9.01	39.2	8.44	37.79	8.14	36.55	7.88	34.06	7.30
	13	11.8	44.16	9.09	41.69	8.53	39.2	7.99	37.79	7.73	36.55	7.44	34.06	6.94
	15	13.7	44.16	8.61	41.69	8.09	39.2	7.58	37.79	7.34	36.55	7.08	34.06	6.61
	-19.8	-20	35.03	16.67	34.84	16.97	33.6	16.33	32.54	15.69	31.46	15.08	29.33	13.83
	-18.8	-19	35.55	16.77	35.55	17.08	33.6	15.99	32.54	15.36	31.46	14.74	29.33	13.53
	-16.7	-17	36.98	17.00	35.74	16.46	33.6	15.25	32.54	14.66	31.46	14.08	29.33	12.93
	-13.7	-15	37.87	16.80	35.74	15.64	33.6	14.49	32.54	13.94	31.46	13.39	29.33	12.31
	-11.8	-13	37.87	15.91	35.74	14.81	33.6	13.75	32.54	13.24	31.46	12.72	29.33	11.77
	-9.8	-11	37.87	15.02	35.74	13.99	33.6	13.02	32.54	12.52	31.46	12.04	29.33	11.10
	-9.5	-10	37.87	14.61	35.74	13.61	33.6	12.64	32.54	12.19	31.46	11.72	29.33	10.79
	-8.5	-9.1	37.87	14.22	35.74	13.27	33.6	12.33	32.54	11.87	31.46	11.42	29.33	10.53
	-7	-7.6	37.87	13.60	35.74	12.70	33.6	11.80	32.54	11.38	31.46	10.94	29.33	10.11
	-5	-5.6	37.87	12.81	35.74	11.97	33.6	11.14	32.54	10.74	31.46	10.33	29.33	9.56
	-3	-3.7	37.87	12.10	35.74	11.30	33.6	10.53	32.54	10.17	31.46	9.78	29.33	9.05
	0	-0.7	37.87	11.05	35.74	10.36	33.6	9.66	32.54	9.33	31.46	8.97	29.33	8.31
	3	2.2	37.87	10.14	35.74	9.50	33.6	8.88	32.54	8.58	31.46	8.28	29.33	7.67
50%	5	4.1	37.87	9.58	35.74	8.99	33.6	8.41	32.54	8.13	31.46	7.83	29.33	7.28
	7	6	37.87	9.06	35.74	8.52	33.6	7.96	32.54	7.71	31.46	7.44	29.33	6.91
	9	7.9	37.87	8.59	35.74	8.08	33.6	7.56	32.54	7.33	31.46	7.06	29.33	6.58
	11	9.8	37.87	8.14	35.74	7.67	33.6	7.19	32.54	6.97	31.46	6.72	29.33	6.28
	13	11.8	37.87	7.71	35.74	7.27	33.6	6.83	32.54	6.61	31.46	6.38	29.33	5.97
	15	13.7	37.87	7.34	35.74	6.90	33.6	6.50	32.54	6.30	31.46	6.09	29.33	5.69
	-19.8	-20	31.55	15.16	29.76	14.11	28	13.10	26.94	12.63	26.05	12.13	24.29	11.19
	-18.8	-19	31.55	14.83	29.76	13.83	28	12.85	26.94	12.35	26.05	11.87	24.29	10.96
	-16.7	-17	31.55	14.15	29.76	13.19	28	12.28	26.94	11.82	26.05	11.38	24.29	10.50
	-13.7	-15	31.55	13.46	29.76	12.57	28	11.69	26.94	11.27	26.05	10.85	24.29	10.02
	-11.8	-13	31.55	12.80	29.76	11.95	28	11.13	26.94	10.72	26.05	10.31	24.29	9.54
	-9.8	-11	31.55	12.11	29.76	11.32	28	10.55	26.94	10.17	26.05	9.80	24.29	9.06
	-9.5	-10	31.55	11.78	29.76	11.02	28	10.27	26.94	9.91	26.05	9.54	24.29	8.83
	-8.5	-9.1	31.55	11.49	29.76	10.75	28	10.02	26.94	9.67	26.05	9.33	24.29	8.63
	-7	-7.6	31.55	11.02	29.76	10.31	28	9.62	26.94	9.28	26.05	8.96	24.29	8.30
	-5	-5.6	31.55	10.39	29.76	9.74	28	9.11	26.94	8.80	26.05	8.47	24.29	7.86

20HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D560W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	40.79	10.16	40.6	10.86	40.41	11.59	40.41	11.95	40.2	12.29	40.2	13.04
	-18.8	-19	41.39	10.39	41.21	11.09	41.21	11.80	41	12.14	41	12.48	40.79	13.21
	-16.7	-17	43	10.86	42.79	11.53	42.61	12.22	42.61	12.56	42.61	12.90	42.4	13.57
	-13.7	-15	44.8	11.36	44.61	12.01	44.4	12.67	44.4	13.00	44.19	13.34	44.19	13.97
	-11.8	-13	46.6	11.87	46.6	12.50	46.41	13.13	46.2	13.44	46.2	13.74	45.99	14.37
	-9.8	-11	48.81	12.39	48.6	13.00	48.39	13.59	48.39	13.88	48.39	14.18	48.21	14.79
	-9.5	-10	50	12.66	49.79	13.25	49.61	13.80	49.61	14.10	49.4	14.39	49.4	14.98
	-8.5	-9.1	51.01	12.88	50.8	13.44	50.8	14.01	50.61	14.30	50.61	14.58	50.4	15.17
	-7	-7.6	52.8	13.27	52.8	13.80	52.59	14.35	52.59	14.64	52.41	14.90	52.2	15.44
	-5	-5.6	55.6	13.74	55.39	14.28	55.21	14.81	55.21	15.08	55	15.31	55	15.82
	-3	-3.7	58.19	14.20	58.01	14.71	58.01	15.21	57.8	15.44	57.8	15.69	57.59	16.18
	0	-0.7	62.79	14.90	62.79	15.36	62.6	15.80	62.6	15.97	62.39	16.28	62.39	16.73
	3	2.2	67.78	15.50	67.6	15.93	67.41	16.37	67.41	16.58	67.41	16.81	67.2	17.21
	5	4.1	71.19	15.90	71	16.32	71	16.72	70.79	16.91	70.79	17.12	70.61	17.50
	7	6	74.81	16.28	74.6	16.66	74.6	17.04	74.39	17.23	74.39	17.42	71.4	16.73
	9	7.9	78.59	16.62	78.4	16.98	78.4	17.34	78.19	17.52	76.6	17.15	71.4	15.71
	11	9.8	82.6	16.94	82.39	17.29	81.99	17.50	79.19	16.81	76.6	16.12	71.4	14.81
	13	11.8	86.99	17.27	86.8	17.59	81.99	16.41	79.19	15.74	76.6	15.15	71.4	13.88
120%	15	13.7	91.19	17.55	87.2	16.68	81.99	15.44	79.19	14.87	76.6	14.26	71.4	13.11
	-19.8	-20	40.6	11.13	40.39	11.78	40.2	12.45	40.2	12.77	40.2	13.11	39.99	13.76
	-18.8	-19	41.21	11.32	41	11.99	41	12.64	40.81	12.96	40.81	13.30	40.6	13.93
	-16.7	-17	42.79	11.78	42.61	12.41	42.33	13.04	42.4	13.34	42.4	13.65	42.21	14.28
	-13.7	-15	44.61	12.24	44.4	12.85	44.19	13.44	44.19	13.74	44.19	14.05	44.01	14.66
	-11.8	-13	46.41	12.71	46.41	13.30	46.2	13.86	46.2	14.16	46.01	14.45	46.01	15.04
	-9.8	-11	48.6	13.21	48.39	13.72	48.39	14.30	48.21	14.58	48.21	14.85	48	15.40
	-9.5	-10	49.82	13.44	49.61	13.97	49.4	14.50	49.4	14.79	49.4	15.06	49.21	15.57
	-8.5	-9.1	50.8	13.63	50.61	14.16	50.61	14.70	50.4	14.96	50.4	15.25	50.19	15.74
	-7	-7.6	52.59	13.99	52.59	14.50	52.41	15.02	52.41	15.27	52.2	15.50	52.2	16.01
	-5	-5.6	55.39	14.45	55.21	14.94	55	15.40	55	15.65	55	15.90	54.81	16.37
	-3	-3.7	58.01	14.89	58.01	15.34	57.8	15.78	57.8	16.01	57.61	16.26	57.61	16.72
	0	-0.7	62.6	15.50	62.6	15.93	62.39	16.35	62.39	16.58	62.21	16.77	62.21	17.21
	3	2.2	67.6	16.09	67.41	16.49	67.41	16.87	67.2	17.08	67.2	17.27	65.8	17.17
	5	4.1	71	16.45	70.79	16.83	70.79	17.19	70.61	17.38	70.61	17.55	65.8	16.12
	7	6	74.6	16.77	74.6	17.13	74.41	17.48	73.2	17.25	70.79	16.54	65.8	15.19
	9	7.9	78.4	17.12	78.21	17.46	75.6	16.87	73.2	16.20	70.79	15.53	65.8	14.28
	11	9.8	82.39	17.42	80.41	17.12	75.6	15.86	73.2	15.25	70.79	14.64	65.8	13.46
110%	13	11.8	85.4	17.25	80.41	16.05	75.6	14.89	73.2	14.31	70.79	13.74	65.8	12.66
	15	13.7	85.4	16.24	80.41	15.13	75.6	14.03	73.2	13.49	70.79	12.98	65.8	11.93
	-19.8	-20	40.39	12.08	40.2	12.69	39.99	13.32	39.99	13.61	40.02	13.89	39.81	14.52
	-18.8	-19	41	12.27	40.81	12.88	40.81	13.48	40.81	13.76	40.6	14.07	40.6	14.68
	-16.7	-17	42.61	12.69	42.4	13.28	43	13.84	42.21	14.12	42.21	14.43	42	15.00
	-13.7	-15	44.4	13.13	44.22	13.67	44.01	14.22	44.01	14.50	44.01	14.79	43.8	15.32
	-11.8	-13	46.2	13.55	46.2	14.09	45.99	14.62	45.99	14.89	45.8	15.15	45.8	15.67
	-9.8	-11	48.39	13.99	48.21	14.50	48.21	15.02	48	15.27	48	15.50	48	16.01
	-9.5	-10	49.61	14.22	49.4	14.71	49.19	15.23	49.19	15.44	49.19	15.69	49	16.18
	-8.5	-9.1	50.61	14.41	50.4	14.90	50.4	15.38	50.19	15.61	50.19	15.86	50.19	14.47
	-7	-7.6	52.41	14.75	52.41	15.19	52.2	15.65	52.2	15.90	52.2	16.12	52.01	16.60
	-5	-5.6	55.21	15.17	55	15.59	54.81	16.03	54.81	16.26	54.81	16.49	54.6	16.94
	-3	-3.7	57.8	15.53	57.8	15.95	57.61	16.39	57.61	16.60	57.4	16.81	57.4	17.23
	0	-0.7	62.39	16.12	62.39	16.53	62.21	16.91	62.21	17.10	62.21	17.31	60.41	16.96
	3	2.2	67.41	16.68	67.2	17.02	67.2	17.38	66.99	17.54	64.8	16.83	60.41	15.42
	5	4.1	70.79	16.98	70.79	17.34	69.39	17.17	66.99	16.49	64.8	15.82	60.41	14.52
	7	6	74.39	17.31	73.8	17.42	69.39	16.12	66.99	15.48	64.8	14.89	60.41	13.65
	9	7.9	78.19	17.57	73.8	16.37	69.39	15.17	66.99	14.58	64.8	13.99	60.41	12.88
	11	9.8	78.19	16.54	73.8	15.40	69.39	14.28	66.99	13.72	64.8	13.21	60.41	12.14
	13	11.8	78.19	15.50	73.8	14.45	69.39	13.42	66.99	12.92	64.8	12.41	60.41	11.44
	15	13.7	78.19	13.76	73.8	13.61	69.39	12.67	66.99	12.18	64.8	11.74	60.41	10.83

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D560W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	40.2	13.08	39.99	13.61	39.99	14.16	39.81	14.45	39.81	14.71	39.6	15.27
	-18.8	-19	40.81	13.25	40.81	13.76	40.6	14.31	40.6	14.60	40.41	14.89	40.41	15.40
	-16.7	-17	42.4	13.61	42.19	14.12	42.19	14.66	42	14.92	42	15.17	42	15.69
	-13.7	-15	44.19	13.99	44.01	14.50	43.8	15.02	43.8	15.27	43.8	15.50	43.61	16.01
	-11.8	-13	46.01	14.41	46.01	14.89	45.8	15.36	45.8	15.59	45.8	15.84	45.59	16.33
	-9.8	-11	48.21	14.81	48	15.27	48	15.71	48	15.95	47.79	16.18	47.79	16.64
	-9.5	-10	49.4	15.02	49.21	15.44	49.21	15.90	49	16.12	49	16.35	48.79	16.79
	-8.5	-9.1	50.4	15.17	50.19	15.61	50.19	16.05	50.19	16.28	50	16.51	50	16.93
	-7	-7.6	52.2	15.46	52.2	15.90	52.01	16.32	52.01	16.54	52.01	16.73	51.8	17.17
	-5	-5.6	55	15.86	54.79	16.26	54.79	16.68	54.6	16.85	54.6	17.06	54.39	17.46
	-3	-3.7	57.61	16.22	57.61	14.73	57.4	16.98	57.4	17.17	57.4	17.36	55	16.64
	0	-0.7	62.21	16.73	62.21	17.10	62	17.46	60.99	17.17	59.01	16.47	55	15.11
	3	2.2	67.2	17.23	66.99	17.54	63	16.24	60.99	15.59	59.01	15.00	55	13.74
	5	4.1	70.61	17.54	66.99	16.49	63	15.27	60.99	14.70	59.01	14.10	55	12.98
	7	6	71	16.66	66.99	15.48	63	14.38	60.99	13.82	59.01	13.30	55	12.22
	9	7.9	71	15.63	66.99	14.58	63	13.53	60.99	12.87	59.01	12.52	55	11.53
90%	11	9.8	71	14.73	66.99	13.72	63	12.77	60.99	12.27	59.01	11.82	55	10.90
	13	11.8	71	13.82	66.99	12.92	63	12.03	60.99	11.57	59.01	11.15	55	10.29
	15	13.7	71	13.06	66.99	12.18	63	11.34	60.99	10.94	59.01	10.52	55	9.74
	-19.8	-20	39.92	14.03	39.74	14.52	39.74	15.04	39.53	15.27	39.53	15.51	39.53	16.01
	-18.8	-19	40.53	14.18	40.53	14.70	40.32	15.17	40.32	15.40	40.32	15.65	40.13	16.14
	-16.7	-17	42.12	14.54	41.93	15.02	41.93	15.46	41.93	15.71	41.72	15.93	41.72	16.41
	-13.7	-15	43.91	14.90	43.73	15.34	43.73	15.78	43.52	16.01	43.52	16.24	43.52	16.70
	-11.8	-13	45.71	15.25	45.71	15.67	45.52	16.11	45.52	16.33	45.52	16.54	45.31	16.96
	-9.8	-11	47.93	15.59	47.93	16.01	47.72	16.43	47.72	16.64	47.72	16.85	47.51	17.27
	-9.5	-10	49.12	15.78	48.91	16.20	48.91	16.60	48.72	16.79	48.72	17.00	48.72	17.40
	-8.5	-9.1	50.12	15.95	50.12	16.35	49.91	16.73	49.91	16.93	49.91	17.13	49.3	17.31
	-7	-7.6	51.92	16.22	51.92	16.60	51.71	16.98	51.71	17.17	51.71	17.36	49.3	16.53
	-5	-5.6	54.69	16.58	54.51	16.93	54.51	17.29	54.3	17.46	52.9	16.93	49.3	15.51
	-3	-3.7	57.31	16.89	57.31	17.23	56.7	17.31	54.69	16.62	52.9	15.93	49.3	14.64
	0	-0.7	62.09	17.38	60.29	16.94	56.7	15.69	54.69	15.10	52.9	14.49	49.3	13.32
	3	2.2	63.89	16.56	60.29	15.40	56.7	14.30	54.69	13.74	52.9	13.23	49.3	12.16
80%	5	4.1	63.89	15.55	60.29	14.50	56.7	13.48	54.69	12.96	52.9	12.47	49.3	11.47
	7	6	63.89	14.64	60.29	13.65	56.7	12.69	54.69	12.22	52.9	11.76	49.3	10.85
	9	7.9	63.89	13.78	60.29	12.87	56.7	11.95	54.69	11.53	52.9	11.11	49.3	10.25
	11	9.8	63.89	13.00	60.29	12.12	56.7	11.30	54.69	10.90	52.9	10.48	49.3	9.70
	13	11.8	63.89	12.22	60.29	11.44	56.7	10.65	54.69	10.29	52.9	9.91	49.3	9.17
	15	13.7	63.89	11.55	60.29	10.81	56.7	10.10	54.69	9.74	52.9	9.38	49.3	8.71
	-19.8	-20	39.81	15.02	39.6	15.42	39.6	15.88	39.6	16.11	39.39	16.33	39.39	16.75
	-18.8	-19	40.39	15.13	40.39	15.57	40.2	16.01	40.2	16.24	40.2	16.45	39.99	16.89
	-16.7	-17	42	15.44	41.81	15.86	41.81	16.30	41.81	16.51	41.81	16.70	41.6	17.12
	-13.7	-15	43.8	15.76	43.61	16.16	43.61	16.58	43.61	16.75	43.4	16.96	43.4	17.38
	-11.8	-13	45.59	16.09	45.59	16.49	45.41	16.85	45.41	17.04	45.41	17.25	44.01	16.77
	-9.8	-11	47.81	16.41	47.81	16.77	47.6	17.15	47.6	17.33	47.2	17.29	44.01	15.84
	-9.5	-10	49	16.58	48.79	16.93	48.81	17.29	48.81	17.46	47.2	16.77	44.01	15.38
	-8.5	-9.1	50	16.72	46.48	17.08	49.79	17.42	48.81	17.02	47.2	16.33	44.01	14.98
	-7	-7.6	51.8	16.96	51.8	17.31	50.4	16.93	48.81	16.26	47.2	15.59	44.01	14.31
	-5	-5.6	54.6	17.27	53.6	17.17	50.4	15.90	48.81	15.29	47.2	14.68	44.01	13.48
-3	-3.7	56.79	17.36	53.6	16.16	50.4	14.98	48.81	14.41	47.2	13.82	44.01	12.73	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D560W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	39.5	15.97	39.32	16.35	39.32	16.73	39.32	16.93	39.32	17.13	38.31	16.94
	-18.8	-19	40.11	16.11	40.11	16.49	39.9	16.85	39.9	17.04	39.9	17.25	38.31	16.60
	-16.7	-17	41.7	16.37	41.7	16.73	41.51	17.10	41.51	17.29	41.11	15.40	38.31	15.82
	-13.7	-15	43.49	16.66	43.31	17.00	43.31	17.36	42.51	17.10	41.11	16.41	38.31	15.06
	-11.8	-13	45.29	16.93	45.29	17.27	44.1	16.85	42.51	16.20	41.11	15.53	38.31	14.26
	-9.8	-11	47.48	17.21	46.9	17.19	44.1	15.92	42.51	15.31	41.11	14.70	38.31	13.49
	-9.5	-10	48.7	17.36	46.9	16.70	44.1	15.44	42.51	14.87	41.11	14.28	38.31	13.13
	-8.5	-9.1	49.68	17.46	46.9	16.24	44.1	15.06	42.51	14.47	41.11	13.89	38.31	12.79
	-7	-7.6	49.68	16.66	46.9	15.50	44.1	14.39	42.51	13.84	41.11	13.32	38.31	12.24
	-5	-5.6	49.68	15.65	46.9	14.60	44.1	13.53	42.51	13.04	41.11	15.40	38.31	11.55
	-3	-3.7	49.68	14.75	46.9	13.74	44.1	12.79	42.51	12.29	41.11	11.84	38.31	10.92
	0	-0.7	49.68	13.42	46.9	12.54	44.1	11.66	42.51	11.25	41.11	10.83	38.31	10.01
	3	2.2	49.68	12.26	46.9	11.47	44.1	10.69	42.51	10.31	41.11	9.93	38.31	9.19
	5	4.1	49.68	11.57	46.9	10.83	44.1	10.12	42.51	9.74	41.11	9.38	38.31	8.71
	7	6	49.68	10.94	46.9	10.25	44.1	9.55	42.51	9.23	41.11	8.90	38.31	8.25
	9	7.9	49.68	10.33	46.9	9.68	44.1	9.05	42.51	8.75	41.11	8.44	38.31	7.81
11	9.8	49.68	9.78	46.9	9.17	44.1	8.60	42.51	8.29	41.11	8.01	38.31	7.41	
13	11.8	49.68	9.24	46.9	8.69	44.1	8.12	42.51	7.85	41.11	7.57	38.31	7.07	
15	13.7	49.68	8.75	46.9	8.23	44.1	7.70	42.51	7.45	41.11	7.19	38.31	6.73	
60%	-19.8	-20	39.41	16.94	39.2	17.27	37.8	16.62	36.61	15.95	35.4	15.32	32.99	14.05
	-18.8	-19	39.99	17.06	39.99	17.38	37.8	16.26	36.61	15.61	35.4	15.00	32.99	13.74
	-16.7	-17	41.6	17.29	40.2	16.73	37.8	15.50	36.61	14.92	35.4	14.31	32.99	13.17
	-13.7	-15	42.61	17.10	40.2	15.90	37.8	14.75	36.61	14.18	35.4	13.61	32.99	12.52
	-11.8	-13	42.61	16.18	40.2	15.06	37.8	13.97	36.61	13.46	35.4	12.94	32.99	11.95
	-9.8	-11	42.61	15.29	40.2	14.24	37.8	13.25	36.61	12.73	35.4	12.24	32.99	11.28
	-9.5	-10	42.61	14.87	40.2	13.84	37.8	12.87	36.61	12.39	35.4	11.89	32.99	10.98
	-8.5	-9.1	42.61	14.47	40.2	13.49	37.8	12.54	36.61	12.06	35.4	11.61	32.99	10.71
	-7	-7.6	42.61	13.82	40.2	12.92	37.8	11.99	36.61	11.57	35.4	11.13	32.99	10.29
	-5	-5.6	42.61	13.04	40.2	12.16	37.8	11.32	36.61	10.92	35.4	10.50	32.99	9.72
	-3	-3.7	42.61	12.29	40.2	11.49	37.8	10.71	36.61	10.33	35.4	9.95	32.99	9.21
	0	-0.7	42.61	11.25	40.2	10.52	37.8	9.82	36.61	9.47	35.4	9.13	32.99	8.46
	3	2.2	42.61	10.31	40.2	9.66	37.8	9.03	36.61	8.71	35.4	8.42	32.99	7.80
	5	4.1	42.61	9.74	40.2	9.15	37.8	8.56	36.61	8.27	35.4	7.97	32.99	7.40
	7	6	42.61	9.23	40.2	8.67	37.8	8.10	36.61	7.83	35.4	7.57	32.99	7.05
	9	7.9	42.61	8.73	40.2	8.21	37.8	7.68	36.61	7.43	35.4	7.19	32.99	6.71
11	9.8	42.61	8.29	40.2	7.80	37.8	7.30	36.61	7.09	35.4	6.84	32.99	6.39	
13	11.8	42.61	7.83	40.2	7.38	37.8	6.96	36.61	6.73	35.4	6.50	32.99	6.06	
15	13.7	42.61	7.45	40.2	7.03	37.8	6.61	36.61	6.40	35.4	6.19	32.99	5.78	
50%	-19.8	-20	35.49	15.40	33.48	14.35	31.5	13.34	30.31	12.85	29.31	12.33	27.32	11.36
	-18.8	-19	35.49	15.08	33.48	14.05	31.5	13.08	30.31	12.56	29.31	12.06	27.32	11.15
	-16.7	-17	35.49	14.39	33.48	13.42	31.5	12.48	30.31	12.01	29.31	11.57	27.32	10.67
	-13.7	-15	35.49	13.69	33.48	12.79	31.5	11.87	30.31	11.46	29.31	11.04	27.32	10.20
	-11.8	-13	35.49	13.02	33.48	12.14	31.5	11.30	30.31	10.90	29.31	10.48	27.32	9.70
	-9.8	-11	35.49	12.31	33.48	11.51	31.5	10.73	30.31	10.33	29.31	9.97	27.32	9.23
	-9.5	-10	35.49	11.97	33.48	11.21	31.5	10.44	30.31	10.08	29.31	9.70	27.32	8.98
	-8.5	-9.1	35.49	11.68	33.48	10.94	31.5	10.20	30.31	9.83	29.31	9.47	27.32	8.77
	-7	-7.6	35.49	11.21	33.48	10.48	31.5	9.78	30.31	9.43	29.31	9.11	27.32	8.44
	-5	-5.6	35.49	10.56	33.48	9.91	31.5	9.24	30.31	8.94	29.31	8.63	27.32	7.99
	-3	-3.7	35.49	10.01	33.48	9.38	31.5	8.77	30.31	8.48	29.31	8.18	27.32	7.59
	0	-0.7	35.49	9.19	33.48	8.63	31.5	8.08	30.31	7.80	29.31	7.53	27.32	7.03
	3	2.2	35.49	8.46	33.48	7.95	31.5	7.43	30.31	7.19	29.31	6.98	27.32	6.50
	5	4.1	35.49	8.02	33.48	7.53	31.5	7.09	30.31	6.86	29.31	6.63	27.32	6.18
	7	6	35.49	7.60	33.48	7.17	31.5	6.75	30.31	6.52	29.31	6.31	27.32	5.89
	9	7.9	35.49	7.20	33.48	6.82	31.5	6.40	30.31	6.21	29.31	6.00	27.32	5.60
11	9.8	35.49	6.88	33.48	6.48	31.5	6.10	30.31	5.91	29.31	5.72	27.32	5.36	
13	11.8	35.49	6.54	33.48	6.16	31.5	5.79	30.31	5.62	29.31	5.45	27.32	5.13	
15	13.7	35.49	6.21	33.48	5.87	31.5	5.55	30.31	5.37	29.31	5.20	27.32	4.90	

22HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D615W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	44.67	11.24	44.47	12.03	44.26	12.82	44.26	13.22	44.03	13.61	44.03	14.43
	-18.8	-19	45.34	11.49	45.13	12.28	45.13	13.06	44.9	13.45	44.9	13.82	44.67	14.60
	-16.7	-17	47.1	12.03	46.87	12.77	46.66	13.53	46.66	13.90	46.66	14.28	46.43	15.02
	-13.7	-15	49.07	12.58	48.86	13.30	48.63	14.03	48.63	14.39	48.4	14.76	48.4	15.47
	-11.8	-13	51.03	13.14	51.03	13.84	50.83	14.54	50.6	14.88	50.6	15.22	50.37	15.91
	-9.8	-11	53.46	13.71	53.23	14.39	53	15.04	53	15.37	53	15.69	52.8	16.36
	-9.5	-10	54.77	14.01	54.54	14.65	54.33	15.29	54.33	15.62	54.1	15.93	54.1	16.57
	-8.5	-9.1	55.86	14.26	55.63	14.88	55.63	15.51	55.43	15.82	55.43	16.14	55.2	16.78
	-7	-7.6	57.83	14.67	57.83	15.29	57.6	15.89	57.6	16.20	57.4	16.49	57.17	17.10
	-5	-5.6	60.9	15.22	60.67	15.80	60.46	16.38	60.46	16.68	60.23	16.94	60.23	17.51
	-3	-3.7	63.74	15.71	63.53	16.29	63.53	16.82	63.3	17.10	63.3	17.37	63.07	17.91
	0	-0.7	68.77	16.49	68.77	17.01	68.57	17.49	68.57	17.68	68.34	18.02	68.34	18.51
	3	2.2	74.24	17.16	74.03	17.64	73.83	18.12	73.83	18.35	73.83	18.60	73.6	19.04
	5	4.1	77.97	17.60	77.77	18.06	77.77	18.50	77.54	18.72	77.54	18.95	77.33	19.37
	7	6	81.93	18.02	81.7	18.43	81.7	18.87	81.47	19.07	81.47	19.27	78.2	18.51
	9	7.9	86.07	18.39	85.87	18.80	85.87	19.20	85.64	19.39	83.9	18.99	78.2	17.39
120%	-19.8	-20	44.47	12.32	44.24	13.04	44.03	13.78	44.03	14.14	44.03	14.52	43.8	15.25
	-18.8	-19	45.13	12.54	44.9	13.27	44.9	13.98	44.7	14.34	44.7	14.71	44.47	15.43
	-16.7	-17	46.87	13.04	46.66	13.73	46.36	14.43	46.43	14.77	46.43	15.12	46.23	15.80
	-13.7	-15	48.86	13.55	48.63	14.21	48.4	14.88	48.4	15.23	48.4	15.55	48.2	16.23
	-11.8	-13	50.83	14.07	50.83	14.71	50.6	15.35	50.6	15.67	50.4	16.00	50.4	16.64
	-9.8	-11	53.23	14.60	53	15.20	53	15.82	52.8	16.14	52.8	16.42	52.57	17.05
	-9.5	-10	54.56	14.88	54.33	15.47	54.1	16.05	54.1	16.36	54.1	16.66	53.9	17.24
	-8.5	-9.1	55.63	15.09	55.43	15.67	55.43	16.27	55.2	16.55	55.2	16.87	54.97	17.43
	-7	-7.6	57.6	15.49	57.6	16.05	57.4	16.62	57.4	16.90	57.17	17.16	57.17	17.73
	-5	-5.6	60.67	16.00	60.46	16.53	60.23	17.06	60.23	17.33	60.23	17.60	60.03	18.12
	-3	-3.7	63.53	16.47	63.53	16.99	63.3	17.47	63.3	17.73	63.1	18.00	63.1	18.50
	0	-0.7	68.57	17.16	68.57	17.64	68.34	18.11	68.34	18.35	68.13	18.57	68.13	19.04
	3	2.2	74.03	17.80	73.83	18.24	73.83	18.67	73.6	18.90	73.6	19.11	72.07	19.00
	5	4.1	77.77	18.20	77.54	18.62	77.54	19.02	77.33	19.23	77.33	19.44	72.07	17.85
	7	6	81.7	18.57	81.7	18.97	81.5	19.35	80.17	19.09	77.54	18.30	72.07	16.80
	9	7.9	85.87	18.95	85.66	19.32	82.8	18.67	80.17	17.94	77.54	17.21	72.07	15.80
	11	9.8	90.24	19.27	88.06	18.95	82.8	17.55	80.17	16.88	77.54	16.20	72.07	14.90
110%	-19.8	-20	44.24	13.39	44.03	14.05	43.8	14.73	43.8	15.06	43.83	15.39	43.6	16.07
	-18.8	-19	44.9	13.59	44.7	14.26	44.7	14.92	44.7	15.25	44.47	15.57	44.47	16.25
	-16.7	-17	46.66	14.05	46.43	14.69	47.1	15.32	46.23	15.64	46.23	15.98	46	16.60
	-13.7	-15	48.63	14.54	48.43	15.14	48.2	15.74	48.2	16.05	48.2	16.36	47.97	16.97
	-11.8	-13	50.6	15.01	50.6	15.59	50.37	16.18	50.37	16.47	50.17	16.76	50.17	17.35
	-9.8	-11	53	15.49	52.8	16.05	52.8	16.62	52.57	16.90	52.57	17.16	52.57	17.73
	-9.5	-10	54.33	15.74	54.1	16.29	53.87	16.85	53.87	17.10	53.87	17.37	53.67	17.91
	-8.5	-9.1	55.43	15.95	55.2	16.49	55.2	17.03	54.97	17.28	54.97	17.55	54.97	18.01
	-7	-7.6	57.4	16.33	57.4	16.81	57.17	17.33	57.17	17.60	57.17	17.85	56.96	18.37
	-5	-5.6	60.46	16.78	60.23	17.26	60.03	17.75	60.03	18.00	60.03	18.24	59.8	18.75
	-3	-3.7	63.3	17.21	63.3	17.66	63.1	18.14	63.1	18.37	62.87	18.60	62.87	19.07
	0	-0.7	68.34	17.85	68.34	18.28	68.13	18.72	68.13	18.92	68.13	19.15	66.16	18.78
	3	2.2	73.83	18.46	73.6	18.85	73.6	19.23	73.37	19.42	70.97	18.63	66.16	17.09
	5	4.1	77.54	18.80	77.54	19.20	76	19.00	73.37	18.24	70.97	17.51	66.16	16.07
	7	6	81.47	19.15	80.83	19.27	76	17.85	73.37	17.14	70.97	16.47	66.16	15.12
	9	7.9	85.64	19.46	80.83	18.12	76	16.79	73.37	16.14	70.97	15.49	66.16	14.26
	11	9.8	85.64	18.30	80.83	17.05	76	15.80	73.37	15.20	70.97	14.60	66.16	13.45
	13	11.8	85.64	17.16	80.83	16.00	76	14.85	73.37	14.30	70.97	13.73	66.16	12.67
	15	13.7	85.64	15.25	80.83	15.07	76	14.03	73.37	13.48	70.97	12.99	66.16	11.98

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D615W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	44.03	14.47	43.8	15.06	43.8	15.67	43.6	16.00	43.6	16.29	43.37	16.90
	-18.8	-19	44.7	14.65	44.7	15.25	44.47	15.84	44.47	16.16	44.26	16.47	44.26	17.06
	-16.7	-17	46.43	15.06	46.2	15.64	46.2	16.23	46	16.51	46	16.79	46	17.37
	-13.7	-15	48.4	15.49	48.2	16.05	47.97	16.62	47.97	16.90	47.97	17.16	47.76	17.73
	-11.8	-13	50.4	15.95	50.4	16.47	50.17	17.01	50.17	17.26	50.17	17.53	49.94	18.09
	-9.8	-11	52.8	16.38	52.57	16.90	52.57	17.39	52.57	17.66	52.34	17.91	52.34	18.41
	-9.5	-10	54.1	16.62	53.9	17.10	53.9	17.60	53.67	17.85	53.67	18.11	53.44	18.59
	-8.5	-9.1	55.2	16.79	54.97	17.28	54.97	17.77	54.97	18.02	54.77	18.26	54.77	18.74
	-7	-7.6	57.17	17.12	57.17	17.60	56.96	18.06	56.96	18.30	56.96	18.52	56.73	19.00
	-5	-5.6	60.23	17.55	60	18.00	60	18.46	59.8	18.65	59.8	18.88	59.57	19.33
	-3	-3.7	63.1	17.96	63.1	16.31	62.87	18.80	62.87	19.00	62.87	19.22	60.23	18.41
	0	-0.7	68.13	18.52	68.13	18.92	67.9	19.32	66.8	19.00	64.63	18.22	60.23	16.71
	3	2.2	73.6	19.07	73.37	19.41	69	17.98	66.8	17.26	64.63	16.60	60.23	15.22
	5	4.1	77.33	19.41	73.37	18.24	69	16.90	66.8	16.27	64.63	15.62	60.23	14.36
	7	6	77.77	18.43	73.37	17.14	69	15.99	66.8	15.30	64.63	14.71	60.23	13.53
	9	7.9	77.77	17.30	73.37	16.14	69	14.97	66.8	14.23	64.63	13.85	60.23	12.77
90%	11	9.8	77.77	16.31	73.37	15.20	69	14.14	66.8	13.59	64.63	13.08	60.23	12.06
	13	11.8	77.77	15.30	73.37	14.30	69	13.31	66.8	12.81	64.63	12.34	60.23	11.38
	15	13.7	77.77	14.45	73.37	13.48	69	12.56	66.8	12.10	64.63	11.66	60.23	10.78
	-19.8	-20	43.73	15.53	43.52	16.07	43.52	16.64	43.29	16.90	43.29	17.18	43.29	17.73
	-18.8	-19	44.39	15.69	44.39	16.27	44.16	16.79	44.16	17.06	44.16	17.33	43.96	17.87
	-16.7	-17	46.13	16.09	45.92	16.62	45.92	17.12	45.92	17.39	45.69	17.64	45.69	18.15
	-13.7	-15	48.1	16.49	47.89	16.99	47.89	17.47	47.66	17.73	47.66	17.98	47.66	18.48
	-11.8	-13	50.06	16.88	50.06	17.35	49.86	17.83	49.86	18.09	49.86	18.30	49.63	18.78
	-9.8	-11	52.49	17.26	52.49	17.73	52.26	18.17	52.26	18.41	52.26	18.65	52.03	19.11
	-9.5	-10	53.79	17.47	53.56	17.93	53.56	18.37	53.36	18.59	53.36	18.83	53.36	19.25
	-8.5	-9.1	54.89	17.66	54.89	18.11	54.66	18.52	54.66	18.74	54.66	18.97	54	19.15
	-7	-7.6	56.86	17.96	56.86	18.37	56.63	18.80	56.63	19.00	56.63	19.22	54	18.28
	-5	-5.6	59.9	18.35	59.7	18.74	59.7	19.13	59.47	19.33	57.93	18.74	54	17.18
	-3	-3.7	62.76	18.70	62.76	19.07	62.1	19.15	59.9	18.39	57.93	17.64	54	16.20
	0	-0.7	68	19.23	66.04	18.76	62.1	17.37	59.9	16.70	57.93	16.03	54	14.73
	3	2.2	69.97	18.33	66.04	17.06	62.1	15.82	59.9	15.22	57.93	14.63	54	13.47
80%	5	4.1	69.97	17.22	66.04	16.05	62.1	14.92	59.9	14.34	57.93	13.80	54	12.71
	7	6	69.97	16.20	66.04	15.12	62.1	14.05	59.9	13.53	57.93	13.02	54	12.00
	9	7.9	69.97	15.27	66.04	14.23	62.1	13.23	59.9	12.77	57.93	12.30	54	11.34
	11	9.8	69.97	14.39	66.04	13.43	62.1	12.52	59.9	12.06	57.93	11.61	54	10.74
	13	11.8	69.97	13.53	66.04	12.67	62.1	11.80	59.9	11.38	57.93	10.97	54	10.15
	15	13.7	69.97	12.79	66.04	11.96	62.1	11.18	59.9	10.78	57.93	10.38	54	9.63
	-19.8	-20	43.6	16.62	43.37	17.09	43.37	17.58	43.37	17.83	43.14	18.09	43.14	18.54
	-18.8	-19	44.24	16.75	44.24	17.24	44.03	17.73	44.03	17.98	44.03	18.20	43.8	18.70
	-16.7	-17	46	17.10	45.8	17.55	45.8	18.04	45.8	18.26	45.8	18.49	45.57	18.95
	-13.7	-15	47.97	17.45	47.76	17.89	47.76	18.35	47.76	18.54	47.53	18.78	47.53	19.23
	-11.8	-13	49.94	17.80	49.94	18.24	49.73	18.65	49.73	18.87	49.73	19.09	48.2	18.57
	-9.8	-11	52.36	18.15	52.36	18.57	52.13	18.99	52.13	19.17	51.7	19.13	48.2	17.53
	-9.5	-10	53.67	18.35	53.44	18.74	53.46	19.13	53.46	19.33	51.7	18.57	48.2	17.03
	-8.5	-9.1	54.77	18.51	50.91	18.90	54.54	19.27	53.46	18.85	51.7	18.09	48.2	16.57
	-7	-7.6	56.73	18.78	56.73	19.15	55.2	18.74	53.46	18.00	51.7	17.26	48.2	15.84
	-5	-5.6	59.8	19.11	58.7	19.00	55.2	17.60	53.46	16.92	51.7	16.25	48.2	14.92
-3	-3.7	62.2	19.22	58.7	17.89	55.2	16.57	53.46	15.95	51.7	15.30	48.2	14.09	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D615W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
70%	-19.8	-20	43.27	17.68	43.06	18.11	43.06	18.52	43.06	18.74	43.06	18.97	41.96	18.76
	-18.8	-19	43.93	17.82	43.93	18.24	43.7	18.65	43.7	18.87	43.7	19.09	41.96	18.37
	-16.7	-17	45.67	18.12	45.67	18.52	45.46	18.92	45.46	19.13	45.03	17.05	41.96	17.51
	-13.7	-15	47.64	18.43	47.43	18.83	47.43	19.22	46.56	18.92	45.03	18.15	41.96	16.66
	-11.8	-13	49.6	18.74	49.6	19.11	48.3	18.65	46.56	17.93	45.03	17.21	41.96	15.78
	-9.8	-11	52.01	19.04	51.37	19.02	48.3	17.62	46.56	16.94	45.03	16.27	41.96	14.93
	-9.5	-10	53.33	19.22	51.37	18.48	48.3	17.10	46.56	16.44	45.03	15.80	41.96	14.54
	-8.5	-9.1	54.41	19.32	51.37	17.98	48.3	16.66	46.56	16.01	45.03	15.39	41.96	14.16
	-7	-7.6	54.41	18.45	51.37	17.16	48.3	15.93	46.56	15.32	45.03	14.73	41.96	13.55
	-5	-5.6	54.41	17.33	51.37	16.16	48.3	14.99	46.56	14.43	45.03	17.05	41.96	12.79
	-3	-3.7	54.41	16.33	51.37	15.22	48.3	14.16	46.56	13.61	45.03	13.10	41.96	12.08
	0	-0.7	54.41	14.85	51.37	13.88	48.3	12.91	46.56	12.44	45.03	11.98	41.96	11.07
	3	2.2	54.41	13.57	51.37	12.71	48.3	11.84	46.56	11.40	45.03	10.99	41.96	10.17
	5	4.1	54.41	12.81	51.37	11.98	48.3	11.20	46.56	10.78	45.03	10.38	41.96	9.63
	7	6	54.41	12.10	51.37	11.34	48.3	10.58	46.56	10.21	45.03	9.86	41.96	9.14
	9	7.9	54.41	11.44	51.37	10.72	48.3	10.02	46.56	9.67	45.03	9.34	41.96	8.65
60%	11	9.8	54.41	10.83	51.37	10.15	48.3	9.51	46.56	9.17	45.03	8.86	41.96	8.22
	13	11.8	54.41	10.23	51.37	9.61	48.3	8.99	46.56	8.70	45.03	8.39	41.96	7.81
	15	13.7	54.41	9.69	51.37	9.12	48.3	8.52	46.56	8.26	45.03	7.97	41.96	7.44
	-19.8	-20	43.16	18.76	42.93	19.11	41.4	18.39	40.1	17.66	38.77	16.96	36.14	15.55
	-18.8	-19	43.8	18.88	43.8	19.23	41.4	18.00	40.1	17.28	38.77	16.59	36.14	15.22
	-16.7	-17	45.57	19.13	44.03	18.52	41.4	17.16	40.1	16.51	38.77	15.84	36.14	14.57
	-13.7	-15	46.66	18.92	44.03	17.60	41.4	16.33	40.1	15.69	38.77	15.07	36.14	13.85
	-11.8	-13	46.66	17.91	44.03	16.67	41.4	15.47	40.1	14.90	38.77	14.32	36.14	13.23
	-9.8	-11	46.66	16.92	44.03	15.76	41.4	14.65	40.1	14.09	38.77	13.55	36.14	12.49
	-9.5	-10	46.66	16.44	44.03	15.32	41.4	14.23	40.1	13.71	38.77	13.17	36.14	12.14
	-8.5	-9.1	46.66	16.01	44.03	14.93	41.4	13.88	40.1	13.36	38.77	12.84	36.14	11.86
	-7	-7.6	46.66	15.30	44.03	14.30	41.4	13.28	40.1	12.81	38.77	12.32	36.14	11.38
	-5	-5.6	46.66	14.43	44.03	13.47	41.4	12.54	40.1	12.08	38.77	11.63	36.14	10.76
	-3	-3.7	46.66	13.61	44.03	12.73	41.4	11.86	40.1	11.44	38.77	11.01	36.14	10.19
	0	-0.7	46.66	12.44	44.03	11.65	41.4	10.87	40.1	10.49	38.77	10.11	36.14	9.36
	3	2.2	46.66	11.40	44.03	10.70	41.4	10.00	40.1	9.64	38.77	9.32	36.14	8.63
50%	5	4.1	46.66	10.78	44.03	10.13	41.4	9.47	40.1	9.16	38.77	8.82	36.14	8.19
	7	6	46.66	10.21	44.03	9.59	41.4	8.97	40.1	8.67	38.77	8.39	36.14	7.79
	9	7.9	46.66	9.66	44.03	9.10	41.4	8.50	40.1	8.24	38.77	7.95	36.14	7.42
	11	9.8	46.66	9.17	44.03	8.63	41.4	8.10	40.1	7.83	38.77	7.56	36.14	7.06
	13	11.8	46.66	8.67	44.03	8.17	41.4	7.69	40.1	7.44	38.77	7.19	36.14	6.70
	15	13.7	46.66	8.26	44.03	7.77	41.4	7.32	40.1	7.08	38.77	6.86	36.14	6.40
	-19.8	-20	38.87	17.06	36.67	15.89	34.5	14.76	33.2	14.21	32.1	13.66	29.93	12.58
	-18.8	-19	38.87	16.69	36.67	15.55	34.5	14.47	33.2	13.90	32.1	13.36	29.93	12.34
	-16.7	-17	38.87	15.93	36.67	14.85	34.5	13.82	33.2	13.30	32.1	12.81	29.93	11.82
	-13.7	-15	38.87	15.16	36.67	14.16	34.5	13.15	33.2	12.69	32.1	12.21	29.93	11.28
	-11.8	-13	38.87	14.41	36.67	13.45	34.5	12.51	33.2	12.06	32.1	11.61	29.93	10.74
	-9.8	-11	38.87	13.64	36.67	12.75	34.5	11.88	33.2	11.44	32.1	11.03	29.93	10.21
	-9.5	-10	38.87	13.26	36.67	12.40	34.5	11.57	33.2	11.15	32.1	10.74	29.93	9.94
	-8.5	-9.1	38.87	12.93	36.67	12.10	34.5	11.28	33.2	10.89	32.1	10.49	29.93	9.71
	-7	-7.6	38.87	12.40	36.67	11.61	34.5	10.83	33.2	10.45	32.1	10.09	29.93	9.34
	-5	-5.6	38.87	11.69	36.67	10.97	34.5	10.24	33.2	9.89	32.1	9.54	29.93	8.84
-3	-3.7	38.87	11.07	36.67	10.38	34.5	9.71	33.2	9.38	32.1	9.05	29.93	8.40	

24HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D680W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	49.53	12.84	49.3	13.73	49.07	14.64	49.07	15.09	48.82	15.55	48.82	16.46
	-18.8	-19	50.26	13.12	50.04	14.01	50.04	14.90	49.78	15.34	49.78	15.78	49.53	16.68
	-16.7	-17	52.22	13.73	51.96	14.58	51.74	15.44	51.74	15.87	51.74	16.30	51.48	17.15
	-13.7	-15	54.4	14.35	54.17	15.18	53.92	16.02	53.92	16.41	53.66	16.85	53.66	17.67
	-11.8	-13	56.58	15.00	56.58	15.81	56.36	16.59	56.1	16.98	56.1	17.37	55.85	18.16
	-9.8	-11	59.27	15.66	59.02	16.41	58.76	17.17	58.76	17.53	58.76	17.92	58.54	18.68
	-9.5	-10	60.72	15.99	60.46	16.73	60.24	17.44	60.24	17.83	59.98	18.18	59.98	18.92
	-8.5	-9.1	61.94	16.28	61.68	16.98	61.68	17.71	61.46	18.06	61.46	18.42	61.2	19.16
	-7	-7.6	64.12	16.76	64.12	17.44	63.86	18.14	63.86	18.49	63.64	18.83	63.38	19.51
	-5	-5.6	67.52	17.37	67.26	18.04	67.04	18.71	67.04	19.04	66.78	19.34	66.78	19.99
	-3	-3.7	70.66	17.95	70.44	18.58	70.44	19.21	70.18	19.51	70.18	19.83	69.93	20.45
	0	-0.7	76.25	18.83	76.25	19.41	76.02	19.98	76.02	20.19	75.76	20.56	75.76	21.14
	3	2.2	82.31	19.59	82.08	20.14	81.86	20.69	81.86	20.95	81.86	21.23	81.6	21.74
	5	4.1	86.45	20.09	86.22	20.61	86.22	21.12	85.96	21.37	85.96	21.63	85.74	22.12
	7	6	90.84	20.56	90.58	21.04	90.58	21.53	90.33	21.76	90.33	22.01	86.7	21.14
120%	9	7.9	95.43	20.99	95.2	21.45	95.2	21.92	94.95	22.15	93.02	21.68	86.7	19.86
	11	9.8	100.3	21.42	100.05	21.84	99.56	22.12	96.16	21.24	93.02	20.38	86.7	18.71
	13	11.8	105.63	21.81	105.4	22.23	99.56	20.72	96.16	19.90	93.02	19.14	86.7	17.53
	15	13.7	110.73	22.19	105.88	21.07	99.56	19.51	96.16	18.78	93.02	18.02	86.7	16.55
	-19.8	-20	49.3	14.06	49.05	14.88	48.82	15.73	48.82	16.13	48.82	16.55	48.56	17.39
	-18.8	-19	50.04	14.31	49.78	15.14	49.78	15.97	49.56	16.37	49.56	16.80	49.3	17.61
	-16.7	-17	51.96	14.88	51.74	15.68	51.4	16.46	51.48	16.86	51.48	17.26	51.26	18.04
	-13.7	-15	54.17	15.46	53.92	16.23	53.66	16.98	53.66	17.37	53.66	17.76	53.44	18.51
	-11.8	-13	56.36	16.06	56.36	16.80	56.1	17.52	56.1	17.90	55.87	18.26	55.87	19.00
	-9.8	-11	59.02	16.68	58.76	17.35	58.76	18.06	58.54	18.42	58.54	18.76	58.28	19.46
	-9.5	-10	60.49	16.98	60.24	17.67	59.98	18.32	59.98	18.68	59.98	19.01	59.76	19.68
	-8.5	-9.1	61.68	17.23	61.46	17.90	61.46	18.56	61.2	18.90	61.2	19.25	60.95	19.90
	-7	-7.6	63.86	17.69	63.86	18.32	63.64	18.97	63.64	19.29	63.38	19.59	63.38	20.23
	-5	-5.6	67.26	18.26	67.04	18.88	66.78	19.47	66.78	19.78	66.78	20.09	66.56	20.69
	-3	-3.7	70.44	18.80	70.44	19.39	70.18	19.95	70.18	20.23	69.96	20.54	69.96	21.12
	0	-0.7	76.02	19.59	76.02	20.14	75.76	20.66	75.76	20.96	75.54	21.20	75.54	21.74
110%	3	2.2	82.08	20.33	81.86	20.82	81.86	21.32	81.6	21.58	81.6	21.81	79.9	21.70
	5	4.1	86.22	20.77	85.96	21.25	85.96	21.71	85.74	21.96	85.74	22.19	79.9	20.38
	7	6	90.58	21.20	90.58	21.65	90.36	22.10	88.88	21.79	85.96	20.91	79.9	19.19
	9	7.9	95.2	21.63	94.97	22.06	91.8	21.32	88.88	20.47	85.96	19.64	79.9	18.04
	11	9.8	100.05	22.01	97.64	21.63	91.8	20.04	88.88	19.26	85.96	18.49	79.9	17.01
	13	11.8	103.7	21.79	97.64	20.28	91.8	18.80	88.88	18.09	85.96	17.37	79.9	15.99
	15	13.7	103.7	20.51	97.64	19.11	91.8	17.74	88.88	17.05	85.96	16.39	79.9	15.08
	-19.8	-20	49.05	15.28	48.82	16.04	48.56	16.82	48.56	17.20	48.59	17.56	48.34	18.35
	-18.8	-19	49.78	15.52	49.56	16.28	49.56	17.03	49.56	17.40	49.3	17.78	49.3	18.53
	-16.7	-17	51.74	16.04	51.48	16.78	52.22	17.49	51.26	17.85	51.26	18.23	51	18.95
	-13.7	-15	53.92	16.59	53.69	17.28	53.44	17.97	53.44	18.32	53.44	18.68	53.18	19.36
	-11.8	-13	56.1	17.13	56.1	17.80	55.85	18.47	55.85	18.80	55.62	19.14	55.62	19.81
	-9.8	-11	58.76	17.69	58.54	18.32	58.54	18.97	58.28	19.29	58.28	19.59	58.28	20.23
	-9.5	-10	60.24	17.97	59.98	18.58	59.73	19.23	59.73	19.51	59.73	19.83	59.5	20.45
	-8.5	-9.1	61.46	18.21	61.2	18.83	61.2	19.43	60.95	19.73	60.95	20.04	60.95	18.27
	-7	-7.6	63.64	18.63	63.64	19.20	63.38	19.78	63.38	20.09	63.38	20.38	63.16	20.97
	-5	-5.6	67.04	19.16	66.78	19.71	66.56	20.25	66.56	20.54	66.56	20.82	66.3	21.40
	-3	-3.7	70.18	19.64	70.18	20.17	69.96	20.71	69.96	20.97	69.7	21.23	69.7	21.76
	0	-0.7	75.76	20.38	75.76	20.88	75.54	21.37	75.54	21.60	75.54	21.86	73.36	21.44
	3	2.2	81.86	21.07	81.6	21.50	81.6	21.96	81.35	22.17	78.68	21.27	73.36	19.49
	5	4.1	85.96	21.45	85.96	21.92	84.26	21.70	81.35	20.82	78.68	19.99	73.36	18.35
	7	6	90.33	21.86	89.62	22.01	84.26	20.38	81.35	19.56	78.68	18.80	73.36	17.26
	9	7.9	94.95	22.21	89.62	20.68	84.26	19.17	81.35	18.42	78.68	17.69	73.36	16.28
	11	9.8	94.95	20.91	89.62	19.46	84.26	18.04	81.35	17.35	78.68	16.68	73.36	15.34
	13	11.8	94.95	19.59	89.62	18.26	84.26	16.96	81.35	16.32	78.68	15.68	73.36	14.46
	15	13.7	94.95	17.40	89.62	17.21	84.26	16.02	81.35	15.39	78.68	14.83	73.36	13.68

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D680W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	48.82	16.51	48.56	17.19	48.56	17.90	48.34	18.26	48.34	18.58	48.08	19.29
	-18.8	-19	49.56	16.73	49.56	17.39	49.3	18.09	49.3	18.44	49.07	18.80	49.07	19.47
	-16.7	-17	51.48	17.19	51.23	17.85	51.23	18.51	51	18.85	51	19.17	51	19.83
	-13.7	-15	53.66	17.69	53.44	18.32	53.18	18.97	53.18	19.29	53.18	19.59	52.96	20.23
	-11.8	-13	55.87	18.21	55.87	18.80	55.62	19.41	55.62	19.71	55.62	20.02	55.36	20.64
	-9.8	-11	58.54	18.71	58.28	19.29	58.28	19.86	58.28	20.17	58.03	20.45	58.03	21.02
	-9.5	-10	59.98	18.97	59.76	19.51	59.76	20.09	59.5	20.38	59.5	20.66	59.25	21.22
	-8.5	-9.1	61.2	19.17	60.95	19.73	60.95	20.28	60.95	20.56	60.72	20.86	60.72	21.39
	-7	-7.6	63.38	19.54	63.38	20.09	63.16	20.61	63.16	20.91	63.16	21.16	62.9	21.70
	-5	-5.6	66.78	20.04	66.53	20.54	66.53	21.07	66.3	21.29	66.3	21.55	66.05	22.07
	-3	-3.7	69.96	20.49	69.96	18.61	69.7	21.45	69.7	21.70	69.7	21.95	66.78	21.02
	0	-0.7	75.54	21.16	75.54	21.60	75.28	22.06	74.06	21.70	71.66	20.80	66.78	19.09
	3	2.2	81.6	21.76	81.35	22.17	76.5	20.51	74.06	19.71	71.66	18.95	66.78	17.37
	5	4.1	85.74	22.17	81.35	20.82	76.5	19.29	74.06	18.56	71.66	17.83	66.78	16.39
	7	6	86.22	21.04	81.35	19.56	76.5	18.17	74.06	17.47	71.66	16.80	66.78	15.44
	9	7.9	86.22	19.76	81.35	18.42	76.5	17.10	74.06	16.25	71.66	15.82	66.78	14.58
90%	11	9.8	86.22	18.61	81.35	17.35	76.5	16.13	74.06	15.52	71.66	14.93	66.78	13.78
	13	11.8	86.22	17.47	81.35	16.32	76.5	15.19	74.06	14.62	71.66	14.09	66.78	13.00
	15	13.7	86.22	16.49	81.35	15.39	76.5	14.34	74.06	13.83	71.66	13.30	66.78	12.32
	-19.8	-20	48.48	17.74	48.25	18.35	48.25	19.00	48	19.29	48	19.61	48	20.23
	-18.8	-19	49.22	17.92	49.22	18.56	48.96	19.17	48.96	19.47	48.96	19.78	48.73	20.40
	-16.7	-17	51.14	18.37	50.92	18.97	50.92	19.54	50.92	19.86	50.66	20.14	50.66	20.72
	-13.7	-15	53.32	18.83	53.1	19.39	53.1	19.95	52.84	20.23	52.84	20.51	52.84	21.09
	-11.8	-13	55.51	19.26	55.51	19.81	55.28	20.35	55.28	20.64	55.28	20.91	55.02	21.44
	-9.8	-11	58.2	19.71	58.2	20.23	57.94	20.75	57.94	21.02	57.94	21.29	57.69	21.81
	-9.5	-10	59.64	19.95	59.39	20.47	59.39	20.97	59.16	21.22	59.16	21.48	59.16	21.98
	-8.5	-9.1	60.86	20.17	60.86	20.66	60.61	21.16	60.61	21.39	60.61	21.65	59.87	21.86
	-7	-7.6	63.04	20.49	63.04	20.97	62.79	21.45	62.79	21.70	62.79	21.94	59.87	20.88
	-5	-5.6	66.41	20.95	66.19	21.39	66.19	21.84	65.93	22.07	64.23	21.39	59.87	19.61
	-3	-3.7	69.59	21.34	69.59	21.76	68.85	21.86	66.41	20.99	64.23	20.14	59.87	18.49
	0	-0.7	75.4	21.96	73.21	21.42	68.85	19.83	66.41	19.06	64.23	18.30	59.87	16.82
	3	2.2	77.58	20.93	73.21	19.47	68.85	18.06	66.41	17.37	64.23	16.71	59.87	15.36
80%	5	4.1	77.58	19.66	73.21	18.32	68.85	17.03	66.41	16.37	64.23	15.76	59.87	14.51
	7	6	77.58	18.49	73.21	17.26	68.85	16.04	66.41	15.44	64.23	14.86	59.87	13.70
	9	7.9	77.58	17.42	73.21	16.25	68.85	15.10	66.41	14.58	64.23	14.04	59.87	12.95
	11	9.8	77.58	16.41	73.21	15.33	68.85	14.29	66.41	13.78	64.23	13.25	59.87	12.26
	13	11.8	77.58	15.44	73.21	14.46	68.85	13.47	66.41	13.00	64.23	12.53	59.87	11.59
	15	13.7	77.58	14.60	73.21	13.65	68.85	12.76	66.41	12.32	64.23	11.86	59.87	10.99
	-19.8	-20	48.34	18.97	48.08	19.49	48.08	20.07	48.08	20.35	47.83	20.64	47.83	21.18
	-18.8	-19	49.05	19.13	49.05	19.68	48.82	20.23	48.82	20.51	48.82	20.77	48.56	21.34
	-16.7	-17	51	19.51	50.77	20.04	50.77	20.59	50.77	20.86	50.77	21.11	50.52	21.63
	-13.7	-15	53.18	19.93	52.96	20.42	52.96	20.95	52.96	21.18	52.7	21.44	52.7	21.96
	-11.8	-13	55.36	20.33	55.36	20.82	55.14	21.29	55.14	21.53	55.14	21.79	53.44	21.20
	-9.8	-11	58.06	20.72	58.06	21.20	57.8	21.67	57.8	21.89	57.32	21.84	53.44	20.02
	-9.5	-10	59.5	20.95	59.25	21.39	59.27	21.84	59.27	22.07	57.32	21.20	53.44	19.43
	-8.5	-9.1	60.72	21.13	56.44	21.58	60.46	22.01	59.27	21.50	57.32	20.64	53.44	18.92
	-7	-7.6	62.9	21.44	62.9	21.86	61.2	21.39	59.27	20.54	57.32	19.71	53.44	18.09
	-5	-5.6	66.3	21.81	65.08	21.70	61.2	20.09	59.27	19.31	57.32	18.53	53.44	17.03

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D680W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	-19.8	-20	47.97	20.19	47.74	20.66	47.74	21.16	47.74	21.39	47.74	21.65	46.52	21.41
	-18.8	-19	48.71	20.35	48.71	20.82	48.45	21.29	48.45	21.53	48.45	21.79	46.52	20.97
	-16.7	-17	50.63	20.68	50.63	21.16	50.41	21.60	50.41	21.84	49.92	19.46	46.52	19.99
	-13.7	-15	52.81	21.04	52.59	21.48	52.59	21.94	51.62	21.60	49.92	20.72	46.52	19.01
	-11.8	-13	55	21.39	55	21.81	53.55	21.29	51.62	20.47	49.92	19.64	46.52	18.02
	-9.8	-11	57.66	21.74	56.95	21.71	53.55	20.12	51.62	19.34	49.92	18.56	46.52	17.05
	-9.5	-10	59.13	21.94	56.95	21.09	53.55	19.51	51.62	18.78	49.92	18.04	46.52	16.59
	-8.5	-9.1	60.32	22.06	56.95	20.51	53.55	19.01	51.62	18.27	49.92	17.56	46.52	16.15
	-7	-7.6	60.32	21.06	56.95	19.59	53.55	18.18	51.62	17.49	49.92	16.82	46.52	15.46
	-5	-5.6	60.32	19.78	56.95	18.44	53.55	17.11	51.62	16.46	49.92	19.45	46.52	14.60
	-3	-3.7	60.32	18.63	56.95	17.37	53.55	16.15	51.62	15.55	49.92	14.95	46.52	13.80
	0	-0.7	60.32	16.96	56.95	15.85	53.55	14.74	51.62	14.20	49.92	13.68	46.52	12.64
	3	2.2	60.32	15.50	56.95	14.51	53.55	13.52	51.62	13.02	49.92	12.55	46.52	11.61
	5	4.1	60.32	14.62	56.95	13.68	53.55	12.79	51.62	12.32	49.92	11.86	46.52	10.99
	7	6	60.32	13.83	56.95	12.95	53.55	12.07	51.62	11.65	49.92	11.25	46.52	10.42
60%	-19.8	-20	47.86	21.41	47.6	21.81	45.9	20.99	44.46	20.16	42.98	19.36	40.06	17.76
	-18.8	-19	48.56	21.55	48.56	21.96	45.9	20.54	44.46	19.73	42.98	18.95	40.06	17.37
	-16.7	-17	50.52	21.84	48.82	21.15	45.9	19.59	44.46	18.85	42.98	18.09	40.06	16.63
	-13.7	-15	51.74	21.60	48.82	20.09	45.9	18.63	44.46	17.92	42.98	17.21	40.06	15.82
	-11.8	-13	51.74	20.45	48.82	19.03	45.9	17.66	44.46	17.01	42.98	16.34	40.06	15.10
	-9.8	-11	51.74	19.31	48.82	18.00	45.9	16.73	44.46	16.08	42.98	15.46	40.06	14.26
	-9.5	-10	51.74	18.78	48.82	17.49	45.9	16.25	44.46	15.66	42.98	15.04	40.06	13.86
	-8.5	-9.1	51.74	18.27	48.82	17.05	45.9	15.85	44.46	15.25	42.98	14.67	40.06	13.54
	-7	-7.6	51.74	17.47	48.82	16.32	45.9	15.15	44.46	14.62	42.98	14.06	40.06	13.00
	-5	-5.6	51.74	16.46	48.82	15.36	45.9	14.31	44.46	13.80	42.98	13.27	40.06	12.29
	-3	-3.7	51.74	15.55	48.82	14.53	45.9	13.54	44.46	13.06	42.98	12.58	40.06	11.63
	0	-0.7	51.74	14.20	48.82	13.30	45.9	12.40	44.46	11.97	42.98	11.54	40.06	10.68
	3	2.2	51.74	13.02	48.82	12.21	45.9	11.41	44.46	11.01	42.98	10.64	40.06	9.85
	5	4.1	51.74	12.32	48.82	11.56	45.9	10.81	44.46	10.45	42.98	10.07	40.06	9.36
	7	6	51.74	11.65	48.82	10.94	45.9	10.24	44.46	9.90	42.98	9.57	40.06	8.90
50%	-19.8	-20	43.1	19.47	40.66	18.13	38.25	16.85	36.81	16.23	35.59	15.59	33.18	14.35
	-18.8	-19	43.1	19.05	40.66	17.76	38.25	16.51	36.81	15.87	35.59	15.25	33.18	14.09
	-16.7	-17	43.1	18.18	40.66	16.96	38.25	15.78	36.81	15.18	35.59	14.62	33.18	13.49
	-13.7	-15	43.1	17.30	40.66	16.15	38.25	15.02	36.81	14.48	35.59	13.94	33.18	12.87
	-11.8	-13	43.1	16.44	40.66	15.34	38.25	14.29	36.81	13.78	35.59	13.25	33.18	12.26
	-9.8	-11	43.1	15.57	40.66	14.56	38.25	13.57	36.81	13.06	35.59	12.60	33.18	11.65
	-9.5	-10	43.1	15.13	40.66	14.15	38.25	13.20	36.81	12.74	35.59	12.26	33.18	11.35
	-8.5	-9.1	43.1	14.77	40.66	13.83	38.25	12.87	36.81	12.43	35.59	11.97	33.18	11.08
	-7	-7.6	43.1	14.15	40.66	13.25	38.25	12.36	36.81	11.92	35.59	11.51	33.18	10.67
	-5	-5.6	43.1	13.36	40.66	12.53	38.25	11.69	36.81	11.30	35.59	10.90	33.18	10.09
	-3	-3.7	43.1	12.64	40.66	11.86	38.25	11.08	36.81	10.71	35.59	10.33	33.18	9.59
	0	-0.7	43.1	11.61	40.66	10.90	38.25	10.21	36.81	9.85	35.59	9.52	33.18	8.87
	3	2.2	43.1	10.68	40.66	10.04	38.25	9.41	36.81	9.10	35.59	8.80	33.18	8.21
	5	4.1	43.1	10.14	40.66	9.52	38.25	8.95	36.81	8.66	35.59	8.38	33.18	7.80
	7	6	43.1	9.62	40.66	9.05	38.25	8.52	36.81	8.23	35.59	7.97	33.18	7.45

26HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D730W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	52.76	13.84	52.52	14.81	52.28	15.80	52.28	16.28	52.01	16.76	52.01	17.75
	-18.8	-19	53.55	14.15	53.31	15.12	53.31	16.07	53.04	16.55	53.04	17.01	52.76	17.99
	-16.7	-17	55.63	14.81	55.36	15.72	55.12	16.65	55.12	17.11	55.12	17.57	54.85	18.49
	-13.7	-15	57.96	15.49	57.71	16.37	57.44	17.27	57.44	17.71	57.17	18.17	57.17	19.05
	-11.8	-13	60.28	16.18	60.28	17.04	60.04	17.88	59.77	18.31	59.77	18.74	59.5	19.58
	-9.8	-11	63.15	16.89	62.88	17.71	62.6	18.51	62.6	18.92	62.6	19.32	62.36	20.15
	-9.5	-10	64.69	17.25	64.42	18.04	64.17	18.81	64.17	19.23	63.9	19.61	63.9	20.40
	-8.5	-9.1	65.98	17.55	65.71	18.31	65.71	19.09	65.47	19.48	65.47	19.86	65.2	20.66
	-7	-7.6	68.31	18.06	68.31	18.81	68.04	19.55	68.04	19.94	67.8	20.30	67.52	21.05
	-5	-5.6	71.93	18.74	71.66	19.46	71.42	20.17	71.42	20.53	71.15	20.86	71.15	21.56
	-3	-3.7	75.28	19.35	75.04	20.04	75.04	20.71	74.77	21.05	74.77	21.38	74.5	22.05
	0	-0.7	81.23	20.30	81.23	20.93	80.99	21.53	80.99	21.77	80.72	22.17	80.72	22.79
	3	2.2	87.69	21.12	87.45	21.72	87.21	22.31	87.21	22.59	87.21	22.89	86.93	23.46
	5	4.1	92.1	21.67	91.85	22.23	91.85	22.77	91.58	23.04	91.58	23.32	91.34	23.85
	7	6	96.77	22.18	96.5	22.70	96.5	23.22	96.23	23.48	96.23	23.73	92.37	22.79
	9	7.9	101.66	22.63	101.42	23.15	101.42	23.63	101.15	23.88	99.1	23.37	92.37	21.41
120%	-19.8	-20	52.52	15.16	52.25	16.05	52.01	16.96	52.01	17.40	52.01	17.86	51.74	18.77
	-18.8	-19	53.31	15.44	53.04	16.33	53.04	17.22	52.79	17.66	52.79	18.12	52.52	18.99
	-16.7	-17	55.36	16.05	55.12	16.92	54.76	17.75	54.85	18.18	54.85	18.61	54.61	19.46
	-13.7	-15	57.71	16.68	57.44	17.50	57.17	18.31	57.17	18.74	57.17	19.15	56.93	19.97
	-11.8	-13	60.04	17.32	60.04	18.12	59.77	18.89	59.77	19.30	59.53	19.69	59.53	20.47
	-9.8	-11	62.88	17.99	62.6	18.72	62.6	19.48	62.36	19.86	62.36	20.23	62.09	20.98
	-9.5	-10	64.45	18.31	64.17	19.05	63.9	19.77	63.9	20.15	63.9	20.51	63.66	21.23
	-8.5	-9.1	65.71	18.58	65.47	19.30	65.47	20.01	65.2	20.38	65.2	20.76	64.93	21.46
	-7	-7.6	68.04	19.08	68.04	19.77	67.8	20.45	67.8	20.80	67.52	21.12	67.52	21.82
	-5	-5.6	71.66	19.69	71.42	20.35	71.15	21.00	71.15	21.34	71.15	21.67	70.91	22.31
	-3	-3.7	75.04	20.28	75.04	20.91	74.77	21.51	74.77	21.82	74.53	22.15	74.53	22.77
	0	-0.7	80.99	21.12	80.99	21.72	80.72	22.28	80.72	22.59	80.47	22.86	80.47	23.46
	3	2.2	87.45	21.92	87.21	22.46	87.21	22.99	86.93	23.27	86.93	23.52	85.12	23.40
	5	4.1	91.85	22.41	91.58	22.92	91.58	23.43	91.34	23.67	91.34	23.93	85.12	21.98
	7	6	96.5	22.86	96.5	23.35	96.26	23.82	94.69	23.50	91.58	22.54	85.12	20.69
	9	7.9	101.42	23.32	101.18	23.79	97.8	22.99	94.69	22.08	91.58	21.18	85.12	19.46
	11	9.8	106.58	23.73	104.02	23.32	97.8	21.62	94.69	20.77	91.58	19.94	85.12	18.34
110%	-19.8	-20	52.25	16.47	52.01	17.29	51.74	18.14	51.74	18.54	51.77	18.94	51.5	19.79
	-18.8	-19	53.04	16.73	52.79	17.55	52.79	18.36	52.79	18.77	52.52	19.17	52.52	20.00
	-16.7	-17	55.12	17.29	54.85	18.09	55.63	18.87	54.61	19.24	54.61	19.66	54.33	20.43
	-13.7	-15	57.44	17.88	57.2	18.63	56.93	19.38	56.93	19.77	56.93	20.15	56.66	20.89
	-11.8	-13	59.77	18.48	59.77	19.20	59.5	19.92	59.5	20.28	59.25	20.63	59.25	21.36
	-9.8	-11	62.6	19.08	62.36	19.77	62.36	20.46	62.09	20.80	62.09	21.12	62.09	21.82
	-9.5	-10	64.17	19.38	63.9	20.04	63.63	20.74	63.63	21.05	63.63	21.38	63.39	22.05
	-8.5	-9.1	65.47	19.63	65.2	20.31	65.2	20.96	64.93	21.28	64.93	21.62	64.93	21.70
	-7	-7.6	67.8	20.09	67.8	20.70	67.52	21.34	67.52	21.67	67.52	21.98	67.28	22.61
	-5	-5.6	71.42	20.66	71.15	21.26	70.91	21.84	70.91	22.15	70.91	22.46	70.63	23.08
	-3	-3.7	74.77	21.18	74.77	21.74	74.53	22.33	74.53	22.61	74.26	22.89	74.26	23.48
	0	-0.7	80.72	21.98	80.72	22.51	80.47	23.04	80.47	23.30	80.47	23.58	78.15	23.12
	3	2.2	87.21	22.72	86.93	23.19	86.93	23.67	86.66	23.90	83.82	22.93	78.15	21.03
	5	4.1	91.58	23.15	91.58	23.63	89.77	23.40	86.66	22.46	83.82	21.56	78.15	19.79
	7	6	96.23	23.58	95.48	23.73	89.77	21.98	86.66	21.10	83.82	20.28	78.15	18.61
	9	7.9	101.15	23.95	95.48	22.31	89.77	20.67	86.66	19.86	83.82	19.08	78.15	17.55
	11	9.8	101.15	22.54	95.48	20.98	89.77	19.46	86.66	18.72	83.82	17.99	78.15	16.55
	13	11.8	101.15	21.12	95.48	19.69	89.77	18.28	86.66	17.60	83.82	16.92	78.15	15.59
	15	13.7	101.15	18.77	95.48	18.56	89.77	17.27	86.66	16.61	83.82	16.00	78.15	14.75

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D730W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	52.01	17.81	51.74	18.54	51.74	19.30	51.5	19.69	51.5	20.04	51.22	20.80
	-18.8	-19	52.79	18.04	52.79	18.77	52.52	19.51	52.52	19.89	52.28	20.28	52.28	21.00
	-16.7	-17	54.85	18.54	54.57	19.24	54.57	19.97	54.33	20.32	54.33	20.67	54.33	21.38
	-13.7	-15	57.17	19.08	56.93	19.77	56.66	20.46	56.66	20.80	56.66	21.12	56.42	21.82
	-11.8	-13	59.53	19.63	59.53	20.28	59.25	20.93	59.25	21.26	59.25	21.59	58.98	22.25
	-9.8	-11	62.36	20.17	62.09	20.80	62.09	21.41	62.09	21.74	61.82	22.05	61.82	22.66
	-9.5	-10	63.9	20.46	63.66	21.05	63.66	21.67	63.39	21.98	63.39	22.28	63.12	22.89
	-8.5	-9.1	65.2	20.67	64.93	21.28	64.93	21.87	64.93	22.17	64.69	22.48	64.69	23.07
	-7	-7.6	67.52	21.07	67.52	21.67	67.28	22.23	67.28	22.54	67.28	22.81	67.01	23.40
	-5	-5.6	71.15	21.62	70.87	22.15	70.87	22.72	70.63	22.96	70.63	23.24	70.36	23.80
	-3	-3.7	74.53	22.10	74.53	20.07	74.26	23.15	74.26	23.40	74.26	23.65	71.15	22.66
	0	-0.7	80.47	22.81	80.47	23.29	80.2	23.79	78.9	23.40	76.34	22.44	71.15	20.59
	3	2.2	86.93	23.48	86.66	23.90	81.5	22.13	78.9	21.26	76.34	20.43	71.15	18.74
	5	4.1	91.34	23.90	86.66	22.46	81.5	20.80	78.9	20.01	76.34	19.23	71.15	17.68
	7	6	91.85	22.70	86.66	21.10	81.5	19.63	78.9	18.84	76.34	18.12	71.15	16.65
90%	9	7.9	91.85	21.31	86.66	19.86	81.5	18.44	78.9	17.52	76.34	17.07	71.15	15.72
	11	9.8	91.85	20.07	86.66	18.71	81.5	17.40	78.9	16.73	76.34	16.09	71.15	14.85
	13	11.8	91.85	18.84	86.66	17.60	81.5	16.38	78.9	15.76	76.34	15.19	71.15	14.02
	15	13.7	91.85	17.78	86.66	16.61	81.5	15.46	78.9	14.90	76.34	14.35	71.15	13.28
	-19.8	-20	51.65	19.12	51.41	19.79	51.41	20.47	51.13	20.80	51.13	21.15	51.13	21.82
	-18.8	-19	52.43	19.32	52.43	20.01	52.16	20.67	52.16	21.00	52.16	21.34	51.92	22.00
	-16.7	-17	54.48	19.82	54.24	20.46	54.24	21.07	54.24	21.41	53.97	21.72	53.97	22.36
	-13.7	-15	56.81	20.30	56.57	20.91	56.57	21.51	56.3	21.82	56.3	22.13	56.3	22.74
	-11.8	-13	59.13	20.77	59.13	21.36	58.89	21.95	58.89	22.25	58.89	22.54	58.62	23.12
	-9.8	-11	62	21.26	62	21.82	61.73	22.39	61.73	22.66	61.73	22.96	61.46	23.52
	-9.5	-10	63.54	21.51	63.27	22.08	63.27	22.61	63.03	22.89	63.03	23.17	63.03	23.70
	-8.5	-9.1	64.84	21.74	64.84	22.28	64.57	22.81	64.57	23.07	64.57	23.35	63.78	23.58
	-7	-7.6	67.16	22.10	67.16	22.61	66.89	23.14	66.89	23.40	66.89	23.65	63.78	22.51
	-5	-5.6	70.75	22.59	70.51	23.07	70.51	23.55	70.24	23.80	68.43	23.07	63.78	21.15
	-3	-3.7	74.13	23.01	74.13	23.48	73.35	23.58	70.75	22.63	68.43	21.72	63.78	19.94
80%	0	-0.7	80.32	23.67	78	23.09	73.35	21.38	70.75	20.56	68.43	19.73	63.78	18.14
	3	2.2	82.65	22.56	78	21.00	73.35	19.48	70.75	18.74	68.43	18.02	63.78	16.58
	5	4.1	82.65	21.20	78	19.77	73.35	18.36	70.75	17.66	68.43	16.99	63.78	15.64
	7	6	82.65	19.94	78	18.61	73.35	17.29	70.75	16.65	68.43	16.02	63.78	14.78
	9	7.9	82.65	18.79	78	17.52	73.35	16.30	70.75	15.71	68.43	15.13	63.78	13.97
	11	9.8	82.65	17.71	78	16.53	73.35	15.42	70.75	14.85	68.43	14.29	63.78	13.22
	13	11.8	82.65	16.65	78	15.59	73.35	14.52	70.75	14.02	68.43	13.50	63.78	12.49
	15	13.7	82.65	15.74	78	14.73	73.35	13.77	70.75	13.28	68.43	12.78	63.78	11.86
	-19.8	-20	51.5	20.45	51.22	21.03	51.22	21.65	51.22	21.95	50.95	22.25	50.95	22.84
	-18.8	-19	52.25	20.62	52.25	21.23	52.01	21.82	52.01	22.13	52.01	22.41	51.74	23.01
	-16.7	-17	54.33	21.05	54.09	21.62	54.09	22.20	54.09	22.48	54.09	22.76	53.82	23.32
	-13.7	-15	56.66	21.49	56.42	22.02	56.42	22.59	56.42	22.84	56.14	23.12	56.14	23.67
	-11.8	-13	58.98	21.92	58.98	22.46	58.74	22.96	58.74	23.21	58.74	23.50	56.93	22.86
	-9.8	-11	61.85	22.36	61.85	22.86	61.58	23.36	61.58	23.60	61.06	23.55	56.93	21.59
	-9.5	-10	63.39	22.59	63.12	23.06	63.15	23.55	63.15	23.80	61.06	22.86	56.93	20.96
-8.5	-9.1	64.69	22.78	60.13	23.27	64.42	23.73	63.15	23.19	61.06	22.25	56.93	20.40	
-7	-7.6	67.01	23.12	67.01	23.58	65.2	23.06	63.15	22.15	61.06	21.26	56.93	19.51	
-5	-5.6	70.63	23.52	69.34	23.40	65.2	21.67	63.15	20.82	61.06	19.99	56.93	18.36	
-3	-3.7	73.47	23.65	69.34	22.02	65.2	20.40	63.15	19.63	61.06	18.84	56.93	17.35	
0	-0.7	73.47	21.46	69.34	19.99	65.2	18.56	63.15	17.88	61.06	17.16	56.93	15.82	
3	2.2	73.47	19.55	69.34	18.23	65.2	16.96	63.15	16.32	61.06	15.71	56.93	14.50	
5	4.1	73.47	18.42	69.34	17.19	65.2	16.00	63.15	15.42	61.06	14.85	56.93	13.71	
7	6	73.47	17.35	69.34	16.23	65.2	15.12	63.15	14.57	61.06	14.05	56.93	12.97	
9	7.9	73.47	16.37	69.34	15.31	65.2	14.26	63.15	13.77	61.06	13.28	56.93	12.28	
11	9.8	73.47	15.46	69.34	14.47	65.2	13.50	63.15	13.01	61.06	12.56	56.93	11.65	
13	11.8	73.47	14.57	69.34	13.66	65.2	12.76	63.15	12.31	61.06	11.89	56.93	11.01	
15	13.7	73.47	13.78	69.34	12.94	65.2	12.10	63.15	11.67	61.06	11.27	56.93	10.47	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D730W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	51.1	21.77	50.86	22.28	50.86	22.81	50.86	23.06	50.86	23.35	49.56	23.09
	-18.8	-19	51.89	21.95	51.89	22.46	51.62	22.96	51.62	23.21	51.62	23.50	49.56	22.61
	-16.7	-17	53.94	22.31	53.94	22.81	53.7	23.29	53.7	23.55	53.19	20.98	49.56	21.56
	-13.7	-15	56.27	22.70	56.02	23.17	56.02	23.65	55	23.29	53.19	22.36	49.56	20.51
	-11.8	-13	58.59	23.06	58.59	23.52	57.05	22.96	55	22.08	53.19	21.18	49.56	19.43
	-9.8	-11	61.43	23.45	60.67	23.43	57.05	21.69	55	20.86	53.19	20.01	49.56	18.39
	-9.5	-10	63	23.65	60.67	22.74	57.05	21.05	55	20.25	53.19	19.46	49.56	17.88
	-8.5	-9.1	64.26	23.79	60.67	22.13	57.05	20.51	55	19.70	53.19	18.94	49.56	17.42
	-7	-7.6	64.26	22.71	60.67	21.12	57.05	19.61	55	18.86	53.19	18.14	49.56	16.68
	-5	-5.6	64.26	21.34	60.67	19.89	57.05	18.46	55	17.75	53.19	20.98	49.56	15.74
	-3	-3.7	64.26	20.09	60.67	18.74	57.05	17.42	55	16.76	53.19	16.12	49.56	14.88
	0	-0.7	64.26	18.28	60.67	17.09	57.05	15.89	55	15.31	53.19	14.75	49.56	13.63
	3	2.2	64.26	16.70	60.67	15.64	57.05	14.57	55	14.05	53.19	13.53	49.56	12.51
	5	4.1	64.26	15.76	60.67	14.75	57.05	13.78	55	13.28	53.19	12.78	49.56	11.86
	7	6	64.26	14.90	60.67	13.97	57.05	13.01	55	12.56	53.19	12.12	49.56	11.24
	9	7.9	64.26	14.08	60.67	13.19	57.05	12.34	55	11.91	53.19	11.50	49.56	10.65
11	9.8	64.26	13.32	60.67	12.49	57.05	11.70	55	11.29	53.19	10.91	49.56	10.11	
13	11.8	64.26	12.59	60.67	11.83	57.05	11.07	55	10.71	53.19	10.31	49.56	9.63	
15	13.7	64.26	11.93	60.67	11.21	57.05	10.50	55	10.16	53.19	9.81	49.56	9.16	
60%	-19.8	-20	50.98	23.09	50.71	23.52	48.9	22.63	47.36	21.74	45.79	20.89	42.68	19.15
	-18.8	-19	51.74	23.24	51.74	23.67	48.9	22.15	47.36	21.28	45.79	20.43	42.68	18.74
	-16.7	-17	53.82	23.55	52.01	22.81	48.9	21.12	47.36	20.32	45.79	19.51	42.68	17.93
	-13.7	-15	55.12	23.29	52.01	21.67	48.9	20.09	47.36	19.32	45.79	18.55	42.68	17.06
	-11.8	-13	55.12	22.05	52.01	20.52	48.9	19.05	47.36	18.34	45.79	17.63	42.68	16.30
	-9.8	-11	55.12	20.82	52.01	19.39	48.9	18.04	47.36	17.35	45.79	16.68	42.68	15.38
	-9.5	-10	55.12	20.25	52.01	18.86	48.9	17.52	47.36	16.89	45.79	16.22	42.68	14.96
	-8.5	-9.1	55.12	19.70	52.01	18.39	48.9	17.09	47.36	16.45	45.79	15.82	42.68	14.59
	-7	-7.6	55.12	18.84	52.01	17.60	48.9	16.35	47.36	15.76	45.79	15.16	42.68	14.02
	-5	-5.6	55.12	17.75	52.01	16.58	48.9	15.44	47.36	14.88	45.79	14.31	42.68	13.25
	-3	-3.7	55.12	16.76	52.01	15.66	48.9	14.59	47.36	14.08	45.79	13.55	42.68	12.55
	0	-0.7	55.12	15.31	52.01	14.35	48.9	13.38	47.36	12.92	45.79	12.43	42.68	11.52
	3	2.2	55.12	14.05	52.01	13.16	48.9	12.31	47.36	11.88	45.79	11.48	42.68	10.62
	5	4.1	55.12	13.28	52.01	12.46	48.9	11.65	47.36	11.27	45.79	10.86	42.68	10.09
	7	6	55.12	12.56	52.01	11.81	48.9	11.03	47.36	10.68	45.79	10.31	42.68	9.59
	9	7.9	55.12	11.90	52.01	11.19	48.9	10.47	47.36	10.14	45.79	9.79	42.68	9.13
11	9.8	55.12	11.29	52.01	10.62	48.9	9.96	47.36	9.66	45.79	9.32	42.68	8.70	
13	11.8	55.12	10.68	52.01	10.07	48.9	9.47	47.36	9.16	45.79	8.85	42.68	8.27	
15	13.7	55.12	10.16	52.01	9.57	48.9	9.01	47.36	8.73	45.79	8.44	42.68	7.88	
50%	-19.8	-20	45.91	21.00	43.32	19.55	40.75	18.17	39.21	17.50	37.91	16.81	35.35	15.49
	-18.8	-19	45.91	20.55	43.32	19.15	40.75	17.81	39.21	17.11	37.91	16.45	35.35	15.19
	-16.7	-17	45.91	19.61	43.32	18.28	40.75	17.01	39.21	16.37	37.91	15.76	35.35	14.54
	-13.7	-15	45.91	18.65	43.32	17.42	40.75	16.20	39.21	15.61	37.91	15.03	35.35	13.89
	-11.8	-13	45.91	17.73	43.32	16.55	40.75	15.42	39.21	14.85	37.91	14.28	35.35	13.22
	-9.8	-11	45.91	16.78	43.32	15.69	40.75	14.62	39.21	14.08	37.91	13.58	35.35	12.56
	-9.5	-10	45.91	16.32	43.32	15.27	40.75	14.23	39.21	13.74	37.91	13.22	35.35	12.24
	-8.5	-9.1	45.91	15.92	43.32	14.90	40.75	13.89	39.21	13.40	37.91	12.92	35.35	11.95
	-7	-7.6	45.91	15.27	43.32	14.28	40.75	13.32	39.21	12.85	37.91	12.41	35.35	11.50
	-5	-5.6	45.91	14.39	43.32	13.50	40.75	12.61	39.21	12.19	37.91	11.75	35.35	10.88
	-3	-3.7	45.91	13.63	43.32	12.78	40.75	11.95	39.21	11.55	37.91	11.14	35.35	10.35
	0	-0.7	45.91	12.51	43.32	11.75	40.75	11.01	39.21	10.62	37.91	10.27	35.35	9.57
	3	2.2	45.91	11.52	43.32	10.84	40.75	10.14	39.21	9.81	37.91	9.50	35.35	8.85
	5	4.1	45.91	10.93	43.32	10.27	40.75	9.66	39.21	9.35	37.91	9.04	35.35	8.42
	7	6	45.91	10.38	43.32	9.77	40.75	9.19	39.21	8.88	37.91	8.59	35.35	8.03
	9	7.9	45.91	9.83	43.32	9.29	40.75	8.73	39.21	8.46	37.91	8.19	35.35	7.65
11	9.8	45.91	9.36	43.32	8.82	40.75	8.31	39.21	8.06	37.91	7.81	35.35	7.30	
13	11.8	45.91	8.90	43.32	8.39	40.75	7.91	39.21	7.68	37.91	7.42	35.35	6.97	
15	13.7	45.91	8.46	43.32	8.00	40.75	7.55	39.21	7.32	37.91	7.09	35.35	6.66	

28HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D785W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	56.65	14.92	56.39	15.97	56.13	17.04	56.13	17.55	55.84	18.08	55.84	19.14
	-18.8	-19	57.49	15.25	57.23	16.30	57.23	17.33	56.94	17.86	56.94	18.34	56.65	19.38
	-16.7	-17	59.73	15.97	59.44	16.96	59.18	17.97	59.18	18.46	59.18	18.95	58.88	19.95
	-13.7	-15	62.22	16.71	61.96	17.67	61.67	18.63	61.67	19.10	61.38	19.58	61.38	20.55
	-11.8	-13	64.72	17.45	64.72	18.37	64.46	19.29	64.17	19.75	64.17	20.21	63.88	21.12
	-9.8	-11	67.8	18.21	67.5	19.10	67.21	19.96	67.21	20.41	67.21	20.83	66.95	21.73
	-9.5	-10	69.45	18.60	69.16	19.45	68.9	20.30	68.9	20.74	68.61	21.15	68.61	21.99
	-8.5	-9.1	70.84	18.93	70.55	19.75	70.55	20.59	70.29	21.00	70.29	21.42	70	22.27
	-7	-7.6	73.34	19.47	73.34	20.30	73.05	21.09	73.05	21.50	72.79	21.88	72.5	22.71
	-5	-5.6	77.23	20.21	76.94	20.99	76.68	21.75	76.68	22.13	76.38	22.49	76.38	23.26
	-3	-3.7	80.82	20.86	80.56	21.62	80.56	22.32	80.27	22.71	80.27	23.06	79.98	23.78
	0	-0.7	87.21	21.88	87.21	22.58	86.95	23.23	86.95	23.47	86.66	23.91	86.66	24.57
	3	2.2	94.14	22.79	93.88	23.43	93.63	24.06	93.63	24.35	93.63	24.69	93.33	25.29
	5	4.1	98.88	23.37	98.62	23.97	98.62	24.55	98.32	24.86	98.32	25.15	98.06	25.73
	7	6	103.9	23.92	103.61	24.47	103.61	25.05	103.31	25.32	103.31	25.58	99.17	24.57
	9	7.9	109.15	24.40	108.89	24.96	108.89	25.48	108.6	25.75	106.39	25.21	99.17	23.09
120%	-19.8	-20	56.39	16.35	56.1	17.30	55.84	18.30	55.84	18.76	55.84	19.26	55.55	20.25
	-18.8	-19	57.23	16.65	56.94	17.61	56.94	18.56	56.68	19.04	56.68	19.53	56.39	20.49
	-16.7	-17	59.44	17.30	59.18	18.24	58.79	19.14	58.88	19.61	58.88	20.08	58.63	20.99
	-13.7	-15	61.96	18.00	61.67	18.87	61.38	19.75	61.38	20.22	61.38	20.65	61.12	21.54
	-11.8	-13	64.46	18.68	64.46	19.53	64.17	20.38	64.17	20.81	63.91	21.23	63.91	22.07
	-9.8	-11	67.5	19.38	67.21	20.19	67.21	21.00	66.95	21.42	66.95	21.81	66.66	22.63
	-9.5	-10	69.19	19.75	68.9	20.55	68.61	21.32	68.61	21.73	68.61	22.11	68.35	22.90
	-8.5	-9.1	70.55	20.04	70.29	20.81	70.29	21.59	70	21.97	70	22.38	69.71	23.14
	-7	-7.6	73.05	20.57	73.05	21.32	72.79	22.04	72.79	22.44	72.5	22.79	72.5	23.53
	-5	-5.6	76.94	21.23	76.68	21.94	76.38	22.65	76.38	23.02	76.38	23.37	76.13	24.06
	-3	-3.7	80.56	21.86	80.56	22.55	80.27	23.20	80.27	23.53	80.01	23.89	80.01	24.55
	0	-0.7	86.95	22.79	86.95	23.43	86.66	24.03	86.66	24.35	86.4	24.66	86.4	25.29
	3	2.2	93.88	23.64	93.63	24.22	93.63	24.79	93.33	25.10	93.33	25.36	91.39	25.23
	5	4.1	98.62	24.16	98.32	24.71	98.32	25.26	98.06	25.53	98.06	25.81	91.39	23.70
	7	6	103.61	24.66	103.61	25.18	103.35	25.70	101.66	25.34	98.32	24.29	91.39	22.30
	9	7.9	108.89	25.15	108.63	25.65	105	24.79	101.66	23.82	98.32	22.86	91.39	20.99
	11	9.8	114.43	25.58	111.68	25.15	105	23.31	101.66	22.41	98.32	21.50	91.39	19.78
110%	-19.8	-20	56.1	17.77	55.84	18.65	55.55	19.54	55.55	19.99	55.58	20.44	55.29	21.34
	-18.8	-19	56.94	18.05	56.68	18.93	56.68	19.80	56.68	20.25	56.39	20.67	56.39	21.57
	-16.7	-17	59.18	18.65	58.88	19.50	59.73	20.36	58.63	20.76	58.63	21.20	58.33	22.03
	-13.7	-15	61.67	19.29	61.41	20.11	61.12	20.90	61.12	21.32	61.12	21.73	60.83	22.53
	-11.8	-13	64.17	19.95	64.17	20.70	63.88	21.48	63.88	21.86	63.62	22.24	63.62	23.04
	-9.8	-11	67.21	20.57	66.95	21.32	66.95	22.05	66.66	22.44	66.66	22.79	66.66	23.53
	-9.5	-10	68.9	20.90	68.61	21.62	68.31	22.36	68.31	22.71	68.31	23.06	68.06	23.78
	-8.5	-9.1	70.29	21.17	70	21.89	70	22.61	69.71	22.95	69.71	23.31	69.71	21.25
	-7	-7.6	72.79	21.66	72.79	22.32	72.5	23.02	72.5	23.37	72.5	23.70	72.24	24.38
	-5	-5.6	76.68	22.27	76.38	22.93	76.13	23.56	76.13	23.89	76.13	24.22	75.83	24.89
	-3	-3.7	80.27	22.86	80.27	23.45	80.01	24.08	80.01	24.38	79.72	24.69	79.72	25.32
	0	-0.7	86.66	23.70	86.66	24.27	86.4	24.86	86.4	25.13	86.4	25.42	83.9	24.93
	3	2.2	93.63	24.50	93.33	25.02	93.33	25.53	93.04	25.78	90	24.73	83.9	22.69
	5	4.1	98.32	24.96	98.32	25.48	96.38	25.23	93.04	24.22	90	23.26	83.9	21.34
	7	6	103.31	25.42	102.5	25.58	96.38	23.70	93.04	22.77	90	21.86	83.9	20.08
	9	7.9	108.6	25.84	102.5	24.06	96.38	22.29	93.04	21.42	90	20.57	83.9	18.93
	11	9.8	108.6	24.29	102.5	22.63	96.38	20.99	93.04	20.19	90	19.38	83.9	17.86
	13	11.8	108.6	22.79	102.5	21.23	96.38	19.71	93.04	18.98	90	18.24	83.9	16.82
	15	13.7	108.6	20.25	102.5	20.02	96.38	18.63	93.04	17.91	90	17.25	83.9	15.90

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D785W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	55.84	19.20	55.55	19.99	55.55	20.81	55.29	21.23	55.29	21.62	55	22.44
	-18.8	-19	56.68	19.45	56.68	20.25	56.39	21.03	56.39	21.45	56.13	21.86	56.13	22.65
	-16.7	-17	58.88	19.99	58.59	20.76	58.59	21.54	58.33	21.91	58.33	22.29	58.33	23.06
	-13.7	-15	61.38	20.57	61.12	21.32	60.83	22.05	60.83	22.44	60.83	22.79	60.57	23.53
	-11.8	-13	63.91	21.17	63.91	21.86	63.62	22.58	63.62	22.93	63.62	23.28	63.32	24.00
	-9.8	-11	66.95	21.75	66.66	22.44	66.66	23.09	66.66	23.45	66.37	23.78	66.37	24.43
	-9.5	-10	68.61	22.05	68.35	22.71	68.35	23.37	68.06	23.70	68.06	24.03	67.76	24.69
	-8.5	-9.1	70	22.29	69.71	22.95	69.71	23.59	69.71	23.91	69.45	24.24	69.45	24.89
	-7	-7.6	72.5	22.74	72.5	23.37	72.24	23.97	72.24	24.29	72.24	24.60	71.94	25.23
	-5	-5.6	76.38	23.31	76.09	23.89	76.09	24.50	75.83	24.76	75.83	25.07	75.54	25.68
	-3	-3.7	80.01	23.84	80.01	21.64	79.72	24.96	79.72	25.23	79.72	25.51	76.38	24.43
	0	-0.7	86.4	24.60	86.4	25.12	86.11	25.65	84.71	25.23	81.96	24.19	76.38	22.19
	3	2.2	93.33	25.32	93.04	25.77	87.5	23.87	84.71	22.93	81.96	22.03	76.38	20.21
	5	4.1	98.06	25.77	93.04	24.22	87.5	22.44	84.71	21.59	81.96	20.74	76.38	19.06
	7	6	98.62	24.47	93.04	22.77	87.5	21.24	84.71	20.33	81.96	19.53	76.38	17.97
	9	7.9	98.62	22.98	93.04	21.42	87.5	19.88	84.71	18.89	81.96	18.40	76.38	16.96
90%	11	9.8	98.62	21.64	93.04	20.18	87.5	18.76	84.71	18.05	81.96	17.35	76.38	16.02
	13	11.8	98.62	20.33	93.04	18.98	87.5	17.67	84.71	17.01	81.96	16.38	76.38	15.11
	15	13.7	98.62	19.17	93.04	17.91	87.5	16.68	84.71	16.06	81.96	15.48	76.38	14.32
	-19.8	-20	55.45	20.62	55.19	21.34	55.19	22.07	54.9	22.44	54.9	22.82	54.9	23.53
	-18.8	-19	56.29	20.83	56.29	21.59	56	22.29	56	22.65	56	23.02	55.74	23.73
	-16.7	-17	58.5	21.37	58.24	22.05	58.24	22.74	58.24	23.09	57.94	23.43	57.94	24.10
	-13.7	-15	60.99	21.88	60.73	22.55	60.73	23.20	60.44	23.53	60.44	23.87	60.44	24.52
	-11.8	-13	63.49	22.41	63.49	23.04	63.23	23.68	63.23	24.00	63.23	24.29	62.94	24.93
	-9.8	-11	66.56	22.93	66.56	23.53	66.27	24.13	66.27	24.43	66.27	24.76	65.98	25.36
	-9.5	-10	68.22	23.20	67.93	23.81	67.93	24.38	67.67	24.69	67.67	24.99	67.67	25.55
	-8.5	-9.1	69.61	23.45	69.61	24.03	69.32	24.60	69.32	24.89	69.32	25.18	68.48	25.42
	-7	-7.6	72.11	23.84	72.11	24.38	71.81	24.95	71.81	25.23	71.81	25.51	68.48	24.27
	-5	-5.6	75.96	24.35	75.7	24.89	75.7	25.39	75.41	25.68	73.47	24.89	68.48	22.82
	-3	-3.7	79.59	24.82	79.59	25.32	78.75	25.42	75.96	24.40	73.47	23.43	68.48	21.50
	0	-0.7	86.24	25.53	83.74	24.91	78.75	23.06	75.96	22.16	73.47	21.28	68.48	19.54
	3	2.2	88.73	24.32	83.74	22.65	78.75	21.00	75.96	20.21	73.47	19.42	68.48	17.89
80%	5	4.1	88.73	22.86	83.74	21.32	78.75	19.80	75.96	19.04	73.47	18.32	68.48	16.87
	7	6	88.73	21.50	83.74	20.08	78.75	18.65	75.96	17.97	73.47	17.27	68.48	15.93
	9	7.9	88.73	20.28	83.74	18.89	78.75	17.58	75.96	16.95	73.47	16.32	68.48	15.06
	11	9.8	88.73	19.10	83.74	17.84	78.75	16.64	75.96	16.02	73.47	15.41	68.48	14.26
	13	11.8	88.73	17.97	83.74	16.82	78.75	15.66	75.96	15.11	73.47	14.57	68.48	13.47
	15	13.7	88.73	16.98	83.74	15.88	78.75	14.84	75.96	14.32	73.47	13.78	68.48	12.78
	-19.8	-20	55.29	22.04	55	22.69	55	23.35	55	23.68	54.7	24.00	54.7	24.63
	-18.8	-19	56.1	22.24	56.1	22.90	55.84	23.53	55.84	23.87	55.84	24.16	55.55	24.82
	-16.7	-17	58.33	22.71	58.07	23.31	58.07	23.94	58.07	24.24	58.07	24.55	57.78	25.15
	-13.7	-15	60.83	23.18	60.57	23.75	60.57	24.35	60.57	24.63	60.28	24.93	60.28	25.53
	-11.8	-13	63.32	23.64	63.32	24.22	63.06	24.76	63.06	25.04	63.06	25.34	61.12	24.66
	-9.8	-11	66.4	24.10	66.4	24.66	66.11	25.20	66.11	25.44	65.56	25.39	61.12	23.28
	-9.5	-10	68.06	24.35	67.76	24.88	67.8	25.39	67.8	25.68	65.56	24.66	61.12	22.61
	-8.5	-9.1	69.45	24.57	64.56	25.10	69.16	25.58	67.8	25.02	65.56	24.00	61.12	21.99
	-7	-7.6	71.94	24.93	71.94	25.42	70	24.88	67.8	23.89	65.56	22.93	61.12	21.03
	-5	-5.6	75.83	25.36	74.44	25.23	70	23.37	67.8	22.45	65.56	21.56	61.12	19.80

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D785W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	54.87	23.47	54.61	24.03	54.61	24.60	54.61	24.88	54.61	25.18	53.21	24.91
	-18.8	-19	55.71	23.67	55.71	24.22	55.42	24.76	55.42	25.04	55.42	25.34	53.21	24.38
	-16.7	-17	57.91	24.06	57.91	24.60	57.65	25.12	57.65	25.39	57.1	22.63	53.21	23.26
	-13.7	-15	60.41	24.47	60.15	24.99	60.15	25.51	59.05	25.12	57.1	24.10	53.21	22.11
	-11.8	-13	62.9	24.88	62.9	25.36	61.25	24.76	59.05	23.81	57.1	22.86	53.21	20.96
	-9.8	-11	65.95	25.28	65.14	25.26	61.25	23.40	59.05	22.49	57.1	21.59	53.21	19.83
	-9.5	-10	67.63	25.51	65.14	24.52	61.25	22.71	59.05	21.82	57.1	20.99	53.21	19.29
	-8.5	-9.1	69	25.65	65.14	23.87	61.25	22.11	59.05	21.25	57.1	20.43	53.21	18.79
	-7	-7.6	69	24.50	65.14	22.79	61.25	21.15	59.05	20.35	57.1	19.54	53.21	18.00
	-5	-5.6	69	23.02	65.14	21.45	61.25	19.92	59.05	19.14	57.1	22.63	53.21	16.98
	-3	-3.7	69	21.66	65.14	20.21	61.25	18.79	59.05	18.08	57.1	17.38	53.21	16.04
	0	-0.7	69	19.71	65.14	18.43	61.25	17.14	59.05	16.51	57.1	15.90	53.21	14.70
	3	2.2	69	18.02	65.14	16.87	61.25	15.72	59.05	15.14	57.1	14.59	53.21	13.49
	5	4.1	69	17.01	65.14	15.90	61.25	14.86	59.05	14.32	57.1	13.78	53.21	12.78
	7	6	69	16.06	65.14	15.06	61.25	14.04	59.05	13.55	57.1	13.08	53.21	12.12
60%	9	7.9	69	15.20	65.14	14.23	61.25	13.31	59.05	12.83	57.1	12.40	53.21	11.48
	11	9.8	69	14.38	65.14	13.47	61.25	12.61	59.05	12.17	57.1	11.77	53.21	10.92
	13	11.8	69	13.57	65.14	12.75	61.25	11.94	59.05	11.55	57.1	11.13	53.21	10.37
	15	13.7	69	12.87	65.14	12.10	61.25	11.32	59.05	10.97	57.1	10.59	53.21	9.87
	-19.8	-20	54.74	24.91	54.44	25.36	52.5	24.40	50.85	23.45	49.16	22.52	45.82	20.65
	-18.8	-19	55.55	25.07	55.55	25.53	52.5	23.89	50.85	22.95	49.16	22.02	45.82	20.21
	-16.7	-17	57.78	25.39	55.84	24.60	52.5	22.79	50.85	21.91	49.16	21.03	45.82	19.34
	-13.7	-15	59.18	25.12	55.84	23.37	52.5	21.66	50.85	20.83	49.16	20.01	45.82	18.39
	-11.8	-13	59.18	23.78	55.84	22.13	52.5	20.55	50.85	19.78	49.16	19.01	45.82	17.58
	-9.8	-11	59.18	22.45	55.84	20.92	52.5	19.45	50.85	18.71	49.16	18.00	45.82	16.59
	-9.5	-10	59.18	21.82	55.84	20.35	52.5	18.89	50.85	18.21	49.16	17.50	45.82	16.12
	-8.5	-9.1	59.18	21.25	55.84	19.83	52.5	18.43	50.85	17.74	49.16	17.06	45.82	15.74
	-7	-7.6	59.18	20.33	55.84	18.98	52.5	17.64	50.85	17.01	49.16	16.35	45.82	15.11
	-5	-5.6	59.18	19.14	55.84	17.89	52.5	16.65	50.85	16.04	49.16	15.43	45.82	14.29
	-3	-3.7	59.18	18.08	55.84	16.89	52.5	15.74	50.85	15.20	49.16	14.61	45.82	13.53
50%	0	-0.7	59.18	16.51	55.84	15.47	52.5	14.43	50.85	13.94	49.16	13.41	45.82	12.42
	3	2.2	59.18	15.14	55.84	14.20	52.5	13.28	50.85	12.81	49.16	12.37	45.82	11.46
	5	4.1	59.18	14.32	55.84	13.44	52.5	12.56	50.85	12.15	49.16	11.71	45.82	10.88
	7	6	59.18	13.55	55.84	12.73	52.5	11.90	50.85	11.51	49.16	11.13	45.82	10.33
	9	7.9	59.18	12.83	55.84	12.08	52.5	11.29	50.85	10.95	49.16	10.55	45.82	9.84
	11	9.8	59.18	12.17	55.84	11.46	52.5	10.75	50.85	10.40	49.16	10.03	45.82	9.38
	13	11.8	59.18	11.51	55.84	10.86	52.5	10.20	50.85	9.87	49.16	9.54	45.82	8.91
	15	13.7	59.18	10.97	55.84	10.31	52.5	9.71	50.85	9.41	49.16	9.10	45.82	8.51
	-19.8	-20	49.29	22.65	46.5	21.09	43.75	19.58	42.1	18.87	40.7	18.13	37.95	16.71
	-18.8	-19	49.29	22.16	46.5	20.65	43.75	19.20	42.1	18.46	40.7	17.74	37.95	16.38
	-16.7	-17	49.29	21.15	46.5	19.71	43.75	18.34	42.1	17.67	40.7	17.01	37.95	15.69
	-13.7	-15	49.29	20.13	46.5	18.79	43.75	17.48	42.1	16.85	40.7	16.21	37.95	14.97
	-11.8	-13	49.29	19.13	46.5	17.86	43.75	16.63	42.1	16.02	40.7	15.41	37.95	14.26
	-9.8	-11	49.29	18.11	46.5	16.92	43.75	15.77	42.1	15.20	40.7	14.64	37.95	13.55
	-9.5	-10	49.29	17.61	46.5	16.45	43.75	15.36	42.1	14.80	40.7	14.26	37.95	13.20
-8.5	-9.1	49.29	17.17	46.5	16.06	43.75	14.97	42.1	14.45	40.7	13.94	37.95	12.90	
-7	-7.6	49.29	16.45	46.5	15.41	43.75	14.38	42.1	13.87	40.7	13.39	37.95	12.40	
-5	-5.6	49.29	15.53	46.5	14.57	43.75	13.60	42.1	13.14	40.7	12.66	37.95	11.74	
-3	-3.7	49.29	14.70	46.5	13.78	43.75	12.90	42.1	12.45	40.7	12.01	37.95	11.16	
0	-0.7	49.29	13.49	46.5	12.66	43.75	11.87	42.1	11.46	40.7	11.08	37.95	10.31	
3	2.2	49.29	12.42	46.5	11.68	43.75	10.95	42.1	10.59	40.7	10.23	37.95	9.54	
5	4.1	49.29	11.79	46.5	11.08	43.75	10.40	42.1	10.06	40.7	9.74	37.95	9.07	
7	6	49.29	11.19	46.5	10.53	43.75	9.90	42.1	9.57	40.7	9.27	37.95	8.67	
9	7.9	49.29	10.62	46.5	10.01	43.75	9.41	42.1	9.13	40.7	8.83	37.95	8.25	
11	9.8	49.29	10.09	46.5	9.51	43.75	8.97	42.1	8.70	40.7	8.42	37.95	7.87	
13	11.8	49.29	9.61	46.5	9.04	43.75	8.54	42.1	8.29	40.7	8.00	37.95	7.52	
15	13.7	49.29	9.13	46.5	8.64	43.75	8.15	42.1	7.89	40.7	7.65	37.95	7.18	

30HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D850W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	61.5	16.52	61.22	17.67	60.94	18.86	60.94	19.42	60.62	20.01	60.62	21.17
	-18.8	-19	62.42	16.88	62.14	18.03	62.14	19.18	61.82	19.75	61.82	20.30	61.5	21.46
	-16.7	-17	64.85	17.67	64.53	18.76	64.25	19.88	64.25	20.43	64.25	20.97	63.93	22.07
	-13.7	-15	67.56	18.49	67.27	19.55	66.96	20.62	66.96	21.12	66.64	21.68	66.64	22.75
	-11.8	-13	70.26	19.30	70.26	20.34	69.98	21.35	69.67	21.85	69.67	22.37	69.35	23.37
	-9.8	-11	73.61	20.16	73.29	21.12	72.97	22.09	72.97	22.58	72.97	23.06	72.69	24.04
	-9.5	-10	75.4	20.58	75.09	21.52	74.8	22.45	74.8	22.95	74.49	23.40	74.49	24.34
	-8.5	-9.1	76.91	20.94	76.6	21.85	76.6	22.79	76.32	23.25	76.32	23.70	76	24.65
	-7	-7.6	79.62	21.55	79.62	22.45	79.31	23.34	79.31	23.79	79.03	24.22	78.71	25.12
	-5	-5.6	83.85	22.37	83.53	23.23	83.25	24.07	83.25	24.50	82.93	24.89	82.93	25.74
	-3	-3.7	87.75	23.10	87.47	23.91	87.47	24.71	87.15	25.12	87.15	25.53	86.84	26.31
	0	-0.7	94.68	24.22	94.68	24.98	94.4	25.71	94.4	25.98	94.09	26.46	94.09	27.19
	3	2.2	102.21	25.22	101.93	25.93	101.65	26.63	101.65	26.95	101.65	27.32	101.33	27.99
	5	4.1	107.35	25.86	107.07	26.52	107.07	27.18	106.75	27.51	106.75	27.83	106.47	28.47
	7	6	112.8	26.47	112.49	27.08	112.49	27.72	112.17	28.01	112.17	28.32	107.67	27.19
	9	7.9	118.5	27.01	118.22	27.62	118.22	28.20	117.91	28.51	115.51	27.90	107.67	25.57
	11	9.8	124.56	27.56	124.24	28.10	123.64	28.47	119.42	27.35	115.51	26.23	107.67	24.07
120%	-19.8	-20	61.22	18.09	60.91	19.15	60.62	20.25	60.62	20.76	60.62	21.30	60.31	22.40
	-18.8	-19	62.14	18.42	61.82	19.48	61.82	20.55	61.54	21.07	61.54	21.62	61.22	22.67
	-16.7	-17	64.53	19.15	64.25	20.19	63.83	21.17	63.93	21.70	63.93	22.22	63.65	23.23
	-13.7	-15	67.27	19.91	66.96	20.88	66.64	21.85	66.64	22.37	66.64	22.86	66.36	23.82
	-11.8	-13	69.98	20.67	69.98	21.62	69.67	22.55	69.67	23.04	69.39	23.49	69.39	24.43
	-9.8	-11	73.29	21.46	72.97	22.35	72.97	23.25	72.69	23.70	72.69	24.14	72.38	25.04
	-9.5	-10	75.12	21.85	74.8	22.75	74.49	23.59	74.49	24.04	74.49	24.47	74.21	25.34
	-8.5	-9.1	76.6	22.18	76.32	23.04	76.32	23.88	76	24.32	76	24.76	75.68	25.61
	-7	-7.6	79.31	22.77	79.31	23.59	79.03	24.39	79.03	24.83	78.71	25.22	78.71	26.04
	-5	-5.6	83.53	23.49	83.25	24.29	82.93	25.06	82.93	25.47	82.93	25.86	82.65	26.63
	-3	-3.7	87.47	24.19	87.47	24.95	87.15	25.67	87.15	26.04	86.87	26.44	86.87	27.18
	0	-0.7	94.4	25.22	94.4	25.93	94.09	26.58	94.09	26.96	93.8	27.28	93.8	27.99
	3	2.2	101.93	26.16	101.65	26.80	101.65	27.44	101.33	27.77	101.33	28.07	99.22	27.92
	5	4.1	107.07	26.73	106.75	27.35	106.75	27.95	106.47	28.26	106.47	28.57	99.22	26.23
	7	6	112.49	27.28	112.49	27.86	112.21	28.44	110.38	28.05	106.75	26.90	99.22	24.69
	9	7.9	118.22	27.83	117.94	28.39	114	27.44	110.38	26.35	106.75	25.28	99.22	23.23
	11	9.8	124.24	28.32	121.25	27.83	114	25.80	110.38	24.79	106.75	23.79	99.22	21.89
110%	-19.8	-20	60.91	19.66	60.62	20.64	60.31	21.64	60.31	22.13	60.34	22.61	60.03	23.62
	-18.8	-19	61.82	19.97	61.54	20.94	61.54	21.91	61.54	22.41	61.22	22.89	61.22	23.85
	-16.7	-17	64.25	20.64	63.93	21.58	64.85	22.52	63.65	22.97	63.65	23.46	63.33	24.37
	-13.7	-15	66.96	21.35	66.68	22.24	66.36	23.12	66.36	23.59	66.36	24.04	66.04	24.92
	-11.8	-13	69.67	22.06	69.67	22.92	69.35	23.77	69.35	24.19	69.07	24.62	69.07	25.50
	-9.8	-11	72.97	22.77	72.69	23.59	72.69	24.40	72.38	24.83	72.38	25.22	72.38	26.04
	-9.5	-10	74.8	23.12	74.49	23.91	74.17	24.73	74.17	25.12	74.17	25.53	73.89	26.31
	-8.5	-9.1	76.32	23.43	76	24.23	76	25.01	75.68	25.40	75.68	25.80	75.68	26.51
	-7	-7.6	79.03	23.97	79.03	24.71	78.71	25.47	78.71	25.86	78.71	26.23	78.43	26.99
	-5	-5.6	83.25	24.65	82.93	25.38	82.65	26.07	82.65	26.44	82.65	26.80	82.33	27.54
	-3	-3.7	87.15	25.28	87.15	25.95	86.87	26.65	86.87	26.99	86.56	27.32	86.56	28.01
	0	-0.7	94.09	26.23	94.09	26.86	93.8	27.51	93.8	27.80	93.8	28.13	91.09	27.59
	3	2.2	101.65	27.11	101.33	27.68	101.33	28.26	101.02	28.53	97.71	27.37	91.09	25.10
	5	4.1	106.75	27.62	106.75	28.20	104.64	27.92	101.02	26.80	97.71	25.74	91.09	23.62
	7	6	112.17	28.13	111.29	28.32	104.64	26.23	101.02	25.19	97.71	24.19	91.09	22.22
	9	7.9	117.91	28.60	111.29	26.62	104.64	24.67	101.02	23.70	97.71	22.77	91.09	20.94
	11	9.8	117.91	26.90	111.29	25.04	104.64	23.23	101.02	22.35	97.71	21.46	91.09	19.75
	13	11.8	117.91	25.22	111.29	23.49	104.64	21.82	101.02	21.00	97.71	20.19	91.09	18.61
	15	13.7	117.91	22.41	111.29	22.16	104.64	20.62	101.02	19.82	97.71	19.09	91.09	17.61

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D850W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	60.62	21.24	60.31	22.12	60.31	23.04	60.03	23.49	60.03	23.91	59.71	24.83
	-18.8	-19	61.54	21.52	61.54	22.40	61.22	23.29	61.22	23.73	60.94	24.19	60.94	25.06
	-16.7	-17	63.93	22.12	63.61	22.97	63.61	23.82	63.33	24.25	63.33	24.67	63.33	25.53
	-13.7	-15	66.64	22.77	66.36	23.59	66.04	24.40	66.04	24.83	66.04	25.22	65.76	26.04
	-11.8	-13	69.39	23.43	69.39	24.19	69.07	24.98	69.07	25.38	69.07	25.77	68.75	26.55
	-9.8	-11	72.69	24.07	72.38	24.83	72.38	25.57	72.38	25.95	72.06	26.31	72.06	27.04
	-9.5	-10	74.49	24.40	74.21	25.12	74.21	25.86	73.89	26.23	73.89	26.58	73.57	27.32
	-8.5	-9.1	76	24.67	75.68	25.40	75.68	26.11	75.68	26.46	75.4	26.84	75.4	27.54
	-7	-7.6	78.71	25.16	78.71	25.86	78.43	26.52	78.43	26.90	78.43	27.23	78.11	27.92
	-5	-5.6	82.93	25.80	82.61	26.44	82.61	27.11	82.33	27.40	82.33	27.73	82.02	28.42
	-3	-3.7	86.87	26.37	86.87	23.95	86.56	27.62	86.56	27.92	86.56	28.24	82.93	27.04
	0	-0.7	93.8	27.23	93.8	27.79	93.49	28.39	91.97	27.92	88.98	26.77	82.93	24.56
	3	2.2	101.33	28.01	101.02	28.53	95	26.40	91.97	25.38	88.98	24.37	82.93	22.37
	5	4.1	106.47	28.53	101.02	26.80	95	24.83	91.97	23.88	88.98	22.95	82.93	21.09
	7	6	107.07	27.08	101.02	25.19	95	23.41	91.97	22.49	88.98	21.62	82.93	19.88
90%	9	7.9	107.07	25.44	101.02	23.70	95	22.01	91.97	20.90	88.98	20.37	82.93	18.76
	11	9.8	107.07	23.95	101.02	22.34	95	20.76	91.97	19.97	88.98	19.21	82.93	17.73
	13	11.8	107.07	22.49	101.02	21.00	95	19.55	91.97	18.82	88.98	18.13	82.93	16.73
	15	13.7	107.07	21.21	101.02	19.82	95	18.46	91.97	17.79	88.98	17.12	82.93	15.86
	-19.8	-20	60.2	22.83	59.92	23.62	59.92	24.43	59.6	24.83	59.6	25.24	59.6	26.04
	-18.8	-19	61.12	23.06	61.12	23.88	60.8	24.67	60.8	25.06	60.8	25.47	60.52	26.26
	-16.7	-17	63.51	23.65	63.23	24.40	63.23	25.16	63.23	25.57	62.91	25.93	62.91	26.67
	-13.7	-15	66.22	24.22	65.94	24.95	65.94	25.67	65.62	26.04	65.62	26.40	65.62	27.14
	-11.8	-13	68.93	24.79	68.93	25.50	68.65	26.19	68.65	26.55	68.65	26.90	68.33	27.59
	-9.8	-11	72.27	25.38	72.27	26.04	71.95	26.71	71.95	27.04	71.95	27.40	71.64	28.07
	-9.5	-10	74.06	25.67	73.75	26.34	73.75	26.99	73.47	27.32	73.47	27.65	73.47	28.28
	-8.5	-9.1	75.58	25.95	75.58	26.58	75.26	27.23	75.26	27.54	75.26	27.86	74.35	28.13
	-7	-7.6	78.29	26.37	78.29	26.99	77.97	27.61	77.97	27.92	77.97	28.23	74.35	26.86
	-5	-5.6	82.47	26.95	82.19	27.54	82.19	28.10	81.88	28.42	79.76	27.54	74.35	25.24
	-3	-3.7	86.41	27.46	86.41	28.01	85.5	28.13	82.47	27.01	79.76	25.93	74.35	23.79
80%	0	-0.7	93.63	28.26	90.92	27.56	85.5	25.53	82.47	24.53	79.76	23.55	74.35	21.64
	3	2.2	96.34	26.92	90.92	25.06	85.5	23.25	82.47	22.37	79.76	21.50	74.35	19.78
	5	4.1	96.34	25.30	90.92	23.59	85.5	21.91	82.47	21.07	79.76	20.28	74.35	18.68
	7	6	96.34	23.79	90.92	22.22	85.5	20.64	82.47	19.88	79.76	19.12	74.35	17.63
	9	7.9	96.34	22.43	90.92	20.90	85.5	19.45	82.47	18.75	79.76	18.06	74.35	16.67
	11	9.8	96.34	21.12	90.92	19.74	85.5	18.40	82.47	17.73	79.76	17.06	74.35	15.78
	13	11.8	96.34	19.88	90.92	18.61	85.5	17.33	82.47	16.73	79.76	16.12	74.35	14.91
	15	13.7	96.34	18.79	90.92	17.58	85.5	16.42	82.47	15.86	79.76	15.26	74.35	14.14
	-19.8	-20	60.03	24.39	59.71	25.10	59.71	25.84	59.71	26.19	59.39	26.55	59.39	27.26
	-18.8	-19	60.91	24.62	60.91	25.34	60.62	26.04	60.62	26.40	60.62	26.73	60.31	27.46
	-16.7	-17	63.33	25.12	63.05	25.80	63.05	26.49	63.05	26.84	63.05	27.18	62.74	27.83
	-13.7	-15	66.04	25.65	65.76	26.28	65.76	26.95	65.76	27.26	65.44	27.59	65.44	28.26
	-11.8	-13	68.75	26.16	68.75	26.80	68.47	27.40	68.47	27.71	68.47	28.05	66.36	27.28
	-9.8	-11	72.09	26.67	72.09	27.28	71.78	27.88	71.78	28.16	71.18	28.10	66.36	25.77
	-9.5	-10	73.89	26.95	73.57	27.53	73.61	28.10	73.61	28.42	71.18	27.28	66.36	25.01
-8.5	-9.1	75.4	27.19	70.09	27.77	75.09	28.32	73.61	27.68	71.18	26.55	66.36	24.34	
-7	-7.6	78.11	27.59	78.11	28.13	76	27.53	73.61	26.44	71.18	25.38	66.36	23.29	
-5	-5.6	82.33	28.07	80.82	27.92	76	25.86	73.61	24.85	71.18	23.84	66.36	21.91	
-3	-3.7	85.64	28.24	80.82	26.28	76	24.34	73.61	23.43	71.18	22.49	66.36	20.70	
0	-0.7	85.64	25.62	80.82	23.84	76	22.16	73.61	21.35	71.18	20.48	66.36	18.88	
3	2.2	85.64	23.33	80.82	21.76	76	20.25	73.61	19.48	71.18	18.75	66.36	17.30	
5	4.1	85.64	21.98	80.82	20.51	76	19.09	73.61	18.40	71.18	17.73	66.36	16.36	
7	6	85.64	20.70	80.82	19.37	76	18.03	73.61	17.40	71.18	16.75	66.36	15.48	
9	7.9	85.64	19.55	80.82	18.27	76	17.02	73.61	16.42	71.18	15.86	66.36	14.66	
11	9.8	85.64	18.46	80.82	17.27	76	16.12	73.61	15.53	71.18	14.99	66.36	13.91	
13	11.8	85.64	17.40	80.82	16.30	76	15.23	73.61	14.69	71.18	14.18	66.36	13.14	
15	13.7	85.64	16.45	80.82	15.45	76	14.45	73.61	13.92	71.18	13.45	66.36	12.50	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D850W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	59.57	25.98	59.29	26.58	59.29	27.23	59.29	27.53	59.29	27.86	57.77	27.55
	-18.8	-19	60.48	26.19	60.48	26.80	60.17	27.40	60.17	27.71	60.17	28.05	57.77	26.99
	-16.7	-17	62.88	26.62	62.88	27.23	62.59	27.79	62.59	28.10	62	25.04	57.77	25.74
	-13.7	-15	65.59	27.08	65.3	27.65	65.3	28.23	64.11	27.79	62	26.67	57.77	24.47
	-11.8	-13	68.29	27.53	68.29	28.07	66.5	27.40	64.11	26.34	62	25.28	57.77	23.19
	-9.8	-11	71.6	27.98	70.72	27.95	66.5	25.90	64.11	24.89	62	23.88	57.77	21.95
	-9.5	-10	73.43	28.23	70.72	27.14	66.5	25.12	64.11	24.17	62	23.23	57.77	21.35
	-8.5	-9.1	74.91	28.39	70.72	26.40	66.5	24.47	64.11	23.51	62	22.60	57.77	20.79
	-7	-7.6	74.91	27.11	70.72	25.22	66.5	23.40	64.11	22.51	62	21.64	57.77	19.91
	-5	-5.6	74.91	25.47	70.72	23.73	66.5	22.04	64.11	21.17	62	20.03	57.77	18.79
	-3	-3.7	74.91	23.97	70.72	22.37	66.5	20.79	64.11	20.01	62	19.23	57.77	17.76
	0	-0.7	74.91	21.82	70.72	20.40	66.5	18.97	64.11	18.27	62	17.61	57.77	16.27
	3	2.2	74.91	19.94	70.72	18.68	66.5	17.40	64.11	16.75	62	16.15	57.77	14.93
	5	4.1	74.91	18.82	70.72	17.61	66.5	16.45	64.11	15.86	62	15.26	57.77	14.14
	7	6	74.91	17.79	70.72	16.67	66.5	15.53	64.11	14.99	62	14.47	57.77	13.41
60%	9	7.9	74.91	16.81	70.72	15.74	66.5	14.73	64.11	14.20	62	13.73	57.77	12.71
	11	9.8	74.91	15.90	70.72	14.91	66.5	13.95	64.11	13.47	62	13.02	57.77	12.08
	13	11.8	74.91	15.02	70.72	14.11	66.5	13.21	64.11	12.78	62	12.31	57.77	11.47
	15	13.7	74.91	14.24	70.72	13.38	66.5	12.53	64.11	12.14	62	11.72	57.77	10.92
	-19.8	-20	59.43	27.55	59.11	28.07	57	27.01	55.21	25.95	53.38	24.92	49.75	22.86
	-18.8	-19	60.31	27.73	60.31	28.26	57	26.44	55.21	25.40	53.38	24.37	49.75	22.37
	-16.7	-17	62.74	28.10	60.62	27.22	57	25.22	55.21	24.25	53.38	23.29	49.75	21.39
	-13.7	-15	64.25	27.79	60.62	25.86	57	23.97	55.21	23.06	53.38	22.15	49.75	20.36
	-11.8	-13	64.25	26.31	60.62	24.50	57	22.74	55.21	21.89	53.38	21.03	49.75	19.45
	-9.8	-11	64.25	24.85	60.62	23.15	57	21.52	55.21	20.70	53.38	19.91	49.75	18.35
	-9.5	-10	64.25	24.17	60.62	22.51	57	20.90	55.21	20.16	53.38	19.37	49.75	17.84
	-8.5	-9.1	64.25	23.51	60.62	21.95	57	20.40	55.21	19.63	53.38	18.88	49.75	17.42
	-7	-7.6	64.25	22.49	60.62	21.00	57	19.51	55.21	18.82	53.38	18.09	49.75	16.73
	-5	-5.6	64.25	21.17	60.62	19.78	57	18.42	55.21	17.76	53.38	17.08	49.75	15.82
	-3	-3.7	64.25	20.01	60.62	18.69	57	17.42	55.21	16.81	53.38	16.18	49.75	14.97
50%	0	-0.7	64.25	18.27	60.62	17.12	57	15.97	55.21	15.42	53.38	14.84	49.75	13.74
	3	2.2	64.25	16.75	60.62	15.71	57	14.69	55.21	14.18	53.38	13.69	49.75	12.67
	5	4.1	64.25	15.86	60.62	14.87	57	13.91	55.21	13.45	53.38	12.96	49.75	12.05
	7	6	64.25	14.99	60.62	14.08	57	13.18	55.21	12.74	53.38	12.31	49.75	11.43
	9	7.9	64.25	14.20	60.62	13.36	57	12.50	55.21	12.12	53.38	11.67	49.75	10.90
	11	9.8	64.25	13.47	60.62	12.67	57	11.90	55.21	11.51	53.38	11.11	49.75	10.38
	13	11.8	64.25	12.74	60.62	12.02	57	11.29	55.21	10.92	53.38	10.56	49.75	9.86
	15	13.7	64.25	12.14	60.62	11.41	57	10.74	55.21	10.41	53.38	10.06	49.75	9.41
	-19.8	-20	53.52	25.06	50.49	23.33	47.5	21.68	45.71	20.88	44.19	20.07	41.2	18.49
	-18.8	-19	53.52	24.53	50.49	22.86	47.5	21.24	45.71	20.43	44.19	19.63	41.2	18.13
	-16.7	-17	53.52	23.40	50.49	21.82	47.5	20.30	45.71	19.55	44.19	18.82	41.2	17.36
	-13.7	-15	53.52	22.27	50.49	20.79	47.5	19.34	45.71	18.64	44.19	17.94	41.2	16.56
	-11.8	-13	53.52	21.16	50.49	19.75	47.5	18.40	45.71	17.73	44.19	17.05	41.2	15.78
	-9.8	-11	53.52	20.03	50.49	18.73	47.5	17.45	45.71	16.81	44.19	16.21	41.2	14.99
	-9.5	-10	53.52	19.48	50.49	18.21	47.5	16.99	45.71	16.39	44.19	15.78	41.2	14.61
-8.5	-9.1	53.52	19.01	50.49	17.79	47.5	16.56	45.71	16.00	44.19	15.42	41.2	14.26	
-7	-7.6	53.52	18.21	50.49	17.05	47.5	15.90	45.71	15.34	44.19	14.81	41.2	13.73	
-5	-5.6	53.52	17.19	50.49	16.12	47.5	15.06	45.71	14.55	44.19	14.01	41.2	12.99	
-3	-3.7	53.52	16.27	50.49	15.26	47.5	14.26	45.71	13.78	44.19	13.29	41.2	12.35	
0	-0.7	53.52	14.93	50.49	14.01	47.5	13.14	45.71	12.67	44.19	12.26	41.2	11.41	
3	2.2	53.52	13.74	50.49	12.93	47.5	12.12	45.71	11.72	44.19	11.32	41.2	10.56	
5	4.1	53.52	13.04	50.49	12.26	47.5	11.51	45.71	11.14	44.19	10.78	41.2	10.04	
7	6	53.52	12.39	50.49	11.65	47.5	10.96	45.71	10.59	44.19	10.25	41.2	9.59	
9	7.9	53.52	11.75	50.49	11.07	47.5	10.41	45.71	10.10	44.19	9.78	41.2	9.13	
11	9.8	53.52	11.17	50.49	10.53	47.5	9.92	45.71	9.63	44.19	9.32	41.2	8.72	
13	11.8	53.52	10.62	50.49	10.01	47.5	9.45	45.71	9.17	44.19	8.86	41.2	8.31	
15	13.7	53.52	10.10	50.49	9.56	47.5	9.01	45.71	8.74	44.19	8.46	41.2	7.94	

32HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D900W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	64.74	17.52	64.44	18.75	64.15	20.01	64.15	20.61	63.81	21.22	63.81	22.47
	-18.8	-19	65.7	17.91	65.41	19.14	65.41	20.35	65.07	20.96	65.07	21.54	64.74	22.77
	-16.7	-17	68.26	18.75	67.93	19.90	67.63	21.09	67.63	21.67	67.63	22.25	67.3	23.42
	-13.7	-15	71.11	19.62	70.81	20.74	70.48	21.87	70.48	22.41	70.15	22.99	70.15	24.12
	-11.8	-13	73.96	20.48	73.96	21.58	73.67	22.64	73.33	23.18	73.33	23.73	73	24.79
	-9.8	-11	77.48	21.39	77.15	22.41	76.81	23.44	76.81	23.96	76.81	24.46	76.52	25.52
	-9.5	-10	79.37	21.84	79.04	22.84	78.74	23.83	78.74	24.35	78.41	24.83	78.41	25.82
	-8.5	-9.1	80.96	22.21	80.63	23.18	80.63	24.18	80.33	24.66	80.33	25.15	80	26.15
	-7	-7.6	83.81	22.86	83.81	23.83	83.48	24.76	83.48	25.24	83.19	25.69	82.85	26.65
	-5	-5.6	88.26	23.73	87.93	24.65	87.63	25.54	87.63	25.98	87.3	26.41	87.3	27.30
	-3	-3.7	92.37	24.50	92.07	25.37	92.07	26.21	91.74	26.65	91.74	27.08	91.41	27.92
	0	-0.7	99.67	25.69	99.67	26.51	99.37	27.27	99.37	27.57	99.04	28.07	99.04	28.85
	3	2.2	107.59	26.75	107.3	27.51	107	28.25	107	28.59	107	28.98	106.67	29.70
	5	4.1	113	27.44	112.7	28.14	112.7	28.83	112.37	29.18	112.37	29.52	112.07	30.21
	7	6	118.74	28.09	118.41	28.74	118.41	29.41	118.07	29.72	118.07	30.04	113.33	28.85
	9	7.9	124.74	28.64	124.44	29.31	124.44	29.91	124.11	30.24	121.59	29.59	113.33	27.12
120%	-19.8	-20	64.44	19.20	64.11	20.31	63.81	21.48	63.81	22.02	63.81	22.60	63.48	23.77
	-18.8	-19	65.41	19.55	65.07	20.66	65.07	21.80	64.78	22.36	64.78	22.93	64.44	24.05
	-16.7	-17	67.93	20.31	67.63	21.43	67.19	22.47	67.3	23.03	67.3	23.57	67	24.65
	-13.7	-15	70.81	21.13	70.48	22.15	70.15	23.18	70.15	23.73	70.15	24.25	69.85	25.28
	-11.8	-13	73.67	21.93	73.67	22.93	73.33	23.92	73.33	24.44	73.04	24.92	73.04	25.91
	-9.8	-11	77.15	22.77	76.81	23.72	76.81	24.66	76.52	25.15	76.52	25.61	76.19	26.56
	-9.5	-10	79.07	23.18	78.74	24.12	78.41	25.04	78.41	25.52	78.41	25.97	78.11	26.90
	-8.5	-9.1	80.63	23.53	80.33	24.44	80.33	25.33	80	25.80	80	26.26	79.67	27.17
	-7	-7.6	83.48	24.16	83.48	25.04	83.19	25.87	83.19	26.34	82.85	26.75	82.85	27.62
	-5	-5.6	87.93	24.92	87.63	25.76	87.3	26.60	87.3	27.03	87.3	27.44	87	28.25
	-3	-3.7	92.07	25.67	92.07	26.47	91.74	27.23	91.74	27.62	91.44	28.05	91.44	28.83
	0	-0.7	99.37	26.75	99.37	27.51	99.04	28.20	99.04	28.59	98.74	28.94	98.74	29.70
	3	2.2	107.3	27.75	107	28.44	107	29.11	106.67	29.46	106.67	29.78	104.44	29.63
	5	4.1	112.7	28.37	112.37	29.02	112.37	29.67	112.07	29.96	112.07	30.30	104.44	27.83
	7	6	118.41	28.94	118.41	29.56	118.11	30.17	116.19	29.76	112.37	28.53	104.44	26.19
	9	7.9	124.44	29.52	124.15	30.11	120	29.11	116.19	27.96	112.37	26.82	104.44	24.65
	11	9.8	130.78	30.04	127.63	29.52	120	27.38	116.19	26.30	112.37	25.24	104.44	23.23
110%	-19.8	-20	64.11	20.85	63.81	21.89	63.48	22.95	63.48	23.47	63.52	23.99	63.19	25.05
	-18.8	-19	65.07	21.19	64.78	22.21	64.78	23.25	64.78	23.77	64.44	24.27	64.44	25.31
	-16.7	-17	67.63	21.89	67.3	22.90	68.26	23.90	67	24.37	67	24.89	66.67	25.85
	-13.7	-15	70.48	22.64	70.19	23.60	69.85	24.53	69.85	25.04	69.85	25.52	69.52	26.45
	-11.8	-13	73.33	23.42	73.33	24.31	73	25.22	73	25.67	72.7	26.11	72.7	27.04
	-9.8	-11	76.81	24.16	76.52	25.04	76.52	25.89	76.19	26.34	76.19	26.75	76.19	27.62
	-9.5	-10	78.74	24.53	78.41	25.37	78.07	26.24	78.07	26.65	78.07	27.08	77.78	27.92
	-8.5	-9.1	80.33	24.85	80	25.71	80	26.54	79.67	26.95	79.67	27.38	79.67	28.44
	-7	-7.6	83.19	25.43	83.19	26.21	82.85	27.03	82.85	27.44	82.85	27.83	82.56	28.63
	-5	-5.6	87.63	26.15	87.3	26.93	87	27.66	87	28.05	87	28.44	86.67	29.22
	-3	-3.7	91.74	26.82	91.74	27.53	91.44	28.27	91.44	28.63	91.11	28.98	91.11	29.72
	0	-0.7	99.04	27.83	99.04	28.50	98.74	29.18	98.74	29.50	98.74	29.85	95.89	29.28
	3	2.2	107	28.76	106.67	29.37	106.67	29.96	106.33	30.26	102.85	29.03	95.89	26.64
	5	4.1	112.37	29.31	112.37	29.91	110.15	29.63	106.33	28.44	102.85	27.30	95.89	25.05
	7	6	118.07	29.85	117.15	30.04	110.15	27.83	106.33	26.73	102.85	25.67	95.89	23.57
	9	7.9	124.11	30.34	117.15	28.25	110.15	26.17	106.33	25.15	102.85	24.16	95.89	22.21
	11	9.8	124.11	28.53	117.15	26.56	110.15	24.65	106.33	23.72	102.85	22.77	95.89	20.96
	13	11.8	124.11	26.75	117.15	24.92	110.15	23.14	106.33	22.28	102.85	21.43	95.89	19.73
	15	13.7	124.11	23.77	117.15	23.51	110.15	21.87	106.33	21.04	102.85	20.26	95.89	18.67

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D900W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	63.81	22.54	63.48	23.47	63.48	24.44	63.19	24.92	63.19	25.37	62.85	26.34
	-18.8	-19	64.78	22.84	64.78	23.77	64.44	24.70	64.44	25.18	64.15	25.67	64.15	26.60
	-16.7	-17	67.3	23.47	66.96	24.37	66.96	25.28	66.67	25.72	66.67	26.17	66.67	27.08
	-13.7	-15	70.15	24.16	69.85	25.04	69.52	25.89	69.52	26.34	69.52	26.75	69.22	27.62
	-11.8	-13	73.04	24.85	73.04	25.67	72.7	26.51	72.7	26.93	72.7	27.34	72.37	28.16
	-9.8	-11	76.52	25.54	76.19	26.34	76.19	27.12	76.19	27.53	75.85	27.92	75.85	28.68
	-9.5	-10	78.41	25.89	78.11	26.65	78.11	27.44	77.78	27.83	77.78	28.20	77.44	28.98
	-8.5	-9.1	80	26.17	79.67	26.95	79.67	27.70	79.67	28.07	79.37	28.46	79.37	29.22
	-7	-7.6	82.85	26.69	82.85	27.44	82.56	28.14	82.56	28.53	82.56	28.89	82.22	29.63
	-5	-5.6	87.3	27.38	86.96	28.05	86.96	28.76	86.67	29.07	86.67	29.43	86.33	30.15
	-3	-3.7	91.44	27.97	91.44	25.41	91.11	29.31	91.11	29.63	91.11	29.95	87.3	28.68
	0	-0.7	98.74	28.89	98.74	29.48	98.41	30.11	96.81	29.63	93.67	28.40	87.3	26.06
	3	2.2	106.67	29.72	106.33	30.26	100	28.01	96.81	26.93	93.67	25.85	87.3	23.73
	5	4.1	112.07	30.26	106.33	28.44	100	26.34	96.81	25.33	93.67	24.35	87.3	22.38
	7	6	112.7	28.74	106.33	26.73	100	24.88	96.81	23.86	93.67	22.93	87.3	21.09
	9	7.9	112.7	26.99	106.33	25.15	100	23.34	96.81	22.17	93.67	21.61	87.3	19.90
90%	-19.8	-20	63.37	24.22	63.07	25.05	63.07	25.91	62.74	26.34	62.74	26.78	62.74	27.62
	-18.8	-19	64.33	24.46	64.33	25.33	64	26.17	64	26.60	64	27.03	63.7	27.86
	-16.7	-17	66.85	25.09	66.56	25.89	66.56	26.69	66.56	27.12	66.22	27.51	66.22	28.31
	-13.7	-15	69.7	25.69	69.41	26.47	69.41	27.23	69.07	27.62	69.07	28.01	69.07	28.79
	-11.8	-13	72.56	26.30	72.56	27.04	72.26	27.79	72.26	28.16	72.26	28.53	71.93	29.28
	-9.8	-11	76.07	26.93	76.07	27.62	75.74	28.35	75.74	28.68	75.74	29.07	75.41	29.78
	-9.5	-10	77.96	27.23	77.63	27.96	77.63	28.63	77.33	28.98	77.33	29.33	77.33	30.00
	-8.5	-9.1	79.56	27.53	79.56	28.20	79.22	28.89	79.22	29.22	79.22	29.56	78.26	29.85
	-7	-7.6	82.41	27.97	82.41	28.63	82.07	29.30	82.07	29.63	82.07	29.95	78.26	28.50
	-5	-5.6	86.81	28.59	86.52	29.22	86.52	29.82	86.19	30.15	83.96	29.22	78.26	26.78
	-3	-3.7	90.96	29.13	90.96	29.72	90	29.85	86.81	28.64	83.96	27.51	78.26	25.24
	0	-0.7	98.56	29.96	95.7	29.24	90	27.08	86.81	26.02	83.96	24.98	78.26	22.95
	3	2.2	101.41	28.55	95.7	26.60	90	24.66	86.81	23.73	83.96	22.80	78.26	21.00
	5	4.1	101.41	26.84	95.7	25.04	90	23.25	86.81	22.36	83.96	21.52	78.26	19.81
	7	6	101.41	25.24	95.7	23.57	90	21.89	86.81	21.09	83.96	20.27	78.26	18.71
	9	7.9	101.41	23.81	95.7	22.17	90	20.65	86.81	19.88	83.96	19.16	78.26	17.69
80%	-19.8	-20	63.19	25.87	62.85	26.64	62.85	27.42	62.85	27.79	62.52	28.16	62.52	28.92
	-18.8	-19	64.11	26.11	64.11	26.90	63.81	27.62	63.81	28.01	63.81	28.37	63.48	29.13
	-16.7	-17	66.67	26.65	66.37	27.38	66.37	28.10	66.37	28.46	66.37	28.83	66.04	29.52
	-13.7	-15	69.52	27.21	69.22	27.88	69.22	28.59	69.22	28.92	68.89	29.28	68.89	29.96
	-11.8	-13	72.37	27.75	72.37	28.44	72.07	29.07	72.07	29.39	72.07	29.76	69.85	28.94
	-9.8	-11	75.89	28.31	75.89	28.94	75.56	29.57	75.56	29.87	74.93	29.82	69.85	27.34
	-9.5	-10	77.78	28.59	77.44	29.20	77.48	29.82	77.48	30.15	74.93	28.94	69.85	26.54
	-8.5	-9.1	79.37	28.85	73.78	29.46	79.04	30.04	77.48	29.37	74.93	28.16	69.85	25.82
	-7	-7.6	82.22	29.28	82.22	29.85	80	29.20	77.48	28.05	74.93	26.93	69.85	24.70
	-5	-5.6	86.67	29.78	85.07	29.63	80	27.44	77.48	26.36	74.93	25.30	69.85	23.25
	-3	-3.7	90.15	29.95	85.07	27.88	80	25.82	77.48	24.85	74.93	23.86	69.85	21.97
	0	-0.7	90.15	27.17	85.07	25.30	80	23.51	77.48	22.64	74.93	21.72	69.85	20.03
	3	2.2	90.15	24.76	85.07	23.08	80	21.48	77.48	20.66	74.93	19.88	69.85	18.36
	5	4.1	90.15	23.32	85.07	21.76	80	20.26	77.48	19.53	74.93	18.80	69.85	17.35
	7	6	90.15	21.97	85.07	20.55	80	19.14	77.48	18.45	74.93	17.78	69.85	16.42
	9	7.9	90.15	20.74	85.07	19.38	80	18.06	77.48	17.43	74.93	16.81	69.85	15.55
11	9.8	90.15	19.59	85.07	18.32	80	17.09	77.48	16.48	74.93	15.90	69.85	14.75	
13	11.8	90.15	18.45	85.07	17.30	80	16.16	77.48	15.59	74.93	15.05	69.85	13.93	
15	13.7	90.15	17.45	85.07	16.39	80	15.33	77.48	14.77	74.93	14.27	69.85	13.26	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D900W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	62.7	27.57	62.41	28.20	62.41	28.89	62.41	29.20	62.41	29.56	60.81	29.24
	-18.8	-19	63.67	27.79	63.67	28.44	63.33	29.07	63.33	29.39	63.33	29.76	60.81	28.63
	-16.7	-17	66.19	28.25	66.19	28.89	65.89	29.48	65.89	29.82	65.26	26.56	60.81	27.30
	-13.7	-15	69.04	28.74	68.74	29.33	68.74	29.95	67.48	29.48	65.26	28.31	60.81	25.97
	-11.8	-13	71.89	29.20	71.89	29.78	70	29.07	67.48	27.96	65.26	26.82	60.81	24.61
	-9.8	-11	75.37	29.69	74.44	29.67	70	27.47	67.48	26.41	65.26	25.33	60.81	23.29
	-9.5	-10	77.3	29.95	74.44	28.79	70	26.65	67.48	25.63	65.26	24.65	60.81	22.64
	-8.5	-9.1	78.85	30.11	74.44	28.01	70	25.97	67.48	24.94	65.26	23.98	60.81	22.06
	-7	-7.6	78.85	28.76	74.44	26.75	70	24.83	67.48	23.88	65.26	22.95	60.81	21.13
	-5	-5.6	78.85	27.03	74.44	25.18	70	23.38	67.48	22.47	65.26	26.56	60.81	19.92
	-3	-3.7	78.85	25.43	74.44	23.73	70	22.06	67.48	21.22	65.26	20.40	60.81	18.84
	0	-0.7	78.85	23.14	74.44	21.63	70	20.13	67.48	19.38	65.26	18.67	60.81	17.26
	3	2.2	78.85	21.15	74.44	19.81	70	18.45	67.48	17.78	65.26	17.13	60.81	15.83
	5	4.1	78.85	19.96	74.44	18.67	70	17.45	67.48	16.81	65.26	16.18	60.81	15.01
	7	6	78.85	18.86	74.44	17.69	70	16.48	67.48	15.90	65.26	15.35	60.81	14.23
9	7.9	78.85	17.84	74.44	16.70	70	15.62	67.48	15.07	65.26	14.56	60.81	13.49	
11	9.8	78.85	16.87	74.44	15.81	70	14.81	67.48	14.28	65.26	13.82	60.81	12.82	
13	11.8	78.85	15.94	74.44	14.97	70	14.02	67.48	13.56	65.26	13.06	60.81	12.18	
15	13.7	78.85	15.10	74.44	14.19	70	13.30	67.48	12.87	65.26	12.42	60.81	11.59	
60%	-19.8	-20	62.56	29.24	62.22	29.78	60	28.64	58.11	27.53	56.19	26.45	52.37	24.25
	-18.8	-19	63.48	29.43	63.48	29.96	60	28.05	58.11	26.95	56.19	25.85	52.37	23.73
	-16.7	-17	66.04	29.82	63.81	28.89	60	26.75	58.11	25.72	56.19	24.70	52.37	22.69
	-13.7	-15	67.63	29.48	63.81	27.44	60	25.43	58.11	24.46	56.19	23.49	52.37	21.59
	-11.8	-13	67.63	27.92	63.81	25.98	60	24.12	58.11	23.23	56.19	22.32	52.37	20.65
	-9.8	-11	67.63	26.36	63.81	24.55	60	22.84	58.11	21.97	56.19	21.13	52.37	19.47
	-9.5	-10	67.63	25.63	63.81	23.88	60	22.17	58.11	21.39	56.19	20.55	52.37	18.93
	-8.5	-9.1	67.63	24.94	63.81	23.29	60	21.63	58.11	20.83	56.19	20.03	52.37	18.47
	-7	-7.6	67.63	23.86	63.81	22.28	60	20.70	58.11	19.96	56.19	19.20	52.37	17.74
	-5	-5.6	67.63	22.47	63.81	21.00	60	19.55	58.11	18.84	56.19	18.12	52.37	16.78
	-3	-3.7	67.63	21.22	63.81	19.83	60	18.47	58.11	17.84	56.19	17.15	52.37	15.88
	0	-0.7	67.63	19.38	63.81	18.17	60	16.94	58.11	16.37	56.19	15.74	52.37	14.58
	3	2.2	67.63	17.78	63.81	16.67	60	15.59	58.11	15.05	56.19	14.53	52.37	13.45
	5	4.1	67.63	16.81	63.81	15.77	60	14.75	58.11	14.27	56.19	13.75	52.37	12.78
	7	6	67.63	15.90	63.81	14.95	60	13.97	58.11	13.52	56.19	13.06	52.37	12.13
9	7.9	67.63	15.07	63.81	14.17	60	13.26	58.11	12.85	56.19	12.39	52.37	11.55	
11	9.8	67.63	14.28	63.81	13.45	60	12.61	58.11	12.22	56.19	11.79	52.37	11.01	
13	11.8	67.63	13.52	63.81	12.76	60	11.98	58.11	11.59	56.19	11.20	52.37	10.47	
15	13.7	67.63	12.87	63.81	12.11	60	11.40	58.11	11.05	56.19	10.68	52.37	9.99	
50%	-19.8	-20	56.33	26.60	53.15	24.76	50	22.99	48.11	22.15	46.52	21.28	43.37	19.62
	-18.8	-19	56.33	26.02	53.15	24.25	50	22.54	48.11	21.67	46.52	20.83	43.37	19.23
	-16.7	-17	56.33	24.83	53.15	23.14	50	21.54	48.11	20.74	46.52	19.96	43.37	18.41
	-13.7	-15	56.33	23.62	53.15	22.06	50	20.52	48.11	19.77	46.52	19.03	43.37	17.58
	-11.8	-13	56.33	22.45	53.15	20.96	50	19.53	48.11	18.80	46.52	18.08	43.37	16.74
	-9.8	-11	56.33	21.24	53.15	19.86	50	18.51	48.11	17.84	46.52	17.19	43.37	15.90
	-9.5	-10	56.33	20.66	53.15	19.33	50	18.02	48.11	17.39	46.52	16.74	43.37	15.49
	-8.5	-9.1	56.33	20.16	53.15	18.86	50	17.58	48.11	16.96	46.52	16.37	43.37	15.14
	-7	-7.6	56.33	19.33	53.15	18.08	50	16.87	48.11	16.28	46.52	15.72	43.37	14.56
	-5	-5.6	56.33	18.23	53.15	17.09	50	15.98	48.11	15.44	46.52	14.86	43.37	13.78
	-3	-3.7	56.33	17.26	53.15	16.18	50	15.14	48.11	14.62	46.52	14.10	43.37	13.11
	0	-0.7	56.33	15.83	53.15	14.86	50	13.93	48.11	13.45	46.52	13.00	43.37	12.11
	3	2.2	56.33	14.58	53.15	13.73	50	12.85	48.11	12.42	46.52	12.02	43.37	11.20
	5	4.1	56.33	13.84	53.15	13.00	50	12.22	48.11	11.83	46.52	11.44	43.37	10.66
	7	6	56.33	13.15	53.15	12.37	50	11.63	48.11	11.23	46.52	10.88	43.37	10.17
9	7.9	56.33	12.46	53.15	11.76	50	11.05	48.11	10.71	46.52	10.38	43.37	9.69	
11	9.8	56.33	11.85	53.15	11.16	50	10.53	48.11	10.21	46.52	9.90	43.37	9.24	
13	11.8	56.33	11.27	53.15	10.62	50	10.03	48.11	9.73	46.52	9.39	43.37	8.82	
15	13.7	56.33	10.71	53.15	10.14	50	9.56	48.11	9.26	46.52	8.98	43.37	8.43	

34HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D950W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	68.63	18.75	68.31	20.06	68	21.41	68	22.05	67.64	22.71	67.64	24.04
	-18.8	-19	69.65	19.17	69.33	20.48	69.33	21.77	68.98	22.43	68.98	23.05	68.63	24.36
	-16.7	-17	72.35	20.06	72	21.30	71.69	22.57	71.69	23.19	71.69	23.80	71.33	25.06
	-13.7	-15	75.38	21.00	75.06	22.19	74.71	23.40	74.71	23.98	74.36	24.60	74.36	25.81
	-11.8	-13	78.4	21.91	78.4	23.09	78.09	24.22	77.73	24.80	77.73	25.39	77.38	26.53
	-9.8	-11	82.13	22.89	81.78	23.98	81.42	25.08	81.42	25.63	81.42	26.17	81.11	27.31
	-9.5	-10	84.13	23.36	83.78	24.44	83.47	25.49	83.47	26.05	83.11	26.57	83.11	27.62
	-8.5	-9.1	85.82	23.76	85.47	24.80	85.47	25.87	85.15	26.39	85.15	26.91	84.8	27.98
	-7	-7.6	88.84	24.46	88.84	25.49	88.49	26.49	88.49	27.01	88.18	27.48	87.82	28.52
	-5	-5.6	93.55	25.39	93.2	26.37	92.89	27.33	92.89	27.80	92.53	28.26	92.53	29.22
	-3	-3.7	97.91	26.21	97.6	27.15	97.6	28.04	97.25	28.52	97.25	28.98	96.89	29.87
	0	-0.7	105.65	27.48	105.65	28.36	105.33	29.18	105.33	29.49	104.98	30.03	104.98	30.87
	3	2.2	114.05	28.62	113.73	29.44	113.42	30.23	113.42	30.59	113.42	31.01	113.07	31.78
	5	4.1	119.78	29.36	119.47	30.11	119.47	30.85	119.11	31.23	119.11	31.58	118.8	32.32
	7	6	125.87	30.05	125.51	30.75	125.51	31.47	125.16	31.80	125.16	32.14	120.13	30.87
	9	7.9	132.23	30.65	131.91	31.37	131.91	32.00	131.56	32.36	128.89	31.66	120.13	29.02
120%	-19.8	-20	68.31	20.54	67.96	21.73	67.64	22.99	67.64	23.56	67.64	24.18	67.29	25.43
	-18.8	-19	69.33	20.92	68.98	22.11	68.98	23.33	68.66	23.92	68.66	24.54	68.31	25.73
	-16.7	-17	72	21.73	71.69	22.93	71.22	24.04	71.33	24.64	71.33	25.22	71.02	26.37
	-13.7	-15	75.06	22.61	74.71	23.70	74.36	24.80	74.36	25.39	74.36	25.95	74.04	27.05
	-11.8	-13	78.09	23.46	78.09	24.54	77.73	25.59	77.73	26.15	77.42	26.67	77.42	27.72
	-9.8	-11	81.78	24.36	81.42	25.38	81.42	26.39	81.11	26.91	81.11	27.41	80.76	28.42
	-9.5	-10	83.82	24.80	83.47	25.81	83.11	26.79	83.11	27.31	83.11	27.78	82.8	28.78
	-8.5	-9.1	85.47	25.18	85.15	26.15	85.15	27.11	84.8	27.60	84.8	28.10	84.45	29.08
	-7	-7.6	88.49	25.85	88.49	26.79	88.18	27.68	88.18	28.18	87.82	28.62	87.82	29.55
	-5	-5.6	93.2	26.67	92.89	27.56	92.53	28.46	92.53	28.92	92.53	29.36	92.22	30.23
	-3	-3.7	97.6	27.46	97.6	28.32	97.25	29.14	97.25	29.55	96.93	30.01	96.93	30.85
	0	-0.7	105.33	28.62	105.33	29.44	104.98	30.17	104.98	30.59	104.67	30.97	104.67	31.78
	3	2.2	113.73	29.69	113.42	30.43	113.42	31.15	113.07	31.52	113.07	31.86	110.71	31.70
	5	4.1	119.47	30.35	119.11	31.05	119.11	31.74	118.8	32.06	118.8	32.42	110.71	29.77
	7	6	125.51	30.97	125.51	31.62	125.2	32.28	123.16	31.84	119.11	30.53	110.71	28.02
	9	7.9	131.91	31.58	131.6	32.22	127.2	31.15	123.16	29.91	119.11	28.70	110.71	26.37
	11	9.8	138.62	32.14	135.29	31.58	127.2	29.30	123.16	28.14	119.11	27.01	110.71	24.86
110%	-19.8	-20	67.96	22.31	67.64	23.42	67.29	24.56	67.29	25.12	67.33	25.67	66.98	26.81
	-18.8	-19	68.98	22.67	68.66	23.76	68.66	24.88	68.66	25.43	68.31	25.97	68.31	27.09
	-16.7	-17	71.69	23.42	71.33	24.50	72.35	25.57	71.02	26.07	71.02	26.63	70.67	27.66
	-13.7	-15	74.71	24.22	74.4	25.26	74.04	26.25	74.04	26.79	74.04	27.31	73.69	28.30
	-11.8	-13	77.73	25.06	77.73	26.01	77.38	26.99	77.38	27.46	77.07	27.94	77.07	28.94
	-9.8	-11	81.42	25.85	81.11	26.79	81.11	27.70	80.76	28.18	80.76	28.62	80.76	29.55
	-9.5	-10	83.47	26.25	83.11	27.15	82.76	28.08	82.76	28.52	82.76	28.98	82.44	29.87
	-8.5	-9.1	85.15	26.59	84.8	27.50	84.8	28.40	84.45	28.84	84.45	29.30	84.45	26.69
	-7	-7.6	88.18	27.21	88.18	28.04	87.82	28.92	87.82	29.36	87.82	29.77	87.51	30.63
	-5	-5.6	92.89	27.98	92.53	28.82	92.22	29.59	92.22	30.01	92.22	30.43	91.87	31.27
	-3	-3.7	97.25	28.70	97.25	29.45	96.93	30.25	96.93	30.63	96.58	31.01	96.58	31.80
	0	-0.7	104.98	29.77	104.98	30.49	104.67	31.23	104.67	31.56	104.67	31.94	101.64	31.33
	3	2.2	113.42	30.77	113.07	31.43	113.07	32.06	112.71	32.38	109.02	31.07	101.64	28.50
	5	4.1	119.11	31.37	119.11	32.00	116.76	31.70	112.71	30.43	109.02	29.22	101.64	26.81
	7	6	125.16	31.94	124.18	32.14	116.76	29.77	112.71	28.60	109.02	27.46	101.64	25.22
	9	7.9	131.56	32.46	124.18	30.23	116.76	28.00	112.71	26.91	109.02	25.85	101.64	23.76
	11	9.8	131.56	30.53	124.18	28.42	116.76	26.37	112.71	25.38	109.02	24.36	101.64	22.43
	13	11.8	131.56	28.62	124.18	26.67	116.76	24.76	112.71	23.84	109.02	22.93	101.64	21.12
	15	13.7	131.56	25.43	124.18	25.16	116.76	23.40	112.71	22.51	109.02	21.67	101.64	19.98

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D950W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	67.64	24.12	67.29	25.12	67.29	26.15	66.98	26.67	66.98	27.15	66.62	28.18
	-18.8	-19	68.66	24.44	68.66	25.43	68.31	26.43	68.31	26.95	68	27.46	68	28.46
	-16.7	-17	71.33	25.12	70.98	26.07	70.98	27.05	70.67	27.52	70.67	28.00	70.67	28.98
	-13.7	-15	74.36	25.85	74.04	26.79	73.69	27.70	73.69	28.18	73.69	28.62	73.38	29.55
	-11.8	-13	77.42	26.59	77.42	27.46	77.07	28.36	77.07	28.82	77.07	29.26	76.71	30.13
	-9.8	-11	81.11	27.33	80.76	28.18	80.76	29.02	80.76	29.45	80.4	29.87	80.4	30.69
	-9.5	-10	83.11	27.70	82.8	28.52	82.8	29.36	82.44	29.77	82.44	30.17	82.09	31.01
	-8.5	-9.1	84.8	28.00	84.45	28.84	84.45	29.63	84.45	30.03	84.13	30.45	84.13	31.27
	-7	-7.6	87.82	28.56	87.82	29.36	87.51	30.11	87.51	30.53	87.51	30.91	87.16	31.70
	-5	-5.6	92.53	29.30	92.18	30.01	92.18	30.77	91.87	31.11	91.87	31.48	91.51	32.26
	-3	-3.7	96.93	29.93	96.93	27.19	96.58	31.37	96.58	31.70	96.58	32.04	92.53	30.69
	0	-0.7	104.67	30.91	104.67	31.54	104.31	32.22	102.62	31.70	99.29	30.39	92.53	27.88
	3	2.2	113.07	31.80	112.71	32.38	106	29.97	102.62	28.82	99.29	27.66	92.53	25.39
	5	4.1	118.8	32.38	112.71	30.43	106	28.18	102.62	27.11	99.29	26.05	92.53	23.94
	7	6	119.47	30.75	112.71	28.60	106	26.58	102.62	25.53	99.29	24.54	92.53	22.57
	9	7.9	119.47	28.88	112.71	26.91	106	24.98	102.62	23.72	99.29	23.13	92.53	21.30
	11	9.8	119.47	27.19	112.71	25.36	106	23.56	102.62	22.67	99.29	21.79	92.53	20.12
90%	13	11.8	119.47	25.53	112.71	23.84	106	22.19	102.62	21.35	99.29	20.58	92.53	18.99
	15	13.7	119.47	24.08	112.71	22.51	106	20.96	102.62	20.18	99.29	19.44	92.53	17.99
	-19.8	-20	67.17	25.91	66.86	26.81	66.86	27.72	66.51	28.18	66.51	28.66	66.51	29.55
	-18.8	-19	68.19	26.17	68.19	27.11	67.84	28.00	67.84	28.46	67.84	28.92	67.53	29.81
	-16.7	-17	70.86	26.85	70.55	27.70	70.55	28.56	70.55	29.02	70.2	29.44	70.2	30.29
	-13.7	-15	73.89	27.48	73.57	28.32	73.57	29.14	73.22	29.55	73.22	29.97	73.22	30.81
	-11.8	-13	76.91	28.14	76.91	28.94	76.59	29.73	76.59	30.13	76.59	30.53	76.24	31.33
	-9.8	-11	80.64	28.82	80.64	29.55	80.29	30.33	80.29	30.69	80.29	31.11	79.93	31.86
	-9.5	-10	82.64	29.14	82.29	29.91	82.29	30.63	81.97	31.01	81.97	31.39	81.97	32.10
	-8.5	-9.1	84.33	29.45	84.33	30.17	83.98	30.91	83.98	31.27	83.98	31.62	82.95	31.94
	-7	-7.6	87.35	29.93	87.35	30.63	87	31.35	87	31.70	87	32.04	82.95	30.49
	-5	-5.6	92.02	30.59	91.71	31.27	91.71	31.90	91.36	32.26	89	31.27	82.95	28.66
	-3	-3.7	96.42	31.17	96.42	31.80	95.4	31.94	92.02	30.65	89	29.44	82.95	27.01
	0	-0.7	104.47	32.06	101.45	31.29	95.4	28.98	92.02	27.84	89	26.73	82.95	24.56
	3	2.2	107.49	30.55	101.45	28.46	95.4	26.39	92.02	25.39	89	24.40	82.95	22.47
	5	4.1	107.49	28.72	101.45	26.79	95.4	24.88	92.02	23.92	89	23.03	82.95	21.20
	7	6	107.49	27.01	101.45	25.22	95.4	23.42	92.02	22.57	89	21.69	82.95	20.02
9	7.9	107.49	25.47	101.45	23.72	95.4	22.09	92.02	21.28	89	20.50	82.95	18.93	
80%	11	9.8	107.49	23.98	101.45	22.41	95.4	20.90	92.02	20.12	89	19.36	82.95	17.91
	13	11.8	107.49	22.57	101.45	21.12	95.4	19.66	92.02	18.99	89	18.29	82.95	16.92
	15	13.7	107.49	21.32	101.45	19.96	95.4	18.65	92.02	17.99	89	17.31	82.95	16.06
	-19.8	-20	66.98	27.68	66.62	28.50	66.62	29.34	66.62	29.73	66.27	30.13	66.27	30.95
	-18.8	-19	67.96	27.94	67.96	28.78	67.64	29.55	67.64	29.97	67.64	30.35	67.29	31.17
	-16.7	-17	70.67	28.52	70.35	29.30	70.35	30.07	70.35	30.45	70.35	30.85	70	31.58
	-13.7	-15	73.69	29.12	73.38	29.83	73.38	30.59	73.38	30.95	73.02	31.33	73.02	32.06
	-11.8	-13	76.71	29.69	76.71	30.43	76.4	31.11	76.4	31.45	76.4	31.84	74.04	30.97
	-9.8	-11	80.44	30.29	80.44	30.97	80.09	31.64	80.09	31.96	79.42	31.90	74.04	29.26
	-9.5	-10	82.44	30.59	82.09	31.25	82.13	31.90	82.13	32.26	79.42	30.97	74.04	28.40
	-8.5	-9.1	84.13	30.87	78.2	31.52	83.78	32.14	82.13	31.43	79.42	30.13	74.04	27.62
	-7	-7.6	87.16	31.33	87.16	31.94	84.8	31.25	82.13	30.01	79.42	28.82	74.04	26.43
	-5	-5.6	91.87	31.86	90.18	31.70	84.8	29.36	82.13	28.20	79.42	27.07	74.04	24.88
	-3	-3.7	95.56	32.04	90.18	29.83	84.8	27.62	82.13	26.59	79.42	25.53	74.04	23.50
	0	-0.7	95.56	29.08	90.18	27.07	84.8	25.16	82.13	24.22	79.42	23.25	74.04	21.43
	3	2.2	95.56	26.49	90.18	24.70	84.8	22.99	82.13	22.11	79.42	21.28	74.04	19.64
	5	4.1	95.56	24.96	90.18	23.29	84.8	21.67	82.13	20.90	79.42	20.12	74.04	18.57
7	6	95.56	23.50	90.18	21.99	84.8	20.48	82.13	19.74	79.42	19.03	74.04	17.57	
9	7.9	95.56	22.19	90.18	20.74	84.8	19.32	82.13	18.65	79.42	17.99	74.04	16.64	
11	9.8	95.56	20.96	90.18	19.60	84.8	18.29	82.13	17.63	79.42	17.02	74.04	15.78	
13	11.8	95.56	19.74	90.18	18.51	84.8	17.29	82.13	16.68	79.42	16.10	74.04	14.91	
15	13.7	95.56	18.67	90.18	17.53	84.8	16.40	82.13	15.80	79.42	15.26	74.04	14.19	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D950W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	-19.8	-20	66.47	29.49	66.15	30.17	66.15	30.91	66.15	31.25	66.15	31.62	64.46	31.29
	-18.8	-19	67.49	29.73	67.49	30.43	67.13	31.11	67.13	31.45	67.13	31.84	64.46	30.63
	-16.7	-17	70.16	30.23	70.16	30.91	69.84	31.54	69.84	31.90	69.17	28.42	64.46	29.22
	-13.7	-15	73.18	30.75	72.87	31.39	72.87	32.04	71.53	31.54	69.17	30.29	64.46	27.78
	-11.8	-13	76.2	31.25	76.2	31.86	74.2	31.11	71.53	29.91	69.17	28.70	64.46	26.33
	-9.8	-11	79.89	31.76	78.91	31.74	74.2	29.40	71.53	28.26	69.17	27.11	64.46	24.92
	-9.5	-10	81.93	32.04	78.91	30.81	74.2	28.52	71.53	27.42	69.17	26.37	64.46	24.22
	-8.5	-9.1	83.58	32.22	78.91	29.97	74.2	27.78	71.53	26.69	69.17	25.65	64.46	23.60
	-7	-7.6	83.58	30.77	78.91	28.62	74.2	26.57	71.53	25.55	69.17	24.56	64.46	22.61
	-5	-5.6	83.58	28.92	78.91	26.95	74.2	25.02	71.53	24.04	69.17	28.42	64.46	21.32
	-3	-3.7	83.58	27.21	78.91	25.39	74.2	23.60	71.53	22.71	69.17	21.83	64.46	20.16
	0	-0.7	83.58	24.76	78.91	23.15	74.2	21.53	71.53	20.74	69.17	19.98	64.46	18.47
	3	2.2	83.58	22.63	78.91	21.20	74.2	19.74	71.53	19.03	69.17	18.33	64.46	16.94
	5	4.1	83.58	21.35	78.91	19.98	74.2	18.67	71.53	17.99	69.17	17.31	64.46	16.06
	7	6	83.58	20.18	78.91	18.93	74.2	17.63	71.53	17.02	69.17	16.42	64.46	15.23
	9	7.9	83.58	19.09	78.91	17.87	74.2	16.72	71.53	16.12	69.17	15.58	64.46	14.43
60%	-19.8	-20	66.31	31.29	65.96	31.86	63.6	30.65	61.6	29.45	59.56	28.30	55.51	25.95
	-18.8	-19	67.29	31.48	67.29	32.06	63.6	30.01	61.6	28.84	59.56	27.66	55.51	25.39
	-16.7	-17	70	31.90	67.64	30.91	63.6	28.62	61.6	27.52	59.56	26.43	55.51	24.28
	-13.7	-15	71.69	31.54	67.64	29.36	63.6	27.21	61.6	26.17	59.56	25.14	55.51	23.11
	-11.8	-13	71.69	29.87	67.64	27.80	63.6	25.81	61.6	24.86	59.56	23.88	55.51	22.09
	-9.8	-11	71.69	28.20	67.64	26.27	63.6	24.44	61.6	23.50	59.56	22.61	55.51	20.84
	-9.5	-10	71.69	27.42	67.64	25.55	63.6	23.72	61.6	22.89	59.56	21.99	55.51	20.26
	-8.5	-9.1	71.69	26.69	67.64	24.92	63.6	23.15	61.6	22.29	59.56	21.43	55.51	19.76
	-7	-7.6	71.69	25.53	67.64	23.84	63.6	22.15	61.6	21.35	59.56	20.54	55.51	18.99
	-5	-5.6	71.69	24.04	67.64	22.47	63.6	20.92	61.6	20.16	59.56	19.38	55.51	17.95
	-3	-3.7	71.69	22.71	67.64	21.22	63.6	19.76	61.6	19.09	59.56	18.35	55.51	17.00
	0	-0.7	71.69	20.74	67.64	19.44	63.6	18.13	61.6	17.51	59.56	16.84	55.51	15.60
	3	2.2	71.69	19.03	67.64	17.83	63.6	16.68	61.6	16.10	59.56	15.54	55.51	14.39
	5	4.1	71.69	17.99	67.64	16.88	63.6	15.78	61.6	15.26	59.56	14.71	55.51	13.67
	7	6	71.69	17.02	67.64	16.00	63.6	14.95	61.6	14.47	59.56	13.97	55.51	12.98
	9	7.9	71.69	16.12	67.64	15.17	63.6	14.19	61.6	13.75	59.56	13.25	55.51	12.36
50%	-19.8	-20	59.71	28.46	56.34	26.49	53	24.60	51	23.70	49.31	22.77	45.97	21.00
	-18.8	-19	59.71	27.84	56.34	25.95	53	24.12	51	23.19	49.31	22.29	45.97	20.58
	-16.7	-17	59.71	26.57	56.34	24.76	53	23.05	51	22.19	49.31	21.35	45.97	19.70
	-13.7	-15	59.71	25.28	56.34	23.60	53	21.95	51	21.16	49.31	20.36	45.97	18.81
	-11.8	-13	59.71	24.02	56.34	22.43	53	20.90	51	20.12	49.31	19.34	45.97	17.91
	-9.8	-11	59.71	22.73	56.34	21.26	53	19.80	51	19.09	49.31	18.39	45.97	17.02
	-9.5	-10	59.71	22.11	56.34	20.68	53	19.29	51	18.61	49.31	17.91	45.97	16.58
	-8.5	-9.1	59.71	21.57	56.34	20.18	53	18.81	51	18.15	49.31	17.51	45.97	16.20
	-7	-7.6	59.71	20.68	56.34	19.34	53	18.05	51	17.41	49.31	16.82	45.97	15.58
	-5	-5.6	59.71	19.50	56.34	18.29	53	17.10	51	16.52	49.31	15.90	45.97	14.75
	-3	-3.7	59.71	18.47	56.34	17.31	53	16.20	51	15.64	49.31	15.09	45.97	14.03
	0	-0.7	59.71	16.94	56.34	15.90	53	14.91	51	14.39	49.31	13.91	45.97	12.96
	3	2.2	59.71	15.60	56.34	14.69	53	13.75	51	13.29	49.31	12.86	45.97	11.98
	5	4.1	59.71	14.81	56.34	13.91	53	13.08	51	12.66	49.31	12.24	45.97	11.40
	7	6	59.71	14.07	56.34	13.23	53	12.44	51	12.02	49.31	11.64	45.97	10.89
	9	7.9	59.71	13.33	56.34	12.58	53	11.82	51	11.46	49.31	11.11	45.97	10.37

36HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1000W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	72.51	19.97	72.18	21.37	71.85	22.82	71.85	23.49	71.47	24.19	71.47	25.61
	-18.8	-19	73.59	20.42	73.26	21.82	73.26	23.20	72.88	23.90	72.88	24.55	72.51	25.95
	-16.7	-17	76.45	21.37	76.08	22.69	75.75	24.05	75.75	24.70	75.75	25.36	75.37	26.70
	-13.7	-15	79.64	22.37	79.31	23.64	78.94	24.94	78.94	25.55	78.57	26.21	78.57	27.50
	-11.8	-13	82.84	23.35	82.84	24.60	82.51	25.81	82.13	26.42	82.13	27.06	81.76	28.26
	-9.8	-11	86.78	24.38	86.41	25.55	86.03	26.72	86.03	27.31	86.03	27.88	85.7	29.09
	-9.5	-10	88.89	24.89	88.52	26.04	88.19	27.16	88.19	27.76	87.82	28.31	87.82	29.43
	-8.5	-9.1	90.68	25.32	90.31	26.42	90.31	27.57	89.97	28.12	89.97	28.67	89.6	29.81
	-7	-7.6	93.87	26.06	93.87	27.16	93.5	28.22	93.5	28.77	93.17	29.28	92.79	30.39
	-5	-5.6	98.85	27.06	98.48	28.10	98.15	29.11	98.15	29.62	97.77	30.11	97.77	31.13
	-3	-3.7	103.45	27.93	103.12	28.92	103.12	29.88	102.75	30.39	102.75	30.87	102.38	31.83
	0	-0.7	111.63	29.28	111.63	30.22	111.29	31.09	111.29	31.42	110.92	32.00	110.92	32.89
	3	2.2	120.5	30.49	120.17	31.36	119.84	32.21	119.84	32.59	119.84	33.04	119.47	33.86
	5	4.1	126.56	31.28	126.23	32.08	126.23	32.87	125.85	33.27	125.85	33.65	125.52	34.44
	7	6	132.99	32.02	132.62	32.76	132.62	33.52	132.24	33.88	132.24	34.24	126.93	32.89
	9	7.9	139.71	32.65	139.38	33.42	139.38	34.10	139	34.48	136.18	33.74	126.93	30.92
	11	9.8	146.84	33.33	146.47	33.99	145.77	34.44	140.79	33.08	136.18	31.72	126.93	29.11
120%	-19.8	-20	72.18	21.88	71.8	23.15	71.47	24.49	71.47	25.11	71.47	25.76	71.1	27.10
	-18.8	-19	73.26	22.29	72.88	23.56	72.88	24.85	72.55	25.49	72.55	26.14	72.18	27.42
	-16.7	-17	76.08	23.15	75.75	24.43	75.25	25.61	75.37	26.25	75.37	26.87	75.04	28.10
	-13.7	-15	79.31	24.09	78.94	25.25	78.57	26.42	78.57	27.06	78.57	27.65	78.23	28.82
	-11.8	-13	82.51	25.00	82.51	26.14	82.13	27.27	82.13	27.86	81.8	28.41	81.8	29.54
	-9.8	-11	86.41	25.95	86.03	27.04	86.03	28.12	85.7	28.67	85.7	29.20	85.33	30.28
	-9.5	-10	88.56	26.42	88.19	27.50	87.82	28.54	87.82	29.09	87.82	29.60	87.48	30.66
	-8.5	-9.1	90.31	26.82	89.97	27.86	89.97	28.88	89.6	29.41	89.6	29.94	89.23	30.98
	-7	-7.6	93.5	27.54	93.5	28.54	93.17	29.49	93.17	30.02	92.79	30.49	92.79	31.49
	-5	-5.6	98.48	28.41	98.15	29.37	97.77	30.32	97.77	30.81	97.77	31.28	97.44	32.21
	-3	-3.7	103.12	29.26	103.12	30.17	102.75	31.04	102.75	31.49	102.42	31.98	102.42	32.87
	0	-0.7	111.29	30.49	111.29	31.36	110.92	32.15	110.92	32.59	110.59	32.99	110.59	33.86
	3	2.2	120.17	31.64	119.84	32.42	119.84	33.18	119.47	33.59	119.47	33.95	116.98	33.78
	5	4.1	126.23	32.34	125.85	33.08	125.85	33.82	125.52	34.16	125.52	34.54	116.98	31.72
	7	6	132.62	32.99	132.62	33.69	132.28	34.39	130.13	33.93	125.85	32.53	116.98	29.86
	9	7.9	139.38	33.65	139.05	34.33	134.4	33.18	130.13	31.87	125.85	30.58	116.98	28.10
	11	9.8	146.47	34.24	142.95	33.65	134.4	31.21	130.13	29.98	125.85	28.77	116.98	26.48
	13	11.8	151.82	33.93	142.95	31.55	134.4	29.26	130.13	28.16	125.85	27.06	116.98	24.89
110%	-19.8	-20	71.8	23.77	71.47	24.96	71.1	26.17	71.1	26.76	71.14	27.35	70.77	28.56
	-18.8	-19	72.88	24.15	72.55	25.32	72.55	26.51	72.55	27.10	72.18	27.67	72.18	28.86
	-16.7	-17	75.75	24.96	75.37	26.10	76.45	27.25	75.04	27.78	75.04	28.37	74.67	29.47
	-13.7	-15	78.94	25.81	78.61	26.91	78.23	27.97	78.23	28.54	78.23	29.09	77.86	30.15
	-11.8	-13	82.13	26.70	82.13	27.71	81.76	28.75	81.76	29.26	81.43	29.77	81.43	30.83
	-9.8	-11	86.03	27.54	85.7	28.54	85.7	29.52	85.33	30.02	85.33	30.49	85.33	31.49
	-9.5	-10	88.19	27.97	87.82	28.92	87.44	29.92	87.44	30.39	87.44	30.87	87.11	31.83
	-8.5	-9.1	89.97	28.33	89.6	29.30	89.6	30.26	89.23	30.72	89.23	31.21	89.23	28.43
	-7	-7.6	93.17	28.99	93.17	29.88	92.79	30.81	92.79	31.28	92.79	31.72	92.46	32.63
	-5	-5.6	98.15	29.81	97.77	30.70	97.44	31.53	97.44	31.98	97.44	32.42	97.07	33.31
	-3	-3.7	102.75	30.58	102.75	31.38	102.42	32.23	102.42	32.63	102.04	33.04	102.04	33.88
	0	-0.7	110.92	31.72	110.92	32.48	110.59	33.27	110.59	33.63	110.59	34.03	107.4	33.38
	3	2.2	119.84	32.78	119.47	33.48	119.47	34.16	119.09	34.50	115.19	33.10	107.4	30.36
	5	4.1	125.85	33.42	125.85	34.10	123.37	33.78	119.09	32.42	115.19	31.13	107.4	28.56
	7	6	132.24	34.03	131.21	34.24	123.37	31.72	119.09	30.47	115.19	29.26	107.4	26.87
	9	7.9	139	34.58	131.21	32.21	123.37	29.83	119.09	28.67	115.19	27.54	107.4	25.32
	11	9.8	139	32.53	131.21	30.28	123.37	28.10	119.09	27.04	115.19	25.95	107.4	23.90
	13	11.8	139	30.49	131.21	28.41	123.37	26.38	119.09	25.40	115.19	24.43	107.4	22.50
	15	13.7	139	27.10	131.21	26.80	123.37	24.94	119.09	23.98	115.19	23.09	107.4	21.29

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1000W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	71.47	25.70	71.1	26.76	71.1	27.86	70.77	28.41	70.77	28.92	70.39	30.02
	-18.8	-19	72.55	26.04	72.55	27.10	72.18	28.16	72.18	28.71	71.85	29.26	71.85	30.32
	-16.7	-17	75.37	26.76	75	27.78	75	28.82	74.67	29.33	74.67	29.83	74.67	30.87
	-13.7	-15	78.57	27.54	78.23	28.54	77.86	29.52	77.86	30.02	77.86	30.49	77.53	31.49
	-11.8	-13	81.8	28.33	81.8	29.26	81.43	30.22	81.43	30.70	81.43	31.17	81.05	32.10
	-9.8	-11	85.7	29.11	85.33	30.02	85.33	30.92	85.33	31.38	84.95	31.83	84.95	32.70
	-9.5	-10	87.82	29.52	87.48	30.39	87.48	31.28	87.11	31.72	87.11	32.15	86.74	33.04
	-8.5	-9.1	89.6	29.83	89.23	30.72	89.23	31.57	89.23	32.00	88.89	32.44	88.89	33.31
	-7	-7.6	92.79	30.43	92.79	31.28	92.46	32.08	92.46	32.53	92.46	32.93	92.09	33.78
	-5	-5.6	97.77	31.21	97.4	31.98	97.4	32.78	97.07	33.14	97.07	33.54	96.69	34.37
	-3	-3.7	102.42	31.89	102.42	28.96	102.04	33.42	102.04	33.78	102.04	34.14	97.77	32.70
	0	-0.7	110.59	32.93	110.59	33.61	110.22	34.33	108.43	33.78	104.91	32.38	97.77	29.71
	3	2.2	119.47	33.88	119.09	34.50	112	31.93	108.43	30.70	104.91	29.47	97.77	27.06
	5	4.1	125.52	34.50	119.09	32.42	112	30.02	108.43	28.88	104.91	27.76	97.77	25.51
	7	6	126.23	32.76	119.09	30.47	112	28.28	108.43	27.20	104.91	26.14	97.77	24.05
	9	7.9	126.23	30.77	119.09	28.67	112	26.61	108.43	25.28	104.91	24.64	97.77	22.69
90%	11	9.8	126.23	28.96	119.09	27.01	112	25.11	108.43	24.15	104.91	23.22	97.77	21.44
	13	11.8	126.23	27.20	119.09	25.40	112	23.64	108.43	22.75	104.91	21.92	97.77	20.23
	15	13.7	126.23	25.66	119.09	23.98	112	22.33	108.43	21.50	104.91	20.72	97.77	19.17
	-19.8	-20	70.97	27.61	70.64	28.56	70.64	29.54	70.27	30.02	70.27	30.53	70.27	31.49
	-18.8	-19	72.05	27.88	72.05	28.88	71.68	29.83	71.68	30.32	71.68	30.81	71.35	31.76
	-16.7	-17	74.87	28.60	74.54	29.52	74.54	30.43	74.54	30.92	74.17	31.36	74.17	32.27
	-13.7	-15	78.07	29.28	77.74	30.17	77.74	31.04	77.36	31.49	77.36	31.93	77.36	32.82
	-11.8	-13	81.26	29.98	81.26	30.83	80.93	31.68	80.93	32.10	80.93	32.53	80.56	33.38
	-9.8	-11	85.2	30.70	85.2	31.49	84.83	32.31	84.83	32.70	84.83	33.14	84.46	33.95
	-9.5	-10	87.32	31.04	86.95	31.87	86.95	32.63	86.61	33.04	86.61	33.44	86.61	34.20
	-8.5	-9.1	89.1	31.38	89.1	32.15	88.73	32.93	88.73	33.31	88.73	33.69	87.65	34.03
	-7	-7.6	92.3	31.89	92.3	32.63	91.92	33.40	91.92	33.78	91.92	34.14	87.65	32.48
	-5	-5.6	97.23	32.59	96.9	33.31	96.9	33.99	96.53	34.37	94.04	33.31	87.65	30.53
	-3	-3.7	101.88	33.21	101.88	33.88	100.8	34.03	97.23	32.65	94.04	31.36	87.65	28.77
	0	-0.7	110.38	34.16	107.19	33.33	100.8	30.87	97.23	29.66	94.04	28.48	87.65	26.17
	3	2.2	113.58	32.55	107.19	30.32	100.8	28.12	97.23	27.06	94.04	26.00	87.65	23.94
80%	5	4.1	113.58	30.60	107.19	28.54	100.8	26.51	97.23	25.49	94.04	24.53	87.65	22.58
	7	6	113.58	28.77	107.19	26.87	100.8	24.96	97.23	24.05	94.04	23.11	87.65	21.33
	9	7.9	113.58	27.14	107.19	25.28	100.8	23.54	97.23	22.67	94.04	21.84	87.65	20.17
	11	9.8	113.58	25.55	107.19	23.88	100.8	22.26	97.23	21.44	94.04	20.63	87.65	19.08
	13	11.8	113.58	24.05	107.19	22.50	100.8	20.95	97.23	20.23	94.04	19.49	87.65	18.02
	15	13.7	113.58	22.71	107.19	21.27	100.8	19.87	97.23	19.17	94.04	18.45	87.65	17.11
	-19.8	-20	70.77	29.49	70.39	30.36	70.39	31.25	70.39	31.68	70.02	32.10	70.02	32.97
	-18.8	-19	71.8	29.77	71.8	30.66	71.47	31.49	71.47	31.93	71.47	32.34	71.1	33.21
	-16.7	-17	74.67	30.39	74.33	31.21	74.33	32.04	74.33	32.44	74.33	32.87	73.96	33.65
	-13.7	-15	77.86	31.02	77.53	31.78	77.53	32.59	77.53	32.97	77.16	33.38	77.16	34.16
	-11.8	-13	81.05	31.64	81.05	32.42	80.72	33.14	80.72	33.50	80.72	33.93	78.23	32.99
	-9.8	-11	85	32.27	85	32.99	84.62	33.71	84.62	34.05	83.92	33.99	78.23	31.17
	-9.5	-10	87.11	32.59	86.74	33.29	86.78	33.99	86.78	34.37	83.92	32.99	78.23	30.26
	-8.5	-9.1	88.89	32.89	82.63	33.59	88.52	34.24	86.78	33.48	83.92	32.10	78.23	29.43
	-7	-7.6	92.09	33.38	92.09	34.03	89.6	33.29	86.78	31.98	83.92	30.70	78.23	28.16
	-5	-5.6	97.07	33.95	95.28	33.78	89.6	31.28	86.78	30.05	83.92	28.84	78.23	26.51
-3	-3.7	100.97	34.14	95.28	31.78	89.6	29.43	86.78	28.33	83.92	27.20	78.23	25.04	
0	-0.7	100.97	30.98	95.28	28.84	89.6	26.80	86.78	25.81	83.92	24.77	78.23	22.84	
3	2.2	100.97	28.22	95.28	26.31	89.6	24.49	86.78	23.56	83.92	22.67	78.23	20.93	
5	4.1	100.97	26.59	95.28	24.81	89.6	23.09	86.78	22.26	83.92	21.44	78.23	19.78	
7	6	100.97	25.04	95.28	23.43	89.6	21.82	86.78	21.03	83.92	20.27	78.23	18.72	
9	7.9	100.97	23.64	95.28	22.09	89.6	20.59	86.78	19.87	83.92	19.17	78.23	17.73	
11	9.8	100.97	22.33	95.28	20.89	89.6	19.49	86.78	18.79	83.92	18.13	78.23	16.81	
13	11.8	100.97	21.03	95.28	19.72	89.6	18.43	86.78	17.77	83.92	17.15	78.23	15.88	
15	13.7	100.97	19.89	95.28	18.68	89.6	17.47	86.78	16.84	83.92	16.26	78.23	15.12	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1000W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	70.23	31.42	69.9	32.15	69.9	32.93	69.9	33.29	69.9	33.69	68.11	33.33
	-18.8	-19	71.31	31.68	71.31	32.42	70.93	33.14	70.93	33.50	70.93	33.93	68.11	32.63
	-16.7	-17	74.13	32.21	74.13	32.93	73.8	33.61	73.8	33.99	73.09	30.28	68.11	31.13
	-13.7	-15	77.32	32.76	76.99	33.44	76.99	34.14	75.58	33.61	73.09	32.27	68.11	29.60
	-11.8	-13	80.52	33.29	80.52	33.95	78.4	33.14	75.58	31.87	73.09	30.58	68.11	28.05
	-9.8	-11	84.41	33.84	83.38	33.82	78.4	31.32	75.58	30.11	73.09	28.88	68.11	26.55
	-9.5	-10	86.57	34.14	83.38	32.82	78.4	30.39	75.58	29.22	73.09	28.10	68.11	25.81
	-8.5	-9.1	88.31	34.33	83.38	31.93	78.4	29.60	75.58	28.43	73.09	27.33	68.11	25.15
	-7	-7.6	88.31	32.78	83.38	30.49	78.4	28.31	75.58	27.23	73.09	26.17	68.11	24.09
	-5	-5.6	88.31	30.81	83.38	28.71	78.4	26.65	75.58	25.61	73.09	30.28	68.11	22.71
	-3	-3.7	88.31	28.99	83.38	27.06	78.4	25.15	75.58	24.19	73.09	23.26	68.11	21.48
	0	-0.7	88.31	26.38	83.38	24.66	78.4	22.94	75.58	22.09	73.09	21.29	68.11	19.68
	3	2.2	88.31	24.11	83.38	22.58	78.4	21.03	75.58	20.27	73.09	19.53	68.11	18.04
	5	4.1	88.31	22.75	83.38	21.29	78.4	19.89	75.58	19.17	73.09	18.45	68.11	17.11
	7	6	88.31	21.50	83.38	20.17	78.4	18.79	75.58	18.13	73.09	17.49	68.11	16.22
9	7.9	88.31	20.33	83.38	19.04	78.4	17.81	75.58	17.18	73.09	16.60	68.11	15.37	
11	9.8	88.31	19.23	83.38	18.02	78.4	16.88	75.58	16.28	73.09	15.75	68.11	14.61	
13	11.8	88.31	18.17	83.38	17.07	78.4	15.99	75.58	15.46	73.09	14.89	68.11	13.89	
15	13.7	88.31	17.22	83.38	16.18	78.4	15.16	75.58	14.67	73.09	14.16	68.11	13.21	
60%	-19.8	-20	70.06	33.33	69.69	33.95	67.2	32.65	65.08	31.38	62.93	30.15	58.65	27.65
	-18.8	-19	71.1	33.54	71.1	34.16	67.2	31.98	65.08	30.72	62.93	29.47	58.65	27.06
	-16.7	-17	73.96	33.99	71.47	32.93	67.2	30.49	65.08	29.33	62.93	28.16	58.65	25.87
	-13.7	-15	75.75	33.61	71.47	31.28	67.2	28.99	65.08	27.88	62.93	26.78	58.65	24.62
	-11.8	-13	75.75	31.83	71.47	29.62	67.2	27.50	65.08	26.48	62.93	25.44	58.65	23.54
	-9.8	-11	75.75	30.05	71.47	27.99	67.2	26.04	65.08	25.04	62.93	24.09	58.65	22.20
	-9.5	-10	75.75	29.22	71.47	27.23	67.2	25.28	65.08	24.38	62.93	23.43	58.65	21.59
	-8.5	-9.1	75.75	28.43	71.47	26.55	67.2	24.66	65.08	23.75	62.93	22.84	58.65	21.06
	-7	-7.6	75.75	27.20	71.47	25.40	67.2	23.60	65.08	22.75	62.93	21.88	58.65	20.23
	-5	-5.6	75.75	25.61	71.47	23.94	67.2	22.29	65.08	21.48	62.93	20.65	58.65	19.13
	-3	-3.7	75.75	24.19	71.47	22.60	67.2	21.06	65.08	20.33	62.93	19.55	58.65	18.11
	0	-0.7	75.75	22.09	71.47	20.72	67.2	19.32	65.08	18.66	62.93	17.94	58.65	16.62
	3	2.2	75.75	20.27	71.47	19.00	67.2	17.77	65.08	17.15	62.93	16.56	58.65	15.33
	5	4.1	75.75	19.17	71.47	17.98	67.2	16.81	65.08	16.26	62.93	15.67	58.65	14.57
	7	6	75.75	18.13	71.47	17.05	67.2	15.92	65.08	15.42	62.93	14.89	58.65	13.83
9	7.9	75.75	17.18	71.47	16.16	67.2	15.12	65.08	14.65	62.93	14.12	58.65	13.17	
11	9.8	75.75	16.28	71.47	15.33	67.2	14.38	65.08	13.93	62.93	13.44	58.65	12.55	
13	11.8	75.75	15.42	71.47	14.55	67.2	13.66	65.08	13.21	62.93	12.76	58.65	11.94	
15	13.7	75.75	14.67	71.47	13.80	67.2	13.00	65.08	12.60	62.93	12.17	58.65	11.39	
50%	-19.8	-20	63.09	30.32	59.53	28.22	56	26.21	53.88	25.25	52.1	24.26	48.57	22.37
	-18.8	-19	63.09	29.66	59.53	27.65	56	25.70	53.88	24.70	52.1	23.75	48.57	21.92
	-16.7	-17	63.09	28.31	59.53	26.38	56	24.55	53.88	23.64	52.1	22.75	48.57	20.99
	-13.7	-15	63.09	26.93	59.53	25.15	56	23.39	53.88	22.54	52.1	21.69	48.57	20.04
	-11.8	-13	63.09	25.59	59.53	23.90	56	22.26	53.88	21.44	52.1	20.61	48.57	19.08
	-9.8	-11	63.09	24.21	59.53	22.65	56	21.10	53.88	20.33	52.1	19.59	48.57	18.13
	-9.5	-10	63.09	23.56	59.53	22.03	56	20.55	53.88	19.83	52.1	19.08	48.57	17.66
	-8.5	-9.1	63.09	22.99	59.53	21.50	56	20.04	53.88	19.34	52.1	18.66	48.57	17.26
	-7	-7.6	63.09	22.03	59.53	20.61	56	19.23	53.88	18.55	52.1	17.92	48.57	16.60
	-5	-5.6	63.09	20.78	59.53	19.49	56	18.21	53.88	17.60	52.1	16.94	48.57	15.71
	-3	-3.7	63.09	19.68	59.53	18.45	56	17.26	53.88	16.67	52.1	16.07	48.57	14.95
	0	-0.7	63.09	18.04	59.53	16.94	56	15.88	53.88	15.33	52.1	14.82	48.57	13.80
	3	2.2	63.09	16.62	59.53	15.65	56	14.65	53.88	14.16	52.1	13.70	48.57	12.76
	5	4.1	63.09	15.78	59.53	14.82	56	13.93	53.88	13.49	52.1	13.04	48.57	12.15
	7	6	63.09	14.99	59.53	14.10	56	13.25	53.88	12.81	52.1	12.40	48.57	11.60
9	7.9	63.09	14.21	59.53	13.40	56	12.60	53.88	12.21	52.1	11.83	48.57	11.05	
11	9.8	63.09	13.51	59.53	12.72	56	12.00	53.88	11.64	52.1	11.28	48.57	10.54	
13	11.8	63.09	12.85	59.53	12.11	56	11.43	53.88	11.09	52.1	10.71	48.57	10.05	
15	13.7	63.09	12.21	59.53	11.56	56	10.90	53.88	10.56	52.1	10.24	48.57	9.61	

38HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1065W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	77.04	20.00	76.69	21.40	76.34	22.83	76.34	23.53	75.94	24.22	75.94	25.66
	-18.8	-19	78.19	20.45	77.83	21.85	77.83	23.23	77.44	23.93	77.44	24.59	77.04	25.99
	-16.7	-17	81.23	21.40	80.83	22.73	80.48	24.08	80.48	24.74	80.48	25.41	80.08	26.73
	-13.7	-15	84.62	22.39	84.27	23.67	83.87	24.97	83.87	25.60	83.48	26.25	83.48	27.53
	-11.8	-13	88.02	23.38	88.02	24.62	87.66	25.85	87.27	26.46	87.27	27.08	86.87	28.30
	-9.8	-11	92.2	24.40	91.81	25.60	91.41	26.76	91.41	27.35	91.41	27.92	91.06	29.12
	-9.5	-10	94.45	24.93	94.05	26.07	93.7	27.20	93.7	27.79	93.3	28.34	93.3	29.48
	-8.5	-9.1	96.35	25.37	95.95	26.46	95.95	27.60	95.6	28.15	95.6	28.71	95.2	29.86
	-7	-7.6	99.74	26.10	99.74	27.20	99.34	28.27	99.34	28.82	98.99	29.33	98.59	30.43
	-5	-5.6	105.03	27.08	104.63	28.12	104.28	29.15	104.28	29.67	103.88	30.14	103.88	31.17
	-3	-3.7	109.92	27.96	109.57	28.97	109.57	29.93	109.17	30.43	109.17	30.91	108.77	31.87
	0	-0.7	118.6	29.33	118.6	30.26	118.25	31.13	118.25	31.46	117.85	32.05	117.85	32.94
	3	2.2	128.04	30.54	127.68	31.39	127.33	32.24	127.33	32.64	127.33	33.09	126.93	33.89
	5	4.1	134.47	31.32	134.12	32.13	134.12	32.91	133.72	33.31	133.72	33.71	133.37	34.47
	7	6	141.3	32.06	140.9	32.80	140.9	33.57	140.51	33.93	140.51	34.29	134.87	32.94
	9	7.9	148.44	32.71	148.09	33.45	148.09	34.15	147.69	34.51	144.7	33.79	134.87	30.95
	11	9.8	156.02	33.38	155.63	34.04	154.88	34.47	149.59	33.12	144.7	31.77	134.87	29.15
120%	-19.8	-20	76.69	21.91	76.29	23.19	75.94	24.52	75.94	25.15	75.94	25.82	75.54	27.13
	-18.8	-19	77.83	22.32	77.44	23.60	77.44	24.88	77.09	25.52	77.09	26.18	76.69	27.46
	-16.7	-17	80.83	23.19	80.48	24.44	79.95	25.66	80.08	26.28	80.08	26.90	79.73	28.12
	-13.7	-15	84.27	24.12	83.87	25.29	83.48	26.46	83.48	27.09	83.48	27.67	83.12	28.87
	-11.8	-13	87.66	25.03	87.66	26.18	87.27	27.31	87.27	27.89	86.91	28.46	86.91	29.59
	-9.8	-11	91.81	25.99	91.41	27.05	91.41	28.15	91.06	28.71	91.06	29.23	90.66	30.33
	-9.5	-10	94.1	26.46	93.7	27.53	93.3	28.57	93.3	29.12	93.3	29.64	92.95	30.69
	-8.5	-9.1	95.95	26.85	95.6	27.89	95.6	28.93	95.2	29.45	95.2	30.00	94.8	31.01
	-7	-7.6	99.34	27.57	99.34	28.57	98.99	29.55	98.99	30.07	98.59	30.54	98.59	31.54
	-5	-5.6	104.63	28.46	104.28	29.41	103.88	30.35	103.88	30.84	103.88	31.32	103.53	32.24
	-3	-3.7	109.57	29.31	109.57	30.22	109.17	31.09	109.17	31.54	108.82	32.02	108.82	32.91
	0	-0.7	118.25	30.54	118.25	31.39	117.85	32.21	117.85	32.64	117.5	33.04	117.5	33.89
	3	2.2	127.68	31.68	127.33	32.46	127.33	33.23	126.93	33.64	126.93	34.00	124.29	33.82
	5	4.1	134.12	32.39	133.72	33.13	133.72	33.85	133.37	34.22	133.37	34.59	124.29	31.77
	7	6	140.9	33.04	140.9	33.75	140.55	34.44	138.26	33.97	133.72	32.57	124.29	29.90
	9	7.9	148.09	33.71	147.74	34.38	142.8	33.23	138.26	31.92	133.72	30.62	124.29	28.12
	11	9.8	155.63	34.29	151.88	33.71	142.8	31.24	138.26	30.03	133.72	28.82	124.29	26.51
110%	-19.8	-20	76.29	23.81	75.94	25.00	75.54	26.21	75.54	26.80	75.59	27.39	75.19	28.60
	-18.8	-19	77.44	24.18	77.09	25.37	77.09	26.54	77.09	27.13	76.69	27.70	76.69	28.91
	-16.7	-17	80.48	25.00	80.08	26.14	81.23	27.27	79.73	27.82	79.73	28.42	79.33	29.53
	-13.7	-15	83.87	25.85	83.52	26.94	83.12	28.01	83.12	28.57	83.12	29.12	82.73	30.19
	-11.8	-13	87.27	26.72	87.27	27.74	86.87	28.79	86.87	29.31	86.52	29.82	86.52	30.87
	-9.8	-11	91.41	27.57	91.06	28.57	91.06	29.56	90.66	30.07	90.66	30.54	90.66	31.54
	-9.5	-10	93.7	28.01	93.3	28.97	92.91	29.97	92.91	30.43	92.91	30.91	92.56	31.87
	-8.5	-9.1	95.6	28.37	95.2	29.34	95.2	30.30	94.8	30.76	94.8	31.24	94.8	31.49
	-7	-7.6	98.99	29.04	98.99	29.92	98.59	30.84	98.59	31.32	98.59	31.77	98.24	32.68
	-5	-5.6	104.28	29.86	103.88	30.73	103.53	31.58	103.53	32.02	103.53	32.46	103.13	33.36
	-3	-3.7	109.17	30.62	109.17	31.42	108.82	32.27	108.82	32.68	108.42	33.09	108.42	33.93
	0	-0.7	117.85	31.77	117.85	32.53	117.5	33.31	117.5	33.67	117.5	34.07	114.11	33.42
	3	2.2	127.33	32.83	126.93	33.53	126.93	34.22	126.54	34.55	122.39	33.15	114.11	30.40
	5	4.1	133.72	33.45	133.72	34.15	131.08	33.82	126.54	32.46	122.39	31.17	114.11	28.60
	7	6	140.51	34.07	139.41	34.29	131.08	31.77	126.54	30.51	122.39	29.31	114.11	26.90
	9	7.9	147.69	34.63	139.41	32.24	131.08	29.88	126.54	28.71	122.39	27.57	114.11	25.37
	11	9.8	147.69	32.57	139.41	30.33	131.08	28.12	126.54	27.05	122.39	25.99	114.11	23.93
	13	11.8	147.69	30.54	139.41	28.46	131.08	26.42	126.54	25.44	122.39	24.44	114.11	22.54
	15	13.7	147.69	27.13	139.41	26.83	131.08	24.97	126.54	24.00	122.39	23.12	114.11	21.31

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1065W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	75.94	25.74	75.54	26.80	75.54	27.89	75.19	28.46	75.19	28.97	74.79	30.07
	-18.8	-19	77.09	26.07	77.09	27.13	76.69	28.19	76.69	28.75	76.34	29.31	76.34	30.35
	-16.7	-17	80.08	26.80	79.69	27.82	79.69	28.87	79.33	29.37	79.33	29.88	79.33	30.91
	-13.7	-15	83.48	27.57	83.12	28.57	82.73	29.56	82.73	30.07	82.73	30.54	82.37	31.54
	-11.8	-13	86.91	28.37	86.91	29.31	86.52	30.26	86.52	30.73	86.52	31.20	86.12	32.17
	-9.8	-11	91.06	29.15	90.66	30.07	90.66	30.95	90.66	31.42	90.26	31.87	90.26	32.75
	-9.5	-10	93.3	29.56	92.95	30.43	92.95	31.32	92.56	31.77	92.56	32.21	92.16	33.08
	-8.5	-9.1	95.2	29.88	94.8	30.76	94.8	31.61	94.8	32.05	94.45	32.49	94.45	33.35
	-7	-7.6	98.59	30.47	98.59	31.32	98.24	32.13	98.24	32.57	98.24	32.97	97.84	33.82
	-5	-5.6	103.88	31.24	103.49	32.02	103.49	32.83	103.13	33.19	103.13	33.60	102.74	34.41
	-3	-3.7	108.82	31.95	108.82	29.01	108.42	33.45	108.42	33.82	108.42	34.19	103.88	32.75
	0	-0.7	117.5	32.97	117.5	33.66	117.1	34.38	115.21	33.82	111.46	32.42	103.88	29.74
	3	2.2	126.93	33.93	126.54	34.54	119	31.99	115.21	30.73	111.46	29.53	103.88	27.08
	5	4.1	133.37	34.54	126.54	32.46	119	30.07	115.21	28.93	111.46	27.79	103.88	25.55
	7	6	134.12	32.80	126.54	30.51	119	28.43	115.21	27.24	111.46	26.18	103.88	24.08
	9	7.9	134.12	30.79	126.54	28.71	119	26.64	115.21	25.32	111.46	24.66	103.88	22.73
90%	-19.8	-20	75.41	27.64	75.06	28.60	75.06	29.59	74.66	30.07	74.66	30.57	74.66	31.54
	-18.8	-19	76.56	27.92	76.56	28.93	76.16	29.88	76.16	30.35	76.16	30.84	75.81	31.80
	-16.7	-17	79.55	28.64	79.2	29.56	79.2	30.47	79.2	30.95	78.8	31.39	78.8	32.31
	-13.7	-15	82.95	29.33	82.59	30.22	82.59	31.09	82.2	31.54	82.2	31.99	82.2	32.87
	-11.8	-13	86.34	30.03	86.34	30.87	85.99	31.73	85.99	32.17	85.99	32.57	85.59	33.42
	-9.8	-11	90.53	30.73	90.53	31.54	90.13	32.35	90.13	32.75	90.13	33.19	89.73	34.00
	-9.5	-10	92.78	31.09	92.38	31.91	92.38	32.68	92.03	33.08	92.03	33.49	92.03	34.26
	-8.5	-9.1	94.67	31.42	94.67	32.21	94.27	32.97	94.27	33.35	94.27	33.75	93.13	34.07
	-7	-7.6	98.06	31.95	98.06	32.68	97.67	33.44	97.67	33.82	97.67	34.19	93.13	32.53
	-5	-5.6	103.31	32.64	102.96	33.35	102.96	34.04	102.56	34.41	99.92	33.35	93.13	30.57
	-3	-3.7	108.25	33.26	108.25	33.93	107.1	34.07	103.31	32.71	99.92	31.39	93.13	28.82
	0	-0.7	117.28	34.22	113.89	33.38	107.1	30.91	103.31	29.71	99.92	28.52	93.13	26.21
	3	2.2	120.67	32.61	113.89	30.35	107.1	28.15	103.31	27.08	99.92	26.03	93.13	23.97
	5	4.1	120.67	30.64	113.89	28.57	107.1	26.54	103.31	25.52	99.92	24.56	93.13	22.61
	7	6	120.67	28.82	113.89	26.90	107.1	25.00	103.31	24.08	99.92	23.15	93.13	21.35
	9	7.9	120.67	27.17	113.89	25.32	107.1	23.56	103.31	22.72	99.92	21.88	93.13	20.19
80%	-19.8	-20	75.19	29.55	74.79	30.40	74.79	31.29	74.79	31.73	74.4	32.17	74.4	33.01
	-18.8	-19	76.29	29.81	76.29	30.69	75.94	31.54	75.94	31.99	75.94	32.39	75.54	33.26
	-16.7	-17	79.33	30.43	78.98	31.24	78.98	32.09	78.98	32.49	78.98	32.90	78.58	33.71
	-13.7	-15	82.73	31.06	82.37	31.83	82.37	32.64	82.37	33.01	81.98	33.42	81.98	34.22
	-11.8	-13	86.12	31.68	86.12	32.46	85.77	33.19	85.77	33.56	85.77	33.97	83.12	33.04
	-9.8	-11	90.31	32.31	90.31	33.04	89.91	33.78	89.91	34.10	89.16	34.04	83.12	31.20
	-9.5	-10	92.56	32.64	92.16	33.34	92.2	34.04	92.2	34.41	89.16	33.04	83.12	30.30
	-8.5	-9.1	94.45	32.93	87.8	33.64	94.05	34.29	92.2	33.53	89.16	32.17	83.12	29.48
	-7	-7.6	97.84	33.42	97.84	34.07	95.2	33.34	92.2	32.02	89.16	30.73	83.12	28.19
	-5	-5.6	103.13	34.00	101.24	33.82	95.2	31.32	92.2	30.10	89.16	28.90	83.12	26.54
	-3	-3.7	107.28	34.19	101.24	31.83	95.2	29.48	92.2	28.37	89.16	27.24	83.12	25.07
	0	-0.7	107.28	31.01	101.24	28.90	95.2	26.83	92.2	25.85	89.16	24.80	83.12	22.86
	3	2.2	107.28	28.27	101.24	26.35	95.2	24.52	92.2	23.59	89.16	22.72	83.12	20.95
	5	4.1	107.28	26.62	101.24	24.84	95.2	23.12	92.2	22.28	89.16	21.47	83.12	19.81
	7	6	107.28	25.07	101.24	23.46	95.2	21.84	92.2	21.07	89.16	20.29	83.12	18.74
	9	7.9	107.28	23.67	101.24	22.13	95.2	20.62	92.2	19.89	89.16	19.19	83.12	17.76

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1065W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	74.62	31.46	74.26	32.21	74.26	32.97	74.26	33.34	74.26	33.75	72.37	33.38
	-18.8	-19	75.76	31.72	75.76	32.46	75.37	33.19	75.37	33.56	75.37	33.97	72.37	32.68
	-16.7	-17	78.76	32.24	78.76	32.97	78.41	33.66	78.41	34.04	77.66	30.33	72.37	31.17
	-13.7	-15	82.15	32.80	81.8	33.49	81.8	34.19	80.3	33.66	77.66	32.31	72.37	29.64
	-11.8	-13	85.55	33.34	85.55	34.00	83.3	33.19	80.3	31.91	77.66	30.62	72.37	28.08
	-9.8	-11	89.69	33.88	88.59	33.85	83.3	31.36	80.3	30.14	77.66	28.93	72.37	26.58
	-9.5	-10	91.98	34.19	88.59	32.87	83.3	30.43	80.3	29.26	77.66	28.12	72.37	25.85
	-8.5	-9.1	93.83	34.38	88.59	31.99	83.3	29.64	80.3	28.49	77.66	27.38	72.37	25.19
	-7	-7.6	93.83	32.82	88.59	30.54	83.3	28.34	80.3	27.27	77.66	26.21	72.37	24.12
	-5	-5.6	93.83	30.84	88.59	28.75	83.3	26.68	80.3	25.66	77.66	30.33	72.37	22.75
	-3	-3.7	93.83	29.04	88.59	27.08	83.3	25.19	80.3	24.22	77.66	23.30	72.37	21.50
	0	-0.7	93.83	26.42	88.59	24.70	83.3	22.97	80.3	22.13	77.66	21.31	72.37	19.70
	3	2.2	93.83	24.15	88.59	22.61	83.3	21.07	80.3	20.29	77.66	19.56	72.37	18.08
	5	4.1	93.83	22.79	88.59	21.31	83.3	19.92	80.3	19.19	77.66	18.47	72.37	17.14
	7	6	93.83	21.53	88.59	20.19	83.3	18.82	80.3	18.16	77.66	17.53	72.37	16.25
9	7.9	93.83	20.36	88.59	19.07	83.3	17.83	80.3	17.20	77.66	16.62	72.37	15.39	
11	9.8	93.83	19.26	88.59	18.05	83.3	16.91	80.3	16.32	77.66	15.77	72.37	14.63	
13	11.8	93.83	18.20	88.59	17.10	83.3	16.00	80.3	15.48	77.66	14.92	72.37	13.90	
15	13.7	93.83	17.24	88.59	16.21	83.3	15.17	80.3	14.70	77.66	14.18	72.37	13.24	
60%	-19.8	-20	74.44	33.38	74.04	34.00	71.4	32.71	69.15	31.42	66.86	30.18	62.32	27.67
	-18.8	-19	75.54	33.60	75.54	34.22	71.4	32.02	69.15	30.76	66.86	29.52	62.32	27.08
	-16.7	-17	78.58	34.04	75.94	32.97	71.4	30.54	69.15	29.37	66.86	28.19	62.32	25.92
	-13.7	-15	80.48	33.66	75.94	31.32	71.4	29.04	69.15	27.92	66.86	26.82	62.32	24.65
	-11.8	-13	80.48	31.87	75.94	29.66	71.4	27.53	69.15	26.51	66.86	25.48	62.32	23.56
	-9.8	-11	80.48	30.10	75.94	28.04	71.4	26.07	69.15	25.07	66.86	24.12	62.32	22.23
	-9.5	-10	80.48	29.26	75.94	27.27	71.4	25.32	69.15	24.40	66.86	23.45	62.32	21.61
	-8.5	-9.1	80.48	28.49	75.94	26.58	71.4	24.70	69.15	23.77	66.86	22.86	62.32	21.10
	-7	-7.6	80.48	27.24	75.94	25.44	71.4	23.63	69.15	22.79	66.86	21.91	62.32	20.26
	-5	-5.6	80.48	25.66	75.94	23.97	71.4	22.32	69.15	21.50	66.86	20.68	62.32	19.15
	-3	-3.7	80.48	24.22	75.94	22.64	71.4	21.10	69.15	20.36	66.86	19.59	62.32	18.13
	0	-0.7	80.48	22.13	75.94	20.73	71.4	19.34	69.15	18.67	66.86	17.98	62.32	16.65
	3	2.2	80.48	20.29	75.94	19.04	71.4	17.80	69.15	17.17	66.86	16.58	62.32	15.35
	5	4.1	80.48	19.19	75.94	18.01	71.4	16.84	69.15	16.29	66.86	15.70	62.32	14.58
	7	6	80.48	18.16	75.94	17.07	71.4	15.95	69.15	15.43	66.86	14.92	62.32	13.86
9	7.9	80.48	17.19	75.94	16.18	71.4	15.13	69.15	14.67	66.86	14.14	62.32	13.20	
11	9.8	80.48	16.32	75.94	15.35	71.4	14.40	69.15	13.94	66.86	13.46	62.32	12.57	
13	11.8	80.48	15.43	75.94	14.55	71.4	13.68	69.15	13.24	66.86	12.79	62.32	11.94	
15	13.7	80.48	14.70	75.94	13.83	71.4	13.02	69.15	12.61	66.86	12.20	62.32	11.40	
50%	-19.8	-20	67.04	30.35	63.25	28.27	59.5	26.25	57.25	25.29	55.36	24.30	51.61	22.39
	-18.8	-19	67.04	29.70	63.25	27.67	59.5	25.74	57.25	24.74	55.36	23.77	51.61	21.95
	-16.7	-17	67.04	28.34	63.25	26.42	59.5	24.59	57.25	23.67	55.36	22.79	51.61	21.03
	-13.7	-15	67.04	26.97	63.25	25.19	59.5	23.41	57.25	22.57	55.36	21.72	51.61	20.06
	-11.8	-13	67.04	25.63	63.25	23.93	59.5	22.28	57.25	21.47	55.36	20.65	51.61	19.11
	-9.8	-11	67.04	24.26	63.25	22.68	59.5	21.13	57.25	20.36	55.36	19.63	51.61	18.16
	-9.5	-10	67.04	23.59	63.25	22.06	59.5	20.58	57.25	19.85	55.36	19.11	51.61	17.69
	-8.5	-9.1	67.04	23.01	63.25	21.53	59.5	20.06	57.25	19.37	55.36	18.67	51.61	17.28
	-7	-7.6	67.04	22.06	63.25	20.65	59.5	19.26	57.25	18.59	55.36	17.95	51.61	16.62
	-5	-5.6	67.04	20.81	63.25	19.52	59.5	18.22	57.25	17.61	55.36	16.97	51.61	15.74
	-3	-3.7	67.04	19.70	63.25	18.47	59.5	17.28	57.25	16.69	55.36	16.10	51.61	14.95
	0	-0.7	67.04	18.08	63.25	16.97	59.5	15.91	57.25	15.35	55.36	14.85	51.61	13.83
	3	2.2	67.04	16.65	63.25	15.66	59.5	14.67	57.25	14.18	55.36	13.71	51.61	12.79
	5	4.1	67.04	15.80	63.25	14.85	59.5	13.94	57.25	13.49	55.36	13.06	51.61	12.16
	7	6	67.04	14.99	63.25	14.11	59.5	13.27	57.25	12.83	55.36	12.43	51.61	11.62
9	7.9	67.04	14.22	63.25	13.42	59.5	12.61	57.25	12.24	55.36	11.83	51.61	11.05	
11	9.8	67.04	13.53	63.25	12.75	59.5	12.02	57.25	11.65	55.36	11.28	51.61	10.55	
13	11.8	67.04	12.87	63.25	12.12	59.5	11.43	57.25	11.10	55.36	10.73	51.61	10.08	
15	13.7	67.04	12.24	63.25	11.58	59.5	10.92	57.25	10.58	55.36	10.25	51.61	9.63	

40HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1130W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	81.9	21.60	81.52	23.10	81.15	24.65	81.15	25.40	80.73	26.16	80.73	27.69
	-18.8	-19	83.12	22.07	82.74	23.58	82.74	25.08	82.32	25.83	82.32	26.55	81.9	28.06
	-16.7	-17	86.35	23.10	85.93	24.53	85.55	25.99	85.55	26.71	85.55	27.42	85.13	28.86
	-13.7	-15	89.96	24.17	89.58	25.55	89.16	26.95	89.16	27.62	88.74	28.35	88.74	29.73
	-11.8	-13	93.56	25.24	93.56	26.59	93.19	27.91	92.77	28.57	92.77	29.24	92.35	30.56
	-9.8	-11	98.01	26.36	97.59	27.62	97.17	28.89	97.17	29.51	97.17	30.15	96.8	31.44
	-9.5	-10	100.4	26.91	99.98	28.15	99.61	29.35	99.61	30.01	99.19	30.59	99.19	31.83
	-8.5	-9.1	102.42	27.38	102	28.57	102	29.80	101.62	30.40	101.62	30.99	101.2	32.23
	-7	-7.6	106.03	28.19	106.03	29.35	105.6	30.52	105.6	31.11	105.23	31.68	104.81	32.84
	-5	-5.6	111.65	29.24	111.23	30.37	110.85	31.48	110.85	32.04	110.43	32.55	110.43	33.65
	-3	-3.7	116.85	30.20	116.47	31.27	116.47	32.31	116.05	32.84	116.05	33.37	115.63	34.41
	0	-0.7	126.08	31.68	126.08	32.66	125.7	33.61	125.7	33.97	125.28	34.60	125.28	35.56
	3	2.2	136.1	32.96	135.73	33.89	135.36	34.81	135.36	35.24	135.36	35.72	134.93	36.60
	5	4.1	142.95	33.81	142.57	34.68	142.57	35.53	142.15	35.96	142.15	36.39	141.77	37.22
	7	6	150.21	34.60	149.79	35.41	149.79	36.24	149.36	36.62	149.36	37.03	143.37	35.56
	9	7.9	157.8	35.32	157.42	36.11	157.42	36.87	157	37.27	153.81	36.47	143.37	33.42
120%	-19.8	-20	81.52	23.65	81.1	25.04	80.73	26.47	80.73	27.14	80.73	27.85	80.3	
	-18.8	-19	82.74	24.08	82.32	25.47	82.32	26.87	81.94	27.55	81.94	28.27	81.52	29.64
	-16.7	-17	85.93	25.04	85.55	26.39	84.99	27.69	85.13	28.38	85.13	29.04	84.76	30.37
	-13.7	-15	89.58	26.02	89.16	27.30	88.74	28.57	88.74	29.24	88.74	29.88	88.36	31.15
	-11.8	-13	93.19	27.03	93.19	28.27	92.77	29.48	92.77	30.12	92.39	30.72	92.39	31.95
	-9.8	-11	97.59	28.06	97.17	29.21	97.17	30.40	96.8	30.99	96.8	31.56	96.37	32.74
	-9.5	-10	100.03	28.57	99.61	29.73	99.19	30.84	99.19	31.44	99.19	32.00	98.81	33.13
	-8.5	-9.1	102	28.99	101.62	30.12	101.62	31.23	101.2	31.80	101.2	32.39	100.78	33.49
	-7	-7.6	105.6	29.77	105.6	30.84	105.23	31.90	105.23	32.46	104.81	32.96	104.81	34.05
	-5	-5.6	111.23	30.72	110.85	31.76	110.43	32.77	110.43	33.30	110.43	33.81	110.06	34.81
	-3	-3.7	116.47	31.64	116.47	32.62	116.05	33.56	116.05	34.05	115.68	34.57	115.68	35.53
	0	-0.7	125.7	32.96	125.7	33.89	125.28	34.76	125.28	35.25	124.91	35.67	124.91	36.60
	3	2.2	135.73	34.21	135.36	35.04	135.36	35.87	134.93	36.31	134.93	36.70	132.12	36.51
	5	4.1	142.57	34.96	142.15	35.76	142.15	36.55	141.77	36.95	141.77	37.34	132.12	34.29
	7	6	149.79	35.67	149.79	36.42	149.41	37.18	146.97	36.67	142.15	35.17	132.12	32.28
	9	7.9	157.42	36.39	157.05	37.12	151.8	35.87	146.97	34.45	142.15	33.05	132.12	30.37
	11	9.8	165.43	37.03	161.45	36.39	151.8	33.73	146.97	32.41	142.15	31.11	132.12	28.62
110%	-19.8	-20	81.1	25.70	80.73	26.98	80.3	28.30	80.3	28.94	80.35	29.56	79.93	30.88
	-18.8	-19	82.32	26.11	81.94	27.38	81.94	28.65	81.94	29.29	81.52	29.92	81.52	31.19
	-16.7	-17	85.55	26.98	85.13	28.22	86.35	29.44	84.76	30.03	84.76	30.67	84.33	31.87
	-13.7	-15	89.16	27.91	88.78	29.08	88.36	30.23	88.36	30.84	88.36	31.44	87.94	32.58
	-11.8	-13	92.77	28.84	92.77	29.96	92.35	31.08	92.35	31.64	91.97	32.20	91.97	33.33
	-9.8	-11	97.17	29.77	96.8	30.84	96.8	31.91	96.37	32.46	96.37	32.96	96.37	34.05
	-9.5	-10	99.61	30.23	99.19	31.27	98.76	32.35	98.76	32.84	98.76	33.37	98.39	34.41
	-8.5	-9.1	101.62	30.63	101.2	31.68	101.2	32.70	100.78	33.20	100.78	33.73	100.78	30.75
	-7	-7.6	105.23	31.34	105.23	32.30	104.81	33.30	104.81	33.81	104.81	34.29	104.43	35.29
	-5	-5.6	110.85	32.23	110.43	33.17	110.06	34.08	110.06	34.57	110.06	35.04	109.63	36.01
	-3	-3.7	116.05	33.05	116.05	33.93	115.68	34.84	115.68	35.29	115.26	35.72	115.26	36.62
	0	-0.7	125.28	34.29	125.28	35.13	124.91	35.96	124.91	36.35	124.91	36.78	121.3	36.07
	3	2.2	135.36	35.45	134.93	36.19	134.93	36.95	134.51	37.30	130.11	35.79	121.3	32.81
	5	4.1	142.15	36.11	142.15	36.87	139.34	36.51	134.51	35.04	130.11	33.65	121.3	30.88
	7	6	149.36	36.78	148.19	37.03	139.34	34.29	134.51	32.93	130.11	31.64	121.3	29.04
	9	7.9	157	37.38	148.19	34.80	139.34	32.25	134.51	30.99	130.11	29.77	121.3	27.38
	11	9.8	157	35.17	148.19	32.74	139.34	30.37	134.51	29.21	130.11	28.06	121.3	25.83
	13	11.8	157	32.96	148.19	30.72	139.34	28.53	134.51	27.47	130.11	26.39	121.3	24.33
	15	13.7	157	29.29	148.19	28.96	139.34	26.95	134.51	25.91	130.11	24.96	121.3	23.02

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1130W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	80.73	27.78	80.3	28.93	80.3	30.12	79.93	30.72	79.93	31.27	79.51	32.46
	-18.8	-19	81.94	28.15	81.94	29.28	81.52	30.44	81.52	31.03	81.15	31.64	81.15	32.77
	-16.7	-17	85.13	28.93	84.71	30.03	84.71	31.15	84.33	31.71	84.33	32.25	84.33	33.37
	-13.7	-15	88.74	29.77	88.36	30.84	87.94	31.91	87.94	32.46	87.94	32.96	87.57	34.05
	-11.8	-13	92.39	30.63	92.39	31.64	91.97	32.66	91.97	33.17	91.97	33.69	91.55	34.72
	-9.8	-11	96.8	31.48	96.37	32.46	96.37	33.42	96.37	33.93	95.95	34.41	95.95	35.36
	-9.5	-10	99.19	31.91	98.81	32.84	98.81	33.81	98.39	34.29	98.39	34.76	97.97	35.71
	-8.5	-9.1	101.2	32.25	100.78	33.20	100.78	34.13	100.78	34.60	100.4	35.09	100.4	36.00
	-7	-7.6	104.81	32.89	104.81	33.81	104.43	34.68	104.43	35.17	104.43	35.60	104.01	36.51
	-5	-5.6	110.43	33.73	110.01	34.57	110.01	35.45	109.63	35.83	109.63	36.26	109.21	37.15
	-3	-3.7	115.68	34.48	115.68	31.31	115.26	36.11	115.26	36.51	115.26	36.92	110.43	35.36
	0	-0.7	124.91	35.60	124.91	36.34	124.49	37.12	122.47	36.51	118.49	35.00	110.43	32.12
	3	2.2	134.93	36.62	134.51	37.30	126.5	34.52	122.47	33.17	118.49	31.87	110.43	29.24
	5	4.1	141.77	37.30	134.51	35.04	126.5	32.46	122.47	31.23	118.49	30.01	110.43	27.58
	7	6	142.57	35.41	134.51	32.93	126.5	30.61	122.47	29.40	118.49	28.27	110.43	25.99
	9	7.9	142.57	33.26	134.51	30.99	126.5	28.77	122.47	27.33	118.49	26.63	110.43	24.53
	11	9.8	142.57	31.31	134.51	29.20	126.5	27.14	122.47	26.11	118.49	25.11	110.43	23.18
90%	13	11.8	142.57	29.40	134.51	27.47	126.5	25.56	122.47	24.60	118.49	23.70	110.43	21.87
	15	13.7	142.57	27.74	134.51	25.91	126.5	24.13	122.47	23.26	118.49	22.38	110.43	20.72
	-19.8	-20	80.16	29.85	79.79	30.88	79.79	31.95	79.37	32.46	79.37	33.00	79.37	34.05
	-18.8	-19	81.38	30.15	81.38	31.23	80.96	32.25	80.96	32.77	80.96	33.30	80.59	34.33
	-16.7	-17	84.57	30.92	84.19	31.91	84.19	32.89	84.19	33.42	83.77	33.89	83.77	34.88
	-13.7	-15	88.18	31.68	87.8	32.62	87.8	33.56	87.38	34.05	87.38	34.52	87.38	35.49
	-11.8	-13	91.78	32.41	91.78	33.33	91.41	34.24	91.41	34.72	91.41	35.17	90.99	36.07
	-9.8	-11	96.23	33.17	96.23	34.05	95.81	34.93	95.81	35.36	95.81	35.83	95.39	36.70
	-9.5	-10	98.62	33.56	98.2	34.44	98.2	35.29	97.83	35.71	97.83	36.15	97.83	36.98
	-8.5	-9.1	100.64	33.93	100.64	34.76	100.22	35.60	100.22	36.00	100.22	36.42	99	36.78
	-7	-7.6	104.25	34.48	104.25	35.29	103.82	36.10	103.82	36.51	103.82	36.91	99	35.13
	-5	-5.6	109.82	35.24	109.45	36.00	109.45	36.75	109.02	37.15	106.21	36.00	99	33.00
	-3	-3.7	115.07	35.90	115.07	36.62	113.85	36.78	109.82	35.32	106.21	33.89	99	31.11
	0	-0.7	124.67	36.95	121.07	36.04	113.85	33.37	109.82	32.07	106.21	30.79	99	28.30
	3	2.2	128.28	35.20	121.07	32.77	113.85	30.40	109.82	29.24	106.21	28.11	99	25.86
	5	4.1	128.28	33.08	121.07	30.84	113.85	28.65	109.82	27.55	106.21	26.52	99	24.41
	7	6	128.28	31.11	121.07	29.04	113.85	26.98	109.82	25.99	106.21	25.00	99	23.06
80%	9	7.9	128.28	29.32	121.07	27.33	113.85	25.43	109.82	24.52	106.21	23.62	99	21.80
	11	9.8	128.28	27.62	121.07	25.80	113.85	24.05	109.82	23.18	106.21	22.30	99	20.63
	13	11.8	128.28	25.99	121.07	24.33	113.85	22.66	109.82	21.87	106.21	21.08	99	19.49
	15	13.7	128.28	24.56	121.07	22.98	113.85	21.47	109.82	20.72	106.21	19.95	99	18.50
	-19.8	-20	79.93	31.90	79.51	32.81	79.51	33.78	79.51	34.24	79.09	34.72	79.09	35.64
	-18.8	-19	81.1	32.19	81.1	33.13	80.73	34.05	80.73	34.52	80.73	34.96	80.3	35.90
	-16.7	-17	84.33	32.84	83.96	33.73	83.96	34.64	83.96	35.09	83.96	35.52	83.54	36.39
	-13.7	-15	87.94	33.53	87.57	34.36	87.57	35.24	87.57	35.64	87.14	36.07	87.14	36.95
	-11.8	-13	91.55	34.21	91.55	35.04	91.17	35.83	91.17	36.23	91.17	36.67	88.36	35.67
	-9.8	-11	96	34.88	96	35.67	95.58	36.45	95.58	36.82	94.78	36.75	88.36	33.69
	-9.5	-10	98.39	35.24	97.97	35.99	98.01	36.75	98.01	37.15	94.78	35.67	88.36	32.70
	-8.5	-9.1	100.4	35.55	93.33	36.31	99.98	37.03	98.01	36.19	94.78	34.72	88.36	31.83
	-7	-7.6	104.01	36.07	104.01	36.78	101.2	35.99	98.01	34.57	94.78	33.17	88.36	30.44
	-5	-5.6	109.63	36.70	107.62	36.51	101.2	33.81	98.01	32.49	94.78	31.18	88.36	28.65
	-3	-3.7	114.04	36.92	107.62	34.36	101.2	31.83	98.01	30.63	94.78	29.40	88.36	27.07
	0	-0.7	114.04	33.50	107.62	31.18	101.2	28.96	98.01	27.91	94.78	26.78	88.36	24.69
	3	2.2	114.04	30.51	107.62	28.45	101.2	26.47	98.01	25.47	94.78	24.52	88.36	22.62
5	4.1	114.04	28.74	107.62	26.82	101.2	24.96	98.01	24.05	94.78	23.18	88.36	21.39	
7	6	114.04	27.07	107.62	25.32	101.2	23.58	98.01	22.74	94.78	21.91	88.36	20.23	
9	7.9	114.04	25.55	107.62	23.89	101.2	22.25	98.01	21.47	94.78	20.72	88.36	19.17	
11	9.8	114.04	24.13	107.62	22.58	101.2	21.08	98.01	20.31	94.78	19.61	88.36	18.18	
13	11.8	114.04	22.74	107.62	21.31	101.2	19.91	98.01	19.21	94.78	18.54	88.36	17.18	
15	13.7	114.04	21.51	107.62	20.19	101.2	18.90	98.01	18.21	94.78	17.59	88.36	16.34	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1130W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	79.32	33.97	78.95	34.76	78.95	35.60	78.95	35.99	78.95	36.42	76.93	36.03
	-18.8	-19	80.54	34.24	80.54	35.04	80.12	35.83	80.12	36.23	80.12	36.67	76.93	35.29
	-16.7	-17	83.72	34.80	83.72	35.60	83.35	36.34	83.35	36.75	82.55	32.74	76.93	33.65
	-13.7	-15	87.33	35.41	86.96	36.15	86.96	36.91	85.36	36.34	82.55	34.88	76.93	32.00
	-11.8	-13	90.94	35.99	90.94	36.70	88.55	35.83	85.36	34.44	82.55	33.05	76.93	30.32
	-9.8	-11	95.34	36.59	94.17	36.55	88.55	33.86	85.36	32.55	82.55	31.23	76.93	28.70
	-9.5	-10	97.78	36.91	94.17	35.49	88.55	32.84	85.36	31.60	82.55	30.37	76.93	27.91
	-8.5	-9.1	99.75	37.12	94.17	34.52	88.55	32.00	85.36	30.75	82.55	29.55	76.93	27.18
	-7	-7.6	99.75	35.44	94.17	32.96	88.55	30.59	85.36	29.43	82.55	28.30	76.93	26.02
	-5	-5.6	99.75	33.30	94.17	31.03	88.55	28.80	85.36	27.69	82.55	32.73	76.93	24.56
	-3	-3.7	99.75	31.34	94.17	29.24	88.55	27.18	85.36	26.16	82.55	25.15	76.93	23.22
	0	-0.7	99.75	28.53	94.17	26.67	88.55	24.80	85.36	23.89	82.55	23.02	76.93	21.27
	3	2.2	99.75	26.07	94.17	24.41	88.55	22.74	85.36	21.91	82.55	21.11	76.93	19.52
	5	4.1	99.75	24.60	94.17	23.02	88.55	21.51	85.36	20.72	82.55	19.95	76.93	18.50
	7	6	99.75	23.26	94.17	21.80	88.55	20.31	85.36	19.61	82.55	18.92	76.93	17.54
	9	7.9	99.75	21.98	94.17	20.58	88.55	19.26	85.36	18.57	82.55	17.95	76.93	16.62
11	9.8	99.75	20.79	94.17	19.49	88.55	18.25	85.36	17.62	82.55	17.02	76.93	15.79	
13	11.8	99.75	19.64	94.17	18.46	88.55	17.27	85.36	16.70	82.55	16.10	76.93	15.01	
15	13.7	99.75	18.61	94.17	17.50	88.55	16.38	85.36	15.86	82.55	15.31	76.93	14.29	
60%	-19.8	-20	79.13	36.03	78.71	36.70	75.9	35.32	73.51	33.92	71.07	32.58	66.25	29.88
	-18.8	-19	80.3	36.26	80.3	36.95	75.9	34.57	73.51	33.20	71.07	31.87	66.25	29.24
	-16.7	-17	83.54	36.75	80.73	35.59	75.9	32.96	73.51	31.71	71.07	30.44	66.25	27.98
	-13.7	-15	85.55	36.34	80.73	33.81	75.9	31.34	73.51	30.15	71.07	28.95	66.25	26.62
	-11.8	-13	85.55	34.41	80.73	32.03	75.9	29.72	73.51	28.62	71.07	27.50	66.25	25.43
	-9.8	-11	85.55	32.49	80.73	30.27	75.9	28.15	73.51	27.07	71.07	26.02	66.25	24.00
	-9.5	-10	85.55	31.60	80.73	29.43	75.9	27.33	73.51	26.36	71.07	25.31	66.25	23.33
	-8.5	-9.1	85.55	30.75	80.73	28.70	75.9	26.67	73.51	25.66	71.07	24.69	66.25	22.77
	-7	-7.6	85.55	29.40	80.73	27.47	75.9	25.50	73.51	24.60	71.07	23.65	66.25	21.87
	-5	-5.6	85.55	27.69	80.73	25.86	75.9	24.08	73.51	23.22	71.07	22.33	66.25	20.68
	-3	-3.7	85.55	26.16	80.73	24.44	75.9	22.77	73.51	21.98	71.07	21.15	66.25	19.57
	0	-0.7	85.55	23.89	80.73	22.38	75.9	20.88	73.51	20.16	71.07	19.41	66.25	17.98
	3	2.2	85.55	21.91	80.73	20.54	75.9	19.21	73.51	18.53	71.07	17.90	66.25	16.57
	5	4.1	85.55	20.72	80.73	19.44	75.9	18.18	73.51	17.59	71.07	16.94	66.25	15.75
	7	6	85.55	19.61	80.73	18.42	75.9	17.23	73.51	16.66	71.07	16.10	66.25	14.96
	9	7.9	85.55	18.56	80.73	17.46	75.9	16.34	73.51	15.83	71.07	15.26	66.25	14.25
11	9.8	85.55	17.62	80.73	16.57	75.9	15.55	73.51	15.06	71.07	14.53	66.25	13.58	
13	11.8	85.55	16.66	80.73	15.71	75.9	14.77	73.51	14.29	71.07	13.81	66.25	12.89	
15	13.7	85.55	15.86	80.73	14.92	75.9	14.05	73.51	13.61	71.07	13.16	66.25	12.30	
50%	-19.8	-20	71.26	32.77	67.23	30.51	63.25	28.35	60.86	27.30	58.85	26.23	54.86	24.17
	-18.8	-19	71.26	32.06	67.23	29.88	63.25	27.78	60.86	26.71	58.85	25.66	54.86	23.70
	-16.7	-17	71.26	30.59	67.23	28.53	63.25	26.55	60.86	25.55	58.85	24.60	54.86	22.70
	-13.7	-15	71.26	29.12	67.23	27.18	63.25	25.28	60.86	24.37	58.85	23.46	54.86	21.66
	-11.8	-13	71.26	27.66	67.23	25.83	63.25	24.05	60.86	23.18	58.85	22.29	54.86	20.63
	-9.8	-11	71.26	26.19	67.23	24.49	63.25	22.82	60.86	21.98	58.85	21.19	54.86	19.61
	-9.5	-10	71.26	25.47	67.23	23.82	63.25	22.21	60.86	21.44	58.85	20.63	54.86	19.09
	-8.5	-9.1	71.26	24.85	67.23	23.26	63.25	21.66	60.86	20.91	58.85	20.16	54.86	18.65
	-7	-7.6	71.26	23.82	67.23	22.29	63.25	20.79	60.86	20.06	58.85	19.37	54.86	17.95
	-5	-5.6	71.26	22.47	67.23	21.08	63.25	19.68	60.86	19.02	58.85	18.33	54.86	16.98
	-3	-3.7	71.26	21.27	67.23	19.95	63.25	18.65	60.86	18.02	58.85	17.38	54.86	16.15
	0	-0.7	71.26	19.52	67.23	18.33	63.25	17.18	60.86	16.57	58.85	16.02	54.86	14.92
	3	2.2	71.26	17.98	67.23	16.90	63.25	15.83	60.86	15.31	58.85	14.81	54.86	13.81
	5	4.1	71.26	17.06	67.23	16.02	63.25	15.06	60.86	14.57	58.85	14.10	54.86	13.13
	7	6	71.26	16.19	67.23	15.24	63.25	14.33	60.86	13.85	58.85	13.41	54.86	12.53
	9	7.9	71.26	15.35	67.23	14.49	63.25	13.61	60.86	13.21	58.85	12.78	54.86	11.94
11	9.8	71.26	14.61	67.23	13.77	63.25	12.97	60.86	12.58	58.85	12.18	54.86	11.40	
13	11.8	71.26	13.89	67.23	13.09	63.25	12.34	60.86	11.98	58.85	11.59	54.86	10.87	
15	13.7	71.26	13.21	67.23	12.50	63.25	11.78	60.86	11.42	58.85	11.06	54.86	10.39	

42HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1180W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	85.13	22.60	84.74	24.18	84.35	25.81	84.35	26.58	83.92	27.37	83.92	28.99
	-18.8	-19	86.4	23.11	86.01	24.69	86.01	26.25	85.57	27.03	85.57	27.78	85.13	29.37
	-16.7	-17	89.76	24.18	89.32	25.67	88.93	27.20	88.93	27.95	88.93	28.70	88.49	30.20
	-13.7	-15	93.51	25.30	93.12	26.74	92.68	28.21	92.68	28.91	92.24	29.66	92.24	31.11
	-11.8	-13	97.26	26.42	97.26	27.83	96.87	29.20	96.43	29.89	96.43	30.60	96	31.98
	-9.8	-11	101.89	27.58	101.45	28.91	101.01	30.23	101.01	30.89	101.01	31.55	100.62	32.91
	-9.5	-10	104.37	28.16	103.93	29.46	103.54	30.73	103.54	31.40	103.11	32.03	103.11	33.31
	-8.5	-9.1	106.47	28.65	106.03	29.89	106.03	31.18	105.64	31.81	105.64	32.44	105.2	33.74
	-7	-7.6	110.22	29.49	110.22	30.73	109.78	31.93	109.78	32.56	109.39	33.14	108.95	34.37
	-5	-5.6	116.06	30.60	115.62	31.78	115.23	32.94	115.23	33.52	114.79	34.06	114.79	35.21
	-3	-3.7	121.47	31.60	121.08	32.73	121.08	33.81	120.64	34.37	120.64	34.92	120.2	36.01
	0	-0.7	131.06	33.14	131.06	34.19	130.67	35.17	130.67	35.55	130.23	36.21	130.23	37.22
	3	2.2	141.48	34.49	141.09	35.48	140.71	36.44	140.71	36.88	140.71	37.38	140.27	38.31
	5	4.1	148.6	35.38	148.21	36.30	148.21	37.19	147.77	37.64	147.77	38.08	147.38	38.95
	7	6	156.14	36.22	155.71	37.07	155.71	37.93	155.27	38.34	155.27	38.75	149.03	37.22
	9	7.9	164.03	36.95	163.64	37.80	163.64	38.58	163.21	39.00	159.89	38.17	149.03	34.97
	11	9.8	172.41	37.71	171.97	38.46	171.14	38.95	165.3	37.42	159.89	35.89	149.03	32.94
	13	11.8	181.57	38.41	181.18	39.15	171.14	36.51	165.3	35.05	159.89	33.69	149.03	30.89
	15	13.7	190.33	39.08	182.01	37.09	171.14	34.37	165.3	33.06	159.89	31.74	149.03	29.16
120%	-19.8	-20	84.74	24.76	84.31	26.20	83.92	27.71	83.92	28.41	83.92	29.16	83.48	30.65
	-18.8	-19	86.01	25.21	85.57	26.66	85.57	28.12	85.18	28.84	85.18	29.59	84.74	31.02
	-16.7	-17	89.32	26.20	88.93	27.63	88.35	28.99	88.49	29.70	88.49	30.39	88.11	31.78
	-13.7	-15	93.12	27.25	92.68	28.58	92.24	29.89	92.24	30.60	92.24	31.28	91.86	32.61
	-11.8	-13	96.87	28.29	96.87	29.59	96.43	30.85	96.43	31.52	96.04	32.15	96.04	33.43
	-9.8	-11	101.45	29.37	101.01	30.58	101.01	31.81	100.62	32.44	100.62	33.04	100.18	34.26
	-9.5	-10	103.98	29.89	103.54	31.11	103.11	32.29	103.11	32.91	103.11	33.49	102.72	34.68
	-8.5	-9.1	106.03	30.34	105.64	31.52	105.64	32.68	105.2	33.28	105.2	33.89	104.76	35.05
	-7	-7.6	109.78	31.16	109.78	32.29	109.39	33.38	109.39	33.97	108.95	34.49	108.95	35.63
	-5	-5.6	115.62	32.15	115.23	33.23	114.79	34.30	114.79	34.85	114.79	35.38	114.41	36.44
	-3	-3.7	121.08	33.11	121.08	34.14	120.64	35.12	120.64	35.63	120.25	36.18	120.25	37.19
	0	-0.7	130.67	34.49	130.67	35.48	130.23	36.37	130.23	36.88	129.84	37.33	129.84	38.31
	3	2.2	141.09	35.79	140.71	36.68	140.71	37.54	140.27	38.00	140.27	38.41	137.34	38.22
	5	4.1	148.21	36.59	147.77	37.43	147.77	38.26	147.38	38.66	147.38	39.08	137.34	35.89
	7	6	155.71	37.33	155.71	38.12	155.32	38.91	152.78	38.38	147.77	36.80	137.34	33.78
	9	7.9	163.64	38.08	163.25	38.84	157.8	37.54	152.78	36.06	147.77	34.59	137.34	31.78
	11	9.8	171.97	38.75	167.83	38.08	157.8	35.31	152.78	33.92	147.77	32.56	137.34	29.96
	13	11.8	178.26	38.38	167.83	35.70	157.8	33.11	152.78	31.86	147.77	30.60	137.34	28.16
	15	13.7	178.26	36.13	167.83	33.66	157.8	31.23	152.78	30.03	147.77	28.87	137.34	26.57
110%	-19.8	-20	84.31	26.89	83.92	28.24	83.48	29.61	83.48	30.28	83.53	30.94	83.09	32.32
	-18.8	-19	85.57	27.32	85.18	28.65	85.18	29.99	85.18	30.65	84.74	31.31	84.74	32.65
	-16.7	-17	88.93	28.24	88.49	29.54	89.76	30.82	88.11	31.43	88.11	32.10	87.67	33.35
	-13.7	-15	92.68	29.20	92.29	30.44	91.86	31.64	91.86	32.29	91.86	32.91	91.42	34.11
	-11.8	-13	96.43	30.19	96.43	31.35	96	32.53	96	33.11	95.61	33.69	95.61	34.88
	-9.8	-11	101.01	31.16	100.62	32.29	100.62	33.40	100.18	33.97	100.18	34.49	100.18	35.63
	-9.5	-10	103.54	31.64	103.11	32.73	102.67	33.86	102.67	34.37	102.67	34.92	102.28	36.01
	-8.5	-9.1	105.64	32.05	105.2	33.16	105.2	34.23	104.76	34.76	104.76	35.31	104.76	36.18
	-7	-7.6	109.39	32.80	109.39	33.80	108.95	34.85	108.95	35.38	108.95	35.89	108.56	36.93
	-5	-5.6	115.23	33.74	114.79	34.73	114.41	35.67	114.41	36.18	114.41	36.68	113.97	37.69
	-3	-3.7	120.64	34.59	120.64	35.50	120.25	36.47	120.25	36.93	119.81	37.38	119.81	38.34
	0	-0.7	130.23	35.89	130.23	36.76	129.84	37.64	129.84	38.05	129.84	38.51	126.09	37.76
	3	2.2	140.71	37.09	140.27	37.88	140.27	38.66	139.83	39.03	135.25	37.45	126.09	34.34
	5	4.1	147.77	37.80	147.77	38.58	144.84	38.22	139.83	36.68	135.25	35.21	126.09	32.32
	7	6	155.27	38.51	154.05	38.75	144.84	35.89	139.83	34.47	135.25	33.11	126.09	30.39
	9	7.9	163.21	39.12	154.05	36.44	144.84	33.76	139.83	32.44	135.25	31.16	126.09	28.65
	11	9.8	163.21	36.80	154.05	34.26	144.84	31.78	139.83	30.58	135.25	29.37	126.09	27.03
	13	11.8	163.21	34.49	154.05	32.15	144.84	29.85	139.83	28.74	135.25	27.63	126.09	25.45
	15	13.7	163.21	30.65	154.05	30.31	144.84	28.21	139.83	27.13	135.25	26.13	126.09	24.09

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1180W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	83.92	29.08	83.48	30.28	83.48	31.52	83.09	32.15	83.09	32.73	82.65	33.97
	-18.8	-19	85.18	29.46	85.18	30.65	84.74	31.86	84.74	32.48	84.35	33.11	84.35	34.30
	-16.7	-17	88.49	30.28	88.06	31.43	88.06	32.61	87.67	33.19	87.67	33.76	87.67	34.92
	-13.7	-15	92.24	31.16	91.86	32.29	91.42	33.40	91.42	33.97	91.42	34.49	91.03	35.63
	-11.8	-13	96.04	32.05	96.04	33.11	95.61	34.19	95.61	34.73	95.61	35.26	95.17	36.33
	-9.8	-11	100.62	32.94	100.18	33.97	100.18	34.97	100.18	35.50	99.75	36.01	99.75	37.00
	-9.5	-10	103.11	33.40	102.72	34.37	102.72	35.38	102.28	35.89	102.28	36.37	101.84	37.37
	-8.5	-9.1	105.2	33.76	104.76	34.76	104.76	35.72	104.76	36.21	104.37	36.71	104.37	37.68
	-7	-7.6	108.95	34.42	108.95	35.38	108.56	36.30	108.56	36.80	108.56	37.25	108.12	38.22
	-5	-5.6	114.79	35.31	114.36	36.18	114.36	37.09	113.97	37.50	113.97	37.95	113.53	38.88
	-3	-3.7	120.25	36.08	120.25	32.77	119.81	37.80	119.81	38.22	119.81	38.63	114.79	37.00
	0	-0.7	129.84	37.25	129.84	38.03	129.41	38.84	127.31	38.22	123.17	36.64	114.79	33.62
	3	2.2	140.27	38.34	139.83	39.03	131.5	36.13	127.31	34.73	123.17	33.35	114.79	30.60
	5	4.1	147.38	39.03	139.83	36.68	131.5	33.97	127.31	32.68	123.17	31.40	114.79	28.87
	7	6	148.21	37.07	139.83	34.47	131.5	32.07	127.31	30.77	123.17	29.59	114.79	27.20
	9	7.9	148.21	34.80	139.83	32.44	131.5	30.11	127.31	28.60	123.17	27.87	114.79	25.67
90%	11	9.8	148.21	32.77	139.83	30.56	131.5	28.41	127.31	27.32	123.17	26.28	114.79	24.26
	13	11.8	148.21	30.77	139.83	28.74	131.5	26.75	127.31	25.74	123.17	24.81	114.79	22.89
	15	13.7	148.21	29.03	139.83	27.13	131.5	25.26	127.31	24.33	123.17	23.43	114.79	21.68
	-19.8	-20	83.33	31.23	82.94	32.32	82.94	33.43	82.5	33.97	82.5	34.54	82.5	35.63
	-18.8	-19	84.6	31.55	84.6	32.68	84.16	33.76	84.16	34.30	84.16	34.85	83.77	35.93
	-16.7	-17	87.91	32.36	87.52	33.40	87.52	34.42	87.52	34.97	87.08	35.48	87.08	36.51
	-13.7	-15	91.66	33.14	91.27	34.14	91.27	35.12	90.83	35.63	90.83	36.13	90.83	37.14
	-11.8	-13	95.41	33.92	95.41	34.88	95.02	35.84	95.02	36.33	95.02	36.80	94.58	37.76
	-9.8	-11	100.04	34.73	100.04	35.63	99.6	36.56	99.6	37.00	99.6	37.50	99.16	38.41
	-9.5	-10	102.52	35.12	102.08	36.06	102.08	36.93	101.69	37.37	101.69	37.83	101.69	38.70
	-8.5	-9.1	104.62	35.50	104.62	36.37	104.18	37.25	104.18	37.68	104.18	38.12	102.91	38.51
	-7	-7.6	108.37	36.08	108.37	36.93	107.93	37.79	107.93	38.22	107.93	38.63	102.91	36.76
	-5	-5.6	114.16	36.88	113.77	37.68	113.77	38.46	113.33	38.88	110.41	37.68	102.91	34.54
	-3	-3.7	119.62	37.57	119.62	38.34	118.35	38.51	114.16	36.95	110.41	35.48	102.91	32.56
	0	-0.7	129.6	38.66	125.85	37.71	118.35	34.92	114.16	33.57	110.41	32.22	102.91	29.61
	3	2.2	133.35	36.83	125.85	34.30	118.35	31.81	114.16	30.60	110.41	29.42	102.91	27.08
80%	5	4.1	133.35	34.62	125.85	32.29	118.35	29.99	114.16	28.84	110.41	27.75	102.91	25.55
	7	6	133.35	32.56	125.85	30.39	118.35	28.24	114.16	27.20	110.41	26.15	102.91	24.13
	9	7.9	133.35	30.70	125.85	28.60	118.35	26.62	114.16	25.65	110.41	24.71	102.91	22.82
	11	9.8	133.35	28.91	125.85	27.00	118.35	25.18	114.16	24.26	110.41	23.34	102.91	21.59
	13	11.8	133.35	27.20	125.85	25.45	118.35	23.70	114.16	22.89	110.41	22.05	102.91	20.39
	15	13.7	133.35	25.70	125.85	24.06	118.35	22.48	114.16	21.68	110.41	20.87	102.91	19.37
	-19.8	-20	83.09	33.38	82.65	34.34	82.65	35.35	82.65	35.84	82.21	36.33	82.21	37.30
	-18.8	-19	84.31	33.68	84.31	34.68	83.92	35.63	83.92	36.13	83.92	36.59	83.48	37.57
	-16.7	-17	87.67	34.37	87.28	35.31	87.28	36.25	87.28	36.71	87.28	37.18	86.84	38.08
	-13.7	-15	91.42	35.09	91.03	35.96	91.03	36.88	91.03	37.30	90.59	37.76	90.59	38.66
	-11.8	-13	95.17	35.79	95.17	36.68	94.78	37.50	94.78	37.91	94.78	38.38	91.86	37.33
	-9.8	-11	99.79	36.51	99.79	37.33	99.36	38.15	99.36	38.53	98.53	38.46	91.86	35.26
	-9.5	-10	102.28	36.88	101.84	37.66	101.89	38.46	101.89	38.88	98.53	37.33	91.86	34.23
	-8.5	-9.1	104.37	37.21	97.02	38.00	103.93	38.75	101.89	37.88	98.53	36.33	91.86	33.31
	-7	-7.6	108.12	37.76	108.12	38.51	105.2	37.66	101.89	36.18	98.53	34.73	91.86	31.86
	-5	-5.6	113.97	38.41	111.87	38.22	105.2	35.38	101.89	34.00	98.53	32.63	91.86	29.99
-3	-3.7	118.54	38.63	111.87	35.96	105.2	33.31	101.89	32.05	98.53	30.77	91.86	28.33	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1180W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	-19.8	-20	82.46	35.55	82.07	36.37	82.07	37.25	82.07	37.66	82.07	38.12	79.97	37.71
	-18.8	-19	83.72	35.84	83.72	36.68	83.28	37.50	83.28	37.91	83.28	38.38	79.97	36.93
	-16.7	-17	87.03	36.44	87.03	37.25	86.64	38.03	86.64	38.46	85.82	34.26	79.97	35.21
	-13.7	-15	90.78	37.07	90.39	37.83	90.39	38.63	88.74	38.03	85.82	36.51	79.97	33.49
	-11.8	-13	94.53	37.66	94.53	38.41	92.05	37.50	88.74	36.06	85.82	34.59	79.97	31.74
	-9.8	-11	99.11	38.29	97.89	38.26	92.05	35.43	88.74	34.06	85.82	32.68	79.97	30.03
	-9.5	-10	101.64	38.63	97.89	37.14	92.05	34.37	88.74	33.06	85.82	31.78	79.97	29.20
	-8.5	-9.1	103.69	38.84	97.89	36.13	92.05	33.49	88.74	32.18	85.82	30.92	79.97	28.45
	-7	-7.6	103.69	37.08	97.89	34.49	92.05	32.03	88.74	30.80	85.82	29.61	79.97	27.25
	-5	-5.6	103.69	34.85	97.89	32.48	92.05	30.15	88.74	28.99	85.82	34.26	79.97	25.70
	-3	-3.7	103.69	32.80	97.89	30.60	92.05	28.45	88.74	27.37	85.82	26.32	79.97	24.30
	0	-0.7	103.69	29.85	97.89	27.90	92.05	25.96	88.74	25.00	85.82	24.09	79.97	22.26
	3	2.2	103.69	27.28	97.89	25.55	92.05	23.80	88.74	22.94	85.82	22.10	79.97	20.42
	5	4.1	103.69	25.74	97.89	24.09	92.05	22.51	88.74	21.68	85.82	20.87	79.97	19.37
	7	6	103.69	24.33	97.89	22.82	92.05	21.25	88.74	20.52	85.82	19.80	79.97	18.36
	9	7.9	103.69	23.00	97.89	21.54	92.05	20.15	88.74	19.44	85.82	18.79	79.97	17.39
	11	9.8	103.69	21.76	97.89	20.39	92.05	19.10	88.74	18.43	85.82	17.82	79.97	16.52
13	11.8	103.69	20.56	97.89	19.32	92.05	18.08	88.74	17.49	85.82	16.84	79.97	15.72	
15	13.7	103.69	19.48	97.89	18.31	92.05	17.15	88.74	16.60	85.82	16.02	79.97	14.95	
60%	-19.8	-20	82.26	37.71	81.82	38.41	78.9	36.95	76.42	35.50	73.88	34.11	68.87	31.28
	-18.8	-19	83.48	37.95	83.48	38.66	78.9	36.18	76.42	34.76	73.88	33.35	68.87	30.60
	-16.7	-17	86.84	38.46	83.92	37.25	78.9	34.49	76.42	33.19	73.88	31.86	68.87	29.28
	-13.7	-15	88.93	38.03	83.92	35.38	78.9	32.80	76.42	31.55	73.88	30.30	68.87	27.86
	-11.8	-13	88.93	36.01	83.92	33.51	78.9	31.11	76.42	29.96	73.88	28.79	68.87	26.62
	-9.8	-11	88.93	34.00	83.92	31.67	78.9	29.46	76.42	28.33	73.88	27.25	68.87	25.12
	-9.5	-10	88.93	33.06	83.92	30.80	78.9	28.60	76.42	27.58	73.88	26.50	68.87	24.42
	-8.5	-9.1	88.93	32.18	83.92	30.03	78.9	27.90	76.42	26.86	73.88	25.84	68.87	23.83
	-7	-7.6	88.93	30.77	83.92	28.74	78.9	26.70	76.42	25.74	73.88	24.76	68.87	22.89
	-5	-5.6	88.93	28.99	83.92	27.08	78.9	25.21	76.42	24.30	73.88	23.37	68.87	21.64
	-3	-3.7	88.93	27.37	83.92	25.57	78.9	23.83	76.42	23.00	73.88	22.12	68.87	20.49
	0	-0.7	88.93	25.00	83.92	23.43	78.9	21.85	76.42	21.10	73.88	20.30	68.87	18.81
	3	2.2	88.93	22.94	83.92	21.50	78.9	20.10	76.42	19.40	73.88	18.74	68.87	17.35
	5	4.1	88.93	21.68	83.92	20.35	78.9	19.03	76.42	18.40	73.88	17.73	68.87	16.48
	7	6	88.93	20.52	83.92	19.29	78.9	18.02	76.42	17.44	73.88	16.84	68.87	15.65
	9	7.9	88.93	19.43	83.92	18.28	78.9	17.10	76.42	16.57	73.88	15.98	68.87	14.91
	11	9.8	88.93	18.43	83.92	17.35	78.9	16.26	76.42	15.77	73.88	15.21	68.87	14.20
13	11.8	88.93	17.44	83.92	16.45	78.9	15.46	76.42	14.95	73.88	14.45	68.87	13.50	
15	13.7	88.93	16.60	83.92	15.63	78.9	14.71	76.42	14.25	73.88	13.77	68.87	12.88	
50%	-19.8	-20	74.08	34.30	69.89	31.93	65.75	29.66	63.27	28.58	61.17	27.44	57.03	25.30
	-18.8	-19	74.08	33.56	69.89	31.28	65.75	29.08	63.27	27.95	61.17	26.86	57.03	24.81
	-16.7	-17	74.08	32.03	69.89	29.85	65.75	27.78	63.27	26.74	61.17	25.74	57.03	23.75
	-13.7	-15	74.08	30.46	69.89	28.45	65.75	26.45	63.27	25.50	61.17	24.55	57.03	22.68
	-11.8	-13	74.08	28.96	69.89	27.03	65.75	25.18	63.27	24.26	61.17	23.32	57.03	21.59
	-9.8	-11	74.08	27.40	69.89	25.62	65.75	23.87	63.27	23.00	61.17	22.17	57.03	20.52
	-9.5	-10	74.08	26.65	69.89	24.93	65.75	23.25	63.27	22.43	61.17	21.59	57.03	19.98
	-8.5	-9.1	74.08	26.00	69.89	24.33	65.75	22.68	63.27	21.88	61.17	21.10	57.03	19.52
	-7	-7.6	74.08	24.93	69.89	23.32	65.75	21.76	63.27	20.99	61.17	20.27	57.03	18.79
	-5	-5.6	74.08	23.51	69.89	22.05	65.75	20.60	63.27	19.91	61.17	19.18	57.03	17.78
	-3	-3.7	74.08	22.26	69.89	20.87	65.75	19.52	63.27	18.86	61.17	18.19	57.03	16.91
	0	-0.7	74.08	20.42	69.89	19.18	65.75	17.97	63.27	17.35	61.17	16.77	57.03	15.63
	3	2.2	74.08	18.81	69.89	17.70	65.75	16.57	63.27	16.02	61.17	15.50	57.03	14.45
	5	4.1	74.08	17.85	69.89	16.77	65.75	15.77	63.27	15.26	61.17	14.76	57.03	13.75
	7	6	74.08	16.95	69.89	15.95	65.75	15.00	63.27	14.49	61.17	14.04	57.03	13.12
	9	7.9	74.08	16.06	69.89	15.17	65.75	14.25	63.27	13.82	61.17	13.38	57.03	12.49
	11	9.8	74.08	15.29	69.89	14.40	65.75	13.58	63.27	13.17	61.17	12.75	57.03	11.92
13	11.8	74.08	14.54	69.89	13.70	65.75	12.92	63.27	12.54	61.17	12.12	57.03	11.38	
15	13.7	74.08	13.82	69.89	13.07	65.75	12.33	63.27	11.95	61.17	11.59	57.03	10.88	

44HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1235W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	89.02	23.68	88.61	25.34	88.2	27.04	88.2	27.86	87.75	28.69	87.75	30.38
	-18.8	-19	90.34	24.21	89.94	25.87	89.94	27.51	89.48	28.34	89.48	29.11	89.02	30.77
	-16.7	-17	93.86	25.34	93.4	26.91	92.99	28.52	92.99	29.29	92.99	30.08	92.53	31.65
	-13.7	-15	97.78	26.52	97.37	28.04	96.91	29.57	96.91	30.30	96.45	31.08	96.45	32.61
	-11.8	-13	101.7	27.69	101.7	29.16	101.29	30.61	100.83	31.33	100.83	32.08	100.38	33.52
	-9.8	-11	106.54	28.90	106.08	30.30	105.62	31.68	105.62	32.39	105.62	33.06	105.21	34.49
	-9.5	-10	109.13	29.52	108.68	30.87	108.27	32.21	108.27	32.91	107.81	33.56	107.81	34.90
	-8.5	-9.1	111.32	30.03	110.87	31.33	110.87	32.68	110.46	33.34	110.46	34.00	110	35.35
	-7	-7.6	115.25	30.90	115.25	32.21	114.79	33.47	114.79	34.12	114.38	34.73	113.92	36.04
	-5	-5.6	121.36	32.08	120.9	33.31	120.49	34.52	120.49	35.12	120.03	35.70	120.03	36.91
	-3	-3.7	127.01	33.11	126.6	34.30	126.6	35.42	126.14	36.04	126.14	36.61	125.69	37.74
	0	-0.7	137.04	34.73	137.04	35.83	136.63	36.86	136.63	37.26	136.18	37.95	136.18	39.00
	3	2.2	147.94	36.16	147.53	37.18	147.13	38.18	147.13	38.65	147.13	39.18	146.67	40.14
	5	4.1	155.38	37.09	154.97	38.04	154.97	38.97	154.51	39.45	154.51	39.91	154.1	40.83
	7	6	163.27	37.97	162.81	38.84	162.81	39.75	162.35	40.18	162.35	40.60	155.83	39.00
	9	7.9	171.52	38.72	171.11	39.62	171.11	40.43	170.65	40.88	167.19	40.01	155.83	36.65
120%	-19.8	-20	88.61	25.95	88.15	27.46	87.75	29.04	87.75	29.77	87.75	30.56	87.29	32.14
	-18.8	-19	89.94	26.43	89.48	27.94	89.48	29.46	89.07	30.22	89.07	30.99	88.61	32.51
	-16.7	-17	93.4	27.46	92.99	28.95	92.38	30.38	92.53	31.13	92.53	31.86	92.13	33.31
	-13.7	-15	97.37	28.56	96.91	29.94	96.45	31.33	96.45	32.09	96.45	32.78	96.05	34.18
	-11.8	-13	101.29	29.64	101.29	30.99	100.83	32.34	100.83	33.03	100.43	33.70	100.43	35.03
	-9.8	-11	106.08	30.77	105.62	32.05	105.62	33.34	105.21	34.00	105.21	34.61	104.75	35.91
	-9.5	-10	108.73	31.33	108.27	32.61	107.81	33.84	107.81	34.49	107.81	35.09	107.4	36.35
	-8.5	-9.1	110.87	31.81	110.46	33.03	110.46	34.25	110	34.87	110	35.51	109.54	36.73
	-7	-7.6	114.79	32.66	114.79	33.84	114.38	34.98	114.38	35.60	113.92	36.16	113.92	37.34
	-5	-5.6	120.9	33.70	120.49	34.82	120.03	35.95	120.03	36.53	120.03	37.09	119.63	38.18
	-3	-3.7	126.6	34.70	126.6	35.78	126.14	36.81	126.14	37.34	125.74	37.92	125.74	38.97
	0	-0.7	136.63	36.16	136.63	37.18	136.18	38.13	136.18	38.65	135.77	39.13	135.77	40.14
	3	2.2	147.53	37.51	147.13	38.44	147.13	39.35	146.67	39.83	146.67	40.25	143.61	40.04
	5	4.1	154.97	38.34	154.51	39.22	154.51	40.09	154.1	40.51	154.1	40.96	143.61	37.62
	7	6	162.81	39.13	162.81	39.96	162.4	40.78	159.75	40.22	154.51	38.56	143.61	35.40
	9	7.9	171.11	39.91	170.7	40.71	165	39.35	159.75	37.80	154.51	36.27	143.61	33.31
	11	9.8	179.82	40.60	175.49	39.91	165	37.00	159.75	35.56	154.51	34.12	143.61	31.40
110%	-19.8	-20	88.15	28.20	87.75	29.59	87.29	31.02	87.29	31.73	87.34	32.44	86.88	33.87
	-18.8	-19	89.48	28.64	89.07	30.03	89.07	31.43	89.07	32.14	88.61	32.81	88.61	34.22
	-16.7	-17	92.99	29.59	92.53	30.95	93.86	32.31	92.13	32.94	92.13	33.65	91.67	34.95
	-13.7	-15	96.91	30.61	96.5	31.91	96.05	33.17	96.05	33.84	96.05	34.49	95.59	35.76
	-11.8	-13	100.83	31.65	100.83	32.85	100.38	34.09	100.38	34.70	99.97	35.30	99.97	36.56
	-9.8	-11	105.62	32.66	105.21	33.84	105.21	35.00	104.75	35.60	104.75	36.16	104.75	37.34
	-9.5	-10	108.27	33.17	107.81	34.30	107.35	35.48	107.35	36.04	107.35	36.61	106.94	37.74
	-8.5	-9.1	110.46	33.59	110	34.74	110	35.88	109.54	36.43	109.54	37.00	109.54	38.72
	-7	-7.6	114.38	34.38	114.38	35.42	113.92	36.53	113.92	37.09	113.92	37.62	113.51	38.69
	-5	-5.6	120.49	35.35	120.03	36.40	119.63	37.39	119.63	37.92	119.63	38.44	119.17	39.50
	-3	-3.7	126.14	36.27	126.14	37.21	125.74	38.21	125.74	38.69	125.28	39.18	125.28	40.18
	0	-0.7	136.18	37.62	136.18	38.51	135.77	39.45	135.77	39.87	135.77	40.35	131.85	39.57
	3	2.2	147.13	38.87	146.67	39.71	146.67	40.51	146.21	40.91	141.42	39.25	131.85	36.01
	5	4.1	154.51	39.62	154.51	40.43	151.45	40.04	146.21	38.44	141.42	36.91	131.85	33.87
	7	6	162.35	40.35	161.08	40.60	151.45	37.62	146.21	36.13	141.42	34.70	131.85	31.86
	9	7.9	170.65	41.01	161.08	38.18	151.45	35.38	146.21	34.00	141.42	32.66	131.85	30.03
	11	9.8	170.65	38.56	161.08	35.91	151.45	33.31	146.21	32.05	141.42	30.77	131.85	28.34
	13	11.8	170.65	36.16	161.08	33.70	151.45	31.28	146.21	30.12	141.42	28.95	131.85	26.68
	15	13.7	170.65	32.14	161.08	31.78	151.45	29.57	146.21	28.43	141.42	27.37	131.85	25.24

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1235W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	87.75	30.47	87.29	31.73	87.29	33.03	86.88	33.70	86.88	34.30	86.42	35.60
	-18.8	-19	89.07	30.87	89.07	32.14	88.61	33.38	88.61	34.04	88.2	34.70	88.2	35.95
	-16.7	-17	92.53	31.73	92.07	32.94	92.07	34.18	91.67	34.77	91.67	35.38	91.67	36.61
	-13.7	-15	96.45	32.66	96.05	33.84	95.59	35.00	95.59	35.60	95.59	36.16	95.18	37.34
	-11.8	-13	100.43	33.59	100.43	34.70	99.97	35.83	99.97	36.40	99.97	36.95	99.51	38.08
	-9.8	-11	105.21	34.52	104.75	35.60	104.75	36.65	104.75	37.21	104.3	37.74	104.3	38.77
	-9.5	-10	107.81	35.00	107.4	36.04	107.4	37.09	106.94	37.62	106.94	38.13	106.49	39.18
	-8.5	-9.1	110	35.38	109.54	36.43	109.54	37.44	109.54	37.95	109.13	38.47	109.13	39.50
	-7	-7.6	113.92	36.09	113.92	37.09	113.51	38.04	113.51	38.56	113.51	39.04	113.06	40.04
	-5	-5.6	120.03	37.00	119.57	37.92	119.57	38.87	119.17	39.30	119.17	39.78	118.71	40.75
	-3	-3.7	125.74	37.82	125.74	34.35	125.28	39.62	125.28	40.04	125.28	40.48	120.03	38.77
	0	-0.7	135.77	39.04	135.77	39.86	135.31	40.71	133.12	40.04	128.79	38.39	120.03	35.22
	3	2.2	146.67	40.18	146.21	40.90	137.5	37.87	133.12	36.40	128.79	34.95	120.03	32.08
	5	4.1	154.1	40.90	146.21	38.44	137.5	35.60	133.12	34.25	128.79	32.91	120.03	30.25
	7	6	154.97	38.84	146.21	36.13	137.5	33.68	133.12	32.26	128.79	30.99	120.03	28.52
	9	7.9	154.97	36.47	146.21	34.00	137.5	31.55	133.12	29.97	128.79	29.21	120.03	26.91
	11	9.8	154.97	34.35	146.21	32.03	137.5	29.77	133.12	28.64	128.79	27.53	120.03	25.42
90%	13	11.8	154.97	32.26	146.21	30.12	137.5	28.04	133.12	26.99	128.79	25.99	120.03	23.98
	15	13.7	154.97	30.43	146.21	28.43	137.5	26.48	133.12	25.49	128.79	24.57	120.03	22.72
	-19.8	-20	87.13	32.73	86.73	33.87	86.73	35.03	86.27	35.60	86.27	36.21	86.27	37.34
	-18.8	-19	88.46	33.06	88.46	34.25	88	35.38	88	35.95	88	36.53	87.59	37.66
	-16.7	-17	91.92	33.91	91.51	35.00	91.51	36.09	91.51	36.65	91.06	37.18	91.06	38.26
	-13.7	-15	95.84	34.73	95.44	35.78	95.44	36.81	94.98	37.34	94.98	37.87	94.98	38.92
	-11.8	-13	99.76	35.56	99.76	36.56	99.36	37.57	99.36	38.08	99.36	38.56	98.9	39.57
	-9.8	-11	104.6	36.40	104.6	37.34	104.14	38.31	104.14	38.77	104.14	39.30	103.69	40.25
	-9.5	-10	107.2	36.81	106.74	37.79	106.74	38.69	106.33	39.18	106.33	39.66	106.33	40.56
	-8.5	-9.1	109.39	37.21	109.39	38.13	108.93	39.04	108.93	39.50	108.93	39.96	107.61	40.35
	-7	-7.6	113.31	37.82	113.31	38.69	112.85	39.60	112.85	40.04	112.85	40.48	107.61	38.51
	-5	-5.6	119.37	38.65	118.96	39.50	118.96	40.30	118.5	40.75	115.45	39.50	107.61	36.21
	-3	-3.7	125.07	39.38	125.07	40.18	123.75	40.35	119.37	38.72	115.45	37.18	107.61	34.12
	0	-0.7	135.51	40.51	131.59	39.53	123.75	36.61	119.37	35.17	115.45	33.77	107.61	31.02
	3	2.2	139.44	38.60	131.59	35.95	123.75	33.34	119.37	32.08	115.45	30.82	107.61	28.38
	5	4.1	139.44	36.28	131.59	33.84	123.75	31.43	119.37	30.22	115.45	29.08	107.61	26.78
	7	6	139.44	34.12	131.59	31.86	123.75	29.59	119.37	28.52	115.45	27.41	107.61	25.29
9	7.9	139.44	32.18	131.59	29.97	123.75	27.90	119.37	26.89	115.45	25.90	107.61	23.91	
80%	11	9.8	139.44	30.30	131.59	28.31	123.75	26.40	119.37	25.42	115.45	24.46	107.61	22.63
	13	11.8	139.44	28.52	131.59	26.68	123.75	24.85	119.37	23.98	115.45	23.11	107.61	21.37
	15	13.7	139.44	26.94	131.59	25.21	123.75	23.56	119.37	22.72	115.45	21.87	107.61	20.29
	-19.8	-20	86.88	34.98	86.42	36.01	86.42	37.06	86.42	37.57	85.96	38.08	85.96	39.09
	-18.8	-19	88.15	35.30	88.15	36.35	87.75	37.34	87.75	37.87	87.75	38.34	87.29	39.38
	-16.7	-17	91.67	36.04	91.26	37.00	91.26	37.99	91.26	38.47	91.26	38.97	90.8	39.91
	-13.7	-15	95.59	36.79	95.18	37.69	95.18	38.65	95.18	39.09	94.72	39.57	94.72	40.51
	-11.8	-13	99.51	37.51	99.51	38.44	99.1	39.30	99.1	39.73	99.1	40.22	96.05	39.13
	-9.8	-11	104.35	38.26	104.35	39.13	103.89	39.99	103.89	40.38	103.02	40.30	96.05	36.95
	-9.5	-10	106.94	38.65	106.49	39.48	106.54	40.30	106.54	40.75	103.02	39.13	96.05	35.88
	-8.5	-9.1	109.13	39.00	101.44	39.83	108.68	40.60	106.54	39.71	103.02	38.08	96.05	34.90
	-7	-7.6	113.06	39.57	113.06	40.35	110	39.48	106.54	37.92	103.02	36.40	96.05	33.38
	-5	-5.6	119.17	40.25	116.98	40.04	110	37.09	106.54	35.63	103.02	34.21	96.05	31.43
	-3	-3.7	123.95	40.48	116.98	37.69	110	34.90	106.54	33.59	103.02	32.26	96.05	29.69
	0	-0.7	123.95	36.73	116.98	34.21	110	31.78	106.54	30.61	103.02	29.37	96.05	27.07
	3	2.2	123.95	33.47	116.98	31.20	110	29.04	106.54	27.94	103.02	26.89	96.05	24.81
	5	4.1	123.95	31.52	116.98	29.41	110	27.37	106.54	26.39	103.02	25.42	96.05	23.45
7	6	123.95	29.69	116.98	27.78	110	25.86	106.54	24.95	103.02	24.03	96.05	22.20	
9	7.9	123.95	28.04	116.98	26.20	110	24.42	106.54	23.56	103.02	22.72	96.05	21.02	
11	9.8	123.95	26.48	116.98	24.77	110	23.11	106.54	22.28	103.02	21.50	96.05	19.94	
13	11.8	123.95	24.95	116.98	23.38	110	21.85	106.54	21.07	103.02	20.33	96.05	18.84	
15	13.7	123.95	23.58	116.98	22.15	110	20.72	106.54	19.97	103.02	19.29	96.05	17.92	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1235W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	-19.8	-20	86.22	37.26	85.81	38.13	85.81	39.04	85.81	39.48	85.81	39.96	83.62	39.53
	-18.8	-19	87.54	37.56	87.54	38.44	87.08	39.30	87.08	39.73	87.08	40.22	83.62	38.69
	-16.7	-17	91	38.18	91	39.04	90.6	39.86	90.6	40.30	89.73	35.91	83.62	36.91
	-13.7	-15	94.93	38.84	94.52	39.66	94.52	40.48	92.79	39.86	89.73	38.26	83.62	35.09
	-11.8	-13	98.85	39.48	98.85	40.25	96.25	39.30	92.79	37.79	89.73	36.27	83.62	33.26
	-9.8	-11	103.63	40.12	102.36	40.09	96.25	37.13	92.79	35.70	89.73	34.25	83.62	31.47
	-9.5	-10	106.28	40.48	102.36	38.92	96.25	36.04	92.79	34.64	89.73	33.31	83.62	30.61
	-8.5	-9.1	108.42	40.71	102.36	37.87	96.25	35.09	92.79	33.72	89.73	32.42	83.62	29.82
	-7	-7.6	108.42	38.87	102.36	36.16	96.25	33.56	92.79	32.29	89.73	31.02	83.62	28.56
	-5	-5.6	108.42	36.53	102.36	34.04	96.25	31.61	92.79	30.38	89.73	29.51	83.62	26.94
	-3	-3.7	108.42	34.38	102.36	32.08	96.25	29.82	92.79	28.69	89.73	27.58	83.62	25.46
	0	-0.7	108.42	31.28	102.36	29.24	96.25	27.20	92.79	26.20	89.73	25.24	83.62	23.33
	3	2.2	108.42	28.59	102.36	26.78	96.25	24.95	92.79	24.03	89.73	23.16	83.62	21.40
	5	4.1	108.42	26.99	102.36	25.24	96.25	23.58	92.79	22.72	89.73	21.87	83.62	20.29
	7	6	108.42	25.49	102.36	23.91	96.25	22.28	92.79	21.50	89.73	20.75	83.62	19.24
	9	7.9	108.42	24.11	102.36	22.58	96.25	21.12	92.79	20.36	89.73	19.68	83.62	18.23
	11	9.8	108.42	22.81	102.36	21.37	96.25	20.01	92.79	19.31	89.73	18.68	83.62	17.33
13	11.8	108.42	21.54	102.36	20.24	96.25	18.95	92.79	18.33	89.73	17.66	83.62	16.46	
15	13.7	108.42	20.42	102.36	19.19	96.25	17.97	92.79	17.41	89.73	16.80	83.62	15.67	
60%	-19.8	-20	86.01	39.53	85.56	40.25	82.5	38.72	79.9	37.21	77.25	35.75	72.01	32.78
	-18.8	-19	87.29	39.78	87.29	40.51	82.5	37.92	79.9	36.43	77.25	34.94	72.01	32.08
	-16.7	-17	90.8	40.30	87.75	39.04	82.5	36.16	79.9	34.77	77.25	33.38	72.01	30.68
	-13.7	-15	92.99	39.86	87.75	37.09	82.5	34.38	79.9	33.06	77.25	31.76	72.01	29.19
	-11.8	-13	92.99	37.74	87.75	35.12	82.5	32.61	79.9	31.40	77.25	30.17	72.01	27.90
	-9.8	-11	92.99	35.63	87.75	33.19	82.5	30.87	79.9	29.69	77.25	28.56	72.01	26.33
	-9.5	-10	92.99	34.64	87.75	32.29	82.5	29.97	79.9	28.90	77.25	27.78	72.01	25.59
	-8.5	-9.1	92.99	33.72	87.75	31.47	82.5	29.24	79.9	28.16	77.25	27.07	72.01	24.97
	-7	-7.6	92.99	32.26	87.75	30.12	82.5	27.99	79.9	26.99	77.25	25.95	72.01	23.98
	-5	-5.6	92.99	30.38	87.75	28.38	82.5	26.43	79.9	25.46	77.25	24.49	72.01	22.68
	-3	-3.7	92.99	28.69	87.75	26.81	82.5	24.97	79.9	24.11	77.25	23.19	72.01	21.47
	0	-0.7	92.99	26.20	87.75	24.56	82.5	22.90	79.9	22.12	77.25	21.28	72.01	19.71
	3	2.2	92.99	24.03	87.75	22.54	82.5	21.07	79.9	20.33	77.25	19.64	72.01	18.18
	5	4.1	92.99	22.72	87.75	21.33	82.5	19.94	79.9	19.29	77.25	18.59	72.01	17.27
	7	6	92.99	21.50	87.75	20.21	82.5	18.89	79.9	18.27	77.25	17.66	72.01	16.39
	9	7.9	92.99	20.36	87.75	19.16	82.5	17.92	79.9	17.38	77.25	16.74	72.01	15.62
	11	9.8	92.99	19.31	87.75	18.18	82.5	17.06	79.9	16.51	77.25	15.93	72.01	14.88
13	11.8	92.99	18.27	87.75	17.24	82.5	16.19	79.9	15.67	77.25	15.14	72.01	14.14	
15	13.7	92.99	17.41	87.75	16.37	82.5	15.41	79.9	14.93	77.25	14.44	72.01	13.50	
50%	-19.8	-20	77.46	35.95	73.08	33.47	68.75	31.08	66.15	29.94	63.96	28.77	59.63	26.52
	-18.8	-19	77.46	35.17	73.08	32.78	68.75	30.47	66.15	29.29	63.96	28.16	59.63	25.99
	-16.7	-17	77.46	33.56	73.08	31.28	68.75	29.11	66.15	28.04	63.96	26.99	59.63	24.90
	-13.7	-15	77.46	31.94	73.08	29.82	68.75	27.73	66.15	26.73	63.96	25.72	59.63	23.75
	-11.8	-13	77.46	30.35	73.08	28.34	68.75	26.39	66.15	25.42	63.96	24.44	59.63	22.63
	-9.8	-11	77.46	28.73	73.08	26.85	68.75	25.02	66.15	24.11	63.96	23.24	59.63	21.50
	-9.5	-10	77.46	27.94	73.08	26.12	68.75	24.37	66.15	23.50	63.96	22.63	59.63	20.95
	-8.5	-9.1	77.46	27.25	73.08	25.49	68.75	23.75	66.15	22.93	63.96	22.12	59.63	20.47
	-7	-7.6	77.46	26.12	73.08	24.44	68.75	22.81	66.15	22.01	63.96	21.25	59.63	19.68
	-5	-5.6	77.46	24.64	73.08	23.11	68.75	21.59	66.15	20.86	63.96	20.09	59.63	18.63
	-3	-3.7	77.46	23.33	73.08	21.87	68.75	20.47	66.15	19.76	63.96	19.06	59.63	17.72
	0	-0.7	77.46	21.40	73.08	20.09	68.75	18.83	66.15	18.18	63.96	17.59	59.63	16.37
	3	2.2	77.46	19.71	73.08	18.55	68.75	17.38	66.15	16.80	63.96	16.23	59.63	15.14
	5	4.1	77.46	18.71	73.08	17.59	68.75	16.51	66.15	15.98	63.96	15.46	59.63	14.40
	7	6	77.46	17.76	73.08	16.72	68.75	15.71	66.15	15.18	63.96	14.71	59.63	13.76
	9	7.9	77.46	16.85	73.08	15.88	68.75	14.93	66.15	14.49	63.96	14.02	59.63	13.10
	11	9.8	77.46	16.02	73.08	15.09	68.75	14.23	66.15	13.81	63.96	13.37	59.63	12.49
13	11.8	77.46	15.24	73.08	14.35	68.75	13.55	66.15	13.15	63.96	12.70	59.63	11.93	
15	13.7	77.46	14.49	73.08	13.71	68.75	12.93	66.15	12.52	63.96	12.14	59.63	11.40	

46HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1300W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	93.87	25.28	93.44	27.05	93.01	28.86	93.01	29.73	92.53	30.62	92.53	32.41
	-18.8	-19	95.27	25.83	94.84	27.60	94.84	29.35	94.36	30.24	94.36	31.07	93.87	32.84
	-16.7	-17	98.98	27.05	98.49	28.71	98.06	30.42	98.06	31.26	98.06	32.09	97.58	33.78
	-13.7	-15	103.11	28.30	102.68	29.92	102.2	31.55	102.2	32.32	101.71	33.17	101.71	34.81
	-11.8	-13	107.25	29.54	107.25	31.13	106.82	32.66	106.33	33.43	106.33	34.23	105.85	35.77
	-9.8	-11	112.35	30.86	111.86	32.32	111.38	33.81	111.38	34.55	111.38	35.29	110.95	36.80
	-9.5	-10	115.09	31.50	114.6	32.95	114.17	34.37	114.17	35.13	113.69	35.81	113.69	37.24
	-8.5	-9.1	117.4	32.04	116.91	33.43	116.91	34.88	116.48	35.58	116.48	36.28	116	37.72
	-7	-7.6	121.53	32.98	121.53	34.37	121.05	35.72	121.05	36.41	120.62	37.07	120.14	38.45
	-5	-5.6	127.98	34.23	127.49	35.55	127.06	36.84	127.06	37.49	126.58	38.10	126.58	39.39
	-3	-3.7	133.94	35.34	133.51	36.60	133.51	37.81	133.02	38.45	133.02	39.07	132.54	40.27
	0	-0.7	144.52	37.07	144.52	38.23	144.09	39.34	144.09	39.77	143.6	40.49	143.6	41.62
	3	2.2	156.01	38.59	155.58	39.68	155.15	40.75	155.15	41.24	155.15	41.81	154.67	42.84
	5	4.1	163.85	39.58	163.42	40.59	163.42	41.59	162.94	42.10	162.94	42.59	162.51	43.58
	7	6	172.17	40.51	171.69	41.45	171.69	42.42	171.21	42.87	171.21	43.34	164.33	41.62
	9	7.9	180.87	41.33	180.44	42.28	180.44	43.15	179.96	43.63	176.31	42.69	164.33	39.13
	11	9.8	190.11	42.18	189.63	43.01	188.71	43.58	182.27	41.85	176.31	40.14	164.33	36.84
	13	11.8	200.21	42.95	199.78	43.79	188.71	40.83	182.27	39.20	176.31	37.68	164.33	34.55
120%	15	13.7	209.87	43.72	200.69	41.49	188.71	38.45	182.27	36.98	176.31	35.49	164.33	32.60
	-19.8	-20	93.44	27.69	92.96	29.30	92.53	30.99	92.53	31.77	92.53	32.60	92.05	34.28
	-18.8	-19	94.84	28.19	94.36	29.81	94.36	31.45	93.93	32.25	93.93	33.09	93.44	34.70
	-16.7	-17	98.49	29.30	98.06	30.90	97.42	32.41	97.58	33.22	97.58	34.00	97.15	35.55
	-13.7	-15	102.68	30.47	102.2	31.96	101.71	33.43	101.71	34.23	101.71	34.99	101.29	36.46
	-11.8	-13	106.82	31.64	106.82	33.09	106.33	34.51	106.33	35.26	105.9	35.96	105.9	37.39
	-9.8	-11	111.86	32.84	111.38	34.21	111.38	35.58	110.95	36.28	110.95	36.94	110.47	38.32
	-9.5	-10	114.66	33.43	114.17	34.81	113.69	36.11	113.69	36.80	113.69	37.45	113.26	38.79
	-8.5	-9.1	116.91	33.94	116.48	35.26	116.48	36.55	116	37.22	116	37.89	115.52	39.20
	-7	-7.6	121.05	34.86	121.05	36.11	120.62	37.33	120.62	38.00	120.14	38.59	120.14	39.85
	-5	-5.6	127.49	35.96	127.06	37.17	126.58	38.36	126.58	38.98	126.58	39.58	126.15	40.75
	-3	-3.7	133.51	37.03	133.51	38.19	133.02	39.29	133.02	39.85	132.59	40.46	132.59	41.59
	0	-0.7	144.09	38.59	144.09	39.68	143.6	40.68	143.6	41.25	143.17	41.75	143.17	42.84
	3	2.2	155.58	40.04	155.15	41.02	155.15	42.00	154.67	42.50	154.67	42.95	151.44	42.74
	5	4.1	163.42	40.91	162.94	41.85	162.94	42.79	162.51	43.24	162.51	43.72	151.44	40.14
	7	6	171.69	41.75	171.69	42.64	171.26	43.53	168.47	42.93	162.94	41.17	151.44	37.78
	9	7.9	180.44	42.59	180.01	43.44	174	42.00	168.47	40.33	162.94	38.69	151.44	35.55
	11	9.8	189.63	43.34	185.06	42.59	174	39.49	168.47	37.94	162.94	36.41	151.44	33.51
	13	11.8	196.56	42.93	185.06	39.94	174	37.03	168.47	35.64	162.94	34.23	151.44	31.50
110%	15	13.7	196.56	40.41	185.06	37.64	174	34.94	168.47	33.59	162.94	32.28	151.44	29.73
	-19.8	-20	92.96	30.09	92.53	31.58	92.05	33.11	92.05	33.87	92.1	34.61	91.62	36.14
	-18.8	-19	94.36	30.57	93.93	32.04	93.93	33.54	93.93	34.29	93.44	35.02	93.44	36.51
	-16.7	-17	98.06	31.58	97.58	33.03	98.98	34.47	97.15	35.16	97.15	35.90	96.67	37.30
	-13.7	-15	102.2	32.66	101.77	34.05	101.29	35.39	101.29	36.11	101.29	36.80	100.8	38.15
	-11.8	-13	106.33	33.77	106.33	35.07	105.85	36.38	105.85	37.03	105.42	37.68	105.42	39.02
	-9.8	-11	111.38	34.86	110.95	36.11	110.95	37.35	110.47	38.00	110.47	38.59	110.47	39.85
	-9.5	-10	114.17	35.39	113.69	36.60	113.21	37.86	113.21	38.45	113.21	39.07	112.78	40.27
	-8.5	-9.1	116.48	35.85	116	37.08	116	38.28	115.52	38.87	115.52	39.49	115.52	35.98
	-7	-7.6	120.62	36.68	120.62	37.81	120.14	38.98	120.14	39.58	120.14	40.14	119.71	41.30
	-5	-5.6	127.06	37.72	126.58	38.84	126.15	39.90	126.15	40.46	126.15	41.02	125.67	42.15
	-3	-3.7	133.02	38.69	133.02	39.72	132.59	40.78	132.59	41.30	132.11	41.81	132.11	42.87
	0	-0.7	143.6	40.14	143.6	41.11	143.17	42.10	143.17	42.55	143.17	43.06	139.04	42.23
	3	2.2	155.15	41.49	154.67	42.36	154.67	43.24	154.18	43.66	149.14	41.89	139.04	38.42
	5	4.1	162.94	42.28	162.94	43.15	159.71	42.74	154.18	41.02	149.14	39.39	139.04	36.14
	7	6	171.21	43.06	169.86	43.34	159.71	40.14	154.18	38.55	149.14	37.03	139.04	34.00
	9	7.9	179.96	43.76	169.86	40.74	159.71	37.75	154.18	36.28	149.14	34.86	139.04	32.04
	11	9.8	179.96	41.17	169.86	38.32	159.71	35.55	154.18	34.21	149.14	32.84	139.04	30.24
	13	11.8	179.96	38.59	169.86	35.96	159.71	33.39	154.18	32.15	149.14	30.90	139.04	28.48
	15	13.7	179.96	34.29	169.86	33.91	159.71	31.55	154.18	30.34	149.14	29.22	139.04	26.94

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1300W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	92.53	32.51	92.05	33.86	92.05	35.26	91.62	35.96	91.62	36.60	91.14	38.00
	-18.8	-19	93.93	32.95	93.93	34.28	93.44	35.64	93.44	36.32	93.01	37.03	93.01	38.36
	-16.7	-17	97.58	33.86	97.1	35.16	97.1	36.46	96.67	37.11	96.67	37.75	96.67	39.07
	-13.7	-15	101.71	34.86	101.29	36.11	100.8	37.35	100.8	38.00	100.8	38.59	100.37	39.85
	-11.8	-13	105.9	35.85	105.9	37.03	105.42	38.23	105.42	38.84	105.42	39.45	104.94	40.63
	-9.8	-11	110.95	36.84	110.47	38.00	110.47	39.13	110.47	39.72	109.99	40.27	109.99	41.38
	-9.5	-10	113.69	37.35	113.26	38.45	113.26	39.58	112.78	40.14	112.78	40.68	112.29	41.81
	-8.5	-9.1	116	37.75	115.52	38.87	115.52	39.95	115.52	40.49	115.09	41.06	115.09	42.15
	-7	-7.6	120.14	38.51	120.14	39.58	119.71	40.59	119.71	41.17	119.71	41.68	119.22	42.74
	-5	-5.6	126.58	39.49	126.1	40.46	126.1	41.49	125.67	41.94	125.67	42.45	125.18	43.49
	-3	-3.7	132.59	40.36	132.59	36.65	132.11	42.28	132.11	42.74	132.11	43.21	126.58	41.38
	0	-0.7	143.17	41.68	143.17	42.53	142.69	43.44	140.38	42.74	135.82	40.97	126.58	37.59
	3	2.2	154.67	42.87	154.18	43.66	145	40.41	140.38	38.84	135.82	37.30	126.58	34.23
	5	4.1	162.51	43.66	154.18	41.02	145	38.00	140.38	36.55	135.82	35.13	126.58	32.28
	7	6	163.42	41.45	154.18	38.55	145	35.85	140.38	34.42	135.82	33.09	126.58	30.42
	9	7.9	163.42	38.94	154.18	36.28	145	33.68	140.38	31.99	135.82	31.18	126.58	28.71
90%	11	9.8	163.42	36.65	154.18	34.19	145	31.77	140.38	30.57	135.82	29.39	126.58	27.13
	13	11.8	163.42	34.42	154.18	32.15	145	29.92	140.38	28.80	135.82	27.74	126.58	25.60
	15	13.7	163.42	32.47	154.18	30.34	145	28.25	140.38	27.22	135.82	26.21	126.58	24.26
	-19.8	-20	91.89	34.94	91.46	36.14	91.46	37.39	90.97	38.00	90.97	38.64	90.97	39.85
	-18.8	-19	93.28	35.29	93.28	36.55	92.8	37.75	92.8	38.36	92.8	38.98	92.37	40.19
	-16.7	-17	96.94	36.19	96.51	37.35	96.51	38.51	96.51	39.13	96.02	39.68	96.02	40.83
	-13.7	-15	101.07	37.07	100.64	38.19	100.64	39.29	100.16	39.85	100.16	40.41	100.16	41.53
	-11.8	-13	105.21	37.94	105.21	39.02	104.78	40.09	104.78	40.63	104.78	41.17	104.29	42.23
	-9.8	-11	110.31	38.84	110.31	39.85	109.82	40.89	109.82	41.38	109.82	41.94	109.34	42.95
	-9.5	-10	113.05	39.29	112.56	40.32	112.56	41.30	112.13	41.81	112.13	42.32	112.13	43.28
	-8.5	-9.1	115.36	39.72	115.36	40.68	114.87	41.68	114.87	42.15	114.87	42.64	113.48	43.06
	-7	-7.6	119.49	40.36	119.49	41.30	119.01	42.26	119.01	42.74	119.01	43.20	113.48	41.11
	-5	-5.6	125.88	41.24	125.45	42.15	125.45	43.01	124.97	43.49	121.75	42.15	113.48	38.64
	-3	-3.7	131.9	42.02	131.9	42.87	130.5	43.06	125.88	41.33	121.75	39.68	113.48	36.41
	0	-0.7	142.91	43.24	138.77	42.18	130.5	39.07	125.88	37.54	121.75	36.04	113.48	33.11
	3	2.2	147.04	41.20	138.77	38.36	130.5	35.58	125.88	34.23	121.75	32.90	113.48	30.28
80%	5	4.1	147.04	38.72	138.77	36.11	130.5	33.54	125.88	32.25	121.75	31.04	113.48	28.58
	7	6	147.04	36.41	138.77	34.00	130.5	31.58	125.88	30.42	121.75	29.26	113.48	26.99
	9	7.9	147.04	34.34	138.77	31.99	130.5	29.77	125.88	28.69	121.75	27.64	113.48	25.51
	11	9.8	147.04	32.32	138.77	30.21	130.5	28.17	125.88	27.13	121.75	26.11	113.48	24.15
	13	11.8	147.04	30.42	138.77	28.48	130.5	26.52	125.88	25.60	121.75	24.67	113.48	22.81
	15	13.7	147.04	28.75	138.77	26.91	130.5	25.14	125.88	24.26	121.75	23.35	113.48	21.65
	-19.8	-20	91.62	37.33	91.14	38.42	91.14	39.55	91.14	40.09	90.65	40.63	90.65	41.72
	-18.8	-19	92.96	37.68	92.96	38.79	92.53	39.85	92.53	40.41	92.53	40.91	92.05	42.02
	-16.7	-17	96.67	38.45	96.24	39.49	96.24	40.55	96.24	41.06	96.24	41.59	95.75	42.59
	-13.7	-15	100.8	39.26	100.37	40.22	100.37	41.24	100.37	41.72	99.89	42.23	99.89	43.24
	-11.8	-13	104.94	40.04	104.94	41.02	104.51	41.94	104.51	42.40	104.51	42.93	101.29	41.75
	-9.8	-11	110.04	40.83	110.04	41.75	109.56	42.66	109.56	43.10	108.64	43.01	101.29	39.45
	-9.5	-10	112.78	41.24	112.29	42.13	112.35	43.01	112.35	43.49	108.64	41.75	101.29	38.28
	-8.5	-9.1	115.09	41.62	106.98	42.50	114.6	43.34	112.35	42.36	108.64	40.63	101.29	37.24
	-7	-7.6	119.22	42.23	119.22	43.06	116	42.13	112.35	40.46	108.64	38.84	101.29	35.64
	-5	-5.6	125.67	42.95	123.36	42.74	116	39.58	112.35	38.03	108.64	36.49	101.29	33.54

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1300W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	90.92	39.77	90.49	40.68	90.49	41.68	90.49	42.13	90.49	42.64	88.18	42.17
	-18.8	-19	92.32	40.09	92.32	41.02	91.83	41.94	91.83	42.40	91.83	42.93	88.18	41.30
	-16.7	-17	95.97	40.74	95.97	41.68	95.54	42.53	95.54	43.01	94.63	38.32	88.18	39.39
	-13.7	-15	100.1	41.45	99.67	42.32	99.67	43.20	97.85	42.53	94.63	40.83	88.18	37.45
	-11.8	-13	104.24	42.13	104.24	42.95	101.5	41.94	97.85	40.32	94.63	38.69	88.18	35.49
	-9.8	-11	109.29	42.82	107.94	42.79	101.5	39.63	97.85	38.10	94.63	36.55	88.18	33.59
	-9.5	-10	112.08	43.20	107.94	41.53	101.5	38.45	97.85	36.98	94.63	35.55	88.18	32.66
	-8.5	-9.1	114.34	43.44	107.94	40.41	101.5	37.45	97.85	35.98	94.63	34.59	88.18	31.82
	-7	-7.6	114.34	41.49	107.94	38.59	101.5	35.81	97.85	34.45	94.63	33.11	88.18	30.47
	-5	-5.6	114.34	38.98	107.94	36.32	101.5	33.73	97.85	32.41	94.63	31.81	88.18	28.75
	-3	-3.7	114.34	36.68	107.94	34.23	101.5	31.82	97.85	30.62	94.63	29.44	88.18	27.18
	0	-0.7	114.34	33.39	107.94	31.21	101.5	29.03	97.85	27.96	94.63	26.94	88.18	24.90
	3	2.2	114.34	30.52	107.94	28.58	101.5	26.62	97.85	25.64	94.63	24.71	88.18	22.84
	5	4.1	114.34	28.80	107.94	26.94	101.5	25.17	97.85	24.26	94.63	23.35	88.18	21.65
	7	6	114.34	27.22	107.94	25.51	101.5	23.77	97.85	22.95	94.63	22.15	88.18	20.53
	9	7.9	114.34	25.73	107.94	24.09	101.5	22.54	97.85	21.73	94.63	21.01	88.18	19.45
	11	9.8	114.34	24.34	107.94	22.81	101.5	21.36	97.85	20.61	94.63	19.92	88.18	18.49
13	11.8	114.34	22.99	107.94	21.60	101.5	20.23	97.85	19.56	94.63	18.84	88.18	17.56	
15	13.7	114.34	21.79	107.94	20.48	101.5	19.18	97.85	18.57	94.63	17.93	88.18	16.72	
60%	-19.8	-20	90.71	42.17	90.22	42.95	87	41.33	84.26	39.71	81.47	38.15	75.94	34.99
	-18.8	-19	92.05	42.45	92.05	43.24	87	40.46	84.26	38.87	81.47	37.30	75.94	34.23
	-16.7	-17	95.75	43.01	92.53	41.67	87	38.59	84.26	37.11	81.47	35.64	75.94	32.74
	-13.7	-15	98.06	42.53	92.53	39.58	87	36.68	84.26	35.29	81.47	33.90	75.94	31.16
	-11.8	-13	98.06	40.27	92.53	37.49	87	34.80	84.26	33.51	81.47	32.19	75.94	29.77
	-9.8	-11	98.06	38.03	92.53	35.43	87	32.95	84.26	31.68	81.47	30.47	75.94	28.09
	-9.5	-10	98.06	36.98	92.53	34.45	87	31.99	84.26	30.86	81.47	29.64	75.94	27.31
	-8.5	-9.1	98.06	35.98	92.53	33.59	87	31.21	84.26	30.05	81.47	28.90	75.94	26.65
	-7	-7.6	98.06	34.42	92.53	32.15	87	29.86	84.26	28.80	81.47	27.69	75.94	25.60
	-5	-5.6	98.06	32.41	92.53	30.28	87	28.19	84.26	27.18	81.47	26.13	75.94	24.21
	-3	-3.7	98.06	30.62	92.53	28.61	87	26.65	84.26	25.73	81.47	24.75	75.94	22.91
	0	-0.7	98.06	27.96	92.53	26.21	87	24.44	84.26	23.60	81.47	22.71	75.94	21.04
	3	2.2	98.06	25.64	92.53	24.05	87	22.48	84.26	21.70	81.47	20.95	75.94	19.40
	5	4.1	98.06	24.26	92.53	22.76	87	21.28	84.26	20.58	81.47	19.83	75.94	18.44
	7	6	98.06	22.95	92.53	21.56	87	20.16	84.26	19.50	81.47	18.84	75.94	17.50
	9	7.9	98.06	21.73	92.53	20.44	87	19.14	84.26	18.54	81.47	17.86	75.94	16.67
	11	9.8	98.06	20.61	92.53	19.40	87	18.20	84.26	17.62	81.47	17.01	75.94	15.89
13	11.8	98.06	19.50	92.53	18.40	87	17.28	84.26	16.72	81.47	16.16	75.94	15.10	
15	13.7	98.06	18.57	92.53	17.46	87	16.44	84.26	15.94	81.47	15.40	75.94	14.40	
50%	-19.8	-20	81.68	38.36	77.06	35.71	72.5	33.17	69.76	31.96	67.45	30.71	62.89	28.30
	-18.8	-19	81.68	37.54	77.06	34.99	72.5	32.51	69.76	31.26	67.45	30.05	62.89	27.74
	-16.7	-17	81.68	35.81	77.06	33.39	72.5	31.07	69.76	29.92	67.45	28.80	62.89	26.57
	-13.7	-15	81.68	34.08	77.06	31.82	72.5	29.60	69.76	28.52	67.45	27.45	62.89	25.35
	-11.8	-13	81.68	32.38	77.06	30.24	72.5	28.17	69.76	27.13	67.45	26.09	62.89	24.15
	-9.8	-11	81.68	30.65	77.06	28.67	72.5	26.71	69.76	25.73	67.45	24.80	62.89	22.95
	-9.5	-10	81.68	29.81	77.06	27.87	72.5	26.00	69.76	25.09	67.45	24.15	62.89	22.35
	-8.5	-9.1	81.68	29.09	77.06	27.22	72.5	25.35	69.76	24.48	67.45	23.60	62.89	21.83
	-7	-7.6	81.68	27.87	77.06	26.09	72.5	24.34	69.76	23.48	67.45	22.67	62.89	21.01
	-5	-5.6	81.68	26.30	77.06	24.67	72.5	23.05	69.76	22.27	67.45	21.44	62.89	19.88
	-3	-3.7	81.68	24.90	77.06	23.35	72.5	21.83	69.76	21.09	67.45	20.34	62.89	18.91
	0	-0.7	81.68	22.84	77.06	21.44	72.5	20.10	69.76	19.40	67.45	18.76	62.89	17.46
	3	2.2	81.68	21.04	77.06	19.79	72.5	18.54	69.76	17.93	67.45	17.33	62.89	16.16
	5	4.1	81.68	19.96	77.06	18.76	72.5	17.62	69.76	17.06	67.45	16.50	62.89	15.37
	7	6	81.68	18.97	77.06	17.84	72.5	16.77	69.76	16.21	67.45	15.69	62.89	14.68
	9	7.9	81.68	17.98	77.06	16.95	72.5	15.94	69.76	15.46	67.45	14.97	62.89	13.98
	11	9.8	81.68	17.09	77.06	16.11	72.5	15.18	69.76	14.73	67.45	14.27	62.89	13.34
13	11.8	81.68	16.26	77.06	15.33	72.5	14.46	69.76	14.04	67.45	13.56	62.89	12.72	
15	13.7	81.68	15.46	77.06	14.63	72.5	13.79	69.76	13.37	67.45	12.95	62.89	12.15	

48HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1350W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	97.11	26.28	96.67	28.12	96.22	30.02	96.22	30.91	95.72	31.83	95.72	33.70
	-18.8	-19	98.56	26.87	98.11	28.71	98.11	30.52	97.61	31.44	97.61	32.31	97.11	34.15
	-16.7	-17	102.39	28.12	101.89	29.85	101.44	31.64	101.44	32.50	101.44	33.37	100.94	35.13
	-13.7	-15	106.67	29.43	106.22	31.11	105.72	32.81	105.72	33.62	105.22	34.48	105.22	36.19
	-11.8	-13	110.94	30.72	110.94	32.36	110.5	33.95	110	34.76	110	35.60	109.5	37.19
	-9.8	-11	116.22	32.09	115.72	33.62	115.22	35.15	115.22	35.94	115.22	36.69	114.78	38.28
	-9.5	-10	119.06	32.75	118.56	34.26	118.11	35.74	118.11	36.52	117.61	37.25	117.61	38.73
	-8.5	-9.1	121.44	33.31	120.94	34.76	120.94	36.27	120.5	37.00	120.5	37.72	120	39.23
	-7	-7.6	125.72	34.29	125.72	35.74	125.22	37.13	125.22	37.86	124.78	38.53	124.28	39.98
	-5	-5.6	132.39	35.60	131.89	36.97	131.44	38.31	131.44	38.98	130.94	39.62	130.94	40.96
	-3	-3.7	138.56	36.74	138.11	38.06	138.11	39.31	137.61	39.98	137.61	40.62	137.11	41.88
	0	-0.7	149.5	38.53	149.5	39.76	149.06	40.90	149.06	41.35	148.56	42.10	148.56	43.27
	3	2.2	161.39	40.12	160.94	41.26	160.5	42.38	160.5	42.88	160.5	43.47	160	44.56
	5	4.1	169.5	41.15	169.06	42.21	169.06	43.25	168.56	43.78	168.56	44.28	168.11	45.31
	7	6	178.11	42.13	177.61	43.11	177.61	44.11	177.11	44.58	177.11	45.06	170	43.27
	9	7.9	187.11	42.97	186.67	43.97	186.67	44.86	186.17	45.37	182.39	44.39	170	40.68
	11	9.8	196.67	43.86	196.17	44.72	195.22	45.31	188.56	43.52	182.39	41.74	170	38.31
	13	11.8	207.11	44.67	206.67	45.53	195.22	42.46	188.56	40.76	182.39	39.17	170	35.94
	15	13.7	217.11	45.45	207.61	43.13	195.22	39.98	188.56	38.45	182.39	36.91	170	33.90
120%	-19.8	-20	96.67	28.79	96.17	30.47	95.72	32.22	95.72	33.03	95.72	33.90	95.22	35.66
	-18.8	-19	98.11	29.32	97.61	31.00	97.61	32.70	97.17	33.54	97.17	34.40	96.67	36.07
	-16.7	-17	101.89	30.47	101.44	32.14	100.78	33.70	100.94	34.54	100.94	35.35	100.5	36.97
	-13.7	-15	106.22	31.69	105.72	33.23	105.22	34.76	105.22	35.60	105.22	36.38	104.78	37.92
	-11.8	-13	110.5	32.89	110.5	34.40	110	35.88	110	36.66	109.56	37.39	109.56	38.86
	-9.8	-11	115.72	34.15	115.22	35.57	115.22	37.00	114.78	37.72	114.78	38.42	114.28	39.84
	-9.5	-10	118.61	34.76	118.11	36.19	117.61	37.55	117.61	38.28	117.61	38.95	117.17	40.34
	-8.5	-9.1	120.94	35.29	120.5	36.66	120.5	38.00	120	38.70	120	39.39	119.5	40.76
	-7	-7.6	125.22	36.24	125.22	37.55	124.78	38.81	124.78	39.51	124.28	40.12	124.28	41.43
	-5	-5.6	131.89	37.39	131.44	38.64	130.94	39.90	130.94	40.54	130.94	41.15	130.5	42.38
	-3	-3.7	138.11	38.50	138.11	39.70	137.61	40.85	137.61	41.43	137.17	42.07	137.17	43.25
	0	-0.7	149.06	40.12	149.06	41.26	148.56	42.30	148.56	42.88	148.11	43.41	148.11	44.56
	3	2.2	160.94	41.63	160.5	42.66	160.5	43.66	160	44.19	160	44.67	156.67	44.44
	5	4.1	169.06	42.55	168.56	43.52	168.56	44.50	168.11	44.95	168.11	45.45	156.67	41.74
	7	6	177.61	43.41	177.61	44.33	177.17	45.25	174.28	44.64	168.56	42.80	156.67	39.28
	9	7.9	186.67	44.28	186.22	45.17	180	43.66	174.28	41.93	168.56	40.23	156.67	36.97
	11	9.8	196.17	45.06	191.44	44.28	180	41.07	174.28	39.45	168.56	37.86	156.67	34.85
	13	11.8	203.33	44.64	191.44	41.52	180	38.50	174.28	37.05	168.56	35.60	156.67	32.75
	15	13.7	203.33	42.02	191.44	39.14	180	36.33	174.28	34.93	168.56	33.56	156.67	30.91
110%	-19.8	-20	96.17	31.28	95.72	32.84	95.22	34.43	95.22	35.21	95.28	35.99	94.78	37.58
	-18.8	-19	97.61	31.78	97.17	33.31	97.17	34.88	97.17	35.66	96.67	36.41	96.67	37.97
	-16.7	-17	101.44	32.84	100.94	34.34	102.39	35.85	100.5	36.55	100.5	37.33	100	38.78
	-13.7	-15	105.72	33.95	105.28	35.41	104.78	36.80	104.78	37.55	104.78	38.28	104.28	39.67
	-11.8	-13	110	35.13	110	36.47	109.5	37.83	109.5	38.50	109.06	39.17	109.06	40.57
	-9.8	-11	115.22	36.24	114.78	37.55	114.78	38.84	114.28	39.51	114.28	40.12	114.28	41.43
	-9.5	-10	118.11	36.80	117.61	38.06	117.11	39.37	117.11	39.98	117.11	40.62	116.67	41.88
	-8.5	-9.1	120.5	37.27	120	38.56	120	39.81	119.5	40.43	119.5	41.07	119.5	37.41
	-7	-7.6	124.78	38.14	124.78	39.31	124.28	40.54	124.28	41.15	124.28	41.74	123.83	42.94
	-5	-5.6	131.44	39.23	130.94	40.40	130.5	41.49	130.5	42.07	130.5	42.66	130	43.83
	-3	-3.7	137.61	40.23	137.61	41.29	137.17	42.41	137.17	42.94	136.67	43.47	136.67	44.58
	0	-0.7	148.56	41.74	148.56	42.74	148.11	43.78	148.11	44.25	148.11	44.78	143.83	43.91
	3	2.2	160.5	43.13	160	44.05	160	44.95	159.5	45.39	154.28	43.55	143.83	39.95
	5	4.1	168.56	43.97	168.56	44.86	165.22	44.44	159.5	42.66	154.28	40.96	143.83	37.58
	7	6	177.11	44.78	175.72	45.06	165.22	41.74	159.5	40.09	154.28	38.50	143.83	35.35
	9	7.9	186.17	45.50	175.72	42.38	165.22	39.26	159.5	37.72	154.28	36.24	143.83	33.31
	11	9.8	186.17	42.80	175.72	39.84	165.22	36.97	159.5	35.57	154.28	34.15	143.83	31.44
	13	11.8	186.17	40.12	175.72	37.39	165.22	34.71	159.5	33.42	154.28	32.14	143.83	29.60
	15	13.7	186.17	35.66	175.72	35.27	165.22	32.81	159.5	31.55	154.28	30.38	143.83	28.01

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1350W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	95.72	33.81	95.22	35.21	95.22	36.66	94.78	37.39	94.78	38.06	94.28	39.51
	-18.8	-19	97.17	34.26	97.17	35.66	96.67	37.05	96.67	37.78	96.22	38.50	96.22	39.90
	-16.7	-17	100.94	35.21	100.44	36.55	100.44	37.92	100	38.59	100	39.26	100	40.62
	-13.7	-15	105.22	36.24	104.78	37.55	104.28	38.84	104.28	39.51	104.28	40.12	103.83	41.43
	-11.8	-13	109.56	37.27	109.56	38.50	109.06	39.76	109.06	40.40	109.06	41.01	108.56	42.24
	-9.8	-11	114.78	38.31	114.28	39.51	114.28	40.68	114.28	41.29	113.78	41.88	113.78	43.02
	-9.5	-10	117.61	38.84	117.17	39.98	117.17	41.15	116.67	41.74	116.67	42.30	116.17	43.47
	-8.5	-9.1	120	39.26	119.5	40.43	119.5	41.54	119.5	42.10	119.06	42.69	119.06	43.83
	-7	-7.6	124.28	40.04	124.28	41.15	123.83	42.21	123.83	42.80	123.83	43.33	123.33	44.44
	-5	-5.6	130.94	41.07	130.44	42.07	130.44	43.13	130	43.61	130	44.14	129.5	45.23
	-3	-3.7	137.17	41.96	137.17	38.11	136.67	43.97	136.67	44.44	136.67	44.92	130.94	43.02
	0	-0.7	148.11	43.33	148.11	44.22	147.61	45.17	145.22	44.44	140.5	42.60	130.94	39.09
	3	2.2	160	44.58	159.5	45.39	150	42.02	145.22	40.40	140.5	38.78	130.94	35.60
	5	4.1	168.11	45.39	159.5	42.66	150	39.51	145.22	38.00	140.5	36.52	130.94	33.56
	7	6	169.06	43.11	159.5	40.09	150	37.31	145.22	35.80	140.5	34.40	130.94	31.64
	9	7.9	169.06	40.48	159.5	37.72	150	35.01	145.22	33.26	140.5	32.42	130.94	29.85
	11	9.8	169.06	38.11	159.5	35.54	150	33.03	145.22	31.78	140.5	30.55	130.94	28.21
90%	13	11.8	169.06	35.80	159.5	33.42	150	31.11	145.22	29.94	140.5	28.85	130.94	26.62
	15	13.7	169.06	33.76	159.5	31.55	150	29.38	145.22	28.29	140.5	27.26	130.94	25.22
	-19.8	-20	95.06	36.33	94.61	37.58	94.61	38.86	94.11	39.51	94.11	40.18	94.11	41.43
	-18.8	-19	96.5	36.69	96.5	38.00	96	39.26	96	39.90	96	40.54	95.56	41.79
	-16.7	-17	100.28	37.64	99.83	38.84	99.83	40.04	99.83	40.68	99.33	41.26	99.33	42.46
	-13.7	-15	104.56	38.53	104.11	39.70	104.11	40.85	103.61	41.43	103.61	42.02	103.61	43.19
	-11.8	-13	108.83	39.45	108.83	40.57	108.39	41.68	108.39	42.24	108.39	42.80	107.89	43.91
	-9.8	-11	114.11	40.40	114.11	41.43	113.61	42.52	113.61	43.02	113.61	43.61	113.11	44.67
	-9.5	-10	116.94	40.85	116.44	41.93	116.44	42.94	116	43.47	116	44.00	116	45.00
	-8.5	-9.1	119.33	41.29	119.33	42.30	118.83	43.33	118.83	43.83	118.83	44.33	117.39	44.78
	-7	-7.6	123.61	41.96	123.61	42.94	123.11	43.94	123.11	44.44	123.11	44.92	117.39	42.74
	-5	-5.6	130.22	42.88	129.78	43.83	129.78	44.72	129.28	45.23	125.94	43.83	117.39	40.18
	-3	-3.7	136.44	43.69	136.44	44.58	135	44.78	130.22	42.97	125.94	41.26	117.39	37.86
	0	-0.7	147.83	44.95	143.56	43.86	135	40.62	130.22	39.03	125.94	37.47	117.39	34.43
	3	2.2	152.11	42.83	143.56	39.90	135	37.00	130.22	35.60	125.94	34.21	117.39	31.50
	5	4.1	152.11	40.26	143.56	37.55	135	34.88	130.22	33.54	125.94	32.28	117.39	29.71
	7	6	152.11	37.86	143.56	35.35	135	32.84	130.22	31.64	125.94	30.41	117.39	28.07
9	7.9	152.11	35.71	143.56	33.26	135	30.97	130.22	29.83	125.94	28.74	117.39	26.53	
80%	11	9.8	152.11	33.62	143.56	31.42	135	29.30	130.22	28.21	125.94	27.15	117.39	25.11
	13	11.8	152.11	31.64	143.56	29.60	135	27.57	130.22	26.62	125.94	25.64	117.39	23.72
	15	13.7	152.11	29.88	143.56	27.98	135	26.14	130.22	25.22	125.94	24.27	117.39	22.52
	-19.8	-20	94.78	38.81	94.28	39.95	94.28	41.12	94.28	41.68	93.78	42.24	93.78	43.38
	-18.8	-19	96.17	39.17	96.17	40.34	95.72	41.43	95.72	42.02	95.72	42.55	95.22	43.69
	-16.7	-17	100	39.98	99.56	41.07	99.56	42.16	99.56	42.69	99.56	43.25	99.06	44.28
	-13.7	-15	104.28	40.82	103.83	41.82	103.83	42.88	103.83	43.38	103.33	43.91	103.33	44.95
	-11.8	-13	108.56	41.63	108.56	42.66	108.11	43.61	108.11	44.08	108.11	44.64	104.78	43.41
	-9.8	-11	113.83	42.46	113.83	43.41	113.33	44.36	113.33	44.81	112.39	44.72	104.78	41.01
	-9.5	-10	116.67	42.88	116.17	43.80	116.22	44.72	116.22	45.23	112.39	43.41	104.78	39.81
	-8.5	-9.1	119.06	43.27	110.67	44.19	118.56	45.06	116.22	44.05	112.39	42.24	104.78	38.73
	-7	-7.6	123.33	43.91	123.33	44.78	120	43.80	116.22	42.07	112.39	40.40	104.78	37.05
	-5	-5.6	130	44.67	127.61	44.44	120	41.15	116.22	39.53	112.39	37.94	104.78	34.88
	-3	-3.7	135.22	44.92	127.61	41.82	120	38.73	116.22	37.27	112.39	35.80	104.78	32.95
	0	-0.7	135.22	40.76	127.61	37.94	120	35.27	116.22	33.95	112.39	32.59	104.78	30.05
	3	2.2	135.22	37.13	127.61	34.62	120	32.22	116.22	31.00	112.39	29.83	104.78	27.54
	5	4.1	135.22	34.99	127.61	32.64	120	30.38	116.22	29.30	112.39	28.21	104.78	26.03
7	6	135.22	32.95	127.61	30.83	120	28.71	116.22	27.68	112.39	26.67	104.78	24.64	
9	7.9	135.22	31.11	127.61	29.07	120	27.09	116.22	26.14	112.39	25.22	104.78	23.32	
11	9.8	135.22	29.38	127.61	27.48	120	25.64	116.22	24.72	112.39	23.85	104.78	22.12	
13	11.8	135.22	27.68	127.61	25.95	120	24.25	116.22	23.38	112.39	22.57	104.78	20.90	
15	13.7	135.22	26.17	127.61	24.58	120	22.99	116.22	22.15	112.39	21.40	104.78	19.89	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1350W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	94.06	41.35	93.61	42.30	93.61	43.33	93.61	43.80	93.61	44.33	91.22	43.86
	-18.8	-19	95.5	41.68	95.5	42.66	95	43.61	95	44.08	95	44.64	91.22	42.94
	-16.7	-17	99.28	42.38	99.28	43.33	98.83	44.22	98.83	44.72	97.89	39.84	91.22	40.96
	-13.7	-15	103.56	43.11	103.11	44.00	103.11	44.92	101.22	44.22	97.89	42.46	91.22	38.95
	-11.8	-13	107.83	43.80	107.83	44.67	105	43.61	101.22	41.93	97.89	40.23	91.22	36.91
	-9.8	-11	113.06	44.53	111.67	44.50	105	41.21	101.22	39.62	97.89	38.00	91.22	34.93
	-9.5	-10	115.94	44.92	111.67	43.19	105	39.98	101.22	38.45	97.89	36.97	91.22	33.95
	-8.5	-9.1	118.28	45.17	111.67	42.02	105	38.95	101.22	37.41	97.89	35.96	91.22	33.09
	-7	-7.6	118.28	43.13	111.67	40.12	105	37.25	101.22	35.82	97.89	34.43	91.22	31.69
	-5	-5.6	118.28	40.54	111.67	37.78	105	35.07	101.22	33.70	97.89	39.84	91.22	29.88
	-3	-3.7	118.28	38.14	111.67	35.60	105	33.09	101.22	31.83	97.89	30.61	91.22	28.26
	0	-0.7	118.28	34.71	111.67	32.45	105	30.19	101.22	29.07	97.89	28.01	91.22	25.89
	3	2.2	118.28	31.72	111.67	29.71	105	27.68	101.22	26.67	97.89	25.70	91.22	23.74
	5	4.1	118.28	29.94	111.67	28.01	105	26.17	101.22	25.22	97.89	24.27	91.22	22.52
	7	6	118.28	28.29	111.67	26.53	105	24.72	101.22	23.85	97.89	23.02	91.22	21.34
	9	7.9	118.28	26.76	111.67	25.05	105	23.44	101.22	22.60	97.89	21.85	91.22	20.23
60%	11	9.8	118.28	25.31	111.67	23.72	105	22.21	101.22	21.43	97.89	20.73	91.22	19.22
	13	11.8	118.28	23.91	111.67	22.46	105	21.04	101.22	20.34	97.89	19.59	91.22	18.27
	15	13.7	118.28	22.65	111.67	21.29	105	19.95	101.22	19.31	97.89	18.64	91.22	17.38
	-19.8	-20	93.83	43.86	93.33	44.67	90	42.97	87.17	41.29	84.28	39.67	78.56	36.38
	-18.8	-19	95.22	44.14	95.22	44.95	90	42.07	87.17	40.43	84.28	38.78	78.56	35.60
	-16.7	-17	99.06	44.72	95.72	43.33	90	40.12	87.17	38.59	84.28	37.05	78.56	34.04
	-13.7	-15	101.44	44.22	95.72	41.15	90	38.14	87.17	36.69	84.28	35.24	78.56	32.39
	-11.8	-13	101.44	41.88	95.72	38.98	90	36.19	87.17	34.85	84.28	33.48	78.56	30.97
	-9.8	-11	101.44	39.53	95.72	36.83	90	34.26	87.17	32.95	84.28	31.69	78.56	29.21
	-9.5	-10	101.44	38.45	95.72	35.82	90	33.26	87.17	32.09	84.28	30.83	78.56	28.40
	-8.5	-9.1	101.44	37.41	95.72	34.93	90	32.45	87.17	31.25	84.28	30.05	78.56	27.70
	-7	-7.6	101.44	35.80	95.72	33.42	90	31.05	87.17	29.94	84.28	28.79	78.56	26.62
	-5	-5.6	101.44	33.70	95.72	31.50	90	29.32	87.17	28.26	84.28	27.17	78.56	25.17
	-3	-3.7	101.44	31.83	95.72	29.74	90	27.70	87.17	26.76	84.28	25.72	78.56	23.83
	0	-0.7	101.44	29.07	95.72	27.26	90	25.42	87.17	24.55	84.28	23.60	78.56	21.87
	3	2.2	101.44	26.67	95.72	25.00	90	23.38	87.17	22.57	84.28	21.79	78.56	20.17
50%	5	4.1	101.44	25.22	95.72	23.66	90	22.12	87.17	21.40	84.28	20.62	78.56	19.17
	7	6	101.44	23.85	95.72	22.43	90	20.95	87.17	20.28	84.28	19.59	78.56	18.19
	9	7.9	101.44	22.60	95.72	21.26	90	19.89	87.17	19.28	84.28	18.58	78.56	17.33
	11	9.8	101.44	21.43	95.72	20.17	90	18.92	87.17	18.33	84.28	17.69	78.56	16.52
	13	11.8	101.44	20.28	95.72	19.14	90	17.97	87.17	17.38	84.28	16.80	78.56	15.71
	15	13.7	101.44	19.31	95.72	18.16	90	17.10	87.17	16.57	84.28	16.01	78.56	14.98
	-19.8	-20	84.5	39.90	79.72	37.13	75	34.48	72.17	33.23	69.78	31.92	65.06	29.43
	-18.8	-19	84.5	39.03	79.72	36.38	75	33.81	72.17	32.50	69.78	31.25	65.06	28.85
	-16.7	-17	84.5	37.25	79.72	34.71	75	32.31	72.17	31.11	69.78	29.94	65.06	27.62
	-13.7	-15	84.5	35.43	79.72	33.09	75	30.77	72.17	29.66	69.78	28.54	65.06	26.37
	-11.8	-13	84.5	33.68	79.72	31.44	75	29.30	72.17	28.21	69.78	27.12	65.06	25.11
	-9.8	-11	84.5	31.86	79.72	29.80	75	27.76	72.17	26.76	69.78	25.78	65.06	23.85
	-9.5	-10	84.5	31.00	79.72	28.99	75	27.04	72.17	26.09	69.78	25.11	65.06	23.24
	-8.5	-9.1	84.5	30.24	79.72	28.29	75	26.37	72.17	25.44	69.78	24.55	65.06	22.71
	-7	-7.6	84.5	28.99	79.72	27.12	75	25.31	72.17	24.41	69.78	23.58	65.06	21.85
	-5	-5.6	84.5	27.34	79.72	25.64	75	23.97	72.17	23.16	69.78	22.29	65.06	20.67
-3	-3.7	84.5	25.89	79.72	24.27	75	22.71	72.17	21.93	69.78	21.15	65.06	19.67	

50HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1400W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	101	27.51	100.53	29.44	100.07	31.42	100.07	32.36	99.55	33.32	99.55	35.28
	-18.8	-19	102.5	28.12	102.04	30.05	102.04	31.95	101.52	32.91	101.52	33.82	101	35.74
	-16.7	-17	106.48	29.44	105.96	31.25	105.5	33.12	105.5	34.02	105.5	34.93	104.98	36.77
	-13.7	-15	110.93	30.81	110.47	32.56	109.95	34.34	109.95	35.19	109.43	36.09	109.43	37.87
	-11.8	-13	115.38	32.15	115.38	33.87	114.92	35.54	114.4	36.39	114.4	37.26	113.88	38.93
	-9.8	-11	120.87	33.58	120.35	35.19	119.83	36.79	119.83	37.61	119.83	38.40	119.37	40.07
	-9.5	-10	123.82	34.28	123.3	35.86	122.84	37.41	122.84	38.23	122.32	38.98	122.32	40.53
	-8.5	-9.1	126.3	34.87	125.78	36.39	125.78	37.96	125.32	38.72	125.32	39.48	124.8	41.06
	-7	-7.6	130.75	35.89	130.75	37.41	130.23	38.87	130.23	39.63	129.77	40.33	129.25	41.85
	-5	-5.6	137.68	37.26	137.16	38.69	136.7	40.09	136.7	40.80	136.18	41.47	136.18	42.87
	-3	-3.7	144.1	38.46	143.64	39.83	143.64	41.15	143.12	41.85	143.12	42.52	142.6	43.83
	0	-0.7	155.48	40.33	155.48	41.61	155.02	42.81	155.02	43.28	154.5	44.07	154.5	45.29
	3	2.2	167.84	41.99	167.38	43.19	166.92	44.36	166.92	44.88	166.92	45.50	166.4	46.64
	5	4.1	176.28	43.07	175.82	44.18	175.82	45.26	175.3	45.82	175.3	46.34	174.84	47.42
	7	6	185.24	44.10	184.72	45.12	184.72	46.17	184.2	46.66	184.2	47.16	176.8	48.29
	9	7.9	194.6	44.97	194.13	46.02	194.13	46.96	193.61	47.48	189.68	46.46	176.8	49.58
	11	9.8	204.53	45.91	204.01	46.81	203.03	47.42	196.1	45.56	189.68	43.69	176.8	50.09
120%	13	11.8	215.4	46.75	214.93	47.66	203.03	44.45	196.1	42.66	189.68	41.00	176.8	51.61
	15	13.7	225.8	47.57	215.92	45.15	203.03	41.85	196.1	40.24	189.68	38.63	176.8	53.48
	-19.8	-20	100.53	30.14	100.01	31.89	99.55	33.73	99.55	34.58	99.55	35.48	99.03	37.32
	-18.8	-19	102.04	30.69	101.52	32.44	101.52	34.22	101.05	35.10	101.05	36.01	100.53	37.76
	-16.7	-17	105.96	31.89	105.5	33.64	104.81	35.28	104.98	36.15	104.98	37.00	104.52	38.69
	-13.7	-15	110.47	33.17	109.95	34.78	109.43	36.39	109.43	37.26	109.43	38.08	108.97	39.69
	-11.8	-13	114.92	34.43	114.92	36.01	114.4	37.55	114.4	38.37	113.94	39.13	113.94	40.68
	-9.8	-11	120.35	35.74	119.83	37.23	119.83	38.72	119.37	39.48	119.37	40.21	118.85	41.70
	-9.5	-10	123.36	36.39	122.84	37.87	122.32	39.31	122.32	40.07	122.32	40.77	121.85	42.23
	-8.5	-9.1	125.78	36.94	125.32	38.37	125.32	39.77	124.8	40.50	124.8	41.23	124.28	42.66
	-7	-7.6	130.23	37.93	130.23	39.31	129.77	40.62	129.77	41.35	129.25	41.99	129.25	43.36
	-5	-5.6	137.16	39.13	136.7	40.44	136.18	41.76	136.18	42.43	136.18	43.07	135.72	44.36
	-3	-3.7	143.64	40.30	143.64	41.55	143.12	42.75	143.12	43.36	142.65	44.04	142.65	45.26
	0	-0.7	155.02	41.99	155.02	43.19	154.5	44.27	154.5	44.88	154.04	45.44	154.04	46.64
	3	2.2	167.38	43.57	166.92	44.65	166.92	45.70	166.4	46.26	166.4	46.75	162.93	46.52
	5	4.1	175.82	44.53	175.3	45.56	175.3	46.58	174.84	47.04	174.84	47.57	162.93	47.69
	7	6	184.72	45.44	184.72	46.40	184.25	47.37	181.25	46.72	175.3	44.80	162.93	48.12
	9	7.9	194.13	46.34	193.67	47.28	187.2	45.70	181.25	43.89	175.3	42.11	162.93	48.69
	11	9.8	204.01	47.16	199.1	46.34	187.2	42.99	181.25	41.29	175.3	39.63	162.93	49.47
110%	13	11.8	211.47	46.72	199.1	43.45	187.2	40.30	181.25	38.78	175.3	37.26	162.93	50.28
	15	13.7	211.47	43.98	199.1	40.97	187.2	38.02	181.25	36.56	175.3	35.13	162.93	51.36
	-19.8	-20	100.01	32.74	99.55	34.37	99.03	36.04	99.03	36.85	99.09	37.67	98.57	39.34
	-18.8	-19	101.52	33.26	101.05	34.87	101.05	36.50	101.05	37.32	100.53	38.11	100.53	39.74
	-16.7	-17	105.5	34.37	104.98	35.95	106.48	37.52	104.52	38.25	104.52	39.07	104	40.59
	-13.7	-15	109.95	35.54	109.49	37.06	108.97	38.52	108.97	39.31	108.97	40.07	108.45	41.53
	-11.8	-13	114.4	36.77	114.4	38.17	113.88	39.60	113.88	40.30	113.42	41.00	113.42	42.46
	-9.8	-11	119.83	37.93	119.37	39.31	119.37	40.65	118.85	41.35	118.85	41.99	118.85	43.36
	-9.5	-10	122.84	38.52	122.32	39.83	121.8	41.20	121.8	41.85	121.8	42.52	121.33	43.83
	-8.5	-9.1	125.32	39.01	124.8	40.36	124.8	41.67	124.28	42.31	124.28	42.99	124.28	44.36
	-7	-7.6	129.77	39.92	129.77	41.15	129.25	42.43	129.25	43.07	129.25	43.69	128.79	44.94
	-5	-5.6	136.7	41.06	136.18	42.28	135.72	43.42	135.72	44.04	135.72	44.65	135.2	45.88
	-3	-3.7	143.12	42.11	143.12	43.22	142.65	44.39	142.65	44.94	142.13	45.50	142.13	46.66
	0	-0.7	154.5	43.69	154.5	44.74	154.04	45.82	154.04	46.31	154.04	46.87	149.59	47.96
	3	2.2	166.92	45.15	166.4	46.11	166.4	47.04	165.88	47.51	160.45	45.58	149.59	48.82
	5	4.1	175.3	46.02	175.3	46.96	171.83	46.52	165.88	44.65	160.45	42.87	149.59	49.34
	7	6	184.2	46.87	182.75	47.16	171.83	43.69	165.88	41.96	160.45	40.30	149.59	50.00
	9	7.9	193.61	47.63	182.75	44.36	171.83	41.09	165.88	39.48	160.45	37.93	149.59	50.87
	11	9.8	193.61	44.80	182.75	41.70	171.83	38.69	165.88	37.23	160.45	35.74	149.59	51.91
	13	11.8	193.61	41.99	182.75	39.13	171.83	36.33	165.88	34.98	160.45	33.64	149.59	53.08
	15	13.7	193.61	37.32	182.75	36.91	171.83	34.34	165.88	33.03	160.45	31.80	149.59	54.32

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1400W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	99.55	35.39	99.03	36.85	99.03	38.37	98.57	39.13	98.57	39.83	98.05	41.35
	-18.8	-19	101.05	35.86	101.05	37.32	100.53	38.78	100.53	39.54	100.07	40.30	100.07	41.76
	-16.7	-17	104.98	36.85	104.46	38.25	104.46	39.69	104	40.39	104	41.09	104	42.52
	-13.7	-15	109.43	37.93	108.97	39.31	108.45	40.65	108.45	41.35	108.45	41.99	107.99	43.36
	-11.8	-13	113.94	39.01	113.94	40.30	113.42	41.61	113.42	42.28	113.42	42.93	112.9	44.21
	-9.8	-11	119.37	40.09	118.85	41.35	118.85	42.58	118.85	43.22	118.33	43.83	118.33	45.03
	-9.5	-10	122.32	40.65	121.85	41.85	121.85	43.07	121.33	43.69	121.33	44.27	120.81	45.50
	-8.5	-9.1	124.8	41.09	124.28	42.31	124.28	43.48	124.28	44.07	123.82	44.68	123.82	45.88
	-7	-7.6	129.25	41.90	129.25	43.07	128.79	44.18	128.79	44.80	128.79	45.35	128.27	46.52
	-5	-5.6	136.18	42.99	135.66	44.04	135.66	45.15	135.2	45.64	135.2	46.20	134.68	47.34
	-3	-3.7	142.65	43.92	142.65	39.89	142.13	46.02	142.13	46.52	142.13	47.02	136.18	45.03
	0	-0.7	154.04	45.35	154.04	46.29	153.52	47.28	151.03	46.52	146.12	44.59	136.18	40.91
	3	2.2	166.4	46.66	165.88	47.51	156	43.98	151.03	42.28	146.12	40.59	136.18	37.26
	5	4.1	174.84	47.51	165.88	44.65	156	41.35	151.03	39.77	146.12	38.23	136.18	35.13
	7	6	175.82	45.12	165.88	41.96	156	39.02	151.03	37.47	146.12	36.01	136.18	33.12
	9	7.9	175.82	42.37	165.88	39.48	156	36.65	151.03	34.81	146.12	33.93	136.18	31.25
90%	11	9.8	175.82	39.89	165.88	37.20	156	34.58	151.03	33.26	146.12	31.98	136.18	29.52
	13	11.8	175.82	37.47	165.88	34.98	156	32.56	151.03	31.33	146.12	30.19	136.18	27.86
	15	13.7	175.82	35.33	165.88	33.03	156	30.75	151.03	29.61	146.12	28.53	136.18	26.40
	-19.8	-20	98.86	38.02	98.4	39.34	98.4	40.68	97.88	41.35	97.88	42.05	97.88	43.36
	-18.8	-19	100.36	38.40	100.36	39.77	99.84	41.09	99.84	41.76	99.84	42.43	99.38	43.74
	-16.7	-17	104.29	39.39	103.83	40.65	103.83	41.90	103.83	42.58	103.31	43.19	103.31	44.45
	-13.7	-15	108.74	40.33	108.28	41.55	108.28	42.75	107.76	43.36	107.76	43.98	107.76	45.20
	-11.8	-13	113.19	41.29	113.19	42.46	112.72	43.63	112.72	44.21	112.72	44.80	112.2	45.96
	-9.8	-11	118.68	42.28	118.68	43.36	118.16	44.50	118.16	45.03	118.16	45.64	117.64	46.75
	-9.5	-10	121.62	42.75	121.1	43.89	121.1	44.94	120.64	45.50	120.64	46.05	120.64	47.10
	-8.5	-9.1	124.11	43.22	124.11	44.27	123.59	45.35	123.59	45.88	123.59	46.40	122.08	46.87
	-7	-7.6	128.56	43.92	128.56	44.94	128.04	45.99	128.04	46.52	128.04	47.02	122.08	44.74
	-5	-5.6	135.43	44.88	134.97	45.88	134.97	46.81	134.45	47.34	130.98	45.88	122.08	42.05
	-3	-3.7	141.9	45.73	141.9	46.66	140.4	46.87	135.43	44.97	130.98	43.19	122.08	39.63
	0	-0.7	153.75	47.04	149.3	45.91	140.4	42.52	135.43	40.85	130.98	39.22	122.08	36.04
	3	2.2	158.2	44.83	149.3	41.76	140.4	38.72	135.43	37.26	130.98	35.80	122.08	32.97
80%	5	4.1	158.2	42.14	149.3	39.31	140.4	36.50	135.43	35.10	130.98	33.79	122.08	31.10
	7	6	158.2	39.63	149.3	37.00	140.4	34.37	135.43	33.12	130.98	31.83	122.08	29.38
	9	7.9	158.2	37.38	149.3	34.81	140.4	32.41	135.43	31.22	130.98	30.08	122.08	27.77
	11	9.8	158.2	35.19	149.3	32.88	140.4	30.66	135.43	29.52	130.98	28.41	122.08	26.28
	13	11.8	158.2	33.12	149.3	30.98	140.4	28.85	135.43	27.86	130.98	26.84	122.08	24.82
	15	13.7	158.2	31.28	149.3	29.29	140.4	27.36	135.43	26.40	130.98	25.41	122.08	23.57
	-19.8	-20	98.57	40.62	98.05	41.82	98.05	43.04	98.05	43.63	97.53	44.21	97.53	45.41
	-18.8	-19	100.01	41.00	100.01	42.23	99.55	43.36	99.55	43.98	99.55	44.53	99.03	45.73
	-16.7	-17	104	41.85	103.54	42.99	103.54	44.12	103.54	44.68	103.54	45.26	103.02	46.34
	-13.7	-15	108.45	42.72	107.99	43.77	107.99	44.88	107.99	45.41	107.47	45.96	107.47	47.04
	-11.8	-13	112.9	43.57	112.9	44.65	112.44	45.64	112.44	46.14	112.44	46.72	108.97	45.44
	-9.8	-11	118.39	44.45	118.39	45.44	117.87	46.43	117.87	46.90	116.88	46.81	108.97	42.93
	-9.5	-10	121.33	44.88	120.81	45.85	120.87	46.81	120.87	47.34	116.88	45.44	108.97	41.67
	-8.5	-9.1	123.82	45.29	115.09	46.26	123.3	47.16	120.87	46.11	116.88	44.21	108.97	40.53
	-7	-7.6	128.27	45.96	128.27	46.87	124.8	45.85	120.87	44.04	116.88	42.28	108.97	38.78
	-5	-5.6	135.2	46.75	132.72	46.52	124.8	43.07	120.87	41.38	116.88	39.71	108.97	36.50
-3	-3.7	140.63	47.02	132.72	43.77	124.8	40.53	120.87	39.01	116.88	37.47	108.97	34.49	
0	-0.7	140.63	42.66	132.72	39.71	124.8	36.91	120.87	35.54	116.88	34.11	108.97	31.45	
3	2.2	140.63	38.87	132.72	36.24	124.8	33.73	120.87	32.44	116.88	31.22	108.97	28.82	
5	4.1	140.63	36.62	132.72	34.17	124.8	31.80	120.87	30.66	116.88	29.52	108.97	27.25	
7	6	140.63	34.49	132.72	32.27	124.8	30.05	120.87	28.97	116.88	27.92	108.97	25.79	
9	7.9	140.63	32.56	132.72	30.43	124.8	28.36	120.87	27.36	116.88	26.40	108.97	24.41	
11	9.8	140.63	30.75	132.72	28.76	124.8	26.84	120.87	25.87	116.88	24.97	108.97	23.16	
13	11.8	140.63	28.97	132.72	27.16	124.8	25.38	120.87	24.47	116.88	23.62	108.97	21.87	
15	13.7	140.63	27.39	132.72	25.73	124.8	24.06	120.87	23.19	116.88	22.40	108.97	20.82	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1400W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	97.82	43.28	97.36	44.27	97.36	45.35	97.36	45.85	97.36	46.40	94.87	45.91
	-18.8	-19	99.32	43.63	99.32	44.65	98.8	45.64	98.8	46.14	98.8	46.72	94.87	44.94
	-16.7	-17	103.25	44.36	103.25	45.35	102.79	46.29	102.79	46.81	101.8	41.70	94.87	42.87
	-13.7	-15	107.7	45.12	107.24	46.05	107.24	47.02	105.27	46.29	101.8	44.45	94.87	40.77
	-11.8	-13	112.15	45.85	112.15	46.75	109.2	45.64	105.27	43.89	101.8	42.11	94.87	38.63
	-9.8	-11	117.58	46.61	116.13	46.58	109.2	43.13	105.27	41.47	101.8	39.77	94.87	36.56
	-9.5	-10	120.58	47.02	116.13	45.20	109.2	41.85	105.27	40.24	101.8	38.69	94.87	35.54
	-8.5	-9.1	123.01	47.28	116.13	43.98	109.2	40.77	105.27	39.16	101.8	37.64	94.87	34.63
	-7	-7.6	123.01	45.15	116.13	41.99	109.2	38.98	105.27	37.50	101.8	36.04	94.87	33.17
	-5	-5.6	123.01	42.43	116.13	39.54	109.2	36.71	105.27	35.28	101.8	41.70	94.87	31.28
	-3	-3.7	123.01	39.92	116.13	37.26	109.2	34.63	105.27	33.32	101.8	32.03	94.87	29.58
	0	-0.7	123.01	36.33	116.13	33.96	109.2	31.60	105.27	30.43	101.8	29.32	94.87	27.10
	3	2.2	123.01	33.20	116.13	31.10	109.2	28.97	105.27	27.92	101.8	26.90	94.87	24.85
	5	4.1	123.01	31.33	116.13	29.32	109.2	27.39	105.27	26.40	101.8	25.41	94.87	23.57
	7	6	123.01	29.61	116.13	27.77	109.2	25.87	105.27	24.97	101.8	24.09	94.87	22.34
	9	7.9	123.01	28.00	116.13	26.22	109.2	24.53	105.27	23.65	101.8	22.87	94.87	21.17
	11	9.8	123.01	26.49	116.13	24.82	109.2	23.24	105.27	22.43	101.8	21.70	94.87	20.12
13	11.8	123.01	25.03	116.13	23.51	109.2	22.02	105.27	21.29	101.8	20.50	94.87	19.13	
15	13.7	123.01	23.71	116.13	22.28	109.2	20.88	105.27	20.21	101.8	19.51	94.87	18.19	
60%	-19.8	-20	97.59	45.91	97.07	46.75	93.6	44.97	90.65	43.22	87.65	41.53	81.7	38.08
	-18.8	-19	99.03	46.20	99.03	47.04	93.6	44.04	90.65	42.31	87.65	40.59	81.7	37.26
	-16.7	-17	103.02	46.81	99.55	45.35	93.6	41.99	90.65	40.39	87.65	38.78	81.7	35.63
	-13.7	-15	105.5	46.29	99.55	43.07	93.6	39.92	90.65	38.40	87.65	36.88	81.7	33.90
	-11.8	-13	105.5	43.83	99.55	40.80	93.6	37.87	90.65	36.47	87.65	35.04	81.7	32.41
	-9.8	-11	105.5	41.38	99.55	38.55	93.6	35.86	90.65	34.49	87.65	33.17	81.7	30.57
	-9.5	-10	105.5	40.24	99.55	37.50	93.6	34.81	90.65	33.58	87.65	32.27	81.7	29.73
	-8.5	-9.1	105.5	39.16	99.55	36.56	93.6	33.96	90.65	32.71	87.65	31.45	81.7	29.00
	-7	-7.6	105.5	37.47	99.55	34.98	93.6	32.50	90.65	31.33	87.65	30.14	81.7	27.86
	-5	-5.6	105.5	35.28	99.55	32.97	93.6	30.69	90.65	29.58	87.65	28.44	81.7	26.34
	-3	-3.7	105.5	33.32	99.55	31.13	93.6	29.00	90.65	28.00	87.65	26.92	81.7	24.94
	0	-0.7	105.5	30.43	99.55	28.53	93.6	26.60	90.65	25.70	87.65	24.70	81.7	22.89
	3	2.2	105.5	27.92	99.55	26.16	93.6	24.47	90.65	23.62	87.65	22.81	81.7	21.11
	5	4.1	105.5	26.40	99.55	24.76	93.6	23.16	90.65	22.40	87.65	21.58	81.7	20.06
	7	6	105.5	24.97	99.55	23.48	93.6	21.93	90.65	21.23	87.65	20.50	81.7	19.04
	9	7.9	105.5	23.65	99.55	22.25	93.6	20.82	90.65	20.18	87.65	19.45	81.7	18.13
	11	9.8	105.5	22.43	99.55	21.11	93.6	19.80	90.65	19.19	87.65	18.51	81.7	17.29
13	11.8	105.5	21.23	99.55	20.03	93.6	18.81	90.65	18.19	87.65	17.58	81.7	16.44	
15	13.7	105.5	20.21	99.55	19.01	93.6	17.90	90.65	17.35	87.65	16.76	81.7	15.68	
50%	-19.8	-20	87.88	41.76	82.91	38.87	78	36.09	75.05	34.78	72.57	33.41	67.66	30.81
	-18.8	-19	87.88	40.85	82.91	38.08	78	35.39	75.05	34.02	72.57	32.71	67.66	30.19
	-16.7	-17	87.88	38.98	82.91	36.33	78	33.82	75.05	32.56	72.57	31.33	67.66	28.91
	-13.7	-15	87.88	37.09	82.91	34.63	78	32.21	75.05	31.04	72.57	29.87	67.66	27.60
	-11.8	-13	87.88	35.25	82.91	32.91	78	30.66	75.05	29.52	72.57	28.38	67.66	26.28
	-9.8	-11	87.88	33.35	82.91	31.19	78	29.06	75.05	28.00	72.57	26.98	67.66	24.97
	-9.5	-10	87.88	32.44	82.91	30.34	78	28.30	75.05	27.30	72.57	26.28	67.66	24.33
	-8.5	-9.1	87.88	31.65	82.91	29.61	78	27.60	75.05	26.63	72.57	25.70	67.66	23.77
	-7	-7.6	87.88	30.34	82.91	28.38	78	26.49	75.05	25.55	72.57	24.68	67.66	22.87
	-5	-5.6	87.88	28.62	82.91	26.84	78	25.08	75.05	24.24	72.57	23.33	67.66	21.64
	-3	-3.7	87.88	27.10	82.91	25.41	78	23.77	75.05	22.95	72.57	22.14	67.66	20.59
	0	-0.7	87.88	24.85	82.91	23.33	78	21.87	75.05	21.11	72.57	20.41	67.66	19.01
	3	2.2	87.88	22.89	82.91	21.55	78	20.18	75.05	19.51	72.57	18.86	67.66	17.58
	5	4.1	87.88	21.73	82.91	20.41	78	19.19	75.05	18.57	72.57	17.96	67.66	16.73
	7	6	87.88	20.65	82.91	19.42	78	18.25	75.05	17.64	72.57	17.08	67.66	15.97
	9	7.9	87.88	19.57	82.91	18.46	78	17.35	75.05	16.82	72.57	16.29	67.66	15.21
	11	9.8	87.88	18.60	82.91	17.52	78	16.53	75.05	16.03	72.57	15.54	67.66	14.51
13	11.8	87.88	17.70	82.91	16.67	78	15.74	75.05	15.27	72.57	14.75	67.66	13.84	
15	13.7	87.88	16.82	82.91	15.92	78	15.01	75.05	14.54	72.57	14.10	67.66	13.23	

52HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1450W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	104.88	28.73	104.4	30.75	103.92	32.82	103.92	33.80	103.38	34.81	103.38	36.85
	-18.8	-19	106.44	29.38	105.96	31.39	105.96	33.37	105.42	34.38	105.42	35.32	104.88	37.34
	-16.7	-17	110.58	30.75	110.04	32.64	109.56	34.59	109.56	35.54	109.56	36.48	109.02	38.40
	-13.7	-15	115.2	32.18	114.72	34.01	114.18	35.87	114.18	36.76	113.64	37.70	113.64	39.56
	-11.8	-13	119.82	33.58	119.82	35.38	119.34	37.12	118.8	38.01	118.8	38.92	118.26	40.66
	-9.8	-11	125.52	35.08	124.98	36.76	124.44	38.44	124.44	39.29	124.44	40.11	123.96	41.85
	-9.5	-10	128.58	35.81	128.04	37.46	127.56	39.08	127.56	39.93	127.02	40.72	127.02	42.34
	-8.5	-9.1	131.16	36.42	130.62	38.01	130.62	39.66	130.14	40.45	130.14	41.24	129.6	42.89
	-7	-7.6	135.78	37.49	135.78	39.08	135.24	40.60	135.24	41.39	134.76	42.13	134.22	43.71
	-5	-5.6	142.98	38.92	142.44	40.42	141.96	41.88	141.96	42.61	141.42	43.32	141.42	44.78
	-3	-3.7	149.64	40.17	149.16	41.61	149.16	42.98	148.62	43.71	148.62	44.41	148.08	45.79
	0	-0.7	161.46	42.13	161.46	43.47	160.98	44.72	160.98	45.21	160.44	46.03	160.44	47.31
	3	2.2	174.3	43.86	173.82	45.12	173.34	46.34	173.34	46.88	173.34	47.53	172.8	48.71
	5	4.1	183.06	44.99	182.58	46.15	182.58	47.28	182.04	47.86	182.04	48.41	181.56	49.54
	7	6	192.36	46.06	191.82	47.13	191.82	48.23	191.28	48.75	191.28	49.26	183.6	47.31
	9	7.9	202.08	46.98	201.6	48.07	201.6	49.05	201.06	49.60	196.98	48.53	183.6	44.47
120%	-19.8	-20	104.4	31.48	103.86	33.31	103.38	35.23	103.38	36.12	103.38	37.06	102.84	38.98
	-18.8	-19	105.96	32.06	105.42	33.89	105.42	35.75	104.94	36.67	104.94	37.61	104.4	39.44
	-16.7	-17	110.04	33.31	109.56	35.14	108.84	36.85	109.02	37.76	109.02	38.65	108.54	40.42
	-13.7	-15	114.72	34.65	114.18	36.33	113.64	38.01	113.64	38.92	113.64	39.78	113.16	41.45
	-11.8	-13	119.34	35.96	119.34	37.61	118.8	39.23	118.8	40.08	118.32	40.88	118.32	42.49
	-9.8	-11	124.98	37.34	124.44	38.89	124.44	40.45	123.96	41.24	123.96	42.00	123.42	43.56
	-9.5	-10	128.1	38.01	127.56	39.56	127.02	41.06	127.02	41.85	127.02	42.58	126.54	44.11
	-8.5	-9.1	130.62	38.59	130.14	40.08	130.14	41.55	129.6	42.31	129.6	43.07	129.06	44.57
	-7	-7.6	135.24	39.62	135.24	41.06	134.76	42.43	134.76	43.19	134.22	43.86	134.22	45.30
	-5	-5.6	142.44	40.88	141.96	42.25	141.42	43.62	141.42	44.32	141.42	44.99	140.94	46.34
	-3	-3.7	149.16	42.10	149.16	43.41	148.62	44.66	148.62	45.30	148.14	46.00	148.14	47.28
	0	-0.7	160.98	43.86	160.98	45.12	160.44	46.24	160.44	46.88	159.96	47.46	159.96	48.71
	3	2.2	173.82	45.51	173.34	46.64	173.34	47.74	172.8	48.32	172.8	48.84	169.2	48.59
	5	4.1	182.58	46.52	182.04	47.59	182.04	48.65	181.56	49.14	181.56	49.69	169.2	45.63
	7	6	191.82	47.46	191.82	48.47	191.34	49.48	188.22	48.81	182.04	46.79	169.2	42.95
	9	7.9	201.6	48.41	201.12	49.39	194.4	47.74	188.22	45.85	182.04	43.99	169.2	40.42
	11	9.8	211.86	49.26	206.76	48.41	194.4	44.90	188.22	43.13	182.04	41.39	169.2	38.10
110%	-19.8	-20	103.86	34.19	103.38	35.90	102.84	37.64	102.84	38.50	102.9	39.35	102.36	41.09
	-18.8	-19	105.42	34.74	104.94	36.42	104.94	38.13	104.94	38.98	104.4	39.81	104.4	41.52
	-16.7	-17	109.56	35.90	109.02	37.55	110.58	39.20	108.54	39.96	108.54	40.81	108	42.40
	-13.7	-15	114.18	37.12	113.7	38.71	113.16	40.23	113.16	41.06	113.16	41.85	112.62	43.38
	-11.8	-13	118.8	38.40	118.8	39.87	118.26	41.36	118.26	42.10	117.78	42.83	117.78	44.35
	-9.8	-11	124.44	39.62	123.96	41.06	123.96	42.46	123.42	43.19	123.42	43.86	123.42	45.30
	-9.5	-10	127.56	40.23	127.02	41.61	126.48	43.04	126.48	43.71	126.48	44.41	126	45.79
	-8.5	-9.1	130.14	40.75	129.6	42.16	129.6	43.53	129.06	44.20	129.06	44.90	129.06	40.91
	-7	-7.6	134.76	41.70	134.76	42.98	134.22	44.32	134.22	44.99	134.22	45.63	133.74	46.95
	-5	-5.6	141.96	42.89	141.42	44.17	140.94	45.36	140.94	46.00	140.94	46.64	140.4	47.92
	-3	-3.7	148.62	43.99	148.62	45.15	148.14	46.37	148.14	46.95	147.6	47.53	147.6	48.75
	0	-0.7	160.44	45.63	160.44	46.73	159.96	47.86	159.96	48.38	159.96	48.96	155.34	48.01
	3	2.2	173.34	47.16	172.8	48.17	172.8	49.14	172.26	49.63	166.62	47.62	155.34	43.68
	5	4.1	182.04	48.07	182.04	49.05	178.44	48.59	172.26	46.64	166.62	44.78	155.34	41.09
	7	6	191.28	48.96	189.78	49.26	178.44	45.63	172.26	43.83	166.62	42.10	155.34	38.65
	9	7.9	201.06	49.75	189.78	46.34	178.44	42.92	172.26	41.24	166.62	39.62	155.34	36.42
	11	9.8	201.06	46.79	189.78	43.56	178.44	40.42	172.26	38.89	166.62	37.34	155.34	34.38
	13	11.8	201.06	43.86	189.78	40.88	178.44	37.95	172.26	36.54	166.62	35.14	155.34	32.36
	15	13.7	201.06	38.98	189.78	38.56	178.44	35.87	172.26	34.50	166.62	33.22	155.34	30.63

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1450W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	103.38	36.97	102.84	38.50	102.84	40.08	102.36	40.88	102.36	41.61	101.82	43.19
	-18.8	-19	104.94	37.46	104.94	38.98	104.4	40.51	104.4	41.30	103.92	42.10	103.92	43.62
	-16.7	-17	109.02	38.50	108.48	39.96	108.48	41.45	108	42.19	108	42.92	108	44.41
	-13.7	-15	113.64	39.62	113.16	41.06	112.62	42.46	112.62	43.19	112.62	43.86	112.14	45.30
	-11.8	-13	118.32	40.75	118.32	42.10	117.78	43.47	117.78	44.17	117.78	44.84	117.24	46.18
	-9.8	-11	123.96	41.88	123.42	43.19	123.42	44.47	123.42	45.15	122.88	45.79	122.88	47.04
	-9.5	-10	127.02	42.46	126.54	43.71	126.54	44.99	126	45.63	126	46.24	125.46	47.53
	-8.5	-9.1	129.6	42.92	129.06	44.20	129.06	45.42	129.06	46.03	128.58	46.67	128.58	47.92
	-7	-7.6	134.22	43.77	134.22	44.99	133.74	46.15	133.74	46.79	133.74	47.37	133.2	48.59
	-5	-5.6	141.42	44.90	140.88	46.00	140.88	47.16	140.4	47.68	140.4	48.26	139.86	49.45
	-3	-3.7	148.14	45.88	148.14	41.67	147.6	48.07	147.6	48.59	147.6	49.11	141.42	47.04
	0	-0.7	159.96	47.37	159.96	48.35	159.42	49.39	156.84	48.59	151.74	46.58	141.42	42.74
	3	2.2	172.8	48.75	172.26	49.63	162	45.94	156.84	44.17	151.74	42.40	141.42	38.92
	5	4.1	181.56	49.63	172.26	46.64	162	43.19	156.84	41.55	151.74	39.93	141.42	36.70
	7	6	182.58	47.13	172.26	43.83	162	40.72	156.84	39.14	151.74	37.61	141.42	34.59
	9	7.9	182.58	44.26	172.26	41.24	162	38.28	156.84	36.36	151.74	35.45	141.42	32.64
90%	11	9.8	182.58	41.67	172.26	38.86	162	36.12	156.84	34.74	151.74	33.40	141.42	30.84
	13	11.8	182.58	39.14	172.26	36.54	162	34.01	156.84	32.73	151.74	31.54	141.42	29.10
	15	13.7	182.58	36.91	172.26	34.50	162	32.12	156.84	30.93	151.74	29.80	141.42	27.58
	-19.8	-20	102.66	39.72	102.18	41.09	102.18	42.49	101.64	43.19	101.64	43.93	101.64	45.30
	-18.8	-19	104.22	40.11	104.22	41.55	103.68	42.92	103.68	43.62	103.68	44.32	103.2	45.69
	-16.7	-17	108.3	41.15	107.82	42.46	107.82	43.77	107.82	44.47	107.28	45.12	107.28	46.43
	-13.7	-15	112.92	42.13	112.44	43.41	112.44	44.66	111.9	45.30	111.9	45.94	111.9	47.22
	-11.8	-13	117.54	43.13	117.54	44.35	117.06	45.57	117.06	46.18	117.06	46.79	116.52	48.01
	-9.8	-11	123.24	44.17	123.24	45.30	122.7	46.49	122.7	47.04	122.7	47.68	122.16	48.84
	-9.5	-10	126.3	44.66	125.76	45.85	125.76	46.95	125.28	47.53	125.28	48.10	125.28	49.20
	-8.5	-9.1	128.88	45.15	128.88	46.24	128.34	47.37	128.34	47.92	128.34	48.47	126.78	48.96
	-7	-7.6	133.5	45.88	133.5	46.95	132.96	48.04	132.96	48.59	132.96	49.11	126.78	46.73
	-5	-5.6	140.64	46.88	140.16	47.92	140.16	48.90	139.62	49.45	136.02	47.92	126.78	43.93
	-3	-3.7	147.36	47.77	147.36	48.75	145.8	48.96	140.64	46.98	136.02	45.12	126.78	41.39
	0	-0.7	159.66	49.14	155.04	47.95	145.8	44.41	140.64	42.68	136.02	40.97	126.78	37.64
	3	2.2	164.28	46.82	155.04	43.62	145.8	40.45	140.64	38.92	136.02	37.40	126.78	34.44
80%	5	4.1	164.28	44.02	155.04	41.06	145.8	38.13	140.64	36.67	136.02	35.29	126.78	32.49
	7	6	164.28	41.39	155.04	38.65	145.8	35.90	140.64	34.59	136.02	33.25	126.78	30.69
	9	7.9	164.28	39.05	155.04	36.36	145.8	33.86	140.64	32.61	136.02	31.42	126.78	29.01
	11	9.8	164.28	36.76	155.04	34.35	145.8	32.03	140.64	30.84	136.02	29.68	126.78	27.45
	13	11.8	164.28	34.59	155.04	32.36	145.8	30.14	140.64	29.10	136.02	28.03	126.78	25.93
	15	13.7	164.28	32.67	155.04	30.60	145.8	28.58	140.64	27.58	136.02	26.54	126.78	24.62
	-19.8	-20	102.36	42.43	101.82	43.68	101.82	44.96	101.82	45.57	101.28	46.18	101.28	47.43
	-18.8	-19	103.86	42.83	103.86	44.11	103.38	45.30	103.38	45.94	103.38	46.52	102.84	47.77
	-16.7	-17	108	43.71	107.52	44.90	107.52	46.09	107.52	46.67	107.52	47.28	106.98	48.41
	-13.7	-15	112.62	44.63	112.14	45.73	112.14	46.88	112.14	47.43	111.6	48.01	111.6	49.14
	-11.8	-13	117.24	45.51	117.24	46.64	116.76	47.68	116.76	48.20	116.76	48.81	113.16	47.46
	-9.8	-11	122.94	46.43	122.94	47.46	122.4	48.50	122.4	48.99	121.38	48.90	113.16	44.84
	-9.5	-10	126	46.88	125.46	47.89	125.52	48.90	125.52	49.45	121.38	47.46	113.16	43.53
	-8.5	-9.1	128.58	47.31	119.52	48.32	128.04	49.26	125.52	48.17	121.38	46.18	113.16	42.34
	-7	-7.6	133.2	48.01	133.2	48.96	129.6	47.89	125.52	46.00	121.38	44.17	113.16	40.51
	-5	-5.6	140.4	48.84	137.82	48.59	129.6	44.99	125.52	43.22	121.38	41.49	113.16	38.13
-3	-3.7	146.04	49.11	137.82	45.73	129.6	42.34	125.52	40.75	121.38	39.14	113.16	36.03	
0	-0.7	146.04	44.57	137.82	41.49	129.6	38.56	125.52	37.12	121.38	35.63	113.16	32.85	
3	2.2	146.04	40.60	137.82	37.86	129.6	35.23	125.52	33.89	121.38	32.61	113.16	30.11	
5	4.1	146.04	38.25	137.82	35.69	129.6	33.22	125.52	32.03	121.38	30.84	113.16	28.46	
7	6	146.04	36.03	137.82	33.71	129.6	31.39	125.52	30.26	121.38	29.16	113.16	26.94	
9	7.9	146.04	34.01	137.82	31.79	129.6	29.62	125.52	28.58	121.38	27.58	113.16	25.50	
11	9.8	146.04	32.12	137.82	30.05	129.6	28.03	125.52	27.03	121.38	26.08	113.16	24.19	
13	11.8	146.04	30.26	137.82	28.37	129.6	26.51	125.52	25.56	121.38	24.68	113.16	22.85	
15	13.7	146.04	28.61	137.82	26.87	129.6	25.14	125.52	24.22	121.38	23.40	113.16	21.75	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1450W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	101.58	45.21	101.1	46.24	101.1	47.37	101.1	47.89	101.1	48.47	98.52	47.95
	-18.8	-19	103.14	45.57	103.14	46.64	102.6	47.68	102.6	48.20	102.6	48.81	98.52	46.95
	-16.7	-17	107.22	46.34	107.22	47.37	106.74	48.35	106.74	48.90	105.72	43.56	98.52	44.78
	-13.7	-15	111.84	47.13	111.36	48.10	111.36	49.11	109.32	48.35	105.72	46.43	98.52	42.58
	-11.8	-13	116.46	47.89	116.46	48.84	113.4	47.68	109.32	45.85	105.72	43.99	98.52	40.36
	-9.8	-11	122.1	48.68	120.6	48.65	113.4	45.05	109.32	43.32	105.72	41.55	98.52	38.19
	-9.5	-10	125.22	49.11	120.6	47.22	113.4	43.71	109.32	42.03	105.72	40.42	98.52	37.12
	-8.5	-9.1	127.74	49.39	120.6	45.94	113.4	42.58	109.32	40.91	105.72	39.32	98.52	36.18
	-7	-7.6	127.74	47.16	120.6	43.86	113.4	40.72	109.32	39.17	105.72	37.64	98.52	34.65
	-5	-5.6	127.74	44.32	120.6	41.30	113.4	38.34	109.32	36.85	105.72	43.56	98.52	32.67
	-3	-3.7	127.74	41.70	120.6	38.92	113.4	36.18	109.32	34.81	105.72	33.46	98.52	30.90
	0	-0.7	127.74	37.95	120.6	35.48	113.4	33.01	109.32	31.79	105.72	30.63	98.52	28.31
	3	2.2	127.74	34.68	120.6	32.49	113.4	30.26	109.32	29.16	105.72	28.09	98.52	25.96
	5	4.1	127.74	32.73	120.6	30.63	113.4	28.61	109.32	27.58	105.72	26.54	98.52	24.62
	7	6	127.74	30.93	120.6	29.01	113.4	27.03	109.32	26.08	105.72	25.17	98.52	23.34
60%	9	7.9	127.74	29.25	120.6	27.39	113.4	25.62	109.32	24.71	105.72	23.88	98.52	22.12
	11	9.8	127.74	27.67	120.6	25.93	113.4	24.28	109.32	23.43	105.72	22.66	98.52	21.02
	13	11.8	127.74	26.14	120.6	24.56	113.4	23.00	109.32	22.24	105.72	21.41	98.52	19.98
	15	13.7	127.74	24.77	120.6	23.27	113.4	21.81	109.32	21.11	105.72	20.38	98.52	19.00
	-19.8	-20	101.34	47.95	100.8	48.84	97.2	46.98	94.14	45.15	91.02	43.38	84.84	39.78
	-18.8	-19	102.84	48.26	102.84	49.14	97.2	46.00	94.14	44.20	91.02	42.40	84.84	38.92
	-16.7	-17	106.98	48.90	103.38	47.37	97.2	43.86	94.14	42.19	91.02	40.51	84.84	37.21
	-13.7	-15	109.56	48.35	103.38	44.99	97.2	41.70	94.14	40.11	91.02	38.53	84.84	35.42
	-11.8	-13	109.56	45.79	103.38	42.61	97.2	39.56	94.14	38.10	91.02	36.60	84.84	33.86
	-9.8	-11	109.56	43.22	103.38	40.27	97.2	37.46	94.14	36.03	91.02	34.65	84.84	31.94
	-9.5	-10	109.56	42.03	103.38	39.17	97.2	36.36	94.14	35.08	91.02	33.71	84.84	31.05
	-8.5	-9.1	109.56	40.91	103.38	38.19	97.2	35.48	94.14	34.16	91.02	32.85	84.84	30.29
	-7	-7.6	109.56	39.14	103.38	36.54	97.2	33.95	94.14	32.73	91.02	31.48	84.84	29.10
	-5	-5.6	109.56	36.85	103.38	34.44	97.2	32.06	94.14	30.90	91.02	29.71	84.84	27.51
	-3	-3.7	109.56	34.81	103.38	32.52	97.2	30.29	94.14	29.25	91.02	28.12	84.84	26.05
50%	0	-0.7	109.56	31.79	103.38	29.80	97.2	27.79	94.14	26.84	91.02	25.81	84.84	23.92
	3	2.2	109.56	29.16	103.38	27.33	97.2	25.56	94.14	24.68	91.02	23.82	84.84	22.05
	5	4.1	109.56	27.58	103.38	25.87	97.2	24.19	94.14	23.40	91.02	22.54	84.84	20.96
	7	6	109.56	26.08	103.38	24.53	97.2	22.91	94.14	22.18	91.02	21.41	84.84	19.89
	9	7.9	109.56	24.71	103.38	23.24	97.2	21.75	94.14	21.08	91.02	20.32	84.84	18.94
	11	9.8	109.56	23.43	103.38	22.05	97.2	20.68	94.14	20.04	91.02	19.34	84.84	18.06
	13	11.8	109.56	22.18	103.38	20.93	97.2	19.64	94.14	19.00	91.02	18.36	84.84	17.17
	15	13.7	109.56	21.11	103.38	19.86	97.2	18.70	94.14	18.12	91.02	17.51	84.84	16.38
	-19.8	-20	91.26	43.62	86.1	40.60	81	37.70	77.94	36.33	75.36	34.90	70.26	32.18
	-18.8	-19	91.26	42.68	86.1	39.78	81	36.97	77.94	35.54	75.36	34.16	70.26	31.54
	-16.7	-17	91.26	40.72	86.1	37.95	81	35.32	77.94	34.01	75.36	32.73	70.26	30.20
	-13.7	-15	91.26	38.74	86.1	36.18	81	33.65	77.94	32.43	75.36	31.21	70.26	28.83
	-11.8	-13	91.26	36.82	86.1	34.38	81	32.03	77.94	30.84	75.36	29.65	70.26	27.45
	-9.8	-11	91.26	34.84	86.1	32.58	81	30.35	77.94	29.25	75.36	28.19	70.26	26.08
	-9.5	-10	91.26	33.89	86.1	31.69	81	29.56	77.94	28.52	75.36	27.45	70.26	25.41
-8.5	-9.1	91.26	33.07	86.1	30.93	81	28.83	77.94	27.82	75.36	26.84	70.26	24.83	
-7	-7.6	91.26	31.69	86.1	29.65	81	27.67	77.94	26.69	75.36	25.78	70.26	23.88	
-5	-5.6	91.26	29.89	86.1	28.03	81	26.20	77.94	25.32	75.36	24.37	70.26	22.60	
-3	-3.7	91.26	28.31	86.1	26.54	81	24.83	77.94	23.98	75.36	23.12	70.26	21.51	
0	-0.7	91.26	25.96	86.1	24.37	81	22.85	77.94	22.05	75.36	21.32	70.26	19.86	
3	2.2	91.26	23.92	86.1	22.51	81	21.08	77.94	20.38	75.36	19.71	70.26	18.36	
5	4.1	91.26	22.69	86.1	21.32	81	20.04	77.94	19.40	75.36	18.76	70.26	17.48	
7	6	91.26	21.57	86.1	20.29	81	19.07	77.94	18.42	75.36	17.84	70.26	16.69	
9	7.9	91.26	20.44	86.1	19.28	81	18.12	77.94	17.57	75.36	17.02	70.26	15.89	
11	9.8	91.26	19.43	86.1	18.30	81	17.27	77.94	16.75	75.36	16.23	70.26	15.16	
13	11.8	91.26	18.49	86.1	17.42	81	16.44	77.94	15.95	75.36	15.40	70.26	14.46	
15	13.7	91.26	17.57	86.1	16.62	81	15.68	77.94	15.19	75.36	14.73	70.26	13.82	

54HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1500W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	108.76	29.96	108.27	32.06	107.77	34.22	107.77	35.24	107.21	36.29	107.21	38.42
	-18.8	-19	110.38	30.63	109.88	32.73	109.88	34.80	109.32	35.85	109.32	36.83	108.76	38.93
	-16.7	-17	114.68	32.06	114.12	34.03	113.62	36.07	113.62	37.05	113.62	38.04	113.06	40.04
	-13.7	-15	119.47	33.56	118.97	35.46	118.41	37.40	118.41	38.33	117.85	39.31	117.85	41.25
	-11.8	-13	124.26	35.02	124.26	36.89	123.76	38.71	123.2	39.63	123.2	40.58	122.64	42.40
	-9.8	-11	130.17	36.58	129.61	38.33	129.05	40.08	129.05	40.97	129.05	41.82	128.55	43.64
	-9.5	-10	133.34	37.34	132.78	39.06	132.28	40.74	132.28	41.63	131.72	42.46	131.72	44.15
	-8.5	-9.1	136.02	37.98	135.46	39.63	135.46	41.35	134.96	42.17	134.96	43.00	134.4	44.72
	-7	-7.6	140.81	39.09	140.81	40.74	140.25	42.33	140.25	43.16	139.75	43.92	139.19	45.58
	-5	-5.6	148.28	40.58	147.72	42.14	147.22	43.67	147.22	44.43	146.66	45.16	146.66	46.69
	-3	-3.7	155.18	41.89	154.68	43.38	154.68	44.81	154.12	45.58	154.12	46.31	153.56	47.74
	0	-0.7	167.44	43.92	167.44	45.32	166.94	46.63	166.94	47.14	166.38	48.00	166.38	49.33
	3	2.2	180.76	45.74	180.26	47.04	179.76	48.31	179.76	48.89	179.76	49.55	179.2	50.79
	5	4.1	189.84	46.91	189.34	48.12	189.34	49.30	188.78	49.90	188.78	50.48	188.28	51.65
	7	6	199.48	48.03	198.92	49.14	198.92	50.29	198.36	50.83	198.36	51.37	190.4	49.33
	9	7.9	209.56	48.98	209.07	50.13	209.07	51.14	208.51	51.72	204.28	50.60	190.4	46.37
120%	-19.8	-20	108.27	32.82	107.71	34.73	107.21	36.74	107.21	37.66	107.21	38.64	106.65	40.65
	-18.8	-19	109.88	33.43	109.32	35.34	109.32	37.28	108.83	38.23	108.83	39.22	108.27	41.13
	-16.7	-17	114.12	34.73	113.62	36.64	112.87	38.42	113.06	39.38	113.06	40.30	112.56	42.14
	-13.7	-15	118.97	36.13	118.41	37.88	117.85	39.63	117.85	40.58	117.85	41.48	117.35	43.22
	-11.8	-13	123.76	37.50	123.76	39.22	123.2	40.90	123.2	41.79	122.7	42.62	122.7	44.31
	-9.8	-11	129.61	38.93	129.05	40.55	129.05	42.17	128.55	43.00	128.55	43.80	127.99	45.42
	-9.5	-10	132.84	39.63	132.28	41.25	131.72	42.81	131.72	43.64	131.72	44.40	131.23	45.99
	-8.5	-9.1	135.46	40.23	134.96	41.79	134.96	43.32	134.4	44.11	134.4	44.91	133.84	46.47
	-7	-7.6	140.25	41.32	140.25	42.81	139.75	44.24	139.75	45.04	139.19	45.74	139.19	47.23
	-5	-5.6	147.72	42.62	147.22	44.05	146.66	45.48	146.66	46.21	146.66	46.91	146.16	48.31
	-3	-3.7	154.68	43.89	154.68	45.26	154.12	46.56	154.12	47.23	153.63	47.96	153.63	49.30
	0	-0.7	166.94	45.74	166.94	47.04	166.38	48.22	166.38	48.89	165.88	49.49	165.88	50.79
	3	2.2	180.26	47.45	179.76	48.63	179.76	49.78	179.2	50.38	179.2	50.92	175.47	50.67
	5	4.1	189.34	48.50	188.78	49.62	188.78	50.73	188.28	51.24	188.28	51.81	175.47	47.58
	7	6	198.92	49.49	198.92	50.54	198.43	51.59	195.19	50.89	188.78	48.79	175.47	44.78
	9	7.9	209.07	50.48	208.57	51.49	201.6	49.78	195.19	47.80	188.78	45.86	175.47	42.14
110%	-19.8	-20	107.71	35.65	107.21	37.44	106.65	39.25	106.65	40.14	106.71	41.03	106.15	42.84
	-18.8	-19	109.32	36.23	108.83	37.98	108.83	39.76	108.83	40.65	108.27	41.51	108.27	43.29
	-16.7	-17	113.62	37.44	113.06	39.15	114.68	40.87	112.56	41.67	112.56	42.56	112	44.21
	-13.7	-15	118.41	38.71	117.91	40.36	117.35	41.95	117.35	42.81	117.35	43.64	116.79	45.23
	-11.8	-13	123.2	40.04	123.2	41.57	122.64	43.13	122.64	43.89	122.14	44.66	122.14	46.25
	-9.8	-11	129.05	41.32	128.55	42.81	128.55	44.27	127.99	45.04	127.99	45.74	127.99	47.23
	-9.5	-10	132.28	41.95	131.72	43.38	131.16	44.88	131.16	45.58	131.16	46.31	130.67	47.74
	-8.5	-9.1	134.96	42.49	134.4	43.96	134.4	45.39	133.84	46.09	133.84	46.82	133.84	47.65
	-7	-7.6	139.75	43.48	139.75	44.81	139.19	46.21	139.19	46.91	139.19	47.58	138.69	48.95
	-5	-5.6	147.22	44.72	146.66	46.06	146.16	47.30	146.16	47.96	146.16	48.63	145.6	49.97
	-3	-3.7	154.12	45.86	154.12	47.07	153.63	48.35	153.63	48.95	153.07	49.55	153.07	50.83
	0	-0.7	166.38	47.58	166.38	48.73	165.88	49.90	165.88	50.44	165.88	51.05	161.09	50.06
	3	2.2	179.76	49.17	179.2	50.22	179.2	51.24	178.64	51.75	172.79	49.65	161.09	45.55
	5	4.1	188.78	50.13	188.78	51.14	185.05	50.67	178.64	48.63	172.79	46.69	161.09	42.84
	7	6	198.36	51.05	196.81	51.37	185.05	47.58	178.64	45.71	172.79	43.89	161.09	40.30
	9	7.9	208.51	51.88	196.81	48.31	185.05	44.75	178.64	43.00	172.79	41.32	161.09	37.98
	11	9.8	208.51	48.79	196.81	45.42	185.05	42.14	178.64	40.55	172.79	38.93	161.09	35.85
	13	11.8	208.51	45.74	196.81	42.62	185.05	39.57	178.64	38.10	172.79	36.64	161.09	33.75
	15	13.7	208.51	40.65	196.81	40.20	185.05	37.40	178.64	35.97	172.79	34.64	161.09	31.93

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1500W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	107.21	38.55	106.65	40.14	106.65	41.79	106.15	42.62	106.15	43.38	105.59	45.04
	-18.8	-19	108.83	39.06	108.83	40.65	108.27	42.24	108.27	43.07	107.77	43.89	107.77	45.48
	-16.7	-17	113.06	40.14	112.5	41.67	112.5	43.22	112	43.99	112	44.75	112	46.31
	-13.7	-15	117.85	41.32	117.35	42.81	116.79	44.27	116.79	45.04	116.79	45.74	116.29	47.23
	-11.8	-13	122.7	42.49	122.7	43.89	122.14	45.32	122.14	46.06	122.14	46.75	121.58	48.15
	-9.8	-11	128.55	43.67	127.99	45.04	127.99	46.37	127.99	47.07	127.43	47.74	127.43	49.04
	-9.5	-10	131.72	44.27	131.23	45.58	131.23	46.91	130.67	47.58	130.67	48.22	130.11	49.55
	-8.5	-9.1	134.4	44.75	133.84	46.09	133.84	47.36	133.84	48.00	133.34	48.66	133.34	49.97
	-7	-7.6	139.19	45.64	139.19	46.91	138.69	48.12	138.69	48.79	138.69	49.39	138.13	50.67
	-5	-5.6	146.66	46.82	146.1	47.96	146.1	49.17	145.6	49.71	145.6	50.32	145.04	51.56
	-3	-3.7	153.63	47.84	153.63	43.45	153.07	50.13	153.07	50.67	153.07	51.21	146.66	49.04
	0	-0.7	165.88	49.39	165.88	50.41	165.32	51.49	162.65	50.67	157.36	48.57	146.66	44.56
	3	2.2	179.2	50.83	178.64	51.75	168	47.90	162.65	46.06	157.36	44.21	146.66	40.58
	5	4.1	188.28	51.75	178.64	48.63	168	45.04	162.65	43.32	157.36	41.63	146.66	38.26
	7	6	189.34	49.14	178.64	45.71	168	42.42	162.65	40.81	157.36	39.22	146.66	36.07
	9	7.9	189.34	46.15	178.64	43.00	168	39.92	162.65	37.91	157.36	36.96	146.66	34.03
90%	11	9.8	189.34	43.45	178.64	40.52	168	37.66	162.65	36.23	157.36	34.83	146.66	32.16
	13	11.8	189.34	40.81	178.64	38.10	168	35.46	162.65	34.13	157.36	32.89	146.66	30.34
	15	13.7	189.34	38.49	178.64	35.97	168	33.49	162.65	32.25	157.36	31.07	146.66	28.75
	-19.8	-20	106.46	41.41	105.96	42.84	105.96	44.31	105.4	45.04	105.4	45.80	105.4	47.23
	-18.8	-19	108.08	41.82	108.08	43.32	107.52	44.75	107.52	45.48	107.52	46.21	107.02	47.65
	-16.7	-17	112.31	42.91	111.81	44.27	111.81	45.64	111.81	46.37	111.25	47.04	111.25	48.41
	-13.7	-15	117.1	43.92	116.6	45.26	116.6	46.56	116.04	47.23	116.04	47.90	116.04	49.24
	-11.8	-13	121.89	44.97	121.89	46.25	121.4	47.52	121.4	48.15	121.4	48.79	120.84	50.06
	-9.8	-11	127.8	46.06	127.8	47.23	127.24	48.47	127.24	49.04	127.24	49.71	126.68	50.92
	-9.5	-10	130.98	46.56	130.42	47.80	130.42	48.95	129.92	49.55	129.92	50.16	129.92	51.30
	-8.5	-9.1	133.65	47.07	133.65	48.22	133.09	49.39	133.09	49.97	133.09	50.54	131.48	51.05
	-7	-7.6	138.44	47.84	138.44	48.95	137.88	50.09	137.88	50.67	137.88	51.21	131.48	48.73
	-5	-5.6	145.85	48.89	145.35	49.97	145.35	50.99	144.79	51.56	141.06	49.97	131.48	45.80
	-3	-3.7	152.82	49.81	152.82	50.83	151.2	51.05	145.85	48.98	141.06	47.04	131.48	43.16
	0	-0.7	165.57	51.24	160.78	50.00	151.2	46.31	145.85	44.50	141.06	42.72	131.48	39.25
	3	2.2	170.36	48.82	160.78	45.48	151.2	42.17	145.85	40.58	141.06	38.99	131.48	35.91
80%	5	4.1	170.36	45.90	160.78	42.81	151.2	39.76	145.85	38.23	141.06	36.80	131.48	33.87
	7	6	170.36	43.16	160.78	40.30	151.2	37.44	145.85	36.07	141.06	34.67	131.48	32.00
	9	7.9	170.36	40.71	160.78	37.91	151.2	35.30	145.85	34.00	141.06	32.76	131.48	30.25
	11	9.8	170.36	38.33	160.78	35.81	151.2	33.40	145.85	32.16	141.06	30.95	131.48	28.63
	13	11.8	170.36	36.07	160.78	33.75	151.2	31.42	145.85	30.34	141.06	29.23	131.48	27.04
	15	13.7	170.36	34.06	160.78	31.90	151.2	29.80	145.85	28.75	141.06	27.67	131.48	25.67
	-19.8	-20	106.15	44.24	105.59	45.55	105.59	46.88	105.59	47.52	105.03	48.15	105.03	49.46
	-18.8	-19	107.71	44.66	107.71	45.99	107.21	47.23	107.21	47.90	107.21	48.50	106.65	49.81
	-16.7	-17	112	45.58	111.5	46.82	111.5	48.06	111.5	48.66	111.5	49.30	110.94	50.48
	-13.7	-15	116.79	46.53	116.29	47.68	116.29	48.89	116.29	49.46	115.73	50.06	115.73	51.24
	-11.8	-13	121.58	47.45	121.58	48.63	121.08	49.71	121.08	50.25	121.08	50.89	117.35	49.49
	-9.8	-11	127.49	48.41	127.49	49.49	126.93	50.57	126.93	51.08	125.88	50.99	117.35	46.75
	-9.5	-10	130.67	48.89	130.11	49.94	130.17	50.99	130.17	51.56	125.88	49.49	117.35	45.39
	-8.5	-9.1	133.34	49.33	123.95	50.38	132.78	51.37	130.17	50.22	125.88	48.15	117.35	44.15
	-7	-7.6	138.13	50.06	138.13	51.05	134.4	49.94	130.17	47.96	125.88	46.06	117.35	42.24
	-5	-5.6	145.6	50.92	142.92	50.67	134.4	46.91	130.17	45.07	125.88	43.26	117.35	39.76
-3	-3.7	151.45	51.21	142.92	47.68	134.4	44.15	130.17	42.49	125.88	40.81	117.35	37.56	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1500W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	105.34	47.14	104.84	48.22	104.84	49.39	104.84	49.94	104.84	50.54	102.17	50.00
	-18.8	-19	106.96	47.52	106.96	48.63	106.4	49.71	106.4	50.25	106.4	50.89	102.17	48.95
	-16.7	-17	111.19	48.31	111.19	49.39	110.69	50.41	110.69	50.99	109.64	45.42	102.17	46.69
	-13.7	-15	115.98	49.14	115.48	50.16	115.48	51.21	113.37	50.41	109.64	48.41	102.17	44.40
	-11.8	-13	120.77	49.94	120.77	50.92	117.6	49.71	113.37	47.80	109.64	45.86	102.17	42.08
	-9.8	-11	126.62	50.76	125.07	50.73	117.6	46.98	113.37	45.16	109.64	43.32	102.17	39.82
	-9.5	-10	129.86	51.21	125.07	49.24	117.6	45.58	113.37	43.83	109.64	42.14	102.17	38.71
	-8.5	-9.1	132.47	51.49	125.07	47.90	117.6	44.40	113.37	42.65	109.64	41.00	102.17	37.72
	-7	-7.6	132.47	49.17	125.07	45.74	117.6	42.46	113.37	40.84	109.64	39.25	102.17	36.13
	-5	-5.6	132.47	46.21	125.07	43.07	117.6	39.98	113.37	38.42	109.64	45.42	102.17	34.06
	-3	-3.7	132.47	43.48	125.07	40.58	117.6	37.72	113.37	36.29	109.64	34.89	102.17	32.22
	0	-0.7	132.47	39.57	125.07	36.99	117.6	34.41	113.37	33.14	109.64	31.93	102.17	29.52
	3	2.2	132.47	36.16	125.07	33.87	117.6	31.55	113.37	30.41	109.64	29.29	102.17	27.07
	5	4.1	132.47	34.13	125.07	31.93	117.6	29.83	113.37	28.75	109.64	27.67	102.17	25.67
	7	6	132.47	32.25	125.07	30.25	117.6	28.18	113.37	27.19	109.64	26.24	102.17	24.33
	9	7.9	132.47	30.50	125.07	28.56	117.6	26.72	113.37	25.76	109.64	24.90	102.17	23.06
60%	11	9.8	132.47	28.85	125.07	27.04	117.6	25.32	113.37	24.43	109.64	23.63	102.17	21.91
	13	11.8	132.47	27.26	125.07	25.60	117.6	23.98	113.37	23.19	109.64	22.33	102.17	20.83
	15	13.7	132.47	25.83	125.07	24.27	117.6	22.74	113.37	22.01	109.64	21.25	102.17	19.82
	-19.8	-20	105.09	50.00	104.53	50.92	100.8	48.98	97.63	47.07	94.39	45.23	87.98	41.48
	-18.8	-19	106.65	50.32	106.65	51.24	100.8	47.96	97.63	46.09	94.39	44.21	87.98	40.58
	-16.7	-17	110.94	50.99	107.21	49.39	100.8	45.74	97.63	43.99	94.39	42.24	87.98	38.80
	-13.7	-15	113.62	50.41	107.21	46.91	100.8	43.48	97.63	41.82	94.39	40.17	87.98	36.93
	-11.8	-13	113.62	47.74	107.21	44.43	100.8	41.25	97.63	39.73	94.39	38.17	87.98	35.30
	-9.8	-11	113.62	45.07	107.21	41.98	100.8	39.06	97.63	37.56	94.39	36.13	87.98	33.30
	-9.5	-10	113.62	43.83	107.21	40.84	100.8	37.91	97.63	36.58	94.39	35.15	87.98	32.38
	-8.5	-9.1	113.62	42.65	107.21	39.82	100.8	36.99	97.63	35.62	94.39	34.26	87.98	31.58
	-7	-7.6	113.62	40.81	107.21	38.10	100.8	35.40	97.63	34.13	94.39	32.82	87.98	30.34
	-5	-5.6	113.62	38.42	107.21	35.91	100.8	33.43	97.63	32.22	94.39	30.98	87.98	28.69
	-3	-3.7	113.62	36.29	107.21	33.91	100.8	31.58	97.63	30.50	94.39	29.33	87.98	27.16
	0	-0.7	113.62	33.14	107.21	31.07	100.8	28.98	97.63	27.99	94.39	26.91	87.98	24.94
	3	2.2	113.62	30.41	107.21	28.50	100.8	26.65	97.63	25.73	94.39	24.84	87.98	23.00
50%	5	4.1	113.62	28.75	107.21	26.97	100.8	25.22	97.63	24.40	94.39	23.50	87.98	21.85
	7	6	113.62	27.19	107.21	25.57	100.8	23.89	97.63	23.12	94.39	22.33	87.98	20.74
	9	7.9	113.62	25.76	107.21	24.24	100.8	22.68	97.63	21.98	94.39	21.18	87.98	19.75
	11	9.8	113.62	24.43	107.21	23.00	100.8	21.56	97.63	20.90	94.39	20.17	87.98	18.83
	13	11.8	113.62	23.12	107.21	21.82	100.8	20.48	97.63	19.82	94.39	19.15	87.98	17.91
	15	13.7	113.62	22.01	107.21	20.71	100.8	19.50	97.63	18.89	94.39	18.26	87.98	17.08
	-19.8	-20	94.64	45.48	89.29	42.33	84	39.31	80.83	37.88	78.15	36.39	72.86	33.56
	-18.8	-19	94.64	44.50	89.29	41.48	84	38.55	80.83	37.05	78.15	35.62	72.86	32.89
	-16.7	-17	94.64	42.46	89.29	39.57	84	36.83	80.83	35.46	78.15	34.13	72.86	31.49
	-13.7	-15	94.64	40.39	89.29	37.72	84	35.08	80.83	33.81	78.15	32.54	72.86	30.06
	-11.8	-13	94.64	38.39	89.29	35.85	84	33.40	80.83	32.16	78.15	30.92	72.86	28.63
	-9.8	-11	94.64	36.32	89.29	33.97	84	31.65	80.83	30.50	78.15	29.39	72.86	27.19
	-9.5	-10	94.64	35.34	89.29	33.05	84	30.82	80.83	29.74	78.15	28.63	72.86	26.49
	-8.5	-9.1	94.64	34.48	89.29	32.25	84	30.06	80.83	29.01	78.15	27.99	72.86	25.89
	-7	-7.6	94.64	33.05	89.29	30.92	84	28.85	80.83	27.83	78.15	26.88	72.86	24.90
	-5	-5.6	94.64	31.17	89.29	29.23	84	27.32	80.83	26.40	78.15	25.41	72.86	23.57
-3	-3.7	94.64	29.52	89.29	27.67	84	25.89	80.83	25.00	78.15	24.11	72.86	22.42	
0	-0.7	94.64	27.07	89.29	25.41	84	23.82	80.83	23.00	78.15	22.23	72.86	20.71	
3	2.2	94.64	24.94	89.29	23.47	84	21.98	80.83	21.25	78.15	20.55	72.86	19.15	
5	4.1	94.64	23.66	89.29	22.23	84	20.90	80.83	20.23	78.15	19.56	72.86	18.22	
7	6	94.64	22.49	89.29	21.15	84	19.88	80.83	19.21	78.15	18.61	72.86	17.40	
9	7.9	94.64	21.31	89.29	20.10	84	18.89	80.83	18.32	78.15	17.75	72.86	16.57	
11	9.8	94.64	20.26	89.29	19.08	84	18.00	80.83	17.46	78.15	16.92	72.86	15.81	
13	11.8	94.64	19.27	89.29	18.16	84	17.14	80.83	16.63	78.15	16.06	72.86	15.08	
15	13.7	94.64	18.32	89.29	17.33	84	16.35	80.83	15.84	78.15	15.36	72.86	14.41	

56HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1560W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	113,3	30,10	112,8	32,26	112,3	34,41	112,3	35,45	111,7	36,49	111,7	38,64
	-18.8	-19	115,0	30,80	114,5	32,88	114,5	35,03	113,9	36,07	113,9	37,04	113,3	39,19
	-16.7	-17	119,5	32,26	118,9	34,27	118,4	36,28	118,4	37,25	118,4	38,29	117,8	40,30
	-13.7	-15	124,4	33,71	123,9	35,65	123,3	37,60	123,3	38,57	122,8	39,54	122,8	41,48
	-11.8	-13	129,4	35,24	129,4	37,11	128,9	38,91	128,3	39,89	128,3	40,86	127,8	42,66
	-9.8	-11	135,6	36,76	135,0	38,57	134,4	40,30	134,4	41,20	134,4	42,11	133,9	43,91
	-9.5	-10	138,9	37,60	138,3	39,26	137,8	41,00	137,8	41,90	137,2	42,73	137,2	44,46
	-8.5	-9.1	141,7	38,22	141,1	39,89	141,1	41,62	140,6	42,45	140,6	43,28	140,0	45,02
	-7	-7.6	146,7	39,33	146,7	41,00	146,1	42,59	146,1	43,42	145,6	44,19	145,0	45,85
	-5	-5.6	154,5	40,86	153,9	42,38	153,4	43,91	153,4	44,74	152,8	45,43	152,8	46,96
	-3	-3.7	161,6	42,17	161,1	43,63	161,1	45,09	160,5	45,85	160,5	46,61	160,0	48,00
	0	-0.7	174,4	44,19	174,4	45,57	173,9	46,89	173,9	47,45	173,3	48,28	173,3	49,67
	3	2.2	188,3	46,06	187,8	47,31	187,3	48,56	187,3	49,18	187,3	49,87	186,7	51,05
	5	4.1	197,8	47,17	197,2	48,42	197,2	49,60	196,6	50,22	196,6	50,78	196,1	51,96
	7	6	207,8	48,35	207,2	49,39	207,2	50,57	206,6	51,12	206,6	51,68	206,1	52,85
	9	7.9	218,3	49,32	217,8	50,43	217,8	51,47	217,2	52,02	217,2	52,58	216,7	53,65
120%	-19.8	-20	112,8	33,02	112,2	34,96	111,7	36,97	111,7	37,87	111,7	38,91	111,1	40,86
	-18.8	-19	114,5	33,64	113,9	35,58	113,9	37,53	113,4	38,43	113,4	39,47	112,8	41,41
	-16.7	-17	118,9	34,96	118,4	36,83	117,6	38,64	117,8	39,61	117,8	40,58	117,3	42,38
	-13.7	-15	123,9	36,35	123,3	38,15	122,8	39,89	122,8	40,86	122,8	41,69	122,2	43,49
	-11.8	-13	128,9	37,74	128,9	39,47	128,3	41,13	128,3	42,04	127,8	42,87	127,8	44,60
	-9.8	-11	135,0	39,19	134,4	40,79	134,4	42,45	133,9	43,28	133,9	44,05	133,3	45,71
	-9.5	-10	138,4	39,89	137,8	41,48	137,2	43,08	137,2	43,91	137,2	44,67	136,7	46,27
	-8.5	-9.1	141,1	40,51	140,6	42,04	140,6	43,63	140,0	44,39	140,0	45,23	139,4	46,75
	-7	-7.6	146,1	41,55	146,1	43,08	145,6	44,53	145,6	45,30	145,0	46,06	145,0	47,52
	-5	-5.6	153,9	42,87	153,4	44,32	152,8	45,78	152,8	46,48	152,8	47,24	152,3	48,56
	-3	-3.7	161,1	44,19	161,1	45,57	160,5	46,89	160,5	47,52	160,0	48,28	160,0	49,60
	0	-0.7	173,9	46,06	173,9	47,31	173,3	48,56	173,3	49,18	172,8	49,80	172,8	51,05
	3	2.2	187,8	47,79	187,3	48,90	187,3	50,08	186,7	50,71	186,7	51,26	186,2	52,43
	5	4.1	197,2	48,83	196,6	49,94	196,6	51,05	196,1	51,61	196,1	52,16	195,6	53,22
	7	6	207,2	49,80	207,2	50,85	206,7	51,89	206,1	52,45	206,1	53,01	205,6	54,07
	9	7.9	217,8	50,78	217,3	51,82	216,8	52,85	216,3	53,41	216,3	54,01	215,8	55,08
110%	-19.8	-20	112,2	35,93	111,7	37,67	111,1	39,47	111,1	40,37	111,2	41,27	110,6	43,08
	-18.8	-19	113,9	36,49	113,4	38,22	113,4	40,02	113,4	40,86	112,8	41,76	112,8	43,56
	-16.7	-17	118,4	37,67	117,8	39,40	119,5	41,13	117,3	41,97	117,3	42,80	116,7	44,46
	-13.7	-15	123,3	38,98	122,8	40,58	122,2	42,24	122,2	43,08	122,2	43,91	121,7	45,50
	-11.8	-13	128,3	40,30	128,3	41,83	127,8	43,35	127,8	44,19	127,2	44,95	127,2	46,54
	-9.8	-11	134,4	41,55	133,9	43,08	133,9	44,53	133,3	45,30	133,3	46,06	133,3	47,52
	-9.5	-10	137,8	42,24	137,2	43,63	136,6	45,16	136,6	45,85	136,6	46,61	136,1	48,07
	-8.5	-9.1	140,6	42,80	140,0	44,19	140,0	45,64	139,4	46,41	139,4	47,10	139,4	48,94
	-7	-7.6	145,6	43,77	145,6	45,09	145,0	46,48	145,0	47,17	145,0	47,86	144,5	49,25
	-5	-5.6	153,4	45,02	152,8	46,34	152,3	47,58	152,3	48,28	152,3	48,90	151,7	50,29
	-3	-3.7	160,5	46,13	160,5	47,38	160,0	48,63	160,0	49,25	159,4	49,87	159,4	51,12
	0	-0.7	173,3	47,86	173,3	49,04	172,8	50,22	172,8	50,78	172,8	51,33	172,3	52,51
	3	2.2	187,3	49,46	186,7	50,50	186,7	51,61	186,1	52,09	186,1	52,60	185,6	53,68
	5	4.1	196,6	50,43	196,6	51,47	196,6	52,58	196,1	53,07	196,1	53,58	195,6	54,65
	7	6	206,6	51,33	206,1	52,28	206,1	53,39	205,6	54,00	205,6	54,51	205,1	55,58
	9	7.9	217,2	52,16	216,7	53,12	216,7	54,23	216,2	54,74	216,2	55,25	215,7	56,31
	11	9.8	227,2	53,11	226,7	54,07	226,7	55,18	226,2	55,69	226,2	56,20	225,7	57,28

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1560W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	111,7	38,78	111,1	40,37	111,1	42,04	110,6	42,87	110,6	43,63	110,0	45,30
	-18.8	-19	113,4	39,26	113,4	40,86	112,8	42,52	112,8	43,35	112,3	44,19	112,3	45,78
	-16.7	-17	117,8	40,37	117,2	41,97	117,2	43,49	116,7	44,26	116,7	45,02	116,7	46,61
	-13.7	-15	122,8	41,55	122,2	43,08	121,7	44,53	121,7	45,30	121,7	46,06	121,1	47,52
	-11.8	-13	127,8	42,80	127,8	44,19	127,2	45,57	127,2	46,34	127,2	47,03	126,6	48,49
	-9.8	-11	133,9	43,91	133,3	45,30	133,3	46,68	133,3	47,38	132,7	48,00	132,7	49,39
	-9.5	-10	137,2	44,53	136,7	45,85	136,7	47,17	136,1	47,86	136,1	48,56	135,5	49,87
	-8.5	-9.1	140,0	45,02	139,4	46,41	139,4	47,65	139,4	48,28	138,9	48,97	138,9	50,22
	-7	-7.6	145,0	45,92	145,0	47,17	144,5	48,42	144,5	49,11	144,5	49,67	143,9	50,98
	-5	-5.6	152,8	47,10	152,2	48,28	152,2	49,46	151,7	50,01	151,7	50,64	151,1	51,89
	-3	-3.7	160,0	48,14	160,0	43,70	159,4	50,43	159,4	50,98	159,4	51,54	152,8	49,39
	0	-0.7	172,8	49,67	172,8	50,78	172,2	51,82	169,4	50,98	163,9	48,83	152,8	44,81
	3	2.2	186,7	51,12	186,1	52,09	175,0	48,21	169,4	46,34	163,9	44,46	152,8	40,86
	5	4.1	196,1	52,09	186,1	48,90	175,0	45,30	169,4	43,63	163,9	41,90	152,8	38,50
	7	6	197,2	49,39	186,1	45,99	175,0	42,66	169,4	41,06	163,9	39,47	152,8	36,28
	9	7.9	197,2	46,41	186,1	43,28	175,0	40,16	169,4	38,15	163,9	37,18	152,8	34,27
	11	9.8	197,2	43,70	186,1	40,79	175,0	37,87	169,4	36,49	163,9	35,10	152,8	32,32
90%	13	11.8	197,2	41,06	186,1	38,36	175,0	35,65	169,4	34,34	163,9	33,09	152,8	30,52
	15	13.7	197,2	38,71	186,1	36,21	175,0	33,71	169,4	32,46	163,9	31,21	152,8	28,93
	-19.8	-20	110,9	41,69	110,4	43,08	110,4	44,60	109,8	45,30	109,8	46,06	109,8	47,52
	-18.8	-19	112,6	42,11	112,6	43,63	112,0	45,02	112,0	45,78	112,0	46,48	111,5	47,93
	-16.7	-17	117,0	43,15	116,5	44,53	116,5	45,92	116,5	46,61	115,9	47,31	115,9	48,69
	-13.7	-15	122,0	44,19	121,5	45,57	121,5	46,89	120,9	47,52	120,9	48,21	120,9	49,53
	-11.8	-13	127,0	45,30	127,0	46,54	126,5	47,79	126,5	48,49	126,5	49,11	125,9	50,36
	-9.8	-11	133,1	46,34	133,1	47,52	132,5	48,76	132,5	49,39	132,5	50,01	132,0	51,26
	-9.5	-10	136,4	46,89	135,9	48,07	135,9	49,25	135,3	49,87	135,3	50,50	135,3	51,61
	-8.5	-9.1	139,2	47,38	139,2	48,56	138,6	49,67	138,6	50,22	138,6	50,85	137,0	51,33
	-7	-7.6	144,2	48,14	144,2	49,25	143,6	50,43	143,6	50,98	143,6	51,54	137,0	49,04
	-5	-5.6	151,9	49,18	151,4	50,22	151,4	51,33	150,8	51,89	146,9	50,22	137,0	46,06
	-3	-3.7	159,2	50,15	159,2	51,12	157,5	51,33	151,9	49,32	146,9	47,31	137,0	43,42
	0	-0.7	172,5	51,61	167,5	50,29	157,5	46,61	151,9	44,74	146,9	43,01	137,0	39,47
	3	2.2	177,5	49,11	167,5	45,78	157,5	42,45	151,9	40,86	146,9	39,19	137,0	36,14
	5	4.1	177,5	46,20	167,5	43,08	157,5	40,02	151,9	38,43	146,9	37,04	137,0	34,06
	80%	7	6	177,5	43,42	167,5	40,58	157,5	37,67	151,9	36,28	146,9	34,89	137,0
9		7.9	177,5	40,93	167,5	38,15	157,5	35,52	151,9	34,27	146,9	32,95	137,0	30,45
11		9.8	177,5	38,57	167,5	36,00	157,5	33,57	151,9	32,32	146,9	31,15	137,0	28,79
13		11.8	177,5	36,28	167,5	33,99	157,5	31,63	151,9	30,52	146,9	29,41	137,0	27,19
15		13.7	177,5	34,27	167,5	32,05	157,5	29,97	151,9	28,93	146,9	27,89	137,0	25,80
-19.8		-20	110,6	44,53	110,0	45,85	110,0	47,17	110,0	47,79	109,4	48,49	109,4	49,74
-18.8		-19	112,2	44,95	112,2	46,27	111,7	47,52	111,7	48,21	111,7	48,83	111,1	50,15
-16.7		-17	116,7	45,85	116,1	47,10	116,1	48,35	116,1	48,97	116,1	49,60	115,6	50,78
-13.7		-15	121,7	46,82	121,1	48,00	121,1	49,18	121,1	49,74	120,6	50,36	120,6	51,61
-11.8		-13	126,6	47,72	126,6	48,90	126,1	50,01	126,1	50,57	126,1	51,19	122,2	49,80
-9.8		-11	132,8	48,69	132,8	49,80	132,2	50,91	132,2	51,40	131,1	51,33	122,2	47,03
-9.5		-10	136,1	49,18	135,5	50,22	135,6	51,33	135,6	51,89	131,1	49,80	122,2	45,64
-8.5		-9.1	138,9	49,67	129,1	50,71	138,3	51,68	135,6	50,50	131,1	48,49	122,2	44,46
-7		-7.6	143,9	50,36	143,9	51,33	140,0	50,22	135,6	48,28	131,1	46,34	122,2	42,52
-5		-5.6	151,7	51,26	148,9	50,98	140,0	47,17	135,6	45,37	131,1	43,56	122,2	40,02
-3		-3.7	157,8	51,54	148,9	48,00	140,0	44,46	135,6	42,80	131,1	41,06	122,2	37,80
0		-0.7	157,8	46,75	148,9	43,56	140,0	40,44	135,6	38,91	131,1	37,39	122,2	34,47
3	2.2	157,8	42,59	148,9	39,75	140,0	36,97	135,6	35,58	131,1	34,27	122,2	31,56	
5	4.1	157,8	40,09	148,9	37,46	140,0	34,82	135,6	33,57	131,1	32,32	122,2	29,83	
7	6	157,8	37,80	148,9	35,38	140,0	32,88	135,6	31,77	131,1	30,59	122,2	28,23	
9	7.9	157,8	35,65	148,9	33,36	140,0	31,08	135,6	29,97	131,1	28,93	122,2	26,78	
11	9.8	157,8	33,71	148,9	31,49	140,0	29,41	135,6	28,37	131,1	27,40	122,2	25,39	
13	11.8	157,8	31,77	148,9	29,76	140,0	27,82	135,6	26,84	131,1	25,87	122,2	24,00	
15	13.7	157,8	30,04	148,9	28,23	140,0	26,36	135,6	25,46	131,1	24,56	122,2	22,82	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1560W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	109,7	47,45	109,2	48,56	109,2	49,67	109,2	50,22	109,2	50,85	106,4	50,29
	-18.8	-19	111,4	47,79	111,4	48,90	110,8	50,01	110,8	50,57	110,8	51,19	106,4	49,25
	-16.7	-17	115,8	48,56	115,8	49,67	115,3	50,78	115,3	51,33	114,2	45,71	106,4	46,96
	-13.7	-15	120,8	49,39	120,3	50,50	120,3	51,54	118,1	50,78	114,2	48,69	106,4	44,67
	-11.8	-13	125,8	50,22	125,8	51,26	122,5	50,01	118,1	48,07	114,2	46,13	106,4	42,31
	-9.8	-11	131,9	51,05	130,3	51,05	122,5	47,24	118,1	45,43	114,2	43,63	106,4	40,02
	-9.5	-10	135,3	51,54	130,3	49,53	122,5	45,85	118,1	44,12	114,2	42,38	106,4	38,91
	-8.5	-9.1	138,0	51,82	130,3	48,21	122,5	44,67	118,1	42,94	114,2	41,27	106,4	37,94
	-7	-7.6	138,0	49,46	130,3	46,06	122,5	42,73	118,1	41,13	114,2	39,47	106,4	36,35
	-5	-5.6	138,0	46,48	130,3	43,35	122,5	40,23	118,1	38,64	114,2	45,71	106,4	34,27
	-3	-3.7	138,0	43,77	130,3	40,86	122,5	37,94	118,1	36,49	114,2	35,10	106,4	32,39
	0	-0.7	138,0	39,82	130,3	37,25	122,5	34,61	118,1	33,36	114,2	32,12	106,4	29,69
	3	2.2	138,0	36,42	130,3	34,06	122,5	31,77	118,1	30,59	114,2	29,48	106,4	27,26
	5	4.1	138,0	34,34	130,3	32,12	122,5	30,04	118,1	28,93	114,2	27,89	106,4	25,80
	7	6	138,0	32,46	130,3	30,38	122,5	28,37	118,1	27,40	114,2	26,43	106,4	24,49
	9	7.9	138,0	30,66	130,3	28,79	122,5	26,84	118,1	25,94	114,2	25,04	106,4	23,24
	11	9.8	138,0	28,99	130,3	27,19	122,5	25,46	118,1	24,62	114,2	23,79	106,4	22,06
	13	11.8	138,0	27,40	130,3	25,73	122,5	24,07	118,1	23,31	114,2	22,47	106,4	20,95
15	13.7	138,0	26,01	130,3	24,42	122,5	22,89	118,1	22,13	114,2	21,36	106,4	19,98	
60%	-19.8	-20	109,5	50,29	108,9	51,26	105,0	49,32	101,7	47,38	98,3	45,50	91,6	41,69
	-18.8	-19	111,1	50,64	111,1	51,61	105,0	48,28	101,7	46,34	98,3	44,46	91,6	40,86
	-16.7	-17	115,6	51,33	111,7	49,67	105,0	46,06	101,7	44,26	98,3	42,52	91,6	39,05
	-13.7	-15	118,4	50,78	111,7	47,17	105,0	43,77	101,7	42,11	98,3	40,44	91,6	37,18
	-11.8	-13	118,4	48,00	111,7	44,67	105,0	41,48	101,7	39,95	98,3	38,36	91,6	35,52
	-9.8	-11	118,4	45,37	111,7	42,24	105,0	39,26	101,7	37,80	98,3	36,35	91,6	33,50
	-9.5	-10	118,4	44,12	111,7	41,13	105,0	38,15	101,7	36,76	98,3	35,38	91,6	32,60
	-8.5	-9.1	118,4	42,94	111,7	40,02	105,0	37,25	101,7	35,86	98,3	34,47	91,6	31,77
	-7	-7.6	118,4	41,06	111,7	38,36	105,0	35,65	101,7	34,34	98,3	33,02	91,6	30,52
	-5	-5.6	118,4	38,64	111,7	36,14	105,0	33,64	101,7	32,39	98,3	31,21	91,6	28,86
	-3	-3.7	118,4	36,49	111,7	34,13	105,0	31,77	101,7	30,66	98,3	29,55	91,6	27,33
	0	-0.7	118,4	33,36	111,7	31,21	105,0	29,13	101,7	28,16	98,3	27,12	91,6	25,11
	3	2.2	118,4	30,59	111,7	28,72	105,0	26,84	101,7	25,87	98,3	24,97	91,6	23,17
	5	4.1	118,4	28,93	111,7	27,12	105,0	25,39	101,7	24,56	98,3	23,65	91,6	21,99
	7	6	118,4	27,40	111,7	25,73	105,0	24,07	101,7	23,24	98,3	22,47	91,6	20,88
	9	7.9	118,4	25,94	111,7	24,35	105,0	22,82	101,7	22,13	98,3	21,30	91,6	19,91
	11	9.8	118,4	24,62	111,7	23,17	105,0	21,71	101,7	21,02	98,3	20,25	91,6	18,94
	13	11.8	118,4	23,24	111,7	21,92	105,0	20,60	101,7	19,98	98,3	19,28	91,6	18,04
15	13.7	118,4	22,13	111,7	20,81	105,0	19,63	101,7	19,01	98,3	18,38	91,6	17,20	
50%	-19.8	-20	98,6	45,78	93,0	42,59	87,5	39,54	84,2	38,08	81,4	36,63	75,9	33,71
	-18.8	-19	98,6	44,74	93,0	41,69	87,5	38,78	84,2	37,32	81,4	35,86	75,9	33,09
	-16.7	-17	98,6	42,73	93,0	39,82	87,5	37,04	84,2	35,65	81,4	34,34	75,9	31,70
	-13.7	-15	98,6	40,65	93,0	37,94	87,5	35,31	84,2	33,99	81,4	32,74	75,9	30,24
	-11.8	-13	98,6	38,64	93,0	36,07	87,5	33,57	84,2	32,32	81,4	31,15	75,9	28,79
	-9.8	-11	98,6	36,56	93,0	34,20	87,5	31,84	84,2	30,66	81,4	29,55	75,9	27,40
	-9.5	-10	98,6	35,58	93,0	33,23	87,5	31,01	84,2	29,90	81,4	28,79	75,9	26,64
	-8.5	-9.1	98,6	34,68	93,0	32,46	87,5	30,24	84,2	29,20	81,4	28,16	75,9	26,01
	-7	-7.6	98,6	33,23	93,0	31,15	87,5	28,99	84,2	28,02	81,4	27,05	75,9	25,04
	-5	-5.6	98,6	31,35	93,0	29,41	87,5	27,47	84,2	26,57	81,4	25,60	75,9	23,72
	-3	-3.7	98,6	29,69	93,0	27,89	87,5	26,01	84,2	25,18	81,4	24,28	75,9	22,54
	0	-0.7	98,6	27,26	93,0	25,60	87,5	24,00	84,2	23,17	81,4	22,41	75,9	20,81
	3	2.2	98,6	25,11	93,0	23,58	87,5	22,13	84,2	21,36	81,4	20,67	75,9	19,28
	5	4.1	98,6	23,79	93,0	22,41	87,5	21,02	84,2	20,32	81,4	19,70	75,9	18,31
	7	6	98,6	22,61	93,0	21,30	87,5	19,98	84,2	19,35	81,4	18,73	75,9	17,48
	9	7.9	98,6	21,43	93,0	20,25	87,5	19,01	84,2	18,45	81,4	17,83	75,9	16,65
	11	9.8	98,6	20,39	93,0	19,21	87,5	18,10	84,2	17,55	81,4	16,99	75,9	15,88
	13	11.8	98,6	19,42	93,0	18,31	87,5	17,20	84,2	16,72	81,4	16,16	75,9	15,19
15	13.7	98,6	18,45	93,0	17,48	87,5	16,44	84,2	15,95	81,4	15,47	75,9	14,50	

58HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1630W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
			kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	-19.8	-20	117.5	31.36	116.97	33.56	116.43	35.81	116.43	36.89	115.82	37.98	115.82	40.22
	-18.8	-19	119.25	32.06	118.71	34.26	118.71	36.42	118.11	37.51	118.11	38.55	117.5	40.75
	-16.7	-17	123.89	33.56	123.29	35.62	122.75	37.75	122.75	38.78	122.75	39.82	122.14	41.91
	-13.7	-15	129.07	35.11	128.53	37.11	127.92	39.15	127.92	40.12	127.32	41.16	127.32	43.17
	-11.8	-13	134.24	36.66	134.24	38.62	133.71	40.52	133.1	41.48	133.1	42.47	132.5	44.38
	-9.8	-11	140.63	38.28	140.02	40.12	139.42	41.95	139.42	42.87	139.42	43.78	138.88	45.67
	-9.5	-10	144.06	39.08	143.45	40.88	142.91	42.64	142.91	43.57	142.31	44.44	142.31	46.22
	-8.5	-9.1	146.95	39.75	146.34	41.48	146.34	43.27	145.81	44.14	145.81	45.01	145.2	46.81
	-7	-7.6	152.12	40.92	152.12	42.64	151.52	44.31	151.52	45.18	150.98	45.98	150.38	47.70
	-5	-5.6	160.19	42.47	159.59	44.11	159.05	45.71	159.05	46.51	158.44	47.27	158.44	48.87
	-3	-3.7	167.65	43.84	167.11	45.41	167.11	46.92	166.51	47.70	166.51	48.47	165.9	49.97
	0	-0.7	180.9	45.98	180.9	47.44	180.36	48.80	180.36	49.33	179.75	50.24	179.75	51.64
	3	2.2	195.28	47.87	194.74	49.23	194.21	50.57	194.21	51.17	194.21	51.87	193.6	53.16
	5	4.1	205.1	49.10	204.56	50.37	204.56	51.60	203.95	52.23	203.95	52.84	203.41	54.06
	7	6	215.51	50.27	214.91	51.43	214.91	52.63	214.3	53.20	214.3	53.77	205.7	51.64
	9	7.9	226.4	51.28	225.87	52.46	225.87	53.54	225.26	54.12	220.69	52.97	205.7	48.53
	11	9.8	237.97	52.33	237.36	53.37	236.22	54.06	228.15	51.93	220.69	49.80	205.7	45.71
	13	11.8	250.6	53.30	250.07	54.33	236.22	50.67	228.15	48.63	220.69	46.75	205.7	42.87
	15	13.7	262.7	54.23	251.21	51.47	236.22	47.70	228.15	45.88	220.69	44.04	205.7	40.46
120%	-19.8	-20	116.97	34.36	116.36	36.36	115.82	38.45	115.82	39.42	115.82	40.46	115.22	42.54
	-18.8	-19	118.71	34.98	118.11	36.99	118.11	39.02	117.57	40.02	117.57	41.05	116.97	43.04
	-16.7	-17	123.29	36.36	122.75	38.34	121.94	40.22	122.14	41.21	122.14	42.17	121.61	44.11
	-13.7	-15	128.53	37.81	127.92	39.65	127.32	41.48	127.32	42.47	127.32	43.41	126.78	45.24
	-11.8	-13	133.71	39.25	133.71	41.05	133.1	42.81	133.1	43.74	132.56	44.61	132.56	46.38
	-9.8	-11	140.02	40.75	139.42	42.43	139.42	44.14	138.88	45.01	138.88	45.84	138.28	47.54
	-9.5	-10	143.52	41.48	142.91	43.17	142.31	44.81	142.31	45.67	142.31	46.48	141.77	48.13
	-8.5	-9.1	146.34	42.11	145.81	43.74	145.81	45.35	145.2	46.18	145.2	47.02	144.6	48.63
	-7	-7.6	151.52	43.24	151.52	44.81	150.98	46.32	150.98	47.14	150.38	47.87	150.38	49.44
	-5	-5.6	159.59	44.61	159.05	46.11	158.44	47.60	158.44	48.36	158.44	49.10	157.91	50.57
	-3	-3.7	167.11	45.94	167.11	47.37	166.51	48.74	166.51	49.44	165.97	50.20	165.97	51.60
	0	-0.7	180.36	47.87	180.36	49.23	179.75	50.47	179.75	51.17	179.21	51.80	179.21	53.16
	3	2.2	194.74	49.67	194.21	50.90	194.21	52.10	193.6	52.73	193.6	53.30	189.57	53.03
	5	4.1	204.56	50.77	203.95	51.94	203.95	53.10	203.41	53.64	203.41	54.23	189.57	49.80
	7	6	214.91	51.80	214.91	52.90	214.37	53.99	210.88	53.26	203.95	51.07	189.57	46.88
	9	7.9	225.87	52.84	225.33	53.90	217.8	52.10	210.88	50.03	203.95	48.00	189.57	44.11
	11	9.8	237.36	53.77	231.65	52.84	217.8	49.00	210.88	47.07	203.95	45.18	189.57	41.58
	13	11.8	246.03	53.26	231.65	49.54	217.8	45.94	210.88	44.21	203.95	42.47	189.57	39.08
	15	13.7	246.03	50.14	231.65	46.71	217.8	43.34	210.88	41.68	203.95	40.05	189.57	36.88
110%	-19.8	-20	116.36	37.32	115.82	39.19	115.22	41.09	115.22	42.01	115.29	42.94	114.68	44.84
	-18.8	-19	118.11	37.92	117.57	39.75	117.57	41.61	117.57	42.54	116.97	43.44	116.97	45.31
	-16.7	-17	122.75	39.19	122.14	40.99	123.89	42.77	121.61	43.61	121.61	44.54	121	46.28
	-13.7	-15	127.92	40.52	127.39	42.24	126.78	43.91	126.78	44.81	126.78	45.67	126.18	47.34
	-11.8	-13	133.1	41.90	133.1	43.51	132.5	45.14	132.5	45.94	131.96	46.75	131.96	48.40
	-9.8	-11	139.42	43.24	138.88	44.81	138.88	46.35	138.28	47.14	138.28	47.87	138.28	49.44
	-9.5	-10	142.91	43.91	142.31	45.41	141.7	46.98	141.7	47.70	141.7	48.47	141.17	49.97
	-8.5	-9.1	145.81	44.48	145.2	46.01	145.2	47.50	144.6	48.23	144.6	49.00	144.6	44.65
	-7	-7.6	150.98	45.52	150.98	46.91	150.38	48.36	150.38	49.10	150.38	49.80	149.84	51.24
	-5	-5.6	159.05	46.81	158.44	48.19	157.91	49.50	157.91	50.20	157.91	50.90	157.3	52.30
	-3	-3.7	166.51	48.00	166.51	49.27	165.97	50.60	165.97	51.24	165.37	51.87	165.37	53.20
	0	-0.7	179.75	49.80	179.75	51.01	179.21	52.23	179.21	52.80	179.21	53.43	174.04	52.40
	3	2.2	194.21	51.47	193.6	52.56	193.6	53.64	193	54.16	186.68	51.97	174.04	47.66
	5	4.1	203.95	52.46	203.95	53.54	199.92	53.03	193	50.90	186.68	48.87	174.04	44.84
	7	6	214.3	53.43	212.62	53.77	199.92	49.80	193	47.83	186.68	45.94	174.04	42.17
	9	7.9	225.26	54.29	212.62	50.57	199.92	46.84	193	45.01	186.68	43.24	174.04	39.75
	11	9.8	225.26	51.07	212.62	47.54	199.92	44.11	193	42.43	186.68	40.75	174.04	37.51
	13	11.8	225.26	47.87	212.62	44.61	199.92	41.42	193	39.89	186.68	38.34	174.04	35.32
	15	13.7	225.26	42.54	212.62	42.07	199.92	39.15	193	37.64	186.68	36.25	174.04	33.42

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1630W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	115.82	40.35	115.22	42.01	115.22	43.74	114.68	44.61	114.68	45.41	114.08	47.14
	-18.8	-19	117.57	40.88	117.57	42.54	116.97	44.21	116.97	45.08	116.43	45.94	116.43	47.60
	-16.7	-17	122.14	42.01	121.54	43.61	121.54	45.24	121	46.05	121	46.84	121	48.47
	-13.7	-15	127.32	43.24	126.78	44.81	126.18	46.35	126.18	47.14	126.18	47.87	125.64	49.44
	-11.8	-13	132.56	44.48	132.56	45.94	131.96	47.44	131.96	48.19	131.96	48.93	131.35	50.41
	-9.8	-11	138.88	45.71	138.28	47.14	138.28	48.53	138.28	49.27	137.67	49.97	137.67	51.34
	-9.5	-10	142.31	46.35	141.77	47.70	141.77	49.10	141.17	49.80	141.17	50.47	140.56	51.86
	-8.5	-9.1	145.2	46.84	144.6	48.23	144.6	49.57	144.6	50.24	144.06	50.94	144.06	52.29
	-7	-7.6	150.38	47.77	150.38	49.10	149.84	50.37	149.84	51.07	149.84	51.70	149.23	53.03
	-5	-5.6	158.44	49.00	157.84	50.20	157.84	51.47	157.3	52.03	157.3	52.67	156.7	53.96
	-3	-3.7	165.97	50.07	165.97	45.48	165.37	52.46	165.37	53.03	165.37	53.60	158.44	51.34
	0	-0.7	179.21	51.70	179.21	52.77	178.61	53.90	175.72	53.03	170.01	50.84	158.44	46.65
	3	2.2	193.6	53.20	193	54.16	181.5	50.14	175.72	48.19	170.01	46.28	158.44	42.47
	5	4.1	203.41	54.16	193	50.90	181.5	47.14	175.72	45.35	170.01	43.57	158.44	40.05
	7	6	204.56	51.43	193	47.83	181.5	44.51	175.72	42.70	170.01	41.05	158.44	37.75
	9	7.9	204.56	48.30	193	45.01	181.5	41.78	175.72	39.69	170.01	38.68	158.44	35.62
90%	11	9.8	204.56	45.48	193	42.41	181.5	39.42	175.72	37.92	170.01	36.46	158.44	33.66
	13	11.8	204.56	42.70	193	39.89	181.5	37.12	175.72	35.72	170.01	34.42	158.44	31.76
	15	13.7	204.56	40.29	193	37.64	181.5	35.05	175.72	33.76	170.01	32.52	158.44	30.09
	-19.8	-20	115.02	43.34	114.48	44.84	114.48	46.38	113.87	47.14	113.87	47.93	113.87	49.44
	-18.8	-19	116.77	43.78	116.77	45.35	116.16	46.84	116.16	47.60	116.16	48.36	115.62	49.87
	-16.7	-17	121.34	44.91	120.8	46.35	120.8	47.77	120.8	48.53	120.19	49.23	120.19	50.67
	-13.7	-15	126.51	45.98	125.97	47.37	125.97	48.74	125.37	49.44	125.37	50.14	125.37	51.54
	-11.8	-13	131.69	47.07	131.69	48.40	131.15	49.74	131.15	50.41	131.15	51.07	130.55	52.40
	-9.8	-11	138.07	48.19	138.07	49.44	137.47	50.73	137.47	51.34	137.47	52.03	136.86	53.30
	-9.5	-10	141.5	48.74	140.9	50.03	140.9	51.24	140.36	51.86	140.36	52.50	140.36	53.70
	-8.5	-9.1	144.39	49.27	144.39	50.47	143.79	51.70	143.79	52.29	143.79	52.90	142.04	53.43
	-7	-7.6	149.57	50.07	149.57	51.24	148.96	52.43	148.96	53.03	148.96	53.60	142.04	51.01
	-5	-5.6	157.57	51.17	157.03	52.29	157.03	53.37	156.43	53.96	152.39	52.29	142.04	47.93
	-3	-3.7	165.1	52.13	165.1	53.20	163.35	53.43	157.57	51.28	152.39	49.23	142.04	45.18
	0	-0.7	178.88	53.64	173.7	52.33	163.35	48.47	157.57	46.58	152.39	44.71	142.04	41.09
	3	2.2	184.05	51.11	173.7	47.60	163.35	44.14	157.57	42.47	152.39	40.82	142.04	37.58
80%	5	4.1	184.05	48.04	173.7	44.81	163.35	41.61	157.57	40.02	152.39	38.51	142.04	35.45
	7	6	184.05	45.18	173.7	42.17	163.35	39.19	157.57	37.75	152.39	36.29	142.04	33.49
	9	7.9	184.05	42.60	173.7	39.69	163.35	36.94	157.57	35.59	152.39	34.29	142.04	31.66
	11	9.8	184.05	40.12	173.7	37.48	163.35	34.95	157.57	33.66	152.39	32.39	142.04	29.96
	13	11.8	184.05	37.75	173.7	35.32	163.35	32.89	157.57	31.76	152.39	30.60	142.04	28.30
	15	13.7	184.05	35.66	173.7	33.39	163.35	31.19	157.57	30.09	152.39	28.96	142.04	26.87
	-19.8	-20	114.68	46.32	114.08	47.66	114.08	49.06	114.08	49.74	113.47	50.41	113.47	51.76
	-18.8	-19	116.36	46.74	116.36	48.13	115.82	49.44	115.82	50.14	115.82	50.77	115.22	52.13
	-16.7	-17	121	47.70	120.46	49.00	120.46	50.31	120.46	50.94	120.46	51.59	119.86	52.84
	-13.7	-15	126.18	48.70	125.64	49.90	125.64	51.17	125.64	51.76	125.03	52.40	125.03	53.64
	-11.8	-13	131.35	49.67	131.35	50.90	130.81	52.03	130.81	52.60	130.81	53.26	126.78	51.80
	-9.8	-11	137.74	50.67	137.74	51.80	137.13	52.94	137.13	53.47	135.99	53.37	126.78	48.93
	-9.5	-10	141.17	51.17	140.56	52.27	140.63	53.37	140.63	53.96	135.99	51.80	126.78	47.50
	-8.5	-9.1	144.06	51.63	133.91	52.73	143.45	53.77	140.63	52.56	135.99	50.41	126.78	46.22
	-7	-7.6	149.23	52.40	149.23	53.43	145.2	52.27	140.63	50.20	135.99	48.19	126.78	44.21
	-5	-5.6	157.3	53.30	154.41	53.03	145.2	49.10	140.63	47.18	135.99	45.28	126.78	41.61
-3	-3.7	163.62	53.60	154.41	49.90	145.2	46.22	140.63	44.48	135.99	42.70	126.78	39.32	
0	-0.7	163.62	48.63	154.41	45.28	145.2	42.07	140.63	40.52	135.99	38.89	126.78	35.85	
3	2.2	163.62	44.31	154.41	41.31	145.2	38.45	140.63	36.98	135.99	35.59	126.78	32.86	
5	4.1	163.62	41.74	154.41	38.95	145.2	36.25	140.63	34.95	135.99	33.66	126.78	31.06	
7	6	163.62	39.32	154.41	36.79	145.2	34.26	140.63	33.02	135.99	31.83	126.78	29.39	
9	7.9	163.62	37.11	154.41	34.69	145.2	32.32	140.63	31.19	135.99	30.09	126.78	27.83	
11	9.8	163.62	35.05	154.41	32.79	145.2	30.60	140.63	29.49	135.99	28.47	126.78	26.40	
13	11.8	163.62	33.02	154.41	30.96	145.2	28.92	140.63	27.90	135.99	26.94	126.78	24.94	
15	13.7	163.62	31.23	154.41	29.33	145.2	27.43	140.63	26.44	135.99	25.54	126.78	23.73	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1630W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
70%	-19.8	-20	113.81	49.33	113.27	50.47	113.27	51.70	113.27	52.27	113.27	52.90	110.38	52.33
	-18.8	-19	115.56	49.74	115.56	50.90	114.95	52.03	114.95	52.60	114.95	53.26	110.38	51.24
	-16.7	-17	120.13	50.57	120.13	51.70	119.59	52.77	119.59	53.37	118.45	47.54	110.38	48.87
	-13.7	-15	125.3	51.43	124.76	52.50	124.76	53.60	122.48	52.77	118.45	50.67	110.38	46.48
	-11.8	-13	130.48	52.27	130.48	53.30	127.05	52.03	122.48	50.03	118.45	48.00	110.38	44.04
	-9.8	-11	136.8	53.13	135.12	53.10	127.05	49.17	122.48	47.27	118.45	45.35	110.38	41.68
	-9.5	-10	140.29	53.60	135.12	51.54	127.05	47.70	122.48	45.88	118.45	44.11	110.38	40.52
	-8.5	-9.1	143.12	53.90	135.12	50.14	127.05	46.48	122.48	44.65	118.45	42.91	110.38	39.48
	-7	-7.6	143.12	51.46	135.12	47.87	127.05	44.44	122.48	42.74	118.45	41.09	110.38	37.81
	-5	-5.6	143.12	48.36	135.12	45.08	127.05	41.84	122.48	40.22	118.45	47.54	110.38	35.66
	-3	-3.7	143.12	45.52	135.12	42.47	127.05	39.48	122.48	37.98	118.45	36.52	110.38	33.72
	0	-0.7	143.12	41.42	135.12	38.72	127.05	36.02	122.48	34.69	118.45	33.42	110.38	30.89
	3	2.2	143.12	37.85	135.12	35.45	127.05	33.02	122.48	31.83	118.45	30.66	110.38	28.34
	5	4.1	143.12	35.72	135.12	33.42	127.05	31.23	122.48	30.09	118.45	28.96	110.38	26.87
	7	6	143.12	33.76	135.12	31.66	127.05	29.49	122.48	28.47	118.45	27.47	110.38	25.47
9	7.9	143.12	31.92	135.12	29.90	127.05	27.96	122.48	26.97	118.45	26.07	110.38	24.13	
11	9.8	143.12	30.19	135.12	28.30	127.05	26.51	122.48	25.57	118.45	24.73	110.38	22.93	
13	11.8	143.12	28.53	135.12	26.81	127.05	25.10	122.48	24.27	118.45	23.37	110.38	21.81	
15	13.7	143.12	27.03	135.12	25.40	127.05	23.80	122.48	23.03	118.45	22.23	110.38	20.75	
60%	-19.8	-20	113.54	52.33	112.93	53.30	108.9	51.28	105.47	49.27	101.98	47.34	95.05	43.41
	-18.8	-19	115.22	52.67	115.22	53.64	108.9	50.20	105.47	48.23	101.98	46.28	95.05	42.47
	-16.7	-17	119.86	53.37	115.82	51.70	108.9	47.87	105.47	46.05	101.98	44.21	95.05	40.62
	-13.7	-15	122.75	52.77	115.82	49.10	108.9	45.52	105.47	43.78	101.98	42.04	95.05	38.65
	-11.8	-13	122.75	49.97	115.82	46.51	108.9	43.17	105.47	41.58	101.98	39.95	95.05	36.94
	-9.8	-11	122.75	47.18	115.82	43.95	108.9	40.88	105.47	39.32	101.98	37.81	95.05	34.85
	-9.5	-10	122.75	45.88	115.82	42.74	108.9	39.69	105.47	38.28	101.98	36.78	95.05	33.89
	-8.5	-9.1	122.75	44.65	115.82	41.68	108.9	38.72	105.47	37.28	101.98	35.85	95.05	33.06
	-7	-7.6	122.75	42.70	115.82	39.89	108.9	37.05	105.47	35.72	101.98	34.36	95.05	31.76
	-5	-5.6	122.75	40.22	115.82	37.58	108.9	34.98	105.47	33.72	101.98	32.43	95.05	30.03
	-3	-3.7	122.75	37.98	115.82	35.49	108.9	33.06	105.47	31.92	101.98	30.70	95.05	28.43
	0	-0.7	122.75	34.69	115.82	32.52	108.9	30.32	105.47	29.29	101.98	28.17	95.05	26.10
	3	2.2	122.75	31.83	115.82	29.83	108.9	27.90	105.47	26.93	101.98	26.00	95.05	24.07
	5	4.1	122.75	30.09	115.82	28.23	108.9	26.40	105.47	25.54	101.98	24.60	95.05	22.86
	7	6	122.75	28.47	115.82	26.77	108.9	25.00	105.47	24.20	101.98	23.37	95.05	21.72
9	7.9	122.75	26.96	115.82	25.37	108.9	23.73	105.47	23.00	101.98	22.17	95.05	20.68	
11	9.8	122.75	25.57	115.82	24.07	108.9	22.57	105.47	21.88	101.98	21.11	95.05	19.71	
13	11.8	122.75	24.20	115.82	22.83	108.9	21.45	105.47	20.75	101.98	20.05	95.05	18.74	
15	13.7	122.75	23.03	115.82	21.68	108.9	20.41	105.47	19.77	101.98	19.11	95.05	17.87	
50%	-19.8	-20	102.25	47.60	96.46	44.31	90.75	41.16	87.32	39.65	84.43	38.08	78.72	35.11
	-18.8	-19	102.25	46.57	96.46	43.41	90.75	40.35	87.32	38.78	84.43	37.28	78.72	34.42
	-16.7	-17	102.25	44.44	96.46	41.42	90.75	38.55	87.32	37.11	84.43	35.72	78.72	32.96
	-13.7	-15	102.25	42.28	96.46	39.48	90.75	36.71	87.32	35.39	84.43	34.06	78.72	31.46
	-11.8	-13	102.25	40.18	96.46	37.51	90.75	34.95	87.32	33.66	84.43	32.36	78.72	29.96
	-9.8	-11	102.25	38.02	96.46	35.55	90.75	33.13	87.32	31.92	84.43	30.76	78.72	28.47
	-9.5	-10	102.25	36.98	96.46	34.59	90.75	32.26	87.32	31.13	84.43	29.96	78.72	27.73
	-8.5	-9.1	102.25	36.09	96.46	33.76	90.75	31.46	87.32	30.36	84.43	29.29	78.72	27.09
	-7	-7.6	102.25	34.59	96.46	32.36	90.75	30.19	87.32	29.13	84.43	28.13	78.72	26.07
	-5	-5.6	102.25	32.62	96.46	30.60	90.75	28.59	87.32	27.63	84.43	26.61	78.72	24.67
	-3	-3.7	102.25	30.89	96.46	28.96	90.75	27.09	87.32	26.17	84.43	25.24	78.72	23.46
	0	-0.7	102.25	28.34	96.46	26.61	90.75	24.94	87.32	24.07	84.43	23.27	78.72	21.68
	3	2.2	102.25	26.10	96.46	24.56	90.75	23.00	87.32	22.23	84.43	21.51	78.72	20.05
	5	4.1	102.25	24.77	96.46	23.27	90.75	21.88	87.32	21.18	84.43	20.47	78.72	19.07
	7	6	102.25	23.53	96.46	22.14	90.75	20.81	87.32	20.11	84.43	19.48	78.72	18.21
9	7.9	102.25	22.30	96.46	21.04	90.75	19.77	87.32	19.18	84.43	18.57	78.72	17.34	
11	9.8	102.25	21.21	96.46	19.98	90.75	18.84	87.32	18.27	84.43	17.70	78.72	16.54	
13	11.8	102.25	20.18	96.46	19.01	90.75	17.94	87.32	17.40	84.43	16.82	78.72	15.79	
15	13.7	102.25	19.18	96.46	18.14	90.75	17.11	87.32	16.58	84.43	16.08	78.72	15.09	

60HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1685W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	121.39	32.44	120.83	34.72	120.28	37.05	120.28	38.16	119.65	39.30	119.65	41.61
	-18.8	-19	123.19	33.16	122.64	35.44	122.64	37.68	122.01	38.82	122.01	39.88	121.39	42.15
	-16.7	-17	127.99	34.72	127.36	36.86	126.81	39.06	126.81	40.13	126.81	41.20	126.18	43.36
	-13.7	-15	133.33	36.33	132.78	38.40	132.15	40.50	132.15	41.51	131.53	42.57	131.53	44.67
	-11.8	-13	138.68	37.93	138.68	39.95	138.13	41.92	137.5	42.92	137.5	43.95	136.88	45.91
	-9.8	-11	145.28	39.60	144.65	41.51	144.03	43.40	144.03	44.37	144.03	45.29	143.47	47.25
	-9.5	-10	148.82	40.44	148.19	42.29	147.64	44.13	147.64	45.08	147.01	45.98	147.01	47.80
	-8.5	-9.1	151.81	41.13	151.18	42.92	151.18	44.77	150.63	45.67	150.63	46.57	150	48.42
	-7	-7.6	157.15	42.33	157.15	44.13	156.53	45.85	156.53	46.74	155.97	47.57	155.35	49.37
	-5	-5.6	165.49	43.95	164.86	45.63	164.31	47.29	164.31	48.11	163.68	48.90	163.68	50.56
	-3	-3.7	173.19	45.36	172.64	46.99	172.64	48.53	172.01	49.37	172.01	50.15	171.39	51.70
	0	-0.7	186.88	47.57	186.88	49.08	186.32	50.49	186.32	51.04	185.69	51.98	185.69	53.42
	3	2.2	201.74	49.54	201.18	50.94	200.63	52.31	200.63	52.94	200.63	53.67	200	54.99
	5	4.1	211.88	50.81	211.32	52.11	211.32	53.38	210.69	54.04	210.69	54.67	210.14	55.93
	7	6	222.64	52.01	222.01	53.20	222.01	54.46	221.39	55.04	221.39	55.62	212.5	53.42
	9	7.9	233.89	53.04	233.33	54.28	233.33	55.39	232.71	56.00	227.99	54.80	212.5	50.21
120%	-19.8	-20	120.83	35.54	120.21	37.61	119.65	39.78	119.65	40.79	119.65	41.86	119.03	44.02
	-18.8	-19	122.64	36.20	122.01	38.27	122.01	40.36	121.46	41.40	121.46	42.46	120.83	44.54
	-16.7	-17	127.36	37.61	126.81	39.66	125.97	41.61	126.18	42.64	126.18	43.65	125.63	45.63
	-13.7	-15	132.78	39.13	132.15	41.02	131.53	42.92	131.53	43.96	131.53	44.91	130.97	46.82
	-11.8	-13	138.13	40.61	138.13	42.46	137.5	44.30	137.5	45.25	136.94	46.16	136.94	47.98
	-9.8	-11	144.65	42.15	144.03	43.91	144.03	45.67	143.47	46.57	143.47	47.42	142.85	49.19
	-9.5	-10	148.26	42.92	147.64	44.67	147.01	46.35	147.01	47.25	147.01	48.08	146.46	49.80
	-8.5	-9.1	151.18	43.57	150.63	45.25	150.63	46.92	150	47.77	150	48.64	149.38	50.32
	-7	-7.6	156.53	44.74	156.53	46.35	155.97	47.92	155.97	48.77	155.35	49.54	155.35	51.15
	-5	-5.6	164.86	46.16	164.31	47.70	163.68	49.25	163.68	50.04	163.68	50.81	163.13	52.31
	-3	-3.7	172.64	47.53	172.64	49.02	172.01	50.43	172.01	51.15	171.46	51.94	171.46	53.38
	0	-0.7	186.32	49.54	186.32	50.94	185.69	52.23	185.69	52.94	185.14	53.60	185.14	54.99
	3	2.2	201.18	51.39	200.63	52.66	200.63	53.90	200	54.56	200	55.14	195.83	54.86
	5	4.1	211.32	52.53	210.69	53.73	210.69	54.93	210.14	55.49	210.14	56.11	195.83	51.53
	7	6	222.01	53.60	222.01	54.74	221.46	55.87	217.85	55.10	210.69	52.83	195.83	48.49
	9	7.9	233.33	54.67	232.78	55.76	225	53.90	217.85	51.77	210.69	49.68	195.83	45.63
	11	9.8	245.21	55.62	239.31	54.67	225	50.69	217.85	48.71	210.69	46.74	195.83	43.01
110%	-19.8	-20	120.21	38.62	119.65	40.54	119.03	42.50	119.03	43.47	119.1	44.44	118.47	46.39
	-18.8	-19	122.01	39.23	121.46	41.13	121.46	43.05	121.46	44.02	120.83	44.94	120.83	46.88
	-16.7	-17	126.81	40.54	126.18	42.39	127.99	44.26	125.63	45.12	125.63	46.09	125	47.88
	-13.7	-15	132.15	41.92	131.6	43.71	130.97	45.43	130.97	46.35	130.97	47.25	130.35	48.98
	-11.8	-13	137.5	43.36	137.5	45.01	136.88	46.70	136.88	47.53	136.32	48.36	136.32	50.08
	-9.8	-11	144.03	44.74	143.47	46.35	143.47	47.94	142.85	48.77	142.85	49.54	142.85	51.15
	-9.5	-10	147.64	45.43	147.01	46.99	146.39	48.60	146.39	49.37	146.39	50.15	145.83	51.70
	-8.5	-9.1	150.63	46.02	150	47.60	150	49.15	149.38	49.90	149.38	50.69	149.38	46.20
	-7	-7.6	155.97	47.09	155.97	48.53	155.35	50.04	155.35	50.81	155.35	51.53	154.79	53.01
	-5	-5.6	164.31	48.42	163.68	49.86	163.13	51.22	163.13	51.94	163.13	52.66	162.5	54.11
	-3	-3.7	172.01	49.68	172.01	50.97	171.46	52.35	171.46	53.01	170.83	53.67	170.83	55.04
	0	-0.7	185.69	51.53	185.69	52.76	185.14	54.04	185.14	54.62	185.14	55.27	179.79	54.21
	3	2.2	200.63	53.25	200	54.39	200	55.49	199.38	56.05	192.85	53.77	179.79	49.33
	5	4.1	210.69	54.28	210.69	55.39	206.53	54.86	199.38	52.66	192.85	50.56	179.79	46.39
	7	6	221.39	55.27	219.65	55.62	206.53	51.53	199.38	49.50	192.85	47.53	179.79	43.65
	9	7.9	232.71	56.18	219.65	52.31	206.53	48.46	199.38	46.57	192.85	44.74	179.79	41.13
	11	9.8	232.71	52.83	219.65	49.19	206.53	45.63	199.38	43.91	192.85	42.15	179.79	38.82
	13	11.8	232.71	49.54	219.65	46.16	206.53	42.85	199.38	41.27	192.85	39.66	179.79	36.55
	15	13.7	232.71	44.02	219.65	43.53	206.53	40.50	199.38	38.95	192.85	37.50	179.79	34.58

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1685W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	119.65	41.74	119.03	43.47	119.03	45.25	118.47	46.16	118.47	46.99	117.85	48.77
	-18.8	-19	121.46	42.29	121.46	44.02	120.83	45.73	120.83	46.64	120.28	47.53	120.28	49.25
	-16.7	-17	126.18	43.47	125.56	45.12	125.56	46.82	125	47.63	125	48.46	125	50.15
	-13.7	-15	131.53	44.74	130.97	46.35	130.35	47.94	130.35	48.77	130.35	49.54	129.79	51.15
	-11.8	-13	136.94	46.02	136.94	47.53	136.32	49.08	136.32	49.86	136.32	50.63	135.69	52.16
	-9.8	-11	143.47	47.29	142.85	48.77	142.85	50.21	142.85	50.97	142.22	51.70	142.22	53.11
	-9.5	-10	147.01	47.94	146.46	49.37	146.46	50.81	145.83	51.53	145.83	52.23	145.21	53.67
	-8.5	-9.1	150	48.46	149.38	49.90	149.38	51.28	149.38	51.98	148.82	52.70	148.82	54.11
	-7	-7.6	155.35	49.43	155.35	50.81	154.79	52.11	154.79	52.83	154.79	53.49	154.17	54.86
	-5	-5.6	163.68	50.69	163.06	51.94	163.06	53.25	162.5	53.83	162.5	54.49	161.88	55.83
	-3	-3.7	171.46	51.81	171.46	47.05	170.83	54.28	170.83	54.86	170.83	55.45	163.68	53.11
	0	-0.7	185.14	53.49	185.14	54.60	184.51	55.76	181.53	54.86	175.63	52.59	163.68	48.25
	3	2.2	200	55.04	199.38	56.04	187.5	51.88	181.53	49.86	175.63	47.88	163.68	43.95
	5	4.1	210.14	56.04	199.38	52.66	187.5	48.77	181.53	46.92	175.63	45.08	163.68	41.43
	7	6	211.32	53.20	199.38	49.50	187.5	46.12	181.53	44.19	175.63	42.46	163.68	39.06
	9	7.9	211.32	49.97	199.38	46.57	187.5	43.22	181.53	41.06	175.63	40.01	163.68	36.86
90%	11	9.8	211.32	47.05	199.38	43.88	187.5	40.79	181.53	39.23	175.63	37.72	163.68	34.82
	13	11.8	211.32	44.19	199.38	41.27	187.5	38.40	181.53	36.97	175.63	35.61	163.68	32.85
	15	13.7	211.32	41.68	199.38	38.95	187.5	36.27	181.53	34.92	175.63	33.65	163.68	31.13
	-19.8	-20	118.82	44.84	118.26	46.39	118.26	47.98	117.64	48.77	117.64	49.60	117.64	51.15
	-18.8	-19	120.63	45.29	120.63	46.92	120	48.46	120	49.25	120	50.04	119.44	51.60
	-16.7	-17	125.35	46.46	124.79	47.94	124.79	49.43	124.79	50.21	124.17	50.94	124.17	52.41
	-13.7	-15	130.69	47.57	130.14	49.02	130.14	50.43	129.51	51.15	129.51	51.88	129.51	53.32
	-11.8	-13	136.04	48.71	136.04	50.08	135.49	51.46	135.49	52.16	135.49	52.83	134.86	54.21
	-9.8	-11	142.64	49.86	142.64	51.15	142.01	52.48	142.01	53.11	142.01	53.83	141.39	55.14
	-9.5	-10	146.18	50.43	145.56	51.76	145.56	53.01	145	53.67	145	54.32	145	55.56
	-8.5	-9.1	149.17	50.97	149.17	52.23	148.54	53.49	148.54	54.11	148.54	54.74	146.74	55.27
	-7	-7.6	154.51	51.81	154.51	53.01	153.89	54.25	153.89	54.86	153.89	55.45	146.74	52.76
	-5	-5.6	162.78	52.94	162.22	54.11	162.22	55.21	161.6	55.83	157.43	54.11	146.74	49.60
	-3	-3.7	170.56	53.95	170.56	55.04	168.75	55.27	162.78	53.04	157.43	50.94	146.74	46.74
	0	-0.7	184.79	55.49	179.44	54.14	168.75	50.15	162.78	48.18	157.43	46.26	146.74	42.50
	3	2.2	190.14	52.88	179.44	49.25	168.75	45.67	162.78	43.95	157.43	42.22	146.74	38.88
80%	5	4.1	190.14	49.70	179.44	46.35	168.75	43.05	162.78	41.40	157.43	39.84	146.74	36.68
	7	6	190.14	46.74	179.44	43.65	168.75	40.54	162.78	39.06	157.43	37.55	146.74	34.64
	9	7.9	190.14	44.09	179.44	41.06	168.75	38.23	162.78	36.83	157.43	35.48	146.74	32.75
	11	9.8	190.14	41.51	179.44	38.78	168.75	36.17	162.78	34.82	157.43	33.51	146.74	31.00
	13	11.8	190.14	39.06	179.44	36.55	168.75	34.04	162.78	32.85	157.43	31.66	146.74	29.28
	15	13.7	190.14	36.90	179.44	34.54	168.75	32.27	162.78	31.13	157.43	29.97	146.74	27.79
	-19.8	-20	118.47	47.92	117.85	49.33	117.85	50.77	117.85	51.46	117.22	52.16	117.22	53.55
	-18.8	-19	120.21	48.36	120.21	49.80	119.65	51.15	119.65	51.88	119.65	52.53	119.03	53.95
	-16.7	-17	125	49.37	124.44	50.69	124.44	52.05	124.44	52.70	124.44	53.38	123.82	54.67
	-13.7	-15	130.35	50.39	129.79	51.63	129.79	52.94	129.79	53.55	129.17	54.21	129.17	55.49
	-11.8	-13	135.69	51.39	135.69	52.66	135.14	53.83	135.14	54.43	135.14	55.10	130.97	53.60
	-9.8	-11	142.29	52.41	142.29	53.60	141.67	54.78	141.67	55.31	140.49	55.21	130.97	50.63
	-9.5	-10	145.83	52.94	145.21	54.08	145.28	55.21	145.28	55.83	140.49	53.60	130.97	49.15
	-8.5	-9.1	148.82	53.42	138.33	54.56	148.19	55.62	145.28	54.39	140.49	52.16	130.97	47.80
	-7	-7.6	154.17	54.21	154.17	55.27	150	54.08	145.28	51.94	140.49	49.86	130.97	45.73
	-5	-5.6	162.5	55.14	159.51	54.86	150	50.81	145.28	48.81	140.49	46.85	130.97	43.05

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1685W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorňa teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	117.57	51.04	117.01	52.23	117.01	53.49	117.01	54.08	117.01	54.74	114.03	54.14
	-18.8	-19	119.38	51.45	119.38	52.66	118.75	53.83	118.75	54.43	118.75	55.10	114.03	53.01
	-16.7	-17	124.1	52.31	124.1	53.49	123.54	54.60	123.54	55.21	122.36	49.19	114.03	50.56
	-13.7	-15	129.44	53.20	128.89	54.32	128.89	55.45	126.53	54.60	122.36	52.41	114.03	48.08
	-11.8	-13	134.79	54.08	134.79	55.14	131.25	53.83	126.53	51.76	122.36	49.68	114.03	45.56
	-9.8	-11	141.32	54.96	139.58	54.93	131.25	50.87	126.53	48.90	122.36	46.92	114.03	43.12
	-9.5	-10	144.93	55.45	139.58	53.32	131.25	49.37	126.53	47.46	122.36	45.63	114.03	41.92
	-8.5	-9.1	147.85	55.76	139.58	51.88	131.25	48.08	126.53	46.20	122.36	44.41	114.03	40.85
	-7	-7.6	147.85	53.25	139.58	49.54	131.25	45.98	126.53	44.23	122.36	42.50	114.03	39.13
	-5	-5.6	147.85	50.04	139.58	46.64	131.25	43.30	126.53	41.61	122.36	40.19	114.03	36.90
	-3	-3.7	147.85	47.09	139.58	43.95	131.25	40.85	126.53	39.30	122.36	37.78	114.03	34.89
	0	-0.7	147.85	42.85	139.58	40.06	131.25	37.27	126.53	35.89	122.36	34.58	114.03	31.96
	3	2.2	147.85	39.17	139.58	36.68	131.25	34.17	126.53	32.92	122.36	31.73	114.03	29.32
	5	4.1	147.85	36.97	139.58	34.58	131.25	32.31	126.53	31.13	122.36	29.97	114.03	27.79
	7	6	147.85	34.92	139.58	32.75	131.25	30.52	126.53	29.45	122.36	28.42	114.03	26.35
	9	7.9	147.85	33.03	139.58	30.93	131.25	28.93	126.53	27.90	122.36	26.96	114.03	24.97
60%	-19.8	-20	117.29	54.14	116.67	55.14	112.5	53.04	108.96	50.97	105.35	48.97	98.19	44.91
	-18.8	-19	119.03	54.49	119.03	55.49	112.5	51.94	108.96	49.90	105.35	47.87	98.19	43.95
	-16.7	-17	123.82	55.21	119.65	53.49	112.5	49.54	108.96	47.63	105.35	45.73	98.19	42.03
	-13.7	-15	126.81	54.60	119.65	50.81	112.5	47.09	108.96	45.29	105.35	43.50	98.19	39.99
	-11.8	-13	126.81	51.70	119.65	48.11	112.5	44.67	108.96	43.01	105.35	41.33	98.19	38.23
	-9.8	-11	126.81	48.81	119.65	45.47	112.5	42.29	108.96	40.67	105.35	39.13	98.19	36.06
	-9.5	-10	126.81	47.46	119.65	44.23	112.5	41.06	108.96	39.60	105.35	38.06	98.19	35.06
	-8.5	-9.1	126.81	46.20	119.65	43.12	112.5	40.06	108.96	38.57	105.35	37.09	98.19	34.21
	-7	-7.6	126.81	44.19	119.65	41.27	112.5	38.34	108.96	36.97	105.35	35.54	98.19	32.85
	-5	-5.6	126.81	41.61	119.65	38.88	112.5	36.20	108.96	34.89	105.35	33.55	98.19	31.07
	-3	-3.7	126.81	39.30	119.65	36.72	112.5	34.21	108.96	33.03	105.35	31.76	98.19	29.41
	0	-0.7	126.81	35.89	119.65	33.64	112.5	31.38	108.96	30.30	105.35	29.15	98.19	27.00
	3	2.2	126.81	32.92	119.65	30.87	112.5	28.86	108.96	27.86	105.35	26.90	98.19	24.90
	5	4.1	126.81	31.13	119.65	29.21	112.5	27.31	108.96	26.42	105.35	25.46	98.19	23.66
	7	6	126.81	29.45	119.65	27.69	112.5	25.87	108.96	25.04	105.35	24.19	98.19	22.46
	9	7.9	126.81	27.90	119.65	26.25	112.5	24.56	108.96	23.80	105.35	22.94	98.19	21.39
50%	-19.8	-20	105.63	49.25	99.65	45.85	93.75	42.57	90.21	41.02	87.22	39.41	81.32	36.33
	-18.8	-19	105.63	48.18	99.65	44.91	93.75	41.74	90.21	40.13	87.22	38.57	81.32	35.61
	-16.7	-17	105.63	45.98	99.65	42.85	93.75	39.88	90.21	38.40	87.22	36.97	81.32	34.11
	-13.7	-15	105.63	43.75	99.65	40.85	93.75	37.99	90.21	36.62	87.22	35.23	81.32	32.54
	-11.8	-13	105.63	41.58	99.65	38.82	93.75	36.16	90.21	34.82	87.22	33.48	81.32	31.00
	-9.8	-11	105.63	39.35	99.65	36.79	93.75	34.27	90.21	33.03	87.22	31.83	81.32	29.45
	-9.5	-10	105.63	38.27	99.65	35.78	93.75	33.38	90.21	32.19	87.22	31.00	81.32	28.70
	-8.5	-9.1	105.63	37.33	99.65	34.92	93.75	32.54	90.21	31.41	87.22	30.30	81.32	28.04
	-7	-7.6	105.63	35.78	99.65	33.48	93.75	31.25	90.21	30.14	87.22	29.11	81.32	26.96
	-5	-5.6	105.63	33.76	99.65	31.66	93.75	29.58	90.21	28.58	87.22	27.52	81.32	25.52
	-3	-3.7	105.63	31.96	99.65	29.97	93.75	28.04	90.21	27.07	87.22	26.11	81.32	24.27
	0	-0.7	105.63	29.32	99.65	27.52	93.75	25.80	90.21	24.90	87.22	24.09	81.32	22.42
	3	2.2	105.63	27.00	99.65	25.41	93.75	23.80	90.21	23.01	87.22	22.24	81.32	20.74
	5	4.1	105.63	25.63	99.65	24.09	93.75	22.62	90.21	21.89	87.22	21.18	81.32	19.73
	7	6	105.63	24.34	99.65	22.90	93.75	21.53	90.21	20.80	87.22	20.15	81.32	18.85
	9	7.9	105.63	23.08	99.65	21.76	93.75	20.45	90.21	19.84	87.22	19.21	81.32	17.94

62HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1750W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
			kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	-19.8	-20	126.24	34.04	125.67	36.42	125.09	38.87	125.09	40.03	124.44	41.23	124.44	43.64
	-18.8	-19	128.12	34.79	127.54	37.17	127.54	39.53	126.89	40.72	126.89	41.84	126.24	44.22
	-16.7	-17	133.11	36.42	132.46	38.66	131.88	40.97	131.88	42.10	131.88	43.21	131.23	45.49
	-13.7	-15	138.67	38.11	138.09	40.29	137.44	42.49	137.44	43.53	136.79	44.67	136.79	46.87
	-11.8	-13	144.23	39.78	144.23	41.92	143.65	43.98	143	45.02	143	46.10	142.35	48.16
	-9.8	-11	151.09	41.55	150.44	43.53	149.79	45.53	149.79	46.53	149.79	47.52	149.21	49.56
	-9.5	-10	154.77	42.41	154.12	44.37	153.54	46.28	153.54	47.30	152.89	48.23	152.89	50.15
	-8.5	-9.1	157.88	43.15	157.23	45.02	157.23	46.97	156.65	47.91	156.65	48.85	156	50.80
	-7	-7.6	163.44	44.41	163.44	46.28	162.79	48.10	162.79	49.03	162.21	49.91	161.56	51.78
	-5	-5.6	172.11	46.10	171.46	47.87	170.88	49.61	170.88	50.48	170.23	51.31	170.23	53.04
	-3	-3.7	180.12	47.59	179.54	49.28	179.54	50.91	178.89	51.78	178.89	52.61	178.24	54.23
	0	-0.7	194.35	49.91	194.35	51.48	193.77	52.98	193.77	53.55	193.12	54.52	193.12	56.04
	3	2.2	209.81	51.96	209.23	53.44	208.65	54.88	208.65	55.54	208.65	56.30	208	57.69
	5	4.1	220.35	53.30	219.77	54.66	219.77	56.01	219.12	56.69	219.12	57.35	218.54	58.68
	7	6	231.54	54.55	230.89	55.82	230.89	57.12	230.24	57.73	230.24	58.36	221	59.04
	9	7.9	243.24	55.65	242.67	56.93	242.67	58.11	242.02	58.75	237.11	57.49	221	59.69
	11	9.8	255.67	56.80	255.02	57.92	253.79	58.68	245.12	56.36	237.11	54.05	221	49.61
	13	11.8	269.24	57.84	268.67	58.97	253.79	59.98	245.12	52.79	237.11	50.73	221	46.53
	15	13.7	282.24	58.87	269.89	55.87	253.79	51.78	245.12	49.80	237.11	47.80	221	43.90
120%	-19.8	-20	125.67	37.28	125.02	39.46	124.44	41.73	124.44	42.78	124.44	43.90	123.79	46.17
	-18.8	-19	127.54	37.97	126.89	40.14	126.89	42.35	126.32	43.43	126.32	44.55	125.67	46.72
	-16.7	-17	132.46	39.46	131.88	41.62	131.01	43.64	131.23	44.73	131.23	45.78	130.65	47.87
	-13.7	-15	138.09	41.04	137.44	43.03	136.79	45.02	136.79	46.10	136.79	47.11	136.21	49.10
	-11.8	-13	143.65	42.60	143.65	44.55	143	46.47	143	47.48	142.42	48.42	142.42	50.34
	-9.8	-11	150.44	44.22	149.79	46.06	149.79	47.91	149.21	48.85	149.21	49.75	148.56	51.60
	-9.5	-10	154.19	45.02	153.54	46.87	152.89	48.62	152.89	49.56	152.89	50.43	152.32	52.23
	-8.5	-9.1	157.23	45.71	156.65	47.48	156.65	49.22	156	50.12	156	51.03	155.35	52.79
	-7	-7.6	162.79	46.94	162.79	48.62	162.21	50.27	162.21	51.17	161.56	51.96	161.56	53.66
	-5	-5.6	171.46	48.42	170.88	50.05	170.23	51.66	170.23	52.50	170.23	53.30	169.65	54.88
	-3	-3.7	179.54	49.86	179.54	51.42	178.89	52.90	178.89	53.66	178.32	54.49	178.32	56.01
	0	-0.7	193.77	51.96	193.77	53.44	193.12	54.78	193.12	55.55	192.54	56.22	192.54	57.69
	3	2.2	209.23	53.91	208.65	55.24	208.65	56.55	208	57.23	208	57.84	203.67	57.55
	5	4.1	219.77	55.10	219.12	56.36	219.12	57.62	218.54	58.22	218.54	58.87	203.67	54.05
	7	6	230.89	56.22	230.89	57.41	230.32	58.61	226.56	57.81	219.12	55.43	203.67	50.88
	9	7.9	242.67	57.35	242.09	58.50	234	56.55	226.56	54.31	219.12	52.10	203.67	47.87
	11	9.8	255.02	58.36	248.88	57.35	234	53.18	226.56	51.09	219.12	49.03	203.67	45.13
	13	11.8	264.33	57.81	248.88	53.77	234	49.86	226.56	47.99	219.12	46.10	203.67	42.41
	15	13.7	264.33	54.41	248.88	50.69	234	47.05	226.56	45.24	219.12	43.47	203.67	40.03
110%	-19.8	-20	125.02	40.51	124.44	42.53	123.79	44.59	123.79	45.60	123.86	46.61	123.21	48.67
	-18.8	-19	126.89	41.16	126.32	43.15	126.32	45.16	126.32	46.18	125.67	47.16	125.67	49.17
	-16.7	-17	131.88	42.53	131.23	44.48	133.11	46.42	130.65	47.34	130.65	48.34	130	50.23
	-13.7	-15	137.44	43.98	136.86	45.85	136.21	47.66	136.21	48.62	136.21	49.56	135.56	51.37
	-11.8	-13	143	45.48	143	47.23	142.35	48.99	142.35	49.86	141.77	50.73	141.77	52.55
	-9.8	-11	149.79	46.94	149.21	48.62	149.21	50.29	148.56	51.17	148.56	51.96	148.56	53.66
	-9.5	-10	153.54	47.66	152.89	49.28	152.24	50.98	152.24	51.78	152.24	52.61	151.67	54.23
	-8.5	-9.1	156.65	48.28	156	49.94	156	51.55	155.35	52.35	155.35	53.18	155.35	48.46
	-7	-7.6	162.21	49.39	162.21	50.91	161.56	52.50	161.56	53.30	161.56	54.05	160.98	55.61
	-5	-5.6	170.88	50.80	170.23	52.31	169.65	53.73	169.65	54.49	169.65	55.24	169	56.76
	-3	-3.7	178.89	52.10	178.89	53.48	178.32	54.92	178.32	55.61	177.67	56.30	177.67	57.73
	0	-0.7	193.12	54.05	193.12	55.36	192.54	56.69	192.54	57.30	192.54	57.98	186.98	56.87
	3	2.2	208.65	55.87	208	57.05	208	58.22	207.35	58.79	200.56	56.41	186.98	51.74
	5	4.1	219.12	56.93	219.12	58.11	214.79	57.55	207.35	55.24	200.56	53.04	186.98	48.67
	7	6	230.24	57.98	228.44	58.36	214.79	54.05	207.35	51.92	200.56	49.86	186.98	45.78
	9	7.9	242.02	58.93	228.44	54.87	214.79	50.84	207.35	48.85	200.56	46.94	186.98	43.15
	11	9.8	242.02	55.43	228.44	51.60	214.79	47.87	207.35	46.06	200.56	44.22	186.98	40.72
	13	11.8	242.02	51.96	228.44	48.42	214.79	44.96	207.35	43.29	200.56	41.62	186.98	38.34
	15	13.7	242.02	46.18	228.44	45.67	214.79	42.49	207.35	40.86	200.56	39.35	186.98	36.28

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1750W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	124.44	43.78	123.79	45.59	123.79	47.48	123.21	48.42	123.21	49.28	122.56	51.17
	-18.8	-19	126.32	44.37	126.32	46.17	125.67	47.99	125.67	48.91	125.09	49.86	125.09	51.66
	-16.7	-17	131.23	45.59	130.58	47.34	130.58	49.10	130	49.97	130	50.84	130	52.61
	-13.7	-15	136.79	46.94	136.21	48.62	135.56	50.29	135.56	51.17	135.56	51.96	134.98	53.66
	-11.8	-13	142.42	48.28	142.42	49.86	141.77	51.48	141.77	52.31	141.77	53.12	141.12	54.71
	-9.8	-11	149.21	49.61	148.56	51.17	148.56	52.69	148.56	53.48	147.91	54.23	147.91	55.72
	-9.5	-10	152.89	50.29	152.32	51.78	152.32	53.30	151.67	54.05	151.67	54.78	151.02	56.30
	-8.5	-9.1	156	50.84	155.35	52.35	155.35	53.80	155.35	54.52	154.77	55.29	154.77	56.76
	-7	-7.6	161.56	51.85	161.56	53.30	160.98	54.66	160.98	55.43	160.98	56.12	160.33	57.55
	-5	-5.6	170.23	53.18	169.58	54.49	169.58	55.87	169	56.47	169	57.16	168.35	58.57
	-3	-3.7	178.32	54.35	178.32	49.36	177.67	56.93	177.67	57.55	177.67	58.18	170.23	55.72
	0	-0.7	192.54	56.12	192.54	57.27	191.89	58.50	188.79	57.55	182.65	55.17	170.23	50.62
	3	2.2	208	57.73	207.35	58.79	195	54.41	188.79	52.31	182.65	50.23	170.23	46.10
	5	4.1	218.54	58.79	207.35	55.24	195	51.17	188.79	49.22	182.65	47.30	170.23	43.47
	7	6	219.77	55.82	207.35	51.92	195	48.29	188.79	46.35	182.65	44.55	170.23	40.97
	9	7.9	219.77	52.43	207.35	48.85	195	45.35	188.79	43.07	182.65	41.98	170.23	38.66
90%	11	9.8	219.77	49.36	207.35	46.04	195	42.78	188.79	41.16	182.65	39.57	170.23	36.53
	13	11.8	219.77	46.35	207.35	43.29	195	40.29	188.79	38.78	182.65	37.36	170.23	34.47
	15	13.7	219.77	43.72	207.35	40.86	195	38.04	188.79	36.65	182.65	35.30	170.23	32.67
	-19.8	-20	123.57	47.05	122.99	48.67	122.99	50.34	122.34	51.17	122.34	52.03	122.34	53.66
	-18.8	-19	125.45	47.52	125.45	49.22	124.8	50.84	124.8	51.66	124.8	52.50	124.22	54.12
	-16.7	-17	130.36	48.74	129.78	50.29	129.78	51.85	129.78	52.69	129.13	53.44	129.13	54.98
	-13.7	-15	135.92	49.91	135.34	51.42	135.34	52.90	134.69	53.66	134.69	54.41	134.69	55.93
	-11.8	-13	141.48	51.09	141.48	52.55	140.91	53.98	140.91	54.71	140.91	55.43	140.26	56.87
	-9.8	-11	148.34	52.31	148.34	53.66	147.69	55.06	147.69	55.72	147.69	56.47	147.04	57.84
	-9.5	-10	152.03	52.90	151.38	54.30	151.38	55.61	150.8	56.30	150.8	56.98	150.8	58.29
	-8.5	-9.1	155.13	53.48	155.13	54.78	154.48	56.12	154.48	56.76	154.48	57.41	152.61	57.98
	-7	-7.6	160.69	54.35	160.69	55.61	160.04	56.91	160.04	57.55	160.04	58.17	152.61	55.36
	-5	-5.6	169.29	55.54	168.71	56.76	168.71	57.92	168.06	58.57	163.73	56.76	152.61	52.03
	-3	-3.7	177.38	56.59	177.38	57.73	175.5	57.98	169.29	55.65	163.73	53.44	152.61	49.03
	0	-0.7	192.18	58.22	186.62	56.80	175.5	52.61	169.29	50.55	163.73	48.53	152.61	44.59
	3	2.2	197.74	55.47	186.62	51.66	175.5	47.91	169.29	46.10	163.73	44.30	152.61	40.78
80%	5	4.1	197.74	52.14	186.62	48.62	175.5	45.16	169.29	43.43	163.73	41.81	152.61	38.48
	7	6	197.74	49.03	186.62	45.78	175.5	42.53	169.29	40.97	163.73	39.39	152.61	36.35
	9	7.9	197.74	46.24	186.62	43.07	175.5	40.10	169.29	38.64	163.73	37.22	152.61	34.36
	11	9.8	197.74	43.53	186.62	40.68	175.5	37.93	169.29	36.53	163.73	35.15	152.61	32.52
	13	11.8	197.74	40.97	186.62	38.34	175.5	35.71	169.29	34.47	163.73	33.21	152.61	30.72
	15	13.7	197.74	38.71	186.62	36.23	175.5	33.85	169.29	32.67	163.73	31.44	152.61	29.15
	-19.8	-20	123.21	50.27	122.56	51.74	122.56	53.26	122.56	53.98	121.91	54.71	121.91	56.18
	-18.8	-19	125.02	50.73	125.02	52.23	124.44	53.66	124.44	54.41	124.44	55.10	123.79	56.59
	-16.7	-17	130	51.78	129.42	53.18	129.42	54.60	129.42	55.29	129.42	56.01	128.77	57.35
	-13.7	-15	135.56	52.86	134.98	54.16	134.98	55.54	134.98	56.18	134.33	56.87	134.33	58.22
	-11.8	-13	141.12	53.91	141.12	55.24	140.54	56.47	140.54	57.09	140.54	57.81	136.21	56.22
	-9.8	-11	147.98	54.98	147.98	56.22	147.33	57.45	147.33	58.03	146.11	57.92	136.21	53.12
	-9.5	-10	151.67	55.54	151.02	56.73	151.09	57.92	151.09	58.57	146.11	56.22	136.21	51.55
	-8.5	-9.1	154.77	56.04	143.87	57.23	154.12	58.36	151.09	57.05	146.11	54.71	136.21	50.15
	-7	-7.6	160.33	56.87	160.33	57.98	156	56.73	151.09	54.49	146.11	52.31	136.21	47.99
	-5	-5.6	169	57.84	165.89	57.55	156	53.30	151.09	51.20	146.11	49.14	136.21	45.16
-3	-3.7	175.79	58.18	165.89	54.16	156	50.15	151.09	48.28	146.11	46.35	136.21	42.67	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1750W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	122.27	53.55	121.69	54.78	121.69	56.12	121.69	56.73	121.69	57.41	118.59	56.79
	-18.8	-19	124.15	53.98	124.15	55.24	123.5	56.47	123.5	57.09	123.5	57.81	118.59	55.61
	-16.7	-17	129.06	54.87	129.06	56.12	128.48	57.27	128.48	57.92	127.26	51.60	118.59	53.04
	-13.7	-15	134.62	55.82	134.04	56.98	134.04	58.17	131.59	57.27	127.26	54.98	118.59	50.43
	-11.8	-13	140.18	56.73	140.18	57.84	136.5	56.47	131.59	54.30	127.26	52.10	118.59	47.80
	-9.8	-11	146.97	57.67	145.17	57.62	136.5	53.37	131.59	51.31	127.26	49.22	118.59	45.24
	-9.5	-10	150.73	58.17	145.17	55.93	136.5	51.78	131.59	49.80	127.26	47.87	118.59	43.98
	-8.5	-9.1	153.76	58.50	145.17	54.41	136.5	50.43	131.59	48.46	127.26	46.58	118.59	42.85
	-7	-7.6	153.76	55.87	145.17	51.96	136.5	48.23	131.59	46.39	127.26	44.59	118.59	41.04
	-5	-5.6	153.76	52.50	145.17	48.91	136.5	45.42	131.59	43.64	127.26	51.59	118.59	38.71
	-3	-3.7	153.76	49.39	145.17	46.10	136.5	42.85	131.59	41.23	127.26	39.64	118.59	36.60
	0	-0.7	153.76	44.96	145.17	42.03	136.5	39.09	131.59	37.65	127.26	36.28	118.59	33.53
	3	2.2	153.76	41.09	145.17	38.48	136.5	35.85	131.59	34.54	127.26	33.28	118.59	30.76
	5	4.1	153.76	38.78	145.17	36.28	136.5	33.90	131.59	32.67	127.26	31.44	118.59	29.15
	7	6	153.76	36.65	145.17	34.36	136.5	32.01	131.59	30.90	127.26	29.82	118.59	27.64
	9	7.9	153.76	34.65	145.17	32.44	136.5	30.35	131.59	29.26	127.26	28.29	118.59	26.20
60%	-19.8	-20	121.98	56.79	121.33	57.84	117	55.65	113.32	53.47	109.56	51.37	102.12	47.11
	-18.8	-19	123.79	57.16	123.79	58.22	117	54.49	113.32	52.35	109.56	50.23	102.12	46.10
	-16.7	-17	128.77	57.92	124.44	56.11	117	51.96	113.32	49.97	109.56	47.99	102.12	44.08
	-13.7	-15	131.88	57.27	124.44	53.30	117	49.39	113.32	47.52	109.56	45.64	102.12	41.96
	-11.8	-13	131.88	54.23	124.44	50.48	117	46.86	113.32	45.13	109.56	43.35	102.12	40.10
	-9.8	-11	131.88	51.20	124.44	47.71	117	44.37	113.32	42.67	109.56	41.04	102.12	37.83
	-9.5	-10	131.88	49.80	124.44	46.39	117	43.07	113.32	41.55	109.56	39.92	102.12	36.78
	-8.5	-9.1	131.88	48.46	124.44	45.24	117	42.03	113.32	40.46	109.56	38.92	102.12	35.89
	-7	-7.6	131.88	46.35	124.44	43.29	117	40.21	113.32	38.78	109.56	37.28	102.12	34.47
	-5	-5.6	131.88	43.64	124.44	40.78	117	37.97	113.32	36.60	109.56	35.19	102.12	32.59
	-3	-3.7	131.88	41.23	124.44	38.52	117	35.89	113.32	34.65	109.56	33.33	102.12	30.85
	0	-0.7	131.88	37.65	124.44	35.30	117	32.91	113.32	31.79	109.56	30.58	102.12	28.33
	3	2.2	131.88	34.54	124.44	32.38	117	30.28	113.32	29.23	109.56	28.21	102.12	26.12
	5	4.1	131.88	32.67	124.44	30.64	117	28.65	113.32	27.72	109.56	26.70	102.12	24.83
	7	6	131.88	30.90	124.44	29.04	117	27.14	113.32	26.26	109.56	25.37	102.12	23.56
	9	7.9	131.88	29.26	124.44	27.53	117	25.77	113.32	24.97	109.56	24.06	102.12	22.45
50%	-19.8	-20	109.85	51.66	103.64	48.09	97.5	44.67	93.82	43.03	90.71	41.35	84.57	38.11
	-18.8	-19	109.85	50.55	103.64	47.11	97.5	43.78	93.82	42.10	90.71	40.46	84.57	37.36
	-16.7	-17	109.85	48.23	103.64	44.96	97.5	41.84	93.82	40.29	90.71	38.78	84.57	35.77
	-13.7	-15	109.85	45.89	103.64	42.85	97.5	39.85	93.82	38.41	90.71	36.97	84.57	34.14
	-11.8	-13	109.85	43.61	103.64	40.72	97.5	37.93	93.82	36.53	90.71	35.13	84.57	32.52
	-9.8	-11	109.85	41.27	103.64	38.60	97.5	35.96	93.82	34.65	90.71	33.39	84.57	30.90
	-9.5	-10	109.85	40.14	103.64	37.54	97.5	35.01	93.82	33.79	90.71	32.52	84.57	30.10
	-8.5	-9.1	109.85	39.17	103.64	36.65	97.5	34.14	93.82	32.96	90.71	31.79	84.57	29.40
	-7	-7.6	109.85	37.54	103.64	35.13	97.5	32.77	93.82	31.62	90.71	30.53	84.57	28.29
	-5	-5.6	109.85	35.42	103.64	33.21	97.5	31.04	93.82	29.99	90.71	28.87	84.57	26.77
	-3	-3.7	109.85	33.53	103.64	31.44	97.5	29.40	93.82	28.40	90.71	27.39	84.57	25.47
	0	-0.7	109.85	30.76	103.64	28.87	97.5	27.07	93.82	26.12	90.71	25.26	84.57	23.51
	3	2.2	109.85	28.33	103.64	26.66	97.5	24.97	93.82	24.14	90.71	23.34	84.57	21.76
	5	4.1	109.85	26.88	103.64	25.26	97.5	23.73	93.82	22.97	90.71	22.22	84.57	20.70
	7	6	109.85	25.54	103.64	24.02	97.5	22.59	93.82	21.83	90.71	21.13	84.57	19.76
	9	7.9	109.85	24.21	103.64	22.83	97.5	21.46	93.82	20.81	90.71	20.16	84.57	18.82

64HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1800W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	129.48	35.04	128.89	37.50	128.3	40.03	128.3	41.22	127.63	42.45	127.63	44.94
	-18.8	-19	131.41	35.82	130.81	38.28	130.81	40.70	130.15	41.92	130.15	43.08	129.48	45.53
	-16.7	-17	136.52	37.50	135.85	39.80	135.26	42.18	135.26	43.34	135.26	44.49	134.59	46.83
	-13.7	-15	142.22	39.25	141.63	41.48	140.96	43.75	140.96	44.83	140.3	45.98	140.3	48.25
	-11.8	-13	147.93	40.96	147.93	43.15	147.33	45.27	146.67	46.35	146.67	47.47	146	49.59
	-9.8	-11	154.96	42.78	154.3	44.83	153.63	46.87	153.63	47.91	153.63	48.92	153.04	51.04
	-9.5	-10	158.74	43.67	158.07	45.68	157.48	47.65	157.48	48.69	156.81	49.66	156.81	51.63
	-8.5	-9.1	161.93	44.42	161.26	46.35	161.26	48.36	160.67	49.33	160.67	50.29	160	52.30
	-7	-7.6	167.63	45.72	167.63	47.65	166.96	49.51	166.96	50.48	166.37	51.37	165.7	53.31
	-5	-5.6	176.52	47.47	175.85	49.29	175.26	51.08	175.26	51.97	174.59	52.82	174.59	54.61
	-3	-3.7	184.74	48.99	184.15	50.74	184.15	52.41	183.48	53.31	183.48	54.16	182.81	55.84
	0	-0.7	199.33	51.37	199.33	53.01	198.74	54.54	198.74	55.13	198.07	56.13	198.07	57.70
	3	2.2	215.19	53.49	214.59	55.02	214	56.51	214	57.18	214	57.96	213.33	59.41
	5	4.1	226	54.87	225.41	56.28	225.41	57.66	224.74	58.37	224.74	59.04	224.15	60.41
	7	6	237.48	56.17	236.81	57.47	236.81	58.81	236.15	59.45	236.15	60.08	226.67	57.70
	9	7.9	249.48	57.29	248.89	58.63	248.89	59.82	248.22	60.49	243.19	59.19	226.67	54.24
	11	9.8	262.22	58.48	261.56	59.63	260.3	60.41	251.41	58.03	243.19	55.65	226.67	51.08
	13	11.8	276.15	59.56	275.56	60.71	260.3	56.62	251.41	54.35	243.19	52.23	226.67	47.91
120%	15	13.7	289.48	60.60	276.81	57.51	260.3	53.31	251.41	51.26	243.19	49.22	226.67	45.20
	-19.8	-20	128.89	38.39	128.22	40.62	127.63	42.97	127.63	44.04	127.63	45.20	126.96	47.54
	-18.8	-19	130.81	39.10	130.15	41.33	130.15	43.60	129.56	44.71	129.56	45.87	128.89	48.10
	-16.7	-17	135.85	40.62	135.26	42.85	134.37	44.94	134.59	46.05	134.59	47.13	134	49.29
	-13.7	-15	141.63	42.26	140.96	44.31	140.3	46.35	140.3	47.47	140.3	48.51	139.7	50.55
	-11.8	-13	147.33	43.86	147.33	45.87	146.67	47.84	146.67	48.88	146.07	49.85	146.07	51.82
	-9.8	-11	154.3	45.53	153.63	47.43	153.63	49.33	153.04	50.29	153.04	51.22	152.37	53.12
	-9.5	-10	158.15	46.35	157.48	48.25	156.81	50.07	156.81	51.04	156.81	51.93	156.22	53.79
	-8.5	-9.1	161.26	47.06	160.67	48.88	160.67	50.67	160	51.60	160	52.53	159.33	54.35
	-7	-7.6	166.96	48.32	166.96	50.07	166.37	51.75	166.37	52.68	165.7	53.49	165.7	55.24
	-5	-5.6	175.85	49.85	175.26	51.52	174.59	53.20	174.59	54.05	174.59	54.87	174	56.51
	-3	-3.7	184.15	51.34	184.15	52.94	183.48	54.46	183.48	55.24	182.89	56.10	182.89	57.66
	0	-0.7	198.74	53.49	198.74	55.02	198.07	56.40	198.07	57.18	197.48	57.88	197.48	59.41
	3	2.2	214.59	55.50	214	56.88	214	58.22	213.33	58.92	213.33	59.56	208.89	59.26
	5	4.1	225.41	56.73	224.74	58.03	224.74	59.33	224.15	59.93	224.15	60.60	208.89	55.65
	7	6	236.81	57.88	236.81	59.11	236.22	60.34	232.37	59.52	224.74	57.06	208.89	52.38
	9	7.9	248.89	59.04	248.3	60.23	240	58.22	232.37	55.91	224.74	53.64	208.89	49.29
	11	9.8	261.56	60.08	255.26	59.04	240	54.76	232.37	52.60	224.74	50.48	208.89	46.46
	13	11.8	271.11	59.52	255.26	55.35	240	51.34	232.37	49.40	224.74	47.47	208.89	43.67
110%	15	13.7	271.11	56.02	255.26	52.19	240	48.43	232.37	46.57	224.74	44.75	208.89	41.22
	-19.8	-20	128.22	41.70	127.63	43.78	126.96	45.90	126.96	46.95	127.04	47.99	126.37	50.11
	-18.8	-19	130.15	42.37	129.56	44.42	129.56	46.50	129.56	47.54	128.89	48.55	128.89	50.63
	-16.7	-17	135.26	43.78	134.59	45.79	136.52	47.80	134	48.73	134	49.77	133.33	51.71
	-13.7	-15	140.96	45.27	140.37	47.21	139.7	49.07	139.7	50.07	139.7	51.04	139.04	52.90
	-11.8	-13	146.67	46.83	146.67	48.62	146	50.44	146	51.34	145.41	52.23	145.41	54.09
	-9.8	-11	153.63	48.32	153.04	50.07	153.04	51.78	152.37	52.68	152.37	53.49	152.37	55.24
	-9.5	-10	157.48	49.07	156.81	50.74	156.15	52.49	156.15	53.31	156.15	54.16	155.56	55.84
	-8.5	-9.1	160.67	49.70	160	51.41	160	53.08	159.33	53.90	159.33	54.76	159.33	49.89
	-7	-7.6	166.37	50.85	166.37	52.41	165.7	54.05	165.7	54.87	165.7	55.65	165.11	57.25
	-5	-5.6	175.26	52.30	174.59	53.87	174	55.32	174	56.10	174	56.88	173.33	58.44
	-3	-3.7	183.48	53.64	183.48	55.06	182.89	56.54	182.89	57.25	182.22	57.96	182.22	59.45
	0	-0.7	198.07	55.65	198.07	56.99	197.48	58.37	197.48	59.00	197.48	59.71	191.78	58.55
	3	2.2	214	57.51	213.33	58.74	213.33	59.93	212.67	60.52	205.7	58.07	191.78	53.27
	5	4.1	224.74	58.63	224.74	59.82	220.3	59.26	212.67	56.88	205.7	54.61	191.78	50.11
	7	6	236.15	59.71	234.3	60.08	220.3	55.65	212.67	53.46	205.7	51.34	191.78	47.13
	9	7.9	248.22	60.67	234.3	56.51	220.3	52.34	212.67	50.29	205.7	48.32	191.78	44.42
	11	9.8	248.22	57.06	234.3	53.12	220.3	49.29	212.67	47.43	205.7	45.53	191.78	41.92
	13	11.8	248.22	53.49	234.3	49.85	220.3	46.28	212.67	44.57	205.7	42.85	191.78	39.47
	15	13.7	248.22	47.54	234.3	47.02	220.3	43.75	212.67	42.07	205.7	40.51	191.78	37.35

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1800W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
100%	-19.8	-20	127.63	45.09	126.96	46.95	126.96	48.88	126.37	49.85	126.37	50.74	125.7	52.68
	-18.8	-19	129.56	45.68	129.56	47.54	128.89	49.40	128.89	50.37	128.3	51.34	128.3	53.20
	-16.7	-17	134.59	46.95	133.93	48.73	133.93	50.55	133.33	51.45	133.33	52.34	133.33	54.16
	-13.7	-15	140.3	48.32	139.7	50.07	139.04	51.78	139.04	52.68	139.04	53.49	138.44	55.24
	-11.8	-13	146.07	49.70	146.07	51.34	145.41	53.01	145.41	53.87	145.41	54.68	144.74	56.32
	-9.8	-11	153.04	51.08	152.37	52.68	152.37	54.24	152.37	55.06	151.7	55.84	151.7	57.36
	-9.5	-10	156.81	51.78	156.22	53.31	156.22	54.87	155.56	55.65	155.56	56.40	154.89	57.96
	-8.5	-9.1	160	52.34	159.33	53.90	159.33	55.39	159.33	56.13	158.74	56.92	158.74	58.44
	-7	-7.6	165.7	53.38	165.7	54.87	165.11	56.28	165.11	57.06	165.11	57.77	164.44	59.26
	-5	-5.6	174.59	54.76	173.93	56.10	173.93	57.51	173.33	58.14	173.33	58.85	172.67	60.30
	-3	-3.7	182.89	55.95	182.89	50.82	182.22	58.63	182.22	59.26	182.22	59.89	174.59	57.36
	0	-0.7	197.48	57.77	197.48	58.96	196.81	60.23	193.63	59.26	187.33	56.80	174.59	52.12
	3	2.2	213.33	59.45	212.67	60.52	200	56.02	193.63	53.87	187.33	51.71	174.59	47.47
	5	4.1	224.15	60.52	212.67	56.88	200	52.68	193.63	50.67	187.33	48.69	174.59	44.75
	7	6	225.41	57.47	212.67	53.46	200	49.75	193.63	47.73	187.33	45.87	174.59	42.18
	9	7.9	225.41	53.98	212.67	50.29	200	46.69	193.63	44.34	187.33	43.23	174.59	39.80
	11	9.8	225.41	50.82	212.67	47.39	200	44.04	193.63	42.37	187.33	40.73	174.59	37.61
90%	13	11.8	225.41	47.73	212.67	44.57	200	41.48	193.63	39.92	187.33	38.46	174.59	35.49
	15	13.7	225.41	45.01	212.67	42.07	200	39.17	193.63	37.72	187.33	36.34	174.59	33.63
	-19.8	-20	126.74	48.43	126.15	50.11	126.15	51.82	125.48	52.68	125.48	53.57	125.48	55.24
	-18.8	-19	128.67	48.92	128.67	50.67	128	52.34	128	53.20	128	54.05	127.41	55.73
	-16.7	-17	133.7	50.18	133.11	51.78	133.11	53.38	133.11	54.24	132.44	55.02	132.44	56.62
	-13.7	-15	139.41	51.37	138.81	52.94	138.81	54.46	138.15	55.24	138.15	56.02	138.15	57.59
	-11.8	-13	145.11	52.60	145.11	54.09	144.52	55.58	144.52	56.32	144.52	57.06	143.85	58.55
	-9.8	-11	152.15	53.87	152.15	55.24	151.48	56.69	151.48	57.36	151.48	58.14	150.81	59.56
	-9.5	-10	155.93	54.46	155.26	55.91	155.26	57.25	154.67	57.96	154.67	58.66	154.67	60.00
	-8.5	-9.1	159.11	55.06	159.11	56.40	158.44	57.77	158.44	58.44	158.44	59.11	156.52	59.71
	-7	-7.6	164.81	55.95	164.81	57.25	164.15	58.59	164.15	59.26	164.15	59.89	156.52	56.99
	-5	-5.6	173.63	57.18	173.04	58.44	173.04	59.63	172.37	60.30	167.93	58.44	156.52	53.57
	-3	-3.7	181.93	58.26	181.93	59.45	180	59.71	173.63	57.29	167.93	55.02	156.52	50.48
	0	-0.7	197.11	59.93	191.41	58.48	180	54.16	173.63	52.04	167.93	49.96	156.52	45.90
	3	2.2	202.81	57.10	191.41	53.20	180	49.33	173.63	47.47	167.93	45.61	156.52	42.00
	5	4.1	202.81	53.68	191.41	50.07	180	46.50	173.63	44.71	167.93	43.04	156.52	39.62
	7	6	202.81	50.48	191.41	47.13	180	43.78	173.63	42.18	167.93	40.55	156.52	37.42
9	7.9	202.81	47.62	191.41	44.34	180	41.29	173.63	39.77	167.93	38.32	156.52	35.38	
80%	11	9.8	202.81	44.83	191.41	41.89	180	39.06	173.63	37.61	167.93	36.20	156.52	33.48
	13	11.8	202.81	42.18	191.41	39.47	180	36.75	173.63	35.49	167.93	34.19	156.52	31.62
	15	13.7	202.81	39.84	191.41	37.31	180	34.86	173.63	33.63	167.93	32.36	156.52	30.02
	-19.8	-20	126.37	51.75	125.7	53.27	125.7	54.83	125.7	55.58	125.04	56.32	125.04	57.85
	-18.8	-19	128.22	52.23	128.22	53.79	127.63	55.24	127.63	56.02	127.63	56.73	126.96	58.26
	-16.7	-17	133.33	53.31	132.74	54.76	132.74	56.21	132.74	56.92	132.74	57.66	132.07	59.04
	-13.7	-15	139.04	54.42	138.44	55.76	138.44	57.18	138.44	57.85	137.78	58.55	137.78	59.93
	-11.8	-13	144.74	55.50	144.74	56.88	144.15	58.14	144.15	58.78	144.15	59.52	139.7	57.88
	-9.8	-11	151.78	56.62	151.78	57.88	151.11	59.15	151.11	59.74	149.85	59.63	139.7	54.68
	-9.5	-10	155.56	57.18	154.89	58.40	154.96	59.63	154.96	60.30	149.85	57.88	139.7	53.08
	-8.5	-9.1	158.74	57.70	147.56	58.92	158.07	60.08	154.96	58.74	149.85	56.32	139.7	51.63
	-7	-7.6	164.44	58.55	164.44	59.71	160	58.40	154.96	56.10	149.85	53.87	139.7	49.40
	-5	-5.6	173.33	59.56	170.15	59.26	160	54.87	154.96	52.71	149.85	50.59	139.7	46.50
	-3	-3.7	180.3	59.89	170.15	55.76	160	51.63	154.96	49.70	149.85	47.73	139.7	43.93
	0	-0.7	180.3	54.35	170.15	50.59	160	47.02	154.96	45.27	149.85	43.45	139.7	40.06
	3	2.2	180.3	49.51	170.15	46.17	160	42.97	154.96	41.33	149.85	39.77	139.7	36.72
	5	4.1	180.3	46.65	170.15	43.52	160	40.51	154.96	39.06	149.85	37.61	139.7	34.71
7	6	180.3	43.93	170.15	41.11	160	38.28	154.96	36.90	149.85	35.56	139.7	32.85	
9	7.9	180.3	41.48	170.15	38.76	160	36.12	154.96	34.86	149.85	33.63	139.7	31.10	
11	9.8	180.3	39.17	170.15	36.64	160	34.19	154.96	32.96	149.85	31.81	139.7	29.50	
13	11.8	180.3	36.90	170.15	34.60	160	32.33	154.96	31.17	149.85	30.09	139.7	27.86	
15	13.7	180.3	34.89	170.15	32.77	160	30.65	154.96	29.54	149.85	28.53	139.7	26.52	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1800W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	125.41	55.13	124.81	56.40	124.81	57.77	124.81	58.40	124.81	59.11	121.63	58.48
	-18.8	-19	127.33	55.58	127.33	56.88	126.67	58.14	126.67	58.78	126.67	59.52	121.63	57.25
	-16.7	-17	132.37	56.51	132.37	57.77	131.78	58.96	131.78	59.63	130.52	53.12	121.63	54.61
	-13.7	-15	138.07	57.47	137.48	58.66	137.48	59.89	134.96	58.96	130.52	56.62	121.63	51.93
	-11.8	-13	143.78	58.40	143.78	59.56	140	58.14	134.96	55.91	130.52	53.64	121.63	49.22
	-9.8	-11	150.74	59.37	148.89	59.33	140	54.94	134.96	52.82	130.52	50.67	121.63	46.57
	-9.5	-10	154.59	59.89	148.89	57.59	140	53.31	134.96	51.26	130.52	49.29	121.63	45.27
	-8.5	-9.1	157.7	60.23	148.89	56.02	140	51.93	134.96	49.89	130.52	47.95	121.63	44.12
	-7	-7.6	157.7	57.51	148.89	53.49	140	49.66	134.96	47.76	130.52	45.90	121.63	42.26
	-5	-5.6	157.7	54.05	148.89	50.37	140	46.76	134.96	44.94	130.52	53.12	121.63	39.84
	-3	-3.7	157.7	50.85	148.89	47.47	140	44.12	134.96	42.45	130.52	40.81	121.63	37.68
	0	-0.7	157.7	46.28	148.89	43.26	140	40.25	134.96	38.76	130.52	37.35	121.63	34.52
	3	2.2	157.7	42.30	148.89	39.62	140	36.90	134.96	35.56	130.52	34.26	121.63	31.66
	5	4.1	157.7	39.92	148.89	37.35	140	34.89	134.96	33.63	130.52	32.36	121.63	30.02
	7	6	157.7	37.72	148.89	35.38	140	32.96	134.96	31.81	130.52	30.69	121.63	28.46
	9	7.9	157.7	35.67	148.89	33.41	140	31.25	134.96	30.13	130.52	29.13	121.63	26.97
60%	11	9.8	157.7	33.74	148.89	31.62	140	29.61	134.96	28.57	130.52	27.64	121.63	25.63
	13	11.8	157.7	31.88	148.89	29.95	140	28.05	134.96	27.12	130.52	26.11	121.63	24.37
	15	13.7	157.7	30.21	148.89	28.38	140	26.60	134.96	25.74	130.52	24.85	121.63	23.18
	-19.8	-20	125.11	58.48	124.44	59.56	120	57.29	116.22	55.06	112.37	52.90	104.74	48.51
	-18.8	-19	126.96	58.85	126.96	59.93	120	56.10	116.22	53.90	112.37	51.71	104.74	47.47
	-16.7	-17	132.07	59.63	127.63	57.77	120	53.49	116.22	51.45	112.37	49.40	104.74	45.38
	-13.7	-15	135.26	58.96	127.63	54.87	120	50.85	116.22	48.92	112.37	46.98	104.74	43.19
	-11.8	-13	135.26	55.84	127.63	51.97	120	48.25	116.22	46.46	112.37	44.64	104.74	41.29
	-9.8	-11	135.26	52.71	127.63	49.10	120	45.68	116.22	43.93	112.37	42.26	104.74	38.95
	-9.5	-10	135.26	51.26	127.63	47.76	120	44.34	116.22	42.78	112.37	41.11	104.74	37.87
	-8.5	-9.1	135.26	49.89	127.63	46.57	120	43.26	116.22	41.66	112.37	40.06	104.74	36.94
	-7	-7.6	135.26	47.73	127.63	44.57	120	41.40	116.22	39.92	112.37	38.39	104.74	35.49
	-5	-5.6	135.26	44.94	127.63	42.00	120	39.10	116.22	37.68	112.37	36.23	104.74	33.55
	-3	-3.7	135.26	42.45	127.63	39.66	120	36.94	116.22	35.67	112.37	34.30	104.74	31.77
	0	-0.7	135.26	38.76	127.63	36.34	120	33.89	116.22	32.74	112.37	31.47	104.74	29.16
	3	2.2	135.26	35.56	127.63	33.33	120	31.17	116.22	30.09	112.37	29.05	104.74	26.90
50%	5	4.1	135.26	33.63	127.63	31.55	120	29.50	116.22	28.53	112.37	27.49	104.74	25.56
	7	6	135.26	31.81	127.63	29.91	120	27.94	116.22	27.04	112.37	26.11	104.74	24.25
	9	7.9	135.26	30.13	127.63	28.35	120	26.52	116.22	25.71	112.37	24.78	104.74	23.10
	11	9.8	135.26	28.57	127.63	26.90	120	25.22	116.22	24.44	112.37	23.58	104.74	22.02
	13	11.8	135.26	27.04	127.63	25.52	120	23.96	116.22	23.18	112.37	22.39	104.74	20.94
	15	13.7	135.26	25.74	127.63	24.22	120	22.80	116.22	22.10	112.37	21.35	104.74	19.98
	-19.8	-20	112.67	53.20	106.3	49.51	100	45.98	96.22	44.31	93.04	42.56	86.74	39.25
	-18.8	-19	112.67	52.04	106.3	48.51	100	45.09	96.22	43.34	93.04	41.66	86.74	38.46
	-16.7	-17	112.67	49.66	106.3	46.28	100	43.08	96.22	41.48	93.04	39.92	86.74	36.83
	-13.7	-15	112.67	47.24	106.3	44.12	100	41.03	96.22	39.54	93.04	38.06	86.74	35.15
	-11.8	-13	112.67	44.90	106.3	41.92	100	39.06	96.22	37.61	93.04	36.16	86.74	33.48
	-9.8	-11	112.67	42.48	106.3	39.73	100	37.01	96.22	35.67	93.04	34.37	86.74	31.81
	-9.5	-10	112.67	41.33	106.3	38.65	100	36.05	96.22	34.78	93.04	33.48	86.74	30.99
	-8.5	-9.1	112.67	40.32	106.3	37.72	100	35.15	96.22	33.93	93.04	32.74	86.74	30.28
	-7	-7.6	112.67	38.65	106.3	36.16	100	33.74	96.22	32.55	93.04	31.43	86.74	29.13
	-5	-5.6	112.67	36.46	106.3	34.19	100	31.95	96.22	30.88	93.04	29.72	86.74	27.57
-3	-3.7	112.67	34.52	106.3	32.36	100	30.28	96.22	29.24	93.04	28.20	86.74	26.23	
0	-0.7	112.67	31.66	106.3	29.72	100	27.86	96.22	26.90	93.04	26.00	86.74	24.22	
3	2.2	112.67	29.16	106.3	27.45	100	25.71	96.22	24.85	93.04	24.03	86.74	22.39	
5	4.1	112.67	27.68	106.3	26.00	100	24.44	96.22	23.66	93.04	22.88	86.74	21.32	
7	6	112.67	26.30	106.3	24.74	100	23.25	96.22	22.47	93.04	21.76	86.74	20.35	
9	7.9	112.67	24.92	106.3	23.51	100	22.10	96.22	21.43	93.04	20.76	86.74	19.38	
11	9.8	112.67	23.70	106.3	22.32	100	21.06	96.22	20.42	93.04	19.79	86.74	18.49	
13	11.8	112.67	22.54	106.3	21.24	100	20.05	96.22	19.46	93.04	18.79	86.74	17.63	
15	13.7	112.67	21.43	106.3	20.27	100	19.12	96.22	18.53	93.04	17.97	86.74	16.85	

66HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1850W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	133.37	36.27	132.76	38.81	132.15	41.43	132.15	42.66	131.46	43.93	131.46	46.51
	-18.8	-19	135.35	37.08	134.74	39.62	134.74	42.12	134.05	43.39	134.05	44.59	133.37	47.13
	-16.7	-17	140.61	38.81	139.93	41.20	139.32	43.66	139.32	44.85	139.32	46.05	138.63	48.47
	-13.7	-15	146.49	40.62	145.88	42.93	145.19	45.28	145.19	46.39	144.51	47.59	144.51	49.94
	-11.8	-13	152.36	42.39	152.36	44.66	151.75	46.86	151.07	47.97	151.07	49.13	150.38	51.32
	-9.8	-11	159.61	44.28	158.93	46.39	158.24	48.51	158.24	49.59	158.24	50.63	157.63	52.82
	-9.5	-10	163.5	45.20	162.82	47.28	162.21	49.32	162.21	50.40	161.52	51.40	161.52	53.44
	-8.5	-9.1	166.78	45.97	166.1	47.97	166.1	50.05	165.49	51.05	165.49	52.05	164.8	54.13
	-7	-7.6	172.66	47.32	172.66	49.32	171.97	51.25	171.97	52.25	171.36	53.17	170.67	55.17
	-5	-5.6	181.81	49.13	181.13	51.02	180.52	52.86	180.52	53.79	179.83	54.67	179.83	56.52
	-3	-3.7	190.28	50.71	189.67	52.52	189.67	54.25	188.99	55.17	188.99	56.06	188.3	57.79
	0	-0.7	205.31	53.17	205.31	54.87	204.7	56.44	204.7	57.06	204.02	58.10	204.02	59.72
	3	2.2	221.64	55.37	221.03	56.94	220.42	58.48	220.42	59.18	220.42	59.99	219.73	61.49
	5	4.1	232.78	56.79	232.17	58.25	232.17	59.68	231.48	60.41	231.48	61.10	230.87	62.53
	7	6	244.61	58.14	243.92	59.49	243.92	60.87	243.23	61.53	243.23	62.18	233.47	59.72
	9	7.9	256.97	59.29	256.36	60.68	256.36	61.91	255.67	62.60	250.48	61.26	233.47	56.14
	11	9.8	270.09	60.53	269.4	61.72	268.11	62.53	258.95	60.06	250.48	57.60	233.47	52.86
	13	11.8	284.43	61.64	283.82	62.84	268.11	58.60	258.95	56.25	250.48	54.06	233.47	49.59
120%	15	13.7	298.17	62.72	285.12	59.52	268.11	55.17	258.95	53.06	250.48	50.94	233.47	46.78
	-19.8	-20	132.76	39.73	132.07	42.04	131.46	44.47	131.46	45.59	131.46	46.78	130.77	49.21
	-18.8	-19	134.74	40.47	134.05	42.78	134.05	45.12	133.44	46.28	133.44	47.47	132.76	49.78
	-16.7	-17	139.93	42.04	139.32	44.35	138.4	46.51	138.63	47.67	138.63	48.78	138.02	51.02
	-13.7	-15	145.88	43.74	145.19	45.86	144.51	47.97	144.51	49.13	144.51	50.21	143.89	52.32
	-11.8	-13	151.75	45.39	151.75	47.47	151.07	49.51	151.07	50.59	150.46	51.59	150.46	53.63
	-9.8	-11	158.93	47.13	158.24	49.09	158.24	51.05	157.63	52.05	157.63	53.02	156.94	54.98
	-9.5	-10	162.89	47.97	162.21	49.94	161.52	51.82	161.52	52.82	161.52	53.75	160.91	55.67
	-8.5	-9.1	166.1	48.71	165.49	50.59	165.49	52.44	164.8	53.40	164.8	54.36	164.11	56.25
	-7	-7.6	171.97	50.01	171.97	51.82	171.36	53.56	171.36	54.52	170.67	55.37	170.67	57.18
	-5	-5.6	181.13	51.59	180.52	53.33	179.83	55.06	179.83	55.94	179.83	56.79	179.22	58.48
	-3	-3.7	189.67	53.13	189.67	54.79	188.99	56.37	188.99	57.18	188.38	58.06	188.38	59.68
	0	-0.7	204.7	55.37	204.7	56.94	204.02	58.37	204.02	59.18	203.41	59.91	203.41	61.49
	3	2.2	221.03	57.44	220.42	58.87	220.42	60.26	219.73	60.99	219.73	61.64	215.16	61.33
	5	4.1	232.17	58.72	231.48	60.06	231.48	61.41	230.87	62.03	230.87	62.72	215.16	57.60
	7	6	243.92	59.91	243.92	61.18	243.31	62.45	239.34	61.60	231.48	59.06	215.16	54.21
	9	7.9	256.36	61.10	255.75	62.33	247.2	60.26	239.34	57.87	231.48	55.52	215.16	51.02
	11	9.8	269.4	62.18	262.92	61.10	247.2	56.67	239.34	54.44	231.48	52.25	215.16	48.09
	13	11.8	279.24	61.60	262.92	57.29	247.2	53.13	239.34	51.13	231.48	49.13	215.16	45.20
110%	15	13.7	279.24	57.98	262.92	54.02	247.2	50.13	239.34	48.20	231.48	46.32	215.16	42.66
	-19.8	-20	132.07	43.16	131.46	45.32	130.77	47.51	130.77	48.59	130.85	49.67	130.16	51.86
	-18.8	-19	134.05	43.85	133.44	45.97	133.44	48.13	133.44	49.21	132.76	50.25	132.76	52.40
	-16.7	-17	139.32	45.32	138.63	47.40	140.61	49.48	138.02	50.44	138.02	51.52	137.33	53.52
	-13.7	-15	145.19	46.86	144.58	48.86	143.89	50.78	143.89	51.82	143.89	52.82	143.21	54.75
	-11.8	-13	151.07	48.47	151.07	50.32	150.38	52.21	150.38	53.13	149.77	54.06	149.77	55.98
	-9.8	-11	158.24	50.01	157.63	51.82	157.63	53.59	156.94	54.52	156.94	55.37	156.94	57.18
	-9.5	-10	162.21	50.78	161.52	52.52	160.83	54.33	160.83	55.17	160.83	56.06	160.22	57.79
	-8.5	-9.1	165.49	51.44	164.8	53.21	164.8	54.94	164.11	55.79	164.11	56.67	164.11	51.63
	-7	-7.6	171.36	52.63	171.36	54.25	170.67	55.94	170.67	56.79	170.67	57.60	170.06	59.25
	-5	-5.6	180.52	54.13	179.83	55.75	179.22	57.25	179.22	58.06	179.22	58.87	178.53	60.49
	-3	-3.7	188.99	55.52	188.99	56.98	188.38	58.52	188.38	59.25	187.69	59.99	187.69	61.53
	0	-0.7	204.02	57.60	204.02	58.99	203.41	60.41	203.41	61.06	203.41	61.80	197.53	60.60
	3	2.2	220.42	59.52	219.73	60.79	219.73	62.03	219.05	62.64	211.87	60.10	197.53	55.13
	5	4.1	231.48	60.68	231.48	61.91	226.91	61.33	219.05	58.87	211.87	56.52	197.53	51.86
	7	6	243.23	61.80	241.33	62.18	226.91	57.60	219.05	55.33	211.87	53.13	197.53	48.78
	9	7.9	255.67	62.80	241.33	58.48	226.91	54.17	219.05	52.05	211.87	50.01	197.53	45.97
	11	9.8	255.67	59.06	241.33	54.98	226.91	51.02	219.05	49.09	211.87	47.13	197.53	43.39
	13	11.8	255.67	55.37	241.33	51.59	226.91	47.90	219.05	46.13	211.87	44.35	197.53	40.85
	15	13.7	255.67	49.21	241.33	48.67	226.91	45.28	219.05	43.55	211.87	41.93	197.53	38.66

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1850W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	131.46	46.66	130.77	48.59	130.77	50.59	130.16	51.59	130.16	52.52	129.47	54.52
	-18.8	-19	133.44	47.28	133.44	49.21	132.76	51.13	132.76	52.13	132.15	53.13	132.15	55.06
	-16.7	-17	138.63	48.59	137.94	50.44	137.94	52.32	137.33	53.25	137.33	54.17	137.33	56.06
	-13.7	-15	144.51	50.01	143.89	51.82	143.21	53.59	143.21	54.52	143.21	55.37	142.6	57.18
	-11.8	-13	150.46	51.44	150.46	53.13	149.77	54.87	149.77	55.75	149.77	56.60	149.08	58.29
	-9.8	-11	157.63	52.86	156.94	54.52	156.94	56.14	156.94	56.98	156.25	57.79	156.25	59.37
	-9.5	-10	161.52	53.59	160.91	55.17	160.91	56.79	160.22	57.60	160.22	58.37	159.54	59.99
	-8.5	-9.1	164.8	54.17	164.11	55.79	164.11	57.33	164.11	58.10	163.5	58.91	163.5	60.49
	-7	-7.6	170.67	55.25	170.67	56.79	170.06	58.25	170.06	59.06	170.06	59.79	169.38	61.33
	-5	-5.6	179.83	56.67	179.14	58.06	179.14	59.52	178.53	60.18	178.53	60.91	177.85	62.41
	-3	-3.7	188.38	57.91	188.38	52.59	187.69	60.68	187.69	61.33	187.69	61.99	179.83	59.37
	0	-0.7	203.41	59.79	203.41	61.03	202.72	62.33	199.44	61.33	192.95	58.79	179.83	53.94
	3	2.2	219.73	61.53	219.05	62.64	206	57.98	199.44	55.75	192.95	53.52	179.83	49.13
	5	4.1	230.87	62.64	219.05	58.87	206	54.52	199.44	52.44	192.95	50.40	179.83	46.32
	7	6	232.17	59.49	219.05	55.33	206	51.45	199.44	49.40	192.95	47.47	179.83	43.66
	9	7.9	232.17	55.87	219.05	52.05	206	48.32	199.44	45.89	192.95	44.74	179.83	41.20
11	9.8	232.17	52.59	219.05	49.05	206	45.59	199.44	43.85	192.95	42.16	179.83	38.93	
13	11.8	232.17	49.40	219.05	46.13	206	42.93	199.44	41.31	192.95	39.81	179.83	36.73	
15	13.7	232.17	46.59	219.05	43.55	206	40.54	199.44	39.04	192.95	37.62	179.83	34.81	
90%	-19.8	-20	130.54	50.13	129.93	51.86	129.93	53.63	129.25	54.52	129.25	55.44	129.25	57.18
	-18.8	-19	132.53	50.63	132.53	52.44	131.84	54.17	131.84	55.06	131.84	55.94	131.23	57.68
	-16.7	-17	137.71	51.94	137.1	53.59	137.1	55.25	137.1	56.14	136.42	56.94	136.42	58.60
	-13.7	-15	143.59	53.17	142.98	54.79	142.98	56.37	142.29	57.18	142.29	57.98	142.29	59.60
	-11.8	-13	149.46	54.44	149.46	55.98	148.85	57.52	148.85	58.29	148.85	59.06	148.17	60.60
	-9.8	-11	156.71	55.75	156.71	57.18	156.03	58.68	156.03	59.37	156.03	60.18	155.34	61.64
	-9.5	-10	160.6	56.37	159.92	57.87	159.92	59.25	159.31	59.99	159.31	60.72	159.31	62.10
	-8.5	-9.1	163.88	56.98	163.88	58.37	163.2	59.79	163.2	60.49	163.2	61.18	161.21	61.80
	-7	-7.6	169.76	57.91	169.76	59.25	169.07	60.64	169.07	61.33	169.07	61.99	161.21	58.99
	-5	-5.6	178.84	59.18	178.23	60.49	178.23	61.72	177.54	62.41	172.96	60.49	161.21	55.44
	-3	-3.7	187.38	60.29	187.38	61.53	185.4	61.80	178.84	59.29	172.96	56.94	161.21	52.25
	0	-0.7	203.02	62.03	197.15	60.53	185.4	56.06	178.84	53.86	172.96	51.71	161.21	47.51
	3	2.2	208.9	59.10	197.15	55.06	185.4	51.05	178.84	49.13	172.96	47.20	161.21	43.47
	5	4.1	208.9	55.56	197.15	51.82	185.4	48.13	178.84	46.28	172.96	44.55	161.21	41.00
	7	6	208.9	52.25	197.15	48.78	185.4	45.32	178.84	43.66	172.96	41.97	161.21	38.73
	9	7.9	208.9	49.28	197.15	45.89	185.4	42.74	178.84	41.16	172.96	39.66	161.21	36.62
11	9.8	208.9	46.39	197.15	43.35	185.4	40.43	178.84	38.93	172.96	37.46	161.21	34.65	
13	11.8	208.9	43.66	197.15	40.85	185.4	38.04	178.84	36.73	172.96	35.38	161.21	32.73	
15	13.7	208.9	41.24	197.15	38.62	185.4	36.08	178.84	34.81	172.96	33.50	161.21	31.07	
80%	-19.8	-20	130.16	53.56	129.47	55.13	129.47	56.75	129.47	57.52	128.79	58.29	128.79	59.87
	-18.8	-19	132.07	54.06	132.07	55.67	131.46	57.18	131.46	57.98	131.46	58.72	130.77	60.29
	-16.7	-17	137.33	55.17	136.72	56.67	136.72	58.18	136.72	58.91	136.72	59.68	136.04	61.10
	-13.7	-15	143.21	56.33	142.6	57.71	142.6	59.18	142.6	59.87	141.91	60.60	141.91	62.03
	-11.8	-13	149.08	57.44	149.08	58.87	148.47	60.18	148.47	60.83	148.47	61.60	143.89	59.91
	-9.8	-11	156.33	58.60	156.33	59.91	155.64	61.22	155.64	61.83	154.35	61.72	143.89	56.60
	-9.5	-10	160.22	59.18	159.54	60.45	159.61	61.72	159.61	62.41	154.35	59.91	143.89	54.94
	-8.5	-9.1	163.5	59.72	151.98	60.99	162.82	62.18	159.61	60.79	154.35	58.29	143.89	53.44
	-7	-7.6	169.38	60.60	169.38	61.80	164.8	60.45	159.61	58.06	154.35	55.75	143.89	51.13
	-5	-5.6	178.53	61.64	175.25	61.33	164.8	56.79	159.61	54.56	154.35	52.36	143.89	48.13
	-3	-3.7	185.71	61.99	175.25	57.71	164.8	53.44	159.61	51.44	154.35	49.40	143.89	45.47
	0	-0.7	185.71	56.25	175.25	52.36	164.8	48.67	159.61	46.86	154.35	44.97	143.89	41.47
	3	2.2	185.71	51.25	175.25	47.78	164.8	44.47	159.61	42.78	154.35	41.16	143.89	38.00
	5	4.1	185.71	48.28	175.25	45.05	164.8	41.93	159.61	40.43	154.35	38.93	143.89	35.92
	7	6	185.71	45.47	175.25	42.54	164.8	39.62	159.61	38.19	154.35	36.81	143.89	34.00
	9	7.9	185.71	42.93	175.25	40.12	164.8	37.39	159.61	36.08	154.35	34.81	143.89	32.19
11	9.8	185.71	40.54	175.25	37.92	164.8	35.38	159.61	34.11	154.35	32.92	143.89	30.53	
13	11.8	185.71	38.19	175.25	35.81	164.8	33.46	159.61	32.26	154.35	31.15	143.89	28.84	
15	13.7	185.71	36.11	175.25	33.92	164.8	31.73	159.61	30.57	154.35	29.53	143.89	27.45	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1850W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW	TC kW	PI kW
70%	-19.8	-20		57.06	128.56	58.37	128.56	59.79	128.56	60.45	128.56	61.18	125.28	60.53
	-18.8	-19	131.15	57.52	131.15	58.87	130.47	60.18	130.47	60.83	130.47	61.60	125.28	59.25
	-16.7	-17	136.34	58.48	136.34	59.79	135.73	61.03	135.73	61.72	134.43	54.98	125.28	56.52
	-13.7	-15	142.22	59.49	141.61	60.72	141.61	61.99	139.01	61.03	134.43	58.60	125.28	53.75
	-11.8	-13	148.09	60.45	148.09	61.64	144.2	60.18	139.01	57.87	134.43	55.52	125.28	50.94
	-9.8	-11	155.26	61.45	153.36	61.41	144.2	56.87	139.01	54.67	134.43	52.44	125.28	48.20
	-9.5	-10	159.23	61.99	153.36	59.60	144.2	55.17	139.01	53.06	134.43	51.02	125.28	46.86
	-8.5	-9.1	162.43	62.33	153.36	57.98	144.2	53.75	139.01	51.63	134.43	49.63	125.28	45.66
	-7	-7.6	162.43	59.52	153.36	55.37	144.2	51.40	139.01	49.44	134.43	47.51	125.28	43.74
	-5	-5.6	162.43	55.94	153.36	52.13	144.2	48.40	139.01	46.51	134.43	54.98	125.28	41.24
	-3	-3.7	162.43	52.63	153.36	49.13	144.2	45.66	139.01	43.93	134.43	42.24	125.28	39.00
	0	-0.7	162.43	47.90	153.36	44.78	144.2	41.66	139.01	40.12	134.43	38.66	125.28	35.73
	3	2.2	162.43	43.78	153.36	41.00	144.2	38.19	139.01	36.81	134.43	35.46	125.28	32.77
	5	4.1	162.43	41.31	153.36	38.66	144.2	36.11	139.01	34.81	134.43	33.50	125.28	31.07
	7	6	162.43	39.04	153.36	36.62	144.2	34.11	139.01	32.92	134.43	31.76	125.28	29.45
9	7.9	162.43	36.92	153.36	34.57	144.2	32.34	139.01	31.19	134.43	30.15	125.28	27.91	
11	9.8	162.43	34.92	153.36	32.73	144.2	30.65	139.01	29.57	134.43	28.61	125.28	26.53	
13	11.8	162.43	33.00	153.36	30.99	144.2	29.03	139.01	28.07	134.43	27.03	125.28	25.22	
15	13.7	162.43	31.26	153.36	29.38	144.2	27.53	139.01	26.64	134.43	25.72	125.28	23.99	
60%	-19.8	-20	128.86	60.53	128.18	61.64	123.6	59.29	119.71	56.98	115.74	54.75	107.88	50.21
	-18.8	-19	130.77	60.91	130.77	62.03	123.6	58.06	119.71	55.79	115.74	53.52	107.88	49.13
	-16.7	-17	136.04	61.72	131.46	59.79	123.6	55.37	119.71	53.25	115.74	51.13	107.88	46.97
	-13.7	-15	139.32	61.03	131.46	56.79	123.6	52.63	119.71	50.63	115.74	48.63	107.88	44.70
	-11.8	-13	139.32	57.79	131.46	53.79	123.6	49.94	119.71	48.09	115.74	46.20	107.88	42.74
	-9.8	-11	139.32	54.56	131.46	50.82	123.6	47.28	119.71	45.47	115.74	43.74	107.88	40.31
	-9.5	-10	139.32	53.06	131.46	49.44	123.6	45.89	119.71	44.28	115.74	42.54	107.88	39.20
	-8.5	-9.1	139.32	51.63	131.46	48.20	123.6	44.78	119.71	43.12	115.74	41.47	107.88	38.23
	-7	-7.6	139.32	49.40	131.46	46.13	123.6	42.85	119.71	41.31	115.74	39.73	107.88	36.73
	-5	-5.6	139.32	46.51	131.46	43.47	123.6	40.47	119.71	39.00	115.74	37.50	107.88	34.73
	-3	-3.7	139.32	43.93	131.46	41.04	123.6	38.23	119.71	36.92	115.74	35.50	107.88	32.88
	0	-0.7	139.32	40.12	131.46	37.62	123.6	35.08	119.71	33.88	115.74	32.57	107.88	30.19
	3	2.2	139.32	36.81	131.46	34.50	123.6	32.26	119.71	31.15	115.74	30.07	107.88	27.84
	5	4.1	139.32	34.81	131.46	32.65	123.6	30.53	119.71	29.53	115.74	28.45	107.88	26.45
	7	6	139.32	32.92	131.46	30.96	123.6	28.92	119.71	27.99	115.74	27.03	107.88	25.10
9	7.9	139.32	31.19	131.46	29.34	123.6	27.45	119.71	26.60	115.74	25.64	107.88	23.91	
11	9.8	139.32	29.57	131.46	27.84	123.6	26.10	119.71	25.30	115.74	24.41	107.88	22.79	
13	11.8	139.32	27.99	131.46	26.41	123.6	24.80	119.71	23.99	115.74	23.18	107.88	21.68	
15	13.7	139.32	26.64	131.46	25.06	123.6	23.60	119.71	22.87	115.74	22.10	107.88	20.68	
50%	-19.8	-20	116.05	55.06	109.49	51.25	103	47.59	99.11	45.86	95.83	44.05	89.34	40.62
	-18.8	-19	116.05	53.86	109.49	50.21	103	46.66	99.11	44.85	95.83	43.12	89.34	39.81
	-16.7	-17	116.05	51.40	109.49	47.90	103	44.59	99.11	42.93	95.83	41.31	89.34	38.12
	-13.7	-15	116.05	48.90	109.49	45.66	103	42.47	99.11	40.93	95.83	39.39	89.34	36.38
	-11.8	-13	116.05	46.47	109.49	43.39	103	40.43	99.11	38.93	95.83	37.42	89.34	34.65
	-9.8	-11	116.05	43.97	109.49	41.12	103	38.31	99.11	36.92	95.83	35.58	89.34	32.92
	-9.5	-10	116.05	42.78	109.49	40.00	103	37.31	99.11	36.00	95.83	34.65	89.34	32.07
	-8.5	-9.1	116.05	41.74	109.49	39.04	103	36.38	99.11	35.11	95.83	33.88	89.34	31.34
	-7	-7.6	116.05	40.00	109.49	37.42	103	34.92	99.11	33.69	95.83	32.53	89.34	30.15
	-5	-5.6	116.05	37.73	109.49	35.38	103	33.07	99.11	31.96	95.83	30.76	89.34	28.53
	-3	-3.7	116.05	35.73	109.49	33.50	103	31.34	99.11	30.26	95.83	29.18	89.34	27.14
	0	-0.7	116.05	32.77	109.49	30.76	103	28.84	99.11	27.84	95.83	26.91	89.34	25.06
	3	2.2	116.05	30.19	109.49	28.41	103	26.60	99.11	25.72	95.83	24.87	89.34	23.18
	5	4.1	116.05	28.65	109.49	26.91	103	25.30	99.11	24.49	95.83	23.68	89.34	22.06
	7	6	116.05	27.22	109.49	25.60	103	24.06	99.11	23.26	95.83	22.52	89.34	21.06
9	7.9	116.05	25.80	109.49	24.33	103	22.87	99.11	22.18	95.83	21.48	89.34	20.06	
11	9.8	116.05	24.53	109.49	23.10	103	21.79	99.11	21.14	95.83	20.48	89.34	19.14	
13	11.8	116.05	23.33	109.49	21.98	103	20.75	99.11	20.14	95.83	19.44	89.34	18.25	
15	13.7	116.05	22.18	109.49	20.98	103	19.79	99.11	19.17	95.83	18.60	89.34	17.44	

68HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1900W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	137.25	37.50	136.62	40.12	135.99	42.83	135.99	44.10	135.29	45.42	135.29	48.08
	-18.8	-19	139.29	38.33	138.66	40.96	138.66	43.55	137.96	44.86	137.96	46.09	137.25	48.72
	-16.7	-17	144.71	40.12	144	42.59	143.37	45.14	143.37	46.37	143.37	47.61	142.67	50.11
	-13.7	-15	150.76	41.99	150.13	44.38	149.42	46.81	149.42	47.96	148.71	49.20	148.71	51.63
	-11.8	-13	156.8	43.82	156.8	46.17	156.17	48.44	155.47	49.60	155.47	50.79	154.76	53.06
	-9.8	-11	164.26	45.77	163.55	47.96	162.85	50.15	162.85	51.27	162.85	52.34	162.22	54.61
	-9.5	-10	168.27	46.73	167.56	48.88	166.93	50.99	166.93	52.10	166.22	53.14	166.22	55.25
	-8.5	-9.1	171.64	47.53	170.93	49.60	170.93	51.75	170.31	52.78	170.31	53.82	169.6	55.96
	-7	-7.6	177.69	48.92	177.69	50.99	176.98	52.98	176.98	54.01	176.35	54.97	175.65	57.04
	-5	-5.6	187.11	50.79	186.4	52.74	185.77	54.65	185.77	55.61	185.07	56.52	185.07	58.43
	-3	-3.7	195.83	52.42	195.2	54.29	195.2	56.08	194.49	57.04	194.49	57.95	193.78	59.75
	0	-0.7	211.29	54.97	211.29	56.72	210.67	58.35	210.67	58.99	209.96	60.06	209.96	61.74
	3	2.2	228.1	57.24	227.47	58.87	226.84	60.46	226.84	61.18	226.84	62.01	226.13	63.57
	5	4.1	239.56	58.71	238.93	60.22	238.93	61.70	238.23	62.45	238.23	63.17	237.6	64.64
	7	6	251.73	60.10	251.02	61.50	251.02	62.93	250.32	63.61	250.32	64.28	240.27	61.74
	9	7.9	264.45	61.30	263.82	62.73	263.82	64.00	263.12	64.72	257.78	63.33	240.27	58.03
120%	11	9.8	277.96	62.57	277.25	63.81	275.91	64.64	266.49	62.09	257.78	59.55	240.27	54.65
	13	11.8	292.72	63.73	292.09	64.96	275.91	60.58	266.49	58.15	257.78	55.88	240.27	51.27
	15	13.7	306.85	64.84	293.42	61.54	275.91	57.04	266.49	54.85	257.78	52.66	240.27	48.36
	-19.8	-20	136.62	41.08	135.92	43.47	135.29	45.97	135.29	47.13	135.29	48.36	134.58	50.87
	-18.8	-19	138.66	41.83	137.96	44.22	137.96	46.65	137.33	47.84	137.33	49.08	136.62	51.47
	-16.7	-17	144	43.47	143.37	45.85	142.43	48.08	142.67	49.28	142.67	50.43	142.04	52.74
	-13.7	-15	150.13	45.22	149.42	47.41	148.71	49.60	148.71	50.79	148.71	51.90	148.09	54.09
	-11.8	-13	156.17	46.93	156.17	49.08	155.47	51.19	155.47	52.30	154.84	53.34	154.84	55.45
	-9.8	-11	163.55	48.72	162.85	50.75	162.85	52.78	162.22	53.82	162.22	54.81	161.51	56.84
	-9.5	-10	167.64	49.60	166.93	51.63	166.22	53.58	166.22	54.61	166.22	55.57	165.6	57.56
	-8.5	-9.1	170.93	50.35	170.31	52.30	170.31	54.21	169.6	55.21	169.6	56.20	168.89	58.15
	-7	-7.6	176.98	51.71	176.98	53.58	176.35	55.37	176.35	56.36	175.65	57.24	175.65	59.11
	-5	-5.6	186.4	53.34	185.77	55.13	185.07	56.92	185.07	57.84	185.07	58.71	184.44	60.46
	-3	-3.7	195.2	54.93	195.2	56.64	194.49	58.27	194.49	59.11	193.86	60.02	193.86	61.70
	0	-0.7	210.67	57.24	210.67	58.87	209.96	60.34	209.96	61.18	209.33	61.94	209.33	63.57
	3	2.2	227.47	59.39	226.84	60.86	226.84	62.29	226.13	63.05	226.13	63.73	221.42	63.41
110%	5	4.1	238.93	60.70	238.23	62.09	238.23	63.49	237.6	64.12	237.6	64.84	221.42	59.55
	7	6	251.02	61.94	251.02	63.25	250.4	64.56	246.31	63.69	238.23	61.06	221.42	56.04
	9	7.9	263.82	63.17	263.19	64.44	254.4	62.29	246.31	59.83	238.23	57.40	221.42	52.74
	11	9.8	277.25	64.28	270.57	63.17	254.4	58.59	246.31	56.28	238.23	54.01	221.42	49.72
	13	11.8	287.38	63.69	270.57	59.23	254.4	54.93	246.31	52.86	238.23	50.79	221.42	46.73
	15	13.7	287.38	59.94	270.57	55.85	254.4	51.82	246.31	49.83	238.23	47.88	221.42	44.10
	-19.8	-20	135.92	44.62	135.29	46.85	134.58	49.12	134.58	50.23	134.66	51.35	133.95	53.62
	-18.8	-19	137.96	45.34	137.33	47.53	137.33	49.76	137.33	50.87	136.62	51.94	136.62	54.17
	-16.7	-17	143.37	46.85	142.67	49.00	144.71	51.15	142.04	52.14	142.04	53.26	141.33	55.33
	-13.7	-15	149.42	48.44	148.79	50.51	148.09	52.50	148.09	53.58	148.09	54.61	147.38	56.60
	-11.8	-13	155.47	50.11	155.47	52.02	154.76	53.97	154.76	54.93	154.13	55.88	154.13	57.88
	-9.8	-11	162.85	51.71	162.22	53.58	162.22	55.41	161.51	56.36	161.51	57.24	161.51	59.11
	-9.5	-10	166.93	52.50	166.22	54.29	165.52	56.16	165.52	57.04	165.52	57.95	164.89	59.75
	-8.5	-9.1	170.31	53.18	169.6	55.01	169.6	56.80	168.89	57.68	168.89	58.59	168.89	59.38
	-7	-7.6	176.35	54.41	176.35	56.08	175.65	57.84	175.65	58.71	175.65	59.55	175.02	61.26
	-5	-5.6	185.77	55.96	185.07	57.64	184.44	59.19	184.44	60.02	184.44	60.86	183.73	62.53
	-3	-3.7	194.49	57.40	194.49	58.91	193.86	60.50	193.86	61.26	193.16	62.01	193.16	63.61
	0	-0.7	209.96	59.55	209.96	60.98	209.33	62.45	209.33	63.13	209.33	63.89	203.28	62.65
	3	2.2	226.84	61.54	226.13	62.85	226.13	64.12	225.43	64.76	218.05	62.13	203.28	57.00
	5	4.1	238.23	62.73	238.23	64.00	233.51	63.41	225.43	60.86	218.05	58.43	203.28	53.62
	7	6	250.32	63.89	248.35	64.28	233.51	59.55	225.43	57.20	218.05	54.93	203.28	50.43
	9	7.9	263.12	64.92	248.35	60.46	233.51	56.00	225.43	53.82	218.05	51.71	203.28	47.53
	11	9.8	263.12	61.06	248.35	56.84	233.51	52.74	225.43	50.75	218.05	48.72	203.28	44.86
	13	11.8	263.12	57.24	248.35	53.34	233.51	49.52	225.43	47.69	218.05	45.85	203.28	42.23
	15	13.7	263.12	50.87	248.35	50.31	233.51	46.81	225.43	45.02	218.05	43.35	203.28	39.96

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1900W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	135.29	48.24	134.58	50.23	134.58	52.30	133.95	53.34	133.95	54.29	133.25	56.36
	-18.8	-19	137.33	48.88	137.33	50.87	136.62	52.86	136.62	53.89	135.99	54.93	135.99	56.92
	-16.7	-17	142.67	50.23	141.96	52.14	141.96	54.09	141.33	55.05	141.33	56.00	141.33	57.95
	-13.7	-15	148.71	51.71	148.09	53.58	147.38	55.41	147.38	56.36	147.38	57.24	146.75	59.11
	-11.8	-13	154.84	53.18	154.84	54.93	154.13	56.72	154.13	57.64	154.13	58.51	153.43	60.26
	-9.8	-11	162.22	54.65	161.51	56.36	161.51	58.03	161.51	58.91	160.81	59.75	160.81	61.38
	-9.5	-10	166.22	55.41	165.6	57.04	165.6	58.71	164.89	59.55	164.89	60.34	164.18	62.01
	-8.5	-9.1	169.6	56.00	168.89	57.68	168.89	59.27	168.89	60.06	168.27	60.90	168.27	62.53
	-7	-7.6	175.65	57.12	175.65	58.71	175.02	60.22	175.02	61.06	175.02	61.82	174.31	63.41
	-5	-5.6	185.07	58.59	184.36	60.02	184.36	61.54	183.73	62.21	183.73	62.97	183.03	64.52
	-3	-3.7	193.86	59.87	193.86	54.37	193.16	62.73	193.16	63.41	193.16	64.08	185.07	61.38
	0	-0.7	209.33	61.82	209.33	63.09	208.62	64.44	205.25	63.41	198.57	60.78	185.07	55.77
	3	2.2	226.13	63.61	225.43	64.76	212	59.94	205.25	57.64	198.57	55.33	185.07	50.79
	5	4.1	237.6	64.76	225.43	60.86	212	56.36	205.25	54.21	198.57	52.10	185.07	47.88
	7	6	238.93	61.50	225.43	57.20	212	53.16	205.25	51.07	198.57	49.08	185.07	45.14
	9	7.9	238.93	57.76	225.43	53.82	212	49.95	205.25	47.45	198.57	46.25	185.07	42.59
	11	9.8	238.93	54.37	225.43	50.71	212	47.13	205.25	45.34	198.57	43.59	185.07	40.24
90%	13	11.8	238.93	51.07	225.43	47.69	212	44.38	205.25	42.71	198.57	41.16	185.07	37.97
	15	13.7	238.93	48.16	225.43	45.02	212	41.91	205.25	40.36	198.57	38.89	185.07	35.98
	-19.8	-20	134.35	51.82	133.72	53.62	133.72	55.45	133.01	56.36	133.01	57.32	133.01	59.11
	-18.8	-19	136.39	52.34	136.39	54.21	135.68	56.00	135.68	56.92	135.68	57.84	135.05	59.63
	-16.7	-17	141.73	53.70	141.1	55.41	141.1	57.12	141.1	58.03	140.39	58.87	140.39	60.58
	-13.7	-15	147.77	54.97	147.14	56.64	147.14	58.27	146.44	59.11	146.44	59.94	146.44	61.62
	-11.8	-13	153.82	56.28	153.82	57.88	153.19	59.47	153.19	60.26	153.19	61.06	152.48	62.65
	-9.8	-11	161.28	57.64	161.28	59.11	160.57	60.66	160.57	61.38	160.57	62.21	159.86	63.73
	-9.5	-10	165.28	58.27	164.57	59.83	164.57	61.26	163.95	62.01	163.95	62.77	163.95	64.20
	-8.5	-9.1	168.66	58.91	168.66	60.34	167.95	61.82	167.95	62.53	167.95	63.25	165.91	63.89
	-7	-7.6	174.7	59.87	174.7	61.26	174	62.69	174	63.41	174	64.08	165.91	60.98
	-5	-5.6	184.05	61.18	183.42	62.53	183.42	63.81	182.71	64.52	178	62.53	165.91	57.32
	-3	-3.7	192.84	62.33	192.84	63.61	190.8	63.89	184.05	61.30	178	58.87	165.91	54.01
	0	-0.7	208.94	64.12	202.89	62.57	190.8	57.95	184.05	55.69	178	53.46	165.91	49.12
	3	2.2	214.98	61.10	202.89	56.92	190.8	52.78	184.05	50.79	178	48.80	165.91	44.94
	5	4.1	214.98	57.44	202.89	53.58	190.8	49.76	184.05	47.84	178	46.05	165.91	42.39
	7	6	214.98	54.01	202.89	50.43	190.8	46.85	184.05	45.14	178	43.39	165.91	40.04
80%	9	7.9	214.98	50.95	202.89	47.45	190.8	44.18	184.05	42.55	178	41.00	165.91	37.85
	11	9.8	214.98	47.96	202.89	44.82	190.8	41.79	184.05	40.24	178	38.73	165.91	35.82
	13	11.8	214.98	45.14	202.89	42.23	190.8	39.33	184.05	37.97	178	36.58	165.91	33.83
	15	13.7	214.98	42.63	202.89	39.92	190.8	37.30	184.05	35.98	178	34.63	165.91	32.12
	-19.8	-20	133.95	55.37	133.25	57.00	133.25	58.67	133.25	59.47	132.54	60.26	132.54	61.90
	-18.8	-19	135.92	55.88	135.92	57.56	135.29	59.11	135.29	59.94	135.29	60.70	134.58	62.33
	-16.7	-17	141.33	57.04	140.71	58.59	140.71	60.14	140.71	60.90	140.71	61.70	140	63.17
	-13.7	-15	147.38	58.23	146.75	59.67	146.75	61.18	146.75	61.90	146.04	62.65	146.04	64.12
	-11.8	-13	153.43	59.39	153.43	60.86	152.8	62.21	152.8	62.89	152.8	63.69	148.09	61.94
	-9.8	-11	160.88	60.58	160.88	61.94	160.18	63.29	160.18	63.93	158.84	63.81	148.09	58.51
	-9.5	-10	164.89	61.18	164.18	62.49	164.26	63.81	164.26	64.52	158.84	61.94	148.09	56.80
	-8.5	-9.1	168.27	61.74	156.41	63.05	167.56	64.28	164.26	62.85	158.84	60.26	148.09	55.25
	-7	-7.6	174.31	62.65	174.31	63.89	169.6	62.49	164.26	60.02	158.84	57.64	148.09	52.86
	-5	-5.6	183.73	63.73	180.36	63.41	169.6	58.71	164.26	56.40	158.84	54.13	148.09	49.76
	-3	-3.7	191.11	64.08	180.36	59.67	169.6	55.25	164.26	53.18	158.84	51.07	148.09	47.01
	0	-0.7	191.11	58.15	180.36	54.13	169.6	50.31	164.26	48.44	158.84	46.49	148.09	42.87
	3	2.2	191.11	52.98	180.36	49.40	169.6	45.97	164.26	44.22	158.84	42.55	148.09	39.29
5	4.1	191.11	49.91	180.36	46.57	169.6	43.35	164.26	41.79	158.84	40.24	148.09	37.14	
7	6	191.11	47.01	180.36	43.98	169.6	40.96	164.26	39.49	158.84	38.05	148.09	35.15	
9	7.9	191.11	44.38	180.36	41.48	169.6	38.65	164.26	37.30	158.84	35.98	148.09	33.28	
11	9.8	191.11	41.91	180.36	39.21	169.6	36.58	164.26	35.27	158.84	34.03	148.09	31.56	
13	11.8	191.11	39.49	180.36	37.02	169.6	34.59	164.26	33.36	158.84	32.20	148.09	29.81	
15	13.7	191.11	37.34	180.36	35.07	169.6	32.80	164.26	31.60	158.84	30.53	148.09	28.38	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1900W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	132.93	58.99	132.3	60.34	132.3	61.82	132.3	62.49	132.3	63.25	128.93	62.57
	-18.8	-19	134.97	59.47	134.97	60.86	134.27	62.21	134.27	62.89	134.27	63.69	128.93	61.26
	-16.7	-17	140.31	60.46	140.31	61.82	139.68	63.09	139.68	63.81	138.35	56.84	128.93	58.43
	-13.7	-15	146.36	61.50	145.73	62.77	145.73	64.08	143.06	63.09	138.35	60.58	128.93	55.57
	-11.8	-13	152.4	62.49	152.4	63.73	148.4	62.21	143.06	59.83	138.35	57.40	128.93	52.66
	-9.8	-11	159.79	63.53	157.82	63.49	148.4	58.79	143.06	56.52	138.35	54.21	128.93	49.83
	-9.5	-10	163.87	64.08	157.82	61.62	148.4	57.04	143.06	54.85	138.35	52.74	128.93	48.44
	-8.5	-9.1	167.17	64.44	157.82	59.94	148.4	55.57	143.06	53.38	138.35	51.31	128.93	47.21
	-7	-7.6	167.17	61.54	157.82	57.24	148.4	53.14	143.06	51.11	138.35	49.12	128.93	45.22
	-5	-5.6	167.17	57.84	157.82	53.89	148.4	50.03	143.06	48.08	138.35	56.84	128.93	42.63
	-3	-3.7	167.17	54.41	157.82	50.79	148.4	47.21	143.06	45.42	138.35	43.66	128.93	40.32
	0	-0.7	167.17	49.52	157.82	46.29	148.4	43.07	143.06	41.48	138.35	39.96	128.93	36.94
	3	2.2	167.17	45.26	157.82	42.39	148.4	39.49	143.06	38.05	138.35	36.66	128.93	33.87
	5	4.1	167.17	42.71	157.82	39.96	148.4	37.34	143.06	35.98	138.35	34.63	128.93	32.12
	7	6	167.17	40.36	157.82	37.85	148.4	35.27	143.06	34.03	138.35	32.84	128.93	30.45
	9	7.9	167.17	38.17	157.82	35.74	148.4	33.44	143.06	32.24	138.35	31.17	128.93	28.86
	11	9.8	167.17	36.10	157.82	33.83	148.4	31.68	143.06	30.57	138.35	29.57	128.93	27.42
60%	13	11.8	167.17	34.11	157.82	32.04	148.4	30.01	143.06	29.02	138.35	27.94	128.93	26.07
	15	13.7	167.17	32.32	157.82	30.37	148.4	28.46	143.06	27.54	138.35	26.59	128.93	24.80
	-19.8	-20	132.62	62.57	131.91	63.73	127.2	61.30	123.2	58.91	119.11	56.60	111.03	51.90
	-18.8	-19	134.58	62.97	134.58	64.12	127.2	60.02	123.2	57.68	119.11	55.33	111.03	50.79
	-16.7	-17	140	63.81	135.29	61.82	127.2	57.24	123.2	55.05	119.11	52.86	111.03	48.56
	-13.7	-15	143.37	63.09	135.29	58.71	127.2	54.41	123.2	52.34	119.11	50.27	111.03	46.21
	-11.8	-13	143.37	59.75	135.29	55.61	127.2	51.63	123.2	49.72	119.11	47.76	111.03	44.18
	-9.8	-11	143.37	56.40	135.29	52.54	127.2	48.88	123.2	47.01	119.11	45.22	111.03	41.67
	-9.5	-10	143.37	54.85	135.29	51.11	127.2	47.45	123.2	45.77	119.11	43.98	111.03	40.52
	-8.5	-9.1	143.37	53.38	135.29	49.83	127.2	46.29	123.2	44.58	119.11	42.87	111.03	39.53
	-7	-7.6	143.37	51.07	135.29	47.69	127.2	44.30	123.2	42.71	119.11	41.08	111.03	37.97
	-5	-5.6	143.37	48.08	135.29	44.94	127.2	41.83	123.2	40.32	119.11	38.77	111.03	35.90
	-3	-3.7	143.37	45.42	135.29	42.43	127.2	39.53	123.2	38.17	119.11	36.70	111.03	33.99
	0	-0.7	143.37	41.48	135.29	38.89	127.2	36.26	123.2	35.03	119.11	33.67	111.03	31.21
	3	2.2	143.37	38.05	135.29	35.66	127.2	33.36	123.2	32.20	119.11	31.09	111.03	28.78
	5	4.1	143.37	35.98	135.29	33.75	127.2	31.56	123.2	30.53	119.11	29.42	111.03	27.35
	7	6	143.37	34.03	135.29	32.00	127.2	29.89	123.2	28.94	119.11	27.94	111.03	25.95
9	7.9	143.37	32.24	135.29	30.33	127.2	28.38	123.2	27.50	119.11	26.51	111.03	24.72	
50%	11	9.8	143.37	30.57	135.29	28.78	127.2	26.99	123.2	26.15	119.11	25.24	111.03	23.56
	13	11.8	143.37	28.94	135.29	27.31	127.2	25.63	123.2	24.80	119.11	23.96	111.03	22.41
	15	13.7	143.37	27.54	135.29	25.91	127.2	24.40	123.2	23.64	119.11	22.85	111.03	21.37
	-19.8	-20	119.43	56.92	112.67	52.98	106	49.20	102	47.41	98.62	45.54	91.95	41.99
	-18.8	-19	119.43	55.69	112.67	51.90	106	48.24	102	46.37	98.62	44.58	91.95	41.16
	-16.7	-17	119.43	53.14	112.67	49.52	106	46.09	102	44.38	98.62	42.71	91.95	39.41
	-13.7	-15	119.43	50.55	112.67	47.21	106	43.90	102	42.31	98.62	40.72	91.95	37.61
	-11.8	-13	119.43	48.04	112.67	44.86	106	41.79	102	40.24	98.62	38.69	91.95	35.82
	-9.8	-11	119.43	45.46	112.67	42.51	106	39.60	102	38.17	98.62	36.78	91.95	34.03
	-9.5	-10	119.43	44.22	112.67	41.36	106	38.57	102	37.22	98.62	35.82	91.95	33.16
	-8.5	-9.1	119.43	43.15	112.67	40.36	106	37.61	102	36.30	98.62	35.03	91.95	32.40
	-7	-7.6	119.43	41.36	112.67	38.69	106	36.10	102	34.83	98.62	33.63	91.95	31.17
	-5	-5.6	119.43	39.01	112.67	36.58	106	34.19	102	33.04	98.62	31.80	91.95	29.49
	-3	-3.7	119.43	36.94	112.67	34.63	106	32.40	102	31.29	98.62	30.17	91.95	28.06
	0	-0.7	119.43	33.87	112.67	31.80	106	29.81	102	28.78	98.62	27.82	91.95	25.91
	3	2.2	119.43	31.21	112.67	29.38	106	27.50	102	26.59	98.62	25.71	91.95	23.96
	5	4.1	119.43	29.61	112.67	27.82	106	26.15	102	25.32	98.62	24.48	91.95	22.81
7	6	119.43	28.14	112.67	26.47	106	24.88	102	24.04	98.62	23.29	91.95	21.77	
9	7.9	119.43	26.67	112.67	25.16	106	23.64	102	22.93	98.62	22.21	91.95	20.74	
11	9.8	119.43	25.36	112.67	23.88	106	22.53	102	21.85	98.62	21.18	91.95	19.78	
13	11.8	119.43	24.12	112.67	22.73	106	21.45	102	20.82	98.62	20.10	91.95	18.87	
15	13.7	119.43	22.93	112.67	21.69	106	20.46	102	19.82	98.62	19.23	91.95	18.03	

70HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1950W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
			TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
	°C DB	°C WB	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
130%	-19.8	-20	141.13	38.72	140.49	41.43	139.84	44.23	139.84	45.55	139.12	46.90	139.12	49.66
	-18.8	-19	143.23	39.59	142.59	42.30	142.59	44.97	141.86	46.33	141.86	47.60	141.13	50.31
	-16.7	-17	148.81	41.43	148.08	43.98	147.43	46.61	147.43	47.89	147.43	49.16	146.71	51.75
	-13.7	-15	155.02	43.37	154.38	45.83	153.65	48.34	153.65	49.53	152.92	50.81	152.92	53.31
	-11.8	-13	161.24	45.26	161.24	47.68	160.59	50.03	159.87	51.22	159.87	52.45	159.14	54.79
	-9.8	-11	168.91	47.27	168.18	49.53	167.46	51.79	167.46	52.94	167.46	54.05	166.81	56.40
	-9.5	-10	173.03	48.26	172.3	50.48	171.65	52.66	171.65	53.81	170.93	54.88	170.93	57.06
	-8.5	-9.1	176.5	49.08	175.77	51.22	175.77	53.44	175.13	54.51	175.13	55.58	174.4	57.80
	-7	-7.6	182.72	50.52	182.72	52.66	181.99	54.71	181.99	55.78	181.34	56.77	180.62	58.90
	-5	-5.6	192.41	52.45	191.68	54.47	191.03	56.44	191.03	57.43	190.31	58.37	190.31	60.34
	-3	-3.7	201.37	54.14	200.72	56.07	200.72	57.92	199.99	58.90	199.99	59.85	199.27	61.70
	0	-0.7	217.27	56.77	217.27	58.58	216.63	60.26	216.63	60.92	215.9	62.03	215.9	63.76
	3	2.2	234.55	59.11	233.91	60.80	233.26	62.44	233.26	63.18	233.26	64.04	232.53	65.65
	5	4.1	246.34	60.63	245.69	62.19	245.69	63.71	244.97	64.50	244.97	65.24	244.32	66.76
	7	6	258.85	62.07	258.13	63.51	258.13	64.99	257.4	65.69	257.4	66.39	247.07	63.76
	9	7.9	271.93	63.30	271.29	64.78	271.29	66.10	270.56	66.84	265.07	65.40	247.07	59.93
120%	-19.8	-20	140.49	42.42	139.76	44.89	139.12	47.48	139.12	48.67	139.12	49.94	138.39	52.53
	-18.8	-19	142.59	43.20	141.86	45.67	141.86	48.18	141.22	49.41	141.22	50.68	140.49	53.15
	-16.7	-17	148.08	44.89	147.43	47.35	146.46	49.66	146.71	50.89	146.71	52.08	146.06	54.47
	-13.7	-15	154.38	46.70	153.65	48.96	152.92	51.22	152.92	52.45	152.92	53.60	152.28	55.86
	-11.8	-13	160.59	48.46	160.59	50.68	159.87	52.86	159.87	54.01	159.22	55.08	159.22	57.26
	-9.8	-11	168.18	50.31	167.46	52.41	167.46	54.51	166.81	55.58	166.81	56.60	166.08	58.70
	-9.5	-10	172.38	51.22	171.65	53.31	170.93	55.33	170.93	56.40	170.93	57.38	170.28	59.44
	-8.5	-9.1	175.77	52.00	175.13	54.01	175.13	55.99	174.4	57.01	174.4	58.04	173.67	60.06
	-7	-7.6	181.99	53.40	181.99	55.33	181.34	57.18	181.34	58.21	180.62	59.11	180.62	61.04
	-5	-5.6	191.68	55.08	191.03	56.93	190.31	58.78	190.31	59.73	190.31	60.63	189.66	62.44
	-3	-3.7	200.72	56.73	200.72	58.49	199.99	60.18	199.99	61.04	199.35	61.99	199.35	63.71
	0	-0.7	216.63	59.11	216.63	60.80	215.9	62.32	215.9	63.18	215.25	63.96	215.25	65.65
	3	2.2	233.91	61.33	233.26	62.85	233.26	64.33	232.53	65.11	232.53	65.81	227.69	65.48
	5	4.1	245.69	62.69	244.97	64.13	244.97	65.56	244.32	66.22	244.32	66.96	227.69	61.49
	7	6	258.13	63.96	258.13	65.32	257.48	66.67	253.28	65.77	244.97	63.06	227.69	57.88
	9	7.9	271.29	65.24	270.64	66.55	261.6	64.33	253.28	61.78	244.97	59.27	227.69	54.47
	11	9.8	285.1	66.39	278.23	65.24	261.6	60.51	253.28	58.12	244.97	55.78	227.69	51.34
110%	-19.8	-20	139.76	46.08	139.12	48.38	138.39	50.72	138.39	51.88	138.47	53.03	137.74	55.37
	-18.8	-19	141.86	46.82	141.22	49.08	141.22	51.38	141.22	52.53	140.49	53.64	140.49	55.95
	-16.7	-17	147.43	48.38	146.71	50.60	148.81	52.82	146.06	53.85	146.06	55.00	145.33	57.14
	-13.7	-15	153.65	50.03	153	52.16	152.28	54.22	152.28	55.33	152.28	56.40	151.55	58.45
	-11.8	-13	159.87	51.75	159.87	53.73	159.14	55.74	159.14	56.73	158.49	57.71	158.49	59.77
	-9.8	-11	167.46	53.40	166.81	55.33	166.81	57.22	166.08	58.21	166.08	59.11	166.08	61.04
	-9.5	-10	171.65	54.22	170.93	56.07	170.2	58.00	170.2	58.90	170.2	59.85	169.56	61.70
	-8.5	-9.1	175.13	54.92	174.4	56.81	174.4	58.66	173.67	59.56	173.67	60.51	173.67	55.12
	-7	-7.6	181.34	56.19	181.34	57.92	180.62	59.73	180.62	60.63	180.62	61.49	179.97	63.26
	-5	-5.6	191.03	57.80	190.31	59.52	189.66	61.12	189.66	61.99	189.66	62.85	188.93	64.58
	-3	-3.7	199.99	59.27	199.99	60.84	199.35	62.48	199.35	63.26	198.62	64.04	198.62	65.69
	0	-0.7	215.9	61.49	215.9	62.97	215.25	64.50	215.25	65.19	215.25	65.98	209.04	64.70
	3	2.2	233.26	63.55	232.53	64.91	232.53	66.22	231.81	66.88	224.22	64.17	209.04	58.86
	5	4.1	244.97	64.78	244.97	66.10	240.12	65.48	231.81	62.85	224.22	60.34	209.04	55.37
	7	6	257.4	65.98	255.38	66.39	240.12	61.49	231.81	59.07	224.22	56.73	209.04	52.08
	9	7.9	270.56	67.04	255.38	62.44	240.12	57.84	231.81	55.58	224.22	53.40	209.04	49.08
	11	9.8	270.56	63.06	255.38	58.70	240.12	54.47	231.81	52.41	224.22	50.31	209.04	46.33
	13	11.8	270.56	59.11	255.38	55.08	240.12	51.14	231.81	49.24	224.22	47.35	209.04	43.61
	15	13.7	270.56	52.53	255.38	51.96	240.12	48.34	231.81	46.49	224.22	44.76	209.04	41.27

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1950W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	139.12	49.82	138.39	51.88	138.39	54.01	137.74	55.08	137.74	56.07	137.02	58.21
	-18.8	-19	141.22	50.48	141.22	52.53	140.49	54.59	140.49	55.66	139.84	56.73	139.84	58.78
	-16.7	-17	146.71	51.88	145.98	53.85	145.98	55.86	145.33	56.85	145.33	57.84	145.33	59.85
	-13.7	-15	152.92	53.40	152.28	55.33	151.55	57.22	151.55	58.21	151.55	59.11	150.9	61.04
	-11.8	-13	159.22	54.92	159.22	56.73	158.49	58.58	158.49	59.52	158.49	60.43	157.77	62.23
	-9.8	-11	166.81	56.44	166.08	58.21	166.08	59.93	166.08	60.84	165.36	61.70	165.36	63.39
	-9.5	-10	170.93	57.22	170.28	58.90	170.28	60.63	169.56	61.49	169.56	62.32	168.83	64.04
	-8.5	-9.1	174.4	57.84	173.67	59.56	173.67	61.21	173.67	62.03	173.03	62.89	173.03	64.58
	-7	-7.6	180.62	58.99	180.62	60.63	179.97	62.19	179.97	63.06	179.97	63.84	179.24	65.48
	-5	-5.6	190.31	60.51	189.58	61.99	189.58	63.55	188.93	64.25	188.93	65.03	188.21	66.63
	-3	-3.7	199.35	61.82	199.35	56.15	198.62	64.78	198.62	65.48	198.62	66.18	190.31	63.39
	0	-0.7	215.25	63.84	215.25	65.15	214.53	66.55	211.06	65.48	204.19	62.77	190.31	57.59
	3	2.2	232.53	65.69	231.81	66.88	218	61.91	211.06	59.52	204.19	57.14	190.31	52.45
	5	4.1	244.32	66.88	231.81	62.85	218	58.21	211.06	55.99	204.19	53.81	190.31	49.45
	7	6	245.69	63.51	231.81	59.07	218	54.86	211.06	52.74	204.19	50.68	190.31	46.61
	9	7.9	245.69	59.64	231.81	55.58	218	51.59	211.06	49.00	204.19	47.77	190.31	43.98
90%	11	9.8	245.69	56.15	231.81	52.37	218	48.67	211.06	46.82	204.19	45.01	190.31	41.56
	13	11.8	245.69	52.74	231.81	49.24	218	45.83	211.06	44.11	204.19	42.50	190.31	39.22
	15	13.7	245.69	49.74	231.81	46.49	218	43.28	211.06	41.68	204.19	40.16	190.31	37.16
	-19.8	-20	138.15	53.52	137.5	55.37	137.5	57.26	136.77	58.21	136.77	59.19	136.77	61.04
	-18.8	-19	140.25	54.05	140.25	55.99	139.52	57.84	139.52	58.78	139.52	59.73	138.87	61.58
	-16.7	-17	145.74	55.45	145.09	57.22	145.09	58.99	145.09	59.93	144.36	60.80	144.36	62.56
	-13.7	-15	151.95	56.77	151.31	58.49	151.31	60.18	150.58	61.04	150.58	61.91	150.58	63.63
	-11.8	-13	158.17	58.12	158.17	59.77	157.53	61.41	157.53	62.23	157.53	63.06	156.8	64.70
	-9.8	-11	165.84	59.52	165.84	61.04	165.11	62.65	165.11	63.39	165.11	64.25	164.39	65.81
	-9.5	-10	169.96	60.18	169.23	61.78	169.23	63.26	168.59	64.04	168.59	64.82	168.59	66.30
	-8.5	-9.1	173.43	60.84	173.43	62.32	172.7	63.84	172.7	64.58	172.7	65.32	170.61	65.98
	-7	-7.6	179.65	61.82	179.65	63.26	178.92	64.74	178.92	65.48	178.92	66.18	170.61	62.97
	-5	-5.6	189.26	63.18	188.61	64.58	188.61	65.89	187.88	66.63	183.04	64.58	170.61	59.19
	-3	-3.7	198.3	64.37	198.3	65.69	196.2	65.98	189.26	63.30	183.04	60.80	170.61	55.78
	0	-0.7	214.85	66.22	208.63	64.62	196.2	59.85	189.26	57.51	183.04	55.21	170.61	50.72
	3	2.2	221.07	63.10	208.63	58.78	196.2	54.51	189.26	52.45	183.04	50.40	170.61	46.41
80%	5	4.1	221.07	59.32	208.63	55.33	196.2	51.38	189.26	49.41	183.04	47.56	170.61	43.78
	7	6	221.07	55.78	208.63	52.08	196.2	48.38	189.26	46.61	183.04	44.81	170.61	41.35
	9	7.9	221.07	52.62	208.63	49.00	196.2	45.63	189.26	43.94	183.04	42.34	170.61	39.09
	11	9.8	221.07	49.53	208.63	46.29	196.2	43.16	189.26	41.56	183.04	40.00	170.61	37.00
	13	11.8	221.07	46.61	208.63	43.61	196.2	40.61	189.26	39.22	183.04	37.78	170.61	34.94
	15	13.7	221.07	44.02	208.63	41.23	196.2	38.52	189.26	37.16	183.04	35.76	170.61	33.17
	-19.8	-20	137.74	57.18	137.02	58.86	137.02	60.59	137.02	61.41	136.29	62.23	136.29	63.92
	-18.8	-19	139.76	57.71	139.76	59.44	139.12	61.04	139.12	61.91	139.12	62.69	138.39	64.37
	-16.7	-17	145.33	58.90	144.69	60.51	144.69	62.11	144.69	62.89	144.69	63.71	143.96	65.24
	-13.7	-15	151.55	60.14	150.9	61.62	150.9	63.18	150.9	63.92	150.18	64.70	150.18	66.22
	-11.8	-13	157.77	61.33	157.77	62.85	157.12	64.25	157.12	64.95	157.12	65.77	152.28	63.96
	-9.8	-11	165.44	62.56	165.44	63.96	164.71	65.36	164.71	66.02	163.34	65.89	152.28	60.43
	-9.5	-10	169.56	63.18	168.83	64.54	168.91	65.89	168.91	66.63	163.34	63.96	152.28	58.66
	-8.5	-9.1	173.03	63.76	160.84	65.11	172.3	66.39	168.91	64.91	163.34	62.23	152.28	57.06
	-7	-7.6	179.24	64.70	179.24	65.98	174.4	64.54	168.91	61.99	163.34	59.52	152.28	54.59
	-5	-5.6	188.93	65.81	185.46	65.48	174.4	60.63	168.91	58.25	163.34	55.90	152.28	51.38

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D1950W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	136.69	60.92	136.05	62.32	136.05	63.84	136.05	64.54	136.05	65.32	132.58	64.62
	-18.8	-19	138.79	61.41	138.79	62.85	138.07	64.25	138.07	64.95	138.07	65.77	132.58	63.26
	-16.7	-17	144.28	62.44	144.28	63.84	143.64	65.15	143.64	65.89	142.27	58.70	132.58	60.34
	-13.7	-15	150.5	63.51	149.85	64.82	149.85	66.18	147.11	65.15	142.27	62.56	132.58	57.38
	-11.8	-13	156.72	64.54	156.72	65.81	152.6	64.25	147.11	61.78	142.27	59.27	132.58	54.38
	-9.8	-11	164.31	65.61	162.29	65.56	152.6	60.71	147.11	58.37	142.27	55.99	132.58	51.46
	-9.5	-10	168.51	66.18	162.29	63.63	152.6	58.90	147.11	56.64	142.27	54.47	132.58	50.03
	-8.5	-9.1	171.9	66.55	162.29	61.91	152.6	57.38	147.11	55.12	142.27	52.99	132.58	48.75
	-7	-7.6	171.9	63.55	162.29	59.11	152.6	54.88	147.11	52.78	142.27	50.72	132.58	46.70
	-5	-5.6	171.9	59.73	162.29	55.66	152.6	51.67	147.11	49.66	142.27	58.70	132.58	44.02
	-3	-3.7	171.9	56.19	162.29	52.45	152.6	48.75	147.11	46.90	142.27	45.09	132.58	41.64
	0	-0.7	171.9	51.14	162.29	47.81	152.6	44.48	147.11	42.83	142.27	41.27	132.58	38.15
	3	2.2	171.9	46.74	162.29	43.78	152.6	40.78	147.11	39.30	142.27	37.86	132.58	34.98
	5	4.1	171.9	44.11	162.29	41.27	152.6	38.56	147.11	37.16	142.27	35.76	132.58	33.17
	7	6	171.9	41.68	162.29	39.09	152.6	36.42	147.11	35.15	142.27	33.91	132.58	31.45
	9	7.9	171.9	39.42	162.29	36.91	152.6	34.53	147.11	33.30	142.27	32.19	132.58	29.80
60%	-19.8	-20	136.37	64.62	135.64	65.81	130.8	63.30	126.68	60.84	122.48	58.45	114.17	53.60
	-18.8	-19	138.39	65.03	138.39	66.22	130.8	61.99	126.68	59.56	122.48	57.14	114.17	52.45
	-16.7	-17	143.96	65.89	139.12	63.84	130.8	59.11	126.68	56.85	122.48	54.59	114.17	50.15
	-13.7	-15	147.43	65.15	139.12	60.63	130.8	56.19	126.68	54.05	122.48	51.92	114.17	47.72
	-11.8	-13	147.43	61.70	139.12	57.43	130.8	53.31	126.68	51.34	122.48	49.33	114.17	45.63
	-9.8	-11	147.43	58.25	139.12	54.26	130.8	50.48	126.68	48.55	122.48	46.70	114.17	43.04
	-9.5	-10	147.43	56.64	139.12	52.78	130.8	49.00	126.68	47.27	122.48	45.42	114.17	41.85
	-8.5	-9.1	147.43	55.12	139.12	51.46	130.8	47.81	126.68	46.04	122.48	44.27	114.17	40.82
	-7	-7.6	147.43	52.74	139.12	49.24	130.8	45.75	126.68	44.11	122.48	42.42	114.17	39.22
	-5	-5.6	147.43	49.66	139.12	46.41	130.8	43.20	126.68	41.64	122.48	40.04	114.17	37.08
	-3	-3.7	147.43	46.90	139.12	43.82	130.8	40.82	126.68	39.42	122.48	37.90	114.17	35.10
	0	-0.7	147.43	42.83	139.12	40.16	130.8	37.45	126.68	36.17	122.48	34.78	114.17	32.23
	3	2.2	147.43	39.30	139.12	36.83	130.8	34.45	126.68	33.25	122.48	32.10	114.17	29.72
	5	4.1	147.43	37.16	139.12	34.86	130.8	32.60	126.68	31.53	122.48	30.38	114.17	28.24
	7	6	147.43	35.15	139.12	33.05	130.8	30.87	126.68	29.88	122.48	28.86	114.17	26.80
	9	7.9	147.43	33.30	139.12	31.32	130.8	29.31	126.68	28.40	122.48	27.38	114.17	25.53
50%	-19.8	-20	122.81	58.78	115.86	54.71	109	50.81	104.88	48.96	101.41	47.03	94.55	43.37
	-18.8	-19	122.81	57.51	115.86	53.60	109	49.82	104.88	47.89	101.41	46.04	94.55	42.50
	-16.7	-17	122.81	54.88	115.86	51.14	109	47.60	104.88	45.83	101.41	44.11	94.55	40.69
	-13.7	-15	122.81	52.20	115.86	48.75	109	45.34	104.88	43.70	101.41	42.05	94.55	38.85
	-11.8	-13	122.81	49.61	115.86	46.33	109	43.16	104.88	41.56	101.41	39.96	94.55	37.00
	-9.8	-11	122.81	46.94	115.86	43.90	109	40.90	104.88	39.42	101.41	37.98	94.55	35.15
	-9.5	-10	122.81	45.67	115.86	42.71	109	39.83	104.88	38.43	101.41	37.00	94.55	34.24
	-8.5	-9.1	122.81	44.56	115.86	41.68	109	38.85	104.88	37.49	101.41	36.17	94.55	33.46
	-7	-7.6	122.81	42.71	115.86	39.96	109	37.28	104.88	35.97	101.41	34.73	94.55	32.19
	-5	-5.6	122.81	40.28	115.86	37.78	109	35.31	104.88	34.12	101.41	32.84	94.55	30.46
	-3	-3.7	122.81	38.15	115.86	35.76	109	33.46	104.88	32.31	101.41	31.16	94.55	28.98
	0	-0.7	122.81	34.98	115.86	32.84	109	30.79	104.88	29.72	101.41	28.73	94.55	26.76
	3	2.2	122.81	32.23	115.86	30.34	109	28.40	104.88	27.46	101.41	26.55	94.55	24.75
	5	4.1	122.81	30.58	115.86	28.73	109	27.01	104.88	26.14	101.41	25.28	94.55	23.55
	7	6	122.81	29.06	115.86	27.34	109	25.69	104.88	24.83	101.41	24.05	94.55	22.48
	9	7.9	122.81	27.54	115.86	25.98	109	24.42	104.88	23.68	101.41	22.94	94.55	21.42

72HP

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D2000W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútorná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
130%	-19.8	-20	145.02	39.95	144.36	42.75	143.69	45.63	143.69	46.99	142.95	48.39	142.95	51.23
	-18.8	-19	147.18	40.84	146.51	43.64	146.51	46.39	145.77	47.79	145.77	49.11	145.02	51.91
	-16.7	-17	152.9	42.75	152.15	45.38	151.49	48.09	151.49	49.41	151.49	50.72	150.74	53.39
	-13.7	-15	159.29	44.74	158.63	47.28	157.88	49.87	157.88	51.10	157.13	52.42	157.13	55.00
	-11.8	-13	165.68	46.69	165.68	49.19	165.01	51.61	164.27	52.84	164.27	54.11	163.52	56.53
	-9.8	-11	173.56	48.77	172.81	51.10	172.07	53.43	172.07	54.62	172.07	55.77	171.4	58.18
	-9.5	-10	177.79	49.79	177.04	52.08	176.38	54.32	176.38	55.51	175.63	56.61	175.63	58.86
	-8.5	-9.1	181.36	50.64	180.61	52.84	180.61	55.13	179.95	56.23	179.95	57.34	179.2	59.63
	-7	-7.6	187.75	52.12	187.75	54.32	187	56.45	187	57.55	186.33	58.57	185.59	60.77
	-5	-5.6	197.7	54.11	196.95	56.19	196.29	58.23	196.29	59.24	195.54	60.22	195.54	62.25
	-3	-3.7	206.91	55.85	206.25	57.84	206.25	59.75	205.5	60.77	205.5	61.75	204.75	63.65
	0	-0.7	223.25	58.57	223.25	60.43	222.59	62.17	222.59	62.85	221.84	63.99	221.84	65.77
	3	2.2	241.01	60.98	240.34	62.72	239.68	64.42	239.68	65.18	239.68	66.07	238.93	67.73
	5	4.1	253.12	62.55	252.46	64.16	252.46	65.73	251.71	66.54	251.71	67.30	251.05	68.87
	7	6	265.98	64.04	265.23	65.52	265.23	67.05	264.49	67.77	264.49	68.49	263.87	69.77
	9	7.9	279.42	65.31	278.76	66.84	278.76	68.19	278.01	68.96	272.37	67.47	253.87	61.83
	11	9.8	293.69	66.67	292.94	67.98	291.53	68.87	281.58	66.16	272.37	63.44	253.87	58.23
	13	11.8	309.29	67.90	308.62	69.21	291.53	64.54	281.58	61.96	272.37	59.54	253.87	54.62
120%	15	13.7	324.22	69.08	310.03	65.56	291.53	60.77	281.58	58.44	272.37	56.11	253.87	51.53
	-19.8	-20	144.36	43.77	143.61	46.31	142.95	48.98	142.95	50.21	142.95	51.53	142.2	54.20
	-18.8	-19	146.51	44.57	145.77	47.12	145.77	49.70	145.1	50.97	145.1	52.29	144.36	54.83
	-16.7	-17	152.15	46.31	151.49	48.85	150.49	51.23	150.74	52.50	150.74	53.73	150.08	56.19
	-13.7	-15	158.63	48.18	157.88	50.51	157.13	52.84	157.13	54.11	157.13	55.30	156.47	57.63
	-11.8	-13	165.01	50.00	165.01	52.29	164.27	54.54	164.27	55.72	163.6	56.83	163.6	59.07
	-9.8	-11	172.81	51.91	172.07	54.07	172.07	56.23	171.4	57.34	171.4	58.40	170.65	60.56
	-9.5	-10	177.13	52.84	176.38	55.00	175.63	57.08	175.63	58.18	175.63	59.20	174.97	61.32
	-8.5	-9.1	180.61	53.65	179.95	55.72	179.95	57.76	179.2	58.82	179.2	59.88	178.45	61.96
	-7	-7.6	187	55.09	187	57.08	186.33	58.99	186.33	60.05	185.59	60.98	185.59	62.98
	-5	-5.6	196.95	56.83	196.29	58.74	195.54	60.64	195.54	61.62	195.54	62.55	194.88	64.42
	-3	-3.7	206.25	58.52	206.25	60.35	205.5	62.09	205.5	62.98	204.84	63.95	204.84	65.73
	0	-0.7	222.59	60.98	222.59	62.72	221.84	64.29	221.84	65.18	221.18	65.99	221.18	67.73
	3	2.2	240.34	63.27	239.68	64.84	239.68	66.37	238.93	67.17	238.93	67.90	233.96	67.56
	5	4.1	252.46	64.67	251.71	66.16	251.71	67.64	251.05	68.32	251.05	69.08	233.96	63.44
	7	6	265.23	65.99	265.23	67.39	264.57	68.79	260.25	67.85	251.71	65.05	233.96	59.71
	9	7.9	278.76	67.30	278.09	68.66	268.8	66.37	260.25	63.74	251.71	61.15	233.96	56.19
	11	9.8	292.94	68.49	285.89	67.30	268.8	62.42	260.25	59.96	251.71	57.55	233.96	52.97
	13	11.8	303.64	67.85	285.89	63.10	268.8	58.52	260.25	56.32	251.71	54.11	233.96	49.79
110%	15	13.7	303.64	63.87	285.89	59.50	268.8	55.22	260.25	53.09	251.71	51.02	233.96	46.99
	-19.8	-20	143.61	47.54	142.95	49.91	142.2	52.33	142.2	53.52	142.28	54.71	141.53	57.12
	-18.8	-19	145.77	48.30	145.1	50.64	145.1	53.01	145.1	54.20	144.36	55.34	144.36	57.72
	-16.7	-17	151.49	49.91	150.74	52.20	152.9	54.49	150.08	55.55	150.08	56.74	149.33	58.95
	-13.7	-15	157.88	51.61	157.21	53.82	156.47	55.94	156.47	57.08	156.47	58.18	155.72	60.30
	-11.8	-13	164.27	53.39	164.27	55.43	163.52	57.51	163.52	58.52	162.86	59.54	162.86	61.66
	-9.8	-11	172.07	55.09	171.4	57.08	171.4	59.03	170.65	60.05	170.65	60.98	170.65	62.98
	-9.5	-10	176.38	55.94	175.63	57.84	174.89	59.84	174.89	60.77	174.89	61.75	174.22	63.65
	-8.5	-9.1	179.95	56.66	179.2	58.61	179.2	60.52	178.45	61.45	178.45	62.42	178.45	66.87
	-7	-7.6	186.33	57.97	186.33	59.75	185.59	61.62	185.59	62.55	185.59	63.44	184.92	65.27
	-5	-5.6	196.29	59.63	195.54	61.41	194.88	63.06	194.88	63.95	194.88	64.84	194.13	66.62
	-3	-3.7	205.5	61.15	205.5	62.76	204.84	64.46	204.84	65.27	204.09	66.07	204.09	67.77
	0	-0.7	221.84	63.44	221.84	64.97	221.18	66.54	221.18	67.26	221.18	68.06	214.79	66.75
	3	2.2	239.68	65.56	238.93	66.96	238.93	68.32	238.19	69.00	230.39	66.20	214.79	60.73
	5	4.1	251.71	66.84	251.71	68.19	246.73	67.56	238.19	64.84	230.39	62.25	214.79	57.12
	7	6	264.49	68.06	262.41	68.49	246.73	63.44	238.19	60.94	230.39	58.52	214.79	53.73
	9	7.9	278.01	69.17	262.41	64.42	246.73	59.67	238.19	57.34	230.39	55.09	214.79	50.64
	11	9.8	278.01	65.05	262.41	60.56	246.73	56.19	238.19	54.07	230.39	51.91	214.79	47.79
	13	11.8	278.01	60.98	262.41	56.83	246.73	52.76	238.19	50.80	230.39	48.85	214.79	44.99
	15	13.7	278.01	54.20	262.41	53.60	246.73	49.87	238.19	47.96	230.39	46.18	214.79	42.58

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D2000W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútna teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
100%	-19.8	-20	142.95	51.40	142.2	53.52	142.2	55.72	141.53	56.83	141.53	57.84	140.79	60.05
	-18.8	-19	145.1	52.08	145.1	54.20	144.36	56.32	144.36	57.42	143.69	58.52	143.69	60.64
	-16.7	-17	150.74	53.52	150	55.55	150	57.63	149.33	58.65	149.33	59.67	149.33	61.75
	-13.7	-15	157.13	55.09	156.47	57.08	155.72	59.03	155.72	60.05	155.72	60.98	155.06	62.98
	-11.8	-13	163.6	56.66	163.6	58.52	162.86	60.43	162.86	61.41	162.86	62.34	162.11	64.21
	-9.8	-11	171.4	58.23	170.65	60.05	170.65	61.83	170.65	62.76	169.91	63.65	169.91	65.39
	-9.5	-10	175.63	59.03	174.97	60.77	174.97	62.55	174.22	63.44	174.22	64.29	173.48	66.07
	-8.5	-9.1	179.2	59.67	178.45	61.45	178.45	63.15	178.45	63.99	177.79	64.88	177.79	66.62
	-7	-7.6	185.59	60.86	185.59	62.55	184.92	64.16	184.92	65.05	184.92	65.86	184.18	67.56
	-5	-5.6	195.54	62.42	194.8	63.95	194.8	65.56	194.13	66.28	194.13	67.09	193.39	68.74
	-3	-3.7	204.84	63.78	204.84	57.93	204.09	66.84	204.09	67.56	204.09	68.28	195.54	65.39
	0	-0.7	221.18	65.86	221.18	67.22	220.43	68.66	216.87	67.56	209.81	64.76	195.54	59.41
	3	2.2	238.93	67.77	238.19	69.00	224	63.87	216.87	61.41	209.81	58.95	195.54	54.11
	5	4.1	251.05	69.00	238.19	64.84	224	60.05	216.87	57.76	209.81	55.51	195.54	51.02
	7	6	252.46	65.52	238.19	60.94	224	56.57	216.87	54.41	209.81	52.29	195.54	48.09
	9	7.9	252.46	61.53	238.19	57.34	224	53.22	216.87	50.55	209.81	49.28	195.54	45.38
	11	9.8	252.46	57.93	238.19	54.03	224	50.21	216.87	48.30	209.81	46.44	195.54	42.87
90%	13	11.8	252.46	54.41	238.19	50.80	224	47.28	216.87	45.50	209.81	43.85	195.54	40.46
	15	13.7	252.46	51.31	238.19	47.96	224	44.66	216.87	43.00	209.81	41.43	195.54	38.34
	-19.8	-20	141.95	55.22	141.29	57.12	141.29	59.07	140.54	60.05	140.54	61.07	140.54	62.98
	-18.8	-19	144.11	55.77	144.11	57.76	143.36	59.67	143.36	60.64	143.36	61.62	142.7	63.53
	-16.7	-17	149.75	57.21	149.08	59.03	149.08	60.86	149.08	61.83	148.34	62.72	148.34	64.54
	-13.7	-15	156.14	58.57	155.47	60.35	155.47	62.09	154.73	62.98	154.73	63.87	154.73	65.65
	-11.8	-13	162.52	59.96	162.52	61.66	161.86	63.36	161.86	64.21	161.86	65.05	161.11	66.75
	-9.8	-11	170.41	61.41	170.41	62.98	169.66	64.63	169.66	65.39	169.66	66.28	168.91	67.90
	-9.5	-10	174.64	62.09	173.89	63.74	173.89	65.27	173.23	66.07	173.23	66.88	173.23	68.40
	-8.5	-9.1	178.2	62.76	178.2	64.29	177.46	65.86	177.46	66.62	177.46	67.39	175.3	68.06
	-7	-7.6	184.59	63.78	184.59	65.27	183.85	66.79	183.85	67.56	183.85	68.28	175.3	64.97
	-5	-5.6	194.47	65.18	193.8	66.62	193.8	67.98	193.05	68.74	188.08	66.62	175.3	61.07
	-3	-3.7	203.76	66.41	203.76	67.77	201.6	68.06	194.47	65.31	188.08	62.72	175.3	57.55
	0	-0.7	220.76	68.32	214.38	66.67	201.6	61.75	194.47	59.33	188.08	56.95	175.3	52.33
	3	2.2	227.15	65.10	214.38	60.64	201.6	56.23	194.47	54.11	188.08	51.99	175.3	47.88
	5	4.1	227.15	61.19	214.38	57.08	201.6	53.01	194.47	50.97	188.08	49.07	175.3	45.16
	7	6	227.15	57.55	214.38	53.73	201.6	49.91	194.47	48.09	188.08	46.22	175.3	42.66
9	7.9	227.15	54.28	214.38	50.55	201.6	47.07	194.47	45.33	188.08	43.68	175.3	40.33	
80%	11	9.8	227.15	51.10	214.38	47.75	201.6	44.53	194.47	42.87	188.08	41.26	175.3	38.17
	13	11.8	227.15	48.09	214.38	44.99	201.6	41.90	194.47	40.46	188.08	38.97	175.3	36.05
	15	13.7	227.15	45.42	214.38	42.54	201.6	39.74	194.47	38.34	188.08	36.89	175.3	34.22
	-19.8	-20	141.53	58.99	140.79	60.73	140.79	62.51	140.79	63.36	140.04	64.21	140.04	65.94
	-18.8	-19	143.61	59.54	143.61	61.32	142.95	62.98	142.95	63.87	142.95	64.67	142.2	66.41
	-16.7	-17	149.33	60.77	148.67	62.42	148.67	64.08	148.67	64.88	148.67	65.73	147.92	67.30
	-13.7	-15	155.72	62.04	155.06	63.57	155.06	65.18	155.06	65.94	154.31	66.75	154.31	68.32
	-11.8	-13	162.11	63.27	162.11	64.84	161.45	66.28	161.45	67.00	161.45	67.85	156.47	65.99
	-9.8	-11	169.99	64.54	169.99	65.99	169.24	67.43	169.24	68.11	167.83	67.98	156.47	62.34
	-9.5	-10	174.22	65.18	173.48	66.58	173.56	67.98	173.56	68.74	167.83	65.99	156.47	60.52
	-8.5	-9.1	177.79	65.77	165.26	67.17	177.04	68.49	173.56	66.96	167.83	64.21	156.47	58.86
	-7	-7.6	184.18	66.75	184.18	68.06	179.2	66.58	173.56	63.95	167.83	61.41	156.47	56.32
	-5	-5.6	194.13	67.90	190.57	67.56	179.2	62.55	173.56	60.09	167.83	57.67	156.47	53.01
	-3	-3.7	201.93	68.28	190.57	63.57	179.2	58.86	173.56	56.66	167.83	54.41	156.47	50.08
	0	-0.7	201.93	61.96	190.57	57.67	179.2	53.60	173.56	51.61	167.83	49.53	156.47	45.67
	3	2.2	201.93	56.45	190.57	52.63	179.2	48.98	173.56	47.12	167.83	45.33	156.47	41.86
	5	4.1	201.93	53.18	190.57	49.62	179.2	46.18	173.56	44.53	167.83	42.87	156.47	39.57
7	6	201.93	50.08	190.57	46.86	179.2	43.64	173.56	42.07	167.83	40.54	156.47	37.45	
9	7.9	201.93	47.28	190.57	44.19	179.2	41.18	173.56	39.74	167.83	38.34	156.47	35.45	
11	9.8	201.93	44.66	190.57	41.77	179.2	38.97	173.56	37.57	167.83	36.26	156.47	33.63	
13	11.8	201.93	42.07	190.57	39.44	179.2	36.85	173.56	35.54	167.83	34.31	156.47	31.76	
15	13.7	201.93	39.78	190.57	37.36	179.2	34.94	173.56	33.67	167.83	32.53	156.47	30.24	

TC: Celkový výkon; PI: El. príkon; DB: Suchá teplota; WB: Mokrú teplota

CMV-D2000W/ZR1														
Kombinácia	Vonkajšia teplota		Vnútrotná teplota (°C DB)											
			16		18		20		21		22		24	
	°C DB	°C WB	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI	kW	PI
70%	-19.8	-20	140.46	62.85	139.79	64.29	139.79	65.86	139.79	66.58	139.79	67.39	136.23	66.67
	-18.8	-19	142.61	63.36	142.61	64.84	141.87	66.28	141.87	67.00	141.87	67.85	136.23	65.27
	-16.7	-17	148.25	64.42	148.25	65.86	147.59	67.22	147.59	67.98	146.18	60.56	136.23	62.25
	-13.7	-15	154.64	65.52	153.98	66.88	153.98	68.28	151.16	67.22	146.18	64.54	136.23	59.20
	-11.8	-13	161.03	66.58	161.03	67.90	156.8	66.28	151.16	63.74	146.18	61.15	136.23	56.11
	-9.8	-11	168.83	67.68	166.76	67.64	156.8	62.64	151.16	60.22	146.18	57.76	136.23	53.09
	-9.5	-10	173.14	68.28	166.76	65.65	156.8	60.77	151.16	58.44	146.18	56.19	136.23	51.61
	-8.5	-9.1	176.63	68.66	166.76	63.87	156.8	59.20	151.16	56.87	146.18	54.66	136.23	50.30
	-7	-7.6	176.63	65.56	166.76	60.98	156.8	56.61	151.16	54.45	146.18	52.33	136.23	48.18
	-5	-5.6	176.63	61.62	166.76	57.42	156.8	53.31	151.16	51.23	146.18	60.56	136.23	45.42
	-3	-3.7	176.63	57.97	166.76	54.11	156.8	50.30	151.16	48.39	146.18	46.52	136.23	42.96
	0	-0.7	176.63	52.76	166.76	49.32	156.8	45.89	151.16	44.19	146.18	42.58	136.23	39.35
	3	2.2	176.63	48.22	166.76	45.16	156.8	42.07	151.16	40.54	146.18	39.06	136.23	36.09
	5	4.1	176.63	45.50	166.76	42.58	156.8	39.78	151.16	38.34	146.18	36.89	136.23	34.22
	7	6	176.63	43.00	166.76	40.33	156.8	37.57	151.16	36.26	146.18	34.99	136.23	32.44
	9	7.9	176.63	40.67	166.76	38.08	156.8	35.62	151.16	34.35	146.18	33.21	136.23	30.75
60%	11	9.8	176.63	38.46	166.76	36.05	156.8	33.76	151.16	32.57	146.18	31.51	136.23	29.22
	13	11.8	176.63	36.34	166.76	34.14	156.8	31.98	151.16	30.92	146.18	29.77	136.23	27.78
	15	13.7	176.63	34.44	166.76	32.36	156.8	30.32	151.16	29.35	146.18	28.33	136.23	26.42
	-19.8	-20	140.12	66.67	139.38	67.90	134.4	65.31	130.17	62.76	125.85	60.30	117.31	55.30
	-18.8	-19	142.2	67.09	142.2	68.32	134.4	63.95	130.17	61.45	125.85	58.95	117.31	54.11
	-16.7	-17	147.92	67.98	142.95	65.86	134.4	60.98	130.17	58.65	125.85	56.32	117.31	51.74
	-13.7	-15	151.49	67.22	142.95	62.55	134.4	57.97	130.17	55.77	125.85	53.56	117.31	49.24
	-11.8	-13	151.49	63.65	142.95	59.24	134.4	55.00	130.17	52.97	125.85	50.89	117.31	47.07
	-9.8	-11	151.49	60.09	142.95	55.98	134.4	52.08	130.17	50.08	125.85	48.18	117.31	44.40
	-9.5	-10	151.49	58.44	142.95	54.45	134.4	50.55	130.17	48.77	125.85	46.86	117.31	43.17
	-8.5	-9.1	151.49	56.87	142.95	53.09	134.4	49.32	130.17	47.50	125.85	45.67	117.31	42.11
	-7	-7.6	151.49	54.41	142.95	50.80	134.4	47.20	130.17	45.50	125.85	43.77	117.31	40.46
	-5	-5.6	151.49	51.23	142.95	47.88	134.4	44.57	130.17	42.96	125.85	41.31	117.31	38.25
	-3	-3.7	151.49	48.39	142.95	45.21	134.4	42.11	130.17	40.67	125.85	39.10	117.31	36.22
	0	-0.7	151.49	44.19	142.95	41.43	134.4	38.63	130.17	37.32	125.85	35.88	117.31	33.25
	3	2.2	151.49	40.54	142.95	38.00	134.4	35.54	130.17	34.31	125.85	33.12	117.31	30.66
50%	5	4.1	151.49	38.34	142.95	35.96	134.4	33.63	130.17	32.53	125.85	31.34	117.31	29.13
	7	6	151.49	36.26	142.95	34.10	134.4	31.85	130.17	30.83	125.85	29.77	117.31	27.65
	9	7.9	151.49	34.35	142.95	32.31	134.4	30.24	130.17	29.30	125.85	28.24	117.31	26.34
	11	9.8	151.49	32.57	142.95	30.66	134.4	28.75	130.17	27.86	125.85	26.89	117.31	25.11
	13	11.8	151.49	30.83	142.95	29.09	134.4	27.31	130.17	26.42	125.85	25.53	117.31	23.88
	15	13.7	151.49	29.35	142.95	27.61	134.4	26.00	130.17	25.19	125.85	24.34	117.31	22.77
	-19.8	-20	126.19	60.64	119.05	56.45	112	52.42	107.77	50.51	104.2	48.51	97.15	44.74
	-18.8	-19	126.19	59.33	119.05	55.30	112	51.40	107.77	49.41	104.2	47.50	97.15	43.85
	-16.7	-17	126.19	56.61	119.05	52.76	112	49.11	107.77	47.28	104.2	45.50	97.15	41.98
	-13.7	-15	126.19	53.86	119.05	50.30	112	46.78	107.77	45.08	104.2	43.38	97.15	40.08
	-11.8	-13	126.19	51.19	119.05	47.79	112	44.53	107.77	42.87	104.2	41.22	97.15	38.17
	-9.8	-11	126.19	48.43	119.05	45.29	112	42.20	107.77	40.67	104.2	39.18	97.15	36.26
	-9.5	-10	126.19	47.12	119.05	44.06	112	41.09	107.77	39.65	104.2	38.17	97.15	35.33
	-8.5	-9.1	126.19	45.97	119.05	43.00	112	40.08	107.77	38.68	104.2	37.32	97.15	34.52
	-7	-7.6	126.19	44.06	119.05	41.22	112	38.46	107.77	37.11	104.2	35.83	97.15	33.21
	-5	-5.6	126.19	41.56	119.05	38.97	112	36.43	107.77	35.20	104.2	33.88	97.15	31.42
-3	-3.7	126.19	39.35	119.05	36.89	112	34.52	107.77	33.33	104.2	32.15	97.15	29.90	